













DIST	COUNTY	ROUTE	POST MILES TOTAL PROJECT	SHEET No.	TOTAL SHEETS
REGISTERED CIVIL ENGINEER			DATE		
PLANS APPROVAL DATE					
<i>The State of California or its officers or agents shall not be responsible for the accuracy or completeness of scanned copies of this plan sheet.</i> <i>The Registered Civil Engineer for the project is responsible for the selection and proper application of the component design and any modifications shown.</i>					



- NOTES:**
- Railing shall conform to horizontal and vertical alignment. Posts shall be vertical. Horizontal pipes shall be bent if radius is 150'-0" or less. May be an 8'-0" chords if radius is over 150'-0".
 - Peen all 3/8" Ø bolts.
 - When railing is on slope, fabric shall be parallel to slope.
 - Alternative details may be submitted by Contractor or Engineer's approval.
 - All pipe carrying electrical conductors shall be rigid conduit.
 - Details for RAILING TYPE 3 & 3L are similar except TYPE 3 does not have light fixtures.
 - Additional PIPE 1 1/4" Std required on radius less than 150'-0".



TYPICAL POST DETAIL

END POST **INTERMEDIATE POST**

ELEVATION
1 1/2" = 1'-0"

EXPANSION JOINT