

Low Bidder

CONTRACT NO: 02-0E24U4

BID AMOUNT:
 \$ 4,949,400.40

BID OPENING DATE: 6/2/2016

BIDDER'S NAME: KNIFE RIVER CONSTRUCTION

DBE GOAL FROM CONTRACT %: 6%

DBE PRIME CONTRACTOR CERTIFICATION ¹ :	TOTAL NUMBER OF ALL SUBCONTRACTS (DBE & NON-DBE)	TOTAL VALUE OF ALL SUBCONTRACTS (DBE & NON-DBE)
N/A	11	\$2,230,295.40

BID ITEM NO.	ITEM OF WORK AND DESCRIPTION OF SERVICES TO BE SUBCONTRACTED OR MATERIALS TO BE PROVIDED ²	WORK CATEGORY CODES ³	NAME OF DBEs (Must be certified on the date bids are opened. Include Caltrans' certification no., DBE address, and phone number. Show 2nd and lower tier subcontractors)	AMOUNT (\$)
44-60,61(P),62-66,98	LANDSCAPE, IRRIGATION, EROSION CONTROL & MASONRY PAVERS	C0620,C2000,C2020,C2021,C2030,C2067	M&S ENVIRONMENTAL LANDSCAPES, INC. 12192 MACS ROAD, REDDING CA, 96003 530-241-1418 CERT. #30736	\$275,786.50
42,127(P)	ROADSIDE CLEARING (TREE REMOVAL)	A0850,C1601	TYRRELL RESOURCES, INC. 275 HILLTOP DRIVE, REDDING CA, 96003 530-243-8733 CERT. #38525	\$7,500.00
96,100-106,108 ALL PARTIAL	SUPPLY AND DELIVER CONCRETE TO WARDS CONCRETE, INC.	C0625,C0651,C0652,C0657,C0698,D3270,F5050,F5210	WHITE CAP CONCRETE (WARD'S CONCRETE, INC SUPPLIER) 73880 HWY 70, PORTOLA CA, 96122 530-832-5847, CERT. #9433	\$92,679.79

Show all DBE firms being claimed for credit, regardless of tier. Attach written confirmation from each DBE shown stating that it will be participating in the contract to perform the specific work shown for the specific amount agreed to.

The names of the 1st tier DBE subcontractors and items of work must be consistent with the Subcontractor List (Pub Cont Code § 4100 et seq.).

¹Each DBE prime contractor must enter its certification number and show all work to be performed by DBEs, including work performed by its own forces.

²If 100% of an item is not to be performed or furnished by the DBE, describe the exact portion of the item to be performed or furnished.

³Use Work Category Codes from the California Unified Certification Program database.

Total Claimed Participation

\$ 375,966.29

7.60% %

The bidder acknowledges that it is committed to use the DBEs shown on this form to meet the contract goal (49 CFR 26.53).

Signature of Bidder

6/6/2016
Date

530-891-6555
(Area Code) Tel. No.

RICHARD A. LANIER
 Person to Contact (Please Type or Print)
 ESTIMATING MANAGER
 KNIFE RIVER CONSTRUCTION

ADA Notice

For individuals with sensory disabilities, this document is available in alternate formats. For information, call (916) 445-1233, TTY 711, or write to Records and Forms Management, 1120 N Street, MS-89, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION
DBE CONFIRMATION
 DES-OE-0102.13 (NEW 05/2015)

Contract no.: 02-0E24U4

Name of DBE business: M&S ENVIRONMENTAL LANDSCAPES, INC.

Name of DBE representative: MICHAEL A. SMITH

DBE certification number: 30736

Name of bidder: KNIFE RIVER CONSTRUCTION

Name of prime contractor if different from the bidder: N/A

Name of representative of bidder or prime contractor: STEVE SILVA

Date: 6/3/2016


Bid Item number	Item of work and description of services to be subcontracted or materials to be provided ¹	Amount (\$)
44-60,61(P),62-66,98	LANDSCAPE, IRRIGATION, EROSION CONTROL & MASONRY PAVERS	\$275,786.50

¹ If 100% of an item is not to be performed or furnished by the DBE, describe the exact portion of the item to be performed or furnished.

Total **\$275,786.50**

As an authorized representative of a certified disadvantaged business enterprise, I confirm that my business was contacted by the bidder or prime contractor shown above regarding the contract shown above. If the bidder is awarded the contract, my business will enter into a contractual agreement with the bidder or prime contractor to perform the type and dollar amount of work shown on the DBE Commitment form.

I certify under penalty of perjury that the foregoing is true and correct.


 Signature of DBE's authorized representative:

MICHAEL A. SMITH
 Printed name of DBE's authorized representative:

OWNER DWS.
 Title of DBE's authorized representative:

6/3/16
 Date:

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For alternate format information, contact the Forms Management Unit at (916) 445-1233, TTY 711, or write to Records and Forms Management, 1120 N Street, MS-88, Sacramento, CA 95814.

M&S Environmental Landscapes, Inc.
 12192 Mac's Road
 Redding, CA 96003
 530-241-1418 FAX 530-241-9647
 DIR Registration No. 1000010084
 CA Lic. 761931 DBE, SMBE, and MBE Certified CT No. 030736

Bid For - CT# 02-0E24U4
 Greenville

M&S Environmental Landscapes, Inc. would like to propose a bid for the following items:

Item No.	Description	Units	Quantity	Cost per Unit	Est. Cost
44	Pace Boulder	EA	11	980.00 \$	10,780.00
46	Weed Germination	SQYD	1980	0.50 \$	990.00
46	Grass Fertilizer	LB	16	20.00 \$	320.00
47	Wood Mulch	CY	30	100.00 \$	3,000.00
82	Top Soil	CY	150	75.00 \$	11,250.00

1580

TOTAL \$ 26,340.00

ADDITIONAL BID NOTES

- * Prime Contractor to provide and pay for water source on site (i.e. fire hydrant, water truck, or other approved source) at a minimum rate of 200 g.p.m.
- * All traffic control to be provided by Prime contractor. Bid valid for 60 days.
- * One move-in is included in total bid, unless otherwise state. Additional move-in (if necessary) at the rate of \$600 each.
- * An estimated 3 acres of Hydroseeding can be done in one working day. Stand-by-time will be billed at \$600 per hour.
- * Performance and Payment bonds are not included. Insurance beyond a \$5 mil umbrella will result in additional charge.
- * Additional insurance requirements including "Waiver of Subrogation" will be charged to Prime Contractor.
- * Signatory to Local 185 Laborers Union.
- * If you have any questions please call our office.

Michael Smith

M&S Environmental Landscapes, Inc.

12192 Mac's Road
 Redding, CA 96003
 530-241-1418 FAX 530-241-9647
 DIR Registration No. 1000010084
 CA Lic. 751931 DBE, SDBE, and MBE Certified CT No. 030736

Bid For - CT# 02-0E24U4
 Greenville

M&S Environmental Landscapes, Inc. would like to propose a bid for the following items:

Item No.	Description	Units	Quantity	Cost per Unit	Est. Cost
48	3/4 PVC Sch 40	LF	720	19.50 \$	14,040.00
49	1" PVC Sch 40	LF	1810	9.50 \$	17,195.00
50	1 1/4 PVC Sch 40	LF	1320	11.50 \$	15,180.00
51	1 1/2 PVC Sch 40	LF	510	27.60 \$	14,076.00
52	2 PVC Sch 40	LF	4	26.00 \$	100.00
53	2 PVC Class 315	LF	980	15.00 \$	14,700.00
54	8 PVC Conduit Sch 80	LF	170	88.00 \$	14,960.00
55	6 PVC Conduit Sch 80	LF	110	127.00 \$	13,970.00
56	4 PVC Conduit Sch 40	LF	410	37.50 \$	15,375.00
57	1 1/4 Sprinkler Conduit	LF	410	34.00 \$	13,940.00
58	1 1/2 Sprinkler Conduit	LF	190	35.00 \$	6,650.00
59	2 Sprinkler Conduit	LF	780	18.50 \$	14,430.00
60	1 1/2 PVC Class 315	LF	400	35.00 \$	14,000.00
61	8 Corrugated High Density Conduit	LF	1580	110.50 \$	174,590.00
	<i>clp</i>	<i>lf</i>	<i>lf</i>	<i>30.00 / lf</i>	<i>47,400</i>
TOTAL					\$ 343,206.00

no 31%

168,614 w

ADDITIONAL BID NOTES

DUE TO HYDROSEEDING SEASON (SEPT. TO DEC.) WE WILL REQUIRE LABOR ASSISTANCE FROM CONTRACTOR. IF ANY WORK NEEDS TO BE COMPLETED ON THESE LINE ITEMS DURING THAT PERIOD.

- * Prime Contractor to provide and pay for water source on site (i.e. fire hydrant, water truck, or other approved source) at a minimum rate of 200 g.p.m.
- * All traffic control to be provided by Prime contractor. Bid valid for 60 days.
- * One move-in is included in total bid, unless otherwise state. Additional move-in (if necessary) at the rate of \$800 each.
- * An estimated 3 acres of Hydroseeding can be done in one working day. Stand-by-time will be billed at \$600 per hour.
- * Performance and Payment bonds are not included. Insurance beyond a \$5 mil umbrella will result in additional charge.
- * Additional insurance requirements including "Waiver of Subrogation" will be charged to Prime Contractor.
- * Signatory to Local 185 Laborers Union.
- * If you have any questions please call our office.

Michael Smith

\$ 218,376.50
+ 47,400

\$ 265,776.50
+ 10,010.00

\$ 275,786.50

M&S Environmental Landscapes, Inc.

12192 Mac's Road
 Redding, CA 96003
 530-241-1418 FAX 530-241-9647
 DIR Registration No. 1000010084
 CA Lic. 761931 DBE,SMBE, and MBE Certified CT No. 030736

6/2/16

Bid For - Cal-trans # 02-0E24U4
 Near Greenville

M&S Environmental Landscapes, Inc. would like to propose a bid for the following items:

Item No.	Description	Units	Quantity	Cost per Unit	Est. Cost
63	Dry Seed Grass (Erosion Control)	SQFT	3630	0.35 \$	1,270.50
64	Dry Seed Wildflower (Erosion Control)	SQFT	14200	0.72 \$	10,224.00
65	Compost	SQFT	17800	0.37 \$	6,588.00
66	Incorporate Material	SQFT	17800	0.30 \$	5,340.00

TOTAL \$ 23,420.50 *IN*

ADDITIONAL BID NOTES

- * Prime Contractor to provide and pay for water source on site (i.e. fire hydrant, water truck, or other approved source) at a minimum rate of 200 g.p.m.
- * All traffic control to be provided by Prime contractor. Bid valid for 60 days.
- * One move-in is included in total bid, unless otherwise state. Additional move-in (if necessary) at the rate of \$600 each.
- * An estimated 3 acres off-hydroseeding can be done in one working day. Stand-by-time will be billed at \$600 per hour.
- * Performance and Payment bonds are not included. Insurance beyond a \$5 mil umbrella will result in additional charge.
- * Additional insurance requirements including "Waiver of Subrogation" will be charged to Prime Contractor.
- * Signatory to Local 185 Laborers Union.
- * If you have any questions please call our office.

Michael Smith

M&S Environmental Landscapes, Inc.

12192 Mac's Road
 Redding, CA 96003
 530-241-1418 FAX 530-241-9647
 DIR Registration No. 1000010084
 CA Lic. 751931 DBE,SMBE, and MBE Certified CT No. 030738

6/2/16

Bid For - Cal-trans # 02- 0E24U4
 Greenville

M&S Environmental Landscapes, Inc. would like to propose a bid for the following items:

Item No.	Description	Units	Quantity	Cost per Unit	Est. Cost
98-09	masonry unit pavers	SQFT	130	77.00 \$	10,010.00

TOTAL \$ 10,010.00

ADDITIONAL BID NOTES

- * Prime Contractor to provide and pay for water source on site (i.e. fire hydrant, water truck, or other approved source) at a minimum rate of 200 g.p.m.
- * All traffic control to be provided by Prime contractor. Bid valid for 60 days.
- * One move-in is included in total bid, unless otherwise state. Additional move-in (if necessary) at the rate of \$600 each.
- * An estimated 3 acres of Hydroseeding can be done in one working day. Stand-by-time will be billed at \$600 per hour.
- * Performance and Payment bonds are not included. Insurance beyond a \$5 mil umbrella will result in additional charge.
- * Additional Insurance requirements including "Waiver of Subrogation" will be charged to Prime Contractor.
- * Signatory to Local 185 Laborers Union.
- * If you have any questions please call our office.

Michael Smith

[Back To Query Form](#)

Search Returned 1 Records

Fri Jun 03 08:25:09 PDT 2016

Query Criteria

Firm ID: 30736
 Firm Type: DBE

Firm ID	30736
Firm/DBA Name	M & S ENVIRONMENTAL LANDSCAPES, INC
Address Line1	12192 MACS ROAD
Address Line2	
City	REDDING
State	CA
Zip Code1	96003
Zip Code2	
Mailing Address Line1	
Mailing Address Line2	
Mailing City	
Mailing State	
Mailing Zip Code1	
Mailing Zip Code2	
Certification Type	DBE
E-Mail	shelley@mandsenviron.com; michael@mandsenviron.com
Contact Name	MICHAEL A. SMITH
Area Code	(530)
Phone Number	241-1418
Alt Area Code	(530)
Alt Phone Number	941-1631
Fax Area Code	(530)
Fax Phone Number	241-9647
Agency Name	DEPARTMENT OF TRANSPORTATION
Counties	01; 03; 04; 05; 06; 07; 08; 09; 11; 12; 17; 18; 21; 23; 25; 27; 28; 29; 31; 32; 34; 38; 45; 46; 47; 48; 49; 51; 52; 53; 57; 58;
Districts	01; 02; 03; 04; 05; 10;
DBE NAICS	238910; 561730;
ACDBE NAICS	
Work Codes	C0620 LANDSCAPING & NURSERY SUPPLIER; C2000 HIGHWAY PLANTING; C2020 SOIL AMENDMENTS; C2021 HYDROSEEDING; C2030 EROSION CONTROL; C2065 IRRIGATION SYSTEM; C2066 TEMPORARY EROSION CONTROL;
Licenses	C27 Landscaping Contractor;
Trucks	
Gender	M
Ethnicity	HISPANIC
Firm Type	DBE

[Back To Query Form](#)



list

June 1, 2016

Contractors License No. 938998
 Licensed Timber Operator A10405
 DIR Number 1000007965
 DBE # 38525
 CPUC WBE 9EN00089

TO: Knife River Construction
 ATTN: Steve Silva

RE: Caltrans 02-0E24U4
 Bidding 6/2/16
 Scope of Work: Tree Removal

BID PROPOSAL

The following quote for services includes:

Remove approximately seven trees designated for removal within project clearing limits.

42 Quote: \$500.00/tree x 7 EA = \$3,500.00

127 P Mobilization: \$4,000.00

Inclusions/Exclusions:

- Knife River to provide traffic control/lane closure as needed.
- Knife River to provide on-site staging area to load trucks.
- Tyrrell not responsible for dust control, dust abatement, fugitive dust or SWPPP.
- Tyrrell to grind stumps in ground if necessary.

Please call 530.355.9200 or 530.249.3800 for questions.

Thank you.

Brent Tyrrell

Tyrrell Resources, Inc. is signatory to the Operating Engineers and the Laborers Unions
 P.O. Box 493460 • Redding, CA 96049
 Email: tyrrellresources@sbcglobal.net
 Phone: 530-249-3800 • Fax: 530-241-8975

[Back To Query Form](#)

Search Returned 1 Records

Fri Jun 03 08:24:42 PDT 2016

Query Criteria

Firm ID: 38525

Firm Type: DBE

Firm ID	38525
Firm/DBA Name	TYRRELL RESOURCES, INC.
Address Line1	275 HILLTOP DRIVE
Address Line2	
City	REDDING
State	CA
Zip Code1	96003
Zip Code2	
Mailing Address Line1	P.O. BOX 493460
Mailing Address Line2	
Mailing City	REDDING
Mailing State	CA
Mailing Zip Code1	96049
Mailing Zip Code2	
Certification Type	DBE
E Mail	tyrrellresources@sbcglobal.net
Contact Name	CHERYL TYRRELL
Area Code	(530)
Phone Number	243-8733
Alt Area Code	()
Alt Phone Number	
Fax Area Code	(530)
Fax Phone Number	241-8975
Agency Name	DEPARTMENT OF TRANSPORTATION
Counties	01; 04; 05; 06; 09; 10; 11; 18; 25; 29; 31; 32; 45; 46; 47; 52; 53; 58;
Districts	02; 03; 04; 06; 10;
DBE NAICS	113310; 115310; 238910; 561730;

ACDBE NAICS

Work Codes	A0850 FORESTRY SERVICES; C1601 CLEARING & GRUBBING;
Licenses	C61 Limited Specialty Contractor; D49 Tree Service;
Trucks	
Gender	F
Ethnicity	CAUCASIAN
Firm Type	DBE

[Back To Query Form](#)

White Cap Ready Mix, Inc.
 73880 Highway 70
 Portola, CA 96122
 (530) 832-4225 FAX (530) 832-5847

Date: May 31, 2016

To: All interested bidders

Job: 02-0E24U4 Hwy 89 Greenville from 0.1 mile north of South Greenville overhead to Hillside Drive

We are pleased to submit the following quote for transit mixed concrete products delivered to the above referenced project. Prices are as follows:

A.	Minor concrete-freeze/thaw area 590# cementitious w/air	\$158.85/cy
B.	Color Federal STD 595C #26134 2#/SK #860	\$ 58.00/cy
C.	1 sack popcorn fill	\$106.00/cy
D.	2 sack popcorn fill	\$114.00/cy
E.	1 sack sand slurry	\$102.50/cy
F.	2 sack sand slurry	\$110.50/cy
G.	Short load fees <5 cubic yards	\$200.00/load
H.	Set accelerator @ 2% or 22 oz/cwt	\$ 18.00/gal
I.	Hot H2O for winter concreting (usually Oct.1 thru April 30)	\$ 15.00/cy

Prices include:

Prevailing wage rates for mixer truck drivers as provided for in provisions for projects awarded after July 1, 2016, environmental fees and fuel surcharges.


Exclusions:

Prices do not include 7.5 % sales tax.

Does not include heating or cooling of water or aggregates.

Travel to job site is approximately 40 minutes from the Chester concrete plant. All concrete is manufactured in accordance with Caltrans "Freeze-Thaw" specifications and the special provisions for this project. White Cap Ready Mix is a certified DBE supplier #9433. Should you require any additional information, have any questions or suggestions, please advise. Thank you for the opportunity to quote your project.

Respectfully Submitted,


 Dixie Lee Higgins
 General Manager

GET A LOAD OF THIS! at whitecapreadymix.com

[Back To Query Form](#)

Search Returned 1 Records

Fri Jun 03 08:25:35 PDT 2016

Query Criteria

Firm/DBA Name: white cap

Firm Type: DBE

Firm ID	9433
Firm/DBA Name	WHITE CAP READY MIX, INC.
Address Line1	73880 HIGHWAY 70
Address Line2	
City	PORTOLA
State	CA
Zip Code1	96122
Zip Code2	
Mailing Address Line1	
Mailing Address Line2	
Mailing City	
Mailing State	
Mailing Zip Code1	
Mailing Zip Code2	
Certification Type	DBE
EMail	whitecaprm@sbcglobal.net
Contact Name	DIXIE LEE HIGGINS
Area Code	(530)
Phone Number	832-4225
Alt Area Code	()
Alt Phone Number	
Fax Area Code	(530)
Fax Phone Number	832-5847
Agency Name	DEPARTMENT OF TRANSPORTATION
Counties	00;
Districts	00;
DBE NAICS	327331; 327390; 423510; 444190;

ACDBE NAICS

Work Codes

C0625 SAND & GRAVEL SUPPLIER; C0651 CONCRETE & CEMENT SUPPLIER; C0652 REINFORCING BAR SECTION SUPPLIER; C0657 LUMBER SUPPLIER; C0698 BUILDING MATERIAL SUPPLIER; D3270 CONCRETE, GYPSUM, & PLASTER PRODUCTS; F5050 METALS & MINERALS, EXCEPT PETROLEUM; F5210 LUMBER & OTHER BUILDING MATERIALS;

Licenses

Trucks

Gender

F

Ethnicity

CAUCASIAN

Firm Type

DBE

[Back To Query Form](#)

1. List items of work the Bidder made available to DBE firms. Identify items of work the Bidder might otherwise perform with its own forces, items that have been broken down into economically feasible units to facilitate DBE participation, and items for which the Bidder has established flexible time frames for performance and delivery schedules in a manner that encourages and facilitates DBE participation. For each item listed, show the dollar value and percentage of the total contract. The Bidder must demonstrate that sufficient work to meet the goal was made available to DBE firms.

Item of Work Offered, Services Offered, or Materials Supplied	Bidder Normally Performs Item Yes/No	Item Broken Down to Facilitate Participation Yes/No	Established Flexible Timeframes for Performance and Delivery Schedules Yes/No	Amount (\$)	Percentage of Total Bid
1-3,5(P),6-16,22,26,31-41,43,67-70,127(P)	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	\$2,719,105.00	54.93%
4,17(P),19-21,30,73-80,114	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	\$27,989.00	0.57%
17(P),28,127(P)	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	\$17,488.00	0.35%
5(P),18,23-25,40,41,61(P),72,81-95,97,109,112,126,127(P)	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	\$957,997.00	19.36%
27,29,115,117	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	\$27,110.00	0.55%
42	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	\$7,500.00	0.15%
44-60,61(P),62-66,98	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	\$275,786.50	5.57%
71	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	\$2,640.00	0.05%
96,99-108	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	\$493,452.90	9.97%
1(P),118,119	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	\$26,460.00	0.53%
120-125	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	\$352,072.00	7.11%
31(P),38(P)	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	\$41,800.00	0.84%
	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO		
	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO		
	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO		
	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO		
	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO		
	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO		
	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO		
	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO		
	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO		


2. List the names of certified DBEs and all the dates on which they were solicited to bid on this project. Include the items of work offered and the dates and methods used for following up initial and follow-up solicitations to determine with certainty whether the DBEs were interested. Attach copies of solicitations, e-mail messages, telephone records, fax confirmations, etc.

Name of DBE Solicited	Date of Initial Solicitation	Items of Work Offered	Follow Up Methods and Dates
SEE ATTACHED	5/11/2016	ALL ITEMS AVAILABLE	SEE ATTACHED

3. For each item of work made available, indicate whether the Bidder provided plans and specifications specific to the items of work being offered, list the selected firm and its status as a DBE, the DBEs that provided quotes, the price quote for each firm, and the price difference for each DBE if the selected firm is not a DBE. Provide copies of each DBE and Non-DBE quote submitted to the Bidder whenever a Non-DBE firm was selected over a DBE for work on the Contract.

Items of Work	Provided Plans/ Specifications for Work Offered Yes/No	Name of Selected Firm	DBE or Non-DBE	Name of Rejected Firm	Quote (\$)	Price Difference (\$)
1-3,5(P),6-16,22,26,31-41,43, 67-70,127(P)	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	KNIFE RIVER CONSTRUCTION	NON	NO OTHER FIRMS SUBMITTED QUOTES		
4,17(P),19-21,30,73-80,114	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	HIGHWAY SPECIALTY Co.	NON	CONSTRUCTION AREA SIGNS, INC.	\$32,495.00	\$4,506.00 HIGHER NOT LOW BIDDER
17(P),28,127(P)	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	CORAL CONSTRUCTION Co.	NON	NO OTHER FIRMS SUBMITTED QUOTES		
5(P),18,23-25,40,41,61(P),72,81-95, 97,109,112,126,127(P)	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	OMNI PIPLINES, INC.	NON	NO OTHER FIRMS SUBMITTED QUOTES		
27,29,115,117	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	A-1 FENCE Co.	NON	FRANK MEDINA GENERAL ENGINEERING	\$65,300.00	\$38,190.00 HIGHER NOT LOW BIDDER
42	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	TYRRELL RESOURCES, INC.	DBE			
44-60,61(P),62-66,98	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	M&S ENVIRONMENTAL LANDSCAPES, INC.	DBE			
71	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	PACIFIC NORTHWEST OIL	NON	NO OTHER FIRMS SUBMITTED QUOTES		
96,99-108	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	WARDS CONCRETE, INC.	NON	NO OTHER FIRMS SUBMITTED QUOTES		

If the firm selected for the item is not a DBE, provide the reasons for the selection on a separate sheet and attach names, addresses, and phone numbers for the firms listed above. Provide evidence as to why additional agreements could not be reached for DBEs to perform work.



Highway Specialty Co. *W list*

TRAFFIC SAFETY SUPPLY, TRAFFIC CONTROL

PO BOX 141 PALO CEDRO, CA 96073
 LICENSE # 1003147, A UNION CONTRACTOR
 PHONE 530-949-5681 FAX 855-846-5806
CALIFORNIA CERTIFIED SMALL BUSINESS
1559500

DIR REGISTRATION # 100022123

Dustan@HighwaySpecialty.com

ATTENTION ESTIMATOR:

June 2, 2016
 QUOTE VALID FOR 30 DAYS

PROJECT: **Rehabilitate pavement and sidewalks to meet current ADA standards**
 CONTRACT #: **02-0E24U4**
 BID DATE: **June 2, 2016**
 FED AID #:
 FROM: **DUSTAN CURRIER**

ITEM NUMBER	DESCRIPTION	UNIT OF MEASURE	ESTIMATED QUANTITY	UNIT PRICE	TOTAL PRICE
4	CONSTRUCTION AREA SIGNS	LS	1	\$ 4,495.00	\$ 4,495.00
17 <i>IP</i>	TREATED WOOD WASTE	LB	1950	\$ 1.00	\$ 1,950.00
19	REMOVE ROADSIDE SIGN (WOOD POST)	EA	9	\$ 100.00	\$ 900.00
20	REMOVE ROADSIDE SIGN (STRAP AND SADDLE BRACKET METHOD)	EA	4	\$ 45.00	\$ 180.00
21	REMOVE ROADSIDE SIGN (STEEL POST)	EA	9	\$ 100.00	\$ 900.00
30	RELOCATE ROADSIDE SIGN	EA	3	\$ 295.00	\$ 885.00
73	RETROREFLECTIVE SHEETING (TYPE XI)	SQFT	260	\$ 5.00	\$ 1,300.00
74	FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED)	SQFT	78	\$ 14.50	\$ 1,131.00
75	FURNISH SINGLE SHEET ALUMINUM SIGN FOR TYPE XI SHEETING(0.063"-UNFRAMED)	SQFT	220	\$ 9.30	\$ 2,046.00
76	FURNISH SINGLE SHEET ALUMINUM SIGN FOR TYPE XI SHEETING (0.080"-UNFRAMED)	SQFT	36	\$ 10.50	\$ 378.00
77	FURNISH SINGLE SHEET ALUMINUM SIGN FOR TYPE XI SHEETING (0.063"-FRAMED)	SQFT	14	\$ 16.00	\$ 224.00
78	ROADSIDE SIGN - ONE POST	EA	45	\$ 268.00	\$ 12,060.00
79	ROADSIDE SIGN - TWO POST	EA	1	\$ 540.00	\$ 540.00
80	INSTALL SIGN (STRAP AND SADDLE BRACKET METHOD)	EA	4	\$ 175.00	\$ 700.00
114	MARKER (CULVERT)	EA	5	\$ 60.00	\$ 300.00

44%

27,989-

CONTRACT DETAILS

A CONTRACT AND 10 WORKING DAYS WRITTEN NOTICE REQUIRED FOR SCHEDULING
 PRICE FOR CAS INCLUDES ALL STATIONARY MOUNTED SIGNS LISTED ON PLAN SHEETS AND TWO PROJECT FUNDING SIGNS ONLY
 NUMBER OF MOBILIZATIONS: 3. PRICE PER ADDITIONAL MOVE-IN: \$850
 SHOULDER CLOSURES, WHEN REQUIRED FOR HIGHWAY SPECIALTY OPERATIONS, ARE INCLUDED.
 HIGHWAY SPECIALTY EXCLUDES ANY AND ALL CORING, CUTTING OR PATCHING OF AC OR CONCRETE.
 ALL SIGN AND DELINEATOR USA LOCATION MARK OUT TO BE DONE BY OTHERS AND MUST BE COMPLETED PRIOR TO HIGHWAY SPECIALTY NOTIFYING UNDERGROUND SERVICE ALERT AND STARTING WORK.
 PRICE FOR CONSTRUCTION AREA SIGNS INCLUDES INSTALL, REMOVAL, INITIAL COVERING IF REQUIRED AND DATING OF RAMP SIGNS. NO MAINTENANCE.
 CAS PRICE EXCLUDES CHANGEABLE MESSAGE SIGNS
 ALL CONSTRUCTION AREA SIGNS ARE CONSIDERED RENTAL AND SHALL REMAIN THE SOLE PROPERTY OF HIGHWAY SPECIALTY. PRIME CONTRACTOR WILL BE CHARGED FULL REPLACEMENT COSTS FOR ANY SIGNS MISSING OR DAMAGED AT THE END OF CONTRACT.
 SHOULD THIS QUOTE BE ACCEPTED BY THE PRIME CONTRACTOR, THESE DETAILS IN THEIR ENTIRETY MUST BE INCLUDED IN THE SUBCONTRACT.

**THANK YOU FOR THE OPPORTUNITY TO PROVIDE PRICING FOR YOUR SIGN AND TRAFFIC CONTROL NEEDS.
 PLEASE FEEL FREE TO CONTACT ME AT (530)949-5681 OR VIA EMAIL AT DUSTAN@HIGHWAYSPECIALTY.COM**



Caltrans project
 Contract no. 02-0E24U4
 Location: 02-Plu-89-20.0/20.6
 Bid Date: June 2, 2016

Item no. 04	Construction Area Signs - Stationary Mounted As shown on plan sheet CS-1 Furnish, Install & Remove Lump Sum	\$8,500.00
Item no. 19	Remove Roadside Sign (Wood Post) 09 each @ \$100.00 each	\$ 900.00
Item no. 20	Remove Roadside Sign (Strap and Saddle Bracket Method) 04 each @ \$75.00 each	\$ 300.00
Item no. 21	Remove Roadside Sign (Steel) 09 each @ \$100.00 each	\$ 900.00
Item no. 30	Relocate Roadside Sign 03 each @ \$250.00 each	\$ 750.00
Item no. 73	Retroreflective Sheeting (Type XI) 260 SQFT @ \$5.00 SQFT	\$1,300.00
Item no. 74	Furnish Single Sheet Aluminum Sign (0.063" -Unframed) 78 SQFT @ \$14.50 SQFT	\$1,131.00
Item no. 75	Furnish Single Sheet Aluminum Sign for Type XI Sheeting (0.063" -Unframed) 220 SQFT @ \$9.50 SQFT	\$ 2,090.00
Item no. 76	Furnish Single Sheet Aluminum Sign for Type XI Sheeting (0.080" -Unframed) 36 SQFT @ \$10.50 SQFT	\$ 378.00
Item no. 77	Furnish Single Sheet Aluminum Sign for Type XI Sheeting (0.063" -Framed) 14 SQFT @ \$16.50 SQFT	\$ 231.00
Item no. 78	Roadside Sign - One Post 45 each @ \$325.00 each	\$14,625.00
Item no. 79	Roadside Sign - Two Post 01 each @ \$550.00 each	\$ 550.00
Item no. 80	Install Sign (Strap and Saddle Method Bracket Method) 04 each @ \$150.00 each	\$ 600.00
Item no. 144 114	Marker Culvert 05 each @ \$48.00 each	\$ 240.00

Excludes: Portable Changeable Message Sign, Impact Attenuator Vehicle, and Traffic Control other than Typical Shoulder Closure.

Please contact Mike Smith for additional information at the number noted below.

215 Taylor Road * Newcastle, CA 95658 * (916) 663-9097 * (916) 663-1858
 Qualified SBE / WBE / UDBE * Contractor #442645 * DIR #1000001337 * www.cas-tc.com

\$32,495

Subcontractor or Vendor Quote
to
Knife River Construction, Inc

in list

Subcontractor:

A-1 Fence

Quoted by:

John Sterk

Address:

Tel:

Trade:

CL 410871

Cell:

570-3125

Job:

DIP 10000 ~~14160~~

Fax:

Items or Scope Needed:

Detail The Following:

Prices?

~~27~~ ~~feon fence~~ ~~260 LF~~

Union?

27 ~~\$10,660~~ \$41/LF ~~\$10,660~~

Minority Business Status?

29 ~~\$200~~ \$400.00/EA = 1,200

Tax Included?

115 ~~\$400~~ \$200/LF = 400

Installed, Placed or Erected?

117 \$135/LF = 14,850

FOB Where?

Delivered or Unloaded?

~~\$27,050.00~~

Time to Complete?

27,110

Phases?

Conditions or Exclusions

Quote Received by:

Date:

Time:

FRANK MEDINA GENERAL ENGINEERING
 10096 AHART ROAD
 OROVILLE, CA 95966
 OFFICE - 530-743-0744; FAX - 530-743-9352

PROPOSAL

State Lic # 644373 Class A C13 C31 roxanne.medina@att.net

Certified DBE: CT014717 7/1/16 expires
 Certified SBE: 8270
 Certified ESBE: FRM5425230P

Laborers Local 185
 Operators Local 3
 Air Quality Compliant
 Public Work Registration
 #1000005534

FAXED ON 06/02/16
 Bid Date: 06/02/16

PROJECT: 02-0E24U4

Addendums: ~~2~~ 3 Freight Included: Yes Sales Tax Included: Yes
 Quote Valid: 30 Days Permits: No Construction Staking: No USA: No
 Traffic Control: Back Charges: No Retention Withheld: No Bond Premium: 2 1/2 %
 Prevail Wage: YES Union: YES HazMat/Lead Compliance: NO

QUOTE IS BASED ON ALL ITEMS

ANY QUESTIONS CONTACT ROXANNE VIA EMAIL

Item No.	Item	Item Price	Unit	Qty	Total
18	REM FLARED END SECTION	750.00	EA	1	\$750.00
26	REMOVE BOLLARD	300.00	EA	6	\$1,800.00
27	RECONSTRUCT FENCE	150.00	LF	95	\$14,250.00
29	RESET GATE	1800.00	EA	3	\$5,400.00
110	ADJUST MANHOLE T GRADE	1800.00	EA	15	\$27,000.00
111	ADJ UTILITY CVR TO GRADE	3500.00	EA	11	\$38,500.00
114	MARKER CULVERT	75.00	EA	5	\$375.00
115	HANDRAILING	500.00	LF	2	\$1,000.00
116	CABLE RAILING	125.00	LF	11	\$1,375.00
117	TUBULAR HANDRAIL MOD	290.00	LF	110	\$31,900.00
	TOTAL				\$122,350.00

No
No
No
No

Items 27, 29, 115, 117 = \$65,300.00



Tyrrell
Resources, Inc.

IN list

June 1, 2016

Contractors License No. 938998
Licensed Timber Operator A10405
DIR Number 1000007965
DBE #38525
CPUC WBE 9EN00089

TO: Knife River Construction
ATTN: Steve Silva

RE: Caltrans 02-0E24U4
Bidding 6/2/16
Scope of Work: Tree Removal

BID PROPOSAL

The following quote for services includes:

Remove approximately seven trees designated for removal within project clearing limits.

42 Quote: \$500.00/tree

127 P Mobilization: \$4,000.00

.65
X

Inclusions/Exclusions:

- Knife River to provide traffic control/lane closure as needed.
- Knife River to provide on-site staging area to load trucks.
- Tyrrell not responsible for dust control, dust abatement, fugitive dust or SWPPP.
- Tyrrell to grind stumps in ground if necessary.

Please call 530.355.9200 or 530.249.3800 for questions.

Thank you.

Brent Tyrrell

Tyrrell Resources, Inc. is signatory to the Operating Engineers and the Laborers Unions
P.O. Box 493460 • Redding, CA 96049
Email: tyrrellresources@sbcglobal.net
Phone: 530-249-3800 • Fax: 530-241-8975

Silva, Steve

IN USED

From: Terry Hansen Electric <the6911@gmail.com>
Sent: Thursday, June 02, 2016 12:18 PM
To: Silva, Steve
Cc: Terry Hansen Electric
Subject: 02-0E24U4 Greenville Quote

*** This is an EXTERNAL email. Exercise caution. ***

Steve - Quote per Knife River doing the underground, light foundations and pull boxes.

Bid Item #120 Lighting (Intersection Dec)	<u>\$98,500.00</u> Lump Sum
Bid Item #121 Lighting (City Street Dec)	<u>\$67,500.00</u> Lump Sum
Bid Item #122 Rectangular Rapid FB Sys)	<u>\$30,785.00</u> Lump Sum
Bid Item #123 Electrical Sys (Irrigation)	<u>\$10,537.00</u> Lump Sum
Bid Item #124 Radar Speed Feedback Sign	<u>\$30,000.00</u> Lump Sum
Bid Item #125 Modify Traffic Count Station	<u>\$5,000.00</u> Lump Sum

TOTALS \$242,322.00 Lump Sum

We exclude 3 days traffic control

Any questions please call
Terry
530-941-2141

(\$94,000) ADD for Hansen to install all

+ 94,000
 + 15,750

 \$ 109,750

 \$ 352,072

Into Mtg 127, P
 11.7%

RogerSteve

The 1 1/2" and 2" PVC need to be 30" deep except under sidewalk then 18" deep
Both with sand cover and **NO concrete** needed

Totals 1 1/2" PVC = 3,430

Totals 2" PVC = 230'

Totals Pull Boxes = 41 -#5 and 2 #6 (ES-8)

Totals Light foundations = 22 (24" Round by 4'6" Deep) (1/2 yard plus per foundation)

" will want to have us dig + backfill under his supervisor "

If it would work for you I will supply all conduit, fittings, glue, anchor bolts, anchor bolt templates and pull boxes.

You would dig the trenches, install conduit, install pull boxes and foundations.

The pull boxes would require a bed of clean crushed rock under the pull box per ES-8 (page 480)

THE would pull wire, stand poles, install services, and any other electrical items, Items #120 to #125.

--
Terry Hansen Electric
6911 Danyeur Road
Redding, CA. 96001

CA Contractors License # 616547 (A,B&C-10)

DIR# 1000000 8449



Contractor License #291649
DBE/SWBE Certification #34396
SBE Certification #9083
PW Contractor Registration #1000008129

2435 Radio Lane, Redding, CA 96001 • Phone: (530) 246-2366 • Fax: (530) 246-2368 • nie01@sbcglobal.net
June 2, 2016

To Bidding Contractors

Re: Caltrans Contract 02-0E24U4 – Construction on State Highway in Plumas County @ Greenville
02-Plu-89-20.0/20.6

Bid Date: June 2, 2016 @ 2:00 p.m.

Northern Industrial Electric is pleased to quote the above referenced project per plans and specifications as follows:

Bid Item 120: Lighting (Intersection-Decorative)	L.S.	\$161,743.00
• Excludes light towers per Section 86-6.15B of the Special Provisions		
Bid Item 121: Lighting (City Street-Decorative)	L.S.	\$121,848.00
Bid Item 122: Rectangular Rapid Flashing Beacon System	L.S.	\$ 54,622.00
Bid Item 123: Electric Service (Irrigation)	L.S.	\$ 11,504.00
Bid Item 124: Radar Speed Feedback Sign	L.S.	\$ 56,319.00
Bid Item 125: Modify Traffic Count Station	L.S.	\$ 5,497.00
	TOTAL	\$411,533.00

We acknowledge Addendum No. 1, 2 and 3

We are signatory to the following unions:

- Laborers Local 185
- Operating Engineers Local 3

Exclusions:

1. Traffic control and portable changeable message signs;
2. Pull box paving; any paving;
3. Removal of existing foundations;
4. Removal of excess spoils;
5. Light towers;
6. SWPPP/WPCP and implementation;
7. Fees, permits or bonds;
8. Worker's comp waivers of subrogation;
9. Excess (umbrella) liability insurance;
10. Weekend and holiday shift;
11. Staking.

Our quote is firm for 30 days unless otherwise stated. This proposal must be attached and incorporated into our subcontract agreement. If you have any questions, please do not hesitate to call.

Sincerely,

Harry P. Cramer
Project Manager / Estimator

M&S Environmental Landscapes, Inc.
 12192 Mac's Road
 Redding, CA 96003
 530-241-1418 FAX 530-241-8647
 DIR Registration No. 1000010084
 CA Lic. 751931 DBE, SDBE, and MBE Certified CT No. 030736

Bid For - CT# 02-0E24U4
 Greenville

M&S Environmental Landscapes, Inc. would like to propose a bid for the following items:

Item No.	Description	Units	Quantity	Cost per Unit	Est. Cost
48	3/4 PVC Sch 40	LF	720	19.50	\$ 14,040.00
49	1" PVC Sch 40	LF	1810	9.50	\$ 17,195.00
50	1 1/4 PVC Sch 40	LF	1320	11.50	\$ 15,180.00
51	1 1/2 PVC Sch 40	LF	510	27.80	\$ 14,076.00
52	2 PVC Sch 40	LF	4	25.00	\$ 100.00
53	2 PVC Class 315	LF	980	15.00	\$ 14,700.00
54	8 PVC Conduit Sch 80	LF	170	88.00	\$ 14,960.00
55	6 PVC Conduit Sch 80	LF	110	127.00	\$ 13,970.00
56	4 PVC Conduit Sch 40	LF	410	37.50	\$ 15,375.00
57	1 1/4 Sprinkler Conduit	LF	410	34.00	\$ 13,940.00
58	1 1/2 Sprinkler Conduit	LF	190	35.00	\$ 6,650.00
59	2 Sprinkler Conduit	LF	780	18.50	\$ 14,430.00
60	1 1/2 PVC Class 315	LF	400	35.00	\$ 14,000.00
61	8 Corrugated High Density Conduit	LF	1580	110.50	\$ 174,590.00
61	61 p 11	11	11	30.00 / LF	47,400
TOTAL					\$ 343,206.00

no 31%
 168,614 w

ADDITIONAL BID NOTES

DUE TO HYDROSEEDING SEASON (SEPT. TO DEC.) WE WILL REQUIRE LABOR ASSISTANCE FROM CONTRACTOR. IF ANY WORK NEEDS TO BE COMPLETED ON THESE LINE ITEMS DURING THAT PERIOD.

- * Prime Contractor to provide and pay for water source on site (i.e. fire hydrant, water truck, or other approved source) at a minimum rate of 200 g.p.m.
- * All traffic control to be provided by Prime contractor. Bid valid for 60 days.
- * One move-in is included in total bid, unless otherwise state. Additional move-in (if necessary) at the rate of \$600 each.
- * An estimated 3 acres of Hydroseeding can be done in one working day. Stand-by-time will be billed at \$600 per hour.
- * Performance and Payment bonds are not included. Insurance beyond a \$5 mil umbrella will result in additional charge.
- * Additional Insurance requirements including "Waiver of Subrogation" will be charged to Prime Contractor.
- * Signatory to Local 185 Laborers Union.
- * If you have any questions please call our office.

Michael Smith

\$ 218,376.50
 + 47,400

 \$ 265,776.50
 + 10,010.00

 \$ 275,786.50

M&S Environmental Landscapes, Inc.
 12192 Mac's Road
 Redding, CA 96003
 530-241-1418 FAX 530-241-9647
 DIR Registration No: 1000010084
 CA Lic. 761931 DBE, SMBE, and MBE Certified CT No. 030736

Bid For - CT# 02-0E24U4
 Greenville

M&S Environmental Landscapes, Inc, would like to propose a bid for the following items:

Item No.	Description	Units	Quantity	Cost per Unit	Est. Cost
44	Pace Boulder	EA	11	980.00	\$ 10,780.00
45	Weed Germination	SQYD	1980	0.50	\$ 990.00
46	Grass Fertilizer	LB	16	20.00	\$ 320.00
47	Wood Mulch	CY	30	100.00	\$ 3,000.00
82	Top Soil	CY	150	75.00	\$ 11,250.00

1580

TOTAL \$ 26,340.00

ADDITIONAL BID NOTES

- * Prime Contractor to provide and pay for water source on site (i.e. fire hydrant, water truck, or other approved source) at a minimum rate of 200 g.p.m.
- * All traffic control to be provided by Prime contractor. Bid valid for 60 days.
- * One move-in is included in total bid, unless otherwise state. Additional move-in (if necessary) at the rate of \$600 each.
- * An estimated 3 acres of Hydroseeding can be done in one working day. Stand-by-time will be billed at \$600 per hour.
- * Performance and Payment bonds are not included. Insurance beyond a \$5 mil umbrella will result in additional charge.
- * Additional insurance requirements including "Waiver of Subrogation" will be charged to Prime Contractor.
- * Signatory to Local 185 Laborers Union.
- * If you have any questions please call our office.

Michael Smith

M&S Environmental Landscapes, Inc.

12192 Mac's Road
 Redding, CA 96003
 530-241-1418 FAX 530-241-9847
 DIR Registration No. 1000010084
 CA Lic. 751931 DBE, SDBE, and MBE Certified CT No. 030736

6/2/16

Bid For - Cal-trans # 02-0E24U4
 Near Greenville

M&S Environmental Landscapes, Inc. would like to propose a bid for the following items:

Item No.	Description	Units	Quantity	Cost per Unit	Est. Cost
63	Dry Seed Grass (Erosion Control)	SQFT	3630	0.35 \$	1,270.50
64	Dry Seed Wildflower (Erosion Control)	SQFT	14200	0.72 \$	10,224.00
65	Compost	SQFT	17800	0.37 \$	6,586.00
66	Incorporate Material	SQFT	17800	0.30 \$	5,340.00

TOTAL \$ 23,420.50 *IN*

ADDITIONAL BID NOTES

- * Prime Contractor to provide and pay for water source on site (i.e. fire hydrant, water truck, or other approved source) at a minimum rate of 200 g.p.m.
- * All traffic control to be provided by Prime contractor. Bid valid for 60 days.
- * One move-in is included in total bid, unless otherwise state. Additional move-in (if necessary) at the rate of \$600 each.
- * An estimated 3 acres of Hydroseeding can be done in one working day. Stand-by-time will be billed at \$800 per hour.
- * Performance and Payment bonds are not included. Insurance beyond a \$5 mil umbrella will result in additional charge.
- * Additional Insurance requirements including "Waiver of Subrogation" will be charged to Prime Contractor.
- * Signatory to Local 185 Laborers Union.
- * If you have any questions please call our office.

Michael Smith

M&S Environmental Landscapes, Inc.

12192 Mac's Road
Redding, CA 96003
530-241-1418 FAX 530-241-9647
DIR Registration No. 1000010084
CA Lic. 751931 DBE,SMBE, and MBE Certified CT No. 030736

6/2/16

Bid For - Cal-trans # 02- 0E24U4
Greenville

M&S Environmental Landscapes, Inc. would like to propose a bid for the following items:

Item No.	Description	Units	Quantity	Cost per Unit	Est. Cost
98-99	masonry unit pavers	SQFT	130	77.00 \$	10,010.00

TOTAL \$ 10,010.00

ADDITIONAL BID NOTES

- * Prime Contractor to provide and pay for water source on site (i.e. fire hydrant, water truck, or other approved source) at a minimum rate of 200 g.p.m.
- * All traffic control to be provided by Prime contractor. Bid valid for 60 days.
- * One move-in is included in total bid, unless otherwise state. Additional move-in (if necessary) at the rate of \$600 each.
- * An estimated 3 acres of hydroseeding can be done in one working day. Stand-by-time will be billed at \$600 per hour.
- * Performance and Payment bonds are not included. Insurance beyond a \$5 mil umbrella will result in additional charge.
- * Additional insurance requirements including "Waiver of Subrogation" will be charged to Prime Contractor.
- * Signatory to Local 185 Laborers Union.
- * If you have any questions please call our office.

Michael Smith

Unified Certification Program

Back To Query Form

Wed Jan 20 10:22:42 PST 2010

Search Returned 1 Records

Query Criteria
Firm ID: 30736

Firm ID	30736
Firm/DBA Name	M & S ENVIRONMENTAL LANDSCAPES, INC
Address Line1	12192 MAC'S ROAD
Address Line2	
City	REDDING
State	CA
Zip Code1	96003
Zip Code2	
Mailing Address Line1	
Mailing Address Line2	
Mailing City	
Mailing State	
Mailing Zip Code1	
Mailing Zip Code2	
Certification Type	SMBE
E-Mail	mandeenviro@aol.com
Area Code	(530)
Phone Number	241-1418
Fax Area Code	(530)
Fax Phone Number	241-9847
Agency Name	DEPARTMENT OF TRANSPORTATION
Counties	01; 03; 04; 06; 08; 07; 08; 08; 11; 12; 17; 18; 21; 23; 25; 27; 28; 29; 31; 32; 34; 38; 46; 46; 47; 48; 48; 51; 52; 53; 67; 58;
Districts	01; 02; 03; 04; 05; 10;
DBE NAICS	238910; 581730;
ACDBE NAICS	
Work Codes	C0820 LANDSCAPING & NURSERY; C1601 CLEARING & GRUBBING; C1930 STRUCTURE BACKFILL; C1940 DITCHES EXCAVATION; C2000 HIGHWAY PLANTING; C2020 SOIL AMENDMENTS; C2021 HYDROSEEDING; C2030 EROSION CONTROL; C2065 IRRIGATION SYSTEM; C27 Landscaping Contractor;
Licenses	M
Gender	HISPANIC
Ethnicity	
Firm Type	SMBE

Back To Query Form

CALIFORNIA UNIFIED CERTIFICATION PROGRAM DISADVANTAGED BUSINESS ENTERPRISE CERTIFICATE

M & S ENVIRONMENTAL LANDSCAPES, INC

12192 MACS ROAD
REDDING, CA 96003

Owner: MICHAEL SMITH
Business Structure: CORPORATION

This certificate acknowledges that said firm is approved by the California Unified Certification Program (CUCP) as a Disadvantaged Business Enterprise (DBE) as defined by the U.S. Department of Transportation (DOT) CFR 49 Part 26, as may be amended, for the following NAICS codes:

NAICS Code(s) * Indicates primary NAICS code

* 561730 Landscaping Services

238910 Site Preparation Contractors

Work Category Code(s)

C0620	LANDSCAPING & NURSERY	C2000	HIGHWAY PLANTING
C2020	SOIL AMENDMENTS	C2021	HYDROSEEDING
C2030	EROSION CONTROL	C2065	IRRIGATION SYSTEM

Licenses

C27 Landscaping Contractor

CERTIFYING AGENCY:

DEPARTMENT OF TRANSPORTATION
1823 14TH STREET
SACRAMENTO, CA 95811 0000
(916) 324-1700

UCP Firm Number: 30736

Janice Salas
UCP OFFICER

April 24, 2012

4. Describe the Bidder's outreach efforts to identify and solicit the interest of all certified DBEs that have the capability to perform the work of the Contract. Provide copies of supporting documents.

Description of Outreach	Dates	Location (if applicable)	Results
COMPLIANCE NEWS MONTHLY TRADE JOURNAL	5/11/2016	N/A	SEE ATTACHED
COMPLIANCE NEWS DAILY FOCUS JOURNAL	5/11/2016	N/A	SEE ATTACHED
ADVERTISED ON CALTRANS WEBSITE	5/11/2016	N/A	SEE ATTACHED

5. Describe the Bidder's efforts made to provide interested DBEs with adequate information about the plans, specifications, and requirements of the Contract to assist them in responding to a solicitation. Identify the DBEs assisted, the type of information provided, and the date of the contracts. Provide copies of supporting documents.
 NO ASSISTANCE REQUESTED.

6. Describe the Bidder's efforts made to assist interested DBEs in obtaining bonding, lines of credit, or insurance. Identify the DBEs assisted, the type of assistance offered, and the dates. Provide copies of supporting documents.
 NO ASSISTANCE REQUESTED.

7. Describe the Bidder's efforts made to assist interested DBEs in obtaining necessary equipment, supplies, materials, or related assistance or services, excluding supplies and equipment the DBE purchases or leases from the prime contractor or its affiliate. Identify the DBEs assisted, the type of assistance offered, and the dates. Provide copies of supporting documents. List efforts made to assist interested DBEs in obtaining bonding, lines of credit, insurance, necessary equipment, supplies, materials, or related assistance or services, excluding supplies and equipment the DBE subcontractor purchases or leases from the prime contractor or its affiliate. Identify the DBE assisted, the assistance offered, and the date. Provide copies of supporting documents.
 NO ASSISTANCE REQUESTED.

8. List the names of agencies and the dates on which they were contacted to provide assistance in contacting, recruiting, and using DBE firms. If the agencies were contacted in writing, provide copies of supporting documents.
 SEE ATTACHED.

9. Include additional data to support a demonstration of good faith efforts.
 SEE ATTACHED.

NOTE: USE ADDITIONAL SHEETS OF PAPER IF NECESSARY.

ADA Notice

For individuals with sensory disabilities, this document is available in alternate formats. For information, call (916) 445-1233, TTY 711, or write to Records and Forms Management, 1120 N Street, MS-89, Sacramento, CA 95814.

From: Compliance News Publishing Company

<http://www.compliancencenews.com>

info@compliancencenews.com

Tel: 562-439-2788 Fax: 562-439-1398

11 S. Termino, Suite 214, Long Beach, CA 90803

TO: Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico, CA, 95928

Phone: (530) 891-6555

Fax: (530) 894-6220

RECEIPT for Ad: 57386

Published on 05/11/2016

For Project:

Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet
Current ADA Standards In Plumas County At Greenville From 0.1 Mile
North Of South Greenville Overhead To Hillside Drive

Total Amount PAID: \$90.00

Compliance News Monthly Trade Journal

Publication Affidavit-Declaration of Publication -- State of California

Baldwin Contracting Company, Inc. dba Knife River Construction is seeking certified and qualified DBE subs and/or suppliers to provide Lead Compliance Plan, Progress Schedule (Critical Path Method), Time-Related Overhead (WDAY), Construction Area Signs, Traffic Control System, Portable Changeable Message Sign (LS), Job Site Management, Prepare Storm Water Pollution Prevention Plan, Storm Water Annual Report, Move-In/Move-Out (Temporary Erosion Control), Temporary Cover, Temporary Drainage Inlet Protection, Temporary Fiber Roll, Temporary Gravel Bag Berm, Temporary Silt Fence, Temporary Concrete Washout, Treated Wood Waste, Remove Flared End Section, Remove Roadside Sign (Wood Post), Remove Roadside Sign (Strap and Saddle Bracket Method), Remove Roadside Sign (Steel Post), Remove Asphalt Concrete Dike, Remove Culvert (LF), Remove Inlet, Remove Headwall, Remove Bollard, Reconstruct Fence, Reconstruct Guardrail, Reset Gate, Relocate Roadside Sign, Cold Plane Asphalt Concrete Pavement, Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQ YD), Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQYD), Remove Concrete (Concrete Island), Remove Concrete (Curb and Gutter), Clearing and Grubbing (LS), Develop Water Supply, Roadway Excavation, Shoulder Backing, Sand Bedding, Ditch Excavation, Roadside Clearing (Tree Removal), Rock Blanket (Modified), Place Boulder, Weed Germination, Grass Fertilizer, Wood Mulch, Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), 3/4" Plastic Pipe (Schedule 40) (Supply Line), 1 1/2 Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Class 315) (Supply Line), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Sprinkler Control Conduit, Sprinkler Control Conduit, Sprinkler Control Conduit, Plastic Pipe (Class 315) (Supply Line), Corrugated High Density Polyethylene Pipe Conduit, Imported Topsoil (CY), Erosion Control (Dry Seed) (Grass) (SQFT), Erosion Control (Dry Seed) (Wildflower) (SQFT), Compost, Incorporate Materials, Finishing Roadway, Class 2 Aggregate Base (CY), Hot Mix Asphalt (Type A), Place Hot Mix Asphalt (Miscellaneous Area), Tack Coat, Minor Concrete (Minor Structure), Retroreflected Sheeting (Type XI), Furnish Single Sheet Aluminum Sign (0.063-Unframed), Furnish Single Sheet Aluminum Sign for Type XI Sheeting (0.063-Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.063 Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.080 Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.063 Framed), Roadside Sign-One Post, Roadside Sign-Two Post, Install Sign (Strap and Saddle Bracket Method), Concrete Backfill (Pipe Trench), 18" Plastic Pipe, 24" Plastic Pipe, 18" Reinforced Concrete Pipe (Class III), 24" Reinforced Concrete Pipe (Class III), 36" Reinforced Concrete Pipe

Contact: Steve Silva
1764 Skyway
Chico, CA, 95928
Phone: (530) 891-6555
Fax: (530) 894-6220
Email: Jared.Springer@kniferiver.com

Bid Due on: 06/02/2016 at 02:00 PM
Solicitation Number: 02-0E24U4

(Class III), 18" Corrugated Steel Pipe (.109 Thick), 30" Corrugated Steel Pipe (.109 Thick), Class 6 Permeable Material, 12" Welded Steel Pipe (.250 Thick), 24" Steel Flared End Section, 30" Steel flared End Section, 36" Precast Concrete Pipe Inlet, Small-Rock Slope Protection, Rock Slope Protection (No. 1, Method B) (CY), Concrete (Concrete Apron), Rock Slope Protection Fabric (Class 8), Masonry Unit Pavers, Detectable Warning Surface, Minor Concrete (Curb and Gutter), Minor Concrete (Gutter Depression), Minor Concrete (Driveway), Minor Concrete (Colored Concrete), Minor Concrete (Sidewalk), Minor Concrete (Retaining Curb), Minor Concrete (Textured Paving), Animal Tracks, Minor Concrete (Retaining Wall), Miscellaneous Iron and Steel, Adjust Manhole to Grade, Adjust Utility Cover to Grade, Relocate Fire Hydrant, Install Cellar Door, Marker (Culvert), Handrailing, Cable Railing, Tubular Handrailing (Modified), Thermoplastic Pavement Marking, Thermoplastic Traffic Stripe (Sprayable), Lighting (Intersection-Decorative), Lighting (City Street-Decorative), Rectangular Rapid Flashing Beacon System, Electric Service (Irrigation, Radar Speed Feedback Sign, Modify Traffic Count Station, Class D Filter Fabric, Mobilization, Trucking and Materials Supply. for Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

in Greenville,CA

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

The Baldwin Contracting Company, Inc. dba Knife River Construction Good Faith Effort ad has been published in both the Compliance News Internet and Hard-Copy publications. Located Online at: http://www.compliancencenews.com/classified_monthly

The undersigned declares:

I am over the age of 18 years and a citizen of the United States. I am the principal publisher of the Compliance News Monthly Trade Journal in the City of Long Beach, County of Los Angeles, and the State of California. The notice, a true copy of which is attached was published on Wed May 11 20:57:33 +0000 2016

I declare under penalty of perjury that the foregoing is true and correct. Executed at Long Beach, California

Henry Sprague III

Copyright 2005 Compliance News DVBE #0018455 All Rights Reserved

Compliance News Daily Focus Journal

Publication Affidavit-Declaration of Publication -- State of California

Baldwin Contracting Company, Inc. dba Knife River Construction is seeking certified and qualified DBE subs and/or suppliers to provide Lead Compliance Plan, Progress Schedule (Critical Path Method), Time-Related Overhead (WDAY), Construction Area Signs, Traffic Control System, Portable Changeable Message Sign (LS), Job Site Management, Prepare Storm Water Pollution Prevention Plan, Storm Water Annual Report, Move-In/Move-Out (Temporary Erosion Control), Temporary Cover, Temporary Drainage Inlet Protection, Temporary Fiber Roll, Temporary Gravel Bag Berm, Temporary Silt Fence, Temporary Concrete Washout, Treated Wood Waste, Remove Flared End Section, Remove Roadside Sign (Wood Post), Remove Roadside Sign (Strap and Saddle Bracket Method), Remove Roadside Sign (Steel Post), Remove Asphalt Concrete Dike, Remove Culvert (LF), Remove Inlet, Remove Headwall, Remove Bollard, Reconstruct Fence, Reconstruct Guardrail, Reset Gate, Relocate Roadside Sign, Cold Plane Asphalt Concrete Pavement, Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQ YD), Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQYD), Remove Concrete (Concrete Island), Remove Concrete (Curb and Gutter), Clearing and Grubbing (LS), Develop Water Supply, Roadway Excavation, Shoulder Backing, Sand Bedding, Ditch Excavation, Roadside Clearing (Tree Removal), Rock Blanket (Modified), Place Boulder, Weed Germination, Grass Fertilizer, Wood Mulch, Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), 3/4" Plastic Pipe (Schedule 40) (Supply Line), 1 1/2 Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Class 315) (Supply Line), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Sprinkler Control Conduit, Sprinkler Control Conduit, Sprinkler Control Conduit, Plastic Pipe (Class 315) (Supply Line), Corrugated High Density Polyethylene Pipe Conduit, Imported Topsoil (CY), Erosion Control (Dry Seed) (Grass) (SQFT), Erosion Control (Dry Seed) (Wildflower) (SQFT), Compost, Incorporate Materials, Finishing Roadway, Class 2 Aggregate Base (CY), Hot Mix Asphalt (Type A), Place Hot Mix Asphalt (Miscellaneous Area), Tack Coat, Minor Concrete (Minor Structure), Retroreflected Sheeting (Type XI), Furnish Single Sheet Aluminum Sign (0.063-Unframed), Furnish Single Sheet Aluminum Sign for Type XI Sheeting (0.063-Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.063 Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.080 Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.063 Framed), Roadside Sign-One Post, Roadside Sign-Two Post, Install Sign (Strap and Saddle Bracket Method), Concrete Backfill (Pipe Trench), 18" Plastic Pipe, 24" Plastic Pipe, 18" Reinforced Concrete Pipe (Class III), 24" Reinforced Concrete Pipe (Class III), 36" Reinforced Concrete Pipe

Contact: Steve Silva
1764 Skyway
Chico, CA, 95928
Phone: (530) 891-6555
Fax: (530) 894-6220
Email: Jared.Springer@kniferiver.com

Bid Due on: 06/02/2016 at 02:00 PM
Solicitation Number: 02-0E24U4

(Class III), 18" Corrugated Steel Pipe (.109 Thick), 30" Corrugated Steel Pipe (.109 Thick), Class 6 Permeable Material, 12" Welded Steel Pipe (.250 Thick), 24" Steel Flared End Section, 30" Steel flared End Section, 36" Precast Concrete Pipe Inlet, Small-Rock Slope Protection, Rock Slope Protection (No. 1, Method B) (CY), Concrete (Concrete Apron), Rock Slope Protection Fabric (Class 8), Masonry Unit Pavers, Detectable Warning Surface, Minor Concrete (Curb and Gutter), Minor Concrete (Gutter Depression), Minor Concrete (Driveway), Minor Concrete (Colored Concrete), Minor Concrete (Sidewalk), Minor Concrete (Retaining Curb), Minor Concrete (Textured Paving), Animal Tracks, Minor Concrete (Retaining Wall), Miscellaneous Iron and Steel), Adjust Manhole to Grade, Adjust Utility Cover to Grade, Relocate Fire Hydrant, Install Cellar Door, Marker (Culvert), Handrailing, Cable Railing, Tubular Handrailing (Modified), Thermoplastic Pavement Marking, Thermoplastic Traffic Stripe (Sprayable), Lighting (Intersection-Decorative), Lighting (City Street-Decorative), Rectangular Rapid Flashing Beacon System, Electric Service (Irrigation, Radar Speed Feedback Sign, Modify Traffic Count Station, Class D Filter Fabric, Mobilization, Trucking and Materials Supply. for Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

in Greenville,CA

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

The Baldwin Contracting Company, Inc. dba Knife River Construction Good Faith Effort ad has been published in both the Compliance News Internet and Hard-Copy publications. Located Online at: http://www.compliancencenews.com/classified_daily

The undersigned declares:

I am over the age of 18 years and a citizen of the United States. I am the principal publisher of the Compliance News Monthly Trade Journal in the City of Long Beach, County of Los Angeles, and the State of California. The notice, a true copy of which is attached was published on Wed May 11 20:57:33 +0000 2016

I declare under penalty of perjury that the foregoing is true and correct. Executed at Long Beach, California

Henry Sprague III

Copyright 2005 Compliance News DVBE #0018455 All Rights Reserved

Send Result Report



MFP

TASKalfa 5551ci

Firmware Version 2N4_2000.003.032 2014.01.16

05/11/2016 09:33
[2N4_1000.002.001] [2N4_1100.001.002] [2N4_7000.003.032]

Job No.: 042868

Total Time: 0°00'20"

Page: 002

Complete

Document: doc04286820160511093223



compliance news

www.compliancenes.com
info@compliancenes.com
(800) 599-6996
f. (562) 439-1398

Good-Faith Effort Fax Form 4.0

Please print clearly in black ink with accurate information.

Company Info

Company Name Baldwin Contracting Company, Inc. dba Knife River Construction

Your Name (for questions about this form) Jared Springer

Address 1764 Skyway

City Chico State CA Zip 95928

Phone (530) 891-6555 Fax (530) 894-6220

Email jared.springer@kniferiver.com Web Site _____

Contact Name to appear in Ads and/or Letters Steve Silva

Project Info

Project Awarding Dept/Agency/Owner Caltrans

Project Name 02-0E2404

Circle Category/s: DVBE SBE DBE MBE WBE OBE OTHER _____

No.	Date and Time	Destination	Times	Type	Result	Resolution/ECM
001	05/11/16 09:32	Compliance News	0°00'20"	FAX	OK	200x100 Normal/On



Good-Faith Effort Fax Form 4.0

Please print clearly in black ink with accurate information.

Company Info

Company Name Baldwin Contracting Company, Inc. dba Knife River Construction
Your Name (for questions about this form) Jared Springer
Address 1764 Skyway
City Chico State CA Zip 95928
Phone (530) 891-6555 Fax (530) 894-6220
Email jared.springer@kniferiver.com Web Site _____
Contact Name to appear in Ads and/or Letters Steve Silva

Project Info

Project Awarding Dept/Agency/Owner Caltrans
Project Name 02-0E2404

Circle Category/s: DVBE SBE DBE MBE WBE OBE OTHER _____
Subs and Suppliers to provide: see attached word document

Project Location (city) Greenville (state) CA (zip) _____
Bid Due Date 6/2/16 Bid Due Time 2 pm
Bid Solicitation Contract Number 02-0E2404

Billing Info

Check one of the following:

- 1. The Works (Entire Good Faith Effort Process): \$90
Publish Ads + Log + Fed/State/Local Contact + Fax Solicitation Letters & Copies (limit 30)
- 2. The Works Plus+ ("The Works" with Additional Letters): \$90 + \$1 per extra firm beyond 30
**Please specify total number of firms:
- 3. Publish Ads & Return Proofs: \$35 Total Both Ads (Trade & Focus)
- 4. Publish Ads & Print Log (No Letters): \$55
- 5. Letters & Log (No Ads): \$55

Circle Card Type:	Visa	MasterCard	AMEX	Discover
Name On Card:				Billing Zipcode:
Credit Card Number:				Expiration Date:

** Please attach any additional wording you would like to include in your ads and letters. **

Fax this form to (562) 439-1398 or log in and complete at www.compliancenes.com 24/7!

Verbiage to be Included in Minority Solicitation Letters

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Caltrans Contract No.: 02-0E24U4

In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

Lead Compliance Plan, Progress Schedule (Critical Path Method), Time-Related Overhead (WDAY), Construction Area Signs, Traffic Control System, Portable Changeable Message Sign (LS), Job Site Management, Prepare Storm Water Pollution Prevention Plan, Storm Water Annual Report, Move-In/Move-Out (Temporary Erosion Control), Temporary Cover, Temporary Drainage Inlet Protection, Temporary Fiber Roll, Temporary Gravel Bag Berm, Temporary Silt Fence, Temporary Concrete Washout, Treated Wood Waste, Remove Flared End Section, Remove Roadside Sign (Wood Post), Remove Roadside Sign (Strap and Saddle Bracket Method), Remove Roadside Sign (Steel Post), Remove Asphalt Concrete Dike, Remove Culvert (LF), Remove Inlet, Remove Headwall, Remove Bollard, Reconstruct Fence, Reconstruct Guardrail, Reset Gate, Relocate Roadside Sign, Cold Plane Asphalt Concrete Pavement, Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQ YD), Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQYD), Remove Concrete (Concrete Island), Remove Concrete (Curb and Gutter), Clearing and Grubbing (LS), Develop Water Supply, Roadway Excavation, Shoulder Backing, Sand Bedding, Ditch Excavation, Roadside Clearing (Tree Removal), Rock Blanket (Modified), Place Boulder, Weed Germination, Grass Fertilizer, Wood Mulch, Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), 3/4" Plastic Pipe (Schedule 40) (Supply Line), 1 1/2 Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Class 315) (Supply Line), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Sprinkler Control Conduit, Sprinkler Control Conduit, Sprinkler Control Conduit, Plastic Pipe (Class 315) (Supply Line), Corrugated High Density Polyethylene Pipe Conduit, Imported Topsoil (CY), Erosion Control (Dry Seed) (Grass) (SQFT), Erosion Control (Dry Seed) (Wildflower) (SQFT), Compost, Incorporate Materials, Finishing Roadway, Class 2 Aggregate Base (CY), Hot Mix Asphalt (Type A), Place Hot Mix Asphalt (Miscellaneous Area), Tack Coat, Minor Concrete (Minor Structure), Retroreflected Sheeting (Type XI), Furnish Single Sheet Aluminum Sign (0.063-Unframed), Furnish Single Sheet Aluminum Sign for Type XI Sheeting (0.063-Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.063 Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.080 Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.063 Framed), Roadside Sign-One Post, Roadside Sign-Two Post, Install Sign (Strap and Saddle Bracket Method), Concrete Backfill (Pipe Trench), 18" Plastic Pipe, 24" Plastic Pipe, 18" Reinforced Concrete Pipe (Class III), 24" Reinforced Concrete Pipe (Class III), 36" Reinforced Concrete Pipe (Class III), 18" Corrugated Steel Pipe (.109 Thick), 30" Corrugated Steel Pipe (.109 Thick), Class 6 Permeable Material, 12" Welded Steel Pipe (.250 Thick), 24" Steel Flared End Section, 30" Steel flared End Section, 36" Precast Concrete Pipe Inlet, Small-Rock Slope Protection, Rock Slope Protection (No. 1, Method B) (CY), Concrete (Concrete Apron), Rock Slope Protection Fabric (Class 8), Masonry Unit Pavers, Detectable Warning Surface, Minor Concrete (Curb and Gutter), Minor Concrete (Gutter Depression), Minor Concrete (Driveway), Minor Concrete (Colored Concrete), Minor Concrete (Sidewalk), Minor Concrete (Retaining Curb), Minor Concrete (Textured Paving), Animal Tracks, Minor Concrete (Retaining Wall), Miscellaneous Iron and Steel), Adjust Manhole to Grade, Adjust Utility Cover to Grade, Relocate Fire Hydrant, Install Cellar Door, Marker (Culvert), Handrailing, Cable Railing, Tubular Handrailing (Modified), Thermoplastic Pavement Marking, Thermoplastic Traffic Stripe

(Sprayable), Lighting (Intersection-Decorative), Lighting (City Street-Decorative), Rectangular Rapid Flashing Beacon System, Electric Service (Irrigation, Radar Speed Feedback Sign, Modify Traffic Count Station, Class D Filter Fabric Trucking and Materials Supply.

Permeable Material, 12" Welded Steel Pipe (.250" Thick), 24" Steel Flared End Section, 30" Steel flared End Section, 36" Precast Concrete Pipe Inlet, Small-Rock Slope Protection, Rock Slope Protection (No. 1, Method B) (CY), Concrete (Concrete Apron), Rock Slope Protection Fabric (Class 8), Masonry Unit Pavers, Detectable Warning Surface, Minor Concrete (Curb and Gutter), Minor Concrete (Gutter Depression), Minor Concrete (Driveway), Minor Concrete (Colored Concrete), Minor Concrete (Sidewalk), Minor Concrete (Retaining Curb), Minor Concrete (Textured Paving), Animal Tracks, Minor Concrete (Retaining Wall), Miscellaneous Iron and Steel, Adjust Manhole to Grade, Adjust Utility Cover to Grade, Relocate Fire Hydrant, Install Cellar Door, Marker (Culvert), Handrailing, Cable Railing, Tubular Handrailing (Modified), Thermoplastic Pavement Marking, Thermoplastic Traffic Stripe (Sprayable), Lighting (Intersection-Decorative), Lighting (City Street-Decorative), Rectangular Rapid Flashing Beacon System, Electric Service (Irrigation, Radar Speed Feedback Sign, Modify Traffic Count Station, Class D Filter Fabric, Mobilization.

Requirements: If you are a Certified DBE firm and would like to provide us with a quote, we encourage you to do so. If you need assistance with bonding, insurance, line of credit, equipment, supplies, materials and/or services please contact our office at the location and/or the phone number listed below. Plans, specs and contract requirements for this project can be viewed at the Shasta Builder's Exchange, on the Caltrans dot.ca.gov website or at our office located at 803 Lorraine Drive, Chester, CA 96020. If you have any questions regarding this project or providing us with a quote please contact our office at 530-258-3306.

Date posted: 05/09/2016

Contractor: Knife River Construction **Contact:** Jared Springer

Address: 1764 Skyway Chico, Ca 95928

Phone: 530-891-6555 **Fax:** 530-894-6220 **Email:** jared.springer@kniferiver.com

Services needed: Knife River Construction is requesting quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items of work, including but not limited to: Lead Compliance Plan, Progress Schedule (Critical Path Method), Time-Related Overhead (WDAY), Construction Area Signs, Traffic Control System, Portable Changeable Message Sign (LS), Job Site Management, Prepare Storm Water Pollution Prevention Plan, Storm Water Annual Report, Move-In/Move-Out (Temporary Erosion Control), Temporary Cover, Temporary Drainage Inlet Protection, Temporary Fiber Roll, Temporary Gravel Bag Berm, Temporary Silt Fence, Temporary Concrete Washout, Treated Wood Waste, Remove Flared End Section, Remove Roadside Sign (Wood Post), Remove Roadside Sign (Strap and Saddle Bracket Method), Remove Roadside Sign (Steel Post), Remove Asphalt Concrete Dike, Remove Culvert (LF), Remove Inlet, Remove Headwall, Remove Bollard, Reconstruct Fence, Reconstruct Guardrail, Reset Gate, Relocate Roadside Sign, Cold Plane Asphalt Concrete Pavement, Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQ YD), Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQYD), Remove Concrete (Concrete Island), Remove Concrete (Curb and Gutter), Clearing and Grubbing (LS), Develop Water Supply, Roadway Excavation, Shoulder Backing, Sand Bedding, Ditch Excavation, Roadside Clearing (Tree Removal), Rock Blanket (Modified), Place Boulder, Weed Germination, Grass Fertilizer, Wood Mulch, Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), 3/4" Plastic Pipe (Schedule 40) (Supply Line), 1 1/2 Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Class 315) (Supply Line), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Sprinkler Control Conduit, Sprinkler Control Conduit, Sprinkler Control Conduit, Plastic Pipe (Class 315) (Supply Line), Corrugated High Density Polyethylene Pipe Conduit, Imported Topsoil (CY), Erosion Control (Dry Seed) (Grass) (SQFT), Erosion Control (Dry Seed) (Wildflower) (SQFT), Compost, Incorporate Materials, Finishing Roadway, Class 2 Aggregate Base (CY), Hot Mix Asphalt (Type A), Place Hot Mix Asphalt (Miscellaneous Area), Tack Coat, Minor Concrete (Minor Structure), Retroreflected Sheeting (Type XI), Furnish Single Sheet Aluminum Sign (0.063-Unframed), Furnish Single Sheet Aluminum Sign for Type XI Sheeting (0.063-Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.063 Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.080 Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.063 Framed), Roadside Sign-One Post, Roadside Sign-Two Post, Install Sign (Strap and Saddle Bracket Method), Concrete

Backfill (Pipe Trench), 18? Plastic Pipe, 24? Plastic Pipe, 18? Reinforced Concrete Pipe (Class III), 24? Reinforced Concrete Pipe (Class III), 36? Reinforced Concrete Pipe (Class III), 18? Corrugated Steel Pipe (.109 Thick), 30? Corrugated Steel Pipe (.109 Thick), Class 6 Permeable Material, 12? Welded Steel Pipe (.250 Thick), 24? Steel Flared End Section, 30? Steel flared End Section, 36? Precast Concrete Pipe Inlet, Small-Rock Slope Protection, Rock Slope Protection (No. 1, Method B) (CY), Concrete (Concrete Apron), Rock Slope Protection Fabric (Class 8), Masonry Unit Pavers, Detectable Warning Surface, Minor Concrete (Curb and Gutter), Minor Concrete (Gutter Depression), Minor Concrete (Driveway), Minor Concrete (Colored Concrete), Minor Concrete (Sidewalk), Minor Concrete (Retaining Curb), Minor Concrete (Textured Paving), Animal Tracks, Minor Concrete (Retaining Wall), Miscellaneous Iron and Steel), Adjust Manhole to Grade, Adjust Utility Cover to Grade, Relocate Fire Hydrant, Install Cellar Door, Marker (Culvert), Handrailing, Cable Railing, Tubular Handrailing (Modified), Thermoplastic Pavement Marking, Thermoplastic Traffic Stripe (Sprayable), Lighting (Intersection-Decorative), Lighting (City Street-Decorative), Rectangular Rapid Flashing Beacon System, Electric Service (Irrigation, Radar Speed Feedback Sign, Modify Traffic Count Station, Class D Filter Fabric, Mobilization and all trucking and supply of materials.

Requirements: Knife River Construction is an Equal Opportunity Employer and is signatory to Operating Engineers, Laborers and Teamsters. 100% payment and performance bonds may be required for full amount of subcontractor price. All subcontractors must be licensed and have liability insurance and workers compensation insurance meeting Knife River Construction's requirements. Knife River Construction is willing to assist with obtaining bonding, insurance, equipment and materials and is willing to break down items into economically feasible packages to encourage participation.

Date posted: 05/11/2016

**Baldwin Contracting Company, Inc. dba Knife River Construction
LOG**

Good Faith Effort for Bid Solicitation 02-0E24U4

Project: Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

Important Instructions

NOTE: If your bid-package includes form STD-840, you MUST write "See attached Log sections A, B, & C" on STD-840 and include STD-840 with your GFE documents.

- 1.) Read and complete Section A.
 - 2.) We have completed Section B for you.
 - 3.) Complete Section C by making follow-up phone calls to the firms listed below.
- >For DVBE firms, call at least 3 firms. ->For DBE, MBE, & WBE firms, call all of them.

SPECIAL DIRECTIONS FOR CALTRANS PROJECTS:

As of June 1, 2010 Caltrans now requires primes that do not meet their UDBE & DBE goal to do the following:

1.
 - A. Go to the CalTrans project calendar webpage at <http://dap1.dot.ca.gov/hq/esc/oe/calendar> and log-in using your bid package registration and password.
 - B. Hit on the project number your bidding.
 - C. Hit "See Opt-in records".
 - D. Print this page. You must now contact these Opt-in DBE's as part of your search for participation.
2. Now hit your browser back-button and hit "Primes: Advertise for help" Be sure your listed in the CalTrans "Primes Seeking Assistance".

As of Sept. 2010, Caltrans suggests the following further steps to support Good Faith Effort (GFE).

1. Attend networking opportunity events at mandatory Caltrans pre-bids & district meetings. Include with your GFE, information that you attended the meeting along with the event brochure.
2. As you reach the bid opening date, ask yourself how likely you are to meeting the goal. If its apparent you may not, then do another GFE. This should be done 5 days of bid opening.

SPECIAL DIRECTIONS FOR FEDERALLY FUNDED PROJECTS:

Review your bid documents and search for any references to the Small Business Administration (SBA) and the Minority Business Development Agency (MBDA). If the agencies are mentioned in the bid documents you MUST post your opportunity through their websites. Contact us for more details.

A. Awarding Department Contact Instructions

Many California Good-Faith Efforts may require the bidding contractor to CALL the awarding department or owner and talk with their Good-Faith representative. SEE YOUR CONTRACT DOCUMENTS FOR THIS TELEPHONE NO. Call it and record the result below.

Awarding Department Contact Action

Baldwin Contracting Company, Inc. dba Knife River Construction contacted the awarding department issuing this contract at (tel number) _____ at (time) _____ on (date) _____ and discussed Good-Faith Effort with (Awarding Department Contact)

Remarks:(left message, etc.) _____
Phone call was made by (Prime Rep's do_ signature) _____.

B. Federal, State, & Local Agencies Contacted

On 05/11/16, Baldwin Contracting Company, Inc. dba Knife River Construction contacted:

1. Federal Agency: System for Award Management (SAM) at <https://www.sam.gov/portal/SAM/##11#1> at 08:57PM on 05/11/2016
2. State Agency: Office of Small Business & DVBE Certification (OSDC) <http://www.pd.dgs.ca.gov/smbus> at 08:57PM on 05/11/2016
3. California Unified Certification Program (CUCP) at <http://www.dot.ca.gov/ucp/GetLicenseForm.do> at 08:57PM on 05/11/2016
4. Local referral organization: Compliance News (www.compliancencenews.com) at 08:57PM on 05/11/2016

See Next Page for Firms

C. Summary of Firms Sent Bid Invitations

31 total firms were sent invitations.

Company Name: L & L BRIDGES

Address: 6748 RUTGERS DRIVE
SEBASTOPOL, CA, 95472

Phone: (707) 478-6205, **Fax:** (509) 559-7300

Work Categories:

TRAFFIC ENGINEER; ENGINEERING; Building Inspection Services; Construction Management - Highway, Street and Bridge Construction; Construction Management - Other Heavy and Civil Construction;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 05/12/16 10:55 a.m. / 05/24/16 1:24 p.m. / 05/25/16 9:08 a.m.

Person Contacted and Comments for Solicitation: 02-0E24U4 Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

- 05/12/16 - Left a voice message
- 05/24/16 - Left a voice message
- 05/25/16 - Left a voice message

Company Name: Newland Entities, Inc

Address: 335 Teegarden Avenue
Yuba City, CA, 95992

Phone: (530) 755-1178, **Fax:** (530) 674-0756

Work Categories:

Water Meter & Temp Facilities, Asphalt Concrete, 237110, Water And Sewer Line And Related Structures Construction, Sewer Connection, Roadway Excavation, Finishing Roadway, Modify Bridge Item

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 05/12/16 10:57 a.m.

Person Contacted and Comments for Solicitation: 02-0E24U4 Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

- 05/12/16 - Spoke with Cladia - No Bid

Company Name: M & S ENVIRONMENTAL LANDSCAPES, INC

Address: 12192 MACS ROAD
REDDING, CA, 96003

Phone: (530) 241-1418, **Fax:** (530) 241-9647

Work Categories:

C0620 LANDSCAPING & NURSERY SUPPLIER; C2000 HIGHWAY PLANTING; C2020 SOIL AMENDMENTS; C2021 HYDROSEEDING; C2030 EROSION CONTROL; C2065 IRRIGATION SYSTEM; C2066 TEMPORARY EROSION CONTROL; C27 Landscaping Contractor;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 05/12/16 11:50 a.m.

Person Contacted and Comments for Solicitation: 02-0E24U4 Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of

- 05/12/16 - Spoke to Mike - Yes Bid

Company Name: 6 RIVERS CONSTRUCTION, INC

Address: 200 Redwood Grove Rd
HOOPA VALLEY INDIAN RESERVAT,CA, 95546

Phone: (530) 515-7563, **Fax:** (530) 625-5423

Work Categories:

Excavating,earthwork,paving,grading,rock Slope Protection, Decommissioning, Slide Removal, Site Prep, Hauling, Grubbing/clearing, Slide Removal,parking Lot Repair, Erosion Control,rolling Dips, Culverts Placement, Ditching, 721033 - Infrastructure Mainten

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 05/12/16 11:53 a.m./5/24/16 1:26 p.m./05/25/16 9:11 a.m.

Person Contacted and Commments for Solicitation: 02-0E24U4 Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

- 05/12/16 - Left a voice message
- 5/24/16 - Left a voice message
- 5/25/16 - Spoke to chip - NO Bid.

Company Name: HEIR & SON CONSTRUCTION, INC

Address: 1180 SANBORN ROAD
YUBA CITY,CA, 95993

Phone: (530) 415-4777, **Fax:** (916) 463-9041

Work Categories:

CONSTRUCTION AREA SIGNS; TRAFFIC FLAGGERS; ROADWAY EXCAVATION; FINISHING ROADWAY; CLEAN & SEAL PAVEMENT JOINTS - ROUT & SEAL CRACKS; GROOVE & GRIND PAVEMENT; CONCRETE SURFACE FINISH; CONCRETE OVERLAY, DRILL & BOND;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 05/12/16 12:52 p.m./5/24/16 1:28 p.m./5/25/16 9:12 a.m.

Person Contacted and Commments for Solicitation: 02-0E24U4 Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

- 05/12/16 - Left a voice message
- 05/24/16 - Left a voice message
- 05/25/16 - Left a voice message

Company Name: Vintage Paving Company, Inc.

Address: 119 Main Street
Winters,CA, 95694

Phone: (530) 795-0132, **Fax:** (530) 795-5734

Work Categories:

PLANE ASPHALT CONCRETE; CLEARING & GRUBBING; ROADWAY EXCAVATION; GRADING; STRUCTURE EXCAVATION; STRUCTURE BACKFILL; DITCHES EXCAVATION; PAVING ASPHALT (ASPHALT CONCRETE); AIR-BLOWN MORTAR (SLOPE PAVING); DEMOLITION;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 05/12/16 12:45 P.M.

Person Contacted and Comments for Solicitation: 02-0E24U4 Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

• 05/12/16 - Spoke with Glen - NO Bid

Company Name: VERIDICO GROUP INC

Address: 1305 MEADOW VISTA WAY, SUITE A
ROSEVILLE, CA, 95661

Phone: (916) 865-4170, **Fax:** (916) 865-4174

Work Categories:

CIVIL ENGINEERING; ENVIRONMENTAL ENGINEER; Environmental - Biological Studies; Lead Compliance; SWPPP Planning;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 05/12/16 12:48 P.M. / 5/24/16 1:31 P.M. / 5/25/16 9:14 a.m.

Person Contacted and Comments for Solicitation: 02-0E24U4 Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

- 05/12/16 - Left a voice message
- 5/24/16 - Left a voice message
- 5/25/16 - Left a voice message

Company Name: WELDON WORKS, INC.

Address: 1650 MABURY ROAD
San Jose, CA, 95133

Phone: (408) 251-1161, **Fax:** (408) 251-1162

Work Categories:

ROADSIDE SIGN; COMMERCIAL PRINTING; MISC PLASTICS PRODUCTS MANUFACTURING; MISC MANUFACTURES; ADVERTISING; COMMERCIAL ART AND GRAPHIC DESIGN;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 05/12/16 12:50 P.M.

Person Contacted and Comments for Solicitation: 02-0E24U4 Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

• 05/12/16 - Spoke to Jen - NO Bid

Company Name: Sjr Masonry & Construction

Address: 1580 Camino Way

Mckinleyville, CA, 95519

Phone: (707) 839-2103, **Fax:** (707) 832-2126

Work Categories:

Masonry, Masonry, Block Walls, Brick, Concrete, Stone, Block, Interlocking Pavers, Cultured Stone, Simulated Stone, glass Block 721519 - Masonry And Stonework Services 721527 - Concrete Installation And Repair Services, 238140, Masonry Contractors, Retaine

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 05/12/16 2:50 P.M. / 5/24/16 1:34 P.M.

Person Contacted and Comments for Solicitation: 02-0E24U4 Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

- 05/12/16 - Left a voice message.
- 5/24/16 - Spoke with Cathy - No Bid.

Company Name: S.t. Rhoades Construction, Inc.

Address: 3468 Bechelli Lane, Suite E

Redding, CA, 96049

Phone: (530) 223-9322, **Fax:** (530) 223-9222

Work Categories:

Traffic Control System, Paving Grading Excavating Trenching Drainage Fence Concrete Sidewalks Curb & gutter Adaramps Culverts Retaining walls Valley gutters Remove replace ac Remove replace pcc Box culverts Drainage inlets Slope repair Slider removal Remodel buildings

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 05/12/16 2:53 P.M.

Person Contacted and Comments for Solicitation: 02-0E24U4 Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

- 05/12/16 - Spoke with Myla - yes bid.

Company Name: Pvf Sales

Address: 13707 Borate St.

Santa Fe Springs, CA, 90670

Phone: (562) 623-9999, **Fax:** (562) 623-0909

Work Categories:

Pipe, Wholesale Distributors Of All Types Pipe, Valves And Fittings, Steam Specialty Products, Pipe Support, Fittings Flanges Valves, gruvlok, anvil, nibco, pvc, Stainless Steel, Copper 232416 - Metal Cutting Tools 271316 - Air Fittings And Connectors 313113

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 05/12/16 2:55 P.M. / 5/24/16 1:36

Person Contacted and Comments for Solicitation: 02-0E24U4 Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

- 05/12/16 - Kept ringing no voice message
- 5/24/16 - Spoke with Joel - No Bid.

Company Name: Northern Industrial Electric

Address: 2435 Radio Lane

Redding, CA, 96001

Phone: (530) 246-2366, **Fax:** (530) 246-2368

Work Categories:

ELECTRICAL & SIGNALS SUPPLIER; SIGNAL & LIGHTING; SIGNAL; LIGHTING; MESSAGE SIGNS, LIGHTING & SIGN ILLUMINATION; DETECTOR; TRAFFIC COUNT STATION; SPEED MONITORING STATION; RAMP METERING SYSTEM;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 05/12/16 2:57 P.M. / 5/24/16 1:40 P.M.

Person Contacted and Comments for Solicitation: 02-0E24U4 Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

- 05/12/16 - Spoke with Lori - Maybe
- 5/24/16 - Spoke with Lori - Maybe

Company Name: PAPIILLON BUILDERS

Address: 20300 RIM ROCK CT

FORESTHILL, CA, 95631

Phone: (916) 580-7019, **Fax:** (888) 717-7270

Work Categories:

Structure Backfill, All Other Specialty Trade Contractors, Ditches Excavation, 238990, Carpentry, Small Structures, Hardware (rough), Roadway Excavation, Clearing & Grubbing, Building Construction, Hardware (finish), Demolition, Structure Excavation

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 05/12/16 3:00 P.M. / 5/24/16 1:37 P.M. / 5/25/16 9:16 a.m.

Person Contacted and Comments for Solicitation: 02-0E24U4 Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

- 05/12/16 - Left a voice message
- 5/24/16 - Left a voice message
- 5/25/16 - Left a voice message

Company Name: ALL AMERICAN ASPHALT SEALING INC

Address: 1565 TRAINER WAY

RENO, NV, 89512

Phone: (775) 329-3003, **Fax:** (775) 827-3006

Work Categories:

Paving Asphalt (asphalt Concrete), Highway, Street, And Bridge Construction, Pavement Reinforcing Fabric,

237310, Grading, Pavement Marking, Finishing Roadway, Asphalt Supplier, Painted Traffic Striping & Marking

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 05/12/16 3:02 P.M. / 5/24/16 1:44 P.M. / 5/25/16 9:18 a.m.

Person Contacted and Comments for Solicitation: 02-0E24U4 Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

- 05/12/16 - Left a voice message
- 5/24/16 - Left a voice message
- 5/25/16 - Got a disconnected tone.

Company Name: Frank Medina General Engineering Contrac

Address: 10096 Ahart Road

Oroville, CA, 95966

Phone: (530) 743-0744, **Fax:** (530) 743-9352

Work Categories:

Irrigation Systems, General Engineering Contractor, Fencing Contractor, Minor Concrete, Patch Paving, Signage, Metal Beam Guard Railing, Markers And Delineator Installation 721410 - Highway And Road Construction Services 721527 - Concrete Installation And

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 05/12/16 3:05 / 5/24/16 1:46

Person Contacted and Comments for Solicitation: 02-0E24U4 Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

- 05/12/16 - Spoke with TONY - Maybe
- 5/12/16 - Spoke with TONY - Maybe

Company Name: Nitta Erosion Control

Address: 3778 Del Mar Avenue

Loomis, CA, 95650

Phone: (916) 652-7459, **Fax:** (916) 652-4376

Work Categories:

Erosion Control, Erosion Control Hydroseeding Seeding Hydromulching Straw Wattles Fiber Rolls Erosion Control Blanket Netting Rolled Erosion Control Products Jute Mesh Silt Fence Temporary Fence (type Esa) Compost Blanket Straw Mulching Tacked Bonded Fibe

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 05/12/16 3:07 / 5/24/16 1:47 P.M.

Person Contacted and Comments for Solicitation: 02-0E24U4 Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

- 05/12/16 - Spoke with Valure - Maybe.
- 5/24/16 - Spoke with Lara - YES Bid.

Company Name: A S CONTRACTORS, INC.

Address: 5347 COLE ROAD

MARIPOSA, CA, 95338

Phone: (209) 742-6684, **Fax:** (209) 966-2643

Work Categories:

Rock Slope Protection, Highway, Street, And Bridge Construction, Embankment Construction, 237310, Structure Backfill, Grading, Building Construction, Subsurface Drain, Structure Excavation, Roadway Excavation, Permeable Material, Filter Fabric, Cast Iron

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 05/12/16 3:08 p.m. / 5/24/16 1:49 p.m. / 5/25/16 9:19 a.m.

Person Contacted and Comments for Solicitation: 02-0E24U4 Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

- 05/12/16 - Left a voice message
- 5/24/16 - Left a voice message
- 5/25/16 - Left a voice message

Company Name: Allen Gill Construction, Inc.

Address: 3307 Twin View Blvd.

Shasta Lake, CA, 96019

Phone: (530) 547-4334, **Fax:** (530) 547-3197

Work Categories:

CLEARING & GRUBBING; DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; GRADING; STRUCTURE EXCAVATION; STRUCTURE BACKFILL; DITCHES EXCAVATION; EMBANKMENT CONSTRUCTION; FINISHING ROADWAY; CONCRETE BASE; ASPHALT CONCRETE; PRESTRESSING CONCRETE CAST-IN-PLACE; DRAINAG

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 05/12/16 3:10 p.m. / 5/24/16 1:52 p.m. / 5/25/16 9:22 a.m.

Person Contacted and Comments for Solicitation: 02-0E24U4 Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

- 05/12/16 - Left a voice message
- 5/24/16 - Left a voice message
- 5/25/16 - Left a voice message

Company Name: CONSTRUCTION SCHEDULING EXPERTS

Address: 4729 DICKENS DR.

GRANITE BAY, CA, 95746

Phone: (916) 396-1588, **Fax:** (916) 290-0429

Work Categories:

ENGINEERING; CONSULTANT, ENGINEERING; Construction Scheduling;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 05/12/16 3:12 p.m. / 5/24/16 1:53 p.m. / 5/25/16 9:25 a.m.

Person Contacted and Comments for Solicitation: 02-0E24U4 Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

- 05/12/16 - Left a voice message
- 5/24/16 - Left a voice message
- 5/25/16 - Spoke to Dave - No Bid.

Company Name: ERNEST B. DEE

Address: 7051 BOWLING DRIVE # 104

Sacramento, CA, 95823

Phone: (916) 271-0410, **Fax:** (916) 691-2127

Work Categories:

STRUCTURE EXCAVATION; STRUCTURE BACKFILL; CONCRETE STRUCTURE; CONSTRUCTION MANAGEMENT; BUILDING CONSTRUCTION; SMALL STRUCTURES; RETAINER WALLS;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 05/12/16 3:13 p.m./5/24/16 2:37 p.m./5/25/16 9:26am

Person Contacted and Comments for Solicitation: 02-0E24U4 Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

- 05/12/16 - Left a voice message
- 5/24/16 - Left a voice message
- 5/25/16 - Spoke to Ernest - No Bid.

Company Name: Summit Trucking

Address: 821 Knight Lane

El Dorado Hills, CA, 95762

Phone: (916) 933-6173, **Fax:** (916) 933-7188

Work Categories:

Trucker, Trucking Broker Materials Dirt Rock Quarry 111115 - Dirt And Soil 221017 - Heavy Equipment Components 251016 - Product And Material Transport Vehicles 721410 - Highway And Road Construction Services 781018 - Road Cargo Transport, 484220, Speciali

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 05/12/16 3:18 p.m.

Person Contacted and Comments for Solicitation: 02-0E24U4 Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

- 05/12/16 - Spoke with Kara - No Bid.

Company Name: ARROW S COMPANY

Address: 177 CALIFORNIA AVENUE

ARBUCKLE, CA, 95912

Phone: (707) 396-0073, **Fax:** (707) 437-2555

Work Categories:

Paving Asphalt (asphalt Concrete), Highway, Street, And Bridge Construction, 237310

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 05/12/16 3:30 P.M. / 5/24/16 2:46 P.M. / 5/25/16 9:27 AM

Person Contacted and Comments for Solicitation: 02-0E24U4 Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

- 05/12/16 - Left a voice message
- 5/24/16 - Left a voice message
- 5/25/16 - Left a voice message

Company Name: White Cap Ready Mix, Inc.

Address: 73880 Highway 70

Portola, CA, 96122

Phone: (530) 832-4225, **Fax:** (530) 832-5847

Work Categories:

Metals & Minerals, Except Petroleum, Lumber & Other Building Materials, 444190, Other Building Material Dealers, Concrete & Cement Supplier, Concrete, Gypsum, & Plaster Products, Building Material Supplier, Lumber Supplier, Reinforcing Bar Section Supplier

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 05/12/16 3:31 P.M.

Person Contacted and Comments for Solicitation: 02-0E24U4 Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

- 05/12/16 - Jackie - yes Bid

Company Name: Construction Area Signs, Incorporated

Address: 9093 Old State Hwy

Newcastle, CA, 95658

Phone: (916) 663-9097, **Fax:** (916) 663-1858

Work Categories:

WHOLESALE BROKER OF CONSTRUCTION MATERIALS; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; RESET, ADJUST ROADWAY ITEMS; CONCRETE SURFACE FINISH; ROADSIDE SIGN; RETAIL STORES SUPPLIER; MISC BUSINESS SERVICES;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 05/12/16 3:38 P.M.

Person Contacted and Comments for Solicitation: 02-0E24U4 Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

- 05/12/16 - Spoke with Heather - yes Bid

Company Name: J.J.R. CONSTRUCTION

Address: 1120 NINTH AVENUE

SAN MATEO, CA, 94402

Phone: (650) 343-6109, Fax: (650) 343-6207

Work Categories:

Concrete Curb & Sidewalk - Misc, Highway, Street, And Bridge Construction, 237310

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 05/12/16 3:45 P.M.

Person Contacted and Comments for Solicitation: 02-0E24U4 Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

• 05/12/16 - Spoke with Carlos - No Bid.

Company Name: Bert W Salas, Inc.

Address: 10769 Woodside Avenue, Suite 201

Santee, CA, 92071

Phone: (619) 562-7711, **Fax:** (619) 258-3515

Work Categories:

CLEARING & GRUBBING; ROADWAY EXCAVATION; STRUCTURE EXCAVATION; STRUCTURE BACKFILL; DITCHES EXCAVATION; MINOR CONCRETE STRUCTURE; STEEL STRUCTURES; STEEL CRIB WALL; ALTERNATIVE PIPE CULVERT; REINFORCED CONCRETE PIPE; CORRUGATED METAL PIPE (CSP); FILTER FAB

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 05/12/16 3:47 P.M. / 5/24/16 2:48 P.M.

Person Contacted and Comments for Solicitation: 02-0E24U4 Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

• 05/12/16 - Left a voice message

• 5/24/16 - Spoke with Sherry - No Bid.

Company Name: Charlie's Custom Excavating, Inc

Address: 21113 Gilbert Drive

Redding, CA, 96002

Phone: (530) 221-3626, **Fax:** (530) 221-7563

Work Categories:

Ditches Excavation, Construction Area Signs, 238910, Site Preparation Contractors, Traffic Control System, Roadway Excavation

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 05/12/16 3:50 P.M. / 5/24/16 2:52 P.M.

Person Contacted and Comments for Solicitation: 02-0E24U4 Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

• 05/12/16 - Left a voice message

• 5/24/16 - Spoke with Charlie - No Bid

Company Name: STONY CREEK GENERAL ENGINEERING

Address: 5321 COUNTY RD 206

ORLAND, CA, 95963

Phone: (530) 526-3191, **Fax:** (530) 988-5092

Work Categories:

CLEARING & GRUBBING; ROADWAY EXCAVATION; GRADING; DITCHES EXCAVATION;
IRRIGATION SYSTEM; ALTERNATIVE PIPE CULVERT;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 05/12/16 3:52 P.M. / 5/24/16 2:53 P.M. / 5/25/16 9:29 am

Person Contacted and Comments for Solicitation: 02-0E24U4 Caltrans - 02-0E24U4 - Rehabilitate Pavement
And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of
South Greenville Overhead To Hillside Drive

- 05/12/16 - Spoke with Lou - Maybe.
- 5/24/16 - Left a voice message
- 5/25/16 - Left a voice message

Company Name: Gr Sundberg, Inc.

Address: 5211 Boyd Road

Arcata, CA, 95521

Phone: (707) 825-6565, **Fax:** (707) 825-6563

Work Categories:

C1522 RESET, ADJUST ROADWAY ITEMS; C1531 PLANE ASPHALT CONCRETE; C1701 DEVELOP
WATER SUPPLY; C1901 ROADWAY EXCAVATION; C1910 GRADING; C1920 STRUCTURE
EXCAVATION; C3701 SEAL COAT; C3901 ASPHALT CONCRETE; C3910 PAVING ASPHALT
(ASPHALT CONCRETE); C8201 OBJ

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 05/12/16 3:55 P.M.

Person Contacted and Comments for Solicitation: 02-0E24U4 Caltrans - 02-0E24U4 - Rehabilitate Pavement
And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of
South Greenville Overhead To Hillside Drive

- 05/12/16 - Spoke with Ron - NO Bid

Company Name: BAY LINE CUTTING & CORING INC

Address: 1635 4TH STREET

BERKELEY, CA, 94710

Phone: (510) 527-1000, **Fax:** (510) 527-0500 (415)-508-1911

Work Categories:

MODIFY BRIDGE ITEM; CLEAN & SEAL PAVEMENT JOINTS - ROUT & SEAL CRACKS;
CONCRETE STRUCTURE; MINOR CONCRETE STRUCTURE; CONCRETE SURFACE FINISH;
CONCRETE OVERLAY, DRILL & BOND; CORE CONCRETE - REPAIR BRIDGE DECK; JOINT SEAL -
WATER STOP; SAW CUTTING;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 05/12/16 3:57

Person Contacted and Comments for Solicitation: 02-0E24U4 Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

• 05/12/16 - Louis - Yes Bid New Fax # 415-508-1811

Company Name: COVARRUBIAS BROTHERS CONSTRUCTION

Address: 37369 DEEPWOOD DRIVE

MURRIETA, CA, 92562

Phone: (951) 600-1751, **Fax:** (951) 600-4975

Work Categories:

Reinforced Concrete Pipe, Water And Sewer Line And Related Structures Construction, Asbestos-cement Pipe, 237110, Sewer Connection, Reinforced Concrete Sewer Pipe

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 05/12/16 3:40 / 5/24/16 2:55 P.m. / 5/25/16 9:30 a.m.

Person Contacted and Comments for Solicitation: 02-0E24U4 Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

- 05/12/16 - Left a voice message
- 5/24/16 - Left a voice message
- 5/25/16 - Spoke with Sandra - No Bid.

Affidavit of Fax Solicitation

The undersigned employee of Compliance News Publishing, located in the City of Long Beach, County of Los Angeles, and the State of California, declares that bid solicitation letters have been faxed to the following 31 firms listed below at 08:57PM on 05/11/2016. I am over the age of 18 years and a citizen of the United States. I declare under penalty of perjury that the foregoing is true and correct. Executed at Long Beach, California.

Henry Sprague III

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway
Chico, CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

May 11, 2016
L & L BRIDGES
6748 RUTGERS DRIVE
SEBASTOPOL, CA, 95472

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

Location: Greenville, CA

Bid Due Date: 06/02/16 at 02:00 PM PST

Solicitation Number: 02-0E24U4

Contact: Steve Silva

Quotes are needed for:

Lead Compliance Plan, Progress Schedule (Critical Path Method), Time-Related Overhead (WDAY), Construction Area Signs, Traffic Control System, Portable Changeable Message Sign (LS), Job Site Management, Prepare Storm Water Pollution Prevention Plan, Storm Water Annual Report, Move-In/Move-Out (Temporary Erosion Control), Temporary Cover, Temporary Drainage Inlet Protection, Temporary Fiber Roll, Temporary Gravel Bag Berm, Temporary Silt Fence, Temporary Concrete Washout, Treated Wood Waste, Remove Flared End Section, Remove Roadside Sign (Wood Post), Remove Roadside Sign (Strap and Saddle Bracket Method), Remove Roadside Sign (Steel Post), Remove Asphalt Concrete Dike, Remove Culvert (LF), Remove Inlet, Remove Headwall, Remove Bollard, Reconstruct Fence, Reconstruct Guardrail, Reset Gate, Relocate Roadside Sign, Cold Plane Asphalt Concrete Pavement, Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQ YD), Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQYD), Remove Concrete (Concrete Island), Remove Concrete (Curb and Gutter), Clearing and Grubbing (LS), Develop Water Supply, Roadway Excavation, Shoulder Backing, Sand Bedding, Ditch Excavation, Roadside Clearing (Tree Removal), Rock Blanket (Modified), Place Boulder, Weed Germination, Grass Fertilizer, Wood Mulch, Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), 3/4" Plastic Pipe (Schedule 40) (Supply Line), 1 1/2 Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Class 315) (Supply Line), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Sprinkler Control Conduit, Sprinkler Control Conduit, Sprinkler Control Conduit, Plastic Pipe (Class 315) (Supply Line), Corrugated High Density Polyethylene Pipe Conduit, Imported Topsoil (CY), Erosion Control (Dry Seed) (Grass) (SQFT), Erosion Control (Dry Seed) (Wildflower) (SQFT), Compost, Incorporate Materials, Finishing Roadway, Class 2 Aggregate Base (CY), Hot Mix Asphalt (Type A), Place Hot Mix Asphalt (Miscellaneous Area), Tack Coat, Minor Concrete (Minor Structure), Retroreflected Sheeting (Type XI), Furnish Single Sheet Aluminum Sign (0.063-Unframed), Furnish Single Sheet Aluminum Sign for Type XI Sheeting (0.063-Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.063 Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.080 Unframed), Furnish Single Sheet Aluminum Sign For Type

XI Sheeting (0.063 Framed), Roadside Sign-One Post, Roadside Sign-Two Post, Install Sign (Strap and Saddle Bracket Method), Concrete Backfill (Pipe Trench), 18" Plastic Pipe, 24" Plastic Pipe, 18" Reinforced Concrete Pipe (Class III), 24" Reinforced Concrete Pipe (Class III), 36" Reinforced Concrete Pipe (Class III), 18" Corrugated Steel Pipe (.109 Thick), 30" Corrugated Steel Pipe (.109 Thick), Class 6 Permeable Material, 12" Welded Steel Pipe (.250 Thick), 24" Steel Flared End Section, 30" Steel flared End Section, 36" Precast Concrete Pipe Inlet, Small-Rock Slope Protection, Rock Slope Protection (No. 1, Method B) (CY), Concrete (Concrete Apron), Rock Slope Protection Fabric (Class 8), Masonry Unit Pavers, Detectable Warning Surface, Minor Concrete (Curb and Gutter), Minor Concrete (Gutter Depression), Minor Concrete (Driveway), Minor Concrete (Colored Concrete), Minor Concrete (Sidewalk), Minor Concrete (Retaining Curb), Minor Concrete (Textured Paving), Animal Tracks, Minor Concrete (Retaining Wall), Miscellaneous Iron and Steel), Adjust Manhole to Grade, Adjust Utility Cover to Grade, Relocate Fire Hydrant, Install Cellar Door, Marker (Culvert), Handrailing, Cable Railing, Tubular Handrailing (Modified), Thermoplastic Pavement Marking, Thermoplastic Traffic Stripe (Sprayable), Lighting (Intersection-Decorative), Lighting (City Street-Decorative), Rectangular Rapid Flashing Beacon System, Electric Service (Irrigation, Radar Speed Feedback Sign, Modify Traffic Count Station, Class D Filter Fabric, Mobilization, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jun 02, 2016
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico, CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

May 11, 2016

Newland Entities, Inc

335 Teegarden Avenue

Yuba City, CA, 95992

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

Location: Greenville, CA

Bid Due Date: 06/02/16 at 02:00 PM PST

Solicitation Number: 02-0E24U4

Contact: Steve Silva

Quotes are needed for:

Lead Compliance Plan, Progress Schedule (Critical Path Method), Time-Related Overhead (WDAY), Construction Area Signs, Traffic Control System, Portable Changeable Message Sign (LS), Job Site Management, Prepare Storm Water Pollution Prevention Plan, Storm Water Annual Report, Move-In/Move-Out (Temporary Erosion Control), Temporary Cover, Temporary Drainage Inlet Protection, Temporary Fiber Roll, Temporary Gravel Bag Berm, Temporary Silt Fence, Temporary Concrete Washout, Treated Wood Waste, Remove Flared End Section, Remove Roadside Sign (Wood Post), Remove Roadside Sign (Strap and Saddle Bracket Method), Remove Roadside Sign (Steel Post), Remove Asphalt Concrete Dike, Remove Culvert (LF), Remove Inlet, Remove Headwall, Remove Bollard, Reconstruct Fence, Reconstruct Guardrail, Reset Gate, Relocate Roadside Sign, Cold Plane Asphalt Concrete Pavement, Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQ YD), Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQYD), Remove Concrete (Concrete Island), Remove Concrete (Curb and Gutter), Clearing and Grubbing (LS), Develop Water Supply, Roadway Excavation, Shoulder Backing, Sand Bedding, Ditch Excavation, Roadside Clearing (Tree Removal), Rock Blanket (Modified), Place Boulder, Weed Germination, Grass Fertilizer, Wood Mulch, Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), 3/4" Plastic Pipe (Schedule 40) (Supply Line), 1 1/2 Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Class 315) (Supply Line), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Sprinkler Control Conduit, Sprinkler Control Conduit, Sprinkler Control Conduit, Plastic Pipe (Class 315) (Supply Line), Corrugated High Density Polyethylene Pipe Conduit, Imported Topsoil (CY), Erosion Control (Dry Seed) (Grass) (SQFT), Erosion Control (Dry Seed) (Wildflower) (SQFT), Compost, Incorporate Materials, Finishing Roadway, Class 2 Aggregate Base (CY), Hot Mix Asphalt (Type A), Place Hot Mix Asphalt (Miscellaneous Area), Tack Coat, Minor Concrete (Minor Structure), Retroreflected Sheeting (Type XI), Furnish Single Sheet Aluminum Sign (0.063-Unframed), Furnish Single Sheet Aluminum Sign for Type XI Sheeting (0.063-Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.063 Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.080 Unframed), Furnish Single Sheet Aluminum Sign For Type

XI Sheeting (0.063 Framed), Roadside Sign-One Post, Roadside Sign-Two Post, Install Sign (Strap and Saddle Bracket Method), Concrete Backfill (Pipe Trench), 18" Plastic Pipe, 24" Plastic Pipe, 18" Reinforced Concrete Pipe (Class III), 24" Reinforced Concrete Pipe (Class III), 36" Reinforced Concrete Pipe (Class III), 18" Corrugated Steel Pipe (.109 Thick), 30" Corrugated Steel Pipe (.109 Thick), Class 6 Permeable Material, 12" Welded Steel Pipe (.250 Thick), 24" Steel Flared End Section, 30" Steel flared End Section, 36" Precast Concrete Pipe Inlet, Small-Rock Slope Protection, Rock Slope Protection (No. 1, Method B) (CY), Concrete (Concrete Apron), Rock Slope Protection Fabric (Class 8), Masonry Unit Pavers, Detectable Warning Surface, Minor Concrete (Curb and Gutter), Minor Concrete (Gutter Depression), Minor Concrete (Driveway), Minor Concrete (Colored Concrete), Minor Concrete (Sidewalk), Minor Concrete (Retaining Curb), Minor Concrete (Textured Paving), Animal Tracks, Minor Concrete (Retaining Wall), Miscellaneous Iron and Steel), Adjust Manhole to Grade, Adjust Utility Cover to Grade, Relocate Fire Hydrant, Install Cellar Door, Marker (Culvert), Handrailing, Cable Railing, Tubular Handrailing (Modified), Thermoplastic Pavement Marking, Thermoplastic Traffic Stripe (Sprayable), Lighting (Intersection-Decorative), Lighting (City Street-Decorative), Rectangular Rapid Flashing Beacon System, Electric Service (Irrigation, Radar Speed Feedback Sign, Modify Traffic Count Station, Class D Filter Fabric, Mobilization, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jun 02, 2016
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway
Chico, CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

May 11, 2016
M & S ENVIRONMENTAL LANDSCAPES, INC
12192 MACS ROAD
REDDING, CA, 96003

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

Location: Greenville, CA
Bid Due Date: 06/02/16 at 02:00 PM PST
Solicitation Number: 02-0E24U4
Contact: Steve Silva

Quotes are needed for:

Lead Compliance Plan, Progress Schedule (Critical Path Method), Time-Related Overhead (WDAY), Construction Area Signs, Traffic Control System, Portable Changeable Message Sign (LS), Job Site Management, Prepare Storm Water Pollution Prevention Plan, Storm Water Annual Report, Move-In/Move-Out (Temporary Erosion Control), Temporary Cover, Temporary Drainage Inlet Protection, Temporary Fiber Roll, Temporary Gravel Bag Berm, Temporary Silt Fence, Temporary Concrete Washout, Treated Wood Waste, Remove Flared End Section, Remove Roadside Sign (Wood Post), Remove Roadside Sign (Strap and Saddle Bracket Method), Remove Roadside Sign (Steel Post), Remove Asphalt Concrete Dike, Remove Culvert (LF), Remove Inlet, Remove Headwall, Remove Bollard, Reconstruct Fence, Reconstruct Guardrail, Reset Gate, Relocate Roadside Sign, Cold Plane Asphalt Concrete Pavement, Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQ YD), Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQYD), Remove Concrete (Concrete Island), Remove Concrete (Curb and Gutter), Clearing and Grubbing (LS), Develop Water Supply, Roadway Excavation, Shoulder Backing, Sand Bedding, Ditch Excavation, Roadside Clearing (Tree Removal), Rock Blanket (Modified), Place Boulder, Weed Germination, Grass Fertilizer, Wood Mulch, Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), 3/4" Plastic Pipe (Schedule 40) (Supply Line), 1 1/2 Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Class 315) (Supply Line), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Sprinkler Control Conduit, Sprinkler Control Conduit, Sprinkler Control Conduit, Plastic Pipe (Class 315) (Supply Line), Corrugated High Density Polyethylene Pipe Conduit, Imported Topsoil (CY), Erosion Control (Dry Seed) (Grass) (SQFT), Erosion Control (Dry Seed) (Wildflower) (SQFT), Compost, Incorporate Materials, Finishing Roadway, Class 2 Aggregate Base (CY), Hot Mix Asphalt (Type A), Place Hot Mix Asphalt (Miscellaneous Area), Tack Coat, Minor Concrete (Minor Structure), Retroreflected Sheeting (Type XI), Furnish Single Sheet Aluminum Sign (0.063-Unframed), Furnish Single Sheet Aluminum Sign for Type XI Sheeting (0.063-Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.063 Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.080 Unframed), Furnish Single Sheet Aluminum Sign For Type

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway
Chico, CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

May 11, 2016
6 RIVERS CONSTRUCTION, INC
200 Redwood Grove Rd
HOOPA VALLEY INDIAN RESERVAT, CA, 95546

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

Location: Greenville, CA
Bid Due Date: 06/02/16 at 02:00 PM PST
Solicitation Number: 02-0E24U4
Contact: Steve Silva

Quotes are needed for:

Lead Compliance Plan, Progress Schedule (Critical Path Method), Time-Related Overhead (WDAY), Construction Area Signs, Traffic Control System, Portable Changeable Message Sign (LS), Job Site Management, Prepare Storm Water Pollution Prevention Plan, Storm Water Annual Report, Move-In/Move-Out (Temporary Erosion Control), Temporary Cover, Temporary Drainage Inlet Protection, Temporary Fiber Roll, Temporary Gravel Bag Berm, Temporary Silt Fence, Temporary Concrete Washout, Treated Wood Waste, Remove Flared End Section, Remove Roadside Sign (Wood Post), Remove Roadside Sign (Strap and Saddle Bracket Method), Remove Roadside Sign (Steel Post), Remove Asphalt Concrete Dike, Remove Culvert (LF), Remove Inlet, Remove Headwall, Remove Bollard, Reconstruct Fence, Reconstruct Guardrail, Reset Gate, Relocate Roadside Sign, Cold Plane Asphalt Concrete Pavement, Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQ YD), Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQYD), Remove Concrete (Concrete Island), Remove Concrete (Curb and Gutter), Clearing and Grubbing (LS), Develop Water Supply, Roadway Excavation, Shoulder Backing, Sand Bedding, Ditch Excavation, Roadside Clearing (Tree Removal), Rock Blanket (Modified), Place Boulder, Weed Germination, Grass Fertilizer, Wood Mulch, Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), 3/4" Plastic Pipe (Schedule 40) (Supply Line), 1 1/2 Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Class 315) (Supply Line), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Sprinkler Control Conduit, Sprinkler Control Conduit, Sprinkler Control Conduit, Plastic Pipe (Class 315) (Supply Line), Corrugated High Density Polyethylene Pipe Conduit, Imported Topsoil (CY), Erosion Control (Dry Seed) (Grass) (SQFT), Erosion Control (Dry Seed) (Wildflower) (SQFT), Compost, Incorporate Materials, Finishing Roadway, Class 2 Aggregate Base (CY), Hot Mix Asphalt (Type A), Place Hot Mix Asphalt (Miscellaneous Area), Tack Coat, Minor Concrete (Minor Structure), Retroreflected Sheeting (Type XI), Furnish Single Sheet Aluminum Sign (0.063-Unframed), Furnish Single Sheet Aluminum Sign for Type XI Sheeting (0.063-Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.063 Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.080 Unframed), Furnish Single Sheet Aluminum Sign For Type

XI Sheeting (0.063 Framed), Roadside Sign-One Post, Roadside Sign-Two Post, Install Sign (Strap and Saddle Bracket Method), Concrete Backfill (Pipe Trench), 18" Plastic Pipe, 24" Plastic Pipe, 18" Reinforced Concrete Pipe (Class III), 24" Reinforced Concrete Pipe (Class III), 36" Reinforced Concrete Pipe (Class III), 18" Corrugated Steel Pipe (.109 Thick), 30" Corrugated Steel Pipe (.109 Thick), Class 6 Permeable Material, 12" Welded Steel Pipe (.250 Thick), 24" Steel Flared End Section, 30" Steel flared End Section, 36" Precast Concrete Pipe Inlet, Small-Rock Slope Protection, Rock Slope Protection (No. 1, Method B) (CY), Concrete (Concrete Apron), Rock Slope Protection Fabric (Class 8), Masonry Unit Pavers, Detectable Warning Surface, Minor Concrete (Curb and Gutter), Minor Concrete (Gutter Depression), Minor Concrete (Driveway), Minor Concrete (Colored Concrete), Minor Concrete (Sidewalk), Minor Concrete (Retaining Curb), Minor Concrete (Textured Paving), Animal Tracks, Minor Concrete (Retaining Wall), Miscellaneous Iron and Steel), Adjust Manhole to Grade, Adjust Utility Cover to Grade, Relocate Fire Hydrant, Install Cellar Door, Marker (Culvert), Handrailing, Cable Railing, Tubular Handrailing (Modified), Thermoplastic Pavement Marking, Thermoplastic Traffic Stripe (Sprayable), Lighting (Intersection-Decorative), Lighting (City Street-Decorative), Rectangular Rapid Flashing Beacon System, Electric Service (Irrigation, Radar Speed Feedback Sign, Modify Traffic Count Station, Class D Filter Fabric, Mobilization, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jun 02, 2016
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico, CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

May 11, 2016

HEIR & SON CONSTRUCTION, INC

1180 SANBORN ROAD

YUBA CITY, CA, 95993

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

Location: Greenville, CA

Bid Due Date: 06/02/16 at 02:00 PM PST

Solicitation Number: 02-0E24U4

Contact: Steve Silva

Quotes are needed for:

Lead Compliance Plan, Progress Schedule (Critical Path Method), Time-Related Overhead (WDAY), Construction Area Signs, Traffic Control System, Portable Changeable Message Sign (LS), Job Site Management, Prepare Storm Water Pollution Prevention Plan, Storm Water Annual Report, Move-In/Move-Out (Temporary Erosion Control), Temporary Cover, Temporary Drainage Inlet Protection, Temporary Fiber Roll, Temporary Gravel Bag Berm, Temporary Silt Fence, Temporary Concrete Washout, Treated Wood Waste, Remove Flared End Section, Remove Roadside Sign (Wood Post), Remove Roadside Sign (Strap and Saddle Bracket Method), Remove Roadside Sign (Steel Post), Remove Asphalt Concrete Dike, Remove Culvert (LF), Remove Inlet, Remove Headwall, Remove Bollard, Reconstruct Fence, Reconstruct Guardrail, Reset Gate, Relocate Roadside Sign, Cold Plane Asphalt Concrete Pavement, Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQ YD), Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQYD), Remove Concrete (Concrete Island), Remove Concrete (Curb and Gutter), Clearing and Grubbing (LS), Develop Water Supply, Roadway Excavation, Shoulder Backing, Sand Bedding, Ditch Excavation, Roadside Clearing (Tree Removal), Rock Blanket (Modified), Place Boulder, Weed Germination, Grass Fertilizer, Wood Mulch, Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), 3/4" Plastic Pipe (Schedule 40) (Supply Line), 1 1/2 Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Class 315) (Supply Line), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Sprinkler Control Conduit, Sprinkler Control Conduit, Sprinkler Control Conduit, Plastic Pipe (Class 315) (Supply Line), Corrugated High Density Polyethylene Pipe Conduit, Imported Topsoil (CY), Erosion Control (Dry Seed) (Grass) (SQFT), Erosion Control (Dry Seed) (Wildflower) (SQFT), Compost, Incorporate Materials, Finishing Roadway, Class 2 Aggregate Base (CY), Hot Mix Asphalt (Type A), Place Hot Mix Asphalt (Miscellaneous Area), Tack Coat, Minor Concrete (Minor Structure), Retroreflected Sheeting (Type XI), Furnish Single Sheet Aluminum Sign (0.063-Unframed), Furnish Single Sheet Aluminum Sign for Type XI Sheeting (0.063-Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.063 Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.080 Unframed), Furnish Single Sheet Aluminum Sign For Type

XI Sheeting (0.063 Framed), Roadside Sign-One Post, Roadside Sign-Two Post, Install Sign (Strap and Saddle Bracket Method), Concrete Backfill (Pipe Trench), 18" Plastic Pipe, 24" Plastic Pipe, 18" Reinforced Concrete Pipe (Class III), 24" Reinforced Concrete Pipe (Class III), 36" Reinforced Concrete Pipe (Class III), 18" Corrugated Steel Pipe (.109 Thick), 30" Corrugated Steel Pipe (.109 Thick), Class 6 Permeable Material, 12" Welded Steel Pipe (.250 Thick), 24" Steel Flared End Section, 30" Steel flared End Section, 36" Precast Concrete Pipe Inlet, Small-Rock Slope Protection, Rock Slope Protection (No. 1, Method B) (CY), Concrete (Concrete Apron), Rock Slope Protection Fabric (Class 8), Masonry Unit Pavers, Detectable Warning Surface, Minor Concrete (Curb and Gutter), Minor Concrete (Gutter Depression), Minor Concrete (Driveway), Minor Concrete (Colored Concrete), Minor Concrete (Sidewalk), Minor Concrete (Retaining Curb), Minor Concrete (Textured Paving), Animal Tracks, Minor Concrete (Retaining Wall), Miscellaneous Iron and Steel), Adjust Manhole to Grade, Adjust Utility Cover to Grade, Relocate Fire Hydrant, Install Cellar Door, Marker (Culvert), Handrailing, Cable Railing, Tubular Handrailing (Modified), Thermoplastic Pavement Marking, Thermoplastic Traffic Stripe (Sprayable), Lighting (Intersection-Decorative), Lighting (City Street-Decorative), Rectangular Rapid Flashing Beacon System, Electric Service (Irrigation, Radar Speed Feedback Sign, Modify Traffic Count Station, Class D Filter Fabric, Mobilization, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jun 02, 2016
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway
Chico, CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

May 11, 2016
Vintage Paving Company, Inc.
119 Main Street
Winters, CA, 95694

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

Location: Greenville, CA
Bid Due Date: 06/02/16 at 02:00 PM PST
Solicitation Number: 02-0E24U4
Contact: Steve Silva

Quotes are needed for:

Lead Compliance Plan, Progress Schedule (Critical Path Method), Time-Related Overhead (WDAY), Construction Area Signs, Traffic Control System, Portable Changeable Message Sign (LS), Job Site Management, Prepare Storm Water Pollution Prevention Plan, Storm Water Annual Report, Move-In/Move-Out (Temporary Erosion Control), Temporary Cover, Temporary Drainage Inlet Protection, Temporary Fiber Roll, Temporary Gravel Bag Berm, Temporary Silt Fence, Temporary Concrete Washout, Treated Wood Waste, Remove Flared End Section, Remove Roadside Sign (Wood Post), Remove Roadside Sign (Strap and Saddle Bracket Method), Remove Roadside Sign (Steel Post), Remove Asphalt Concrete Dike, Remove Culvert (LF), Remove Inlet, Remove Headwall, Remove Bollard, Reconstruct Fence, Reconstruct Guardrail, Reset Gate, Relocate Roadside Sign, Cold Plane Asphalt Concrete Pavement, Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQ YD), Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQYD), Remove Concrete (Concrete Island), Remove Concrete (Curb and Gutter), Clearing and Grubbing (LS), Develop Water Supply, Roadway Excavation, Shoulder Backing, Sand Bedding, Ditch Excavation, Roadside Clearing (Tree Removal), Rock Blanket (Modified), Place Boulder, Weed Germination, Grass Fertilizer, Wood Mulch, Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), 3/4" Plastic Pipe (Schedule 40) (Supply Line), 1 1/2 Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Class 315) (Supply Line), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Sprinkler Control Conduit, Sprinkler Control Conduit, Sprinkler Control Conduit, Plastic Pipe (Class 315) (Supply Line), Corrugated High Density Polyethylene Pipe Conduit, Imported Topsoil (CY), Erosion Control (Dry Seed) (Grass) (SQFT), Erosion Control (Dry Seed) (Wildflower) (SQFT), Compost, Incorporate Materials, Finishing Roadway, Class 2 Aggregate Base (CY), Hot Mix Asphalt (Type A), Place Hot Mix Asphalt (Miscellaneous Area), Tack Coat, Minor Concrete (Minor Structure), Retroreflected Sheeting (Type XI), Furnish Single Sheet Aluminum Sign (0.063-Unframed), Furnish Single Sheet Aluminum Sign for Type XI Sheeting (0.063-Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.063 Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.080 Unframed), Furnish Single Sheet Aluminum Sign For Type

XI Sheeting (0.063 Framed), Roadside Sign-One Post, Roadside Sign-Two Post, Install Sign (Strap and Saddle Bracket Method), Concrete Backfill (Pipe Trench), 18" Plastic Pipe, 24" Plastic Pipe, 18" Reinforced Concrete Pipe (Class III), 24" Reinforced Concrete Pipe (Class III), 36" Reinforced Concrete Pipe (Class III), 18" Corrugated Steel Pipe (.109 Thick), 30" Corrugated Steel Pipe (.109 Thick), Class 6 Permeable Material, 12" Welded Steel Pipe (.250 Thick), 24" Steel Flared End Section, 30" Steel flared End Section, 36" Precast Concrete Pipe Inlet, Small-Rock Slope Protection, Rock Slope Protection (No. 1, Method B) (CY), Concrete (Concrete Apron), Rock Slope Protection Fabric (Class 8), Masonry Unit Pavers, Detectable Warning Surface, Minor Concrete (Curb and Gutter), Minor Concrete (Gutter Depression), Minor Concrete (Driveway), Minor Concrete (Colored Concrete), Minor Concrete (Sidewalk), Minor Concrete (Retaining Curb), Minor Concrete (Textured Paving), Animal Tracks, Minor Concrete (Retaining Wall), Miscellaneous Iron and Steel), Adjust Manhole to Grade, Adjust Utility Cover to Grade, Relocate Fire Hydrant, Install Cellar Door, Marker (Culvert), Handrailing, Cable Railing, Tubular Handrailing (Modified), Thermoplastic Pavement Marking, Thermoplastic Traffic Stripe (Sprayable), Lighting (Intersection-Decorative), Lighting (City Street-Decorative), Rectangular Rapid Flashing Beacon System, Electric Service (Irrigation, Radar Speed Feedback Sign, Modify Traffic Count Station, Class D Filter Fabric, Mobilization, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jun 02, 2016
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway
Chico, CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

May 11, 2016
VERIDICO GROUP INC
1305 MEADOW VISTA WAY, SUITE A
ROSEVILLE, CA, 95661

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

Location: Greenville, CA
Bid Due Date: 06/02/16 at 02:00 PM PST
Solicitation Number: 02-0E24U4
Contact: Steve Silva

Quotes are needed for:

Lead Compliance Plan, Progress Schedule (Critical Path Method), Time-Related Overhead (WDAY), Construction Area Signs, Traffic Control System, Portable Changeable Message Sign (LS), Job Site Management, Prepare Storm Water Pollution Prevention Plan, Storm Water Annual Report, Move-In/Move-Out (Temporary Erosion Control), Temporary Cover, Temporary Drainage Inlet Protection, Temporary Fiber Roll, Temporary Gravel Bag Berm, Temporary Silt Fence, Temporary Concrete Washout, Treated Wood Waste, Remove Flared End Section, Remove Roadside Sign (Wood Post), Remove Roadside Sign (Strap and Saddle Bracket Method), Remove Roadside Sign (Steel Post), Remove Asphalt Concrete Dike, Remove Culvert (LF), Remove Inlet, Remove Headwall, Remove Bollard, Reconstruct Fence, Reconstruct Guardrail, Reset Gate, Relocate Roadside Sign, Cold Plane Asphalt Concrete Pavement, Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQ YD), Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQYD), Remove Concrete (Concrete Island), Remove Concrete (Curb and Gutter), Clearing and Grubbing (LS), Develop Water Supply, Roadway Excavation, Shoulder Backing, Sand Bedding, Ditch Excavation, Roadside Clearing (Tree Removal), Rock Blanket (Modified), Place Boulder, Weed Germination, Grass Fertilizer, Wood Mulch, Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), 3/4" Plastic Pipe (Schedule 40) (Supply Line), 1 1/2 Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Class 315) (Supply Line), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Sprinkler Control Conduit, Sprinkler Control Conduit, Sprinkler Control Conduit, Plastic Pipe (Class 315) (Supply Line), Corrugated High Density Polyethylene Pipe Conduit, Imported Topsoil (CY), Erosion Control (Dry Seed) (Grass) (SQFT), Erosion Control (Dry Seed) (Wildflower) (SQFT), Compost, Incorporate Materials, Finishing Roadway, Class 2 Aggregate Base (CY), Hot Mix Asphalt (Type A), Place Hot Mix Asphalt (Miscellaneous Area), Tack Coat, Minor Concrete (Minor Structure), Retroreflected Sheeting (Type XI), Furnish Single Sheet Aluminum Sign (0.063-Unframed), Furnish Single Sheet Aluminum Sign for Type XI Sheeting (0.063-Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.063 Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.080 Unframed), Furnish Single Sheet Aluminum Sign For Type

XI Sheeting (0.063 Framed), Roadside Sign-One Post, Roadside Sign-Two Post, Install Sign (Strap and Saddle Bracket Method), Concrete Backfill (Pipe Trench), 18" Plastic Pipe, 24" Plastic Pipe, 18" Reinforced Concrete Pipe (Class III), 24" Reinforced Concrete Pipe (Class III), 36" Reinforced Concrete Pipe (Class III), 18" Corrugated Steel Pipe (.109 Thick), 30" Corrugated Steel Pipe (.109 Thick), Class 6 Permeable Material, 12" Welded Steel Pipe (.250 Thick), 24" Steel Flared End Section, 30" Steel flared End Section, 36" Precast Concrete Pipe Inlet, Small-Rock Slope Protection, Rock Slope Protection (No. 1, Method B) (CY), Concrete (Concrete Apron), Rock Slope Protection Fabric (Class 8), Masonry Unit Pavers, Detectable Warning Surface, Minor Concrete (Curb and Gutter), Minor Concrete (Gutter Depression), Minor Concrete (Driveway), Minor Concrete (Colored Concrete), Minor Concrete (Sidewalk), Minor Concrete (Retaining Curb), Minor Concrete (Textured Paving), Animal Tracks, Minor Concrete (Retaining Wall), Miscellaneous Iron and Steel), Adjust Manhole to Grade, Adjust Utility Cover to Grade, Relocate Fire Hydrant, Install Cellar Door, Marker (Culvert), Handrailing, Cable Railing, Tubular Handrailing (Modified), Thermoplastic Pavement Marking, Thermoplastic Traffic Stripe (Sprayable), Lighting (Intersection-Decorative), Lighting (City Street-Decorative), Rectangular Rapid Flashing Beacon System, Electric Service (Irrigation, Radar Speed Feedback Sign, Modify Traffic Count Station, Class D Filter Fabric, Mobilization, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jun 02, 2016
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway
Chico, CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

May 11, 2016
WELDON WORKS, INC.
1650 MABURY ROAD
San Jose, CA, 95133

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

Location: Greenville, CA
Bid Due Date: 06/02/16 at 02:00 PM PST
Solicitation Number: 02-0E24U4
Contact: Steve Silva

Quotes are needed for:

Lead Compliance Plan, Progress Schedule (Critical Path Method), Time-Related Overhead (WDAY), Construction Area Signs, Traffic Control System, Portable Changeable Message Sign (LS), Job Site Management, Prepare Storm Water Pollution Prevention Plan, Storm Water Annual Report, Move-In/Move-Out (Temporary Erosion Control), Temporary Cover, Temporary Drainage Inlet Protection, Temporary Fiber Roll, Temporary Gravel Bag Berm, Temporary Silt Fence, Temporary Concrete Washout, Treated Wood Waste, Remove Flared End Section, Remove Roadside Sign (Wood Post), Remove Roadside Sign (Strap and Saddle Bracket Method), Remove Roadside Sign (Steel Post), Remove Asphalt Concrete Dike, Remove Culvert (LF), Remove Inlet, Remove Headwall, Remove Bollard, Reconstruct Fence, Reconstruct Guardrail, Reset Gate, Relocate Roadside Sign, Cold Plane Asphalt Concrete Pavement, Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQ YD), Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQYD), Remove Concrete (Concrete Island), Remove Concrete (Curb and Gutter), Clearing and Grubbing (LS), Develop Water Supply, Roadway Excavation, Shoulder Backing, Sand Bedding, Ditch Excavation, Roadside Clearing (Tree Removal), Rock Blanket (Modified), Place Boulder, Weed Germination, Grass Fertilizer, Wood Mulch, Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), 3/4" Plastic Pipe (Schedule 40) (Supply Line), 1 1/2 Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Class 315) (Supply Line), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Sprinkler Control Conduit, Sprinkler Control Conduit, Sprinkler Control Conduit, Plastic Pipe (Class 315) (Supply Line), Corrugated High Density Polyethylene Pipe Conduit, Imported Topsoil (CY), Erosion Control (Dry Seed) (Grass) (SQFT), Erosion Control (Dry Seed) (Wildflower) (SQFT), Compost, Incorporate Materials, Finishing Roadway, Class 2 Aggregate Base (CY), Hot Mix Asphalt (Type A), Place Hot Mix Asphalt (Miscellaneous Area), Tack Coat, Minor Concrete (Minor Structure), Retroreflected Sheeting (Type XI), Furnish Single Sheet Aluminum Sign (0.063-Unframed), Furnish Single Sheet Aluminum Sign for Type XI Sheeting (0.063-Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.063 Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.080 Unframed), Furnish Single Sheet Aluminum Sign For Type

XI Sheeting (0.063 Framed), Roadside Sign-One Post, Roadside Sign-Two Post, Install Sign (Strap and Saddle Bracket Method), Concrete Backfill (Pipe Trench), 18" Plastic Pipe, 24" Plastic Pipe, 18" Reinforced Concrete Pipe (Class III), 24" Reinforced Concrete Pipe (Class III), 36" Reinforced Concrete Pipe (Class III), 18" Corrugated Steel Pipe (.109 Thick), 30" Corrugated Steel Pipe (.109 Thick), Class 6 Permeable Material, 12" Welded Steel Pipe (.250 Thick), 24" Steel Flared End Section, 30" Steel flared End Section, 36" Precast Concrete Pipe Inlet, Small-Rock Slope Protection, Rock Slope Protection (No. 1, Method B) (CY), Concrete (Concrete Apron), Rock Slope Protection Fabric (Class 8), Masonry Unit Pavers, Detectable Warning Surface, Minor Concrete (Curb and Gutter), Minor Concrete (Gutter Depression), Minor Concrete (Driveway), Minor Concrete (Colored Concrete), Minor Concrete (Sidewalk), Minor Concrete (Retaining Curb), Minor Concrete (Textured Paving), Animal Tracks, Minor Concrete (Retaining Wall), Miscellaneous Iron and Steel), Adjust Manhole to Grade, Adjust Utility Cover to Grade, Relocate Fire Hydrant, Install Cellar Door, Marker (Culvert), Handrailing, Cable Railing, Tubular Handrailing (Modified), Thermoplastic Pavement Marking, Thermoplastic Traffic Stripe (Sprayable), Lighting (Intersection-Decorative), Lighting (City Street-Decorative), Rectangular Rapid Flashing Beacon System, Electric Service (Irrigation, Radar Speed Feedback Sign, Modify Traffic Count Station, Class D Filter Fabric, Mobilization, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jun 02, 2016
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico,CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

May 11, 2016

Sjr Masonry & Construction

1580 Camino Way

Mckinleyville,CA,95519

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

Location: Greenville,CA

Bid Due Date: 06/02/16 at 02:00 PM PST

Solicitation Number: 02-0E24U4

Contact: Steve Silva

Quotes are needed for:

Lead Compliance Plan, Progress Schedule (Critical Path Method), Time-Related Overhead (WDAY), Construction Area Signs, Traffic Control System, Portable Changeable Message Sign (LS), Job Site Management, Prepare Storm Water Pollution Prevention Plan, Storm Water Annual Report, Move-In/Move-Out (Temporary Erosion Control), Temporary Cover, Temporary Drainage Inlet Protection, Temporary Fiber Roll, Temporary Gravel Bag Berm, Temporary Silt Fence, Temporary Concrete Washout, Treated Wood Waste, Remove Flared End Section, Remove Roadside Sign (Wood Post), Remove Roadside Sign (Strap and Saddle Bracket Method), Remove Roadside Sign (Steel Post), Remove Asphalt Concrete Dike, Remove Culvert (LF), Remove Inlet, Remove Headwall, Remove Bollard, Reconstruct Fence, Reconstruct Guardrail, Reset Gate, Relocate Roadside Sign, Cold Plane Asphalt Concrete Pavement, Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQ YD), Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQYD), Remove Concrete (Concrete Island), Remove Concrete (Curb and Gutter), Clearing and Grubbing (LS), Develop Water Supply, Roadway Excavation, Shoulder Backing, Sand Bedding, Ditch Excavation, Roadside Clearing (Tree Removal), Rock Blanket (Modified), Place Boulder, Weed Germination, Grass Fertilizer, Wood Mulch, Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), 3/4" Plastic Pipe (Schedule 40) (Supply Line), 1 1/2 Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Class 315) (Supply Line), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Sprinkler Control Conduit, Sprinkler Control Conduit, Sprinkler Control Conduit, Plastic Pipe (Class 315) (Supply Line), Corrugated High Density Polyethylene Pipe Conduit, Imported Topsoil (CY), Erosion Control (Dry Seed) (Grass) (SQFT), Erosion Control (Dry Seed) (Wildflower) (SQFT), Compost, Incorporate Materials, Finishing Roadway, Class 2 Aggregate Base (CY), Hot Mix Asphalt (Type A), Place Hot Mix Asphalt (Miscellaneous Area), Tack Coat, Minor Concrete (Minor Structure), Retroreflected Sheeting (Type XI), Furnish Single Sheet Aluminum Sign (0.063-Unframed), Furnish Single Sheet Aluminum Sign for Type XI Sheeting (0.063-Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.063 Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.080 Unframed), Furnish Single Sheet Aluminum Sign For Type

XI Sheeting (0.063 Framed), Roadside Sign-One Post, Roadside Sign-Two Post, Install Sign (Strap and Saddle Bracket Method), Concrete Backfill (Pipe Trench), 18" Plastic Pipe, 24" Plastic Pipe, 18" Reinforced Concrete Pipe (Class III), 24" Reinforced Concrete Pipe (Class III), 36" Reinforced Concrete Pipe (Class III), 18" Corrugated Steel Pipe (.109 Thick), 30" Corrugated Steel Pipe (.109 Thick), Class 6 Permeable Material, 12" Welded Steel Pipe (.250 Thick), 24" Steel Flared End Section, 30" Steel flared End Section, 36" Precast Concrete Pipe Inlet, Small-Rock Slope Protection, Rock Slope Protection (No. 1, Method B) (CY), Concrete (Concrete Apron), Rock Slope Protection Fabric (Class 8), Masonry Unit Pavers, Detectable Warning Surface, Minor Concrete (Curb and Gutter), Minor Concrete (Gutter Depression), Minor Concrete (Driveway), Minor Concrete (Colored Concrete), Minor Concrete (Sidewalk), Minor Concrete (Retaining Curb), Minor Concrete (Textured Paving), Animal Tracks, Minor Concrete (Retaining Wall), Miscellaneous Iron and Steel), Adjust Manhole to Grade, Adjust Utility Cover to Grade, Relocate Fire Hydrant, Install Cellar Door, Marker (Culvert), Handrailing, Cable Railing, Tubular Handrailing (Modified), Thermoplastic Pavement Marking, Thermoplastic Traffic Stripe (Sprayable), Lighting (Intersection-Decorative), Lighting (City Street-Decorative), Rectangular Rapid Flashing Beacon System, Electric Service (Irrigation, Radar Speed Feedback Sign, Modify Traffic Count Station, Class D Filter Fabric, Mobilization, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jun 02, 2016
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico, CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

May 11, 2016

S.t. Rhoades Construction, Inc.

3468 Bechelli Lane, Suite E

Redding, CA, 96049

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

Location: Greenville, CA

Bid Due Date: 06/02/16 at 02:00 PM PST

Solicitation Number: 02-0E24U4

Contact: Steve Silva

Quotes are needed for:

Lead Compliance Plan, Progress Schedule (Critical Path Method), Time-Related Overhead (WDAY), Construction Area Signs, Traffic Control System, Portable Changeable Message Sign (LS), Job Site Management, Prepare Storm Water Pollution Prevention Plan, Storm Water Annual Report, Move-In/Move-Out (Temporary Erosion Control), Temporary Cover, Temporary Drainage Inlet Protection, Temporary Fiber Roll, Temporary Gravel Bag Berm, Temporary Silt Fence, Temporary Concrete Washout, Treated Wood Waste, Remove Flared End Section, Remove Roadside Sign (Wood Post), Remove Roadside Sign (Strap and Saddle Bracket Method), Remove Roadside Sign (Steel Post), Remove Asphalt Concrete Dike, Remove Culvert (LF), Remove Inlet, Remove Headwall, Remove Bollard, Reconstruct Fence, Reconstruct Guardrail, Reset Gate, Relocate Roadside Sign, Cold Plane Asphalt Concrete Pavement, Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQ YD), Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQYD), Remove Concrete (Concrete Island), Remove Concrete (Curb and Gutter), Clearing and Grubbing (LS), Develop Water Supply, Roadway Excavation, Shoulder Backing, Sand Bedding, Ditch Excavation, Roadside Clearing (Tree Removal), Rock Blanket (Modified), Place Boulder, Weed Germination, Grass Fertilizer, Wood Mulch, Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), 3/4" Plastic Pipe (Schedule 40) (Supply Line), 1 1/2 Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Class 315) (Supply Line), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Sprinkler Control Conduit, Sprinkler Control Conduit, Sprinkler Control Conduit, Plastic Pipe (Class 315) (Supply Line), Corrugated High Density Polyethylene Pipe Conduit, Imported Topsoil (CY), Erosion Control (Dry Seed) (Grass) (SQFT), Erosion Control (Dry Seed) (Wildflower) (SQFT), Compost, Incorporate Materials, Finishing Roadway, Class 2 Aggregate Base (CY), Hot Mix Asphalt (Type A), Place Hot Mix Asphalt (Miscellaneous Area), Tack Coat, Minor Concrete (Minor Structure), Retroreflected Sheeting (Type XI), Furnish Single Sheet Aluminum Sign (0.063-Unframed), Furnish Single Sheet Aluminum Sign for Type XI Sheeting (0.063-Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.063 Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.080 Unframed), Furnish Single Sheet Aluminum Sign For Type

XI Sheeting (0.063 Framed), Roadside Sign-One Post, Roadside Sign-Two Post, Install Sign (Strap and Saddle Bracket Method), Concrete Backfill (Pipe Trench), 18" Plastic Pipe, 24" Plastic Pipe, 18" Reinforced Concrete Pipe (Class III), 24" Reinforced Concrete Pipe (Class III), 36" Reinforced Concrete Pipe (Class III), 18" Corrugated Steel Pipe (.109 Thick), 30" Corrugated Steel Pipe (.109 Thick), Class 6 Permeable Material, 12" Welded Steel Pipe (.250 Thick), 24" Steel Flared End Section, 30" Steel flared End Section, 36" Precast Concrete Pipe Inlet, Small-Rock Slope Protection, Rock Slope Protection (No. 1, Method B) (CY), Concrete (Concrete Apron), Rock Slope Protection Fabric (Class 8), Masonry Unit Pavers, Detectable Warning Surface, Minor Concrete (Curb and Gutter), Minor Concrete (Gutter Depression), Minor Concrete (Driveway), Minor Concrete (Colored Concrete), Minor Concrete (Sidewalk), Minor Concrete (Retaining Curb), Minor Concrete (Textured Paving), Animal Tracks, Minor Concrete (Retaining Wall), Miscellaneous Iron and Steel), Adjust Manhole to Grade, Adjust Utility Cover to Grade, Relocate Fire Hydrant, Install Cellar Door, Marker (Culvert), Handrailing, Cable Railing, Tubular Handrailing (Modified), Thermoplastic Pavement Marking, Thermoplastic Traffic Stripe (Sprayable), Lighting (Intersection-Decorative), Lighting (City Street-Decorative), Rectangular Rapid Flashing Beacon System, Electric Service (Irrigation, Radar Speed Feedback Sign, Modify Traffic Count Station, Class D Filter Fabric, Mobilization, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jun 02, 2016
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway
Chico, CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

May 11, 2016
Pvf Sales
13707 Borate St.
Santa Fe Springs, CA, 90670

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

Location: Greenville, CA
Bid Due Date: 06/02/16 at 02:00 PM PST
Solicitation Number: 02-0E24U4
Contact: Steve Silva

Quotes are needed for:

Lead Compliance Plan, Progress Schedule (Critical Path Method), Time-Related Overhead (WDAY), Construction Area Signs, Traffic Control System, Portable Changeable Message Sign (LS), Job Site Management, Prepare Storm Water Pollution Prevention Plan, Storm Water Annual Report, Move-In/Move-Out (Temporary Erosion Control), Temporary Cover, Temporary Drainage Inlet Protection, Temporary Fiber Roll, Temporary Gravel Bag Berm, Temporary Silt Fence, Temporary Concrete Washout, Treated Wood Waste, Remove Flared End Section, Remove Roadside Sign (Wood Post), Remove Roadside Sign (Strap and Saddle Bracket Method), Remove Roadside Sign (Steel Post), Remove Asphalt Concrete Dike, Remove Culvert (LF), Remove Inlet, Remove Headwall, Remove Bollard, Reconstruct Fence, Reconstruct Guardrail, Reset Gate, Relocate Roadside Sign, Cold Plane Asphalt Concrete Pavement, Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQ YD), Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQYD), Remove Concrete (Concrete Island), Remove Concrete (Curb and Gutter), Clearing and Grubbing (LS), Develop Water Supply, Roadway Excavation, Shoulder Backing, Sand Bedding, Ditch Excavation, Roadside Clearing (Tree Removal), Rock Blanket (Modified), Place Boulder, Weed Germination, Grass Fertilizer, Wood Mulch, Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), 3/4" Plastic Pipe (Schedule 40) (Supply Line), 1 1/2 Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Class 315) (Supply Line), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Sprinkler Control Conduit, Sprinkler Control Conduit, Sprinkler Control Conduit, Plastic Pipe (Class 315) (Supply Line), Corrugated High Density Polyethylene Pipe Conduit, Imported Topsoil (CY), Erosion Control (Dry Seed) (Grass) (SQFT), Erosion Control (Dry Seed) (Wildflower) (SQFT), Compost, Incorporate Materials, Finishing Roadway, Class 2 Aggregate Base (CY), Hot Mix Asphalt (Type A), Place Hot Mix Asphalt (Miscellaneous Area), Tack Coat, Minor Concrete (Minor Structure), Retroreflected Sheeting (Type XI), Furnish Single Sheet Aluminum Sign (0.063-Unframed), Furnish Single Sheet Aluminum Sign for Type XI Sheeting (0.063-Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.063 Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.080 Unframed), Furnish Single Sheet Aluminum Sign For Type

XI Sheeting (0.063 Framed), Roadside Sign-One Post, Roadside Sign-Two Post, Install Sign (Strap and Saddle Bracket Method), Concrete Backfill (Pipe Trench), 18" Plastic Pipe, 24" Plastic Pipe, 18" Reinforced Concrete Pipe (Class III), 24" Reinforced Concrete Pipe (Class III), 36" Reinforced Concrete Pipe (Class III), 18" Corrugated Steel Pipe (.109 Thick), 30" Corrugated Steel Pipe (.109 Thick), Class 6 Permeable Material, 12" Welded Steel Pipe (.250 Thick), 24" Steel Flared End Section, 30" Steel flared End Section, 36" Precast Concrete Pipe Inlet, Small-Rock Slope Protection, Rock Slope Protection (No. 1, Method B) (CY), Concrete (Concrete Apron), Rock Slope Protection Fabric (Class 8), Masonry Unit Pavers, Detectable Warning Surface, Minor Concrete (Curb and Gutter), Minor Concrete (Gutter Depression), Minor Concrete (Driveway), Minor Concrete (Colored Concrete), Minor Concrete (Sidewalk), Minor Concrete (Retaining Curb), Minor Concrete (Textured Paving), Animal Tracks, Minor Concrete (Retaining Wall), Miscellaneous Iron and Steel), Adjust Manhole to Grade, Adjust Utility Cover to Grade, Relocate Fire Hydrant, Install Cellar Door, Marker (Culvert), Handrailing, Cable Railing, Tubular Handrailing (Modified), Thermoplastic Pavement Marking, Thermoplastic Traffic Stripe (Sprayable), Lighting (Intersection-Decorative), Lighting (City Street-Decorative), Rectangular Rapid Flashing Beacon System, Electric Service (Irrigation, Radar Speed Feedback Sign, Modify Traffic Count Station, Class D Filter Fabric, Mobilization, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jun 02, 2016
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway
Chico, CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

May 11, 2016
Northern Industrial Electric
2435 Radio Lane
Redding, CA, 96001

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

Location: Greenville, CA

Bid Due Date: 06/02/16 at 02:00 PM PST

Solicitation Number: 02-0E24U4

Contact: Steve Silva

Quotes are needed for:

Lead Compliance Plan, Progress Schedule (Critical Path Method), Time-Related Overhead (WDAY), Construction Area Signs, Traffic Control System, Portable Changeable Message Sign (LS), Job Site Management, Prepare Storm Water Pollution Prevention Plan, Storm Water Annual Report, Move-In/Move-Out (Temporary Erosion Control), Temporary Cover, Temporary Drainage Inlet Protection, Temporary Fiber Roll, Temporary Gravel Bag Berm, Temporary Silt Fence, Temporary Concrete Washout, Treated Wood Waste, Remove Flared End Section, Remove Roadside Sign (Wood Post), Remove Roadside Sign (Strap and Saddle Bracket Method), Remove Roadside Sign (Steel Post), Remove Asphalt Concrete Dike, Remove Culvert (LF), Remove Inlet, Remove Headwall, Remove Bollard, Reconstruct Fence, Reconstruct Guardrail, Reset Gate, Relocate Roadside Sign, Cold Plane Asphalt Concrete Pavement, Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQ YD), Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQYD), Remove Concrete (Concrete Island), Remove Concrete (Curb and Gutter), Clearing and Grubbing (LS), Develop Water Supply, Roadway Excavation, Shoulder Backing, Sand Bedding, Ditch Excavation, Roadside Clearing (Tree Removal), Rock Blanket (Modified), Place Boulder, Weed Germination, Grass Fertilizer, Wood Mulch, Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), 3/4" Plastic Pipe (Schedule 40) (Supply Line), 1 1/2 Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Class 315) (Supply Line), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Sprinkler Control Conduit, Sprinkler Control Conduit, Sprinkler Control Conduit, Plastic Pipe (Class 315) (Supply Line), Corrugated High Density Polyethylene Pipe Conduit, Imported Topsoil (CY), Erosion Control (Dry Seed) (Grass) (SQFT), Erosion Control (Dry Seed) (Wildflower) (SQFT), Compost, Incorporate Materials, Finishing Roadway, Class 2 Aggregate Base (CY), Hot Mix Asphalt (Type A), Place Hot Mix Asphalt (Miscellaneous Area), Tack Coat, Minor Concrete (Minor Structure), Retroreflected Sheeting (Type XI), Furnish Single Sheet Aluminum Sign (0.063-Unframed), Furnish Single Sheet Aluminum Sign for Type XI Sheeting (0.063-Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.063 Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.080 Unframed), Furnish Single Sheet Aluminum Sign For Type

XI Sheeting (0.063 Framed), Roadside Sign-One Post, Roadside Sign-Two Post, Install Sign (Strap and Saddle Bracket Method), Concrete Backfill (Pipe Trench), 18" Plastic Pipe, 24" Plastic Pipe, 18" Reinforced Concrete Pipe (Class III), 24" Reinforced Concrete Pipe (Class III), 36" Reinforced Concrete Pipe (Class III), 18" Corrugated Steel Pipe (.109 Thick), 30" Corrugated Steel Pipe (.109 Thick), Class 6 Permeable Material, 12" Welded Steel Pipe (.250 Thick), 24" Steel Flared End Section, 30" Steel flared End Section, 36" Precast Concrete Pipe Inlet, Small-Rock Slope Protection, Rock Slope Protection (No. 1, Method B) (CY), Concrete (Concrete Apron), Rock Slope Protection Fabric (Class 8), Masonry Unit Pavers, Detectable Warning Surface, Minor Concrete (Curb and Gutter), Minor Concrete (Gutter Depression), Minor Concrete (Driveway), Minor Concrete (Colored Concrete), Minor Concrete (Sidewalk), Minor Concrete (Retaining Curb), Minor Concrete (Textured Paving), Animal Tracks, Minor Concrete (Retaining Wall), Miscellaneous Iron and Steel), Adjust Manhole to Grade, Adjust Utility Cover to Grade, Relocate Fire Hydrant, Install Cellar Door, Marker (Culvert), Handrailing, Cable Railing, Tubular Handrailing (Modified), Thermoplastic Pavement Marking, Thermoplastic Traffic Stripe (Sprayable), Lighting (Intersection-Decorative), Lighting (City Street-Decorative), Rectangular Rapid Flashing Beacon System, Electric Service (Irrigation, Radar Speed Feedback Sign, Modify Traffic Count Station, Class D Filter Fabric, Mobilization, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jun 02, 2016
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway
Chico, CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

May 11, 2016
PAPILLON BUILDERS
20300 RIM ROCK CT
FORESTHILL, CA, 95631

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

Location: Greenville, CA
Bid Due Date: 06/02/16 at 02:00 PM PST
Solicitation Number: 02-0E24U4
Contact: Steve Silva

Quotes are needed for:

Lead Compliance Plan, Progress Schedule (Critical Path Method), Time-Related Overhead (WDAY), Construction Area Signs, Traffic Control System, Portable Changeable Message Sign (LS), Job Site Management, Prepare Storm Water Pollution Prevention Plan, Storm Water Annual Report, Move-In/Move-Out (Temporary Erosion Control), Temporary Cover, Temporary Drainage Inlet Protection, Temporary Fiber Roll, Temporary Gravel Bag Berm, Temporary Silt Fence, Temporary Concrete Washout, Treated Wood Waste, Remove Flared End Section, Remove Roadside Sign (Wood Post), Remove Roadside Sign (Strap and Saddle Bracket Method), Remove Roadside Sign (Steel Post), Remove Asphalt Concrete Dike, Remove Culvert (LF), Remove Inlet, Remove Headwall, Remove Bollard, Reconstruct Fence, Reconstruct Guardrail, Reset Gate, Relocate Roadside Sign, Cold Plane Asphalt Concrete Pavement, Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQ YD), Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQYD), Remove Concrete (Concrete Island), Remove Concrete (Curb and Gutter), Clearing and Grubbing (LS), Develop Water Supply, Roadway Excavation, Shoulder Backing, Sand Bedding, Ditch Excavation, Roadside Clearing (Tree Removal), Rock Blanket (Modified), Place Boulder, Weed Germination, Grass Fertilizer, Wood Mulch, Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), 3/4" Plastic Pipe (Schedule 40) (Supply Line), 1 1/2 Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Class 315) (Supply Line), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Sprinkler Control Conduit, Sprinkler Control Conduit, Sprinkler Control Conduit, Plastic Pipe (Class 315) (Supply Line), Corrugated High Density Polyethylene Pipe Conduit, Imported Topsoil (CY), Erosion Control (Dry Seed) (Grass) (SQFT), Erosion Control (Dry Seed) (Wildflower) (SQFT), Compost, Incorporate Materials, Finishing Roadway, Class 2 Aggregate Base (CY), Hot Mix Asphalt (Type A), Place Hot Mix Asphalt (Miscellaneous Area), Tack Coat, Minor Concrete (Minor Structure), Retroreflected Sheeting (Type XI), Furnish Single Sheet Aluminum Sign (0.063-Unframed), Furnish Single Sheet Aluminum Sign for Type XI Sheeting (0.063-Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.063 Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.080 Unframed), Furnish Single Sheet Aluminum Sign For Type

XI Sheeting (0.063 Framed), Roadside Sign-One Post, Roadside Sign-Two Post, Install Sign (Strap and Saddle Bracket Method), Concrete Backfill (Pipe Trench), 18" Plastic Pipe, 24" Plastic Pipe, 18" Reinforced Concrete Pipe (Class III), 24" Reinforced Concrete Pipe (Class III), 36" Reinforced Concrete Pipe (Class III), 18" Corrugated Steel Pipe (.109 Thick), 30" Corrugated Steel Pipe (.109 Thick), Class 6 Permeable Material, 12" Welded Steel Pipe (.250 Thick), 24" Steel Flared End Section, 30" Steel flared End Section, 36" Precast Concrete Pipe Inlet, Small-Rock Slope Protection, Rock Slope Protection (No. 1, Method B) (CY), Concrete (Concrete Apron), Rock Slope Protection Fabric (Class 8), Masonry Unit Pavers, Detectable Warning Surface, Minor Concrete (Curb and Gutter), Minor Concrete (Gutter Depression), Minor Concrete (Driveway), Minor Concrete (Colored Concrete), Minor Concrete (Sidewalk), Minor Concrete (Retaining Curb), Minor Concrete (Textured Paving), Animal Tracks, Minor Concrete (Retaining Wall), Miscellaneous Iron and Steel), Adjust Manhole to Grade, Adjust Utility Cover to Grade, Relocate Fire Hydrant, Install Cellar Door, Marker (Culvert), Handrailing, Cable Railing, Tubular Handrailing (Modified), Thermoplastic Pavement Marking, Thermoplastic Traffic Stripe (Sprayable), Lighting (Intersection-Decorative), Lighting (City Street-Decorative), Rectangular Rapid Flashing Beacon System, Electric Service (Irrigation, Radar Speed Feedback Sign, Modify Traffic Count Station, Class D Filter Fabric, Mobilization, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jun 02, 2016
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway
Chico, CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

May 11, 2016
ALL AMERICAN ASPHALT SEALING INC
1565 TRAINER WAY
RENO, NV, 89512

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

Location: Greenville, CA
Bid Due Date: 06/02/16 at 02:00 PM PST
Solicitation Number: 02-0E24U4
Contact: Steve Silva

Quotes are needed for:

Lead Compliance Plan, Progress Schedule (Critical Path Method), Time-Related Overhead (WDAY), Construction Area Signs, Traffic Control System, Portable Changeable Message Sign (LS), Job Site Management, Prepare Storm Water Pollution Prevention Plan, Storm Water Annual Report, Move-In/Move-Out (Temporary Erosion Control), Temporary Cover, Temporary Drainage Inlet Protection, Temporary Fiber Roll, Temporary Gravel Bag Berm, Temporary Silt Fence, Temporary Concrete Washout, Treated Wood Waste, Remove Flared End Section, Remove Roadside Sign (Wood Post), Remove Roadside Sign (Strap and Saddle Bracket Method), Remove Roadside Sign (Steel Post), Remove Asphalt Concrete Dike, Remove Culvert (LF), Remove Inlet, Remove Headwall, Remove Bollard, Reconstruct Fence, Reconstruct Guardrail, Reset Gate, Relocate Roadside Sign, Cold Plane Asphalt Concrete Pavement, Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQ YD), Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQYD), Remove Concrete (Concrete Island), Remove Concrete (Curb and Gutter), Clearing and Grubbing (LS), Develop Water Supply, Roadway Excavation, Shoulder Backing, Sand Bedding, Ditch Excavation, Roadside Clearing (Tree Removal), Rock Blanket (Modified), Place Boulder, Weed Germination, Grass Fertilizer, Wood Mulch, Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), 3/4" Plastic Pipe (Schedule 40) (Supply Line), 1 1/2 Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Class 315) (Supply Line), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Sprinkler Control Conduit, Sprinkler Control Conduit, Sprinkler Control Conduit, Plastic Pipe (Class 315) (Supply Line), Corrugated High Density Polyethylene Pipe Conduit, Imported Topsoil (CY), Erosion Control (Dry Seed) (Grass) (SQFT), Erosion Control (Dry Seed) (Wildflower) (SQFT), Compost, Incorporate Materials, Finishing Roadway, Class 2 Aggregate Base (CY), Hot Mix Asphalt (Type A), Place Hot Mix Asphalt (Miscellaneous Area), Tack Coat, Minor Concrete (Minor Structure), Retroreflected Sheeting (Type XI), Furnish Single Sheet Aluminum Sign (0.063-Unframed), Furnish Single Sheet Aluminum Sign for Type XI Sheeting (0.063-Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.063 Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.080 Unframed), Furnish Single Sheet Aluminum Sign For Type

XI Sheeting (0.063 Framed), Roadside Sign-One Post, Roadside Sign-Two Post, Install Sign (Strap and Saddle Bracket Method), Concrete Backfill (Pipe Trench), 18" Plastic Pipe, 24" Plastic Pipe, 18" Reinforced Concrete Pipe (Class III), 24" Reinforced Concrete Pipe (Class III), 36" Reinforced Concrete Pipe (Class III), 18" Corrugated Steel Pipe (.109 Thick), 30" Corrugated Steel Pipe (.109 Thick), Class 6 Permeable Material, 12" Welded Steel Pipe (.250 Thick), 24" Steel Flared End Section, 30" Steel flared End Section, 36" Precast Concrete Pipe Inlet, Small-Rock Slope Protection, Rock Slope Protection (No. 1, Method B) (CY), Concrete (Concrete Apron), Rock Slope Protection Fabric (Class 8), Masonry Unit Pavers, Detectable Warning Surface, Minor Concrete (Curb and Gutter), Minor Concrete (Gutter Depression), Minor Concrete (Driveway), Minor Concrete (Colored Concrete), Minor Concrete (Sidewalk), Minor Concrete (Retaining Curb), Minor Concrete (Textured Paving), Animal Tracks, Minor Concrete (Retaining Wall), Miscellaneous Iron and Steel), Adjust Manhole to Grade, Adjust Utility Cover to Grade, Relocate Fire Hydrant, Install Cellar Door, Marker (Culvert), Handrailing, Cable Railing, Tubular Handrailing (Modified), Thermoplastic Pavement Marking, Thermoplastic Traffic Stripe (Sprayable), Lighting (Intersection-Decorative), Lighting (City Street-Decorative), Rectangular Rapid Flashing Beacon System, Electric Service (Irrigation, Radar Speed Feedback Sign, Modify Traffic Count Station, Class D Filter Fabric, Mobilization, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jun 02, 2016
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico,CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

May 11, 2016

Frank Medina General Engineering Contrac

10096 Ahart Road

Oroville,CA,95966

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

Location: Greenville,CA

Bid Due Date: 06/02/16 at 02:00 PM PST

Solicitation Number: 02-0E24U4

Contact: Steve Silva

Quotes are needed for:

Lead Compliance Plan, Progress Schedule (Critical Path Method), Time-Related Overhead (WDAY), Construction Area Signs, Traffic Control System, Portable Changeable Message Sign (LS), Job Site Management, Prepare Storm Water Pollution Prevention Plan, Storm Water Annual Report, Move-In/Move-Out (Temporary Erosion Control), Temporary Cover, Temporary Drainage Inlet Protection, Temporary Fiber Roll, Temporary Gravel Bag Berm, Temporary Silt Fence, Temporary Concrete Washout, Treated Wood Waste, Remove Flared End Section, Remove Roadside Sign (Wood Post), Remove Roadside Sign (Strap and Saddle Bracket Method), Remove Roadside Sign (Steel Post), Remove Asphalt Concrete Dike, Remove Culvert (LF), Remove Inlet, Remove Headwall, Remove Bollard, Reconstruct Fence, Reconstruct Guardrail, Reset Gate, Relocate Roadside Sign, Cold Plane Asphalt Concrete Pavement, Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQ YD), Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQYD), Remove Concrete (Concrete Island), Remove Concrete (Curb and Gutter), Clearing and Grubbing (LS), Develop Water Supply, Roadway Excavation, Shoulder Backing, Sand Bedding, Ditch Excavation, Roadside Clearing (Tree Removal), Rock Blanket (Modified), Place Boulder, Weed Germination, Grass Fertilizer, Wood Mulch, Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), 3/4" Plastic Pipe (Schedule 40) (Supply Line), 1 1/2 Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Class 315) (Supply Line), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Sprinkler Control Conduit, Sprinkler Control Conduit, Sprinkler Control Conduit, Plastic Pipe (Class 315) (Supply Line), Corrugated High Density Polyethylene Pipe Conduit, Imported Topsoil (CY), Erosion Control (Dry Seed) (Grass) (SQFT), Erosion Control (Dry Seed) (Wildflower) (SQFT), Compost, Incorporate Materials, Finishing Roadway, Class 2 Aggregate Base (CY), Hot Mix Asphalt (Type A), Place Hot Mix Asphalt (Miscellaneous Area), Tack Coat, Minor Concrete (Minor Structure), Retroreflected Sheeting (Type XI), Furnish Single Sheet Aluminum Sign (0.063-Unframed), Furnish Single Sheet Aluminum Sign for Type XI Sheeting (0.063-Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.063 Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.080 Unframed), Furnish Single Sheet Aluminum Sign For Type

XI Sheeting (0.063 Framed), Roadside Sign-One Post, Roadside Sign-Two Post, Install Sign (Strap and Saddle Bracket Method), Concrete Backfill (Pipe Trench), 18" Plastic Pipe, 24" Plastic Pipe, 18" Reinforced Concrete Pipe (Class III), 24" Reinforced Concrete Pipe (Class III), 36" Reinforced Concrete Pipe (Class III), 18" Corrugated Steel Pipe (.109 Thick), 30" Corrugated Steel Pipe (.109 Thick), Class 6 Permeable Material, 12" Welded Steel Pipe (.250 Thick), 24" Steel Flared End Section, 30" Steel flared End Section, 36" Precast Concrete Pipe Inlet, Small-Rock Slope Protection, Rock Slope Protection (No. 1, Method B) (CY), Concrete (Concrete Apron), Rock Slope Protection Fabric (Class 8), Masonry Unit Pavers, Detectable Warning Surface, Minor Concrete (Curb and Gutter), Minor Concrete (Gutter Depression), Minor Concrete (Driveway), Minor Concrete (Colored Concrete), Minor Concrete (Sidewalk), Minor Concrete (Retaining Curb), Minor Concrete (Textured Paving), Animal Tracks, Minor Concrete (Retaining Wall), Miscellaneous Iron and Steel), Adjust Manhole to Grade, Adjust Utility Cover to Grade, Relocate Fire Hydrant, Install Cellar Door, Marker (Culvert), Handrailing, Cable Railing, Tubular Handrailing (Modified), Thermoplastic Pavement Marking, Thermoplastic Traffic Stripe (Sprayable), Lighting (Intersection-Decorative), Lighting (City Street-Decorative), Rectangular Rapid Flashing Beacon System, Electric Service (Irrigation, Radar Speed Feedback Sign, Modify Traffic Count Station, Class D Filter Fabric, Mobilization, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jun 02, 2016
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway
Chico, CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

May 11, 2016
Nitta Erosion Control
3778 Del Mar Avenue
Loomis, CA, 95650

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

Location: Greenville, CA
Bid Due Date: 06/02/16 at 02:00 PM PST
Solicitation Number: 02-0E24U4
Contact: Steve Silva

Quotes are needed for:

Lead Compliance Plan, Progress Schedule (Critical Path Method), Time-Related Overhead (WDAY), Construction Area Signs, Traffic Control System, Portable Changeable Message Sign (LS), Job Site Management, Prepare Storm Water Pollution Prevention Plan, Storm Water Annual Report, Move-In/Move-Out (Temporary Erosion Control), Temporary Cover, Temporary Drainage Inlet Protection, Temporary Fiber Roll, Temporary Gravel Bag Berm, Temporary Silt Fence, Temporary Concrete Washout, Treated Wood Waste, Remove Flared End Section, Remove Roadside Sign (Wood Post), Remove Roadside Sign (Strap and Saddle Bracket Method), Remove Roadside Sign (Steel Post), Remove Asphalt Concrete Dike, Remove Culvert (LF), Remove Inlet, Remove Headwall, Remove Bollard, Reconstruct Fence, Reconstruct Guardrail, Reset Gate, Relocate Roadside Sign, Cold Plane Asphalt Concrete Pavement, Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQ YD), Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQYD), Remove Concrete (Concrete Island), Remove Concrete (Curb and Gutter), Clearing and Grubbing (LS), Develop Water Supply, Roadway Excavation, Shoulder Backing, Sand Bedding, Ditch Excavation, Roadside Clearing (Tree Removal), Rock Blanket (Modified), Place Boulder, Weed Germination, Grass Fertilizer, Wood Mulch, Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), 3/4" Plastic Pipe (Schedule 40) (Supply Line), 1 1/2 Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Class 315) (Supply Line), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Sprinkler Control Conduit, Sprinkler Control Conduit, Sprinkler Control Conduit, Plastic Pipe (Class 315) (Supply Line), Corrugated High Density Polyethylene Pipe Conduit, Imported Topsoil (CY), Erosion Control (Dry Seed) (Grass) (SQFT), Erosion Control (Dry Seed) (Wildflower) (SQFT), Compost, Incorporate Materials, Finishing Roadway, Class 2 Aggregate Base (CY), Hot Mix Asphalt (Type A), Place Hot Mix Asphalt (Miscellaneous Area), Tack Coat, Minor Concrete (Minor Structure), Retroreflected Sheeting (Type XI), Furnish Single Sheet Aluminum Sign (0.063-Unframed), Furnish Single Sheet Aluminum Sign for Type XI Sheeting (0.063-Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.063 Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.080 Unframed), Furnish Single Sheet Aluminum Sign For Type

XI Sheeting (0.063 Framed), Roadside Sign-One Post, Roadside Sign-Two Post, Install Sign (Strap and Saddle Bracket Method), Concrete Backfill (Pipe Trench), 18" Plastic Pipe, 24" Plastic Pipe, 18" Reinforced Concrete Pipe (Class III), 24" Reinforced Concrete Pipe (Class III), 36" Reinforced Concrete Pipe (Class III), 18" Corrugated Steel Pipe (.109 Thick), 30" Corrugated Steel Pipe (.109 Thick), Class 6 Permeable Material, 12" Welded Steel Pipe (.250 Thick), 24" Steel Flared End Section, 30" Steel flared End Section, 36" Precast Concrete Pipe Inlet, Small-Rock Slope Protection, Rock Slope Protection (No. 1, Method B) (CY), Concrete (Concrete Apron), Rock Slope Protection Fabric (Class 8), Masonry Unit Pavers, Detectable Warning Surface, Minor Concrete (Curb and Gutter), Minor Concrete (Gutter Depression), Minor Concrete (Driveway), Minor Concrete (Colored Concrete), Minor Concrete (Sidewalk), Minor Concrete (Retaining Curb), Minor Concrete (Textured Paving), Animal Tracks, Minor Concrete (Retaining Wall), Miscellaneous Iron and Steel), Adjust Manhole to Grade, Adjust Utility Cover to Grade, Relocate Fire Hydrant, Install Cellar Door, Marker (Culvert), Handrailing, Cable Railing, Tubular Handrailing (Modified), Thermoplastic Pavement Marking, Thermoplastic Traffic Stripe (Sprayable), Lighting (Intersection-Decorative), Lighting (City Street-Decorative), Rectangular Rapid Flashing Beacon System, Electric Service (Irrigation, Radar Speed Feedback Sign, Modify Traffic Count Station, Class D Filter Fabric, Mobilization, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jun 02, 2016
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway
Chico, CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

May 11, 2016
A S CONTRACTORS, INC.
5347 COLE ROAD
MARIPOSA, CA, 95338

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

Location: Greenville, CA
Bid Due Date: 06/02/16 at 02:00 PM PST
Solicitation Number: 02-0E24U4
Contact: Steve Silva

Quotes are needed for:

Lead Compliance Plan, Progress Schedule (Critical Path Method), Time-Related Overhead (WDAY), Construction Area Signs, Traffic Control System, Portable Changeable Message Sign (LS), Job Site Management, Prepare Storm Water Pollution Prevention Plan, Storm Water Annual Report, Move-In/Move-Out (Temporary Erosion Control), Temporary Cover, Temporary Drainage Inlet Protection, Temporary Fiber Roll, Temporary Gravel Bag Berm, Temporary Silt Fence, Temporary Concrete Washout, Treated Wood Waste, Remove Flared End Section, Remove Roadside Sign (Wood Post), Remove Roadside Sign (Strap and Saddle Bracket Method), Remove Roadside Sign (Steel Post), Remove Asphalt Concrete Dike, Remove Culvert (LF), Remove Inlet, Remove Headwall, Remove Bollard, Reconstruct Fence, Reconstruct Guardrail, Reset Gate, Relocate Roadside Sign, Cold Plane Asphalt Concrete Pavement, Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQ YD), Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQYD), Remove Concrete (Concrete Island), Remove Concrete (Curb and Gutter), Clearing and Grubbing (LS), Develop Water Supply, Roadway Excavation, Shoulder Backing, Sand Bedding, Ditch Excavation, Roadside Clearing (Tree Removal), Rock Blanket (Modified), Place Boulder, Weed Germination, Grass Fertilizer, Wood Mulch, Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), 3/4" Plastic Pipe (Schedule 40) (Supply Line), 1 1/2 Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Class 315) (Supply Line), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Sprinkler Control Conduit, Sprinkler Control Conduit, Sprinkler Control Conduit, Plastic Pipe (Class 315) (Supply Line), Corrugated High Density Polyethylene Pipe Conduit, Imported Topsoil (CY), Erosion Control (Dry Seed) (Grass) (SQFT), Erosion Control (Dry Seed) (Wildflower) (SQFT), Compost, Incorporate Materials, Finishing Roadway, Class 2 Aggregate Base (CY), Hot Mix Asphalt (Type A), Place Hot Mix Asphalt (Miscellaneous Area), Tack Coat, Minor Concrete (Minor Structure), Retroreflected Sheeting (Type XI), Furnish Single Sheet Aluminum Sign (0.063-Unframed), Furnish Single Sheet Aluminum Sign for Type XI Sheeting (0.063-Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.063 Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.080 Unframed), Furnish Single Sheet Aluminum Sign For Type

XI Sheeting (0.063 Framed), Roadside Sign-One Post, Roadside Sign-Two Post, Install Sign (Strap and Saddle Bracket Method), Concrete Backfill (Pipe Trench), 18" Plastic Pipe, 24" Plastic Pipe, 18" Reinforced Concrete Pipe (Class III), 24" Reinforced Concrete Pipe (Class III), 36" Reinforced Concrete Pipe (Class III), 18" Corrugated Steel Pipe (.109 Thick), 30" Corrugated Steel Pipe (.109 Thick), Class 6 Permeable Material, 12" Welded Steel Pipe (.250 Thick), 24" Steel Flared End Section, 30" Steel flared End Section, 36" Precast Concrete Pipe Inlet, Small-Rock Slope Protection, Rock Slope Protection (No. 1, Method B) (CY), Concrete (Concrete Apron), Rock Slope Protection Fabric (Class 8), Masonry Unit Pavers, Detectable Warning Surface, Minor Concrete (Curb and Gutter), Minor Concrete (Gutter Depression), Minor Concrete (Driveway), Minor Concrete (Colored Concrete), Minor Concrete (Sidewalk), Minor Concrete (Retaining Curb), Minor Concrete (Textured Paving), Animal Tracks, Minor Concrete (Retaining Wall), Miscellaneous Iron and Steel), Adjust Manhole to Grade, Adjust Utility Cover to Grade, Relocate Fire Hydrant, Install Cellar Door, Marker (Culvert), Handrailing, Cable Railing, Tubular Handrailing (Modified), Thermoplastic Pavement Marking, Thermoplastic Traffic Stripe (Sprayable), Lighting (Intersection-Decorative), Lighting (City Street-Decorative), Rectangular Rapid Flashing Beacon System, Electric Service (Irrigation, Radar Speed Feedback Sign, Modify Traffic Count Station, Class D Filter Fabric, Mobilization, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jun 02, 2016
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico, CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

May 11, 2016

Allen Gill Construction, Inc.

3307 Twin View Blvd.

Shasta Lake, CA, 96019

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

Location: Greenville, CA

Bid Due Date: 06/02/16 at 02:00 PM PST

Solicitation Number: 02-0E24U4

Contact: Steve Silva

Quotes are needed for:

Lead Compliance Plan, Progress Schedule (Critical Path Method), Time-Related Overhead (WDAY), Construction Area Signs, Traffic Control System, Portable Changeable Message Sign (LS), Job Site Management, Prepare Storm Water Pollution Prevention Plan, Storm Water Annual Report, Move-In/Move-Out (Temporary Erosion Control), Temporary Cover, Temporary Drainage Inlet Protection, Temporary Fiber Roll, Temporary Gravel Bag Berm, Temporary Silt Fence, Temporary Concrete Washout, Treated Wood Waste, Remove Flared End Section, Remove Roadside Sign (Wood Post), Remove Roadside Sign (Strap and Saddle Bracket Method), Remove Roadside Sign (Steel Post), Remove Asphalt Concrete Dike, Remove Culvert (LF), Remove Inlet, Remove Headwall, Remove Bollard, Reconstruct Fence, Reconstruct Guardrail, Reset Gate, Relocate Roadside Sign, Cold Plane Asphalt Concrete Pavement, Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQ YD), Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQYD), Remove Concrete (Concrete Island), Remove Concrete (Curb and Gutter), Clearing and Grubbing (LS), Develop Water Supply, Roadway Excavation, Shoulder Backing, Sand Bedding, Ditch Excavation, Roadside Clearing (Tree Removal), Rock Blanket (Modified), Place Boulder, Weed Germination, Grass Fertilizer, Wood Mulch, Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), 3/4" Plastic Pipe (Schedule 40) (Supply Line), 1 1/2 Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Class 315) (Supply Line), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Sprinkler Control Conduit, Sprinkler Control Conduit, Sprinkler Control Conduit, Plastic Pipe (Class 315) (Supply Line), Corrugated High Density Polyethylene Pipe Conduit, Imported Topsoil (CY), Erosion Control (Dry Seed) (Grass) (SQFT), Erosion Control (Dry Seed) (Wildflower) (SQFT), Compost, Incorporate Materials, Finishing Roadway, Class 2 Aggregate Base (CY), Hot Mix Asphalt (Type A), Place Hot Mix Asphalt (Miscellaneous Area), Tack Coat, Minor Concrete (Minor Structure), Retroreflected Sheeting (Type XI), Furnish Single Sheet Aluminum Sign (0.063-Unframed), Furnish Single Sheet Aluminum Sign for Type XI Sheeting (0.063-Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.063 Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.080 Unframed), Furnish Single Sheet Aluminum Sign For Type

XI Sheeting (0.063 Framed), Roadside Sign-One Post, Roadside Sign-Two Post, Install Sign (Strap and Saddle Bracket Method), Concrete Backfill (Pipe Trench), 18" Plastic Pipe, 24" Plastic Pipe, 18" Reinforced Concrete Pipe (Class III), 24" Reinforced Concrete Pipe (Class III), 36" Reinforced Concrete Pipe (Class III), 18" Corrugated Steel Pipe (.109 Thick), 30" Corrugated Steel Pipe (.109 Thick), Class 6 Permeable Material, 12" Welded Steel Pipe (.250 Thick), 24" Steel Flared End Section, 30" Steel flared End Section, 36" Precast Concrete Pipe Inlet, Small-Rock Slope Protection, Rock Slope Protection (No. 1, Method B) (CY), Concrete (Concrete Apron), Rock Slope Protection Fabric (Class 8), Masonry Unit Pavers, Detectable Warning Surface, Minor Concrete (Curb and Gutter), Minor Concrete (Gutter Depression), Minor Concrete (Driveway), Minor Concrete (Colored Concrete), Minor Concrete (Sidewalk), Minor Concrete (Retaining Curb), Minor Concrete (Textured Paving), Animal Tracks, Minor Concrete (Retaining Wall), Miscellaneous Iron and Steel), Adjust Manhole to Grade, Adjust Utility Cover to Grade, Relocate Fire Hydrant, Install Cellar Door, Marker (Culvert), Handrailing, Cable Railing, Tubular Handrailing (Modified), Thermoplastic Pavement Marking, Thermoplastic Traffic Stripe (Sprayable), Lighting (Intersection-Decorative), Lighting (City Street-Decorative), Rectangular Rapid Flashing Beacon System, Electric Service (Irrigation, Radar Speed Feedback Sign, Modify Traffic Count Station, Class D Filter Fabric, Mobilization, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jun 02, 2016
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico, CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

May 11, 2016

CONSTRUCTION SCHEDULING EXPERTS

4729 DICKENS DR.

GRANITE BAY, CA, 95746

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

Location: Greenville, CA

Bid Due Date: 06/02/16 at 02:00 PM PST

Solicitation Number: 02-0E24U4

Contact: Steve Silva

Quotes are needed for:

Lead Compliance Plan, Progress Schedule (Critical Path Method), Time-Related Overhead (WDAY), Construction Area Signs, Traffic Control System, Portable Changeable Message Sign (LS), Job Site Management, Prepare Storm Water Pollution Prevention Plan, Storm Water Annual Report, Move-In/Move-Out (Temporary Erosion Control), Temporary Cover, Temporary Drainage Inlet Protection, Temporary Fiber Roll, Temporary Gravel Bag Berm, Temporary Silt Fence, Temporary Concrete Washout, Treated Wood Waste, Remove Flared End Section, Remove Roadside Sign (Wood Post), Remove Roadside Sign (Strap and Saddle Bracket Method), Remove Roadside Sign (Steel Post), Remove Asphalt Concrete Dike, Remove Culvert (LF), Remove Inlet, Remove Headwall, Remove Bollard, Reconstruct Fence, Reconstruct Guardrail, Reset Gate, Relocate Roadside Sign, Cold Plane Asphalt Concrete Pavement, Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQ YD), Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQYD), Remove Concrete (Concrete Island), Remove Concrete (Curb and Gutter), Clearing and Grubbing (LS), Develop Water Supply, Roadway Excavation, Shoulder Backing, Sand Bedding, Ditch Excavation, Roadside Clearing (Tree Removal), Rock Blanket (Modified), Place Boulder, Weed Germination, Grass Fertilizer, Wood Mulch, Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), 3/4" Plastic Pipe (Schedule 40) (Supply Line), 1 1/2 Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Class 315) (Supply Line), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Sprinkler Control Conduit, Sprinkler Control Conduit, Sprinkler Control Conduit, Plastic Pipe (Class 315) (Supply Line), Corrugated High Density Polyethylene Pipe Conduit, Imported Topsoil (CY), Erosion Control (Dry Seed) (Grass) (SQFT), Erosion Control (Dry Seed) (Wildflower) (SQFT), Compost, Incorporate Materials, Finishing Roadway, Class 2 Aggregate Base (CY), Hot Mix Asphalt (Type A), Place Hot Mix Asphalt (Miscellaneous Area), Tack Coat, Minor Concrete (Minor Structure), Retroreflected Sheeting (Type XI), Furnish Single Sheet Aluminum Sign (0.063-Unframed), Furnish Single Sheet Aluminum Sign for Type XI Sheeting (0.063-Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.063 Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.080 Unframed), Furnish Single Sheet Aluminum Sign For Type

XI Sheeting (0.063 Framed), Roadside Sign-One Post, Roadside Sign-Two Post, Install Sign (Strap and Saddle Bracket Method), Concrete Backfill (Pipe Trench), 18" Plastic Pipe, 24" Plastic Pipe, 18" Reinforced Concrete Pipe (Class III), 24" Reinforced Concrete Pipe (Class III), 36" Reinforced Concrete Pipe (Class III), 18" Corrugated Steel Pipe (.109 Thick), 30" Corrugated Steel Pipe (.109 Thick), Class 6 Permeable Material, 12" Welded Steel Pipe (.250 Thick), 24" Steel Flared End Section, 30" Steel flared End Section, 36" Precast Concrete Pipe Inlet, Small-Rock Slope Protection, Rock Slope Protection (No. 1, Method B) (CY), Concrete (Concrete Apron), Rock Slope Protection Fabric (Class 8), Masonry Unit Pavers, Detectable Warning Surface, Minor Concrete (Curb and Gutter), Minor Concrete (Gutter Depression), Minor Concrete (Driveway), Minor Concrete (Colored Concrete), Minor Concrete (Sidewalk), Minor Concrete (Retaining Curb), Minor Concrete (Textured Paving), Animal Tracks, Minor Concrete (Retaining Wall), Miscellaneous Iron and Steel), Adjust Manhole to Grade, Adjust Utility Cover to Grade, Relocate Fire Hydrant, Install Cellar Door, Marker (Culvert), Handrailing, Cable Railing, Tubular Handrailing (Modified), Thermoplastic Pavement Marking, Thermoplastic Traffic Stripe (Sprayable), Lighting (Intersection-Decorative), Lighting (City Street-Decorative), Rectangular Rapid Flashing Beacon System, Electric Service (Irrigation, Radar Speed Feedback Sign, Modify Traffic Count Station, Class D Filter Fabric, Mobilization, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jun 02, 2016
with a copy of your certification to Steve Silva at (530) 894-6220

XI Sheeting (0.063 Framed), Roadside Sign-One Post, Roadside Sign-Two Post, Install Sign (Strap and Saddle Bracket Method), Concrete Backfill (Pipe Trench), 18" Plastic Pipe, 24" Plastic Pipe, 18" Reinforced Concrete Pipe (Class III), 24" Reinforced Concrete Pipe (Class III), 36" Reinforced Concrete Pipe (Class III), 18" Corrugated Steel Pipe (.109 Thick), 30" Corrugated Steel Pipe (.109 Thick), Class 6 Permeable Material, 12" Welded Steel Pipe (.250 Thick), 24" Steel Flared End Section, 30" Steel flared End Section, 36" Precast Concrete Pipe Inlet, Small-Rock Slope Protection, Rock Slope Protection (No. 1, Method B) (CY), Concrete (Concrete Apron), Rock Slope Protection Fabric (Class 8), Masonry Unit Pavers, Detectable Warning Surface, Minor Concrete (Curb and Gutter), Minor Concrete (Gutter Depression), Minor Concrete (Driveway), Minor Concrete (Colored Concrete), Minor Concrete (Sidewalk), Minor Concrete (Retaining Curb), Minor Concrete (Textured Paving), Animal Tracks, Minor Concrete (Retaining Wall), Miscellaneous Iron and Steel), Adjust Manhole to Grade, Adjust Utility Cover to Grade, Relocate Fire Hydrant, Install Cellar Door, Marker (Culvert), Handrailing, Cable Railing, Tubular Handrailing (Modified), Thermoplastic Pavement Marking, Thermoplastic Traffic Stripe (Sprayable), Lighting (Intersection-Decorative), Lighting (City Street-Decorative), Rectangular Rapid Flashing Beacon System, Electric Service (Irrigation, Radar Speed Feedback Sign, Modify Traffic Count Station, Class D Filter Fabric, Mobilization, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jun 02, 2016
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico, CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

May 11, 2016

Summit Trucking

821 Knight Lane

El Dorado Hills, CA, 95762

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

Location: Greenville, CA

Bid Due Date: 06/02/16 at 02:00 PM PST

Solicitation Number: 02-0E24U4

Contact: Steve Silva

Quotes are needed for:

Lead Compliance Plan, Progress Schedule (Critical Path Method), Time-Related Overhead (WDAY), Construction Area Signs, Traffic Control System, Portable Changeable Message Sign (LS), Job Site Management, Prepare Storm Water Pollution Prevention Plan, Storm Water Annual Report, Move-In/Move-Out (Temporary Erosion Control), Temporary Cover, Temporary Drainage Inlet Protection, Temporary Fiber Roll, Temporary Gravel Bag Berm, Temporary Silt Fence, Temporary Concrete Washout, Treated Wood Waste, Remove Flared End Section, Remove Roadside Sign (Wood Post), Remove Roadside Sign (Strap and Saddle Bracket Method), Remove Roadside Sign (Steel Post), Remove Asphalt Concrete Dike, Remove Culvert (LF), Remove Inlet, Remove Headwall, Remove Bollard, Reconstruct Fence, Reconstruct Guardrail, Reset Gate, Relocate Roadside Sign, Cold Plane Asphalt Concrete Pavement, Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQ YD), Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQYD), Remove Concrete (Concrete Island), Remove Concrete (Curb and Gutter), Clearing and Grubbing (LS), Develop Water Supply, Roadway Excavation, Shoulder Backing, Sand Bedding, Ditch Excavation, Roadside Clearing (Tree Removal), Rock Blanket (Modified), Place Boulder, Weed Germination, Grass Fertilizer, Wood Mulch, Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), 3/4" Plastic Pipe (Schedule 40) (Supply Line), 1 1/2 Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Class 315) (Supply Line), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Sprinkler Control Conduit, Sprinkler Control Conduit, Sprinkler Control Conduit, Plastic Pipe (Class 315) (Supply Line), Corrugated High Density Polyethylene Pipe Conduit, Imported Topsoil (CY), Erosion Control (Dry Seed) (Grass) (SQFT), Erosion Control (Dry Seed) (Wildflower) (SQFT), Compost, Incorporate Materials, Finishing Roadway, Class 2 Aggregate Base (CY), Hot Mix Asphalt (Type A), Place Hot Mix Asphalt (Miscellaneous Area), Tack Coat, Minor Concrete (Minor Structure), Retroreflected Sheeting (Type XI), Furnish Single Sheet Aluminum Sign (0.063-Unframed), Furnish Single Sheet Aluminum Sign for Type XI Sheeting (0.063-Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.063 Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.080 Unframed), Furnish Single Sheet Aluminum Sign For Type

XI Sheeting (0.063 Framed), Roadside Sign-One Post, Roadside Sign-Two Post, Install Sign (Strap and Saddle Bracket Method), Concrete Backfill (Pipe Trench), 18" Plastic Pipe, 24" Plastic Pipe, 18" Reinforced Concrete Pipe (Class III), 24" Reinforced Concrete Pipe (Class III), 36" Reinforced Concrete Pipe (Class III), 18" Corrugated Steel Pipe (.109 Thick), 30" Corrugated Steel Pipe (.109 Thick), Class 6 Permeable Material, 12" Welded Steel Pipe (.250 Thick), 24" Steel Flared End Section, 30" Steel flared End Section, 36" Precast Concrete Pipe Inlet, Small-Rock Slope Protection, Rock Slope Protection (No. 1, Method B) (CY), Concrete (Concrete Apron), Rock Slope Protection Fabric (Class 8), Masonry Unit Pavers, Detectable Warning Surface, Minor Concrete (Curb and Gutter), Minor Concrete (Gutter Depression), Minor Concrete (Driveway), Minor Concrete (Colored Concrete), Minor Concrete (Sidewalk), Minor Concrete (Retaining Curb), Minor Concrete (Textured Paving), Animal Tracks, Minor Concrete (Retaining Wall), Miscellaneous Iron and Steel), Adjust Manhole to Grade, Adjust Utility Cover to Grade, Relocate Fire Hydrant, Install Cellar Door, Marker (Culvert), Handrailing, Cable Railing, Tubular Handrailing (Modified), Thermoplastic Pavement Marking, Thermoplastic Traffic Stripe (Sprayable), Lighting (Intersection-Decorative), Lighting (City Street-Decorative), Rectangular Rapid Flashing Beacon System, Electric Service (Irrigation, Radar Speed Feedback Sign, Modify Traffic Count Station, Class D Filter Fabric, Mobilization, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jun 02, 2016
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico,CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

May 11, 2016

ARROW S COMPANY

177 CALIFORNIA AVENUE

ARBUCKLE,CA,95912

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

Location: Greenville,CA

Bid Due Date: 06/02/16 at 02:00 PM PST

Solicitation Number: 02-0E24U4

Contact: Steve Silva

Quotes are needed for:

Lead Compliance Plan, Progress Schedule (Critical Path Method), Time-Related Overhead (WDAY), Construction Area Signs, Traffic Control System, Portable Changeable Message Sign (LS), Job Site Management, Prepare Storm Water Pollution Prevention Plan, Storm Water Annual Report, Move-In/Move-Out (Temporary Erosion Control), Temporary Cover, Temporary Drainage Inlet Protection, Temporary Fiber Roll, Temporary Gravel Bag Berm, Temporary Silt Fence, Temporary Concrete Washout, Treated Wood Waste, Remove Flared End Section, Remove Roadside Sign (Wood Post), Remove Roadside Sign (Strap and Saddle Bracket Method), Remove Roadside Sign (Steel Post), Remove Asphalt Concrete Dike, Remove Culvert (LF), Remove Inlet, Remove Headwall, Remove Bollard, Reconstruct Fence, Reconstruct Guardrail, Reset Gate, Relocate Roadside Sign, Cold Plane Asphalt Concrete Pavement, Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQ YD), Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQYD), Remove Concrete (Concrete Island), Remove Concrete (Curb and Gutter), Clearing and Grubbing (LS), Develop Water Supply, Roadway Excavation, Shoulder Backing, Sand Bedding, Ditch Excavation, Roadside Clearing (Tree Removal), Rock Blanket (Modified), Place Boulder, Weed Germination, Grass Fertilizer, Wood Mulch, Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), 3/4" Plastic Pipe (Schedule 40) (Supply Line), 1 1/2 Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Class 315) (Supply Line), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Sprinkler Control Conduit, Sprinkler Control Conduit, Sprinkler Control Conduit, Plastic Pipe (Class 315) (Supply Line), Corrugated High Density Polyethylene Pipe Conduit, Imported Topsoil (CY), Erosion Control (Dry Seed) (Grass) (SQFT), Erosion Control (Dry Seed) (Wildflower) (SQFT), Compost, Incorporate Materials, Finishing Roadway, Class 2 Aggregate Base (CY), Hot Mix Asphalt (Type A), Place Hot Mix Asphalt (Miscellaneous Area), Tack Coat, Minor Concrete (Minor Structure), Retroreflected Sheeting (Type XI), Furnish Single Sheet Aluminum Sign (0.063-Unframed), Furnish Single Sheet Aluminum Sign for Type XI Sheeting (0.063-Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.063 Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.080 Unframed), Furnish Single Sheet Aluminum Sign For Type

XI Sheeting (0.063 Framed), Roadside Sign-One Post, Roadside Sign-Two Post, Install Sign (Strap and Saddle Bracket Method), Concrete Backfill (Pipe Trench), 18" Plastic Pipe, 24" Plastic Pipe, 18" Reinforced Concrete Pipe (Class III), 24" Reinforced Concrete Pipe (Class III), 36" Reinforced Concrete Pipe (Class III), 18" Corrugated Steel Pipe (.109 Thick), 30" Corrugated Steel Pipe (.109 Thick), Class 6 Permeable Material, 12" Welded Steel Pipe (.250 Thick), 24" Steel Flared End Section, 30" Steel flared End Section, 36" Precast Concrete Pipe Inlet, Small-Rock Slope Protection, Rock Slope Protection (No. 1, Method B) (CY), Concrete (Concrete Apron), Rock Slope Protection Fabric (Class 8), Masonry Unit Pavers, Detectable Warning Surface, Minor Concrete (Curb and Gutter), Minor Concrete (Gutter Depression), Minor Concrete (Driveway), Minor Concrete (Colored Concrete), Minor Concrete (Sidewalk), Minor Concrete (Retaining Curb), Minor Concrete (Textured Paving), Animal Tracks, Minor Concrete (Retaining Wall), Miscellaneous Iron and Steel), Adjust Manhole to Grade, Adjust Utility Cover to Grade, Relocate Fire Hydrant, Install Cellar Door, Marker (Culvert), Handrailing, Cable Railing, Tubular Handrailing (Modified), Thermoplastic Pavement Marking, Thermoplastic Traffic Stripe (Sprayable), Lighting (Intersection-Decorative), Lighting (City Street-Decorative), Rectangular Rapid Flashing Beacon System, Electric Service (Irrigation, Radar Speed Feedback Sign, Modify Traffic Count Station, Class D Filter Fabric, Mobilization, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jun 02, 2016
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway
Chico, CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

May 11, 2016
White Cap Ready Mix, Inc.
73880 Highway 70
Portola, CA, 96122

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

Location: Greenville, CA

Bid Due Date: 06/02/16 at 02:00 PM PST

Solicitation Number: 02-0E24U4

Contact: Steve Silva

Quotes are needed for:

Lead Compliance Plan, Progress Schedule (Critical Path Method), Time-Related Overhead (WDAY), Construction Area Signs, Traffic Control System, Portable Changeable Message Sign (LS), Job Site Management, Prepare Storm Water Pollution Prevention Plan, Storm Water Annual Report, Move-In/Move-Out (Temporary Erosion Control), Temporary Cover, Temporary Drainage Inlet Protection, Temporary Fiber Roll, Temporary Gravel Bag Berm, Temporary Silt Fence, Temporary Concrete Washout, Treated Wood Waste, Remove Flared End Section, Remove Roadside Sign (Wood Post), Remove Roadside Sign (Strap and Saddle Bracket Method), Remove Roadside Sign (Steel Post), Remove Asphalt Concrete Dike, Remove Culvert (LF), Remove Inlet, Remove Headwall, Remove Bollard, Reconstruct Fence, Reconstruct Guardrail, Reset Gate, Relocate Roadside Sign, Cold Plane Asphalt Concrete Pavement, Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQ YD), Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQYD), Remove Concrete (Concrete Island), Remove Concrete (Curb and Gutter), Clearing and Grubbing (LS), Develop Water Supply, Roadway Excavation, Shoulder Backing, Sand Bedding, Ditch Excavation, Roadside Clearing (Tree Removal), Rock Blanket (Modified), Place Boulder, Weed Germination, Grass Fertilizer, Wood Mulch, Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), 3/4" Plastic Pipe (Schedule 40) (Supply Line), 1 1/2 Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Class 315) (Supply Line), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Sprinkler Control Conduit, Sprinkler Control Conduit, Sprinkler Control Conduit, Plastic Pipe (Class 315) (Supply Line), Corrugated High Density Polyethylene Pipe Conduit, Imported Topsoil (CY), Erosion Control (Dry Seed) (Grass) (SQFT), Erosion Control (Dry Seed) (Wildflower) (SQFT), Compost, Incorporate Materials, Finishing Roadway, Class 2 Aggregate Base (CY), Hot Mix Asphalt (Type A), Place Hot Mix Asphalt (Miscellaneous Area), Tack Coat, Minor Concrete (Minor Structure), Retroreflected Sheeting (Type XI), Furnish Single Sheet Aluminum Sign (0.063-Unframed), Furnish Single Sheet Aluminum Sign for Type XI Sheeting (0.063-Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.063 Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.080 Unframed), Furnish Single Sheet Aluminum Sign For Type

XI Sheeting (0.063 Framed), Roadside Sign-One Post, Roadside Sign-Two Post, Install Sign (Strap and Saddle Bracket Method), Concrete Backfill (Pipe Trench), 18" Plastic Pipe, 24" Plastic Pipe, 18" Reinforced Concrete Pipe (Class III), 24" Reinforced Concrete Pipe (Class III), 36" Reinforced Concrete Pipe (Class III), 18" Corrugated Steel Pipe (.109 Thick), 30" Corrugated Steel Pipe (.109 Thick), Class 6 Permeable Material, 12" Welded Steel Pipe (.250 Thick), 24" Steel Flared End Section, 30" Steel flared End Section, 36" Precast Concrete Pipe Inlet, Small-Rock Slope Protection, Rock Slope Protection (No. 1, Method B) (CY), Concrete (Concrete Apron), Rock Slope Protection Fabric (Class 8), Masonry Unit Pavers, Detectable Warning Surface, Minor Concrete (Curb and Gutter), Minor Concrete (Gutter Depression), Minor Concrete (Driveway), Minor Concrete (Colored Concrete), Minor Concrete (Sidewalk), Minor Concrete (Retaining Curb), Minor Concrete (Textured Paving), Animal Tracks, Minor Concrete (Retaining Wall), Miscellaneous Iron and Steel), Adjust Manhole to Grade, Adjust Utility Cover to Grade, Relocate Fire Hydrant, Install Cellar Door, Marker (Culvert), Handrailing, Cable Railing, Tubular Handrailing (Modified), Thermoplastic Pavement Marking, Thermoplastic Traffic Stripe (Sprayable), Lighting (Intersection-Decorative), Lighting (City Street-Decorative), Rectangular Rapid Flashing Beacon System, Electric Service (Irrigation, Radar Speed Feedback Sign, Modify Traffic Count Station, Class D Filter Fabric, Mobilization, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jun 02, 2016
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico, CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

May 11, 2016

Construction Area Signs, Incorporated

9093 Old State Hwy

Newcastle, CA, 95658

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

Location: Greenville, CA

Bid Due Date: 06/02/16 at 02:00 PM PST

Solicitation Number: 02-0E24U4

Contact: Steve Silva

Quotes are needed for:

Lead Compliance Plan, Progress Schedule (Critical Path Method), Time-Related Overhead (WDAY), Construction Area Signs, Traffic Control System, Portable Changeable Message Sign (LS), Job Site Management, Prepare Storm Water Pollution Prevention Plan, Storm Water Annual Report, Move-In/Move-Out (Temporary Erosion Control), Temporary Cover, Temporary Drainage Inlet Protection, Temporary Fiber Roll, Temporary Gravel Bag Berm, Temporary Silt Fence, Temporary Concrete Washout, Treated Wood Waste, Remove Flared End Section, Remove Roadside Sign (Wood Post), Remove Roadside Sign (Strap and Saddle Bracket Method), Remove Roadside Sign (Steel Post), Remove Asphalt Concrete Dike, Remove Culvert (LF), Remove Inlet, Remove Headwall, Remove Bollard, Reconstruct Fence, Reconstruct Guardrail, Reset Gate, Relocate Roadside Sign, Cold Plane Asphalt Concrete Pavement, Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQ YD), Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQYD), Remove Concrete (Concrete Island), Remove Concrete (Curb and Gutter), Clearing and Grubbing (LS), Develop Water Supply, Roadway Excavation, Shoulder Backing, Sand Bedding, Ditch Excavation, Roadside Clearing (Tree Removal), Rock Blanket (Modified), Place Boulder, Weed Germination, Grass Fertilizer, Wood Mulch, Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), 3/4" Plastic Pipe (Schedule 40) (Supply Line), 1 1/2 Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Class 315) (Supply Line), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Sprinkler Control Conduit, Sprinkler Control Conduit, Sprinkler Control Conduit, Plastic Pipe (Class 315) (Supply Line), Corrugated High Density Polyethylene Pipe Conduit, Imported Topsoil (CY), Erosion Control (Dry Seed) (Grass) (SQFT), Erosion Control (Dry Seed) (Wildflower) (SQFT), Compost, Incorporate Materials, Finishing Roadway, Class 2 Aggregate Base (CY), Hot Mix Asphalt (Type A), Place Hot Mix Asphalt (Miscellaneous Area), Tack Coat, Minor Concrete (Minor Structure), Retroreflected Sheeting (Type XI), Furnish Single Sheet Aluminum Sign (0.063-Unframed), Furnish Single Sheet Aluminum Sign for Type XI Sheeting (0.063-Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.063 Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.080 Unframed), Furnish Single Sheet Aluminum Sign For Type

XI Sheeting (0.063 Framed), Roadside Sign-One Post, Roadside Sign-Two Post, Install Sign (Strap and Saddle Bracket Method), Concrete Backfill (Pipe Trench), 18" Plastic Pipe, 24" Plastic Pipe, 18" Reinforced Concrete Pipe (Class III), 24" Reinforced Concrete Pipe (Class III), 36" Reinforced Concrete Pipe (Class III), 18" Corrugated Steel Pipe (.109 Thick), 30" Corrugated Steel Pipe (.109 Thick), Class 6 Permeable Material, 12" Welded Steel Pipe (.250 Thick), 24" Steel Flared End Section, 30" Steel flared End Section, 36" Precast Concrete Pipe Inlet, Small-Rock Slope Protection, Rock Slope Protection (No. 1, Method B) (CY), Concrete (Concrete Apron), Rock Slope Protection Fabric (Class 8), Masonry Unit Pavers, Detectable Warning Surface, Minor Concrete (Curb and Gutter), Minor Concrete (Gutter Depression), Minor Concrete (Driveway), Minor Concrete (Colored Concrete), Minor Concrete (Sidewalk), Minor Concrete (Retaining Curb), Minor Concrete (Textured Paving), Animal Tracks, Minor Concrete (Retaining Wall), Miscellaneous Iron and Steel), Adjust Manhole to Grade, Adjust Utility Cover to Grade, Relocate Fire Hydrant, Install Cellar Door, Marker (Culvert), Handrailing, Cable Railing, Tubular Handrailing (Modified), Thermoplastic Pavement Marking, Thermoplastic Traffic Stripe (Sprayable), Lighting (Intersection-Decorative), Lighting (City Street-Decorative), Rectangular Rapid Flashing Beacon System, Electric Service (Irrigation, Radar Speed Feedback Sign, Modify Traffic Count Station, Class D Filter Fabric, Mobilization, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jun 02, 2016
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico, CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

May 11, 2016

J.J.R. CONSTRUCTION

1120 NINTH AVENUE

SAN MATEO, CA, 94402

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

Location: Greenville, CA

Bid Due Date: 06/02/16 at 02:00 PM PST

Solicitation Number: 02-0E24U4

Contact: Steve Silva

Quotes are needed for:

Lead Compliance Plan, Progress Schedule (Critical Path Method), Time-Related Overhead (WDAY), Construction Area Signs, Traffic Control System, Portable Changeable Message Sign (LS), Job Site Management, Prepare Storm Water Pollution Prevention Plan, Storm Water Annual Report, Move-In/Move-Out (Temporary Erosion Control), Temporary Cover, Temporary Drainage Inlet Protection, Temporary Fiber Roll, Temporary Gravel Bag Berm, Temporary Silt Fence, Temporary Concrete Washout, Treated Wood Waste, Remove Flared End Section, Remove Roadside Sign (Wood Post), Remove Roadside Sign (Strap and Saddle Bracket Method), Remove Roadside Sign (Steel Post), Remove Asphalt Concrete Dike, Remove Culvert (LF), Remove Inlet, Remove Headwall, Remove Bollard, Reconstruct Fence, Reconstruct Guardrail, Reset Gate, Relocate Roadside Sign, Cold Plane Asphalt Concrete Pavement, Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQ YD), Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQYD), Remove Concrete (Concrete Island), Remove Concrete (Curb and Gutter), Clearing and Grubbing (LS), Develop Water Supply, Roadway Excavation, Shoulder Backing, Sand Bedding, Ditch Excavation, Roadside Clearing (Tree Removal), Rock Blanket (Modified), Place Boulder, Weed Germination, Grass Fertilizer, Wood Mulch, Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), 3/4" Plastic Pipe (Schedule 40) (Supply Line), 1 1/2 Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Class 315) (Supply Line), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Sprinkler Control Conduit, Sprinkler Control Conduit, Sprinkler Control Conduit, Plastic Pipe (Class 315) (Supply Line), Corrugated High Density Polyethylene Pipe Conduit, Imported Topsoil (CY), Erosion Control (Dry Seed) (Grass) (SQFT), Erosion Control (Dry Seed) (Wildflower) (SQFT), Compost, Incorporate Materials, Finishing Roadway, Class 2 Aggregate Base (CY), Hot Mix Asphalt (Type A), Place Hot Mix Asphalt (Miscellaneous Area), Tack Coat, Minor Concrete (Minor Structure), Retroreflected Sheeting (Type XI), Furnish Single Sheet Aluminum Sign (0.063-Unframed), Furnish Single Sheet Aluminum Sign for Type XI Sheeting (0.063-Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.063 Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.080 Unframed), Furnish Single Sheet Aluminum Sign For Type

XI Sheeting (0.063 Framed), Roadside Sign-One Post, Roadside Sign-Two Post, Install Sign (Strap and Saddle Bracket Method), Concrete Backfill (Pipe Trench), 18" Plastic Pipe, 24" Plastic Pipe, 18" Reinforced Concrete Pipe (Class III), 24" Reinforced Concrete Pipe (Class III), 36" Reinforced Concrete Pipe (Class III), 18" Corrugated Steel Pipe (.109 Thick), 30" Corrugated Steel Pipe (.109 Thick), Class 6 Permeable Material, 12" Welded Steel Pipe (.250 Thick), 24" Steel Flared End Section, 30" Steel flared End Section, 36" Precast Concrete Pipe Inlet, Small-Rock Slope Protection, Rock Slope Protection (No. 1, Method B) (CY), Concrete (Concrete Apron), Rock Slope Protection Fabric (Class 8), Masonry Unit Pavers, Detectable Warning Surface, Minor Concrete (Curb and Gutter), Minor Concrete (Gutter Depression), Minor Concrete (Driveway), Minor Concrete (Colored Concrete), Minor Concrete (Sidewalk), Minor Concrete (Retaining Curb), Minor Concrete (Textured Paving), Animal Tracks, Minor Concrete (Retaining Wall), Miscellaneous Iron and Steel), Adjust Manhole to Grade, Adjust Utility Cover to Grade, Relocate Fire Hydrant, Install Cellar Door, Marker (Culvert), Handrailing, Cable Railing, Tubular Handrailing (Modified), Thermoplastic Pavement Marking, Thermoplastic Traffic Stripe (Sprayable), Lighting (Intersection-Decorative), Lighting (City Street-Decorative), Rectangular Rapid Flashing Beacon System, Electric Service (Irrigation, Radar Speed Feedback Sign, Modify Traffic Count Station, Class D Filter Fabric, Mobilization, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jun 02, 2016
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway
Chico, CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

May 11, 2016
Bert W Salas, Inc.
10769 Woodside Avenue, Suite 201
Santee, CA, 92071

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

Location: Greenville, CA
Bid Due Date: 06/02/16 at 02:00 PM PST
Solicitation Number: 02-0E24U4
Contact: Steve Silva

Quotes are needed for:

Lead Compliance Plan, Progress Schedule (Critical Path Method), Time-Related Overhead (WDAY), Construction Area Signs, Traffic Control System, Portable Changeable Message Sign (LS), Job Site Management, Prepare Storm Water Pollution Prevention Plan, Storm Water Annual Report, Move-In/Move-Out (Temporary Erosion Control), Temporary Cover, Temporary Drainage Inlet Protection, Temporary Fiber Roll, Temporary Gravel Bag Berm, Temporary Silt Fence, Temporary Concrete Washout, Treated Wood Waste, Remove Flared End Section, Remove Roadside Sign (Wood Post), Remove Roadside Sign (Strap and Saddle Bracket Method), Remove Roadside Sign (Steel Post), Remove Asphalt Concrete Dike, Remove Culvert (LF), Remove Inlet, Remove Headwall, Remove Bollard, Reconstruct Fence, Reconstruct Guardrail, Reset Gate, Relocate Roadside Sign, Cold Plane Asphalt Concrete Pavement, Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQ YD), Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQYD), Remove Concrete (Concrete Island), Remove Concrete (Curb and Gutter), Clearing and Grubbing (LS), Develop Water Supply, Roadway Excavation, Shoulder Backing, Sand Bedding, Ditch Excavation, Roadside Clearing (Tree Removal), Rock Blanket (Modified), Place Boulder, Weed Germination, Grass Fertilizer, Wood Mulch, Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), 3/4" Plastic Pipe (Schedule 40) (Supply Line), 1 1/2 Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Class 315) (Supply Line), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Sprinkler Control Conduit, Sprinkler Control Conduit, Sprinkler Control Conduit, Plastic Pipe (Class 315) (Supply Line), Corrugated High Density Polyethylene Pipe Conduit, Imported Topsoil (CY), Erosion Control (Dry Seed) (Grass) (SQFT), Erosion Control (Dry Seed) (Wildflower) (SQFT), Compost, Incorporate Materials, Finishing Roadway, Class 2 Aggregate Base (CY), Hot Mix Asphalt (Type A), Place Hot Mix Asphalt (Miscellaneous Area), Tack Coat, Minor Concrete (Minor Structure), Retroreflected Sheeting (Type XI), Furnish Single Sheet Aluminum Sign (0.063-Unframed), Furnish Single Sheet Aluminum Sign for Type XI Sheeting (0.063-Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.063 Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.080 Unframed), Furnish Single Sheet Aluminum Sign For Type

XI Sheeting (0.063 Framed), Roadside Sign-One Post, Roadside Sign-Two Post, Install Sign (Strap and Saddle Bracket Method), Concrete Backfill (Pipe Trench), 18" Plastic Pipe, 24" Plastic Pipe, 18" Reinforced Concrete Pipe (Class III), 24" Reinforced Concrete Pipe (Class III), 36" Reinforced Concrete Pipe (Class III), 18" Corrugated Steel Pipe (.109 Thick), 30" Corrugated Steel Pipe (.109 Thick), Class 6 Permeable Material, 12" Welded Steel Pipe (.250 Thick), 24" Steel Flared End Section, 30" Steel flared End Section, 36" Precast Concrete Pipe Inlet, Small-Rock Slope Protection, Rock Slope Protection (No. 1, Method B) (CY), Concrete (Concrete Apron), Rock Slope Protection Fabric (Class 8), Masonry Unit Pavers, Detectable Warning Surface, Minor Concrete (Curb and Gutter), Minor Concrete (Gutter Depression), Minor Concrete (Driveway), Minor Concrete (Colored Concrete), Minor Concrete (Sidewalk), Minor Concrete (Retaining Curb), Minor Concrete (Textured Paving), Animal Tracks, Minor Concrete (Retaining Wall), Miscellaneous Iron and Steel), Adjust Manhole to Grade, Adjust Utility Cover to Grade, Relocate Fire Hydrant, Install Cellar Door, Marker (Culvert), Handrailing, Cable Railing, Tubular Handrailing (Modified), Thermoplastic Pavement Marking, Thermoplastic Traffic Stripe (Sprayable), Lighting (Intersection-Decorative), Lighting (City Street-Decorative), Rectangular Rapid Flashing Beacon System, Electric Service (Irrigation, Radar Speed Feedback Sign, Modify Traffic Count Station, Class D Filter Fabric, Mobilization, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jun 02, 2016
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico, CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

May 11, 2016

Charlie's Custom Excavating, Inc

21113 Gilbert Drive

Redding, CA, 96002

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

Location: Greenville, CA

Bid Due Date: 06/02/16 at 02:00 PM PST

Solicitation Number: 02-0E24U4

Contact: Steve Silva

Quotes are needed for:

Lead Compliance Plan, Progress Schedule (Critical Path Method), Time-Related Overhead (WDAY), Construction Area Signs, Traffic Control System, Portable Changeable Message Sign (LS), Job Site Management, Prepare Storm Water Pollution Prevention Plan, Storm Water Annual Report, Move-In/Move-Out (Temporary Erosion Control), Temporary Cover, Temporary Drainage Inlet Protection, Temporary Fiber Roll, Temporary Gravel Bag Berm, Temporary Silt Fence, Temporary Concrete Washout, Treated Wood Waste, Remove Flared End Section, Remove Roadside Sign (Wood Post), Remove Roadside Sign (Strap and Saddle Bracket Method), Remove Roadside Sign (Steel Post), Remove Asphalt Concrete Dike, Remove Culvert (LF), Remove Inlet, Remove Headwall, Remove Bollard, Reconstruct Fence, Reconstruct Guardrail, Reset Gate, Relocate Roadside Sign, Cold Plane Asphalt Concrete Pavement, Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQ YD), Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQYD), Remove Concrete (Concrete Island), Remove Concrete (Curb and Gutter), Clearing and Grubbing (LS), Develop Water Supply, Roadway Excavation, Shoulder Backing, Sand Bedding, Ditch Excavation, Roadside Clearing (Tree Removal), Rock Blanket (Modified), Place Boulder, Weed Germination, Grass Fertilizer, Wood Mulch, Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), 3/4" Plastic Pipe (Schedule 40) (Supply Line), 1 1/2 Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Class 315) (Supply Line), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Sprinkler Control Conduit, Sprinkler Control Conduit, Sprinkler Control Conduit, Plastic Pipe (Class 315) (Supply Line), Corrugated High Density Polyethylene Pipe Conduit, Imported Topsoil (CY), Erosion Control (Dry Seed) (Grass) (SQFT), Erosion Control (Dry Seed) (Wildflower) (SQFT), Compost, Incorporate Materials, Finishing Roadway, Class 2 Aggregate Base (CY), Hot Mix Asphalt (Type A), Place Hot Mix Asphalt (Miscellaneous Area), Tack Coat, Minor Concrete (Minor Structure), Retroreflected Sheeting (Type XI), Furnish Single Sheet Aluminum Sign (0.063-Unframed), Furnish Single Sheet Aluminum Sign for Type XI Sheeting (0.063-Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.063 Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.080 Unframed), Furnish Single Sheet Aluminum Sign For Type

XI Sheeting (0.063 Framed), Roadside Sign-One Post, Roadside Sign-Two Post, Install Sign (Strap and Saddle Bracket Method), Concrete Backfill (Pipe Trench), 18" Plastic Pipe, 24" Plastic Pipe, 18" Reinforced Concrete Pipe (Class III), 24" Reinforced Concrete Pipe (Class III), 36" Reinforced Concrete Pipe (Class III), 18" Corrugated Steel Pipe (.109 Thick), 30" Corrugated Steel Pipe (.109 Thick), Class 6 Permeable Material, 12" Welded Steel Pipe (.250 Thick), 24" Steel Flared End Section, 30" Steel flared End Section, 36" Precast Concrete Pipe Inlet, Small-Rock Slope Protection, Rock Slope Protection (No. 1, Method B) (CY), Concrete (Concrete Apron), Rock Slope Protection Fabric (Class 8), Masonry Unit Pavers, Detectable Warning Surface, Minor Concrete (Curb and Gutter), Minor Concrete (Gutter Depression), Minor Concrete (Driveway), Minor Concrete (Colored Concrete), Minor Concrete (Sidewalk), Minor Concrete (Retaining Curb), Minor Concrete (Textured Paving), Animal Tracks, Minor Concrete (Retaining Wall), Miscellaneous Iron and Steel), Adjust Manhole to Grade, Adjust Utility Cover to Grade, Relocate Fire Hydrant, Install Cellar Door, Marker (Culvert), Handrailing, Cable Railing, Tubular Handrailing (Modified), Thermoplastic Pavement Marking, Thermoplastic Traffic Stripe (Sprayable), Lighting (Intersection-Decorative), Lighting (City Street-Decorative), Rectangular Rapid Flashing Beacon System, Electric Service (Irrigation, Radar Speed Feedback Sign, Modify Traffic Count Station, Class D Filter Fabric, Mobilization, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jun 02, 2016
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico, CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

May 11, 2016

STONY CREEK GENERAL ENGINEERING

5321 COUNTY RD 206

ORLAND, CA, 95963

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

Location: Greenville, CA

Bid Due Date: 06/02/16 at 02:00 PM PST

Solicitation Number: 02-0E24U4

Contact: Steve Silva

Quotes are needed for:

Lead Compliance Plan, Progress Schedule (Critical Path Method), Time-Related Overhead (WDAY), Construction Area Signs, Traffic Control System, Portable Changeable Message Sign (LS), Job Site Management, Prepare Storm Water Pollution Prevention Plan, Storm Water Annual Report, Move-In/Move-Out (Temporary Erosion Control), Temporary Cover, Temporary Drainage Inlet Protection, Temporary Fiber Roll, Temporary Gravel Bag Berm, Temporary Silt Fence, Temporary Concrete Washout, Treated Wood Waste, Remove Flared End Section, Remove Roadside Sign (Wood Post), Remove Roadside Sign (Strap and Saddle Bracket Method), Remove Roadside Sign (Steel Post), Remove Asphalt Concrete Dike, Remove Culvert (LF), Remove Inlet, Remove Headwall, Remove Bollard, Reconstruct Fence, Reconstruct Guardrail, Reset Gate, Relocate Roadside Sign, Cold Plane Asphalt Concrete Pavement, Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQ YD), Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQYD), Remove Concrete (Concrete Island), Remove Concrete (Curb and Gutter), Clearing and Grubbing (LS), Develop Water Supply, Roadway Excavation, Shoulder Backing, Sand Bedding, Ditch Excavation, Roadside Clearing (Tree Removal), Rock Blanket (Modified), Place Boulder, Weed Germination, Grass Fertilizer, Wood Mulch, Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), 3/4" Plastic Pipe (Schedule 40) (Supply Line), 1 1/2 Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Class 315) (Supply Line), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Sprinkler Control Conduit, Sprinkler Control Conduit, Sprinkler Control Conduit, Plastic Pipe (Class 315) (Supply Line), Corrugated High Density Polyethylene Pipe Conduit, Imported Topsoil (CY), Erosion Control (Dry Seed) (Grass) (SQFT), Erosion Control (Dry Seed) (Wildflower) (SQFT), Compost, Incorporate Materials, Finishing Roadway, Class 2 Aggregate Base (CY), Hot Mix Asphalt (Type A), Place Hot Mix Asphalt (Miscellaneous Area), Tack Coat, Minor Concrete (Minor Structure), Retroreflected Sheeting (Type XI), Furnish Single Sheet Aluminum Sign (0.063-Unframed), Furnish Single Sheet Aluminum Sign for Type XI Sheeting (0.063-Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.063 Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.080 Unframed), Furnish Single Sheet Aluminum Sign For Type

XI Sheeting (0.063 Framed), Roadside Sign-One Post, Roadside Sign-Two Post, Install Sign (Strap and Saddle Bracket Method), Concrete Backfill (Pipe Trench), 18" Plastic Pipe, 24" Plastic Pipe, 18" Reinforced Concrete Pipe (Class III), 24" Reinforced Concrete Pipe (Class III), 36" Reinforced Concrete Pipe (Class III), 18" Corrugated Steel Pipe (.109 Thick), 30" Corrugated Steel Pipe (.109 Thick), Class 6 Permeable Material, 12" Welded Steel Pipe (.250 Thick), 24" Steel Flared End Section, 30" Steel flared End Section, 36" Precast Concrete Pipe Inlet, Small-Rock Slope Protection, Rock Slope Protection (No. 1, Method B) (CY), Concrete (Concrete Apron), Rock Slope Protection Fabric (Class 8), Masonry Unit Pavers, Detectable Warning Surface, Minor Concrete (Curb and Gutter), Minor Concrete (Gutter Depression), Minor Concrete (Driveway), Minor Concrete (Colored Concrete), Minor Concrete (Sidewalk), Minor Concrete (Retaining Curb), Minor Concrete (Textured Paving), Animal Tracks, Minor Concrete (Retaining Wall), Miscellaneous Iron and Steel), Adjust Manhole to Grade, Adjust Utility Cover to Grade, Relocate Fire Hydrant, Install Cellar Door, Marker (Culvert), Handrailing, Cable Railing, Tubular Handrailing (Modified), Thermoplastic Pavement Marking, Thermoplastic Traffic Stripe (Sprayable), Lighting (Intersection-Decorative), Lighting (City Street-Decorative), Rectangular Rapid Flashing Beacon System, Electric Service (Irrigation, Radar Speed Feedback Sign, Modify Traffic Count Station, Class D Filter Fabric, Mobilization, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jun 02, 2016
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway
Chico, CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

May 11, 2016
Gr Sundberg, Inc.
5211 Boyd Road
Arcata, CA, 95521

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

Location: Greenville, CA
Bid Due Date: 06/02/16 at 02:00 PM PST
Solicitation Number: 02-0E24U4
Contact: Steve Silva

Quotes are needed for:

Lead Compliance Plan, Progress Schedule (Critical Path Method), Time-Related Overhead (WDAY), Construction Area Signs, Traffic Control System, Portable Changeable Message Sign (LS), Job Site Management, Prepare Storm Water Pollution Prevention Plan, Storm Water Annual Report, Move-In/Move-Out (Temporary Erosion Control), Temporary Cover, Temporary Drainage Inlet Protection, Temporary Fiber Roll, Temporary Gravel Bag Berm, Temporary Silt Fence, Temporary Concrete Washout, Treated Wood Waste, Remove Flared End Section, Remove Roadside Sign (Wood Post), Remove Roadside Sign (Strap and Saddle Bracket Method), Remove Roadside Sign (Steel Post), Remove Asphalt Concrete Dike, Remove Culvert (LF), Remove Inlet, Remove Headwall, Remove Bollard, Reconstruct Fence, Reconstruct Guardrail, Reset Gate, Relocate Roadside Sign, Cold Plane Asphalt Concrete Pavement, Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQ YD), Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQYD), Remove Concrete (Concrete Island), Remove Concrete (Curb and Gutter), Clearing and Grubbing (LS), Develop Water Supply, Roadway Excavation, Shoulder Backing, Sand Bedding, Ditch Excavation, Roadside Clearing (Tree Removal), Rock Blanket (Modified), Place Boulder, Weed Germination, Grass Fertilizer, Wood Mulch, Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), 3/4" Plastic Pipe (Schedule 40) (Supply Line), 1 1/2 Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Class 315) (Supply Line), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Sprinkler Control Conduit, Sprinkler Control Conduit, Sprinkler Control Conduit, Plastic Pipe (Class 315) (Supply Line), Corrugated High Density Polyethylene Pipe Conduit, Imported Topsoil (CY), Erosion Control (Dry Seed) (Grass) (SQFT), Erosion Control (Dry Seed) (Wildflower) (SQFT), Compost, Incorporate Materials, Finishing Roadway, Class 2 Aggregate Base (CY), Hot Mix Asphalt (Type A), Place Hot Mix Asphalt (Miscellaneous Area), Tack Coat, Minor Concrete (Minor Structure), Retroreflected Sheeting (Type XI), Furnish Single Sheet Aluminum Sign (0.063-Unframed), Furnish Single Sheet Aluminum Sign for Type XI Sheeting (0.063-Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.063 Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.080 Unframed), Furnish Single Sheet Aluminum Sign For Type

XI Sheeting (0.063 Framed), Roadside Sign-One Post, Roadside Sign-Two Post, Install Sign (Strap and Saddle Bracket Method), Concrete Backfill (Pipe Trench), 18" Plastic Pipe, 24" Plastic Pipe, 18" Reinforced Concrete Pipe (Class III), 24" Reinforced Concrete Pipe (Class III), 36" Reinforced Concrete Pipe (Class III), 18" Corrugated Steel Pipe (.109 Thick), 30" Corrugated Steel Pipe (.109 Thick), Class 6 Permeable Material, 12" Welded Steel Pipe (.250 Thick), 24" Steel Flared End Section, 30" Steel flared End Section, 36" Precast Concrete Pipe Inlet, Small-Rock Slope Protection, Rock Slope Protection (No. 1, Method B) (CY), Concrete (Concrete Apron), Rock Slope Protection Fabric (Class 8), Masonry Unit Pavers, Detectable Warning Surface, Minor Concrete (Curb and Gutter), Minor Concrete (Gutter Depression), Minor Concrete (Driveway), Minor Concrete (Colored Concrete), Minor Concrete (Sidewalk), Minor Concrete (Retaining Curb), Minor Concrete (Textured Paving), Animal Tracks, Minor Concrete (Retaining Wall), Miscellaneous Iron and Steel), Adjust Manhole to Grade, Adjust Utility Cover to Grade, Relocate Fire Hydrant, Install Cellar Door, Marker (Culvert), Handrailing, Cable Railing, Tubular Handrailing (Modified), Thermoplastic Pavement Marking, Thermoplastic Traffic Stripe (Sprayable), Lighting (Intersection-Decorative), Lighting (City Street-Decorative), Rectangular Rapid Flashing Beacon System, Electric Service (Irrigation, Radar Speed Feedback Sign, Modify Traffic Count Station, Class D Filter Fabric, Mobilization, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jun 02, 2016
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico, CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

May 11, 2016

BAY LINE CUTTING & CORING INC

1635 4TH STREET

BERKELEY, CA, 94710

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

Location: Greenville, CA

Bid Due Date: 06/02/16 at 02:00 PM PST

Solicitation Number: 02-0E24U4

Contact: Steve Silva

Quotes are needed for:

Lead Compliance Plan, Progress Schedule (Critical Path Method), Time-Related Overhead (WDAY), Construction Area Signs, Traffic Control System, Portable Changeable Message Sign (LS), Job Site Management, Prepare Storm Water Pollution Prevention Plan, Storm Water Annual Report, Move-In/Move-Out (Temporary Erosion Control), Temporary Cover, Temporary Drainage Inlet Protection, Temporary Fiber Roll, Temporary Gravel Bag Berm, Temporary Silt Fence, Temporary Concrete Washout, Treated Wood Waste, Remove Flared End Section, Remove Roadside Sign (Wood Post), Remove Roadside Sign (Strap and Saddle Bracket Method), Remove Roadside Sign (Steel Post), Remove Asphalt Concrete Dike, Remove Culvert (LF), Remove Inlet, Remove Headwall, Remove Bollard, Reconstruct Fence, Reconstruct Guardrail, Reset Gate, Relocate Roadside Sign, Cold Plane Asphalt Concrete Pavement, Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQ YD), Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQYD), Remove Concrete (Concrete Island), Remove Concrete (Curb and Gutter), Clearing and Grubbing (LS), Develop Water Supply, Roadway Excavation, Shoulder Backing, Sand Bedding, Ditch Excavation, Roadside Clearing (Tree Removal), Rock Blanket (Modified), Place Boulder, Weed Germination, Grass Fertilizer, Wood Mulch, Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), 3/4" Plastic Pipe (Schedule 40) (Supply Line), 1 1/2 Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Class 315) (Supply Line), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Sprinkler Control Conduit, Sprinkler Control Conduit, Sprinkler Control Conduit, Plastic Pipe (Class 315) (Supply Line), Corrugated High Density Polyethylene Pipe Conduit, Imported Topsoil (CY), Erosion Control (Dry Seed) (Grass) (SQFT), Erosion Control (Dry Seed) (Wildflower) (SQFT), Compost, Incorporate Materials, Finishing Roadway, Class 2 Aggregate Base (CY), Hot Mix Asphalt (Type A), Place Hot Mix Asphalt (Miscellaneous Area), Tack Coat, Minor Concrete (Minor Structure), Retroreflected Sheeting (Type XI), Furnish Single Sheet Aluminum Sign (0.063-Unframed), Furnish Single Sheet Aluminum Sign for Type XI Sheeting (0.063-Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.063 Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.080 Unframed), Furnish Single Sheet Aluminum Sign For Type

XI Sheeting (0.063 Framed), Roadside Sign-One Post, Roadside Sign-Two Post, Install Sign (Strap and Saddle Bracket Method), Concrete Backfill (Pipe Trench), 18" Plastic Pipe, 24" Plastic Pipe, 18" Reinforced Concrete Pipe (Class III), 24" Reinforced Concrete Pipe (Class III), 36" Reinforced Concrete Pipe (Class III), 18" Corrugated Steel Pipe (.109 Thick), 30" Corrugated Steel Pipe (.109 Thick), Class 6 Permeable Material, 12" Welded Steel Pipe (.250 Thick), 24" Steel Flared End Section, 30" Steel flared End Section, 36" Precast Concrete Pipe Inlet, Small-Rock Slope Protection, Rock Slope Protection (No. 1, Method B) (CY), Concrete (Concrete Apron), Rock Slope Protection Fabric (Class 8), Masonry Unit Pavers, Detectable Warning Surface, Minor Concrete (Curb and Gutter), Minor Concrete (Gutter Depression), Minor Concrete (Driveway), Minor Concrete (Colored Concrete), Minor Concrete (Sidewalk), Minor Concrete (Retaining Curb), Minor Concrete (Textured Paving), Animal Tracks, Minor Concrete (Retaining Wall), Miscellaneous Iron and Steel), Adjust Manhole to Grade, Adjust Utility Cover to Grade, Relocate Fire Hydrant, Install Cellar Door, Marker (Culvert), Handrailing, Cable Railing, Tubular Handrailing (Modified), Thermoplastic Pavement Marking, Thermoplastic Traffic Stripe (Sprayable), Lighting (Intersection-Decorative), Lighting (City Street-Decorative), Rectangular Rapid Flashing Beacon System, Electric Service (Irrigation, Radar Speed Feedback Sign, Modify Traffic Count Station, Class D Filter Fabric, Mobilization, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jun 02, 2016
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico, CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

May 11, 2016

COVARRUBIAS BROTHERS CONSTRUCTION

37369 DEEPWOOD DRIVE

MURRIETA, CA, 92562

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

Location: Greenville, CA

Bid Due Date: 06/02/16 at 02:00 PM PST

Solicitation Number: 02-0E24U4

Contact: Steve Silva

Quotes are needed for:

Lead Compliance Plan, Progress Schedule (Critical Path Method), Time-Related Overhead (WDAY), Construction Area Signs, Traffic Control System, Portable Changeable Message Sign (LS), Job Site Management, Prepare Storm Water Pollution Prevention Plan, Storm Water Annual Report, Move-In/Move-Out (Temporary Erosion Control), Temporary Cover, Temporary Drainage Inlet Protection, Temporary Fiber Roll, Temporary Gravel Bag Berm, Temporary Silt Fence, Temporary Concrete Washout, Treated Wood Waste, Remove Flared End Section, Remove Roadside Sign (Wood Post), Remove Roadside Sign (Strap and Saddle Bracket Method), Remove Roadside Sign (Steel Post), Remove Asphalt Concrete Dike, Remove Culvert (LF), Remove Inlet, Remove Headwall, Remove Bollard, Reconstruct Fence, Reconstruct Guardrail, Reset Gate, Relocate Roadside Sign, Cold Plane Asphalt Concrete Pavement, Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQ YD), Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQYD), Remove Concrete (Concrete Island), Remove Concrete (Curb and Gutter), Clearing and Grubbing (LS), Develop Water Supply, Roadway Excavation, Shoulder Backing, Sand Bedding, Ditch Excavation, Roadside Clearing (Tree Removal), Rock Blanket (Modified), Place Boulder, Weed Germination, Grass Fertilizer, Wood Mulch, Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), 3/4" Plastic Pipe (Schedule 40) (Supply Line), 1 1/2 Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Class 315) (Supply Line), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Sprinkler Control Conduit, Sprinkler Control Conduit, Sprinkler Control Conduit, Plastic Pipe (Class 315) (Supply Line), Corrugated High Density Polyethylene Pipe Conduit, Imported Topsoil (CY), Erosion Control (Dry Seed) (Grass) (SQFT), Erosion Control (Dry Seed) (Wildflower) (SQFT), Compost, Incorporate Materials, Finishing Roadway, Class 2 Aggregate Base (CY), Hot Mix Asphalt (Type A), Place Hot Mix Asphalt (Miscellaneous Area), Tack Coat, Minor Concrete (Minor Structure), Retroreflected Sheeting (Type XI), Furnish Single Sheet Aluminum Sign (0.063-Unframed), Furnish Single Sheet Aluminum Sign for Type XI Sheeting (0.063-Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.063 Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.080 Unframed), Furnish Single Sheet Aluminum Sign For Type

XI Sheeting (0.063 Framed), Roadside Sign-One Post, Roadside Sign-Two Post, Install Sign (Strap and Saddle Bracket Method), Concrete Backfill (Pipe Trench), 18" Plastic Pipe, 24" Plastic Pipe, 18" Reinforced Concrete Pipe (Class III), 24" Reinforced Concrete Pipe (Class III), 36" Reinforced Concrete Pipe (Class III), 18" Corrugated Steel Pipe (.109 Thick), 30" Corrugated Steel Pipe (.109 Thick), Class 6 Permeable Material, 12" Welded Steel Pipe (.250 Thick), 24" Steel Flared End Section, 30" Steel flared End Section, 36" Precast Concrete Pipe Inlet, Small-Rock Slope Protection, Rock Slope Protection (No. 1, Method B) (CY), Concrete (Concrete Apron), Rock Slope Protection Fabric (Class 8), Masonry Unit Pavers, Detectable Warning Surface, Minor Concrete (Curb and Gutter), Minor Concrete (Gutter Depression), Minor Concrete (Driveway), Minor Concrete (Colored Concrete), Minor Concrete (Sidewalk), Minor Concrete (Retaining Curb), Minor Concrete (Textured Paving), Animal Tracks, Minor Concrete (Retaining Wall), Miscellaneous Iron and Steel), Adjust Manhole to Grade, Adjust Utility Cover to Grade, Relocate Fire Hydrant, Install Cellar Door, Marker (Culvert), Handrailing, Cable Railing, Tubular Handrailing (Modified), Thermoplastic Pavement Marking, Thermoplastic Traffic Stripe (Sprayable), Lighting (Intersection-Decorative), Lighting (City Street-Decorative), Rectangular Rapid Flashing Beacon System, Electric Service (Irrigation, Radar Speed Feedback Sign, Modify Traffic Count Station, Class D Filter Fabric, Mobilization, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Jun 02, 2016
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway
 Chico, CA 95928
 Telephone: (530) 891-6555
 Fax: (530) 894-6220

INVITATION TO BID

May 11, 2016
 Nitta Erosion Control
 3778 Del Mar Avenue
 Loomis, CA, 95650

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

Location: Greenville, CA
Bid Due Date: 06/02/16 at 02:00 PM PST
Solicitation Number: 02-0E24U4
Contact: Steve Silva

Quotes are needed for:

Lead Compliance Plan, Progress Schedule (Critical Path Method), Time-Related Overhead (WDAY), Construction Area Signs, Traffic Control System, Portable Changeable Message Sign (LS), Job Site Management, Prepare Storm Water Pollution Prevention Plan, Storm Water Annual Report, Move-In/Move-Out (Temporary Erosion Control), Temporary Cover, Temporary Drainage Inlet Protection, Temporary Fiber Roll, Temporary Gravel Bag Berm, Temporary Silt Fence, Temporary Concrete Washout, Treated Wood Waste, Remove Flared End Section, Remove Roadside Sign (Wood Post), Remove Roadside Sign (Strap and Saddle Bracket Method), Remove Roadside Sign (Steel Post), Remove Asphalt Concrete Dike, Remove Culvert (LF), Remove Inlet, Remove Headwall, Remove Bollard, Reconstruct Fence, Reconstruct Guardrail, Reset Gate, Relocate Roadside Sign, Cold Plane Asphalt Concrete Pavement, Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQ YD), Remove Concrete Curb (LF), Remove Concrete Sidewalk (SQYD), Remove Concrete (Concrete Island), Remove Concrete (Curb and Gutter), Clearing and Grubbing (LS), Develop Water Supply, Roadway Excavation, Shoulder Backing, Sand Bedding, Ditch Excavation, Roadside Clearing (Tree Removal), Rock Blanket (Modified), Place Boulder, Weed Germination, Grass Fertilizer, Wood Mulch, Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), 3/4" Plastic Pipe (Schedule 40) (Supply Line), 1 1/2 Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Schedule 40) (Supply Line), Plastic Pipe (Class 315) (Supply Line), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Plastic Pipe Conduit (Schedule 80), Sprinkler Control Conduit, Sprinkler Control Conduit, Sprinkler Control Conduit, Plastic Pipe (Class 315) (Supply Line), Corrugated High Density Polyethylene Pipe Conduit, Imported Topsoil (CY), Erosion Control (Dry Seed) (Grass) (SQFT), Erosion Control (Dry Seed) (Wildflower) (SQFT), Compost, Incorporate Materials, Finishing Roadway, Class 2 Aggregate Base (CY), Hot Mix Asphalt (Type A), Place Hot Mix Asphalt (Miscellaneous Area), Tack Coat, Minor Concrete (Minor Structure), Retroreflected Sheeting (Type XI), Furnish Single Sheet Aluminum Sign (0.063-Unframed), Furnish Single Sheet Aluminum Sign for Type XI Sheeting (0.063-Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.063 Unframed), Furnish Single Sheet Aluminum Sign For Type XI Sheeting (0.080 Unframed), Furnish Single Sheet Aluminum Sign For Type

XI Sheeting (0.063 Framed), Roadside Sign-One Post, Roadside Sign-Two Post, Install Sign (Strap and Saddle Bracket Method), Concrete Backfill (Pipe Trench), 18" Plastic Pipe, 24" Plastic Pipe, 18" Reinforced Concrete Pipe (Class III), 24" Reinforced Concrete Pipe (Class III), 36" Reinforced Concrete Pipe (Class III), 18" Corrugated Steel Pipe (.109 Thick), 30" Corrugated Steel Pipe (.109 Thick), Class 6 Permeable Material, 12" Welded Steel Pipe (.250 Thick), 24" Steel Flared End Section, 30" Steel flared End Section, 36" Precast Concrete Pipe Inlet, Small-Rock Slope Protection, Rock Slope Protection (No. 1, Method B) (CY), Concrete (Concrete Apron), Rock Slope Protection Fabric (Class 8), Masonry Unit Pavers, Detectable Warning Surface, Minor Concrete (Curb and Gutter), Minor Concrete (Gutter Depression), Minor Concrete (Driveway), Minor Concrete (Colored Concrete), Minor Concrete (Sidewalk), Minor Concrete (Retaining Curb), Minor Concrete (Textured Paving), Animal Tracks, Minor Concrete (Retaining Wall), Miscellaneous Iron and Steel, Adjust Manhole to Grade, Adjust Utility Cover to Grade, Relocate Fire Hydrant, Install Cellar Door, Marker (Culvert), Handrailing, Cable Railing, Tubular Handrailing (Modified), Thermoplastic Pavement Marking, Thermoplastic Traffic Stripe (Sprayable), Lighting (Intersection-Decorative), Lighting (City Street-Decorative), Rectangular Rapid Flashing Beacon System, Electric Service (Irrigation, Radar Speed Feedback Sign, Modify Traffic Count Station, Class D Filter Fabric, Mobilization, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

- () We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- (X) We cannot participate in the contract

Scott Nita
Print Name of Business Owner

[Signature]
Signature

Date: 5/27/16

Please fax return this form by Jun 02, 2016
with a copy of your certification to Steve Silva at (530) 894-6220

Fax Confirmations for Caltrans - 02-0E24U4 - Rehabilitate Pavement And Sidewalks To Meet Current ADA Standards In Plumas County At Greenville From 0.1 Mile North Of South Greenville Overhead To Hillside Drive

Company Name	Fax	Status	Attempts	Time Sent
L & L BRIDGES	(509) 559-7300	Success	1	05/11/2016 at 09:08 PM
Newland Entities, Inc	(530) 674-0756	Failure	1	
M & S ENVIRONMENTAL LANDSCAPES, INC	(530) 241-9647	Success	1	05/11/2016 at 09:02 PM
6 RIVERS CONSTRUCTION, INC	(530) 625-5423	Success	1	05/11/2016 at 09:02 PM
HEIR & SON CONSTRUCTION, INC	(916) 463-9041	Success	1	05/11/2016 at 09:02 PM
Vintage Paving Company, Inc.	(530) 795-5734	Success	1	05/11/2016 at 09:02 PM
VERIDICO GROUP INC	(916) 865-4174	Success	1	05/11/2016 at 09:02 PM
WELDON WORKS, INC.	(408) 251-1162	Success	1	05/11/2016 at 09:02 PM
Sjr Masonry & Construction	(707) 832-2126	Success	1	05/11/2016 at 09:08 PM
S.t. Rhoades Construction, Inc.	(530) 223-9222	Success	1	05/11/2016 at 09:02 PM
Pvf Sales	(562) 623-0909	Success	1	05/11/2016 at 09:03 PM
Northern Industrial Electric	(530) 246-2368	Success	1	05/11/2016 at 09:08 PM
PAPILLON BUILDERS	(888) 717-7270	Success	1	05/11/2016 at 09:03 PM
ALL AMERICAN ASPHALT SEALING INC	(775) 827-3006	Success	1	05/11/2016 at 09:03 PM
Frank Medina General Engineering Contrac	(530) 743-9352	Success	1	05/11/2016 at 09:03 PM
Nitta Erosion Control	(916) 652-4376	Success	1	05/11/2016 at 09:03 PM
A S CONTRACTORS, INC.	(209) 966-2643	Success	1	05/11/2016 at 09:03 PM
Allen Gill Construction, Inc.	(530) 547-3197	Success	1	05/11/2016 at 09:03 PM
CONSTRUCTION SCHEDULING EXPERTS	(916) 290-0429	Success	1	05/11/2016 at 09:03 PM
ERNEST B. DEE	(916) 691-2127	Failure	1	
	(916) 933-			

Summit Trucking	7188	Failure	1	
ARROW S COMPANY	(707) 437-2555	Failure	1	
White Cap Ready Mix, Inc.	(530) 832-5847	Success	1	05/11/2016 at 09:03 PM
Construction Area Signs, Incorporated	(916) 663-1858	Success	1	05/11/2016 at 09:03 PM
J.J.R. CONSTRUCTION	(650) 343-6207	Failure	1	
Bert W Salas, Inc.	(619) 258-3515	Success	1	05/11/2016 at 09:03 PM
Charlie's Custom Excavating, Inc	(530) 221-7563	Success	1	05/11/2016 at 09:03 PM
STONY CREEK GENERAL ENGINEERING	(530) 988-5092	Success	1	05/11/2016 at 09:03 PM
Gr Sundberg, Inc.	(707) 825-6563	Success	1	05/11/2016 at 09:03 PM
BAY LINE CUTTING & CORING INC	(510) 527-0500	Success	1	05/11/2016 at 09:03 PM
COVARRUBIAS BROTHERS CONSTRUCTION	(951) 600-4975	Success	1	05/11/2016 at 09:08 PM



Caltrans[®]

STATE OF CALIFORNIA
DEPARTMENT OF TRANSPORTATION

FORMS FOR BID

FOR CONSTRUCTION ON STATE HIGHWAY IN PLUMAS COUNTY AT GREENVILLE
FROM 0.1 MILE NORTH OF SOUTH GREENVILLE OVERHEAD TO HILLSIDE DRIVE

In District 02 On Route 89

Under

Notice to Bidders and Special Provisions dated April 18, 2016

Standard Specifications dated 2010

Project plans approved January 19, 2016

Standard Plans dated 2010

Applicable to

Electronic *Bid* book dated April 18, 2016

Identified by

Contract No. 02-0E24U4

02-Plu-89-20.0/20.6

Project ID 0215000146

Federal-Aid Project

ACSTP-P089(118)E