STATE OF CALIFORNIA DEPARTMENT OF TRANSPORTATION
Contract No.: 02-3E7904 Project ID: 0200020151
Bidder Name:J. F. Shea Construction, Inc. Bidder ID:VC0000022972
CALTRANS BIDDER - DBE - COMMITMENT
DES-OE-0102.10C (NEW 6/2012)

BID AMOUNT: 4,947,910.00
BID OPENING DATE: 07-30-14
DBE PRIME CONTRACTOR CERTIFICATION:

Low Bidder

08/01/14 11:02 RCVD

IMPORTANT: Identify all DBE firms being claimed for credit, regardless of tier. Names of the First Tier DBE Subcontractors and their respective item(s) of work listed must be consistent, where applicable, with the names and items of work in the Subcontractor List. Copies of the DBE quotes are required.

1. DBE prime contractors must enter their certification number and indicate all work to be performed by DBEs including work performed by its own forces.

2. If 100% of item is not to be performed or furnished by DBE, describe exact portion of item to be performed or furnished.

Total Claimed Participation $ 574,259.62
% 11.60
Person to Contact : Kirk Johnson
(Area Code) Tel.No. : 530-246-4292

Signature of Bidder

8/1/14
Date

03-05-14A11:02 RCVD

Bid Item No.
35,36,37,105-p
Item of work and description of services to be subcontracted or materials to be provided.
Prepare Deck, Furnish Poly, Place Poly, Mob.
FOR CALTRANS USE ONLY

Name of DBEs (Must be certified on the date bids are opened - include Caltrans certification #, DBE address and phone number)
(Indicate 2nd and lower tier subcontractors)
S.T.Rhoades Construction, Inc. DBE #37693
8585 Commercial Way, Redding California, 96049
530-223-9322
Dollar amount DBE 133,790.40

Bid Item No.
45 thru 52
Item of work and description of services to be subcontracted or materials to be provided.
Erosion control, Mulch, Compost, Hydroseed
FOR CALTRANS USE ONLY

Name of DBEs (Must be certified on the date bids are opened - include Caltrans certification #, DBE address and phone number)
(Indicate 2nd and lower tier subcontractors)
M&S Environmental Landscapes, Inc. DBE #030736
12192 Mac's Road, Redding California, 96003
530-241-1418
Dollar amount DBE 182,811.72

Bid Item No.
56-p
Item of work and description of services to be subcontracted or materials to be provided.
Trucking
FOR CALTRANS USE ONLY

Name of DBEs (Must be certified on the date bids are opened - include Caltrans certification #, DBE address and phone number)
(Indicate 2nd and lower tier subcontractors)
T.K. Blackburn Trucking DBE #22000
P.O. Box 5383 Marysville California, 95901
805-501-2693
Dollar amount DBE 115,720.00

S.T. RHOADES CONSTRUCTION INC.

8585 COMMERCIAL WAY, REDDING, CA 96002
P.O. BOX 494520, REDDING, CA., 96049
530-223-9322, Fax 530-223-9222, License # 930684
MBE/SBE- 1247344,U/DBE-37693, UNIONS-OPERATORS, LABORERS

PROPOSAL

DBE# 37693

To: GENERAL CONTRACTORS
Attn: ESTIMATORS
Project: 02-3E7904
Bid date: 7/30/14

Date: 7/30/14

Item	Description	Quantity	UM	Unit Price	Amount
35	Prepare Concrete Bridge Deck	5,096	sqft	$ 1.15	$ 5,860.40
36	Furnish Polyster Concrete Overlay	540	cf	$ 87.00	$ 46,980.00
37	Place Polyester Overlay	5,096	sqft	$ 12.50	$ 63,700.00
105	Mobilization	1	ls	$ 17,250.00	$ 17,250.00
				Total:	$ 133,790.40

Notes:
- Proposal valid for 30 days, Allow 10 days for scheduling
- All monies and retentions to be released after acceptance by owner irregardless of contract clauses or project duration within 30 days of completed work.
- 30 days advanced notice required for schedule
- Traffic Control is included in this proposal

100% ALL

Include
- Price includes furnishing and installation unless otherwise noted.
- Includes for only 1 mobilization

Exclud
- Bonds
- Permits
- Fees
- Striping
- Staking
- Engineering
- Referencing
- Repair or replace asphalt damaged by others
- Permanent or temporary traffic control markers
- Temporary or permanent water pollution control
- Light Plants if needed.
- Costs associated with waivers of subrogation

Respectively Submitted,
Steve Rhoades
President

DBE

RECEIVED
J.F. SHEA CONST., INC.
JUL 30 2014
DIV. NO.
A/C NO.

M&S Environmental Landscapes, Inc.
12192 Mac's Road
Redding, CA 96003
530-241-1418
Fax 241-9647
CA Llc. 751931 DBE,SMBE, and MBE Certified CT No. 030736

DBE

7/29/14 Bids 7/30/14

DBE # 030736

Bid For - Trinity County Near Burnt Ranch Route 299

Cal-trans Contract # 02-3E7904

M&S Environmental Landscapes, Inc. would like to propose a bid for the following items:

Item No.	Description	Units	Quantity	Cost per Unit	Est. Cost
~~45~~	~~Erosion Control (Bond Fiber Matrix)~~	~~SQFT~~	~~60000~~	~~$ 0.44~~	~~$ 26,400.00~~
46	Rolled Erosion Control Netting	SQFT	15800	$ 0.77	$ 12,166.00
47	Rolled Erosion Control Netting Flap	SQFT	74500	$ 0.770	$ 57,365.00
48	Hydromulch	SQFT	120000	$ 0.088	$ 10,560.00
49	Compost Sock	LF	1220	$ 10.65	$ 12,993.00
50	Hydroseed Seed Mix 1	SQFT	105000	$ 0.335	$ 35,175.00
51	Hydroseed Seed Mix 2	SQFT	15800	$ 0.54	$ 8,532.00

100% ALL

J.F

JUL 29 20..

DIV. NO.
A/C NO.

TOTAL $ 163,191.00

ADDITIONAL BID NOTES

* Prime Contractor to provide and pay for water source on site (i.e.-fire hydrant, water truck, or other approved source) at a minimum rate of 200 g.p.m.
* All traffic control to be provided by Prime contractor. Bid valid for 60 days.
* One move-in is inlcuded in total bid, unless otherwise stated. Additional move-in (if necessary) at the rate of $600.00 each.
* An estimated 3 acres of Hydroseeding can be done in one working day. Stand-by time will be billed at $600.00 per hour.
* Performance and Payment bonds are not included. Insurance beyond a $5 mil umbrella will result in additional charge.
* Additional insurance requirements including "Waiver of Subragation" will be charged to Prime Contractor.
* Signatory to Local 185 Laborers Union.
* If you have any questions please call our office.

Michael Smith

TOTAL = $ 182,811.72

M&S Environmental Landscapes, Inc.
12192 Mac's Road
Redding, CA 96003
530-241-1418
Fax 241-9647
CA Lic. 751931 DBE,SMBE, and MBE Certified CT No. 030736

7/29/14 Bids 7/30/14

Bid For - Trinity County Near Burnt Ranch Route 299

Cal-trans Contract # 02-3E7904

M&S Environmental Landscapes, Inc. would like to propose a bid for the following items:

Item No.	Description	Units	Quantity	Cost per Unit	Est. Cost
52	Compost * 50 cy / Truck Load	CY	357	$ 54.96	$ 19,620.72

100%

J.F. SHEA CONST., INC.

JUL 29 2014

DIV. NO._____
A/C NO._____

TOTAL $ 19,620.72

ADDITIONAL BID NOTES

* All traffic control to be provided by Prime contractor. Bid valid for 60 days.

* Performance and Payment bonds are not included. Insurance beyond a $5 mil umbrella will result in additional charge.
* Additional insurance requirements including "Waiver of Subragation" will be charged to Prime Contractor.
* Signatory to Local 185 Laborers Union.
* If you have any questions please call our office.

Michael Smith

Jul.29.2014 02:40 PM M&S ENVIRONMENTAL LANDSCA 5302419647/ PAGE. 1/ 1

CALIFORNIA PROFILE			
BidSync Supplier Name	M&S Environmental Landscapes, Inc.	Supplier Number	1023065
Legal Business Name	M & S Environmental Landscapes, Inc.	DBA Business Name	M&S Environmental Landscapes, Inc.
Address	12192 Mac's Road REDDING, CA 96003	Phone FAX	(530) 241-1418 (530) 241-9647
Email	mikeands5@aol.com		
Number of Employees	9		
Business Types	Construction		
Service Areas	Amador, Butte, Colusa, Contra Costa, Del Norte, El Dorado, Glenn, Humboldt, Lake, Lassen, Madera, Marin, Mendocino, Merced, Modoc, Napa, Nevada, Placer, Plumas, Sacramento, Shasta, Sierra, Siskiyou, Solano, Sonoma, Sutter, Tehama, Trinity, Tulare, Yolo, Yuba,		
Keywords	Landscape Contractor Erosion Control Hydroseeding Road Construction Grounds Services		
Construction License Types	C-27 - Landscaping		
Classifications	211015 - Agricultural machinery for soil preparation 701315 - Land and soil protection 721029 - Facility maintenance and repair services		
View Options	View Application		
Edit Options	Amend Application | Register as Disabled Veteran Business Enterprise (DVBE)		

Active Certifications

Register as Disabled Veteran Business Enterprise (DVBE)

TYPE	STATUS	STATUS DATE	FROM	TO	ACTIONS
SB (Micro)	Approved	Aug 28, 2013	Aug 28, 2013	Aug 31, 2015	

Certification History

TYPE	STATUS	STATUS DATE	FROM	TO
SB (Micro)	Expired	Aug 28, 2013	Aug 15, 2011	Aug 31, 2013
SB (Micro)	Expired	Aug 16, 2011	Apr 22, 2009	Aug 31, 2011
SB	Denied	Jul 28, 2011		

Customer Support - vendorsupport@bidsync.com or 800-990-9339

Copyright © 1999-2014 - BidSync - All rights reserved.

RECEIVED
J.F. SHEA CONST., INC.
JUL 29 2014
DIV. NO.
A/C NO.

Jul.29.2014 02:55 PM M&S ENVIRONMENTAL LANDSCA 5302419647 PAGE. 4/ 4

CALIFORNIA UNIFIED CERTIFICATION PROGRAM
DISADVANTAGED BUSINESS ENTERPRISE CERTIFICATE

M & S ENVIRONMENTAL LANDSCAPES, INC

12192 MACS ROAD
REDDING, CA 96003

Owner: MICHAEL SMITH
Business Structure: CORPORATION

This certificate acknowledges that said firm is approved by the California Unified Certification Program (CUCP) as a Disadvantaged Business Enterprise (DBE) as defined by the U.S. Department of Transportation (DOT) CFR 49 Part 26, as may be amended, for the following NAICS codes:

NAICS Code(s) * Indicates primary NAICS code

* 561730 Landscaping Services

238910 Site Preparation Contractors

Work Category Code(s)

C0620	LANDSCAPING & NURSERY	C2000	HIGHWAY PLANTING
C2020	SOIL AMENDMENTS	C2021	HYDROSEEDING
C2030	EROSION CONTROL	C2065	IRRIGATION SYSTEM

Licenses

C27 Landscaping Contractor

CERTIFYING AGENCY:
DEPARTMENT OF TRANSPORTATION
1823 14TH STREET
SACRAMENTO, CA 95811 0000
(916) 324-1700

UCP Firm Number: 30736

UCP OFFICER

April 24, 2012

T. K. BLACKBURN TRUCKING

P. O. BOX 5383
MARYSVILLE CA 95901

DBE

ITEM #56 - 1,052 HRS @ $110 ℄/HR = $115,720.00
Partial

DBE # 22000

FAX QUOTE SHEET
July 30 2014

Quote: 177

From	To
CONTACT: **TERRANCE K. BLACKBURN**	COMPANY: **JF SHEA COMPANY, INC.**
PHONE: **805-501-2693**	ATTENTION: **Kirk Johnson**
FAX: **661-256-2272**	PHONE: **530-246-4292**
EMAIL:	FAX: **530-246-9940**
	EMAIL:

COMMODITY: **All Materials**

QUANTITY:

REQUIREMENTS: **15 Day Pay. 4 Hour Minumin. All on site trucks require two hour travel @ $100.00 per hour. Fuel sur charge; 1% increase for every 10 cents a gallon after $4.10/gallon. Pervailing wage rate will increase hourly rate by $30.00 per hour.**

ORIGIN(S):

DESTINATION(S):

RATE:
10 Wheelers; $98.00 per hour
Bottom Dumps: $110.00 per hour
Transfers; $110.00 per hour

COMMENTS:
Bidding Project; Cal Trans Hwy 299-Burnt Ranch
Contract Number; 20-3E7904

(Signature)

CALIFORNIA UNIFIED CERTIFICATION PROGRAM
DISADVANTAGED BUSINESS ENTERPRISE CERTIFICATE

T K BLACKBURN TRUCKING

1452 KNIGHTS ROW
YUBA CITY, CA 95991

Owner: TERRANCE BLACKBURN
Business Structure: SOLE PROPRIETORSHIP

This certificate acknowledges that said firm is approved by the California Unified Certification Program (CUCP) as a Disadvantaged Business Enterprise (DBE) as defined by the U.S. Department of Transportation (DOT) CFR 49 Part 26, as may be amended, for the following NAICS codes:

NAICS Code(s) * Indicates primary NAICS code

* 484110 General Freight Trucking, Local

425120 Wholesale Trade Agents and Brokers

Work Category Code(s)

C9602	BOTTOM DUMP TRUCKING	C9605	FLAT BED TRUCKING
C9606	WATER TRUCK	C9771	TRUCK BROKER
C9774	TRUCKER		

Licenses

CERTIFYING AGENCY:
DEPARTMENT OF TRANSPORTATION
1823 14TH STREET
SACRAMENTO, CA 95811 0000
(916) 324-1700

UCP Firm Number : 22000

July 2, 2013

CUCP OFFICER

Back To Query Form

Search Returned 1 Records

Thu Jul 31 16:51:31 PDT 2014

Query Criteria

Firm/DBA Name: blackburn

Firm Type: DBE

Firm ID	22000
Firm/DBA Name	T K BLACKBURN TRUCKING
Address Line1	1081 FOOTHILL DRIVE
Address Line2	
City	YREKA
State	CA
Zip Code1	96097
Zip Code2	
Mailing Address Line1	1081 FOOTHILL DRIVE
Mailing Address Line2	
Mailing City	YREKA
Mailing State	CA
Mailing Zip Code1	96097
Mailing Zip Code2	
Certification Type	DBE
EMail	tkblackburntruckin@att.net
Contact Name	TERRANCE BLACKBURN
Area Code	(805)
Phone Number	501-2693
Fax Area Code	( )
Fax Phone Number	
Agency Name	DEPARTMENT OF TRANSPORTATION
Counties	01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 29; 30; 31; 32; 33; 34; 35; 36; 37; 38; 39; 40; 41; 42; 43; 44; 45; 46; 47; 48; 49; 50; 51; 52; 53; 54; 55; 56; 57; 58;
Districts	01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12;
DBE NAICS	425120; 484110;
ACDBE NAICS	
Work Codes	C9602 BOTTOM DUMP TRUCKING; C9605 FLAT BED TRUCKING; C9606 WATER TRUCK ; C9771 TRUCK BROKER; C9774 TRUCKER;
Licenses	
Trucks	FOR HIRE - 3;
Gender	M
Ethnicity	BLACK
Firm Type	DBE

Back To Query Form

Bid Item No.
56-p
Item of work and description of services to be subcontracted or materials to be provided.
Supply and haul oil
FOR CALTRANS USE ONLY

Name of DBEs (Must be certified on the date bids are opened - include Caltrans certification #, DBE address and phone number)
(Indicate 2nd and lower tier subcontractors)
Dragon Material Transport, Inc. DBE #37444
P.O. Box 27800, Fresno California, 93729-7800
559-351-8822
Dollar amount DBE 131,437.50

Bid Item No.
57
Item of work and description of services to be subcontracted or materials to be provided.
Place HMA Dike (TypeF)
FOR CALTRANS USE ONLY

Name of DBEs (Must be certified on the date bids are opened - include Caltrans certification #, DBE address and phone number)
(Indicate 2nd and lower tier subcontractors)
A.C. Dike Co. DBE #000219
2788 Venture Drive, Lincoln California, 95648
916-652-0159
Dollar amount DBE 4,800.00

Bid Item No.
1,22,26
Item of work and description of services to be subcontracted or materials to be provided.
Lead plan, Asbestos plan, Dust Plan
FOR CALTRANS USE ONLY

Name of DBEs (Must be certified on the date bids are opened - include Caltrans certification #, DBE address and phone number)
(Indicate 2nd and lower tier subcontractors)
Appian DBE # 38334
5780 Olinda Road, El Sobrante California, 94803
510-854-9402
Dollar amount DBE 5,700.00

DRAGON
MATERIAL TRANSPORT, INC.

DBE

P.O. Box 27800, Fresno, CA 93729-7800
Office (559)351-8822 Fax (559) 276-0818
CA No. 0366649
dragonmaterial@yahoo.com

DBE # 37444

DBE/WBE/UDBE Firm No. 37444
SBE 52655

---QUOTE

OIL = 250 TONS @ $750.00 + TAX = $201,562.50 / 60% = $120,937.50

FREIGHT = 250 TONS @ $42.00/TN = $10,500.00

J.F. Shea Construction, Co.
Attn. Juan Bernardino
Date: 07/29/14

PROJECT: Caltrans 02-3E7904, Trinity County Near Burnt Ranch

TOTAL = $131,437.50

ITEM # 56 partial

MATERIAL: 250 Tons - PG 64-28M
DELIVERED PRICE: $792.00 Per U.S. Ton + any applicable taxes

REFINERY: Paramount Petroleum, Elk Grove, CA
DESTINATION: Fawndale

***Standby after 1 hour from scheduled delivery time at $100.00 per hour**
***Index: 5% Crude**
***Pricing based on full loads - 26.00 ton**
*Fuel surcharge - rate increase - add $1.00 for every $.10 increase if California On-Highway reaches $4.25 per gallon. www.eia.gov. $4.09 on bid day.

DBE

A. C. DIKE CO.

Specialty Paving Inc.

SPECIALTY PAVING CONTRACTOR

QUOTATION: CDOT TRINITY CO RT 299 02-3E7904

DBE# 000219

BIDS : 7/30/14

#57 **"PLACE ONLY"*600LF ASPHALT DIKE TYPE "F" @ $8.00 LF** $ = 4,800.00
INCLUDES MISC PAVING WITH DIKE PLACE.

PRICE INCLUDES TACK AND ONE MOBILIZATION FOR DIKE CREW.
ASPHALT MATERIAL AND HAULING BY PRIME CONTRACTOR.
TRAFFIC CONTROL BY PRIME CONTRACTOR.

RECEIVED
J.F. SHEA CONST., INC.
JUL 29 2014
DIV. NO.
A/C NO.

* **PLACE ONLY ASPHALT DIKE. SPECIFICALLY EXCLUDES SURFACE PREPARATION, BACKFILL, OR FOGSEAL.**

QUALIFIED MINORITY CONTRACTOR, DBE/WBE/UDBE # CT 000219
CAL. LIC.# 407417 NEV. LIC.#24188
2788 VENTURE DR. LINCOLN, CA. 95648
(916) 652-0159 FAX (916) 645-9618
WWW.ACDIKE.COM

DBE

APPIAN UDBE SWPPP
Storm Water Pollution Prevention Plans
Water Pollution Control Programs
Lead Compliance Plans

Certified DBE (UDBE, WBE & MBE):
BART - No. 38334 - exp: 04-20-2015

Business License Number 024765

5780 Olinda Road
El Sobrante, CA 94803

DBE # 38334

Phone: (510) 854-9402
Fax: (510) 256-0103

Friday, July 25, 2014

ATTN: Estimator

RE: Contract : **Caltrans – 02-3E7904**

Construct Sidehill Viaducts, Place Hma, Install Barrier Railing.

Bid Date: July 30, 2014

Please find below the APPIAN SWPPP quote for the referenced project.

Item #	Item Code	Items bid individually	Bid Price
1	070030	Prepare Lead Compliance Plan (LCP)	$1,900.00
22	140003	Asbestos Compliance Plan (ACP)	$1,900.00
26	149001	Dust Control Plan (Naturally Occurring Asbestos)	$1,900.00

Good luck,

Thomas Koprek

$5,700.00

RECEIVED
J.F. SHEA CONST., INC.
JUL 28 2014
DIV. NO.
A/C NO.

Thomas Koprek
Estimator
(510) 854-9402

Bid Item No.

Item of work and description of services to be subcontracted or materials to be provided.

FOR CALTRANS USE ONLY

Name of DBEs (Must be certified on the date bids are opened - include Caltrans certification #, DBE address and phone number) (Indicate 2nd and lower tier subcontractors)

Dollar amount DBE

Bid Item No.

Item of work and description of services to be subcontracted or materials to be provided.

FOR CALTRANS USE ONLY

Name of DBEs (Must be certified on the date bids are opened - include Caltrans certification #, DBE address and phone number) (Indicate 2nd and lower tier subcontractors)

Dollar amount DBE

Bid Item No.

Item of work and description of services to be subcontracted or materials to be provided.

FOR CALTRANS USE ONLY

Name of DBEs (Must be certified on the date bids are opened - include Caltrans certification #, DBE address and phone number) (Indicate 2nd and lower tier subcontractors)

Dollar amount DBE

1. List items of work the Bidder made available to DBE firms. Identify those items of work the Bidder might otherwise perform with its own forces, and those items that have been broken down into economically feasible units to facilitate DBE participation. For each item listed, show the dollar value and percentage of the total contract. The Bidder must demonstrate that sufficient work to meet the goal was made available to DBE firms.

Item of work offered : See Attached Spreadshit of the breakdown
Bidder normally performs item (Y/N) :
Item broken down to facilitate participation (Y/N) :
Amount($) :
Percentage of Contract :

Item of work offered :
Bidder normally performs item (Y/N) :
Item broken down to facilitate participation (Y/N) :
Amount($) :
Percentage of Contract :

Item of work offered :
Bidder normally performs item (Y/N) :
Item broken down to facilitate participation (Y/N) :
Amount($) :
Percentage of Contract :

Item of work offered :
Bidder normally performs item (Y/N) :
Item broken down to facilitate participation (Y/N) :
Amount($) :
Percentage of Contract :

Item of work offered :
Bidder normally performs item (Y/N) :
Item broken down to facilitate participation (Y/N) :
Amount($) :
Percentage of Contract :

Item of work offered :
Bidder normally performs item (Y/N) :
Item broken down to facilitate participation (Y/N) :
Amount($) :
Percentage of Contract :

Item of work offered :
Bidder normally performs item (Y/N) :
Item broken down to facilitate participation (Y/N) :
Amount($) :
Percentage of Contract :

Item of work offered :
Bidder normally performs item (Y/N) :
Item broken down on facilitate participation (Y/N) :
Amount($) :
Percentage of Contract :

Item of work offered :
Bidder normally performs item (Y/N) :
Item broken down to facilitate participation (Y/N) :
Amount($) :
Percentage of Contract :

Item of work offered :
Bidder normally performs item (Y/N) :
Item broken down to facilitate participation (Y/N) :
Amount($) :
Percentage of Contract :

Item of work offered :
Bidder normally performs item (Y/N) :
Item broken down to facilitate participation (Y/N) :
Amount($) :
Percentage of Contract :

Bid Total: 4,947,910.00

State of California Department of Transportation - CALTRANS
Contract # 02-3E7904
Good Faith Efforts Documentation - DBE
DES-OE-0102.11A (New 06/2012)
Bid Date: 7/30/14 @ 2 PM

J.F. Shea Construction, Inc.

#:	Item of Work Offered:	Bidder Normally Performs Item: (Y/N)	Item Broken Down to Facilitate Participation : (Y/N)	Amount: ($)	Percentage of Contract: (%)
1	LEAD COMPLIANCE PLAN	N	Y	$2,500.00	0.05%
2	CONSTRUCTION AREA SIGNS	N	Y	$25,000.00	0.51%
3	TRAFFIC CONTROL SYSTEM	N	Y	$50,000.00	1.01%
4	TEMPORARY PAVEMENT MARKING (TAPE)	N	Y	$624.00	0.01%
5	TEMPORARY TRAFFIC STRIPE (PAINT)	N	Y	$4,200.00	0.08%
6	CHANNELIZER (SURFACE MOUNTED)	N	Y	$2,210.00	0.04%
7	TEMPORARY SIGNAL SYSTEM	N	Y	$205,000.00	4.14%
8	PORTABLE CHANGEABLE MESSAGE SIGN (LS)	N	Y	$40,000.00	0.81%
9	TEMPORARY RAILING (TYPE K)	Y	Y	$51,800.00	1.05%
10	TEMPORARY CRASH CUSHION	Y	Y	$12,000.00	0.24%
11	JOB SITE MANAGEMENT	N	Y	$4,500.00	0.09%
12	PREPARE STORM WATER POLLUTION PREVENTION PLAN	N	Y	$18,000.00	0.36%
13	RAIN EVENT ACTION PLAN	N	Y	$21,500.00	0.43%
14	STORM WATER SAMPLING AND ANALYSIS DAY	N	Y	$30,000.00	0.61%
15	STORM WATER ANNUAL REPORT	N	Y	$6,000.00	0.12%
16	TEMPORARY COVER	N	Y	$10,000.00	0.20%
17	TEMPORARY CHECK DAM	N	Y	$7,040.00	0.14%
18	TEMPORARY DRAINAGE INLET PROTECTION	N	Y	$1,800.00	0.04%
19	TEMPORARY CONSTRUCTION ENTRANCE	N	Y	$10,000.00	0.20%
20	STREET SWEEPING	N	Y	$12,000.00	0.24%
21	TEMPORARY CONCRETE WASHOUT	N	Y	$3,000.00	0.06%
22	ASBESTOS COMPLIANCE PLAN	N	Y	$2,200.00	0.04%
23	TEMPORARY FENCE (TYPE ESA)	N	Y	$5,225.00	0.11%
24	TREATED WOOD WASTE	N	Y	$1,610.00	0.03%
25	CONTRACTOR-SUPPLIED BIOLOGIST (LS)	N	Y	$20,000.00	0.40%
26	DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS)	N	Y	$2,500.00	0.05%
27	REMOVE GUARDRAIL	N	Y	$1,600.00	0.03%
28	REMOVE THERMOPLASTIC TRAFFIC STRIPE	N	Y	$4,200.00	0.08%
29	REMOVE ROADSIDE SIGN	N	Y	$660.00	0.01%
30	REMOVE CULVERT (LF)	N	Y	$4,080.00	0.08%
31	REMOVE INLET	N	Y	$6,500.00	0.13%
32	REMOVE HEADWALL	N	Y	$6,000.00	0.12%
33	RECONSTRUCT RUBBLE WALL	N	Y	$5,500.00	0.11%
34	COLD PLANE ASPHALT CONCRETE PAVEMENT	N	Y	$6,480.00	0.13%
35	PREPARE CONCRETE BRIDGE DECK SURFACE	Y	Y	$5,096.00	0.10%
36	FURNISH POLYESTER CONCRETE OVERLAY	Y	Y	$40,500.00	0.82%
37 (F)	PLACE POLYESTER CONCRETE OVERLAY	Y	Y	$48,412.00	0.98%
38	CLEARING AND GRUBBING (LS)	N	Y	$25,000.00	0.51%
39	DEVELOP WATER SUPPLY	N	Y	$22,000.00	0.44%
40	ROADWAY EXCAVATION	Y	Y	$438,000.00	8.85%
41	SHOULDER BACKING	Y	Y	$20,000.00	0.40%
42 (F)	STRUCTURE EXCAVATION (BRIDGE)	N	Y	$89,000.00	1.80%
43 (F)	STRUCTURE BACKFILL (BRIDGE)	N	Y	$9,230.00	0.19%
44	IMPORTED BORROW (CY)	Y	Y	$523,800.00	10.59%
45	EROSION CONTROL (BONDED FIBER MATRIX) (SQFT)	N	Y	$30,600.00	0.62%
46	ROLLED EROSION CONTROL PRODUCT (NETTING)	N	Y	$14,220.00	0.29%
47	ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP)	N	Y	$65,560.00	1.33%
48	HYDROMULCH	N	Y	$12,000.00	0.24%
49	COMPOST SOCK	N	Y	$15,860.00	0.32%
50	HYDROSEED (SEED MIX 1)	N	Y	$42,000.00	0.85%
51	HYDROSEED (SEED MIX 2)	N	Y	$9,480.00	0.19%
52	COMPOST	N	Y	$22,550.00	0.46%
53	INCORPORATE MATERIALS	N	Y	$27,650.00	0.56%
54	FINISHING ROADWAY	N	Y	$5,500.00	0.11%

55	CLASS 2 AGGREGATE BASE (CY)	Y	Y	$149,100.00	3.01%
56	HOT MIX ASPHALT (TYPE A)	Y	Y	$570,000.00	11.52%
57	PLACE HOT MIX ASPHALT DIKE (TYPE F)	N	Y	$5,400.00	0.11%
58	PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA)	N	Y	$3,900.00	0.08%
59	TACK COAT	N	Y	$4,320.00	0.09%
60	EARTH RETAINING SYSTEM (RAILING COMPONENTS)	N	Y	$23,200.00	0.47%
61	24" CAST-IN-DRILLED-HOLE CONCRETE PILING	N	Y	$32,200.00	0.65%
62	16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET)	N	Y	$24,035.00	0.49%
63	24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET)	N	Y	$160,992.00	3.25%
64 (F)	STRUCTURAL CONCRETE, BRIDGE	Y	Y	$604,800.00	12.22%
65 (F)	STRUCTURAL CONCRETE, BARRIER SLAB	Y	Y	$119,250.00	2.41%
66 (F)	MINOR CONCRETE (MINOR STRUCTURE)	N	Y	$31,620.00	0.64%
67	JOINT SEAL (MR 1")	N	Y	$3,500.00	0.07%
68 (F)	BAR REINFORCING STEEL (BRIDGE)	N	Y	$153,528.00	3.10%
69 (F)	BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE)	N	Y	$72,058.00	1.46%
70	FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED)	N	Y	$450.00	0.01%
71	ROADSIDE SIGN - ONE POST	N	Y	$2,000.00	0.04%
72	STAIN GALVANIZED SURFACES	N	Y	$14,000.00	0.28%
73	PREPARE AND STAIN CONCRETE	N	Y	$32,000.00	0.65%
74 (F)	CONCRETE BACKFILL (PIPE TRENCH)	N	Y	$4,750.00	0.10%
75	18" PLASTIC PIPE	N	Y	$7,000.00	0.14%
76	24" PLASTIC PIPE	N	Y	$7,520.00	0.15%
77	12" CORRUGATED STEEL PIPE (.079" THICK)	N	Y	$1,600.00	0.03%
78	24" CORRUGATED STEEL PIPE (.138" THICK)	N	Y	$53,200.00	1.08%
79	8" PERFORATED PLASTIC PIPE	N	Y	$3,600.00	0.07%
80	12" CORRUGATED STEEL PIPE DOWNDRAIN	N	Y	$7,200.00	0.15%
81	12" ANCHOR ASSEMBLY	N	Y	$1,800.00	0.04%
82	SMALL-ROCK SLOPE PROTECTION	N	Y	$9,300.00	0.19%
83	ROCK SLOPE PROTECTION (FACING, METHOD B) (CY)	N	Y	$108,000.00	2.18%
84	ROCK SLOPE PROTECTION FABRIC (CLASS 8)	N	Y	$660.00	0.01%
85	MINOR CONCRETE (CURB) (CY)	N	Y	$6,820.00	0.14%
86 (F)	MISCELLANEOUS IRON AND STEEL	N	Y	$4,350.00	0.09%
87 (F)	MISCELLANEOUS METAL (BRIDGE)	N	Y	$10,865.00	0.22%
88	DELINEATOR (CLASS 2)	N	Y	$2,250.00	0.05%
89	MILEPOST MARKER	N	Y	$55.00	0.00%
90	MARKER (CULVERT)	N	Y	$850.00	0.02%
91	OBJECT MARKER (TYPE P)	N	Y	$100.00	0.00%
92	METAL BEAM GUARD RAILING (7' POST)	N	Y	$49,200.00	0.99%
93	VEGETATION CONTROL (MINOR CONCRETE)	N	Y	$50,150.00	1.01%
94	TUBULAR BICYCLE RAILING	N	Y	$93,120.00	1.88%
95	SINGLE THRIE BEAM BARRIER (STEEL POST)	N	Y	$3,780.00	0.08%
96	TRANSITION RAILING (TYPE STB)	N	Y	$4,000.00	0.08%
97	TRANSITION RAILING (TYPE WB)	N	Y	$10,500.00	0.21%
98	END ANCHOR ASSEMBLY (TYPE SFT)	N	Y	$2,400.00	0.05%
99	INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT)	N	Y	$1,600.00	0.03%
100	ALTERNATIVE IN-LINE TERMINAL SYSTEM	N	Y	$3,500.00	0.07%
101	CONCRETE BARRIER (TYPE 736 MODIFIED)	Y	Y	$131,460.00	2.66%
102	CONCRETE BARRIER (TYPE 736B MODIFIED)	Y	Y	$35,700.00	0.72%
103	THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE)	N	Y	$5,400.00	0.11%
104	PAVEMENT MARKER (RETROREFLECTIVE-RECESSED)	N	Y	$3,640.00	0.07%
105	MOBILIZATION	N	Y	$267,000.00	5.40%
				$4,947,910.00	**100.00%**

3.List the names of certified DBEs and the dates on which they were solicited to bid on this project. Include the items of work offered and the dates and methods used for following up initial solicitations to determine with certainty whether the DBEs were interested. Submit copies of solicitations, telephone records, fax confirmations, etc.

Name of DBEs solicited : See Attached List of (50) Solicitated DBE
Date of initial solicitation :
Item(s) of work :
Follow Up Methods and Dates :

Name of DBEs solicited : See Attached List of (50) Solicitated DBE
Date of initial solicitation :
Item(s) of work :
Follow Up Methods and Dates :

Name of DBEs solicited : See Attached List of (50) Solicitated DBE
Date of initial solicitation :
Item(s) of work :
Follow Up Methods and Dates :

Name of DBEs solicited : See Attached List of ($0) Solicitated DBE
Date of initial solicitation :
Item(s) of work :
Follow Up Methods and Dates :

Name of DBEs solicited : See Attached List of ($0) Solicitated DBE
Date of initial solicitation :
Item(s) of work :
Follow Up Methods and Dates :

Name of DBEs solicited : See Attached List of ($0) Solicitated DBE
Date of initial solicitation :
Item(s) of work :
Follow Up Methods and Dates :

Name of DBEs solicited : See Attached List of ($0) Solicitated DBE
Date of initial solicitation :
Item(s) of work :
Follow Up Methods and Dates :

4.For each item of work made available, list the selected firm and its status as a DBE, the DBEs that provided quotes, the price quote for each firm, and the price difference for each DBE if the selected firm is not a DBE.

Item(s) of work : 25,26,27,105 partial
Name of selected firm : S.T. Rhoades Construction, Inc.
DBE or Non-DBE : DBE Name of Rejected Firm : N/A
Quote($) : 128,790.40 Price Difference($) :

Item(s) of work : 73
Name of selected firm : CMJ Enterprises, Inc.
DBE or Non-DBE : Non-DBE Name of Rejected Firm : None quoted
Quote($) : 21,000.00 Price Difference($) :

Item(s) of work : 7
Name of selected firm : Whitson, Inc.
DBE or Non-DBE : Non-DBE Name of Rejected Firm : None quoted
Quote($) : 178,610.00 Price Difference($) :

Item(s) of work : 24,27,60partial,72,86 thru 100
Name of selected firm : Apac Yenco Co., Inc.
DBE or Non-DBE : Non-DBE Name of Rejected Firm : Dirt & Aggregate Inexchange, Inc.
Quote($) : 74,495.10 Price Difference($) : 10,404.50

Item(s) of work : 1,4,5,6,28,103,104,105 partial
Name of selected firm : Apply-A-Line, Inc.
DBE or Non-DBE : Non-DBE Name of Rejected Firm : None quoted
Quote($) : 19,670.00 Price Difference($) :

Item(s) of work : 45,46,47,48,49,50,51,52
Name of selected firm : M&S Environmental Landscapes, Inc.
DBE or Non-DBE : DBE Name of Rejected Firm : N/A
Quote($) : 168,191.00 Price Difference($) :

Item(s) of work : 41,62,63 Partial all
Name of selected firm : Hillside Drilling Company, Inc.
DBE or Non-DBE : Non-DBE Name of Rejected Firm : None quoted
Quote($) : 124,870.00 Price Difference($) :

Item(s) of work : 62,65,48,49,101,102 partial all
Name of selected firm : Camblin Steel Servies, Inc.
DBE or Non-DBE : Non-DBE Name of Rejected Firm : None quoted
Quote($) : 217,952.00 Price Difference($) :

Item(s) of work : 54 partial
Name of selected firm : Dragon Material Transport, Inc.
DBE or Non-DBE : DBE Name of Rejected Firm : N/A
Quote($) : 131,427.60 Price Difference($) :

If the firm selected for the item is not a DBE, provide the reasons for the selection on a separate sheet and submit names, addresses, and phone numbers for each of the firms listed above.

State of California Department of Transportation - CALTRANS
Contract # 02-3E7904
Good Faith Efforts Documentation - DBE
Bid Date: 7/30/14 @ 2 PM
J.F. Shea Construction, Inc.
List of Solicited DBE Subcontractors

1. 6 RIVERS CONSTRUCTION, INC.
2. A B S L CONSTRUCTION
3. A C DIKE CO
4. A F M ENVIRONMENTAL INC.
5. A 5 CONTRACTORS, INC.
6. ALLEN GILL CONSTRUCTION, INC.
7. AUSTIN ENTERPRISE
8. AZCO
9. BAY LINE CUTTING & CORING, INC.
10. CHARLIE'S CU5TOM EXCAVATING, INC.
11. CLEAR CREEK CONSTRUCTION
12. CMC TRAFFIC CONTROL
13. COMBINED EFFORT INC
14. CONSTRUCTION AREA SIGNS, INC
15. DIRT & AGGREGATE INTERCHANGE, INC
16. DI5ABLED AMERICAN VETERAN ENT. TRUCKING & SWEEPING
17. EAGLE ENGINEERING AND CONSTRUCTION, INC
18. ERNE5T B. DEE
19. FC5 5TRIPING, SEALING AND PAVING, INC.
20. FRANK MEDINA GENERAL ENGINEERING CONTRACTOR
21. GALLAWAY ENTERPRI5E5, INC
22. GENERAL 5UPPLY COMPANY
23. GR SUNDBERG, INC.
24. GREEN BUILDING PRODUCTS, INC
25. HAMANAKA PAINTING CO.
26. K & G CONCRETE INC
27. K & K CONSTRUCTION SUPPLY, INC
28. K R C SAFETY CO. INC
29. KA`PEL CONSTRUCTION INC
30. KERN COUNTY CUSTOM CONCRETE
31. KIONA LANDSCAPING
32. MAG-CON ENGINEERING AND CONSTRUCTION, INC
33. MC CULLOUGH CONSTRUCTION INC
34. MONROE CONSTRUCTION SALES
35. NATURAL INVESTIGATIONS COMPANY, LLC
36. NITTA EROSION CONTROL
37. NOR-CAL PUMP & WELL DRILLING, INC
38. OLIVEIRA FENCE, INC.
39. R. E. 5ERRANO INC.
40. RUPERT CONSTRUCTION SUPPLY, LLC
41. S.T. RHOADES CONSTRUCTION INC
42. SITE WORK SOLUTIONS, INC
43. SPECIALTY TRAFFIC 5YSTEMS
44. STONY CREEK GENERAL ENGINEERING
45. TRINITY VALLEY CONSULTING ENGINEERS, INC
46. TULLY CONSULTING GROUP
47. TYRRELL RESOURCES, INC
48. UMA HINMAN CONSULTING
49. WALLACE STRUCTURES
50. WHITE CAP READY MIX, INC

S.T. RHOADES CONSTRUCTION INC.

8585 COMMERCIAL WAY, REDDING, CA 96002
P.O. BOX 494520, REDDING, CA., 96049
530-223-9322, Fax 530-223-9222, License # 930684
MBE/SBE- 1247344,U/DBE-37693, UNIONS-OPERATORS, LABORERS

PROPOSAL

DBE # 37693

To: GENERAL CONTRACTORS
Attn: ESTIMATORS
Project: 02-3E7904
Bid date: 7/30/14

Date: 7/30/14

Item	Description	Quantity	UM	Unit Price	Amount
35	Prepare Concrete Bridge Deck	5,096	sqft	$ 1.15	$ 5,860.40
36	Furnish Polyster Concrete Overlay	540	cf	$ 87.00	$ 46,980.00
37	Place Polyester Overlay	5,096	sqft	$ 12.50	$ 63,700.00
105	Mobilization	1	ls	$ 17,250.00	$ 17,250.00
				Total:	$ 133,790.40

Notes:
- Proposal valid for 30 days, Allow 10 days for scheduling
- All monies and retentions to be released after acceptance by owner irregardless of contract clauses or project duration within 30 days of completed work.
- 30 days advanced notice required for schedule
- Traffic Control is included in this proposal

100% All

Include
- Price includes furnishing and installation unless otherwise noted.
- Includes for only 1 mobilization

Exclud
- Bonds
- Permits
- Fees
- Striping
- Staking
- Engineering
- Referencing
- Repair or replace asphalt damaged by others
- Permanent or temporary traffic control markers
- Temporary or permanent water pollution control
- Light Plants if needed.
- Costs associated with waivers of subrogation

Respectively Submitted,
Steve Rhoades
President

DBE

RECEIVED
J.F. SHEA CONST., INC.
JUL 30 2014
DIV. NO.
A/C NO.

CNJ

CNJ ENTERPRISES, INC.
P.O. BOX 15727 * SCOTTSDALE, ARIZONA 85267
TEL: 480/483-0989 * FAX: 480/907-1210 * EMAIL: vispol@aol.com

Contractor's License # 967058

RECEIVED
J.F. SHEA CONST., INC.
JUL 28 2014
DIV. NO.
A/C NO.

DATE: 7-28-2014

J.F. Shea Construction Cop., Inc.
17400 Clear Creek Rd.
Redding, CA 96001

VIA FAX: 530-246-9940

PROJECT: Caltrans #02-3E7904 Trinity County near Burnt Ranch to Mill Creek Rd

BID DATE: 7-30-2014

Quotation

Bid Item	Bid Item Description	Quantity	Unit Price	Estimated Total
73	**Prepare & Stain Concrete**	**4,000 sf**	**$ 5.75 sf**	**$ 23,000.00**

100%

- This quote includes product, and application of product. Pressure washing is included if necessary. Sandblasting is not included.
- Access and mechanical lift (if requested by Subcontractor) is to be provided by General Contractor.
- This quote includes one (1) mobility.
- Includes one (1) test panel.
- The price quoted is for schedules established during regular daytime shifts.
- Road closures will be provided by GC as needed by subcontractor.
- The price quoted is subject to change after 45 days from date of Quotation.

Respectfully submitted:

Bruce Feit

Bruce Feit

NOTE: IF THE BID DATE CHANGES THIS QUOTE WILL STILL BE EFFECTIVE.

Whitson Inc.
3167 Hwy 96 North Cont. Lic: 585179
Post Office Box 240
Willow Creek, California 95573
(530) 629-2324

RECEIVED
J.F. SHEA CONST., INC.
JUL 30 2014
DIV. NO.
A/C NO.

Quotation

July 30, 2014

To: Bidding Contractors
Project: Contract Number 02-3E7904
Engineer: Cal Trans

We will provide all labor and materials to do the work items listed below. We have comprehensive general liability insurance. We will provide weekly certified pay reports. We can provide bonding for 1.2 % of total sub contract. Addendum 1 & 2 Acknowledged.

Item 7 Code #128601 TEMPORARY SIGNAL SYSTEM

LUMP SUM PRICE: $ 178,620.00

100%

Includes generators, Transfer switch, fuel and maintenance. Price does not include Flagging or Traffic Control. We need about three weeks of traffic control to install and take down system.

Respectfully Submitted,

Rick Reinhard

Rick Reinhard
General Manager

Our Phone is 530-629-2324. **Fax is 530-629-3774.**

APEX FENCE CO., INC.

Since 1970

CA.LIC.269127/NV.LIC.0022365
19898 ALEXANDER AVE.
P.O. BOX 545
ANDERSON, CA 96007

SBE NO. 11760531
UNION CONTRACTOR
HUB ZONE CERTIFIED

TELEPHONE 530-365-3316
FAX 530-365-5478
BOND RATE 1%

QUOTATION: FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TI 0.9 MILE WEST OF MILL CREEK ROAD. IN DISTRICT 02 ON ROUTE 299. CONTRACT NO. 02-3E7904

BID DATE: July 30, 2014

THE FOLLOWING QUOTATION ON THE ABOVE MENTIONED PROJECT IS HEREBY SUBMITTED ON THE ITEMS QUOTED. THE FOLLOWING QUOTATION INCLUDES TAX AND INSTALLATION. A MUTUALLY AGREEABLE SCHEDULE OF TIME WILL BE MADE PRIOR TO PERFORMING THE WORK. TRAFFIC CONTROL IS NOT INCLUDED. COST FOR ANY WATER POLLUTION CONTROL MEASURES OR SWPPP NOT INCLUDED. BONDABLE, BUT NO BONDS OR CONSTRUCTION STAKING INCLUDED IN THIS QUOTE. RETENTION BY THE CONTRACTOR SHALL NOT EXCEED THE AMOUNT WITHHELD BY THE OWNER. ALL RETENTION TO BE RELEASED WITHIN 30 DAYS AFTER COMPLETION AND ACCEPTANCE BY THE OWNER. THIS WOULD APPLY TO APEX FENCE'S ITEMS OF WORK. THIS QUOTE GOOD FOR ONLY 30 DAYS AFTER BID DATE. ATTORNEY FEES, IN THE EVENT LEGAL ACTION IS TAKEN TO ENFORCE ANY ITEM OF THIS AGREEMENT, WILL BE BORN BY THE OWNER AND ANY MONIES SPENT BY APEX FENCE CO. TO ENFORCE PAYMENT OF THIS AGREEMENT WILL BE BORE TO THE GENERAL CONTRACTOR

ITEM #	QTY	U/M	DESCRIPTION	UNIT PRICE	TOTAL
24	1611	LB	TREATED WOOD WASTE	$0.50	$805.50
27	400	LF	REMOVE GUARDRAIL	$3.50	$1,400.00
70%-60	200	SQFT	EARTH RETAINING SYSTEM (RAILING COMPONENTS)	$40.00	$8,000.00
72	1	LS	STAIN GALVANIZED SURFACES	$12,000.00	$12,000.00
88	45	EA	DELINEATOR (CLASS 2)	$45.00	$2,025.00
89	1	EA	MILEPOST MARKER	$50.00	$50.00
90	17	EA	MARKER (CULVERT)	$45.00	$765.00
91	1	EA	OBJECT MARKER (TYPE P)	$85.00	$85.00
92	1640	LF	METAL BEAM GUARD RAILING (7' POST)	$26.00	$42,640.00
93	590	SQYD	VEGETATION CONTROL (MINOR CONCRETE)	$55.00	$32,450.00
94	776	LF	TUBULAR BICYCLE RAILING	$105.00	$81,480.00
95	63	LF	SINGLE THRIE BEAM BARRIER (STEEL POST)	$50.00	$3,150.00
96	1	EA	TRANSITION RAILING (TYPE STB)	$3,500.00	$3,500.00
97	3	EA	TRANSITION RAILING (TYPE WB)	$3,000.00	$9,000.00
98	3	EA	END ANCHOR ASSEMBLY (TYPE SFT)	$600.00	$1,800.00
99	2	EA	INTERMEDIATE ANCHOR ASSEM. (MOD.TYPE SFT)	$600.00	$1,200.00
100	1	EA	ALTERNATIVE IN-LINE TERMINAL SYSTEM	$3,000.00	$3,000.00

100% ALL EXCEPT #60

ITEM 60 INCLUDES INSTALLATION OF POST, RAIL AND FABRIC BACKFILL AND COMPACTION TO DONE BY OTHERS.

ITEM 94 ANCHOR HARDWARE SUPPLIED BY APEX INSTALLED BY OTHERS. EXCLUDES EPOXY CAPSULES

SUB GRADE FOR VEGETATION CONCRETE DONE BY OTHERS

$ 74,495.50

RECEIVED
J.F. SHEA CONST., INC.
JUL 29 2014
DIV. NO.
A/C NO.

MBGR TRAFFIC DAYS (6)
DELINEATOR TRAFFIC DAYS (1)
CONCRETE TRAFFIC DAYS (4)
TUBULAR BICYCLE RAILING TRAFFIC DAYS (3)
INCLUDES (1) MOVE IN, ADDITIONAL MOVE INS $2,500.00 EA

ITEMS DON'T INCLUDE CLEARING OR GRUBBING
ITEMS DON'T INCLUDE GRADE UNDER MBGR ITEMS
ITEMS DON'T INCLUDE SLEEVES FOR CONNECTIONS TO CONCRETE BARRIER

PRIME TO MARK ALL USA, APEX WILL CALL IN THE TAG.

TOTAL $203,350.50

SINCERELY,
APEX FENCE CO.,INC.

DAVID PARMER/VICE-PRESIDENT
GENERAL SUPERINTENDENT

DIRT & AGGREGATE
INTERCHANGE, INC.

QUOTATION

RECEIVED
J.F. SHEA CONST., INC.
JUL 29 2014
DIV. NO.
A/C NO.

DATE: 7/29/2014

TO: J.F. SHEA CONSTRUCTION Attn: ESTIMATOR FAX: 530-246-9940

Project Name: 02-3E7904 CONSTRUCT SIDEHILL VIADUCTS
Owner: CALTRANS
Bid Date & Time: 7/30/14 2:00PM

Item	Description	Qty	U/M	Unit Price	Extended
24	Treated Wood Waste	1610	LB	$0.20	$322.00
27	Remove Guardrail	400	LF	$5.00	$2,000.00
60	Earth Retaining System (Railing Componits)	200	SQFT	$34.00	$6,800.00
92	Metal Beam Guardrailing (7 Ft Post)	1640	LF	$25.00	$41,000.00
95	Single Thrie Beam Railing (Steel Post)	63	LF	$75.00	$4,725.00
96	Transition Railing (Type STB)	1	EA	$4,000.00	$4,000.00
97	Transition Railing (Type WB)	3	EA	$4,000.00	$12,000.00
98	End Anchor Assembly (Type SFT)	3	EA	$1,250.00	$3,750.00
99	Intermediate Anchor Assembly (Mod. Type SFT)	2	EA	$1,250.00	$2,500.00
100	Alternative In-Line Terminal System	1	EA	$2,803.00	$2,803.00
105	Mobilization	1	LS	$5,000.00	$5,000.00
				TOTAL:	$84,900.00

Stipulations:

- Bond not included.
- No traffic control. No Survey Work.
- Excludes all dirt work and concrete work on guardrail items.
- Exlcudes erosion control.
- Price based on 1 mobilization.
- Extra mobilization = $5,000.00 per mobilization.
- 10 Working days.
- California UDBE Certified #CT-000020.

Due to continued and unpredictable increases in material costs and resulting delays in delivery of such materials, the prices and delivery dates quoted herein will automatically expire thirty (30) days from the above date, unless accepted in writing prior to that date.

Thank you for your consideration.

DIRT and AGGREGATE INTERCHANGE, INC.

Signed: William Smith

We are a Minority Business Enterprise
OR DBE #493, OR CCB# 26599, WA CCB# DIRTAI192NP, WA DBE# D4 M0700 781
20905 NE Sandy Blvd, Fairview, OR 97024 Phone: 503-661-5093 Fax: 503-669-1192

. List the names and dates of each publication in which a request for DBE participation for this roject was placed by the bidder. Submit copies of published advertisements or proofs of publication:

blications : Shasta Builders Exchange
tes of Advertisement : 7/2/14 - 7/30/14

blications : Construction Up-Date
tes of Advertisement : 7/3/14,7/10/14,7

blications : Minority Bidders Bulletin
tes of Advertisement : 7/7/14,7/14/14,7

blications : Reed Construction Data
tes of Advertisement : 7/2/14 - 7/30/14

. List the names of agencies and the dates on which they were contacted to provide assistance in ontacting, recruiting and using DBE firms. If the agencies were contacted in writing, provide opies of supporting documents.

: Reed Construction Data
rtisement : 7/2/14 - 7/30/14

names of agencies and the dates on which they were contacted to provide assistance in recruiting and using DBE firms. If the agencies were contacted in writing, provide pporting documents.

y : Caltrans Date of Contact : 7/2/14
tact: Online Results : Placed Online Ad Looking for St

y : DBE Goog Faith Date of Contact : 7/2/14
tact: Online / Emile Results : Placed AD, Called 50 DBEs 2 Tis

y : Date of Contact :
tact: Results :

y : Date of Contact :
tact: Results :

List efforts made to provide interested DBEs with adequate information about the plans, pecifications, and requirements of the contract to assist them in responding to a solicitation. dentify the DBE assisted, the information provided, and the date of contact. Provide copies of pporting documents.

ee Attached Advertising and Solicitaion

List efforts made to assist interested DBEs in obtaining bonding, lines of credit, insurance, ecessary equipment, supplies, materials, or related assistance or services, excluding supplies and quipment the DBE subcontractor purchases or leases from the prime contractor or its affiliate. dentify the DBE assisted, the assistance offered, and the date. Provide copies of supporting documents.

ee Attached Advertising and Solicitaion

Include additional data to support a demonstration of good faith efforts.

TE: USE ADDITIONAL SHEETS OF PAPER IF NECESSARY.

Bid Total: 4,94

Good Faith Efforts Documentation - DBE Page 1 of 3 - # 1 - Item of Work Offered to Subcontractors

State of California Department of Transportation - CALTRANS
Contract # 02-3E7904
Good Faith Efforts Documentation - DBE
DES-OE-0102.11A (New 06/2012)
Bid Date: 7/30/14 @ 2 PM

J.F. Shea Construction, Inc.

#:	Item of Work Offered:	Bidder Normally Performs item: (Y/N)	Item Broken Down to Facilitate Participation : (Y/N)	Amount: ($)	Percentage of Contract: (%)
1	LEAD COMPLIANCE PLAN	N	Y	$2,500.00	0.05%
2	CONSTRUCTION AREA SIGNS	N	Y	$25,000.00	0.51%
3	TRAFFIC CONTROL SYSTEM	N	Y	$50,000.00	1.01%
4	TEMPORARY PAVEMENT MARKING (TAPE)	N	Y	$624.00	0.01%
5	TEMPORARY TRAFFIC STRIPE (PAINT)	N	Y	$4,200.00	0.08%
6	CHANNELIZER (SURFACE MOUNTED)	N	Y	$2,210.00	0.04%
7	TEMPORARY SIGNAL SYSTEM	N	Y	$205,000.00	4.14%
8	PORTABLE CHANGEABLE MESSAGE SIGN (LS)	N	Y	$40,000.00	0.81%
9	TEMPORARY RAILING (TYPE K)	Y	Y	$51,800.00	1.05%
10	TEMPORARY CRASH CUSHION	Y	Y	$12,000.00	0.24%
11	JOB SITE MANAGEMENT	N	Y	$4,500.00	0.09%
12	PREPARE STORM WATER POLLUTION PREVENTION PLAN	N	Y	$18,000.00	0.36%
13	RAIN EVENT ACTION PLAN	N	Y	$21,500.00	0.43%
14	STORM WATER SAMPLING AND ANALYSIS DAY	N	Y	$30,000.00	0.61%
15	STORM WATER ANNUAL REPORT	N	Y	$6,000.00	0.12%
16	TEMPORARY COVER	N	Y	$10,000.00	0.20%
17	TEMPORARY CHECK DAM	N	Y	$7,040.00	0.14%
18	TEMPORARY DRAINAGE INLET PROTECTION	N	Y	$1,800.00	0.04%
19	TEMPORARY CONSTRUCTION ENTRANCE	N	Y	$10,000.00	0.20%
20	STREET SWEEPING	N	Y	$12,000.00	0.24%
21	TEMPORARY CONCRETE WASHOUT	N	Y	$3,000.00	0.06%
22	ASBESTOS COMPLIANCE PLAN	N	Y	$2,200.00	0.04%
23	TEMPORARY FENCE (TYPE ESA)	N	Y	$5,225.00	0.11%
24	TREATED WOOD WASTE	N	Y	$1,610.00	0.03%
25	CONTRACTOR-SUPPLIED BIOLOGIST (LS)	N	Y	$20,000.00	0.40%
26	DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS)	N	Y	$2,500.00	0.05%
27	REMOVE GUARDRAIL	N	Y	$1,600.00	0.03%
28	REMOVE THERMOPLASTIC TRAFFIC STRIPE	N	Y	$4,200.00	0.08%
29	REMOVE ROADSIDE SIGN	N	Y	$660.00	0.01%
30	REMOVE CULVERT (LF)	N	Y	$4,080.00	0.08%
31	REMOVE INLET	N	Y	$6,500.00	0.13%
32	REMOVE HEADWALL	N	Y	$6,000.00	0.12%
33	RECONSTRUCT RUBBLE WALL	N	Y	$5,500.00	0.11%
34	COLD PLANE ASPHALT CONCRETE PAVEMENT	N	Y	$6,480.00	0.13%
35	PREPARE CONCRETE BRIDGE DECK SURFACE	Y	Y	$5,096.00	0.10%
36	FURNISH POLYESTER CONCRETE OVERLAY	Y	Y	$40,500.00	0.82%
37 (F)	PLACE POLYESTER CONCRETE OVERLAY	Y	Y	$48,412.00	0.98%
38	CLEARING AND GRUBBING (LS)	N	Y	$25,000.00	0.51%
39	DEVELOP WATER SUPPLY	N	Y	$22,000.00	0.44%
40	ROADWAY EXCAVATION	Y	Y	$438,000.00	8.85%
41	SHOULDER BACKING	Y	Y	$20,000.00	0.40%
42 (F)	STRUCTURE EXCAVATION (BRIDGE)	N	Y	$89,000.00	1.80%
43 (F)	STRUCTURE BACKFILL (BRIDGE)	N	Y	$9,230.00	0.19%
44	IMPORTED BORROW (CY)	Y	Y	$523,800.00	10.59%
45	EROSION CONTROL (BONDED FIBER MATRIX) (SQFT)	N	Y	$30,600.00	0.62%
46	ROLLED EROSION CONTROL PRODUCT (NETTING)	N	Y	$14,220.00	0.29%
47	ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP)	N	Y	$65,560.00	1.33%
48	HYDROMULCH	N	Y	$12,000.00	0.24%
49	COMPOST SOCK	N	Y	$15,860.00	0.32%
50	HYDROSEED (SEED MIX 1)	N	Y	$42,000.00	0.85%
51	HYDROSEED (SEED MIX 2)	N	Y	$9,480.00	0.19%
52	COMPOST	N	Y	$22,550.00	0.46%
53	INCORPORATE MATERIALS	N	Y	$27,650.00	0.56%
54	FINISHING ROADWAY	N	Y	$5,500.00	0.11%

55	CLASS 2 AGGREGATE BASE (CY)	Y	Y	$149,100.00	3.01%
56	HOT MIX ASPHALT (TYPE A)	Y	Y	$570,000.00	11.52%
57	PLACE HOT MIX ASPHALT DIKE (TYPE F)	N	Y	$5,400.00	0.11%
58	PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA)	N	Y	$3,900.00	0.08%
59	TACK COAT	N	Y	$4,320.00	0.09%
60	EARTH RETAINING SYSTEM (RAILING COMPONENTS)	N	Y	$23,200.00	0.47%
61	24" CAST-IN-DRILLED-HOLE CONCRETE PILING	N	Y	$32,200.00	0.65%
62	16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET)	N	Y	$24,035.00	0.49%
63	24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET)	N	Y	$160,992.00	3.25%
64 (F)	STRUCTURAL CONCRETE, BRIDGE	Y	Y	$604,800.00	12.22%
65 (F)	STRUCTURAL CONCRETE, BARRIER SLAB	Y	Y	$119,250.00	2.41%
66 (F)	MINOR CONCRETE (MINOR STRUCTURE)	N	Y	$31,620.00	0.64%
67	JOINT SEAL (MR 1")	N	Y	$3,500.00	0.07%
68 (F)	BAR REINFORCING STEEL (BRIDGE)	N	Y	$153,528.00	3.10%
69 (F)	BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE)	N	Y	$72,058.00	1.46%
70	FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED)	N	Y	$450.00	0.01%
71	ROADSIDE SIGN - ONE POST	N	Y	$2,000.00	0.04%
72	STAIN GALVANIZED SURFACES	N	Y	$14,000.00	0.28%
73	PREPARE AND STAIN CONCRETE	N	Y	$32,000.00	0.65%
74 (F)	CONCRETE BACKFILL (PIPE TRENCH)	N	Y	$4,750.00	0.10%
75	18" PLASTIC PIPE	N	Y	$7,000.00	0.14%
76	24" PLASTIC PIPE	N	Y	$7,520.00	0.15%
77	12" CORRUGATED STEEL PIPE (.079" THICK)	N	Y	$1,600.00	0.03%
78	24" CORRUGATED STEEL PIPE (.138" THICK)	N	Y	$53,200.00	1.08%
79	8" PERFORATED PLASTIC PIPE	N	Y	$3,600.00	0.07%
80	12" CORRUGATED STEEL PIPE DOWNDRAIN	N	Y	$7,200.00	0.15%
81	12" ANCHOR ASSEMBLY	N	Y	$1,800.00	0.04%
82	SMALL-ROCK SLOPE PROTECTION	N	Y	$9,300.00	0.19%
83	ROCK SLOPE PROTECTION (FACING, METHOD B) (CY)	N	Y	$108,000.00	2.18%
84	ROCK SLOPE PROTECTION FABRIC (CLASS 8)	N	Y	$660.00	0.01%
85	MINOR CONCRETE (CURB) (CY)	N	Y	$6,820.00	0.14%
86 (F)	MISCELLANEOUS IRON AND STEEL	N	Y	$4,350.00	0.09%
87 (F)	MISCELLANEOUS METAL (BRIDGE)	N	Y	$10,865.00	0.22%
88	DELINEATOR (CLASS 2)	N	Y	$2,250.00	0.05%
89	MILEPOST MARKER	N	Y	$55.00	0.00%
90	MARKER (CULVERT)	N	Y	$850.00	0.02%
91	OBJECT MARKER (TYPE P)	N	Y	$100.00	0.00%
92	METAL BEAM GUARD RAILING (7' POST)	N	Y	$49,200.00	0.99%
93	VEGETATION CONTROL (MINOR CONCRETE)	N	Y	$50,150.00	1.01%
94	TUBULAR BICYCLE RAILING	N	Y	$93,120.00	1.88%
95	SINGLE THRIE BEAM BARRIER (STEEL POST)	N	Y	$3,780.00	0.08%
96	TRANSITION RAILING (TYPE STB)	N	Y	$4,000.00	0.08%
97	TRANSITION RAILING (TYPE WB)	N	Y	$10,500.00	0.21%
98	END ANCHOR ASSEMBLY (TYPE SFT)	N	Y	$2,400.00	0.05%
99	INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT)	N	Y	$1,600.00	0.03%
100	ALTERNATIVE IN-LINE TERMINAL SYSTEM	N	Y	$3,500.00	0.07%
101	CONCRETE BARRIER (TYPE 736 MODIFIED)	Y	Y	$131,460.00	2.66%
102	CONCRETE BARRIER (TYPE 736B MODIFIED)	Y	Y	$35,700.00	0.72%
103	THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE)	N	Y	$5,400.00	0.11%
104	PAVEMENT MARKER (RETROREFLECTIVE-RECESSED)	N	Y	$3,640.00	0.07%
105	MOBILIZATION	N	Y	$267,000.00	5.40%
				$4,947,910.00	**100.00%**

Good Faith Effort Documentation - DBE Page 2 of 3 - # 2 - Solicited DBE Subcontractors

State of California Department of Transportation - CALTRANS
Contract # 02-3E7904
Good Faith Efforts Documentation - DBE
Bid Date: 7/30/14 @ 2 PM
J.F. Shea Construction, Inc.
List of Solicited DBE Subcontractors

1	6 RIVERS CONSTRUCTION, INC.
2	A B S L CONSTRUCTION
3	A C DIKE CO
4	A F M ENVIRONMENTAL INC.
5	A S CONTRACTORS, INC.
6	ALLEN GILL CONSTRUCTION, INC.
7	AUSTIN ENTERPRISE
8	AZCO
9	BAY LINE CUTTING & CORING, INC.
10	CHARLIE'S CUSTOM EXCAVATING, INC.
11	CLEAR CREEK CONSTRUCTION
12	CMC TRAFFIC CONTROL
13	COMBINED EFFORT INC
14	CONSTRUCTION AREA SIGNS, INC
15	DIRT & AGGREGATE INTERCHANGE, INC
16	DISABLED AMERICAN VETERAN ENT. TRUCKING & SWEEPING
17	EAGLE ENGINEERING AND CONSTRUCTION, INC
18	ERNEST B. DEE
19	FCS STRIPING, SEALING AND PAVING, INC.
20	FRANK MEDINA GENERAL ENGINEERING CONTRACTOR
21	GALLAWAY ENTERPRISES, INC
22	GENERAL SUPPLY COMPANY
23	GR SUNDBERG, INC.
24	GREEN BUILDING PRODUCTS, INC
25	HAMANAKA PAINTING CO.
26	K & G CONCRETE INC
27	K & K CONSTRUCTION SUPPLY, INC
28	K R C SAFETY CO. INC
29	KA`PEL CONSTRUCTION INC
30	KERN COUNTY CUSTOM CONCRETE
31	KIONA LANDSCAPING
32	MAG-CON ENGINEERING AND CONSTRUCTION, INC
33	MC CULLOUGH CONSTRUCTION INC
34	MONROE CONSTRUCTION SALES
35	NATURAL INVESTIGATIONS COMPANY, LLC
36	NITTA EROSION CONTROL
37	NOR-CAL PUMP & WELL DRILLING, INC
38	OLIVEIRA FENCE, INC.
39	R. E. SERRANO INC.
40	RUPERT CONSTRUCTION SUPPLY, LLC
41	S.T. RHOADES CONSTRUCTION INC
42	SITE WORK SOLUTIONS, INC
43	SPECIALTY TRAFFIC SYSTEMS
44	STONY CREEK GENERAL ENGINEERING
45	TRINITY VALLEY CONSULTING ENGINEERS, INC
46	TULLY CONSULTING GROUP
47	TYRRELL RESOURCES, INC
48	UMA HINMAN CONSULTING
49	WALLACE STRUCTURES
50	WHITE CAP READY MIX, INC

Good Faith Efforts

Documentation -

DBE Page 3 of 3 -

4 - Advertising Back-Up

* * * Communication Result Report (Jul. 2. 2014 1:10PM) * * *

1) JF SHEA
2)

Date/Time: Jul. 2. 2014 1:09PM

File No.	Mode	Destination	Pg(s)	Result	Page Not Sent
6630	Memory TX	92212140	P. 3	OK	

RECEIVED
J.F. SHEA CONST., INC.
JUL 02 2014
DIV. NO.
A/C NO.

Reason for error
E. 1) Hang up or line fail
E. 2) Busy
E. 3) No answer
E. 4) No facsimile connection
E. 5) Exceeded max. E-mail size
E. 6) Destination does not support IP-Fax

221-2140

Listing Only ☒ Place Ad ☑

AEOE, MBE, WBE, SBE, DBE & DVBE REQUEST FORM

LISTING ONLY

Date _____ Time _____

Company Name: J. F. Shea Construction, Inc.

Phone: 530) 246-4282

Fax: 530) 246-9940

Contact Person:

Job Location:
Job Name:
Job Number:
Bid Date: _____ Bid Time: _____

Job Location:
Job Name:
Job Number:
Bid Date: _____ Bid Time: _____

Non-Member Payment

Payment:
Billed
Amount $
Date Received

Bulletin

Listing Was Done:
Ad Was Done:

LISTING & AD

Date 7/2/14 Time 12:30 PM

Company Name: J. F. Shea Construction, Inc.

Address: P. O. Box 494519

City, State, Zip: Redding, Ca. 96049-4519

Phone: 530) 246-4282

Fax: 530) 246-9940

License #:

Per:

Contact Person: Stacy Dutra

Place Ad on These Dates: ASAP - please run until bid date, thanks!

Job Location: Near Burnt Ranch, CA - Trinity County
Job Name: Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
Job Number: Contract # 02-3E7904
Bid Date: 7/30/14 Time: 2:00 PM

Place Ad on These Dates:

Job Location:
Job Name:
Job Number:
Bid Date: _____ Time: _____

Fax #: (530) 221-2140

221-2140

Listing Only ☒ Place Ad ☑

AEOE, MBE, WBE, SBE, DBE & DVBE REQUEST FORM

LISTING ONLY

Date _____ Time _____

Company Name:
J. F. Shea Construction, Inc.

Phone:
530) 246-4292

Fax:
530) 246-9940

Contact Person:

Job Location:

Job Name:

Job Number:

Bid Date: _____ Bid Time: _____

Job Location:

Job Name:

Job Number:

Bid Date: _____ Bid Time: _____

Members $20/Week Non-Members $40/Week

Non-Member Payment

Payment
Mailed
Amount $ _____
Date Received _____

Bulletin

Date Listing Was Done: _____
Date Ad Was Done: _____

LISTING & AD

Date 7/2/14 Time 12:30 PM

Company Name:
J. F. Shea Construction, Inc.

Address:
P. O. Box 494519

City, State, Zip:
Redding, Ca. 96049-4519

Phone:
530) 246-4292

Fax:
530) 246-9940

License #:
769989 A

Per:

Contact Person: Stacy Dutra

Place Ad on These Dates:
ASAP - please run until bid date, thanks!

Job Location: Near Burnt Ranch, CA - Trinity County
Job Name: Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
Job Number: Contract # 02-3E7904
Bid Date: 7/30/14 Time: 2:00 PM

Place Ad on These Dates:

Job Location:

Job Name:

Job Number:

Bid Date: _____ Time: _____

Fax #: (530) 221-2140

REQUEST FOR QUALIFIED UDBE/DBE
SUBCONTRACTORS & SUPPLIERS FOR:

State of California Department of Transportation - Caltrans
Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR
BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD
Trinity County
Contract #: 02-3E7904
Engineers Estimate: $4,270,000.00
Bid Date: 7/30/2014 @ 2 PM
Goal: 9 % DBE

J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to:

1	LEAD COMPLIANCE PLAN
2	CONSTRUCTION AREA SIGNS
3	TRAFFIC CONTROL SYSTEM
4	TEMPORARY PAVEMENT MARKING (TAPE)
5	TEMPORARY TRAFFIC STRIPE (PAINT)
6	CHANNELIZER (SURFACE MOUNTED)
7	TEMPORARY SIGNAL SYSTEM
8	PORTABLE CHANGEABLE MESSAGE SIGN (LS)
9	TEMPORARY RAILING (TYPE K)
10	TEMPORARY CRASH CUSHION
11	JOB SITE MANAGEMENT
12	PREPARE STORM WATER POLLUTION PREVENTION PLAN
13	RAIN EVENT ACTION PLAN
14	STORM WATER SAMPLING AND ANALYSIS DAY
15	STORM WATER ANNUAL REPORT
16	TEMPORARY COVER
17	TEMPORARY CHECK DAM
18	TEMPORARY DRAINAGE INLET PROTECTION
19	TEMPORARY CONSTRUCTION ENTRANCE
20	STREET SWEEPING
21	TEMPORARY CONCRETE WASHOUT
22	ASBESTOS COMPLIANCE PLAN
23	TEMPORARY FENCE (TYPE ESA)
24	TREATED WOOD WASTE
25	CONTRACTOR-SUPPLIED BIOLOGIST (LS)
26	DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS)
27	REMOVE GUARDRAIL
28	REMOVE THERMOPLASTIC TRAFFIC STRIPE
29	REMOVE ROADSIDE SIGN
30	REMOVE CULVERT (LF)
31	REMOVE INLET
32	REMOVE HEADWALL
33	RECONSTRUCT RUBBLE WALL
34	COLD PLANE ASPHALT CONCRETE PAVEMENT
35	PREPARE CONCRETE BRIDGE DECK SURFACE
36	FURNISH POLYESTER CONCRETE OVERLAY
37 (F)	PLACE POLYESTER CONCRETE OVERLAY
38	CLEARING AND GRUBBING (LS)
39	DEVELOP WATER SUPPLY
40	ROADWAY EXCAVATION
41	SHOULDER BACKING
42 (F)	STRUCTURE EXCAVATION (BRIDGE)
43 (F)	STRUCTURE BACKFILL (BRIDGE)
44	IMPORTED BORROW (CY)
45	EROSION CONTROL (BONDED FIBER MATRIX) (SQFT)
46	ROLLED EROSION CONTROL PRODUCT (NETTING)
47	ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP)
48	HYDROMULCH
49	COMPOST SOCK
50	HYDROSEED (SEED MIX 1)
51	HYDROSEED (SEED MIX 2)
52	COMPOST
53	INCORPORATE MATERIALS
54	FINISHING ROADWAY
55	CLASS 2 AGGREGATE BASE (CY)
56	HOT MIX ASPHALT (TYPE A)
57	PLACE HOT MIX ASPHALT DIKE (TYPE F)
58	PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA)
59	TACK COAT

60	EARTH RETAINING SYSTEM (RAILING COMPONENTS)
61	24" CAST-IN-DRILLED-HOLE CONCRETE PILING
62	16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET)
63	24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET)
64 (F)	STRUCTURAL CONCRETE, BRIDGE
65 (F)	STRUCTURAL CONCRETE, BARRIER SLAB
66 (F)	MINOR CONCRETE (MINOR STRUCTURE)
67	JOINT SEAL (MR 1")
68 (F)	BAR REINFORCING STEEL (BRIDGE)
69 (F)	BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE)
70	FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED)
71	ROADSIDE SIGN - ONE POST
72	STAIN GALVANIZED SURFACES
73	PREPARE AND STAIN CONCRETE
74 (F)	CONCRETE BACKFILL (PIPE TRENCH)
75	18" PLASTIC PIPE
76	24" PLASTIC PIPE
77	12" CORRUGATED STEEL PIPE (.079" THICK)
78	24" CORRUGATED STEEL PIPE (.138" THICK)
79	8" PERFORATED PLASTIC PIPE
80	12" CORRUGATED STEEL PIPE DOWNDRAIN
81	12" ANCHOR ASSEMBLY
82	SMALL-ROCK SLOPE PROTECTION
83	ROCK SLOPE PROTECTION (FACING, METHOD B) (CY)
84	ROCK SLOPE PROTECTION FABRIC (CLASS 8)
85	MINOR CONCRETE (CURB) (CY)
86 (F)	MISCELLANEOUS IRON AND STEEL
87 (F)	MISCELLANEOUS METAL (BRIDGE)
88	DELINEATOR (CLASS 2)
89	MILEPOST MARKER
90	MARKER (CULVERT)
91	OBJECT MARKER (TYPE P)
92	METAL BEAM GUARD RAILING (7' POST)
93	VEGETATION CONTROL (MINOR CONCRETE)
94	TUBULAR BICYCLE RAILING
95	SINGLE THRIE BEAM BARRIER (STEEL PDST)
96	TRANSITION RAILING (TYPE STB)
97	TRANSITION RAILING (TYPE WB)
98	END ANCHOR ASSEMBLY (TYPE SFT)
99	INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT)
100	ALTERNATIVE IN-LINE TERMINAL SYSTEM
101	CONCRETE BARRIER (TYPE 736 MODIFIED)
102	CONCRETE BARRIER (TYPE 736B MODIFIED)
103	THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE)
104	PAVEMENT MARKER (RETROREFLECTIVE-RECESSED)
105	MOBILIZATION

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages.

J. F. SHEA CONSTRUCTION, INC.
P.O. Box 494519 - Redding, CA 96049
Phone: (530) 246-4292 Fax: (530) 246-9940
An Equal Opportunity Employer

PUBLICATION AFFIDAVIT
DECLARATION OF PUBLICATION

FILE COPY

STATE OF CALIFORNIA

FILED

Suzie Davidson /Art Director

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR:

STATE OF CALIFORNIA DEPT. OF TRANSPORTATION - CALTRANS CONSTRUCT SIDEHILL VIADUCTS, PLACE HMA, INSTALL BARRIER RAILING FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH . FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD - CONTRACT #02-3E7904 ENGINEER'S ESTIMATE: $4,270,000.00

BID DATE: 7/30/14 @ 2:00 PM **GOAL: 9% DBE**

J.F. Shea Construction is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY C HECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; TREE SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING) (FLAP); HYDROMUCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYS (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST); STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE F); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J.F. Shea Construction, Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, CA 96001 or call for any additional needed project information. J.F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages.

RECEIVED
J.F. SHEA CONST., INC.
JUL 04 2014

J.F. SHEA CONSTRUCTION, INC. - STACY DUTRA
P.O. Box 494519, Redding, CA 96049
Phone: (530) 246-4292 - Fax: (530) 246-9940
An Equal Opportunity Employer

The undersigned declares:

I am over the age of 18 years and a citizen of the United States. I am not a party to and have no interest in this matter. I am principal clerk of the publisher of the Construction Up-Date, Inc, and Minority Bidders Bulletin, ~~a trade/focus~~ A/C NO. publication in the City of San Diego, the County of San Diego, and the State of California. This notice, a true copy hereon, was published on the below date(s):

I declare under penality of perjury that the foregoing is true and correct.
Executed at San Diego, California

Suzie Davidson
signature

CONSTRUCTION UP-DATE INC.

DATES PUBLISHED

Minority Bidders Bulletin C.U. Inc.'l

7/3/14, 7/10/14, 7/17/14, 7/24/14
TRADE PUBLICATION

7/7/14, 7/14/14, 7/21/14, 7/28/14
FOCUS PUBLICATION

ALSO DISPLAYED ON WEB SITE @ *http://www.goodfaitheffort.com*

16885 W. Bernardo Dr., Suite 335, San Diego, CA 92127 • Phone No. (858) 487-2600 • Fax Number (858) 487-3500

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR:

STATE OF CALIFORNIA DEPT. OF TRANSPORTATION - CALTRANS CONSTRUCT SIDEHILL VIADUCTS, PLACE HMA, INSTALL BARRIER RAILING FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD - CONTRACT #02-3E7904

ENGINEER'S ESTIMATE: $4,270,000.00

BID DATE: 7/30/14 @ 2:00 PM GOAL: 9% DBE

J.F. Shea Construction is requesting quotes from all qualified subcontractors and suppliers including certified **UDBE/DBE** firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED(); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY C HECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; TREE SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING) (FLAP); HYDROMUCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYS (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST); STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT), INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J.F. Shea Construction, Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, CA 96001 or call for any additional needed project information. J.F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages.

RECEIVED
J.F. SHEA CONST., INC.

J.F. SHEA CONSTRUCTION, INC. - STACY DUTRA
P.O. Box 494519, Redding, CA 96049
Phone: (530) 246-4292 • Fax: (530) 246-9940
An Equal Opportunity Employer

JUL 02 2014

DIV. NO.
MS NO.

* * * Communication Result Report (Jul. 2. 2014 1:11PM) * * *

1) JF SHEA
2)

Date/Time: Jul. 2. 2014 1:09PM

File No.	Mode	Destination	Pg(s)	Result	Page Not Sent
6631	Memory TX	918584873500	P. 3	OK	

RECEIVED
J.F. SHEA CONST., INC.

JUL 02 2014

DIV. NO.
A/C NO.

Reason for error
E. 1) Hang up or line fail
E. 2) Busy
E. 3) No answer
E. 4) No facsimile connection
E. 5) Exceeded max. E-mail size
E. 6) Destination does not support IP-Fax

PAGE 1/2

PRINT OUT THIS PAGE AND FAX IT TO: 858/457-3500

AD INFORMATION

SUB BIDS REQUESTED FROM QUALIFIED M/W/DBE/DVBE SUBCONTRACTORS AND SUPPLIERS

Project: " Construct Sidehill Viaducts, Place HMA, Install Barrier Railing "

Project Number: Contract # 02-3E7904

Project Location: Near Burnt Ranch, CA - Trinity County

Bid Date and Time: 7/30/14 @ 2:00 PM

Respond By: ASAP

Company Name: J.F. SHEA CONSTRUCTION

Contact Name: Stacy Dutra

Address/City/State/Zip: P.O. BOX 494519 REDDING, CA. 96049

Phone: (530) 246-4292

Fax: (530) 246-9940

Additional Information: - SEE ATTACHED -

GOAL: 9 % DBE

Run Ad On Following Dates: PLEASE RUN UNTIL BID DATE

Special Program Rate is only $48.00 $24.00 each insertion - max 2

Publication Dates & Advertising Deadlines
We publish every Monday and Thursday
To place your ad in Monday's Minority Bidder's Bulletin, the deadline is 4:00 P.M. on Friday
To Place an ad in Thursday's Construction Update the deadline is 4:00 P.M. on Wednesday

http://www.goodfaitheffort.com/placeads.htm

3/12/2008

PRINT OUT THIS PAGE AND FAX IT TO: 858/487-3500

AD INFORMATION

SUB BIDS REQUESTED FROM QUALIFIED M/W/DBE/DVBE SUBCONTRACTORS AND SUPPLIERS

Project
* Construct Sidehill Viaducts, Place HMA, Install Barrier Railing *

Project Number	Project Location
Contract # 02-3E7904	Near Burnt Ranch, CA - Trinity County
Bid Date and Time	**Respond By**
7/30/14 @ 2:00 PM	ASAP
Company Name	**Contact Name**
J.F. SHEA CONSTRUCTION	Stacy Dutra

Address/City/State/Zip
P.O. BOX 494519 REDDING, CA. 96049

Phone	Fax
(530) 246-4292	(530) 246-9940

Additional Information
- SEE ATTACHED -

GOAL: 9 % DBE

Run Ad On Following Dates
PLEASE RUN UNTIL BID DATE

Special Program Rate is only
$48.00
$24.00 each insertion - min 2

Publishing Dates & Advertising Deadlines
We publish every Monday and Thursday
To place and ad in Monday's Minority Bidder's Bulletin
the deadline is 4:00 P.M. on Friday
To Place an ad in Thursday's Construction Update
the deadline is 4:00 P.M. on Wednesday

REQUEST FOR QUALIFIED UDBE/DBE
SUBCONTRACTORS & SUPPLIERS FOR:

State of California Department of Transportation - Caltrans
Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR
BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD
Trinity County
Contract #: 02-3E7904
Engineers Estimate: $4,270,000.00
Bid Date: 7/30/2014 @ 2 PM
Goal: 9 % DBE

J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to:

1	LEAD COMPLIANCE PLAN
2	CONSTRUCTION AREA SIGNS
3	TRAFFIC CONTROL SYSTEM
4	TEMPORARY PAVEMENT MARKING (TAPE)
5	TEMPORARY TRAFFIC STRIPE (PAINT)
6	CHANNELIZER (SURFACE MOUNTED)
7	TEMPORARY SIGNAL SYSTEM
8	PORTABLE CHANGEABLE MESSAGE SIGN (LS)
9	TEMPORARY RAILING (TYPE K)
10	TEMPORARY CRASH CUSHION
11	JOB SITE MANAGEMENT
12	PREPARE STORM WATER POLLUTION PREVENTION PLAN
13	RAIN EVENT ACTION PLAN
14	STORM WATER SAMPLING AND ANALYSIS DAY
15	STORM WATER ANNUAL REPORT
16	TEMPORARY COVER
17	TEMPORARY CHECK DAM
18	TEMPORARY DRAINAGE INLET PROTECTION
19	TEMPORARY CONSTRUCTION ENTRANCE
20	STREET SWEEPING
21	TEMPORARY CONCRETE WASHOUT
22	ASBESTOS COMPLIANCE PLAN
23	TEMPORARY FENCE (TYPE ESA)
24	TREATED WOOD WASTE
25	CONTRACTOR-SUPPLIED BIOLOGIST (LS)
26	DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS)
27	REMOVE GUARDRAIL
28	REMOVE THERMOPLASTIC TRAFFIC STRIPE
29	REMOVE ROADSIDE SIGN
30	REMOVE CULVERT (LF)
31	REMOVE INLET
32	REMOVE HEADWALL
33	RECONSTRUCT RUBBLE WALL
34	COLD PLANE ASPHALT CONCRETE PAVEMENT
35	PREPARE CONCRETE BRIDGE DECK SURFACE
36	FURNISH POLYESTER CONCRETE OVERLAY
37 (F)	PLACE POLYESTER CONCRETE OVERLAY
38	CLEARING AND GRUBBING (LS)
39	DEVELOP WATER SUPPLY
40	ROADWAY EXCAVATION
41	SHOULDER BACKING
42 (F)	STRUCTURE EXCAVATION (BRIDGE)
43 (F)	STRUCTURE BACKFILL (BRIDGE)
44	IMPORTED BORROW (CY)
45	EROSION CONTROL (BONDED FIBER MATRIX) (SQFT)
46	ROLLED EROSION CONTROL PRODUCT (NETTING)
47	ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP)
48	HYDROMULCH
49	COMPOST SOCK
50	HYDROSEED (SEED MIX 1)
51	HYDROSEED (SEED MIX 2)
52	COMPOST
53	INCORPORATE MATERIALS
54	FINISHING ROADWAY
55	CLASS 2 AGGREGATE BASE (CY)
56	HOT MIX ASPHALT (TYPE A)
57	PLACE HOT MIX ASPHALT DIKE (TYPE F)
58	PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA)
59	TACK COAT

60	EARTH RETAINING SYSTEM (RAILING COMPONENTS)
61	24" CAST-IN-DRILLED-HOLE CONCRETE PILING
62	16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET)
63	24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET)
64 (F)	STRUCTURAL CONCRETE, BRIDGE
65 (F)	STRUCTURAL CONCRETE, BARRIER SLAB
66 (F)	MINOR CONCRETE (MINOR STRUCTURE)
67	JOINT SEAL (MR 1")
68 (F)	BAR REINFORCING STEEL (BRIDGE)
69 (F)	BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE)
70	FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED)
71	ROADSIDE SIGN - ONE POST
72	STAIN GALVANIZED SURFACES
73	PREPARE AND STAIN CONCRETE
74 (F)	CONCRETE BACKFILL (PIPE TRENCH)
75	18" PLASTIC PIPE
76	24" PLASTIC PIPE
77	12" CORRUGATED STEEL PIPE (.079" THICK)
78	24" CORRUGATED STEEL PIPE (.138" THICK)
79	8" PERFORATED PLASTIC PIPE
80	12" CORRUGATED STEEL PIPE DOWNDRAIN
81	12" ANCHOR ASSEMBLY
82	SMALL-ROCK SLOPE PROTECTION
83	ROCK SLOPE PROTECTION (FACING, METHOD B) (CY)
84	ROCK SLOPE PROTECTION FABRIC (CLASS 8)
85	MINOR CONCRETE (CURB) (CY)
86 (F)	MISCELLANEOUS IRON AND STEEL
87 (F)	MISCELLANEOUS METAL (BRIDGE)
88	DELINEATOR (CLASS 2)
89	MILEPOST MARKER
90	MARKER (CULVERT)
91	OBJECT MARKER (TYPE P)
92	METAL BEAM GUARD RAILING (7' POST)
93	VEGETATION CONTROL (MINOR CONCRETE)
94	TUBULAR BICYCLE RAILING
95	SINGLE THRIE BEAM BARRIER (STEEL POST)
96	TRANSITION RAILING (TYPE STB)
97	TRANSITION RAILING (TYPE WB)
98	END ANCHOR ASSEMBLY (TYPE SFT)
99	INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT)
100	ALTERNATIVE IN-LINE TERMINAL SYSTEM
101	CONCRETE BARRIER (TYPE 736 MODIFIED)
102	CONCRETE BARRIER (TYPE 736B MODIFIED)
103	THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE)
104	PAVEMENT MARKER (RETROREFLECTIVE-RECESSED)
105	MOBILIZATION

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages.

J. F. SHEA CONSTRUCTION, INC.
P.O. Box 494519 - Redding, CA 96049
Phone: (530) 246-4292 Fax: (530) 246-9940
An Equal Opportunity Employer

* * * Communication Result Report (Jul. 2. 2014 1:12PM) * * *

1) JF SHEA
2)

Date/Time: Jul. 2. 2014 1:09PM

File No.	Mode	Destination	Pg(s)	Result	Page Not Sent
6632	Memory TX	918006422437	P. 3	OK	

RECEIVED
J.F. SHEA CONST., INC.

JUL 02 2014

DIV. NO._____
A/C NO._____

Reason for error
E. 1) Hang up or line fail
E. 2) Busy
E. 3) No answer
E. 4) No facsimile connection
E. 5) Exceeded max. E-mail size
E. 6) Destination does not support IP-Fax

Reed Construction Data

Fax 800-642-2437

To Be Listed As A Bidder In
Daily Construction Service, Northern California

Bid Date	Owner	CMD Project No.	Project Title/Location
7/30/14 2:00 PM	Caltrans	Contract # 02-3E7904	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing - Near Burnt Ranch, CA - Trinity County

☐ Please call me for M/W/D/DVBE Advertising (or call Mild direct at 800-262-9747)

Company Name: J. F. Shea Construction, Inc.

Address: PO Box 494519 - Redding, Ca. 96049-4519

Ph: (530) 246-4282 Fax: (530) 246-9940 Requested By: Stacy Dutra

Reed Construction Data

Fax 800-642-2437

To Be Listed As A Bidder in
Daily Construction Service, Northern California

Bid Date	Owner	CMD Project No.	Project Title/Location
7/30/14 2:00 PM	Caltrans	Contract # 02-3E7904	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing - Near Burnt Ranch, CA - Trinity County

☐ Please call me for M/W/D/DVBE Advertising (or call Vikki direct at 800-242-9747)

Company Name: J. F. Shea Construction, Inc.

Address: PO Box 494519 - Redding, Ca. 96049-4519

Phr (530) 246-4292 Fax:(530) 246-9940 Requested By: Stacy Dutra

REQUEST FOR QUALIFIED UDBE/DBE
SUBCONTRACTORS & SUPPLIERS FOR:

State of California Department of Transportation - Caltrans
Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR
BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD
Trinity County
Contract #: 02-3E7904
Engineers Estimate: $4,270,000.00
Bid Date: 7/30/2014 @ 2 PM
Goal: 9 % DBE

J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to:

1	LEAD COMPLIANCE PLAN
2	CONSTRUCTION AREA SIGNS
3	TRAFFIC CONTROL SYSTEM
4	TEMPORARY PAVEMENT MARKING (TAPE)
5	TEMPORARY TRAFFIC STRIPE (PAINT)
6	CHANNELIZER (SURFACE MOUNTED)
7	TEMPORARY SIGNAL SYSTEM
8	PORTABLE CHANGEABLE MESSAGE SIGN (LS)
9	TEMPORARY RAILING (TYPE K)
10	TEMPORARY CRASH CUSHION
11	JOB SITE MANAGEMENT
12	PREPARE STORM WATER POLLUTION PREVENTION PLAN
13	RAIN EVENT ACTION PLAN
14	STORM WATER SAMPLING AND ANALYSIS DAY
15	STORM WATER ANNUAL REPORT
16	TEMPORARY COVER
17	TEMPORARY CHECK DAM
18	TEMPORARY DRAINAGE INLET PROTECTION
19	TEMPORARY CONSTRUCTION ENTRANCE
20	STREET SWEEPING
21	TEMPORARY CONCRETE WASHOUT
22	ASBESTOS COMPLIANCE PLAN
23	TEMPORARY FENCE (TYPE ESA)
24	TREATED WOOD WASTE
25	CONTRACTOR-SUPPLIED BIOLOGIST (LS)
26	DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS)
27	REMOVE GUARDRAIL
28	REMOVE THERMOPLASTIC TRAFFIC STRIPE
29	REMOVE ROADSIDE SIGN
30	REMOVE CULVERT (LF)
31	REMOVE INLET
32	REMOVE HEADWALL
33	RECONSTRUCT RUBBLE WALL
34	COLD PLANE ASPHALT CONCRETE PAVEMENT
35	PREPARE CONCRETE BRIDGE DECK SURFACE
36	FURNISH POLYESTER CONCRETE OVERLAY
37 (F)	PLACE POLYESTER CONCRETE OVERLAY
38	CLEARING AND GRUBBING (LS)
39	DEVELOP WATER SUPPLY
40	ROADWAY EXCAVATION
41	SHOULDER BACKING
42 (F)	STRUCTURE EXCAVATION (BRIDGE)
43 (F)	STRUCTURE BACKFILL (BRIDGE)
44	IMPORTED BORROW (CY)
45	EROSION CONTROL (BONDED FIBER MATRIX) (SQFT)
46	ROLLED EROSION CONTROL PRODUCT (NETTING)
47	ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP)
48	HYDROMULCH
49	COMPOST SOCK
50	HYDROSEED (SEED MIX 1)
51	HYDROSEED (SEED MIX 2)
52	COMPOST
53	INCORPORATE MATERIALS
54	FINISHING ROADWAY
55	CLASS 2 AGGREGATE BASE (CY)
56	HOT MIX ASPHALT (TYPE A)
57	PLACE HOT MIX ASPHALT DIKE (TYPE F)
58	PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA)
59	TACK COAT

60	EARTH RETAINING SYSTEM (RAILING COMPONENTS)
61	24" CAST-IN-DRILLED-HOLE CONCRETE PILING
62	16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET)
63	24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET)
64 (F)	STRUCTURAL CONCRETE, BRIDGE
65 (F)	STRUCTURAL CONCRETE, BARRIER SLAB
66 (F)	MINOR CONCRETE (MINOR STRUCTURE)
67	JOINT SEAL (MR 1")
68 (F)	BAR REINFORCING STEEL (BRIDGE)
69 (F)	BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE)
70	FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED)
71	ROADSIDE SIGN - ONE POST
72	STAIN GALVANIZED SURFACES
73	PREPARE AND STAIN CONCRETE
74 (F)	CONCRETE BACKFILL (PIPE TRENCH)
75	18" PLASTIC PIPE
76	24" PLASTIC PIPE
77	12" CORRUGATED STEEL PIPE (.079" THICK)
78	24" CORRUGATED STEEL PIPE (.138" THICK)
79	8" PERFORATED PLASTIC PIPE
80	12" CORRUGATED STEEL PIPE DOWNDRAIN
81	12" ANCHOR ASSEMBLY
82	SMALL-ROCK SLOPE PROTECTION
83	ROCK SLOPE PROTECTION (FACING, METHOD B) (CY)
84	ROCK SLOPE PROTECTION FABRIC (CLASS 8)
85	MINOR CONCRETE (CURB) (CY)
86 (F)	MISCELLANEOUS IRON AND STEEL
87 (F)	MISCELLANEOUS METAL (BRIDGE)
88	DELINEATOR (CLASS 2)
89	MILEPOST MARKER
90	MARKER (CULVERT)
91	OBJECT MARKER (TYPE P)
92	METAL BEAM GUARD RAILING (7' POST)
93	VEGETATION CONTROL (MINOR CONCRETE)
94	TUBULAR BICYCLE RAILING
95	SINGLE THRIE BEAM BARRIER (STEEL POST)
96	TRANSITION RAILING (TYPE STB)
97	TRANSITION RAILING (TYPE WB)
98	END ANCHOR ASSEMBLY (TYPE SFT)
99	INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT)
100	ALTERNATIVE IN-LINE TERMINAL SYSTEM
101	CONCRETE BARRIER (TYPE 736 MODIFIED)
102	CONCRETE BARRIER (TYPE 736B MODIFIED)
103	THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE)
104	PAVEMENT MARKER (RETROREFLECTIVE-RECESSED)
105	MOBILIZATION

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages.

J. F. SHEA CONSTRUCTION, INC.
P.O. Box 494519 - Redding, CA 96049
Phone: (530) 246-4292 Fax: (530) 246-9940
An Equal Opportunity Employer

Contractor: J. F. Shea Construction, Inc. **Contact:** Stacy Dutra
Address: 17400 Clear Creek Road Redding, CA 96001
Phone: 530-246-4292 **Fax:** 530-246-9940 **Email:** Stacy.Dutra@jfshea.com
Services needed: J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: 1 LEAD COMPLIANCE PLAN 2 CONSTRUCTION AREA SIGNS 3 TRAFFIC CONTROL SYSTEM 4 TEMPORARY PAVEMENT MARKING (TAPE) 5 TEMPORARY TRAFFIC STRIPE (PAINT) 6 CHANNELIZER (SURFACE MOUNTED) 7 TEMPORARY SIGNAL SYSTEM 8 PORTABLE CHANGEABLE MESSAGE SIGN (LS) 9 TEMPORARY RAILING (TYPE K) 10 TEMPORARY CRASH CUSHION 11 JOB SITE MANAGEMENT 12 PREPARE STORM WATER POLLUTION PREVENTION PLAN 13 RAIN EVENT ACTION PLAN 14 STORM WATER SAMPLING AND ANALYSIS DAY 15 STORM WATER ANNUAL REPORT 16 TEMPORARY COVER 17 TEMPORARY CHECK DAM 18 TEMPORARY DRAINAGE INLET PROTECTION 19 TEMPORARY CONSTRUCTION ENTRANCE 20 STREET SWEEPING 21 TEMPORARY CONCRETE WASHOUT 22 ASBESTOS COMPLIANCE PLAN 23 TEMPORARY FENCE (TYPE ESA) 24 TREATED WOOD WASTE 25 CONTRACTOR-SUPPLIED BIOLOGIST (LS) 26 DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS) 27 REMOVE GUARDRAIL 28 REMOVE THERMOPLASTIC TRAFFIC STRIPE 29 REMOVE ROADSIDE SIGN 30 REMOVE CULVERT (LF) 31 REMOVE INLET 32 REMOVE HEADWALL 33 RECONSTRUCT RUBBLE WALL 34 COLD PLANE ASPHALT CONCRETE PAVEMENT 35 PREPARE CONCRETE BRIDGE DECK SURFACE 36 FURNISH POLYESTER CONCRETE OVERLAY 37 (F) PLACE POLYESTER CONCRETE OVERLAY 38 CLEARING AND GRUBBING (LS) 39 DEVELOP WATER SUPPLY 40 ROADWAY EXCAVATION 41 SHOULDER BACKING 42 (F) STRUCTURE EXCAVATION (BRIDGE) 43 (F) STRUCTURE BACKFILL (BRIDGE) 44 IMPORTED BORROW (CY) 45 EROSION CONTROL (BONDED FIBER MATRIX) (SQFT) 46 ROLLED EROSION CONTROL PRODUCT (NETTING) 47 ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP) 48 HYDROMULCH 49 COMPOST SOCK 50 HYDROSEED (SEED MIX 1) 51 HYDROSEED (SEED MIX 2) 52 COMPOST 53 INCORPORATE MATERIALS 54 FINISHING ROADWAY 55 CLASS 2 AGGREGATE BASE (CY) 56 HOT MIX ASPHALT (TYPE A) 57 PLACE HOT MIX ASPHALT DIKE (TYPE F) 58 PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA) 59 TACK COAT 60 EARTH RETAINING SYSTEM (RAILING COMPONENTS) 61 24" CAST-IN-DRILLED-HOLE CONCRETE PILING 62 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET) 63 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET) 64 (F) STRUCTURAL CONCRETE, BRIDGE 65 (F) STRUCTURAL CONCRETE, BARRIER SLAB 66 (F) MINOR CONCRETE (MINOR STRUCTURE) 67 JOINT SEAL (MR 1") 68 (F) BAR REINFORCING STEEL (BRIDGE) 69 (F) BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE) 70 FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED) 71 ROADSIDE SIGN - ONE POST 72 STAIN GALVANIZED SURFACES 73 PREPARE AND STAIN CONCRETE 74 (F) CONCRETE BACKFILL (PIPE TRENCH) 75 18" PLASTIC PIPE 76 24" PLASTIC PIPE 77 12" CORRUGATED STEEL PIPE (.079" THICK) 78 24" CORRUGATED STEEL PIPE (.138" THICK) 79 8" PERFORATED PLASTIC PIPE 80 12" CORRUGATED STEEL PIPE DOWNDRAIN 81 12" ANCHOR ASSEMBLY 82 SMALL-ROCK SLOPE PROTECTION 83 ROCK SLOPE PROTECTION (FACING, METHOD B) (CY) 84 ROCK SLOPE PROTECTION FABRIC (CLASS 8) 85 MINOR CONCRETE (CURB) (CY) 86 (F) MISCELLANEOUS IRON AND STEEL 87 (F) MISCELLANEOUS METAL (BRIDGE) 88 DELINEATOR (CLASS 2) 89 MILEPOST MARKER 90 MARKER (CULVERT) 91 OBJECT MARKER (TYPE P) 92 METAL BEAM GUARD RAILING (7' POST) 93 VEGETATION CONTROL (MINOR CONCRETE) 94 TUBULAR BICYCLE RAILING 95 SINGLE THRIE BEAM BARRIER (STEEL POST) 96 TRANSITION RAILING (TYPE STB) 97 TRANSITION RAILING (TYPE WB) 98 END ANCHOR ASSEMBLY (TYPE SFT) 99 INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT) 100 ALTERNATIVE IN-LINE TERMINAL SYSTEM 101 CONCRETE BARRIER (TYPE 736 MODIFIED) 102 CONCRETE BARRIER (TYPE 736B MODIFIED) 103 THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE) 104 PAVEMENT MARKER (RETROREFLECTIVE-RECESSED) 105 MOBILIZATION
Requirements: J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor?s license, insurance coverage and worker?s compensation for the entire

length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. J. F. SHEA CONSTRUCTION, INC. P.O. Box 494519 - Redding, CA 96049 Phone: (530) 246-4292 Fax: (530) 246-9940 An Equal Opportunity Employer
Date posted: 07/02/2014

Stacy Dutra

From: Arya Rejaee <arya@dbegoodfaith.com>
Sent: Wednesday, July 02, 2014 4:02 PM
To: Stacy Dutra
Subject: Re: Customer Order
Attachments: QuerySubmit.pdf

yes per Kirk 7/2/14

Stacy,

We're working on your order, but I wanted to check in to see if you wanted to solicit 50 DBEs (an extra $75) instead of 25 DBEs. A search of the Caltrans DBE directory produced 164 results for Trinity County for the items you listed (see attached). Also, I grouped like sub-bid items and found that there were roughly 40 related categories (for example, I grouped the following items: 24" cast-in-drilled-hole concrete piling; 16" cast-in-drilled-hole concrete piling (rock socket); 24" cast-in-drilled-hole concrete piling (rock socket)), and I wasn't sure if you wanted us to select at least 1 company for each of these category groups.

Please let me know if you'd like us to stick with 25 or increase the number due to these factors.

Thanks,
Arya

Arya Rejaee
Director of Operations
DBE Goodfaith, Inc.
(877) 802-3394 Ext. 704
arya@dbegoodfaith.com

Also follow us on:

On 7/2/2014 5:47 PM, stacy.dutra@jfshea.com wrote:

Company Name	J.F. Shea Construction, Inc.
Address	17400 Clear Creek Road
City	Redding
State	California
Zip Code	96001
Phone	530-246-4292
Fax	530-246-9940
Certifications Sought - Separate by commas	DBE
Project Name	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
Agency Name	State of California Department of Transportation - CALTRANS

RECEIVED
J.F. SHEA CONST., INC.
JUL 02 2014
DIV. NO.
A/C NO.

Project City	Near Burnt Ranch
Project County	Trinity
Project State	California
Bid/Contract No.	02-3E7904
Contract Bid Date	07/30/2014
Contract Bid Time	02:00 PM
Second Call Date - Only complete field if selecting a Gold Package	07/21/2014
Project Details	REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans Construct Sidehill Viaducts, Place HMA, Install Barrier Railing FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD Trinity County Contract #: 02-3E7904 Engineers Estimate: $4,270,000.00 Bid Date: 7/30/2014 @ 2 PM Goal: 9 % DBE J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: 1 LEAD COMPLIANCE PLAN 2 CONSTRUCTION AREA SIGNS 3 TRAFFIC CONTROL SYSTEM 4 TEMPORARY PAVEMENT MARKING (TAPE) 5 TEMPORARY TRAFFIC STRIPE (PAINT) 6 CHANNELIZER (SURFACE MOUNTED) 7 TEMPORARY SIGNAL SYSTEM 8 PORTABLE CHANGEABLE MESSAGE SIGN (LS) 9 TEMPORARY RAILING (TYPE K) 10 TEMPORARY CRASH CUSHION 11 JOB SITE MANAGEMENT 12 PREPARE STORM WATER POLLUTION PREVENTION PLAN 13 RAIN EVENT ACTION PLAN 14 STORM WATER SAMPLING AND ANALYSIS DAY 15 STORM WATER ANNUAL REPORT 16 TEMPORARY COVER 17 TEMPORARY CHECK DAM 18 TEMPORARY DRAINAGE INLET PROTECTION 19 TEMPORARY CONSTRUCTION ENTRANCE 20 STREET SWEEPING 21 TEMPORARY CONCRETE WASHOUT 22 ASBESTOS COMPLIANCE PLAN 23 TEMPORARY FENCE (TYPE ESA)

RECEIVED
J.F. SHEA CONST., INC.

JUL 02 2014

DIV. NO._____
A/C NO._____

24 TREATED WOOD WASTE
25 CONTRACTOR-SUPPLIED BIOLOGIST (LS)
26 DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS)
27 REMOVE GUARDRAIL
28 REMOVE THERMOPLASTIC TRAFFIC STRIPE
29 REMOVE ROADSIDE SIGN
30 REMOVE CULVERT (LF)
31 REMOVE INLET
32 REMOVE HEADWALL
33 RECONSTRUCT RUBBLE WALL
34 COLD PLANE ASPHALT CONCRETE PAVEMENT
35 PREPARE CONCRETE BRIDGE DECK SURFACE
36 FURNISH POLYESTER CONCRETE OVERLAY
37 (F) PLACE POLYESTER CONCRETE OVERLAY
38 CLEARING AND GRUBBING (LS)
39 DEVELOP WATER SUPPLY
40 ROADWAY EXCAVATION
41 SHOULDER BACKING
42 (F) STRUCTURE EXCAVATION (BRIDGE)
43 (F) STRUCTURE BACKFILL (BRIDGE)
44 IMPORTED BORROW (CY)
45 EROSION CONTROL (BONDED FIBER MATRIX) (SQFT)
46 ROLLED EROSION CONTROL PRODUCT (NETTING)
47 ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP)
48 HYDROMULCH
49 COMPOST SOCK
50 HYDROSEED (SEED MIX 1)
51 HYDROSEED (SEED MIX 2)
52 COMPOST
53 INCORPORATE MATERIALS
54 FINISHING ROADWAY
55 CLASS 2 AGGREGATE BASE (CY)
56 HOT MIX ASPHALT (TYPE A)
57 PLACE HOT MIX ASPHALT DIKE (TYPE F)
58 PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA)
59 TACK COAT
60 EARTH RETAINING SYSTEM (RAILING COMPONENTS)
61 24" CAST-IN-DRILLED-HOLE CONCRETE PILING
62 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET)
63 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET)
64 (F) STRUCTURAL CONCRETE, BRIDGE
65 (F) STRUCTURAL CONCRETE, BARRIER SLAB
66 (F) MINOR CONCRETE (MINOR STRUCTURE)
67 JOINT SEAL (MR 1")
68 (F) BAR REINFORCING STEEL (BRIDGE)
69 (F) BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE)
70 FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED)
71 ROADSIDE SIGN - ONE POST
72 STAIN GALVANIZED SURFACES
73 PREPARE AND STAIN CONCRETE
74 (F) CONCRETE BACKFILL (PIPE TRENCH)
75 18" PLASTIC PIPE
76 24" PLASTIC PIPE
77 12" CORRUGATED STEEL PIPE (.079" THICK)
78 24" CORRUGATED STEEL PIPE (.138" THICK)

RECEIVED
J.F. SHEA CONST., INC.

JUL 02 2014

DIV. NO._____
A/C NO._____

79 8" PERFORATED PLASTIC PIPE
80 12" CORRUGATED STEEL PIPE DOWNDRAIN
81 12" ANCHOR ASSEMBLY
82 SMALL-ROCK SLOPE PROTECTION
83 ROCK SLOPE PROTECTION (FACING, METHOD B) (CY)
84 ROCK SLOPE PROTECTION FABRIC (CLASS 8)
85 MINOR CONCRETE (CURB) (CY)
86 (F) MISCELLANEOUS IRON AND STEEL
87 (F) MISCELLANEOUS METAL (BRIDGE)
88 DELINEATOR (CLASS 2)
89 MILEPOST MARKER
90 MARKER (CULVERT)
91 OBJECT MARKER (TYPE P)
92 METAL BEAM GUARD RAILING (7' POST)
93 VEGETATION CONTROL (MINOR CONCRETE)
94 TUBULAR BICYCLE RAILING
95 SINGLE THRIE BEAM BARRIER (STEEL POST)
96 TRANSITION RAILING (TYPE STB)
97 TRANSITION RAILING (TYPE WB)
98 END ANCHOR ASSEMBLY (TYPE SFT)
99 INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT)
100 ALTERNATIVE IN-LINE TERMINAL SYSTEM
101 CONCRETE BARRIER (TYPE 736 MODIFIED)
102 CONCRETE BARRIER (TYPE 736B MODIFIED)
103 THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE)
104 PAVEMENT MARKER (RETROREFLECTIVE-RECESSED)
105 MOBILIZATION

Project Terms	J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages.
	J. F. SHEA CONSTRUCTION, INC. P.O. Box 494519 - Redding, CA 96049 Phone: (530) 246-4292 Fax: (530) 246-9940 An Equal Opportunity Employer
Project Estimator	Kirk Johnson
Project Coordinator	Stacy Dutra
Project Coordinator Email	stacy.dutra@jfshea.com
Project Coordinator Extension	530-246-4292

RECEIVED
J.F. SHEA CONST., INC.
JUL 02 2014
DIV. NO._____
A/C NO._____

Package Type	Gold
Number of Firms to Solicit	25
Upload Spreadsheet	

No virus found in this message.
Checked by AVG - www.avg.com
Version: 2014.0.4592 / Virus Database: 3986/7785 - Release Date: 07/02/14

RECEIVED
J.F. SHEA CONST., INC.

JUL 02 2014

DIV. NO.
A/C NO.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:GALLAWAY ENTERPRISES, INC
CONTACT NAME	Stacy Dutra	Phone Number :5303329909
ADDRESS	17400 Clear Creek Rd,	Fax Number :5303329905
	Redding, California, 96001	Date :7/2/2014 6:16 PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. Is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; ACTIVE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 18" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE 1); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

RECEIVED
J.F. SHEA CONST., INC.
JUL 03 2014
DIV NO
JOB NO

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

DBE Goodfaith Inc. Good Faith Transaction Log

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[X] Yes, we will send a fax quote by bid date.
[ ] No, we are not interested.
[ ] Interested. Would like more information. Please contact us at 530 332-9805

or jody@sallawayenterprises.com

Jody Gallaway

RECEIVED
J.F. SHEA CONST., INC.
JUL 03 2014
DIV. NO.
A/C NO.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:NOR-CAL PUMP & WELL DRILLING, INC.
CONTACT NAME	Stacy Dutra	Phone Number :5306745861
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :5306741525 Data :7/2/2014 6:34 PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTDS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

RECEIVED
J.F. SHEA CONST., INC.
JUL 17 2014
DIV. NO.
A/C NO.

DBE Goodfaith Inc. Good Faith Transaction Log

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[X]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

NO BID

RECEIVED
J.F. SHEA CONST., INC.
JUL 17 2014
DIV. NO.
A/C NO.

Nor-Cal Pump & Well Drilling, Inc.
1325 Barry Road
Yuba City, CA 95993

7-17-14

DBE Goodfaith Inc. **Good Faith Transaction Log**

Company Details

Company Name	:	J. F. Shea Construction, Inc.
Department	:	Office
Address	:	17400 Clear Creek Rd.
Suite #	:	
City	:	Redding
State	:	California
Zip	:	96001
Phone #	:	Tel : 530-246-4292
Fax #	:	Fax : 530-246-9940
Email #	:	stacy.dutra@jfshea.com

Solicitation Transaction Log (STL)

Bid #	:	02-3E7904
Bid Date	:	07/30/2014
Bid Description	:	REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING) (FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX

	ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-N-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

This document contains all information pertaining with solicitations made on behalf of/for J. F. Shea Construction, Inc. of Redding, California by DBE Goodfaith Inc. (a California-based Corporation).

These solicitations have been done in good faith. DBE Goodfaith has participated with J. F. Shea Construction, Inc. in communicating with selected DBE firms.

DBE Goodfaith has contacted the California Department of Transportation (Office of Civil Rights) on 07/02/2014 on your behalf. Please write this information on the appropriate forms if required.

Advertisements published in DBE GoodFaith's Minority Focus and Trade Journals run from the publication date until the bid date listed on the advertisements.

Total Companies Solicited

The following information is a summary of the different types of Business that have been solicited by DBE Good Faith Inc. on behalf of J. F. Shea Construction, Inc.

DVBE (Disadvantaged Veteran Business Enterprises)	-	0
DBE (Disadvantaged Business Enterprises)	-	50
UDBE (Underutilized Disadvantaged Business Enterprise)	-	0
MBE (Minority Owned Business Enterprises)	-	0
WBE (Women Owned Business Enterprises)	-	0
SBE (Small Business Enterprises)	-	0
	Total -	50

Minority Focus Journal Ad posted to website www.dbegoodfaith.net on 07/02/2014 at 4:33PM

The advertisement published in DBE GoodFaith's Focus Journal runs from the publication date until the bid date listed on the advertisement.

Estimator
Kirk Johnson

Project Coordinator
Stacy Dutra

Contact Information
17400 Clear Creek Rd.
Redding, California
96001
Tel : 530-246-4292
Fax : 530-246-9940

J. F. Shea Construction, Inc.

is seeking qualified DBEs

Project Name
Construct Sidehill Viaducts, Place HMA, Install Barrier Railing

Awarding Agency
State of California Department of Transportation - CALTRANS

Project Location
Near Burnt Ranch, Trinity County, California

Bid Date & Time
07/30/2014 at 02:00 P.M

Bid/Contract #
02-3E7904

Project Details
REQUEST FOR QUALIFIED UDBE/DBE SUBCDNTRACTDRS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY CDUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTIDN AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPDRARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHIDN; JDB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSI5 DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPDRARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY DCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATIDN (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CDNTRDL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTRDL PRODUCT (NETTING) (FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HDT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY CDATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8"

	PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS B); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION. J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

Minority Trade Journal Ad posted to website trade.dbegoodfaith.net on 07/02/2014 at 4:33PM

The advertisement published in DBE GoodFaith's Trade Journal runs from the publication date until the bid date listed on the advertisement.

Trade Journal Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

Bid Due Date : 07/30/2014 at 02:00 P.M Bid No : 02-3E7904

Contact Estimator : Kirk Johnson

Project Name	:	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
Agency Name	:	State of California Department of Transportation - CALTRANS
Project City	:	Near Burnt Ranch
Project County	:	Trinity County
Project State	:	California
Project Details	:	

REQUEST FDR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

Contact Details :

Stacy Dutra

17400 Clear Creek Rd.

Redding, California 96001

Tel : 530-246-4292

Fax : 530-246-9940

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required.

Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

Recipient List (Fax/Email)

Set No 1

Company Name/Specialty	Fax Date	Email Date	Log Page#
6 RIVERS CONSTRUCTION, INC. Address - 200 REDWOOD GROVE RD Phone - 5305157563, Fax - 5306255423, Email - 6riversconstruction@gmail.com	07/02/2014	07/02/2014	
A B S L CONSTRUCTION Address - 29334 PACIFIC STREET Phone - 5107270900, Fax - 5107270910, Email - luis@allendes.com	07/02/2014	07/02/2014	
A C DIKE CO Address - 2788 VENTURE DR. Phone - 9166457747 , Fax - 9166459618, Email - email@acdike.com	07/02/2014	07/02/2014	
A F M ENVIRONMENTAL INC. Address - 830 NORTHPORT DR., # 204 Phone - 9163749526, Fax - 9163749527, Email - afmenviro@aol.com	07/02/2014	07/02/2014	
A S CONTRACTORS, INC. Address - 5347 COLE ROAD Phone - 2097426684, Fax - 2099662643, Email - deni@sti.com	07/02/2014	07/02/2014	
ALLEN GILL CONSTRUCTION, INC. Address - 20633 GAS POINT ROAD, SUITE B2 Phone - 5305474334, Fax - 5305473197, Email - tgill@frontiernet.net	07/03/2014	07/03/2014	
AUSTIN ENTERPRISE Address - 13421 SNOW ROAD Phone - 6615891001, Fax - 6615899509, Email - paustin@austin-enterprise.com	07/03/2014	07/03/2014	
AZCO Address - 2250 STEWART STREET, #9 Phone - 2099432452, Fax - 2099430437, Email - llrivera@pacbell.net	07/03/2014	07/03/2014	
BAY LINE CUTTING & CORING, INC. Address - 1635 4TH STREET Phone - 5105271000, Fax - 5105270500, Email - jcbayline@sbcglobal.net	07/03/2014	07/03/2014	
CHARLIE'S CUSTOM EXCAVATING, INC Address - 21113 GILBERT DRIVE Phone - 5302213626, Fax - 5302217563, Email - office@ccexcavatinginc.com	07/03/2014	07/03/2014	
CLEAR CREEK CONSTRUCTION Address - 570 JULIAN STREET Phone - 5302241430, Fax - 5302241430, Email - clearcreekadam@gmail.com	07/03/2014	07/03/2014	
CMC TRAFFIC CONTROL SPECIALIST Address - 375 ILLINOIS STREET Phone - 4152061700, Fax - 4152061711, Email - crystalm.cmc@gmail.com	07/03/2014	07/03/2014	
COMBINED EFFORT INC Address - 17517 WILD OAK DRIVE Phone - 8007281100, Fax - 8005401789, Email - cbrandt@combined-effort.com	07/03/2014	07/03/2014	
CONSTRUCTION AREA SIGNS, INCORPORATED Address - 9093 OLD STATE HWY Phone - 9166639097, Fax - 9166631858, Email - elisa@cas-tc.com	07/03/2014	07/03/2014	
DIRT & AGGREGATE INTERCHANGE, INC Address - 20905 N.E. SANDY BOULEVARD Phone - 5036615093, Fax - 5036691192, Email - contractor@dirtagg.com	07/03/2014	07/03/2014	
DISABLED AMERICAN VETERAN ENT. TRUCKING & SWEEPING Address - 1686 FIRESTONE DRIVE Phone - 5592138773, Fax - 0000000000, Email - DAVEtrucksweep@gmail.com	07/02/2014	07/02/2014	
EAGLE ENGINEERING AND CONSTRUCTION, INC Address - 1175 PALOMAR DRIVE Phone - 6503678000, Fax - 6503678282, Email - brooks.curtis@att.net	07/03/2014	07/03/2014	
ERNEST B. DEE Address - 6120 BELFIELD CIR Phone - 9162710410 , Fax - 9166912127 , Email - dee4321@frontiernet.net	07/03/2014	07/03/2014	
FCS STRIPING, SEALING AND PAVING, INC. Address - 206 THRASHER AVENUE Phone - 9253736205, Fax - 9253736208, Email - inesseoane@fcs-ssp.com	07/03/2014	07/03/2014	

FRANK MEDINA GENERAL ENGINEERING CONTRACTOR Address - 10096 AHART ROAD Phone - 5307430744, Fax - 5307439352, Email - toni.medina@att.net	07/03/2014	07/03/2014
GALLAWAY ENTERPRISES, INC Address - 117 MEYERS ST., SUITE 120 Phone - 5303329909, Fax - 5303329905, Email - jody@gallawayenterpises.com	07/02/2014	07/02/2014
GENERAL SUPPLY COMPANY Address - 971 87TH AVENUE Phone - 5106325229, Fax - 5106322315, Email - generalsupply@sbcglobal.net	07/02/2014	07/02/2014
GR SUNDBERG, INC. Address - 5211 BOYD ROAD Phone - 7078256565, Fax - 7078256563, Email - diane@grsinc.biz	07/02/2014	07/02/2014
GREEN BUILDING PRODUCTS, INC Address - 3303 LUYUNG DRIVE Phone - 9163330557, Fax - 9163747998, Email - carole@greenbpi.com	07/02/2014	07/02/2014
HAMANAKA PAINTING CO. Address - P.O. BOX 6413 Phone - 7074443340, Fax - 7074443346, Email - mutaba@northcoast.com	07/02/2014	07/02/2014
K & G CONCRETE INC Address - 2564 LA CROIX DR. Phone - 9162161623, Fax - 9167746487 , Email - keaven@kgconcretepumping.com	07/02/2014	07/02/2014
K & K CONSTRUCTION SUPPLY, INC Address - 11280 SUNRISE PARK DR., STE B Phone - 9168510965, Fax - 9168510999, Email - kelly@urataconcrete.com	07/02/2014	07/02/2014
K R C SAFETY CO. INC. Address - 6084 WEST HURLEY Phone - 5597320393, Fax - 5597322684, Email - garyc@krcsafety.com	07/02/2014	07/02/2014
KA`PEL CONSTRUCTION INC Address - 691 PONY EXPRESS WAY, LOT 31 Phone - 5306293300, Fax - 5306293300, Email - lrobbins@kapelconstruction.com	07/02/2014	07/02/2014
KERN COUNTY CUSTOM CONCRETE Address - 1706 CHESTER AVE STE 352 Phone - 6618724602, Fax - 6613255590, Email - JerryKCCC@yahoo.com	07/03/2014	07/03/2014
KIONA LANDSCAPING Address - 3889 F STREET, APT 2 Phone - 7076164340, Fax - 0000000000, Email - egruetzmacherjr@gmail.com	07/03/2014	07/03/2014
MAG-CON ENGINEERING AND CONSTRUCTION, INC Address - 2164 TIBER RIVER DR. Phone - 9166381175 , Fax - 9166381178 , Email - kcho@mag-coninc.com	07/03/2014	07/03/2014
MC CULLOUGH CONSTRUCTION INC Address - 57 ALDERGROVE ROAD Phone - 7078251014, Fax - 7078251769, Email - mackymccullough@mcculloughconstructioninc.com	07/03/2014	07/03/2014
MONROE CONSTRUCTION SALES Address - 13615 ORANGE BLOSSOM ROAD Phone - 2094846659, Fax - 2098488093, Email - juliemonroe76@live.com	07/02/2014	07/02/2014
NATURAL INVESTIGATIONS COMPANY, LLC Address - 6124 SHADOW LANE Phone - 9167659381, Fax - 0000000000, Email - Cindy@naturalinvestigations.com	07/02/2014	07/02/2014
NITTA EROSION CONTROL Address - 3778 DEL MAR AVENUE Phone - 9166527459, Fax - 9166524376, Email - nittaec@gmail.com	07/02/2014	07/02/2014
NOR-CAL PUMP & WELL DRILLING, INC. Address - 1325 BARRY ROAD Phone - 5306745861, Fax - 5306741525, Email - norcalpump@yahoo.com	07/02/2014	07/02/2014
OLIVEIRA FENCE, INC. Address - 400 REED STREET SUITE 106 Phone - 4087273811, Fax - 4087272690, Email - pam@oliveirafenceinc.com	07/02/2014	07/02/2014
R. E. SERRANO INC. Address - 3430 PACHECO BLVD. Phone - 9259578184, Fax - 9259578121, Email - ricky@reserrano.com	07/02/2014	07/02/2014
RUPERT CONSTRUCTION SUPPLY, LLC Address - 12405 GOLD FLAKE CT.	07/02/2014	07/02/2014

Phone - 9252295577, Fax - 9166739737, Email - karen@rupertsupply.com

S.T. RHOADES CONSTRUCTION INC 07/02/2014 07/02/2014
Address - 14105 DOS PINION TRAIL
Phone - 5302239322, Fax - 5302239222, Email - steve@strhoadesinc.com

SITE WORK SOLUTIONS, INC 07/02/2014 07/02/2014
Address - 18981 GRAVEL PLANT RD
Phone - 5302222229, Fax - 5302223337 , Email - GWHITMER@CLEARWIRE.NET

SPECIALTY TRAFFIC SYSTEMS 07/02/2014 07/02/2014
Address - 2431 BROADWAY
Phone - 7074418420, Fax - 7074451856, Email - specialtytraffic@yahoo.com

STONY CREEK GENERAL ENGINEERING 07/03/2014 07/03/2014
Address - 5321 COUNTY RD 206
Phone - 5305263191, Fax - 5309885092, Email - luke@scgeinc.com

TRINITY VALLEY CONSULTING ENGINEERS, INC 07/03/2014 07/03/2014
Address - 67 WALNUT WAY
Phone - 5306293000 , Fax - 5306293011 , Email - tvce@tvce.biz

TULLY CONSULTING GROUP 07/03/2014 07/03/2014
Address - 580 WIEGAND WAY
Phone - 7076931926 , Fax - 7074710318 , Email - robintully8@gmail.com

TYRRELL RESOURCES, INC. 07/03/2014 07/03/2014
Address - 275 HILLTOP DRIVE
Phone - 5302438733, Fax - 5302418975 , Email - tyrrellresources@sbcglobal.net

UMA HINMAN CONSULTING 07/02/2014 07/02/2014
Address - 11143 BRUNSWICK DRIVE
Phone - 9168130818, Fax - 0000000000, Email - uhinman@comcast.net

WALLACE STRUCTURES 07/02/2014 07/02/2014
Address - 2515 TAWNDALE LN
Phone - 7078344992, Fax - 7077683386, Email - wallacestr@aol.com

WHITE CAP READY MIX, INC. 07/02/2014 07/02/2014
Address - 73880 HIGHWAY 70
Phone - 5308324225, Fax - 5308325847, Email - whitecaprm@sbcglobal.net

Recipients Phone Log 1 Set 1 Date: 07/08/2014

Company Details	Spoke to	Date/Time	Y/M/N
6 RIVERS CONSTRUCTION, INC. May be interested, left a voicemail message with all the project details.	Voicemail	07/08/2014 10:15 A.M	M
A B S L CONSTRUCTION May be interested, left a voicemail message with all the project details.	Voicemail	07/08/2014 10:16 A.M	M
A C DIKE CO No, not interested in bidding.	Estimator	07/08/2014 10:18 A.M	N
A F M ENVIRONMENTAL INC. May be interested, the estimator will take a look at the project details and will fax a quote if interested.	Estimator	07/08/2014 10:21 A.M	M
A S CONTRACTORS, INC. May be interested, left a voicemail message with all the project details.	Voicemail	07/08/2014 10:23 A.M	M
ALLEN GILL CONSTRUCTION, INC. May be interested, left a voicemail message with all the project details.	Voicemail	07/08/2014 10:25 A.M	M
AUSTIN ENTERPRISE No, not interested in bidding.	Receptionist	07/08/2014 10:26 A.M	N
AZCO May be interested, resent fax upon request.	Receptionist	07/08/2014 10:28 A.M	M
BAY LINE CUTTING & CORING, INC. May be interested, left a voicemail message with all the project details.	Voicemail	07/08/2014 10:29 A.M	M
CHARLIE'S CUSTOM EXCAVATING, INC May be interested, the estimator will take a look at the project details and will fax a quote if interested.	Receptionist	07/08/2014 10:29 A.M	M
CLEAR CREEK CONSTRUCTION May be interested, left a voicemail message with all the project details.	Voicemail	07/08/2014 10:30 A.M	M
CMC TRAFFIC CONTROL SPECIALIST May be interested, left a voicemail message with all the project details.	Voicemail	07/08/2014 10:31 A.M	M
COMBINED EFFORT INC May be interested, however, there was no answer to phone call.	No answer	07/08/2014 10:31 A.M	M
CONSTRUCTION AREA SIGNS, INCORPORATED May be interested, the estimator will take a look at the project details and will fax a quote if interested.	DeeDee	07/08/2014 10:32 A.M	M
DIRT & AGGREGATE INTERCHANGE, INC May be interested, however, there was no answer to phone call.	No answer	07/08/2014 10:33 A.M	M
DISABLED AMERICAN VETERAN ENT. TRUCKING & SWEEPING May be interested, left a voicemail message with all the project details.	Voicemail	07/08/2014 10:34 A.M	M
EAGLE ENGINEERING AND CONSTRUCTION, INC May be interested, left a voicemail message with all the project details.	Voicemail	07/08/2014 10:35 A.M	M
ERNEST B. DEE No, not interested in bidding.	Estimator	07/08/2014 10:36 A.M	N
FCS STRIPING, SEALING AND PAVING, INC. May be interested, left a voicemail message with all the project details.	Voicemail	07/08/2014 10:36 A.M	M

FRANK MEDINA GENERAL ENGINEERING CONTRACTOR	Receptionist	07/08/2014 10:37 A.M	M
May be interested, the estimator will take a look at the project details and will fax a quote if interested.			
GALLAWAY ENTERPRISES, INC	Voicemail	07/08/2014 10:37 A.M	M
May be interested, left a voicemail message with all the project details.			
GENERAL SUPPLY COMPANY	Voicemail	07/08/2014 10:49 A.M	M
May be interested, left a voicemail message with all the project details.			
GR SUNDBERG, INC.	Receptionist	07/08/2014 10:50 A.M	N
No, not interested in bidding.			
GREEN BUILDING PRODUCTS, INC	Estimator	07/08/2014 10:51 A.M	N
No, not interested in bidding.			
HAMANAKA PAINTING CO.	No answer	07/08/2014 10:52 A.M	M
May be interested, however, there was no answer to phone call.			
K & G CONCRETE INC	No answer	07/08/2014 10:53 A.M	M
May be interested, however, we were unable to connect call.			
K & K CONSTRUCTION SUPPLY, INC	Voicemail	07/08/2014 10:54 A.M	M
May be interested, left a voicemail message with all the project details.			
K R C SAFETY CO. INC.	Receptionist	07/08/2014 10:56 A.M	M
May be interested, the estimator will take a look at the project details and will fax a quote if interested.			
KA`PEL CONSTRUCTION INC	Receptionist	07/08/2014 10:58 A.M	M
May be interested, the estimator will take a look at the project details and will fax a quote if interested.			
KERN COUNTY CUSTOM CONCRETE	Voicemail	07/08/2014 11:00 A.M	M
May be interested, left a voicemail message with all the project details.			
KIONA LANDSCAPING	Voicemail	07/08/2014 11:00 A.M	M
May be interested, left a voicemail message with all the project details.			
MAG-CON ENGINEERING AND CONSTRUCTION, INC	Voicemail	07/08/2014 11:01 A.M	M
May be interested, left a voicemail message with all the project details.			
MC CULLOUGH CONSTRUCTION INC	Receptionist	07/08/2014 11:02 A.M	M
May be interested, the estimator will take a look at the project details and will fax a quote if interested.			
MONROE CONSTRUCTION SALES	Voicemail	07/08/2014 11:04 A.M	M
May be interested, left a voicemail message with all the project details.			
NATURAL INVESTIGATIONS COMPANY, LLC	Receptionist	07/08/2014 11:06 A.M	M
May be interested, the estimator will take a look at the project details and will fax a quote if interested.			
NITTA EROSION CONTROL	Valerie	07/08/2014 04:32 P.M	M
May be interested, not sure yet. They will know closer to the bid date.			
NOR-CAL PUMP & WELL DRILLING, INC.	Voicemail	07/08/2014 04:34 P.M	M
May be interested, left a voicemail with all the project details.			
OLIVEIRA FENCE, INC.	Receptionist	07/08/2014 04:36 P.M	N
No, not bidding. Too far.			
R. E. SERRANO INC.	Voicemail	07/08/2014 04:38 P.M	M
May be interested, left a voicemail with all the project details.			
RUPERT CONSTRUCTION SUPPLY, LLC	Voicemail	07/08/2014 04:41 P.M	M
May be interested, left a voicemail with all the project details.			

S.T. RHOADES CONSTRUCTION INC May be interested, left a voicemail with all the project details.	Voicemail	07/08/2014 04:43 P.M	M
SITE WORK SOLUTIONS, INC No, not bidding this project.	Estimator	07/08/2014 04:45 P.M	N
SPECIALTY TRAFFIC SYSTEMS May be interested, left a voicemail with all the project details.	Voicemail	07/08/2014 04:46 P.M	M
STONY CREEK GENERAL ENGINEERING May be interested, left a voicemail with all the project details.	Voicemail	07/08/2014 04:48 P.M	M
TRINITY VALLEY CONSULTING ENGINEERS, INC May be interested, not sure. Sent another fax on request.	Christian	07/08/2014 04:50 P.M	M
TULLY CONSULTING GROUP May be interested, left a voicemail with all the project details.	Voicemail	07/08/2014 04:52 P.M	M
TYRRELL RESOURCES, INC. May be interested, left a voicemail with all the project details.	Voicemail	07/08/2014 04:54 P.M	M
UMA HINMAN CONSULTING May be interested, left a voicemail with all the project details.	Voicemail	07/08/2014 04:57 P.M	M
WALLACE STRUCTURES May be interested, left a voicemail with all the project details.	Voicemail	07/08/2014 05:00 P.M	M
WHITE CAP READY MIX, INC. May be interested, however, no answer to call. Unable to leave a message.	No answer	07/08/2014 05:02 P.M	M

Recipients Phone Log 2 set 1 Date: 07/21/2014

Company Details	Spoke to	Date/Time	Y/M/N
6 RIVERS CONSTRUCTION, INC. May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 08:31 A.M	M
A B S L CONSTRUCTION May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 08:33 A.M	M
A F M ENVIRONMENTAL INC. Yes, will be bidding this project.	Mel	07/21/2014 08:36 A.M	Y
A S CONTRACTORS, INC. May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 08:38 A.M	M
ALLEN GILL CONSTRUCTION, INC. May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 08:40 A.M	M
AZCO May be bidding, not sure. The estimator will reply if interested.	Marie	07/21/2014 08:41 A.M	M
BAY LINE CUTTING & CORING, INC. No, not bidding this project.	Juan	07/21/2014 08:43 A.M	N
CHARLIE'S CUSTOM EXCAVATING, INC May be interested, however, we were unable to connect call.	Unable to connect	07/21/2014 08:44 A.M	M
CLEAR CREEK CONSTRUCTION May be bidding, not sure yet. They are looking at the project.	Receptionist	07/21/2014 08:45 A.M	M
CMC TRAFFIC CONTROL SPECIALIST May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 08:47 A.M	M
COMBINED EFFORT INC May be interested, however, number not available at this time.	Not available	07/21/2014 08:48 A.M	M
CONSTRUCTION AREA SIGNS, INCORPORATED Yes, will be bidding this project.	Receptionist	07/21/2014 08:49 A.M	Y
DIRT & AGGREGATE INTERCHANGE, INC Yes, will be bidding this project.	Receptionist	07/21/2014 08:50 A.M	Y
DISABLED AMERICAN VETERAN ENT. TRUCKING & SWEEPING No, not bidding this project.	Estimator	07/21/2014 08:51 A.M	N
EAGLE ENGINEERING AND CONSTRUCTION, INC May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 08:52 A.M	M
FCS STRIPING, SEALING AND PAVING, INC. May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 08:57 A.M	M
FRANK MEDINA GENERAL ENGINEERING CONTRACTOR May be interested, however, lines are temporarily busy.	Lines busy	07/21/2014 08:57 A.M	M
GALLAWAY ENTERPRISES, INC May be interested, left a voicemail for the estimator with all the project details.	Estimator Voicemail	07/21/2014 09:03 A.M	M
GENERAL SUPPLY COMPANY May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 09:05 A.M	M

HAMANAKA PAINTING CO. May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 09:08 A.M	M
K & G CONCRETE INC May be interested, however, voicemail has not been set up yet.	Voicemail not set up yet	07/21/2014 09:09 A.M	M
K & K CONSTRUCTION SUPPLY, INC Yes, will be bidding this project.	Receptionist	07/21/2014 09:10 A.M	Y
K R C SAFETY CO. INC. No, not bidding this project.	Receptionist	07/21/2014 09:12 A.M	N
KA`PEL CONSTRUCTION INC No, not bidding this project.	Receptionist	07/21/2014 09:14 A.M	N
KERN COUNTY CUSTOM CONCRETE May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 09:20 A.M	M
KIONA LANDSCAPING May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 09:21 A.M	M
MAG-CON ENGINEERING AND CONSTRUCTION, INC May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 09:22 A.M	M
MC CULLOUGH CONSTRUCTION INC No, not bidding this project.	Receptionist	07/21/2014 09:25 A.M	N
MONROE CONSTRUCTION SALES May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 09:27 A.M	M
NATURAL INVESTIGATIONS COMPANY, LLC May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 09:29 A.M	M
NITTA EROSION CONTROL No, not bidding this project.	Valerie	07/21/2014 09:30 A.M	N
NOR-CAL PUMP & WELL DRILLING, INC. No, not bidding this project.	Amy	07/21/2014 09:31 A.M	N
R. E. SERRANO INC. May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 09:32 A.M	M
RUPERT CONSTRUCTION SUPPLY, LLC May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 09:38 A.M	M
S.T. RHOADES CONSTRUCTION INC May be bidding, not sure. No answer to call.	No answer	07/21/2014 09:39 A.M	M
SPECIALTY TRAFFIC SYSTEMS No, not bidding this project.	Estimator	07/21/2014 09:40 A.M	N
STONY CREEK GENERAL ENGINEERING May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 09:41 A.M	M
TRINITY VALLEY CONSULTING ENGINEERS, INC May be bidding, not sure. We were unable to leave a message due to bad connection.	Bad connection	07/21/2014 09:44 A.M	M
TULLY CONSULTING GROUP May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 09:45 A.M	M
TYRRELL RESOURCES, INC. May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 09:47 A.M	M

UMA HINMAN CONSULTING No, not bidding this project.	Receptionist	07/21/2014 09:48 A.M	N
WALLACE STRUCTURES May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 09:49 A.M	M
WHITE CAP READY MIX, INC. May be interested, however, no answer to call. Unable to leave a message.	No answer	07/21/2014 09:50 A.M	M

DBE Goodfaith Inc. Fax Confirmation Report for J. F. Shea Construction, Inc. Bid Number:02-3E7904

No.	Company Name	Type	Ph. Number	Fax Number	Status	Date/Time
1	6 RIVERS CONSTRUCTION, INC.	DBE	5305157563	5306255423	Success	07/02/2014 18:14
2	A B S L CONSTRUCTION	DBE	5107270900	5107270910	Success	07/02/2014 18:12
3	A C DIKE CO	DBE	9166457747	9166459618	Failed	07/02/2014 18:19
4	A F M ENVIRONMENTAL INC.	DBE	9163749526	9163749527	Success	07/02/2014 18:08
5	A S CONTRACTORS, INC.	DBE	2097426684	2099662643	Failed	07/02/2014 18:16
6	ALLEN GILL CONSTRUCTION, INC.	DBE	5305474334	5305473197	Success	07/03/2014 07:44
7	AUSTIN ENTERPRISE	DBE	6615891001	6615899509	Success	07/03/2014 07:42
8	AZCO	DBE	2099432452	2099430437	Success	07/03/2014 07:39
9	BAY LINE CUTTING & CORING, INC.	DBE	5105271000	5105270500	Success	07/03/2014 07:18
10	CHARLIE'S CUSTOM EXCAVATING, INC	DBE	5302213626	5302217563	Success	07/03/2014 07:12
11	CLEAR CREEK CONSTRUCTION	DBE	5302241430	5302241430	Success	07/03/2014 07:11
12	CMC TRAFFIC CONTROL SPECIALIST	DBE	4152061700	4152061711	Success	07/03/2014 07:11
13	COMBINED EFFORT INC	DBE	8007281100	8005401789	Success	07/03/2014 07:05
14	CONSTRUCTION AREA SIGNS, INCORPORATED	DBE	9166639097	9166631858	Success	07/03/2014 07:04
15	DIRT & AGGREGATE INTERCHANGE, INC	DBE	5036615093	5036691192	Success	07/03/2014 07:02
16	DISABLED AMERICAN VETERAN ENT. TRUCKING & SWEEPING	DBE	5592138773	0000000000	Failed	07/01/2014 17:00
17	EAGLE ENGINEERING AND CONSTRUCTION, INC	DBE	6503678000	6503678282	Success	07/03/2014 07:24
18	ERNEST B. DEE	DBE	9162710410	9166912127	Failed	07/03/2014 07:32
19	FCS STRIPING, SEALING AND PAVING, INC.	DBE	9253736205	9253736208	Failed	07/03/2014 07:24
20	FRANK MEDINA GENERAL ENGINEERING CONTRACTOR	DBE	5307430744	5307439352	Success	07/03/2014 07:18

No.	Company Name	Type	Ph. Number	Fax Number	Status	Date/Time
21	GALLAWAY ENTERPRISES, INC	DBE	5303329909	5303329905	Success	07/02/2014 18:18
22	GENERAL SUPPLY COMPANY	DBE	5106325229	5106322315	Failed	07/02/2014 19:10
23	GR SUNDBERG, INC.	DBE	7078256565	7078256563	Failed	07/02/2014 19:08
24	GREEN BUILDING PRODUCTS, INC	DBE	9163330557	9163747998	Success	07/02/2014 18:54
25	HAMANAKA PAINTING CO.	DBE	7074443340	7074443346	Failed	07/02/2014 19:02
26	K & G CONCRETE INC	DBE	9162161623	9167746487	Success	07/02/2014 19:03
27	K & K CONSTRUCTION SUPPLY, INC	DBE	9168510965	9168510999	Success	07/02/2014 18:48
28	K R C SAFETY CO. INC.	DBE	5597320393	5597322684	Success	07/02/2014 18:46
29	KA`PEL CONSTRUCTION INC	DBE	5306293300	5306293300	Success	07/02/2014 18:49
30	KERN COUNTY CUSTOM CONCRETE	DBE	6618724602	6613255590	Failed	07/03/2014 07:32
31	KIONA LANDSCAPING	DBE	7076164340	0000000000	Failed	07/02/2014 17:00
32	MAG-CON ENGINEERING AND CONSTRUCTION, INC	DBE	9166381175	9166381178	Success	07/03/2014 07:40
33	MC CULLOUGH CONSTRUCTION INC	DBE	7078251014	7078251769	Success	07/03/2014 07:34
34	MONROE CONSTRUCTION SALES	DBE	2094846659	2098488093	Failed	07/02/2014 18:58
35	NATURAL INVESTIGATIONS COMPANY, LLC	DBE	9167659381	0000000000	Failed	07/01/2014 17:00
36	NITTA EROSION CONTROL	DBE	9166527459	9166524376	Success	07/02/2014 18:38
37	NOR-CAL PUMP & WELL DRILLING, INC.	DBE	5306745861	5306741525	Success	07/02/2014 18:36
38	OLIVEIRA FENCE, INC.	DBE	4087273811	4087272690	Success	07/02/2014 18:35
39	R. E. SERRANO INC.	DBE	9259578184	9259578121	Success	07/02/2014 18:32
40	RUPERT CONSTRUCTION SUPPLY, LLC	DBE	9252295577	9166739737	Success	07/02/2014 18:29

No.	Company Name	Type	Ph. Number	Fax Number	Status	Date/Time
41	S.T. RHOADES CONSTRUCTION INC	DBE	5302239322	5302239222	Success	07/02/2014 18:28
42	SITE WORK SOLUTIONS, INC	DBE	5302222229	5302223337	Success	07/02/2014 18:26
43	SPECIALTY TRAFFIC SYSTEMS	DBE	7074418420	7074451856	Success	07/02/2014 18:24
44	STONY CREEK GENERAL ENGINEERING	DBE	5305263191	5309885092	Success	07/03/2014 07:32
45	TRINITY VALLEY CONSULTING ENGINEERS, INC	DBE	5306293000	5306293011	Success	07/03/2014 07:36
46	TULLY CONSULTING GROUP	DBE	7076931926	7074710318	Success	07/03/2014 07:28
47	TYRRELL RESOURCES, INC.	DBE	5302438733	5302418975	Success	07/03/2014 07:29
48	UMA HINMAN CONSULTING	DBE	9168130818	0000000000	Failed	07/01/2014 17:00
49	WALLACE STRUCTURES	DBE	7078344992	7077683386	Success	07/02/2014 18:22
50	WHITE CAP READY MIX, INC.	DBE	5308324225	5308325847	Success	07/02/2014 18:21

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:A F M ENVIRONMENTAL INC.
CONTACT NAME	Stacy Dutra	Phone Number :9163749526
ADDRESS	17400 Clear Creek Rd.	Fax Number :9163749527
	Redding, California, 96001	Date :07/02/2014 6:08PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTRDL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located al 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. Intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:A B S L CONSTRUCTION
CONTACT NAME	Stacy Dutra	Phone Number :5107270900
ADDRESS	17400 Clear Creek Rd.	Fax Number :5107270910
	Redding, California, 96001	Date :07/02/2014 6:12PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEDUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-N-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:UMA HINMAN CONSULTING
CONTACT NAME	Stacy Dutra	Phone Number :9168130818
ADDRESS	17400 Clear Creek Rd.	Fax Number :0000000000
	Redding, California, 96001	Date :07/01/2014 5:00PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:6 RIVERS CONSTRUCTION, INC.
CONTACT NAME	Stacy Dutra	Phone Number :5305157563
ADDRESS	17400 Clear Creek Rd.	Fax Number :5306255423
	Redding, California, 96001	Date :07/02/2014 6:14PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:A S CONTRACTORS, INC.
CONTACT NAME	Stacy Dutra	Phone Number :2097426684
ADDRESS	17400 Clear Creek Rd.	Fax Number :2099662643
	Redding, California, 96001	Date :07/02/2014 6:16PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE	
BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	Califomia

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 738B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.

[ ]No, we are not interested.

[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:GALLAWAY ENTERPRISES, INC
CONTACT NAME	Stacy Dutra	Phone Number :5303329909
ADDRESS	17400 Clear Creek Rd.	Fax Number :5303329905
	Redding, California, 96001	Date :07/02/2014 6:18PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.

[ ]No, we are not interested.

[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:A C DIKE CO
CONTACT NAME	Stacy Dutra	Phone Number :9166457747
ADDRESS	17400 Clear Creek Rd.	Fax Number :9166459618
	Redding, California, 96001	Date :07/02/2014 6:19PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:WHITE CAP READY MIX, INC.
CONTACT NAME	Stacy Dutra	Phone Number :5308324225
ADDRESS	17400 Clear Creek Rd.	Fax Number :5308325847
	Redding, California, 96001	Date :07/02/2014 8:21PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:WALLACE STRUCTURES
CONTACT NAME	Stacy Dutra	Phone Number :7078344992
ADDRESS	17400 Clear Creek Rd.	Fax Number :7077683386
	Redding, Califomia, 96001	Date :07/02/2014 6:22PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIOGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHDR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:SPECIALTY TRAFFIC SYSTEMS
CONTACT NAME	Stacy Dutra	Phone Number :7074418420
ADDRESS	17400 Clear Creek Rd.	Fax Number :7074451856
	Redding, California, 96001	Date :07/02/2014 6:24PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-N-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.

[ ]No, we are not interested.

[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:SITE WORK SOLUTIONS, INC
CONTACT NAME	Stacy Dutra	Phone Number :5302222229
ADDRESS	17400 Clear Creek Rd.	Fax Number :5302223337
	Redding, California, 96001	Date :07/02/2014 6:26PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTIDN ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:S.T. RHOADES CONSTRUCTION INC
CONTACT NAME	Stacy Dutra	Phone Number :5302239322
ADDRESS	17400 Clear Creek Rd.	Fax Number :5302239222
	Redding, California, 96001	Date :07/02/2014 6:28PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:RUPERT CONSTRUCTION SUPPLY, LLC
CONTACT NAME	Stacy Dutra	Phone Number :9252295577
ADDRESS	17400 Clear Creek Rd.	Fax Number :9166739737
	Redding, California, 96001	Date :07/02/2014 6:29PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:R. E. SERRANO INC.
CONTACT NAME	Stacy Dutra	Phone Number :9259578184
ADDRESS	17400 Clear Creek Rd.	Fax Number :9259578121
	Redding, California, 96001	Date :07/02/2014 6:32PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:OLIVEIRA FENCE, INC.
CONTACT NAME	Stacy Dutra	Phone Number :4087273811
ADDRESS	17400 Clear Creek Rd.	Fax Number :4087272690
	Redding, California, 96001	Date :07/02/2014 6:35PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:NOR-CAL PUMP & WELL DRILLING, INC.
CONTACT NAME	Stacy Dutra	Phone Number :5306745861
ADDRESS	17400 Clear Creek Rd.	Fax Number :5306741525
	Redding, California, 96001	Date :07/02/2014 6:36PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTRDL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:NATURAL INVESTIGATIONS COMPANY, LLC
CONTACT NAME	Stacy Dutra	Phone Number :9167659381
ADDRESS	17400 Clear Creek Rd. Redding, Califomia, 96001	Fax Number :0000000000 Date :07/01/2014 5:00PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of Califomia Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	Califomia

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-N-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:NITTA EROSION CONTROL
CONTACT NAME	Stacy Dutra	Phone Number :9166527459
ADDRESS	17400 Clear Creek Rd.	Fax Number :9166524376
	Redding, California, 96001	Date :07/02/2014 6:38PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-N-DRILLED-HOLE CONCRETE PILING; 16" CAST-N-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-N-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:K R C SAFETY CO. INC.
CONTACT NAME	Stacy Dutra	Phone Number :5597320393
ADDRESS	17400 Clear Creek Rd.	Fax Number :5597322684
	Redding, California, 96001	Date :07/02/2014 6:46PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.

[ ]No, we are not interested.

[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:K & K CONSTRUCTION SUPPLY, INC
CONTACT NAME	Stacy Dutra	Phone Number :9168510965
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :9168510999 Date :07/02/2014 6:48PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:KA'PEL CONSTRUCTION INC
CONTACT NAME	Stacy Dutra	Phone Number :5306293300
ADDRESS	17400 Clear Creek Rd.	Fax Number :5306293300
	Redding, California, 96001	Date :07/02/2014 6:49PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:GREEN BUILDING PRODUCTS, INC
CONTACT NAME	Stacy Dutra	Phone Number :9163330557
ADDRESS	17400 Clear Creek Rd.	Fax Number :9163747998
	Redding, California, 96001	Date :07/02/2014 6:54PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-N-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:DISABLED AMERICAN VETERAN ENT. TRUCKING & SWEEPING
CONTACT NAME	Stacy Dutra	Phone Number :5592138773
ADDRESS	17400 Clear Creek Rd.	Fax Number :0000000000
	Redding, California, 96001	Date :07/01/2014 5:00PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PRDJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:MONROE CONSTRUCTION SALES
CONTACT NAME	Stacy Dutra	Phone Number :2094846659
ADDRESS	17400 Clear Creek Rd.	Fax Number :2098488093
	Redding, California, 96001	Date :07/02/2014 6:58PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-N-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:HAMANAKA PAINTING CO.
CONTACT NAME	Stacy Dutra	Phone Number :7074443340
ADDRESS	17400 Clear Creek Rd.	Fax Number :7074443346
	Redding, California, 96001	Date :07/02/2014 7:02PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.

[ ]No, we are not interested.

[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:K & G CONCRETE INC
CONTACT NAME	Stacy Dutra	Phone Number :9162161623
ADDRESS	17400 Clear Creek Rd.	Fax Number :9167746487
	Redding, California, 96001	Date :07/02/2014 7:03PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of Califomia Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	Califomia

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:GR SUNDBERG, INC.
CONTACT NAME	Stacy Dutra	Phone Number :7078256565
ADDRESS	17400 Clear Creek Rd.	Fax Number :7078256563
	Redding, California, 96001	Date :07/02/2014 7:08PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORRDW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:GENERAL SUPPLY COMPANY
CONTACT NAME	Stacy Dutra	Phone Number :5106325229
ADDRESS	17400 Clear Creek Rd.	Fax Number :5106322315
	Redding, California, 96001	Date :07/02/2014 7:10PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:DIRT & AGGREGATE INTERCHANGE, INC
CONTACT NAME	Stacy Dutra	Phone Number :5036615093
ADDRESS	17400 Clear Creek Rd.	Fax Number :5036691192
	Redding, California, 96001	Date :07/03/2014 7:02AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:CONSTRUCTION AREA SIGNS, INCORPORATED
CONTACT NAME	Stacy Dutra	Phone Number :9166639097
ADDRESS	17400 Clear Creek Rd.	Fax Number :9166631858
	Redding, California, 96001	Date :07/03/2014 7:04AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:COMBINED EFFORT INC
CONTACT NAME	Stacy Dutra	Phone Number :8007281100
ADDRESS	17400 Clear Creek Rd.	Fax Number :8005401789
	Redding, California, 96001	Date :07/03/2014 7:05AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. Is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:CLEAR CREEK CONSTRUCTION
CONTACT NAME	Stacy Dutra	Phone Number :5302241430
ADDRESS	17400 Clear Creek Rd.	Fax Number :5302241430
	Redding, California, 96001	Date :07/03/2014 7:11AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPDRARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:CMC TRAFFIC CONTROL SPECIALIST
CONTACT NAME	Stacy Dutra	Phone Number :4152061700
ADDRESS	17400 Clear Creek Rd.	Fax Number :4152061711
	Redding, California, 96001	Date :07/03/2014 7:11AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of Califfomia Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	Califomia

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.

[ ]No, we are not interested.

[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:CHARLIE'S CUSTOM EXCAVATING, INC
CONTACT NAME	Stacy Dutra	Phone Number :5302213626
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :5302217563 Date :07/03/2014 7:12AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:BAY LINE CUTTING & CORING, INC.
CONTACT NAME	Stacy Dutra	Phone Number :5105271000
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :5105270500 Date :07/03/2014 7:18AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-N-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:FRANK MEDINA GENERAL ENGINEERING CONTRACTOR
CONTACT NAME	Stacy Dutra	Phone Number :5307430744
ADDRESS	17400 Clear Creek Rd.	Fax Number :5307439352
	Redding, California, 96001	Date :07/03/2014 7:18AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PRDJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	Califomia

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTDS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:EAGLE ENGINEERING AND CONSTRUCTION, INC
CONTACT NAME	Stacy Dutra	Phone Number :6503678000
ADDRESS	17400 Clear Creek Rd.	Fax Number :6503678282
	Redding, California, 96001	Date :07/03/2014 7:24AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:FCS STRIPING, SEALING AND PAVING, INC.
CONTACT NAME	Stacy Dutra	Phone Number :9253736205
ADDRESS	17400 Clear Creek Rd. Redding, Califomia, 96001	Fax Number :9253736208 Date :07/03/2014 7:24AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of Califomia Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMDVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:TULLY CONSULTING GROUP
CONTACT NAME	Stacy Dutra	Phone Number :7076931926
ADDRESS	17400 Clear Creek Rd.	Fax Number :7074710318
	Redding, California, 96001	Date :07/03/2014 7:28AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. Is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PRDJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	Califomia

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HDT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.

[ ]No, we are not interested.

[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:TYRRELL RESOURCES, INC.
CONTACT NAME	Stacy Dutra	Phone Number :5302438733
ADDRESS	17400 Clear Creek Rd.	Fax Number :5302418975
	Redding, California, 96001	Date :07/03/2014 7:29AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRDDUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:STONY CREEK GENERAL ENGINEERING
CONTACT NAME	Stacy Dutra	Phone Number :5305263191
ADDRESS	17400 Clear Creek Rd.	Fax Number :5309885092
	Redding, California, 96001	Date :07/03/2014 7:32AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:KERN COUNTY CUSTOM CONCRETE
CONTACT NAME	Stacy Dutra	Phone Number :6618724602
ADDRESS	17400 Clear Creek Rd.	Fax Number :6613255590
	Redding, California, 96001	Date :07/03/2014 7:32AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of Califomia Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Bumt Ranch
PROJECT STATE :	Califomia

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:ERNEST B. DEE
CONTACT NAME	Stacy Dutra	Phone Number :9162710410
ADDRESS	17400 Clear Creek Rd.	Fax Number :9166912127
	Redding, California, 96001	Date :07/03/2014 7:32AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPDRARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:MC CULLOUGH CONSTRUCTION INC
CONTACT NAME	Stacy Dutra	Phone Number :7078251014
ADDRESS	17400 Clear Creek Rd.	Fax Number :7078251769
	Redding, California, 96001	Date :07/03/2014 7:34AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:KIONA LANDSCAPING
CONTACT NAME	Stacy Dutra	Phone Number :7076164340
ADDRESS	17400 Clear Creek Rd.	Fax Number :0000000000
	Redding, California, 96001	Date :07/02/2014 5:00PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-N-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-N-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:TRINITY VALLEY CONSULTING ENGINEERS, INC
CONTACT NAME	Stacy Dutra	Phone Number :5306293000
ADDRESS	17400 Clear Creek Rd.	Fax Number :5306293011
	Redding, California, 96001	Date :07/03/2014 7:36AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.

[ ]No, we are not interested.

[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:AZCO
CONTACT NAME	Stacy Dutra	Phone Number :2099432452
ADDRESS	17400 Clear Creek Rd.	Fax Number :2099430437
	Redding, California, 96001	Date :07/03/2014 7:39AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
J. F. Shea Construction, Inc.

For additional information about minority participation projects,
visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. Is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:MAG-CON ENGINEERING AND CONSTRUCTION, INC
CONTACT NAME	Stacy Dutra	Phone Number :9166381175
ADDRESS	17400 Clear Creek Rd.	Fax Number :9166381178
	Redding, California, 96001	Date :07/03/2014 7:40AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:AUSTIN ENTERPRISE
CONTACT NAME	Stacy Dutra	Phone Number :6615891001
ADDRESS	17400 Clear Creek Rd.	Fax Number :6615899509
	Redding, California, 96001	Date :07/03/2014 7:42AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
J. F. Shea Construction, Inc.
For additional information about minority participation projects,
visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:ALLEN GILL CONSTRUCTION, INC.
CONTACT NAME	Stacy Dutra	Phone Number :5305474334
ADDRESS	17400 Clear Creek Rd.	Fax Number :5305473197
	Redding, California, 96001	Date :07/03/2014 7:44AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
J. F. Shea Construction, Inc.
For additional information about minority participation projects,
visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of Califomia Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Bumt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATIDN.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

Good Faith Efforts Documentation - DBE Page 3 of 3 - [redacted]

5 - Agency Back-Up

Contractor: J. F. Shea Construction, Inc. **Contact:** Stacy Dutra
Address: 17400 Clear Creek Road Redding, CA 96001
Phone: 530-246-4292 **Fax:** 530-246-9940 **Email:** Stacy.Dutra@jfshea.com
Services needed: J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: 1 LEAD COMPLIANCE PLAN 2 CONSTRUCTION AREA SIGNS 3 TRAFFIC CONTROL SYSTEM 4 TEMPORARY PAVEMENT MARKING (TAPE) 5 TEMPORARY TRAFFIC STRIPE (PAINT) 6 CHANNELIZER (SURFACE MOUNTED) 7 TEMPORARY SIGNAL SYSTEM 8 PORTABLE CHANGEABLE MESSAGE SIGN (LS) 9 TEMPORARY RAILING (TYPE K) 10 TEMPORARY CRASH CUSHION 11 JOB SITE MANAGEMENT 12 PREPARE STORM WATER POLLUTION PREVENTION PLAN 13 RAIN EVENT ACTION PLAN 14 STORM WATER SAMPLING AND ANALYSIS DAY 15 STORM WATER ANNUAL REPORT 16 TEMPORARY COVER 17 TEMPORARY CHECK DAM 18 TEMPORARY DRAINAGE INLET PROTECTION 19 TEMPORARY CONSTRUCTION ENTRANCE 20 STREET SWEEPING 21 TEMPORARY CONCRETE WASHOUT 22 ASBESTOS COMPLIANCE PLAN 23 TEMPORARY FENCE (TYPE ESA) 24 TREATED WOOD WASTE 25 CONTRACTOR-SUPPLIED BIOLOGIST (LS) 26 DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS) 27 REMOVE GUARDRAIL 28 REMOVE THERMOPLASTIC TRAFFIC STRIPE 29 REMOVE ROADSIDE SIGN 30 REMOVE CULVERT (LF) 31 REMOVE INLET 32 REMOVE HEADWALL 33 RECONSTRUCT RUBBLE WALL 34 COLD PLANE ASPHALT CONCRETE PAVEMENT 35 PREPARE CONCRETE BRIDGE DECK SURFACE 36 FURNISH POLYESTER CONCRETE OVERLAY 37 (F) PLACE POLYESTER CONCRETE OVERLAY 38 CLEARING AND GRUBBING (LS) 39 DEVELOP WATER SUPPLY 40 ROADWAY EXCAVATION 41 SHOULDER BACKING 42 (F) STRUCTURE EXCAVATION (BRIDGE) 43 (F) STRUCTURE BACKFILL (BRIDGE) 44 IMPORTED BORROW (CY) 45 EROSION CONTROL (BONDED FIBER MATRIX) (SQFT) 46 ROLLED EROSION CONTROL PRODUCT (NETTING) 47 ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP) 48 HYDROMULCH 49 COMPOST SOCK 50 HYDROSEED (SEED MIX 1) 51 HYDROSEED (SEED MIX 2) 52 COMPOST 53 INCORPORATE MATERIALS 54 FINISHING ROADWAY 55 CLASS 2 AGGREGATE BASE (CY) 56 HOT MIX ASPHALT (TYPE A) 57 PLACE HOT MIX ASPHALT DIKE (TYPE F) 58 PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA) 59 TACK COAT 60 EARTH RETAINING SYSTEM (RAILING COMPONENTS) 61 24" CAST-IN-DRILLED-HOLE CONCRETE PILING 62 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET) 63 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET) 64 (F) STRUCTURAL CONCRETE, BRIDGE 65 (F) STRUCTURAL CONCRETE, BARRIER SLAB 66 (F) MINOR CONCRETE (MINOR STRUCTURE) 67 JOINT SEAL (MR 1") 68 (F) BAR REINFORCING STEEL (BRIDGE) 69 (F) BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE) 70 FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED) 71 ROADSIDE SIGN - ONE POST 72 STAIN GALVANIZED SURFACES 73 PREPARE AND STAIN CONCRETE 74 (F) CONCRETE BACKFILL (PIPE TRENCH) 75 18" PLASTIC PIPE 76 24" PLASTIC PIPE 77 12" CORRUGATED STEEL PIPE (.079" THICK) 78 24" CORRUGATED STEEL PIPE (.138" THICK) 79 8" PERFORATED PLASTIC PIPE 80 12" CORRUGATED STEEL PIPE DOWNDRAIN 81 12" ANCHOR ASSEMBLY 82 SMALL-ROCK SLOPE PROTECTION 83 ROCK SLOPE PROTECTION (FACING, METHOD B) (CY) 84 ROCK SLOPE PROTECTION FABRIC (CLASS 8) 85 MINOR CONCRETE (CURB) (CY) 86 (F) MISCELLANEOUS IRON AND STEEL 87 (F) MISCELLANEOUS METAL (BRIDGE) 88 DELINEATOR (CLASS 2) 89 MILEPOST MARKER 90 MARKER (CULVERT) 91 OBJECT MARKER (TYPE P) 92 METAL BEAM GUARD RAILING (7' POST) 93 VEGETATION CONTROL (MINOR CONCRETE) 94 TUBULAR BICYCLE RAILING 95 SINGLE THRIE BEAM BARRIER (STEEL POST) 96 TRANSITION RAILING (TYPE STB) 97 TRANSITION RAILING (TYPE WB) 98 END ANCHOR ASSEMBLY (TYPE SFT) 99 INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT) 100 ALTERNATIVE IN-LINE TERMINAL SYSTEM 101 CONCRETE BARRIER (TYPE 736 MODIFIED) 102 CONCRETE BARRIER (TYPE 736B MODIFIED) 103 THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE) 104 PAVEMENT MARKER (RETROREFLECTIVE-RECESSED) 105 MOBILIZATION
Requirements: J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor?s license, insurance coverage and worker?s compensation for the entire

length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. J. F. SHEA CONSTRUCTION, INC. P.O. Box 494519 - Redding, CA 96049 Phone: (530) 246-4292 Fax: (530) 246-9940 An Equal Opportunity Employer
Date posted: 07/02/2014

DBE Goodfaith Inc. **Good Faith Transaction Log**

Company Details

Company Name	:	J. F. Shea Construction, Inc.
Department	:	Office
Address	:	17400 Clear Creek Rd.
Suite #	:	
City	:	Redding
State	:	California
Zip	:	96001
Phone #	:	Tel : 530-246-4292
Fax #	:	Fax : 530-246-9940
Email #	:	stacy.dutra@jfshea.com

Solicitation Transaction Log (STL)

Bid #	:	02-3E7904
Bid Date	:	07/30/2014
Bid Description	:	REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK OAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATEO WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING) (FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX

	ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

This document contains all information pertaining with solicitations made on behalf of/for J. F. Shea Construction, Inc. of Redding, California by DBE Goodfaith Inc. (a California-based Corporation).

These solicitations have been done in good faith. DBE Goodfaith has participated with J. F. Shea Construction, Inc. in communicating with selected DBE firms.

DBE Goodfaith has contacted the California Department of Transportation (Office of Civil Rights) on 07/02/2014 on your behalf. Please write this information on the appropriate forms if required.

Advertisements published in DBE GoodFaith's Minority Focus and Trade Journals run from the publication date until the bid date listed on the advertisements.

Total Companies Solicited

The following information is a summary of the different types of Business that have been solicited by DBE Good Faith Inc. on behalf of J. F. Shea Construction, Inc.

DVBE (Disadvantaged Veteran Business Enterprises)	-	0
DBE (Disadvantaged Business Enterprises)	-	50
UDBE (Underutilized Disadvantaged Business Enterprise)	-	0
MBE (Minority Owned Business Enterprises)	-	0
WBE (Women Owned Business Enterprises)	-	0
SBE (Small Business Enterprises)	-	0
	Total -	50

Minority Focus Journal Ad posted to website www.dbegoodfaith.net on 07/02/2014 at 4:33PM

The advertisement published in DBE GoodFaith's Focus Journal runs from the publication date until the bid date listed on the advertisement.

Estimator
Kirk Johnson

Project Coordinator
Stacy Dutra

Contact Information
17400 Clear Creek Rd.
Redding, California
96001
Tel : 530-246-4292
Fax : 530-246-9940

J. F. Shea Construction, Inc.

is seeking qualified DBEs

Project Name
Construct Sidehill Viaducts, Place HMA, Install Barrier Railing

Awarding Agency
State of California Department of Transportation - CALTRANS

Project Location
Near Burnt Ranch, Trinity County, California

Bid Date & Time
07/30/2014 at 02:00 P.M

Bid/Contract #
02-3E7904

Project Details
REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTDRS & SUPPLIERS FOR FDR CDNSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK RDAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPDRARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPDRARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY CDVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLDGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMDVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CDNCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPDRTED BORROW (CY); EROSIDN CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING) (FLAP); HYDROMULCH; CDMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HDLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFDRCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8"

	PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS B); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION. J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

Minority Trade Journal Ad posted to website trade.dbegoodfaith.net on 07/02/2014 at 4:33PM

The advertisement published in DBE GoodFaith's Trade Journal runs from the publication date until the bid date listed on the advertisement.

Trade Journal Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

Bid Due Date : 07/30/2014 at 02:00 P.M Bid No : 02-3E7904

Contact Estimator : Kirk Johnson

Project Name	:	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
Agency Name	:	State of California Department of Transportation - CALTRANS
Project City	:	Near Burnt Ranch
Project County	:	Trinity County
Project State	:	California
Project Details	:	

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE ANO STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

Contact Details : Stacy Dutra
17400 Clear Creek Rd.
Redding, California 96001
Tel : 530-246-4292
Fax : 530-246-9940

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required.

Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

Recipient List (Fax/Email)

Set No 1

Company Name/Specialty	Fax Date	Email Date	Log Page#
6 RIVERS CONSTRUCTION, INC. Address - 200 REDWOOD GROVE RD Phone - 5305157563, Fax - 5306255423, Email - 6riversconstruction@gmail.com	07/02/2014	07/02/2014	
A B S L CONSTRUCTION Address - 29334 PACIFIC STREET Phone - 5107270900, Fax - 5107270910, Email - luis@allendes.com	07/02/2014	07/02/2014	
A C DIKE CO Address - 2788 VENTURE DR. Phone - 9166457747 , Fax - 9166459618, Email - email@acdike.com	07/02/2014	07/02/2014	
A F M ENVIRONMENTAL INC. Address - 830 NORTHPORT DR., # 204 Phone - 9163749526, Fax - 9163749527, Email - afmenviro@aol.com	07/02/2014	07/02/2014	
A S CONTRACTORS, INC. Address - 5347 COLE ROAD Phone - 2097426684, Fax - 2099662643, Email - deni@sti.com	07/02/2014	07/02/2014	
ALLEN GILL CONSTRUCTION, INC. Address - 20633 GAS POINT ROAD, SUITE B2 Phone - 5305474334, Fax - 5305473197, Email - tgill@frontiernet.net	07/03/2014	07/03/2014	
AUSTIN ENTERPRISE Address - 13421 SNOW ROAD Phone - 6615891001, Fax - 6615899509, Email - paustin@austin-enterprise.com	07/03/2014	07/03/2014	
AZCO Address - 2250 STEWART STREET, #9 Phone - 2099432452, Fax - 2099430437, Email - llrivera@pacbell.net	07/03/2014	07/03/2014	
BAY LINE CUTTING & CORING, INC. Address - 1635 4TH STREET Phone - 5105271000, Fax - 5105270500, Email - jcbayline@sbcglobal.net	07/03/2014	07/03/2014	
CHARLIE'S CUSTOM EXCAVATING, INC Address - 21113 GILBERT DRIVE Phone - 5302213626, Fax - 5302217563, Email - office@ccexcavatinginc.com	07/03/2014	07/03/2014	
CLEAR CREEK CONSTRUCTION Address - 570 JULIAN STREET Phone - 5302241430, Fax - 5302241430, Email - clearcreekadam@gmail.com	07/03/2014	07/03/2014	
CMC TRAFFIC CONTROL SPECIALIST Address - 375 ILLINOIS STREET Phone - 4152061700, Fax - 4152061711, Email - crystalm.cmc@gmail.com	07/03/2014	07/03/2014	
COMBINED EFFORT INC Address - 17517 WILD OAK DRIVE Phone - 8007281100, Fax - 8005401789, Email - cbrandt@combined-effort.com	07/03/2014	07/03/2014	
CONSTRUCTION AREA SIGNS, INCORPORATED Address - 9093 OLD STATE HWY Phone - 9166639097, Fax - 9166631858, Email - elisa@cas-tc.com	07/03/2014	07/03/2014	
DIRT & AGGREGATE INTERCHANGE, INC Address - 20905 N.E. SANDY BOULEVARD Phone - 5036615093, Fax - 5036691192, Email - contractor@dirtagg.com	07/03/2014	07/03/2014	
DISABLED AMERICAN VETERAN ENT. TRUCKING & SWEEPING Address - 1686 FIRESTONE DRIVE Phone - 5592138773, Fax - 0000000000, Email - DAVEtrucksweep@gmail.com	07/02/2014	07/02/2014	
EAGLE ENGINEERING AND CONSTRUCTION, INC Address - 1175 PALOMAR DRIVE Phone - 6503678000, Fax - 6503678282, Email - brooks.curtis@att.net	07/03/2014	07/03/2014	
ERNEST B. DEE Address - 6120 BELFIELD CIR Phone - 9162710410 , Fax - 9166912127 , Email - dee4321@frontiernet.net	07/03/2014	07/03/2014	
FCS STRIPING, SEALING AND PAVING, INC. Address - 206 THRASHER AVENUE Phone - 9253736205, Fax - 9253736208, Email - inesseoane@fcs-ssp.com	07/03/2014	07/03/2014	

FRANK MEDINA GENERAL ENGINEERING CONTRACTOR Address - 10096 AHART ROAD Phone - 5307430744, Fax - 5307439352, Email - toni.medina@att.net	07/03/2014	07/03/2014
GALLAWAY ENTERPRISES, INC Address - 117 MEYERS ST., SUITE 120 Phone - 5303329909, Fax - 5303329905, Email - jody@gallawayenterpises.com	07/02/2014	07/02/2014
GENERAL SUPPLY COMPANY Address - 971 87TH AVENUE Phone - 5106325229, Fax - 5106322315, Email - generalsupply@sbcglobal.net	07/02/2014	07/02/2014
GR SUNDBERG, INC. Address - 5211 BOYD ROAD Phone - 7078256565, Fax - 7078256563, Email - diane@grsinc.biz	07/02/2014	07/02/2014
GREEN BUILDING PRODUCTS, INC Address - 3303 LUYUNG DRIVE Phone - 9163330557, Fax - 9163747998, Email - carole@greenbpi.com	07/02/2014	07/02/2014
HAMANAKA PAINTING CO. Address - P.O. BOX 6413 Phone - 7074443340, Fax - 7074443346, Email - mutaba@northcoast.com	07/02/2014	07/02/2014
K & G CONCRETE INC Address - 2564 LA CROIX DR. Phone - 9162161623, Fax - 9167746487 , Email - keaven@kgconcretepumping.com	07/02/2014	07/02/2014
K & K CONSTRUCTION SUPPLY, INC Address - 11280 SUNRISE PARK DR., STE B Phone - 9168510965, Fax - 9168510999, Email - kelly@urataconcrete.com	07/02/2014	07/02/2014
K R C SAFETY CO. INC. Address - 6084 WEST HURLEY Phone - 5597320393, Fax - 5597322684, Email - garyc@krcsafety.com	07/02/2014	07/02/2014
KA`PEL CONSTRUCTION INC Address - 691 PONY EXPRESS WAY, LOT 31 Phone - 5306293300, Fax - 5306293300, Email - lrobbins@kapelconstruction.com	07/02/2014	07/02/2014
KERN COUNTY CUSTOM CONCRETE Address - 1706 CHESTER AVE STE 352 Phone - 6618724602, Fax - 6613255590, Email - JerryKCCC@yahoo.com	07/03/2014	07/03/2014
KIONA LANDSCAPING Address - 3889 F STREET, APT 2 Phone - 7076164340, Fax - 0000000000, Email - egruetzmacherjr@gmail.com	07/03/2014	07/03/2014
MAG-CON ENGINEERING AND CONSTRUCTION, INC Address - 2164 TIBER RIVER DR. Phone - 9166381175 , Fax - 9166381178 , Email - kcho@mag-coninc.com	07/03/2014	07/03/2014
MC CULLOUGH CONSTRUCTION INC Address - 57 ALDERGROVE ROAD Phone - 7078251014, Fax - 7078251769, Email - mackymccullough@mcculloughconstructioninc.com	07/03/2014	07/03/2014
MONROE CONSTRUCTION SALES Address - 13615 ORANGE BLOSSOM ROAD Phone - 2094846659, Fax - 2098488093, Email - juliemonroe76@live.com	07/02/2014	07/02/2014
NATURAL INVESTIGATIONS COMPANY, LLC Address - 6124 SHADOW LANE Phone - 9167659381, Fax - 0000000000, Email - Cindy@naturalinvestigations.com	07/02/2014	07/02/2014
NITTA EROSION CONTROL Address - 3778 DEL MAR AVENUE Phone - 9166527459, Fax - 9166524376, Email - nittaec@gmail.com	07/02/2014	07/02/2014
NOR-CAL PUMP & WELL DRILLING, INC. Address - 1325 BARRY ROAD Phone - 5306745861, Fax - 5306741525, Email - norcalpump@yahoo.com	07/02/2014	07/02/2014
OLIVEIRA FENCE, INC. Address - 400 REED STREET SUITE 106 Phone - 4087273811, Fax - 4087272690, Email - pam@oliveirafenceinc.com	07/02/2014	07/02/2014
R. E. SERRANO INC. Address - 3430 PACHECO BLVD. Phone - 9259578184, Fax - 9259578121, Email - ricky@reserrano.com	07/02/2014	07/02/2014
RUPERT CONSTRUCTION SUPPLY, LLC Address - 12405 GOLD FLAKE CT.	07/02/2014	07/02/2014

Phone - 9252295577, Fax - 9166739737, Email - karen@rupertsupply.com		
S.T. RHOADES CONSTRUCTION INC Address - 14105 DOS PINION TRAIL Phone - 5302239322, Fax - 5302239222, Email - steve@strhoadesinc.com	07/02/2014	07/02/2014
SITE WORK SOLUTIONS, INC Address - 18981 GRAVEL PLANT RD Phone - 5302222229, Fax - 5302223337 , Email - GWHITMER@CLEARWIRE.NET	07/02/2014	07/02/2014
SPECIALTY TRAFFIC SYSTEMS Address - 2431 BROADWAY Phone - 7074418420, Fax - 7074451856, Email - specialtytraffic@yahoo.com	07/02/2014	07/02/2014
STONY CREEK GENERAL ENGINEERING Address - 5321 COUNTY RD 206 Phone - 5305263191, Fax - 5309885092, Email - luke@scgeinc.com	07/03/2014	07/03/2014
TRINITY VALLEY CONSULTING ENGINEERS, INC Address - 67 WALNUT WAY Phone - 5306293000 , Fax - 5306293011 , Email - tvce@tvce.biz	07/03/2014	07/03/2014
TULLY CONSULTING GROUP Address - 580 WIEGAND WAY Phone - 7076931926 , Fax - 7074710318 , Email - robintully8@gmail.com	07/03/2014	07/03/2014
TYRRELL RESOURCES, INC. Address - 275 HILLTOP DRIVE Phone - 5302438733, Fax - 5302418975 , Email - tyrrellresources@sbcglobal.net	07/03/2014	07/03/2014
UMA HINMAN CONSULTING Address - 11143 BRUNSWICK DRIVE Phone - 9168130818, Fax - 0000000000, Email - uhinman@comcast.net	07/02/2014	07/02/2014
WALLACE STRUCTURES Address - 2515 TAWNDALE LN Phone - 7078344992, Fax - 7077683386, Email - wallacestr@aol.com	07/02/2014	07/02/2014
WHITE CAP READY MIX, INC. Address - 73880 HIGHWAY 70 Phone - 5308324225, Fax - 5308325847, Email - whitecaprm@sbcglobal.net	07/02/2014	07/02/2014

Recipients Phone Log 1 Set 1 Date: 07/08/2014

Company Details	Spoke to	Date/Time	Y/M/N
6 RIVERS CONSTRUCTION, INC. May be interested, left a voicemail message with all the project details.	Voicemail	07/08/2014 10:15 A.M	M
A B S L CONSTRUCTION May be interested, left a voicemail message with all the project details.	Voicemail	07/08/2014 10:16 A.M	M
A C DIKE CO No, not interested in bidding.	Estimator	07/08/2014 10:18 A.M	N
A F M ENVIRONMENTAL INC. May be interested, the estimator will take a look at the project details and will fax a quote if interested.	Estimator	07/08/2014 10:21 A.M	M
A S CONTRACTORS, INC. May be interested, left a voicemail message with all the project details.	Voicemail	07/08/2014 10:23 A.M	M
ALLEN GILL CONSTRUCTION, INC. May be interested, left a voicemail message with all the project details.	Voicemail	07/08/2014 10:25 A.M	M
AUSTIN ENTERPRISE No, not interested in bidding.	Receptionist	07/08/2014 10:26 A.M	N
AZCO May be interested, resent fax upon request.	Receptionist	07/08/2014 10:28 A.M	M
BAY LINE CUTTING & CORING, INC. May be interested, left a voicemail message with all the project details.	Voicemail	07/08/2014 10:29 A.M	M
CHARLIE'S CUSTOM EXCAVATING, INC May be interested, the estimator will take a look at the project details and will fax a quote if interested.	Receptionist	07/08/2014 10:29 A.M	M
CLEAR CREEK CONSTRUCTION May be interested, left a voicemail message with all the project details.	Voicemail	07/08/2014 10:30 A.M	M
CMC TRAFFIC CONTROL SPECIALIST May be interested, left a voicemail message with all the project details.	Voicemail	07/08/2014 10:31 A.M	M
COMBINED EFFORT INC May be interested, however, there was no answer to phone call.	No answer	07/08/2014 10:31 A.M	M
CONSTRUCTION AREA SIGNS, INCORPORATED May be interested, the estimator will take a look at the project details and will fax a quote if interested.	DeeDee	07/08/2014 10:32 A.M	M
DIRT & AGGREGATE INTERCHANGE, INC May be interested, however, there was no answer to phone call.	No answer	07/08/2014 10:33 A.M	M
DISABLED AMERICAN VETERAN ENT. TRUCKING & SWEEPING May be interested, left a voicemail message with all the project details.	Voicemail	07/08/2014 10:34 A.M	M
EAGLE ENGINEERING AND CONSTRUCTION, INC May be interested, left a voicemail message with all the project details.	Voicemail	07/08/2014 10:35 A.M	M
ERNEST B. DEE No, not interested in bidding.	Estimator	07/08/2014 10:36 A.M	N
FCS STRIPING, SEALING AND PAVING, INC. May be interested, left a voicemail message with all the project details.	Voicemail	07/08/2014 10:36 A.M	M

FRANK MEDINA GENERAL ENGINEERING CONTRACTOR	Receptionist	07/08/2014 10:37 A.M	M
May be interested, the estimator will take a look at the project details and will fax a quote if interested.			
GALLAWAY ENTERPRISES, INC	Voicemail	07/08/2014 10:37 A.M	M
May be interested, left a voicemail message with all the project details.			
GENERAL SUPPLY COMPANY	Voicemail	07/08/2014 10:49 A.M	M
May be interested, left a voicemail message with all the project details.			
GR SUNDBERG, INC.	Receptionist	07/08/2014 10:50 A.M	N
No, not interested in bidding.			
GREEN BUILDING PRODUCTS, INC	Estimator	07/08/2014 10:51 A.M	N
No, not interested in bidding.			
HAMANAKA PAINTING CO.	No answer	07/08/2014 10:52 A.M	M
May be interested, however, there was no answer to phone call.			
K & G CONCRETE INC	No answer	07/08/2014 10:53 A.M	M
May be interested, however, we were unable to connect call.			
K & K CONSTRUCTION SUPPLY, INC	Voicemail	07/08/2014 10:54 A.M	M
May be interested, left a voicemail message with all the project details.			
K R C SAFETY CO. INC.	Receptionist	07/08/2014 10:56 A.M	M
May be interested, the estimator will take a look at the project details and will fax a quote if interested.			
KA`PEL CONSTRUCTION INC	Receptionist	07/08/2014 10:58 A.M	M
May be interested, the estimator will take a look at the project details and will fax a quote if interested.			
KERN COUNTY CUSTOM CONCRETE	Voicemail	07/08/2014 11:00 A.M	M
May be interested, left a voicemail message with all the project details.			
KIONA LANDSCAPING	Voicemail	07/08/2014 11:00 A.M	M
May be interested, left a voicemail message with all the project details.			
MAG-CON ENGINEERING AND CONSTRUCTION, INC	Voicemail	07/08/2014 11:01 A.M	M
May be interested, left a voicemail message with all the project details.			
MC CULLOUGH CONSTRUCTION INC	Receptionist	07/08/2014 11:02 A.M	M
May be interested, the estimator will take a look at the project details and will fax a quote if interested.			
MONROE CONSTRUCTION SALES	Voicemail	07/08/2014 11:04 A.M	M
May be interested, left a voicemail message with all the project details.			
NATURAL INVESTIGATIONS COMPANY, LLC	Receptionist	07/08/2014 11:06 A.M	M
May be interested, the estimator will take a look at the project details and will fax a quote if interested.			
NITTA EROSION CONTROL	Valerie	07/08/2014 04:32 P.M	M
May be interested, not sure yet. They will know closer to the bid date.			
NOR-CAL PUMP & WELL DRILLING, INC.	Voicemail	07/08/2014 04:34 P.M	M
May be interested, left a voicemail with all the project details.			
OLIVEIRA FENCE, INC.	Receptionist	07/08/2014 04:36 P.M	N
No, not bidding. Too far.			
R. E. SERRANO INC.	Voicemail	07/08/2014 04:38 P.M	M
May be interested, left a voicemail with all the project details.			
RUPERT CONSTRUCTION SUPPLY, LLC	Voicemail	07/08/2014 04:41 P.M	M
May be interested, left a voicemail with all the project details.			

S.T. RHOADES CONSTRUCTION INC May be interested, left a voicemail with all the project details.	Voicemail	07/08/2014 04:43 P.M	M
SITE WORK SOLUTIONS, INC No, not bidding this project.	Estimator	07/08/2014 04:45 P.M	N
SPECIALTY TRAFFIC SYSTEMS May be interested, left a voicemail with all the project details.	Voicemail	07/08/2014 04:46 P.M	M
STONY CREEK GENERAL ENGINEERING May be interested, left a voicemail with all the project details.	Voicemail	07/08/2014 04:48 P.M	M
TRINITY VALLEY CONSULTING ENGINEERS, INC May be interested, not sure. Sent another fax on request.	Christian	07/08/2014 04:50 P.M	M
TULLY CONSULTING GROUP May be interested, left a voicemail with all the project details.	Voicemail	07/08/2014 04:52 P.M	M
TYRRELL RESOURCES, INC. May be interested, left a voicemail with all the project details.	Voicemail	07/08/2014 04:54 P.M	M
UMA HINMAN CONSULTING May be interested, left a voicemail with all the project details.	Voicemail	07/08/2014 04:57 P.M	M
WALLACE STRUCTURES May be interested, left a voicemail with all the project details.	Voicemail	07/08/2014 05:00 P.M	M
WHITE CAP READY MIX, INC. May be interested, however, no answer to call. Unable to leave a message.	No answer	07/08/2014 05:02 P.M	M

Recipients Phone Log 2 set 1 Date: 07/21/2014

Company Details	Spoke to	Date/Time	Y/M/N
6 RIVERS CONSTRUCTION, INC. May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 08:31 A.M	M
A B S L CONSTRUCTION May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 08:33 A.M	M
A F M ENVIRONMENTAL INC. Yes, will be bidding this project.	Mel	07/21/2014 08:36 A.M	Y
A S CONTRACTORS, INC. May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 08:38 A.M	M
ALLEN GILL CONSTRUCTION, INC. May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 08:40 A.M	M
AZCO May be bidding, not sure. The estimator will reply if interested.	Marie	07/21/2014 08:41 A.M	M
BAY LINE CUTTING & CORING, INC. No, not bidding this project.	Juan	07/21/2014 08:43 A.M	N
CHARLIE'S CUSTOM EXCAVATING, INC May be interested, however, we were unable to connect call.	Unable to connect	07/21/2014 08:44 A.M	M
CLEAR CREEK CONSTRUCTION May be bidding, not sure yet. They are looking at the project.	Receptionist	07/21/2014 08:45 A.M	M
CMC TRAFFIC CONTROL SPECIALIST May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 08:47 A.M	M
COMBINED EFFORT INC May be interested, however, number not available at this time.	Not available	07/21/2014 08:48 A.M	M
CONSTRUCTION AREA SIGNS, INCORPORATED Yes, will be bidding this project.	Receptionist	07/21/2014 08:49 A.M	Y
DIRT & AGGREGATE INTERCHANGE, INC Yes, will be bidding this project.	Receptionist	07/21/2014 08:50 A.M	Y
DISABLED AMERICAN VETERAN ENT. TRUCKING & SWEEPING No, not bidding this project.	Estimator	07/21/2014 08:51 A.M	N
EAGLE ENGINEERING AND CONSTRUCTION, INC May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 08:52 A.M	M
FCS STRIPING, SEALING AND PAVING, INC. May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 08:57 A.M	M
FRANK MEDINA GENERAL ENGINEERING CONTRACTOR May be interested, however, lines are temporarily busy.	Lines busy	07/21/2014 08:57 A.M	M
GALLAWAY ENTERPRISES, INC May be interested, left a voicemail for the estimator with all the project details.	Estimator Voicemail	07/21/2014 09:03 A.M	M
GENERAL SUPPLY COMPANY May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 09:05 A.M	M

HAMANAKA PAINTING CO. May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 09:08 A.M	M
K & G CONCRETE INC May be interested, however, voicemail has not been set up yet.	Voicemail not set up yet	07/21/2014 09:09 A.M	M
K & K CONSTRUCTION SUPPLY, INC Yes, will be bidding this project.	Receptionist	07/21/2014 09:10 A.M	Y
K R C SAFETY CO. INC. No, not bidding this project.	Receptionist	07/21/2014 09:12 A.M	N
KA`PEL CONSTRUCTION INC No, not bidding this project.	Receptionist	07/21/2014 09:14 A.M	N
KERN COUNTY CUSTOM CONCRETE May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 09:20 A.M	M
KIONA LANDSCAPING May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 09:21 A.M	M
MAG-CON ENGINEERING AND CONSTRUCTION, INC May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 09:22 A.M	M
MC CULLOUGH CONSTRUCTION INC No, not bidding this project.	Receptionist	07/21/2014 09:25 A.M	N
MONROE CONSTRUCTION SALES May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 09:27 A.M	M
NATURAL INVESTIGATIONS COMPANY, LLC May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 09:29 A.M	M
NITTA EROSION CONTROL No, not bidding this project.	Valerie	07/21/2014 09:30 A.M	N
NOR-CAL PUMP & WELL DRILLING, INC. No, not bidding this project.	Amy	07/21/2014 09:31 A.M	N
R. E. SERRANO INC. May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 09:32 A.M	M
RUPERT CONSTRUCTION SUPPLY, LLC May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 09:38 A.M	M
S.T. RHOADES CONSTRUCTION INC May be bidding, not sure. No answer to call.	No answer	07/21/2014 09:39 A.M	M
SPECIALTY TRAFFIC SYSTEMS No, not bidding this project.	Estimator	07/21/2014 09:40 A.M	N
STONY CREEK GENERAL ENGINEERING May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 09:41 A.M	M
TRINITY VALLEY CONSULTING ENGINEERS, INC May be bidding, not sure. We were unable to leave a message due to bad connection.	Bad connection	07/21/2014 09:44 A.M	M
TULLY CONSULTING GROUP May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 09:45 A.M	M
TYRRELL RESOURCES, INC. May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 09:47 A.M	M

UMA HINMAN CONSULTING No, not bidding this project.	Receptionist	07/21/2014 09:48 A.M	N
WALLACE STRUCTURES May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 09:49 A.M	M
WHITE CAP READY MIX, INC. May be interested, however, no answer to call. Unable to leave a message.	No answer	07/21/2014 09:50 A.M	M

DBE Goodfaith Inc. Fax Confirmation Report for J. F. Shea Construction, Inc. Bid Number:02-3E7904

No.	Company Name	Type	Ph. Number	Fax Number	Status	Date/Time
1	6 RIVERS CONSTRUCTION, INC.	DBE	5305157563	5306255423	Success	07/02/2014 18:14
2	A B S L CONSTRUCTION	DBE	5107270900	5107270910	Success	07/02/2014 18:12
3	A C DIKE CO	DBE	9166457747	9166459618	Failed	07/02/2014 18:19
4	A F M ENVIRONMENTAL INC.	DBE	9163749526	9163749527	Success	07/02/2014 18:08
5	A S CONTRACTORS, INC.	DBE	2097426684	2099662643	Failed	07/02/2014 18:16
6	ALLEN GILL CONSTRUCTION, INC.	DBE	5305474334	5305473197	Success	07/03/2014 07:44
7	AUSTIN ENTERPRISE	DBE	6615891001	6615899509	Success	07/03/2014 07:42
8	AZCO	DBE	2099432452	2099430437	Success	07/03/2014 07:39
9	BAY LINE CUTTING & CORING, INC.	DBE	5105271000	5105270500	Success	07/03/2014 07:18
10	CHARLIE'S CUSTOM EXCAVATING, INC	DBE	5302213626	5302217563	Success	07/03/2014 07:12
11	CLEAR CREEK CONSTRUCTION	DBE	5302241430	5302241430	Success	07/03/2014 07:11
12	CMC TRAFFIC CONTROL SPECIALIST	DBE	4152061700	4152061711	Success	07/03/2014 07:11
13	COMBINED EFFORT INC	DBE	8007281100	8005401789	Success	07/03/2014 07:05
14	CONSTRUCTION AREA SIGNS, INCORPORATED	DBE	9166639097	9166631858	Success	07/03/2014 07:04
15	DIRT & AGGREGATE INTERCHANGE, INC	DBE	5036615093	5036691192	Success	07/03/2014 07:02
16	DISABLED AMERICAN VETERAN ENT. TRUCKING & SWEEPING	DBE	5592138773	0000000000	Failed	07/01/2014 17:00
17	EAGLE ENGINEERING AND CONSTRUCTION, INC	DBE	6503678000	6503678282	Success	07/03/2014 07:24
18	ERNEST B. DEE	DBE	9162710410	9166912127	Failed	07/03/2014 07:32
19	FCS STRIPING, SEALING AND PAVING, INC.	DBE	9253736205	9253736208	Failed	07/03/2014 07:24
20	FRANK MEDINA GENERAL ENGINEERING CONTRACTOR	DBE	5307430744	5307439352	Success	07/03/2014 07:18

No.	Company Name	Type	Ph. Number	Fax Number	Status	Date/Time
21	GALLAWAY ENTERPRISES, INC	DBE	5303329909	5303329905	Success	07/02/2014 18:18
22	GENERAL SUPPLY COMPANY	DBE	5106325229	5106322315	Failed	07/02/2014 19:10
23	GR SUNDBERG, INC.	DBE	7078256565	7078256563	Failed	07/02/2014 19:08
24	GREEN BUILDING PRODUCTS, INC	DBE	9163330557	9163747998	Success	07/02/2014 18:54
25	HAMANAKA PAINTING CO.	DBE	7074443340	7074443346	Failed	07/02/2014 19:02
26	K & G CONCRETE INC	DBE	9162161623	9167746487	Success	07/02/2014 19:03
27	K & K CONSTRUCTION SUPPLY, INC	DBE	9168510965	9168510999	Success	07/02/2014 18:48
28	K R C SAFETY CO. INC.	DBE	5597320393	5597322684	Success	07/02/2014 18:46
29	KA`PEL CONSTRUCTION INC	DBE	5306293300	5306293300	Success	07/02/2014 18:49
30	KERN COUNTY CUSTOM CONCRETE	DBE	6618724602	6613255590	Failed	07/03/2014 07:32
31	KIONA LANDSCAPING	DBE	7076164340	0000000000	Failed	07/02/2014 17:00
32	MAG-CON ENGINEERING AND CONSTRUCTION, INC	DBE	9166381175	9166381178	Success	07/03/2014 07:40
33	MC CULLOUGH CONSTRUCTION INC	DBE	7078251014	7078251769	Success	07/03/2014 07:34
34	MONROE CONSTRUCTION SALES	DBE	2094846659	2098488093	Failed	07/02/2014 18:58
35	NATURAL INVESTIGATIONS COMPANY, LLC	DBE	9167659381	0000000000	Failed	07/01/2014 17:00
36	NITTA EROSION CONTROL	DBE	9166527459	9166524376	Success	07/02/2014 18:38
37	NOR-CAL PUMP & WELL DRILLING, INC.	DBE	5306745861	5306741525	Success	07/02/2014 18:36
38	OLIVEIRA FENCE, INC.	DBE	4087273811	4087272690	Success	07/02/2014 18:35
39	R. E. SERRANO INC.	DBE	9259578184	9259578121	Success	07/02/2014 18:32
40	RUPERT CONSTRUCTION SUPPLY, LLC	DBE	9252295577	9166739737	Success	07/02/2014 18:29

No.	Company Name	Type	Ph. Number	Fax Number	Status	Date/Time
41	S.T. RHOADES CONSTRUCTION INC	DBE	5302239322	5302239222	Success	07/02/2014 18:28
42	SITE WORK SOLUTIONS, INC	DBE	5302222229	5302223337	Success	07/02/2014 18:26
43	SPECIALTY TRAFFIC SYSTEMS	DBE	7074418420	7074451856	Success	07/02/2014 18:24
44	STONY CREEK GENERAL ENGINEERING	DBE	5305263191	5309885092	Success	07/03/2014 07:32
45	TRINITY VALLEY CONSULTING ENGINEERS, INC	DBE	5306293000	5306293011	Success	07/03/2014 07:36
46	TULLY CONSULTING GROUP	DBE	7076931926	7074710318	Success	07/03/2014 07:28
47	TYRRELL RESOURCES, INC.	DBE	5302438733	5302418975	Success	07/03/2014 07:29
48	UMA HINMAN CONSULTING	DBE	9168130818	0000000000	Failed	07/01/2014 17:00
49	WALLACE STRUCTURES	DBE	7078344992	7077683386	Success	07/02/2014 18:22
50	WHITE CAP READY MIX, INC.	DBE	5308324225	5308325847	Success	07/02/2014 18:21

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:A F M ENVIRONMENTAL INC.
CONTACT NAME	Stacy Dutra	Phone Number :9163749526
ADDRESS	17400 Clear Creek Rd.	Fax Number :9163749527
	Redding, California, 96001	Date :07/02/2014 6:08PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Quailfied DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:A B S L CONSTRUCTION
CONTACT NAME	Stacy Dutra	Phone Number :5107270900
ADDRESS	17400 Clear Creek Rd.	Fax Number :5107270910
	Redding, California, 96001	Date :07/02/2014 6:12PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. Is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTRDL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MDDIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.

[ ]No, we are not interested.

[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:UMA HINMAN CONSULTING
CONTACT NAME	Stacy Dutra	Phone Number :9168130818
ADDRESS	17400 Clear Creek Rd.	Fax Number :0000000000
	Redding, California, 96001	Date :07/01/2014 5:00PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:6 RIVERS CONSTRUCTION, INC.
CONTACT NAME	Stacy Dutra	Phone Number :5305157563
ADDRESS	17400 Clear Creek Rd.	Fax Number :5306255423
	Redding, California, 96001	Date :07/02/2014 6:14PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRtDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:A S CONTRACTORS, INC.
CONTACT NAME	Stacy Dutra	Phone Number :2097426684
ADDRESS	17400 Clear Creek Rd.	Fax Number :2099662643
	Redding, California, 96001	Date :07/02/2014 6:16PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.

[ ]No, we are not interested.

[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:GALLAWAY ENTERPRISES, INC
CONTACT NAME	Stacy Dutra	Phone Number :5303329909
ADDRESS	17400 Clear Creek Rd.	Fax Number :5303329905
	Redding, California, 96001	Date :07/02/2014 6:18PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:A C DIKE CO
CONTACT NAME	Stacy Dutra	Phone Number :9166457747
ADDRESS	17400 Clear Creek Rd.	Fax Number :9166459618
	Redding, California, 96001	Date :07/02/2014 6:19PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:WHITE CAP READY MIX, INC.
CONTACT NAME	Stacy Dutra	Phone Number :5308324225
ADDRESS	17400 Clear Creek Rd.	Fax Number :5308325847
	Redding, California, 96001	Date :07/02/2014 6:21PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:WALLACE STRUCTURES
CONTACT NAME	Stacy Dutra	Phone Number :7078344992
ADDRESS	17400 Clear Creek Rd.	Fax Number :7077683386
	Redding, California, 96001	Date :07/02/2014 6:22PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINDR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; RDCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEDUS IRON AND STEEL; MISCELLANEDUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTRDL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHDR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MDBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:SPECIALTY TRAFFIC SYSTEMS
CONTACT NAME	Stacy Dutra	Phone Number :7074418420
ADDRESS	17400 Clear Creek Rd.	Fax Number :7074451856
	Redding, California, 96001	Date :07/02/2014 6:24PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of Califomia Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	Califomia

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:SITE WORK SOLUTIONS, INC
CONTACT NAME	Stacy Dutra	Phone Number :5302222229
ADDRESS	17400 Clear Creek Rd.	Fax Number :5302223337
	Redding, California, 96001	Date :07/02/2014 6:26PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	Califomia

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.

[ ]No, we are not interested.

[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:S.T. RHOADES CONSTRUCTION INC
CONTACT NAME	Stacy Dutra	Phone Number :5302239322
ADDRESS	17400 Clear Creek Rd.	Fax Number :5302239222
	Redding, California, 96001	Date :07/02/2014 6:28PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:RUPERT CONSTRUCTION SUPPLY, LLC
CONTACT NAME	Stacy Dutra	Phone Number :9252295577
ADDRESS	17400 Clear Creek Rd.	Fax Number :9166739737
	Redding, California, 96001	Date :07/02/2014 6:29PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:R. E. SERRANO INC.
CONTACT NAME	Stacy Dutra	Phone Number :9259578184
ADDRESS	17400 Clear Creek Rd.	Fax Number :9259578121
	Redding, California, 96001	Date :07/02/2014 6:32PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.

[ ]No, we are not interested.

[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:OLIVEIRA FENCE, INC.
CONTACT NAME	Stacy Dutra	Phone Number :4087273811
ADDRESS	17400 Clear Creek Rd.	Fax Number :4087272690
	Redding, California, 96001	Date :07/02/2014 6:35PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. Is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of Califomia Departrnent of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.

[ ]No, we are not interested.

[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:NOR-CAL PUMP & WELL DRILLING, INC.
CONTACT NAME	Stacy Dutra	Phone Number :5306745861
ADDRESS	17400 Clear Creek Rd.	Fax Number :5306741525
	Redding, California, 96001	Date :07/02/2014 6:36PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:NATURAL INVESTIGATIONS COMPANY, LLC
CONTACT NAME	Stacy Dutra	Phone Number :9167659381
ADDRESS	17400 Clear Creek Rd.	Fax Number :0000000000
	Redding, California, 96001	Date :07/01/2014 5:00PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:NITTA EROSION CONTROL
CONTACT NAME	Stacy Dutra	Phone Number :9166527459
ADDRESS	17400 Clear Creek Rd.	Fax Number :9166524376
	Redding, California, 96001	Date :07/02/2014 6:38PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:K R C SAFETY CO. INC.
CONTACT NAME	Stacy Dutra	Phone Number :5597320393
ADDRESS	17400 Clear Creek Rd.	Fax Number :5597322684
	Redding, California, 96001	Date :07/02/2014 6:46PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:K & K CONSTRUCTION SUPPLY, INC
CONTACT NAME	Stacy Dutra	Phone Number :9168510965
ADDRESS	17400 Clear Creek Rd.	Fax Number :9168510999
	Redding, California, 96001	Date :07/02/2014 6:48PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATEO STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:KA`PEL CONSTRUCTION INC
CONTACT NAME	Stacy Dutra	Phone Number :5306293300
ADDRESS	17400 Clear Creek Rd.	Fax Number :5306293300
	Redding, California, 96001	Date :07/02/2014 6:49PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
J. F. Shea Construction, Inc.

For additional information about minority participation projects,
visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:GREEN BUILDING PRODUCTS, INC
CONTACT NAME	Stacy Dutra	Phone Number :9163330557
ADDRESS	17400 Clear Creek Rd.	Fax Number :9163747998
	Redding, Califomia, 96001	Date :07/02/2014 6:54PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of Califomia Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	Califomia

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.

[ ]No, we are not interested.

[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:DISABLED AMERICAN VETERAN ENT. TRUCKING & SWEEPING
CONTACT NAME	Stacy Dutra	Phone Number :5592138773
ADDRESS	17400 Clear Creek Rd.	Fax Number :0000000000
	Redding, California, 96001	Date :07/01/2014 5:00PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; RDCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLDPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); DBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATIDN CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL PDST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHDR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MDDIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MDDIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:MONROE CONSTRUCTION SALES
CONTACT NAME	Stacy Dutra	Phone Number :2094846659
ADDRESS	17400 Clear Creek Rd.	Fax Number :2098488093
	Redding, California, 96001	Date :07/02/2014 6:58PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-N-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-N-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:HAMANAKA PAINTING CO.
CONTACT NAME	Stacy Dutra	Phone Number :7074443340
ADDRESS	17400 Clear Creek Rd.	Fax Number :7074443346
	Redding, California, 96001	Date :07/02/2014 7:02PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of Califomia Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEDUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HDLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - DNE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DDWNDRAIN; 12" ANCHDR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPDST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CDNTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHDR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHDR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:K & G CONCRETE INC
CONTACT NAME	Stacy Dutra	Phone Number :9162161623
ADDRESS	17400 Clear Creek Rd.	Fax Number :9167746487
	Redding, California, 96001	Date :07/02/2014 7:03PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:GR SUNDBERG, INC.
CONTACT NAME	Stacy Dutra	Phone Number :7078256565
ADDRESS	17400 Clear Creek Rd.	Fax Number :7078256563
	Redding, California, 96001	Date :07/02/2014 7:08PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-N-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:GENERAL SUPPLY COMPANY
CONTACT NAME	Stacy Dutra	Phone Number :5106325229
ADDRESS	17400 Clear Creek Rd.	Fax Number :5106322315
	Redding, California, 96001	Date :07/02/2014 7:10PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED ERDSION CDNTRDL PRODUCT (NETTING); ROLLED EROSIDN CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING RDADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING CDMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CDNCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (RDCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPDXY CDATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTIDN (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATDR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITIDN RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:DIRT & AGGREGATE INTERCHANGE, INC
CONTACT NAME	Stacy Dutra	Phone Number :5036615093
ADDRESS	17400 Clear Creek Rd.	Fax Number :5036691192
	Redding, California, 96001	Date :07/03/2014 7:02AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of Califomia Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	Califomia

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:CONSTRUCTION AREA SIGNS, INCORPORATED
CONTACT NAME	Stacy Dutra	Phone Number :9166639097
ADDRESS	17400 Clear Creek Rd.	Fax Number :9166631858
	Redding, California, 96001	Date :07/03/2014 7:04AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:COMBINED EFFORT INC
CONTACT NAME	Stacy Dutra	Phone Number :8007281100
ADDRESS	17400 Clear Creek Rd.	Fax Number :8005401789
	Redding, California, 96001	Date :07/03/2014 7:05AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
J. F. Shea Construction, Inc.

For additional information about minority participation projects,
visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of Califomia Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	Califomia

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:CLEAR CREEK CONSTRUCTION
CONTACT NAME	Stacy Dutra	Phone Number :5302241430
ADDRESS	17400 Clear Creek Rd.	Fax Number :5302241430
	Redding, California, 96001	Date :07/03/2014 7:11AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.

[ ]No, we are not interested.

[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:CMC TRAFFIC CONTROL SPECIALIST
CONTACT NAME	Stacy Dutra	Phone Number :4152061700
ADDRESS	17400 Clear Creek Rd.	Fax Number :4152061711
	Redding, California, 96001	Date :07/03/2014 7:11AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
J. F. Shea Construction, Inc.
For additional information about minority participation projects,
visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:CHARLIE'S CUSTOM EXCAVATING, INC
CONTACT NAME	Stacy Dutra	Phone Number :5302213626
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :5302217563 Date :07/03/2014 7:12AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:BAY LINE CUTTING & CORING, INC.
CONTACT NAME	Stacy Dutra	Phone Number :5105271000
ADDRESS	17400 Clear Creek Rd.	Fax Number :5105270500
	Redding, California, 96001	Date :07/03/2014 7:18AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
J. F. Shea Construction, Inc.
For additional information about minority participation projects,
visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of Califomia Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.

[ ]No, we are not interested.

[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:FRANK MEDINA GENERAL ENGINEERING CONTRACTOR
CONTACT NAME	Stacy Dutra	Phone Number :5307430744
ADDRESS	17400 Clear Creek Rd.	Fax Number :5307439352
	Redding, California, 96001	Date :07/03/2014 7:18AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.

[ ]No, we are not interested.

[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:EAGLE ENGINEERING AND CONSTRUCTION, INC
CONTACT NAME	Stacy Dutra	Phone Number :6503678000
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :6503678282
		Date :07/03/2014 7:24AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-N-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.

[ ]No, we are not interested.

[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:FCS STRIPING, SEALING AND PAVING, INC.
CONTACT NAME	Stacy Dutra	Phone Number :9253736205
ADDRESS	17400 Clear Creek Rd.	Fax Number :9253736208
	Redding, Califomia, 96001	Date :07/03/2014 7:24AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
J. F. Shea Construction, Inc.
For additional information about minority participation projects,
visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of Califomia Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	Califomia

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-N-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-N-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.

[ ]No, we are not interested.

[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:TULLY CONSULTING GROUP
CONTACT NAME	Stacy Dutra	Phone Number :7076931926
ADDRESS	17400 Clear Creek Rd.	Fax Number :7074710318
	Redding, California, 96001	Date :07/03/2014 7:28AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:TYRRELL RESOURCES, INC.
CONTACT NAME	Stacy Dutra	Phone Number :5302438733
ADDRESS	17400 Clear Creek Rd.	Fax Number :5302418975
	Redding, California, 96001	Date :07/03/2014 7:29AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of Califomia Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	Califomia

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:STONY CREEK GENERAL ENGINEERING
CONTACT NAME	Stacy Dutra	Phone Number :5305263191
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :5309885092 Date :07/03/2014 7:32AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROAOWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-N-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:KERN COUNTY CUSTOM CONCRETE
CONTACT NAME	Stacy Dutra	Phone Number :6618724602
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :6613255590 Date :07/03/2014 7:32AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.

[ ]No, we are not interested.

[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:ERNEST B. DEE
CONTACT NAME	Stacy Dutra	Phone Number :9162710410
ADDRESS	17400 Clear Creek Rd.	Fax Number :9166912127
	Redding, California, 96001	Date :07/03/2014 7:32AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
J. F. Shea Construction, Inc.
For additional information about minority participation projects,
visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:MC CULLOUGH CONSTRUCTION INC
CONTACT NAME	Stacy Dutra	Phone Number :7078251014
ADDRESS	17400 Clear Creek Rd.	Fax Number :7078251769
	Redding, California, 96001	Date :07/03/2014 7:34AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.

[ ]No, we are not interested.

[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:KIONA LANDSCAPING
CONTACT NAME	Stacy Dutra	Phone Number :7076164340
ADDRESS	17400 Clear Creek Rd.	Fax Number :0000000000
	Redding, California, 96001	Date :07/02/2014 5:00PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION DN STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-N-DRILLED-HOLE CONCRETE PILING; 16" CAST-N-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-N-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:TRINITY VALLEY CONSULTING ENGINEERS, INC
CONTACT NAME	Stacy Dutra	Phone Number :5306293000
ADDRESS	17400 Clear Creek Rd.	Fax Number :5306293011
	Redding, California, 96001	Date :07/03/2014 7:36AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:AZCO
CONTACT NAME	Stacy Dutra	Phone Number :2099432452
ADDRESS	17400 Clear Creek Rd.	Fax Number :2099430437
	Redding, California, 96001	Date :07/03/2014 7:39AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Departrment of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:MAG-CON ENGINEERING AND CONSTRUCTION, INC
CONTACT NAME	Stacy Dutra	Phone Number :9166381175
ADDRESS	17400 Clear Creek Rd.	Fax Number :9166381178
	Redding, California, 96001	Date :07/03/2014 7:40AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTIDN FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:AUSTIN ENTERPRISE
CONTACT NAME	Stacy Dutra	Phone Number :6615891001
ADDRESS	17400 Clear Creek Rd.	Fax Number :6615899509
	Redding, California, 96001	Date :07/03/2014 7:42AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of Califomia Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Bumt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:ALLEN GILL CONSTRUCTION, INC.
CONTACT NAME	Stacy Dutra	Phone Number :5305474334
ADDRESS	17400 Clear Creek Rd.	Fax Number :5305473197
	Redding, California, 96001	Date :07/03/2014 7:44AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MDDIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

Good Faith Efforts Documentation - DBE Page 3 of 3 - #6 & #7 - Advertising and Solicitation Back-Up

* * * Communication Result Report (Jul. 2. 2014 1:10PM) * * *

1) JF SHEA
2)

Date/Time: Jul. 2. 2014 1:09PM

File No.	Mode	Destination	Pg(s)	Result	Page Not Sent
6630	Memory TX	92212140	P. 3	OK	

RECEIVED
J.F. SHEA CONST., INC.
JUL 02 2014
DIV. NO.
A/C NO.

Reason for error
E. 1) Hang up or line fail
E. 2) Busy
E. 3) No answer
E. 4) No facsimile connection
E. 5) Exceeded max. E-mail size
E. 6) Destination does not support IP-Fax

221-2140 Listing Only ☒ Place Ad ☒

AEOE, MBE, WBE, SBE, DBE & DVBE REQUEST FORM

LISTING ONLY	LISTING & AD
Date _____ Time _____	Date 7/2/14 Time 12:30 PM
Company Name: J. F. Shea Construction, Inc.	Company Name: J. F. Shea Construction, Inc.
Phone: 530) 246-4282	Address: P. O. Box 494519
Fax: 530) 246-9940	City, State, Zip: Redding, Ca. 96049-4519
Contact Person:	Phone: 530) 246-4282
Job Location:	Fax: 530) 246-9940
Job Name:	License #: 788969 A
Job Number:	Per:
Bid Date: _____ Bid Time: _____	Contact Person: Stacy Dutra
Job Location:	Place Ad on These Dates: ASAP - please run on/@ bid date, thanks!
Job Name:	Job Location: Near Burnt Ranch, CA - Trinity County
Job Number:	Job Name: Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
Bid Date: _____ Bid Time: _____	Job Number: Contract # 02-3E7904
Members $20/Week Non-Members $40/Week	Bid Date: 7/30/14 Time: 2:00 PM
Non-Member Payment	Place Ad on These Dates:
Payment: Method Amount $ Date Received	Job Location:
Bulletin	Job Name:
Listing Was Done:	Job Number:
Ad Was Done:	Bid Date: _____ Time: _____

Fax #: (530) 221-2140

221-2140

Listing Only ☒ Place Ad ☑

AEOE, MBE, WBE, SBE, DBE & DVBE REQUEST FORM

LISTING ONLY

Date _____ Time _____

Company Name: J. F. Shea Construction, Inc.

Phone: 530) 246-4292

Fax: 530) 246-9940

Contact Person:

Job Location:

Job Name:

Job Number:

Bid Date: _____ Bid Time: _____

Job Location:

Job Name:

Job Number:

Bid Date: _____ Bid Time: _____

Members $20/Week Non-Members $40/Week

Non-Member Payment

Payment
Mailed
Amount $ _____
Date Received _____

Bulletin

Date Listing Was Done: _____
Date Ad Was Done: _____

LISTING & AD

Date 7/2/14 Time 12:30 PM

Company Name: J. F. Shea Construction, Inc.

Address: P. O. Box 494519

City, State, Zip: Redding, Ca. 96049-4519

Phone: 530) 246-4292

Fax: 530) 246-9940

License #: 769989 A

Per:

Contact Person: Stacy Dutra

Place Ad on These Dates:
ASAP - please run until bid date, thanks!

Job Location: Near Burnt Ranch, CA - Trinity County

Job Name: Construct Sidehill Viaducts, Place HMA, Install Barrier Railing

Job Number: Contract # 02-3E7904

Bid Date: 7/30/14 Time: 2:00 PM

Place Ad on These Dates:

Job Location:

Job Name:

Job Number:

Bid Date: _____ Time: _____

Fax #: (530) 221-2140

REQUEST FOR QUALIFIED UDBE/DBE
SUBCONTRACTORS & SUPPLIERS FOR:

State of California Department of Transportation - Caltrans
Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR
BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD
Trinity County
Contract #: 02-3E7904
Engineers Estimate: $4,270,000.00
Bid Date: 7/30/2014 @ 2 PM
Goal: 9 % DBE

J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to:

1	LEAD COMPLIANCE PLAN
2	CONSTRUCTION AREA SIGNS
3	TRAFFIC CONTROL SYSTEM
4	TEMPORARY PAVEMENT MARKING (TAPE)
5	TEMPORARY TRAFFIC STRIPE (PAINT)
6	CHANNELIZER (SURFACE MOUNTED)
7	TEMPORARY SIGNAL SYSTEM
8	PORTABLE CHANGEABLE MESSAGE SIGN (LS)
9	TEMPORARY RAILING (TYPE K)
10	TEMPORARY CRASH CUSHION
11	JOB SITE MANAGEMENT
12	PREPARE STORM WATER POLLUTION PREVENTION PLAN
13	RAIN EVENT ACTION PLAN
14	STORM WATER SAMPLING AND ANALYSIS DAY
15	STORM WATER ANNUAL REPORT
16	TEMPORARY COVER
17	TEMPORARY CHECK DAM
18	TEMPORARY DRAINAGE INLET PROTECTION
19	TEMPORARY CONSTRUCTION ENTRANCE
20	STREET SWEEPING
21	TEMPORARY CONCRETE WASHOUT
22	ASBESTOS COMPLIANCE PLAN
23	TEMPORARY FENCE (TYPE ESA)
24	TREATED WOOD WASTE
25	CONTRACTOR-SUPPLIED BIOLOGIST (LS)
26	DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS)
27	REMOVE GUARDRAIL
28	REMOVE THERMOPLASTIC TRAFFIC STRIPE
29	REMOVE ROADSIDE SIGN
30	REMOVE CULVERT (LF)
31	REMOVE INLET
32	REMOVE HEADWALL
33	RECONSTRUCT RUBBLE WALL
34	COLD PLANE ASPHALT CONCRETE PAVEMENT
35	PREPARE CONCRETE BRIDGE DECK SURFACE
36	FURNISH POLYESTER CONCRETE OVERLAY
37 (F)	PLACE POLYESTER CONCRETE OVERLAY
38	CLEARING AND GRUBBING (LS)
39	DEVELOP WATER SUPPLY
40	ROADWAY EXCAVATION
41	SHOULDER BACKING
42 (F)	STRUCTURE EXCAVATION (BRIDGE)
43 (F)	STRUCTURE BACKFILL (BRIDGE)
44	IMPORTED BORROW (CY)
45	EROSION CONTROL (BONDED FIBER MATRIX) (SQFT)
46	ROLLED EROSION CONTROL PRODUCT (NETTING)
47	ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP)
48	HYDROMULCH
49	COMPOST SOCK
50	HYDROSEED (SEED MIX 1)
51	HYDROSEED (SEED MIX 2)
52	COMPOST
53	INCORPORATE MATERIALS
54	FINISHING ROADWAY
55	CLASS 2 AGGREGATE BASE (CY)
56	HOT MIX ASPHALT (TYPE A)
57	PLACE HOT MIX ASPHALT DIKE (TYPE F)
58	PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA)
59	TACK COAT

60	EARTH RETAINING SYSTEM (RAILING COMPONENTS)
61	24" CAST-IN-DRILLED-HOLE CONCRETE PILING
62	16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET)
63	24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET)
64 (F)	STRUCTURAL CONCRETE, BRIDGE
65 (F)	STRUCTURAL CONCRETE, BARRIER SLAB
66 (F)	MINOR CONCRETE (MINOR STRUCTURE)
67	JOINT SEAL (MR 1")
68 (F)	BAR REINFORCING STEEL (BRIDGE)
69 (F)	BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE)
70	FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED)
71	ROADSIDE SIGN - ONE POST
72	STAIN GALVANIZED SURFACES
73	PREPARE AND STAIN CONCRETE
74 (F)	CONCRETE BACKFILL (PIPE TRENCH)
75	18" PLASTIC PIPE
76	24" PLASTIC PIPE
77	12" CORRUGATED STEEL PIPE (.079" THICK)
78	24" CORRUGATED STEEL PIPE (.138" THICK)
79	8" PERFORATED PLASTIC PIPE
80	12" CORRUGATED STEEL PIPE DOWNDRAIN
81	12" ANCHOR ASSEMBLY
82	SMALL-ROCK SLOPE PROTECTION
83	ROCK SLOPE PROTECTION (FACING, METHOD B) (CY)
84	ROCK SLOPE PROTECTION FABRIC (CLASS 8)
85	MINOR CONCRETE (CURB) (CY)
86 (F)	MISCELLANEOUS IRON AND STEEL
87 (F)	MISCELLANEOUS METAL (BRIDGE)
88	DELINEATOR (CLASS 2)
89	MILEPOST MARKER
90	MARKER (CULVERT)
91	OBJECT MARKER (TYPE P)
92	METAL BEAM GUARD RAILING (7' POST)
93	VEGETATION CONTROL (MINOR CONCRETE)
94	TUBULAR BICYCLE RAILING
95	SINGLE THRIE BEAM BARRIER (STEEL POST)
96	TRANSITION RAILING (TYPE STB)
97	TRANSITION RAILING (TYPE WB)
98	END ANCHOR ASSEMBLY (TYPE SFT)
99	INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT)
100	ALTERNATIVE IN-LINE TERMINAL SYSTEM
101	CONCRETE BARRIER (TYPE 736 MODIFIED)
102	CONCRETE BARRIER (TYPE 736B MODIFIED)
103	THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE)
104	PAVEMENT MARKER (RETROREFLECTIVE-RECESSED)
105	MOBILIZATION

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages.

J. F. SHEA CONSTRUCTION, INC.
P.O. Box 494519 - Redding, CA 96049
Phone: (530) 246-4292 Fax: (530) 246-9940
An Equal Opportunity Employer

PUBLICATION AFFIDAVIT
DECLARATION OF PUBLICATION

FILE COPY

STATE OF CALIFORNIA

FILED

Suzie Davidson /Art Director

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR:

STATE OF CALIFORNIA DEPT. OF TRANSPORTATION - CALTRANS CONSTRUCT SIDEHILL VIADUCTS, PLACE HMA, INSTALL BARRIER RAILING FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH . FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD - CONTRACT #02-3E7904 ENGINEER'S ESTIMATE: $4,270,000.00

BID DATE: 7/30/14 @ 2:00 PM **GOAL: 9% DBE**

J.F. Shea Construction is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to; LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY C HECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; TREE SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING) (FLAP); HYDROMUCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYS (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT), INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J.F. Shea Construction, Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, CA 96001 or call for any additional needed project information. J.F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages.

RECEIVED
JUL 07 2014
J.F. SHEA CONST., INC.

J.F. SHEA CONSTRUCTION, INC. - STACY DUTRA
P.O. Box 494519, Redding, CA 96049
Phone: (530) 246-4292 • Fax: (530) 246-9940
An Equal Opportunity Employer

The undersigned declares:

I am over the age of 18 years and a citizen of the United States. I am not a party to and have no interest in this matter. I am principal clerk of the publisher of the Construction Up-Date, Inc, and Minority Bidders Bulletin, ~~a trade/focus~~ publication in the City of San Diego, the County of San Diego, and the State of California. This notice, a true copy hereon, was published on the below date(s):

AC NO.

I declare under penality of perjury that the foregoing is true and correct.
Executed at San Diego, California

Suzie Davidson
signature

CONSTRUCTION UP-DATE INC.

DATES PUBLISHED

Minority Bidders Bulletin C.U. Inc.'s

7/3/14, 7/10/14, 7/17/14, 7/24/14

TRADE PUBLICATION

7/2/14, 7/14/14, 7/21/14, 7/28/14

FOCUS PUBLICATION

ALSO DISPLAYED ON WEB SITE @ *http://www.goodfaitheffort.com*

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR:

STATE OF CALIFORNIA DEPT. OF TRANSPORTATION - CALTRANS CONSTRUCT SIDEHILL VIADUCTS, PLACE HMA, INSTALL BARRIER RAILING FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD - CONTRACT #02-3E7904

ENGINEER'S ESTIMATE: $4,270,000.00

BID DATE: 7/30/14 @ 2:00 PM GOAL: 9% DBE

J.F. Shea Construction is requesting quotes from all qualified subcontractors and suppliers including certified **UDBE/DBE** firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED(); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY C HECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; TREE SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING) (FLAP); HYDROMUCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYS (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST); STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT), INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J.F. Shea Construction, Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, CA 96001 or call for any additional needed project information. J.F. Shea Construction Inc. Intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages.

RECEIVED
J.F. SHEA CONST., INC.

J.F. SHEA CONSTRUCTION, INC. - STACY DUTRA
P.O. Box 494519, Redding, CA 96049
Phone: (530) 246-4292 • Fax: (530) 246-9940
An Equal Opportunity Employer

JUL 02 2014
DIV. NO.
AS NO

* * * Communication Result Report (Jul. 2. 2014 1:11PM) * * *

1) JF SHEA
2)

Date/Time: Jul. 2. 2014 1:09PM

File No.	Mode	Destination	Pg(s)	Result	Page Not Sent
6631	Memory TX	918584873500	P. 3	OK	

RECEIVED
J.F. SHEA CONST., INC.

JUL 02 2014

DIV. NO._____
A/C NO._____

Reason for error
E. 1) Hang up or line fail
E. 2) Busy
E. 3) No answer
E. 4) No facsimile connection
E. 5) Exceeded max. E-mail size
E. 6) Destination does not support IP-Fax

PAGE 1/2

PRINT OUT THIS PAGE AND FAX IT TO: 858/487-3500

AD INFORMATION

SUB BIDS REQUESTED FROM QUALIFIED M/WDBE/DVBE SUBCONTRACTORS AND SUPPLIERS

Project: " Construct Sidehill Viaducts, Place HMA, Install Barrier Railing "

Project Number: Contract # 02-3E7904

Project Location: Near Burnt Ranch, CA - Trinity County

Bid Date and Time: 7/30/14 @ 2:00 PM

Respond By: ASAP

Company Name: J.F. SHEA CONSTRUCTION

Contact Name: Stacy Dutra

Address/City/State/Zip: P.O. BOX 494519 REDDING, CA. 96049

Phone: (530) 246-4292

Fax: (530) 246-9940

Additional Information:
- SEE ATTACHED -

GOAL: 9 % DBE

Run Ad On Following Dates:
PLEASE RUN UNTIL BID DATE

Special Program Rate is only **$48.00**
$24.00 each insertion - subs 2

Publishing Dates & Advertising Deadlines
We publish every Monday and Thursday
To place and ad in Monday's Bimonthly Bidder's Exchange,
the deadline is 4:00 P.M. on Friday
To Place an ad in Thursday's Construction Update
the deadline is 4:00 P.M. on Wednesday

http://www.goodfaitheffort.com/planads.htm 3/12/2008

PRINT OUT THIS PAGE AND FAX IT TO: 858/487-3500

AD INFORMATION

SUB BIDS REQUESTED FROM QUALIFIED M/W/DBE/DVBE SUBCONTRACTORS AND SUPPLIERS

Project
* Construct Sidehill Viaducts, Place HMA, Install Barrier Railing *

Project Number Contract # 02-3E7904	Project Location Near Burnt Ranch, CA - Trinity County
Bid Date and Time 7/30/14 @ 2:00 PM	Respond By ASAP
Company Name J.F. SHEA CONSTRUCTION	Contact Name Stacy Dutra

Address/City/State/Zip
P.O. BOX 494519 REDDING, CA. 96049

Phone (530) 246-4292	Fax (530) 246-9940

Additional Information
- SEE ATTACHED -

GOAL: 9 % DBE

Run Ad On Following Dates
PLEASE RUN UNTIL BID DATE

Special Program Rate is only
$48.00
$24.00 each insertion - min 2

Publishing Dates & Advertising Deadlines
We publish every Monday and Thursday
To place and ad in Monday's Minority Bidder's Bulletin
the deadline is 4:00 P.M. on Friday
To Place an ad in Thursday's Construction Update
the deadline is 4:00 P.M. on Wednesday

REQUEST FOR QUALIFIED UDBE/DBE
SUBCONTRACTORS & SUPPLIERS FOR:

State of California Department of Transportation - Caltrans
Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR
BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD
Trinity County
Contract #: 02-3E7904
Engineers Estimate: $4,270,000.00
Bid Date: 7/30/2014 @ 2 PM
Goal: 9 % DBE

J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UOBE/OBE firms for all items of work, including but not limited to:

1	LEAD COMPLIANCE PLAN
2	CONSTRUCTION AREA SIGNS
3	TRAFFIC CONTROL SYSTEM
4	TEMPORARY PAVEMENT MARKING (TAPE)
5	TEMPORARY TRAFFIC STRIPE (PAINT)
6	CHANNELIZER (SURFACE MOUNTED)
7	TEMPORARY SIGNAL SYSTEM
8	PORTABLE CHANGEABLE MESSAGE SIGN (LS)
9	TEMPORARY RAILING (TYPE K)
10	TEMPORARY CRASH CUSHION
11	JOB SITE MANAGEMENT
12	PREPARE STORM WATER POLLUTION PREVENTION PLAN
13	RAIN EVENT ACTION PLAN
14	STORM WATER SAMPLING AND ANALYSIS OAY
15	STORM WATER ANNUAL REPORT
16	TEMPORARY COVER
17	TEMPORARY CHECK DAM
18	TEMPORARY DRAINAGE INLET PROTECTION
19	TEMPORARY CONSTRUCTION ENTRANCE
20	STREET SWEEPING
21	TEMPORARY CONCRETE WASHOUT
22	ASBESTOS COMPLIANCE PLAN
23	TEMPORARY FENCE (TYPE ESA)
24	TREATEO WOOO WASTE
25	CONTRACTOR-SUPPLIEO BIOLOGIST (LS)
26	OUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS)
27	REMOVE GUARDRAIL
28	REMOVE THERMOPLASTIC TRAFFIC STRIPE
29	REMOVE ROAOSIDE SIGN
30	REMOVE CULVERT (LF)
31	REMOVE INLET
32	REMOVE HEADWALL
33	RECONSTRUCT RUBBLE WALL
34	COLO PLANE ASPHALT CONCRETE PAVEMENT
35	PREPARE CONCRETE BRIOGE DECK SURFACE
36	FURNISH POLYESTER CONCRETE OVERLAY
37 (F)	PLACE POLYESTER CONCRETE OVERLAY
38	CLEARING AND GRUBBING (LS)
39	DEVELOP WATER SUPPLY
40	ROADWAY EXCAVATION
41	SHOULDER BACKING
42 (F)	STRUCTURE EXCAVATION (BRIOGE)
43 (F)	STRUCTURE BACKFILL (BRIOGE)
44	IMPORTED BORROW (CY)
45	EROSION CONTROL (BONOEO FIBER MATRIX) (SQFT)
46	ROLLEO EROSION CONTROL PRODUCT (NETTING)
47	ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP)
48	HYOROMULCH
49	COMPOST SOCK
50	HYOROSEED (SEED MIX 1)
51	HYDROSEEO (SEED MIX 2)
52	COMPOST
53	INCORPORATE MATERIALS
54	FINISHING ROADWAY
55	CLASS 2 AGGREGATE BASE (CY)
56	HOT MIX ASPHALT (TYPE A)
57	PLACE HOT MIX ASPHALT OIKE (TYPE F)
58	PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA)
59	TACK COAT

60 EARTH RETAINING SYSTEM (RAILING COMPONENTS)
61 24" CAST-IN-DRILLED-HOLE CONCRETE PILING
62 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET)
63 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET)
64 (F) STRUCTURAL CONCRETE, BRIDGE
65 (F) STRUCTURAL CONCRETE, BARRIER SLAB
66 (F) MINOR CONCRETE (MINOR STRUCTURE)
67 JOINT SEAL (MR 1")
68 (F) BAR REINFORCING STEEL (BRIDGE)
69 (F) BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE)
70 FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED)
71 ROADSIDE SIGN - ONE POST
72 STAIN GALVANIZED SURFACES
73 PREPARE AND STAIN CONCRETE
74 (F) CONCRETE BACKFILL (PIPE TRENCH)
75 18" PLASTIC PIPE
76 24" PLASTIC PIPE
77 12" CORRUGATED STEEL PIPE (.079" THICK)
78 24" CORRUGATED STEEL PIPE (.138" THICK)
79 8" PERFORATED PLASTIC PIPE
80 12" CORRUGATED STEEL PIPE DOWNDRAIN
81 12" ANCHOR ASSEMBLY
82 SMALL-ROCK SLOPE PROTECTION
83 ROCK SLOPE PROTECTION (FACING, METHOD B) (CY)
84 ROCK SLOPE PROTECTION FABRIC (CLASS 8)
85 MINOR CONCRETE (CURB) (CY)
86 (F) MISCELLANEOUS IRON AND STEEL
87 (F) MISCELLANEOUS METAL (BRIDGE)
88 DELINEATOR (CLASS 2)
89 MILEPOST MARKER
90 MARKER (CULVERT)
91 OBJECT MARKER (TYPE P)
92 METAL BEAM GUARD RAILING (7' POST)
93 VEGETATION CONTROL (MINOR CONCRETE)
94 TUBULAR BICYCLE RAILING
95 SINGLE THRIE BEAM BARRIER (STEEL POST)
96 TRANSITION RAILING (TYPE STB)
97 TRANSITION RAILING (TYPE WB)
98 END ANCHOR ASSEMBLY (TYPE SFT)
99 INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT)
100 ALTERNATIVE IN-LINE TERMINAL SYSTEM
101 CONCRETE BARRIER (TYPE 736 MODIFIED)
102 CONCRETE BARRIER (TYPE 736B MODIFIED)
103 THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE)
104 PAVEMENT MARKER (RETROREFLECTIVE-RECESSED)
105 MOBILIZATION

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages.

J. F. SHEA CONSTRUCTION, INC.
P.O. Box 494519 - Redding, CA 96049
Phone: (530) 246-4292 Fax: (530) 246-9940
An Equal Opportunity Employer

* * * Communication Result Report (Jul. 2. 2014 1:12PM) * * *

1) JF SHEA
2)

Date/Time: Jul. 2. 2014 1:09PM

File No.	Mode	Destination	Pg(s)	Result	Page Not Sent
6632	Memory TX	918006422437	P. 3	OK	

RECEIVED
J.F. SHEA CONST., INC.

JUL 02 2014

DIV. NO._____
A/C NO._____

Reason for error
E. 1) Hang up or line fail
E. 2) Busy
E. 3) No answer
E. 4) No facsimile connection
E. 5) Exceeded max. E-mail size
E. 6) Destination does not support IP-Fax

Reed Construction Data

Fax 800-642-2437

To Be Listed As A Bidder In
Daily Construction Service, Northern California

Bid Date	Owner	CMD Project No.	Project Title/Location
7/30/14 2:00 PM	Caltrans	Contract # 02-3E790U	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing - Near Burnt Ranch, CA - Trinity County

☐ Please call me for M/W/D/DVBE Advertising (or call Vikki direct at 800-262-9747)

Company Name: J. F. Shea Construction, Inc.

Address: PO Box 494519 - Redding, Ca. 96049-4519

Ph: (530) 246-4282 Fax:(530) 246-9940 Requested By: Stacy Dutra

Reed Construction Data

Fax 800-642-2437

To Be Listed As A Bidder in
Daily Construction Service, Northern California

Bid Date	Owner	CMD Project No.	Project Title/Location
7/30/14 2:00 PM	Caltrans	Contract # 02-3E7904	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing - Near Burnt Ranch, CA - Trinity County

☐ Please call me for M/W/D/DVBE Advertising (or call Vikki direct at 800-242-9747)

Company Name: J. F. Shea Construction, Inc.

Address: PO Box 494519 - Redding, Ca. 96049-4519

Phr (530) 246-4292 Fax: (530) 246-9940 Requested By: Stacy Dutra

REQUEST FOR QUALIFIED UDBE/DBE
SUBCONTRACTORS & SUPPLIERS FOR:

State of California Department of Transportation - Caltrans
Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR
BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD
Trinity County
Contract #: 02-3E7904
Engineers Estimate: $4,270,000.00
Bid Date: 7/30/2014 @ 2 PM
Goal: 9 % DBE

J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to:

1	LEAD COMPLIANCE PLAN
2	CONSTRUCTION AREA SIGNS
3	TRAFFIC CONTROL SYSTEM
4	TEMPORARY PAVEMENT MARKING (TAPE)
5	TEMPORARY TRAFFIC STRIPE (PAINT)
6	CHANNELIZER (SURFACE MOUNTED)
7	TEMPORARY SIGNAL SYSTEM
8	PORTABLE CHANGEABLE MESSAGE SIGN (LS)
9	TEMPORARY RAILING (TYPE K)
10	TEMPORARY CRASH CUSHION
11	JOB SITE MANAGEMENT
12	PREPARE STORM WATER POLLUTION PREVENTION PLAN
13	RAIN EVENT ACTION PLAN
14	STORM WATER SAMPLING AND ANALYSIS DAY
15	STORM WATER ANNUAL REPORT
16	TEMPORARY COVER
17	TEMPORARY CHECK DAM
18	TEMPORARY DRAINAGE INLET PROTECTION
19	TEMPORARY CONSTRUCTION ENTRANCE
20	STREET SWEEPING
21	TEMPORARY CONCRETE WASHOUT
22	ASBESTOS COMPLIANCE PLAN
23	TEMPORARY FENCE (TYPE ESA)
24	TREATED WOOD WASTE
25	CONTRACTOR-SUPPLIED BIOLOGIST (LS)
26	DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS)
27	REMOVE GUARDRAIL
28	REMOVE THERMOPLASTIC TRAFFIC STRIPE
29	REMOVE ROADSIDE SIGN
30	REMOVE CULVERT (LF)
31	REMOVE INLET
32	REMOVE HEADWALL
33	RECONSTRUCT RUBBLE WALL
34	COLD PLANE ASPHALT CONCRETE PAVEMENT
35	PREPARE CONCRETE BRIDGE DECK SURFACE
36	FURNISH POLYESTER CONCRETE OVERLAY
37 (F)	PLACE POLYESTER CONCRETE OVERLAY
38	CLEARING AND GRUBBING (LS)
39	DEVELOP WATER SUPPLY
40	ROADWAY EXCAVATION
41	SHOULDER BACKING
42 (F)	STRUCTURE EXCAVATION (BRIDGE)
43 (F)	STRUCTURE BACKFILL (BRIDGE)
44	IMPORTED BORROW (CY)
45	EROSION CONTROL (BONDED FIBER MATRIX) (SQFT)
46	ROLLED EROSION CONTROL PRODUCT (NETTING)
47	ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP)
48	HYDROMULCH
49	COMPOST SOCK
50	HYDROSEED (SEED MIX 1)
51	HYDROSEED (SEED MIX 2)
52	COMPOST
53	INCORPORATE MATERIALS
54	FINISHING ROADWAY
55	CLASS 2 AGGREGATE BASE (CY)
56	HOT MIX ASPHALT (TYPE A)
57	PLACE HOT MIX ASPHALT DIKE (TYPE F)
58	PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA)
59	TACK COAT

60 EARTH RETAINING SYSTEM (RAILING COMPONENTS)
61 24" CAST-IN-DRILLED-HOLE CONCRETE PILING
62 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET)
63 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET)
64 (F) STRUCTURAL CONCRETE, BRIDGE
65 (F) STRUCTURAL CONCRETE, BARRIER SLAB
66 (F) MINOR CONCRETE (MINOR STRUCTURE)
67 JOINT SEAL (MR 1")
68 (F) BAR REINFORCING STEEL (BRIDGE)
69 (F) BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE)
70 FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED)
71 ROADSIDE SIGN - ONE POST
72 STAIN GALVANIZED SURFACES
73 PREPARE AND STAIN CONCRETE
74 (F) CONCRETE BACKFILL (PIPE TRENCH)
75 18" PLASTIC PIPE
76 24" PLASTIC PIPE
77 12" CORRUGATED STEEL PIPE (.079" THICK)
78 24" CORRUGATED STEEL PIPE (.138" THICK)
79 8" PERFORATED PLASTIC PIPE
80 12" CORRUGATED STEEL PIPE DOWNDRAIN
81 12" ANCHOR ASSEMBLY
82 SMALL-ROCK SLOPE PROTECTION
83 ROCK SLOPE PROTECTION (FACING, METHOD B) (CY)
84 ROCK SLOPE PROTECTION FABRIC (CLASS 8)
85 MINOR CONCRETE (CURB) (CY)
86 (F) MISCELLANEOUS IRON AND STEEL
87 (F) MISCELLANEOUS METAL (BRIDGE)
88 DELINEATOR (CLASS 2)
89 MILEPOST MARKER
90 MARKER (CULVERT)
91 OBJECT MARKER (TYPE P)
92 METAL BEAM GUARD RAILING (7' POST)
93 VEGETATION CONTROL (MINOR CONCRETE)
94 TUBULAR BICYCLE RAILING
95 SINGLE THRIE BEAM BARRIER (STEEL POST)
96 TRANSITION RAILING (TYPE STB)
97 TRANSITION RAILING (TYPE WB)
98 END ANCHOR ASSEMBLY (TYPE SFT)
99 INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT)
100 ALTERNATIVE IN-LINE TERMINAL SYSTEM
101 CONCRETE BARRIER (TYPE 736 MODIFIED)
102 CONCRETE BARRIER (TYPE 736B MODIFIED)
103 THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE)
104 PAVEMENT MARKER (RETROREFLECTIVE-RECESSED)
105 MOBILIZATION

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages.

J. F. SHEA CONSTRUCTION, INC.
P.O. Box 494519 - Redding, CA 96049
Phone: (530) 246-4292 Fax: (530) 246-9940
An Equal **Opportunity** Employer

Contractor: J. F. Shea Construction, Inc. **Contact:** Stacy Dutra
Address: 17400 Clear Creek Road Redding, CA 96001
Phone: 530-246-4292 **Fax:** 530-246-9940 **Email:** Stacy.Dutra@jfshea.com
Services needed: J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: 1 LEAD COMPLIANCE PLAN 2 CONSTRUCTION AREA SIGNS 3 TRAFFIC CONTROL SYSTEM 4 TEMPORARY PAVEMENT MARKING (TAPE) 5 TEMPORARY TRAFFIC STRIPE (PAINT) 6 CHANNELIZER (SURFACE MOUNTED) 7 TEMPORARY SIGNAL SYSTEM 8 PORTABLE CHANGEABLE MESSAGE SIGN (LS) 9 TEMPORARY RAILING (TYPE K) 10 TEMPORARY CRASH CUSHION 11 JOB SITE MANAGEMENT 12 PREPARE STORM WATER POLLUTION PREVENTION PLAN 13 RAIN EVENT ACTION PLAN 14 STORM WATER SAMPLING AND ANALYSIS DAY 15 STORM WATER ANNUAL REPORT 16 TEMPORARY COVER 17 TEMPORARY CHECK DAM 18 TEMPORARY DRAINAGE INLET PROTECTION 19 TEMPORARY CONSTRUCTION ENTRANCE 20 STREET SWEEPING 21 TEMPORARY CONCRETE WASHOUT 22 ASBESTOS COMPLIANCE PLAN 23 TEMPORARY FENCE (TYPE ESA) 24 TREATED WOOD WASTE 25 CONTRACTOR-SUPPLIED BIOLOGIST (LS) 26 DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS) 27 REMOVE GUARDRAIL 28 REMOVE THERMOPLASTIC TRAFFIC STRIPE 29 REMOVE ROADSIDE SIGN 30 REMOVE CULVERT (LF) 31 REMOVE INLET 32 REMOVE HEADWALL 33 RECONSTRUCT RUBBLE WALL 34 COLD PLANE ASPHALT CONCRETE PAVEMENT 35 PREPARE CONCRETE BRIDGE DECK SURFACE 36 FURNISH POLYESTER CONCRETE OVERLAY 37 (F) PLACE POLYESTER CONCRETE OVERLAY 38 CLEARING AND GRUBBING (LS) 39 DEVELOP WATER SUPPLY 40 ROADWAY EXCAVATION 41 SHOULDER BACKING 42 (F) STRUCTURE EXCAVATION (BRIDGE) 43 (F) STRUCTURE BACKFILL (BRIDGE) 44 IMPORTED BORROW (CY) 45 EROSION CONTROL (BONDED FIBER MATRIX) (SQFT) 46 ROLLED EROSION CONTROL PRODUCT (NETTING) 47 ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP) 48 HYDROMULCH 49 COMPOST SOCK 50 HYDROSEED (SEED MIX 1) 51 HYDROSEED (SEED MIX 2) 52 COMPOST 53 INCORPORATE MATERIALS 54 FINISHING ROADWAY 55 CLASS 2 AGGREGATE BASE (CY) 56 HOT MIX ASPHALT (TYPE A) 57 PLACE HOT MIX ASPHALT DIKE (TYPE F) 58 PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA) 59 TACK COAT 60 EARTH RETAINING SYSTEM (RAILING COMPONENTS) 61 24" CAST-IN-DRILLED-HOLE CONCRETE PILING 62 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET) 63 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET) 64 (F) STRUCTURAL CONCRETE, BRIDGE 65 (F) STRUCTURAL CONCRETE, BARRIER SLAB 66 (F) MINOR CONCRETE (MINOR STRUCTURE) 67 JOINT SEAL (MR 1") 68 (F) BAR REINFORCING STEEL (BRIDGE) 69 (F) BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE) 70 FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED) 71 ROADSIDE SIGN - ONE POST 72 STAIN GALVANIZED SURFACES 73 PREPARE AND STAIN CONCRETE 74 (F) CONCRETE BACKFILL (PIPE TRENCH) 75 18" PLASTIC PIPE 76 24" PLASTIC PIPE 77 12" CORRUGATED STEEL PIPE (.079" THICK) 78 24" CORRUGATED STEEL PIPE (.138" THICK) 79 8" PERFORATED PLASTIC PIPE 80 12" CORRUGATED STEEL PIPE DOWNDRAIN 81 12" ANCHOR ASSEMBLY 82 SMALL-ROCK SLOPE PROTECTION 83 ROCK SLOPE PROTECTION (FACING, METHOD B) (CY) 84 ROCK SLOPE PROTECTION FABRIC (CLASS 8) 85 MINOR CONCRETE (CURB) (CY) 86 (F) MISCELLANEOUS IRON AND STEEL 87 (F) MISCELLANEOUS METAL (BRIDGE) 88 DELINEATOR (CLASS 2) 89 MILEPOST MARKER 90 MARKER (CULVERT) 91 OBJECT MARKER (TYPE P) 92 METAL BEAM GUARD RAILING (7' POST) 93 VEGETATION CONTROL (MINOR CONCRETE) 94 TUBULAR BICYCLE RAILING 95 SINGLE THRIE BEAM BARRIER (STEEL POST) 96 TRANSITION RAILING (TYPE STB) 97 TRANSITION RAILING (TYPE WB) 98 END ANCHOR ASSEMBLY (TYPE SFT) 99 INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT) 100 ALTERNATIVE IN-LINE TERMINAL SYSTEM 101 CONCRETE BARRIER (TYPE 736 MODIFIED) 102 CONCRETE BARRIER (TYPE 736B MODIFIED) 103 THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE) 104 PAVEMENT MARKER (RETROREFLECTIVE-RECESSED) 105 MOBILIZATION
Requirements: J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor?s license, insurance coverage and worker?s compensation for the entire

length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. J. F. SHEA CONSTRUCTION, INC. P.O. Box 494519 - Redding, CA 96049 Phone: (530) 246-4292 Fax: (530) 246-9940 An Equal Opportunity Employer
Date posted: 07/02/2014

Stacy Dutra

From: Arya Rejaee <arya@dbegoodfaith.com>
Sent: Wednesday, July 02, 2014 4:02 PM
To: Stacy Dutra
Subject: Re: Customer Order
Attachments: QuerySubmit.pdf

yes per KLVK 7/2/14

Stacy,

We're working on your order, but I wanted to check in to see if you wanted to solicit 50 DBEs (an extra $75) instead of 25 DBEs. A search of the Caltrans DBE directory produced 164 results for Trinity County for the items you listed (see attached). Also, I grouped like sub-bid items and found that there were roughly 40 related categories (for example, I grouped the following items: 24" cast-in-drilled-hole concrete piling; 16" cast-in-drilled-hole concrete piling (rock socket); 24" cast-in-drilled-hole concrete piling (rock socket)), and I wasn't sure if you wanted us to select at least 1 company for each of these category groups.

Please let me know if you'd like us to stick with 25 or increase the number due to these factors.

Thanks,
Arya

Arya Rejaee
Director of Operations
DBE Goodfaith, Inc.
(877) 802-3394 Ext. 704
arya@dbegoodfaith.com

Also follow us on:

On 7/2/2014 5:47 PM, stacy.dutra@jfshea.com wrote:

Company Name	J.F. Shea Construction, Inc.
Address	17400 Clear Creek Road
City	Redding
State	California
Zip Code	96001
Phone	530-246-4292
Fax	530-246-9940
Certifications Sought - Separate by commas	DBE
Project Name	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
Agency Name	State of California Department of Transportation - CALTRANS

RECEIVED
J.F. SHEA CONST., INC.
JUL 02 2014
DIV. NO.
A/C NO.

Project City	Near Burnt Ranch
Project County	Trinity
Project State	California
Bid/Contract No.	02-3E7904
Contract Bid Date	07/30/2014
Contract Bid Time	02:00 PM
Second Call Date - Only complete field if selecting a Gold Package	07/21/2014
Project Details	REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans Construct Sidehill Viaducts, Place HMA, Install Barrier Railing FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD Trinity County Contract #: 02-3E7904 Engineers Estimate: $4,270,000.00 Bid Date: 7/30/2014 @ 2 PM Goal: 9 % DBE J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: 1 LEAD COMPLIANCE PLAN 2 CONSTRUCTION AREA SIGNS 3 TRAFFIC CONTROL SYSTEM 4 TEMPORARY PAVEMENT MARKING (TAPE) 5 TEMPORARY TRAFFIC STRIPE (PAINT) 6 CHANNELIZER (SURFACE MOUNTED) 7 TEMPORARY SIGNAL SYSTEM 8 PORTABLE CHANGEABLE MESSAGE SIGN (LS) 9 TEMPORARY RAILING (TYPE K) 10 TEMPORARY CRASH CUSHION 11 JOB SITE MANAGEMENT 12 PREPARE STORM WATER POLLUTION PREVENTION PLAN 13 RAIN EVENT ACTION PLAN 14 STORM WATER SAMPLING AND ANALYSIS DAY 15 STORM WATER ANNUAL REPORT 16 TEMPORARY COVER 17 TEMPORARY CHECK DAM 18 TEMPORARY DRAINAGE INLET PROTECTION 19 TEMPORARY CONSTRUCTION ENTRANCE 20 STREET SWEEPING 21 TEMPORARY CONCRETE WASHOUT 22 ASBESTOS COMPLIANCE PLAN 23 TEMPORARY FENCE (TYPE ESA)

RECEIVED
J.F. SHEA CONST., INC.

JUL 02 2014

DIV. NO._____
A/C NO._____

24 TREATED WOOD WASTE
25 CONTRACTOR-SUPPLIED BIOLOGIST (LS)
26 DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS)
27 REMOVE GUARDRAIL
28 REMOVE THERMOPLASTIC TRAFFIC STRIPE
29 REMOVE ROADSIDE SIGN
30 REMOVE CULVERT (LF)
31 REMOVE INLET
32 REMOVE HEADWALL
33 RECONSTRUCT RUBBLE WALL
34 COLD PLANE ASPHALT CONCRETE PAVEMENT
35 PREPARE CONCRETE BRIDGE DECK SURFACE
36 FURNISH POLYESTER CONCRETE OVERLAY
37 (F) PLACE POLYESTER CONCRETE OVERLAY
38 CLEARING AND GRUBBING (LS)
39 DEVELOP WATER SUPPLY
40 ROADWAY EXCAVATION
41 SHOULDER BACKING
42 (F) STRUCTURE EXCAVATION (BRIDGE)
43 (F) STRUCTURE BACKFILL (BRIDGE)
44 IMPORTED BORROW (CY)
45 EROSION CONTROL (BONDED FIBER MATRIX) (SQFT)
46 ROLLED EROSION CONTROL PRODUCT (NETTING)
47 ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP)
48 HYDROMULCH
49 COMPOST SOCK
50 HYDROSEED (SEED MIX 1)
51 HYDROSEED (SEED MIX 2)
52 COMPOST
53 INCORPORATE MATERIALS
54 FINISHING ROADWAY
55 CLASS 2 AGGREGATE BASE (CY)
56 HOT MIX ASPHALT (TYPE A)
57 PLACE HOT MIX ASPHALT DIKE (TYPE F)
58 PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA)
59 TACK COAT
60 EARTH RETAINING SYSTEM (RAILING COMPONENTS)
61 24" CAST-IN-DRILLED-HOLE CONCRETE PILING
62 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET)
63 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET)
64 (F) STRUCTURAL CONCRETE, BRIDGE
65 (F) STRUCTURAL CONCRETE, BARRIER SLAB
66 (F) MINOR CONCRETE (MINOR STRUCTURE)
67 JOINT SEAL (MR 1")
68 (F) BAR REINFORCING STEEL (BRIDGE)
69 (F) BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE)
70 FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED)
71 ROADSIDE SIGN - ONE POST
72 STAIN GALVANIZED SURFACES
73 PREPARE AND STAIN CONCRETE
74 (F) CONCRETE BACKFILL (PIPE TRENCH)
75 18" PLASTIC PIPE
76 24" PLASTIC PIPE
77 12" CORRUGATED STEEL PIPE (.079" THICK)
78 24" CORRUGATED STEEL PIPE (.138" THICK)

RECEIVED
J.F. SHEA CONST., INC.

JUL 02 2014

DIV. NO._____
A/C NO._____

	79 8" PERFORATED PLASTIC PIPE 80 12" CORRUGATED STEEL PIPE DOWNDRAIN 81 12" ANCHOR ASSEMBLY 82 SMALL-ROCK SLOPE PROTECTION 83 ROCK SLOPE PROTECTION (FACING, METHOD B) (CY) 84 ROCK SLOPE PROTECTION FABRIC (CLASS 8) 85 MINOR CONCRETE (CURB) (CY) 86 (F) MISCELLANEOUS IRON AND STEEL 87 (F) MISCELLANEOUS METAL (BRIDGE) 88 DELINEATOR (CLASS 2) 89 MILEPOST MARKER 90 MARKER (CULVERT) 91 OBJECT MARKER (TYPE P) 92 METAL BEAM GUARD RAILING (7' POST) 93 VEGETATION CONTROL (MINOR CONCRETE) 94 TUBULAR BICYCLE RAILING 95 SINGLE THRIE BEAM BARRIER (STEEL POST) 96 TRANSITION RAILING (TYPE STB) 97 TRANSITION RAILING (TYPE WB) 98 END ANCHOR ASSEMBLY (TYPE SFT) 99 INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT) 100 ALTERNATIVE IN-LINE TERMINAL SYSTEM 101 CONCRETE BARRIER (TYPE 736 MODIFIED) 102 CONCRETE BARRIER (TYPE 736B MODIFIED) 103 THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE) 104 PAVEMENT MARKER (RETROREFLECTIVE-RECESSED) 105 MOBILIZATION
Project Terms	J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages.
	J. F. SHEA CONSTRUCTION, INC. P.O. Box 494519 - Redding, CA 96049 Phone: (530) 246-4292 Fax: (530) 246-9940 An Equal Opportunity Employer
Project Estimator	Kirk Johnson
Project Coordinator	Stacy Dutra
Project Coordinator Email	stacy.dutra@jfshea.com
Project Coordinator Extension	530-246-4292

RECEIVED
J.F. SHEA CONST., INC.
JUL 02 2014
DIV. NO.
A/C NO.

Package Type	Gold
Number of Firms to Solicit	25
Upload Spreadsheet	

No virus found in this message.
Checked by AVG - www.avg.com
Version: 2014.0.4592 / Virus Database: 3986/7785 - Release Date: 07/02/14

RECEIVED
J.F. SHEA CONST., INC.

JUL 02 2014

DIV. NO._____
A/C NO._____

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:GALLAWAY ENTERPRISES, INC
CONTACT NAME	Stacy Dutra	Phone Number :5303329909
ADDRESS	17480 Clear Creek Rd.	Fax Number :5303329905
	Redding, California, 96001	Date :7/2/2014 6:16 PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

RECEIVED
J.F. SHEA CONST., INC.
JUL 03 2014
DIV. NO.

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; ACTIVE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 18" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE 1); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE ST8); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17480 Clear Creek Road, Redding, Ca. 96001 or

DBE Goodfaith Inc. Good Faith Transaction Log

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-8940

[X] Yes, we will send a fax quote by bid date.
[ ] No, we are not interested.
[ ] Interested. Would like more information. Please contact us at 530 332-9805

or jody@gallawayenterprises.com

Jody Gallaway

RECEIVED
J.F. SHEA CONST., INC.
JUL 03 2014
DIV. NO.
A/C NO.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:NOR-CAL PUMP & WELL DRILLING, INC.
CONTACT NAME	Stacy Dutra	Phone Number :5306745861
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :5306741525 Date :7/2/2014 6:34 PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDRDSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CDRRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PRDTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATIDN CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

RECEIVED
J.F. SHEA CONST., INC.
JUL 17 2014
DIV. NO.
A/C NO.

DBE Goodfaith Inc. Good Faith Transaction Log

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[X]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

NO BID

RECEIVED
J.F. SHEA CONST., INC.
JUL 17 2014
DIV. NO.
A/C NO.

NorCal Pump & Well Drilling, Inc.
1325 Barry Road
Yuba City, CA 95993

7-17-14

DBE Goodfaith Inc. **Good Faith Transaction Log**

Company Details

Company Name	:	J. F. Shea Construction, Inc.
Department	:	Office
Address	:	17400 Clear Creek Rd.
Suite #	:	
City	:	Redding
State	:	California
Zip	:	96001
Phone #	:	Tel : 530-246-4292
Fax #	:	Fax : 530-246-9940
Email #	:	stacy.dutra@jfshea.com

Solicitation Transaction Log (STL)

Bid #	:	02-3E7904
Bid Date	:	07/30/2014
Bid Description	:	REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATIDN (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING) (FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HDT MIX

	ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

This document contains all information pertaining with solicitations made on behalf of/for J. F. Shea Construction, Inc. of Redding, California by DBE Goodfaith Inc. (a California-based Corporation).

These solicitations have been done in good faith. DBE Goodfaith has participated with J. F. Shea Construction, Inc. in communicating with selected DBE firms.

DBE Goodfaith has contacted the California Department of Transportation (Office of Civil Rights) on 07/02/2014 on your behalf. Please write this information on the appropriate forms if required.

Advertisements published in DBE GoodFaith's Minority Focus and Trade Journals run from the publication date until the bid date listed on the advertisements.

Total Companies Solicited

The following information is a summary of the different types of Business that have been solicited by DBE Good Faith Inc. on behalf of J. F. Shea Construction, Inc.

DVBE (Disadvantaged Veteran Business Enterprises)	-	0
DBE (Disadvantaged Business Enterprises)	-	50
UDBE (Underutilized Disadvantaged Business Enterprise)	-	0
MBE (Minority Owned Business Enterprises)	-	0
WBE (Women Owned Business Enterprises)	-	0
SBE (Small Business Enterprises)	-	0
	Total -	50

Minority Focus Journal Ad posted to website www.dbegoodfaith.net on 07/02/2014 at 4:33PM

The advertisement published in DBE GoodFaith's Focus Journal runs from the publication date until the bid date listed on the advertisement.

Estimator
Kirk Johnson

Project Coordinator
Stacy Dutra

Contact Information
17400 Clear Creek Rd.
Redding, California
96001
Tel : 530-246-4292
Fax : 530-246-9940

J. F. Shea Construction, Inc.

is seeking qualified DBEs

Project Name
Construct Sidehill Viaducts, Place HMA, Install Barrier Railing

Awarding Agency
State of California Department of Transportation - CALTRANS

Project Location
Near Burnt Ranch, Trinity County, California

Bid Date & Time
07/30/2014 at 02:00 P.M

Bid/Contract #
02-3E7904

Project Details
REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARORAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROAOSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIOGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE PDLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIOGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONOED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING) (FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEEO (SEED MIX 1); HYOROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIOGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIOE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE ANO STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8"

	PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION. J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

Minority Trade Journal Ad posted to website trade.dbegoodfaith.net on 07/02/2014 at 4:33PM

The advertisement published in DBE GoodFaith's Trade Journal runs from the publication date until the bid date listed on the advertisement.

Trade Journal Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

Bid Due Date : 07/30/2014 at 02:00 P.M Bid No : 02-3E7904

Contact Estimator : Kirk Johnson

Project Name	:	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
Agency Name	:	State of Califomia Department of Transportation - CALTRANS
Project City	:	Near Burnt Ranch
Project County	:	Trinity County
Project State	:	California
Project Details	:	

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

Contact Details : Stacy Dutra
17400 Clear Creek Rd.
Redding, California 96001
Tel : 530-246-4292
Fax : 530-246-9940

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required.

Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

Recipient List (Fax/Email)

Set No 1

Company Name/Specialty	Fax Date	Email Date	Log Page#
6 RIVERS CONSTRUCTION, INC. Address - 200 REDWOOD GROVE RD Phone - 5305157563, Fax - 5306255423, Email - 6riversconstruction@gmail.com	07/02/2014	07/02/2014	
A B S L CONSTRUCTION Address - 29334 PACIFIC STREET Phone - 5107270900, Fax - 5107270910, Email - luis@allendes.com	07/02/2014	07/02/2014	
A C DIKE CO Address - 2788 VENTURE DR. Phone - 9166457747 , Fax - 9166459618, Email - email@acdike.com	07/02/2014	07/02/2014	
A F M ENVIRONMENTAL INC. Address - 830 NORTHPORT DR., # 204 Phone - 9163749526, Fax - 9163749527, Email - afmenviro@aol.com	07/02/2014	07/02/2014	
A S CONTRACTORS, INC. Address - 5347 COLE ROAD Phone - 2097426684, Fax - 2099662643, Email - deni@sti.com	07/02/2014	07/02/2014	
ALLEN GILL CONSTRUCTION, INC. Address - 20633 GAS POINT ROAD, SUITE B2 Phone - 5305474334, Fax - 5305473197, Email - tgill@frontiernet.net	07/03/2014	07/03/2014	
AUSTIN ENTERPRISE Address - 13421 SNOW ROAD Phone - 6615891001, Fax - 6615899509, Email - paustin@austin-enterprise.com	07/03/2014	07/03/2014	
AZCO Address - 2250 STEWART STREET, #9 Phone - 2099432452, Fax - 2099430437, Email - llrivera@pacbell.net	07/03/2014	07/03/2014	
BAY LINE CUTTING & CORING, INC. Address - 1635 4TH STREET Phone - 5105271000, Fax - 5105270500, Email - jcbayline@sbcglobal.net	07/03/2014	07/03/2014	
CHARLIE'S CUSTOM EXCAVATING, INC Address - 21113 GILBERT DRIVE Phone - 5302213626, Fax - 5302217563, Email - office@ccexcavatinginc.com	07/03/2014	07/03/2014	
CLEAR CREEK CONSTRUCTION Address - 570 JULIAN STREET Phone - 5302241430, Fax - 5302241430, Email - clearcreekadam@gmail.com	07/03/2014	07/03/2014	
CMC TRAFFIC CONTROL SPECIALIST Address - 375 ILLINOIS STREET Phone - 4152061700, Fax - 4152061711, Email - crystalm.cmc@gmail.com	07/03/2014	07/03/2014	
COMBINED EFFORT INC Address - 17517 WILD OAK DRIVE Phone - 8007281100, Fax - 8005401789, Email - cbrandt@combined-effort.com	07/03/2014	07/03/2014	
CONSTRUCTION AREA SIGNS, INCORPORATED Address - 9093 OLD STATE HWY Phone - 9166639097, Fax - 9166631858, Email - elisa@cas-tc.com	07/03/2014	07/03/2014	
DIRT & AGGREGATE INTERCHANGE, INC Address - 20905 N.E. SANDY BOULEVARD Phone - 5036615093, Fax - 5036691192, Email - contractor@dirtagg.com	07/03/2014	07/03/2014	
DISABLED AMERICAN VETERAN ENT. TRUCKING & SWEEPING Address - 1686 FIRESTONE DRIVE Phone - 5592138773, Fax - 0000000000, Email - DAVEtrucksweep@gmail.com	07/02/2014	07/02/2014	
EAGLE ENGINEERING AND CONSTRUCTION, INC Address - 1175 PALOMAR DRIVE Phone - 6503678000, Fax - 6503678282, Email - brooks.curtis@att.net	07/03/2014	07/03/2014	
ERNEST B. DEE Address - 6120 BELFIELD CIR Phone - 9162710410 , Fax - 9166912127 , Email - dee4321@frontiernet.net	07/03/2014	07/03/2014	
FCS STRIPING, SEALING AND PAVING, INC. Address - 206 THRASHER AVENUE Phone - 9253736205, Fax - 9253736208, Email - inesseoane@fcs-ssp.com	07/03/2014	07/03/2014	

FRANK MEDINA GENERAL ENGINEERING CONTRACTOR Address - 10096 AHART ROAD Phone - 5307430744, Fax - 5307439352, Email - toni.medina@att.net	07/03/2014	07/03/2014
GALLAWAY ENTERPRISES, INC Address - 117 MEYERS ST., SUITE 120 Phone - 5303329909, Fax - 5303329905, Email - jody@gallawayenterpises.com	07/02/2014	07/02/2014
GENERAL SUPPLY COMPANY Address - 971 87TH AVENUE Phone - 5106325229, Fax - 5106322315, Email - generalsupply@sbcglobal.net	07/02/2014	07/02/2014
GR SUNDBERG, INC. Address - 5211 BOYD ROAD Phone - 7078256565, Fax - 7078256563, Email - diane@grsinc.biz	07/02/2014	07/02/2014
GREEN BUILDING PRODUCTS, INC Address - 3303 LUYUNG DRIVE Phone - 9163330557, Fax - 9163747998, Email - carole@greenbpi.com	07/02/2014	07/02/2014
HAMANAKA PAINTING CO. Address - P.O. BOX 6413 Phone - 7074443340, Fax - 7074443346, Email - mutaba@northcoast.com	07/02/2014	07/02/2014
K & G CONCRETE INC Address - 2564 LA CROIX DR. Phone - 9162161623, Fax - 9167746487 , Email - keaven@kgconcretepumping.com	07/02/2014	07/02/2014
K & K CONSTRUCTION SUPPLY, INC Address - 11280 SUNRISE PARK DR., STE B Phone - 9168510965, Fax - 9168510999, Email - kelly@urataconcrete.com	07/02/2014	07/02/2014
K R C SAFETY CO. INC. Address - 6084 WEST HURLEY Phone - 5597320393, Fax - 5597322684, Email - garyc@krcsafety.com	07/02/2014	07/02/2014
KA'PEL CONSTRUCTION INC Address - 691 PONY EXPRESS WAY, LOT 31 Phone - 5306293300, Fax - 5306293300, Email - lrobbins@kapelconstruction.com	07/02/2014	07/02/2014
KERN COUNTY CUSTOM CONCRETE Address - 1706 CHESTER AVE STE 352 Phone - 6618724602, Fax - 6613255590, Email - JerryKCCC@yahoo.com	07/03/2014	07/03/2014
KIONA LANDSCAPING Address - 3889 F STREET, APT 2 Phone - 7076164340, Fax - 0000000000, Email - egruetzmacherjr@gmail.com	07/03/2014	07/03/2014
MAG-CON ENGINEERING AND CONSTRUCTION, INC Address - 2164 TIBER RIVER DR. Phone - 9166381175 , Fax - 9166381178 , Email - kcho@mag-coninc.com	07/03/2014	07/03/2014
MC CULLOUGH CONSTRUCTION INC Address - 57 ALDERGROVE ROAD Phone - 7078251014, Fax - 7078251769, Email - mackymccullough@mcullughconstructioninc.com	07/03/2014	07/03/2014
MONROE CONSTRUCTION SALES Address - 13615 ORANGE BLOSSOM ROAD Phone - 2094846659, Fax - 2098488093, Email - juliemonroe76@live.com	07/02/2014	07/02/2014
NATURAL INVESTIGATIONS COMPANY, LLC Address - 6124 SHADOW LANE Phone - 9167659381, Fax - 0000000000, Email - Cindy@naturalinvestigations.com	07/02/2014	07/02/2014
NITTA EROSION CONTROL Address - 3778 DEL MAR AVENUE Phone - 9166527459, Fax - 9166524376, Email - nittaec@gmail.com	07/02/2014	07/02/2014
NOR-CAL PUMP & WELL DRILLING, INC. Address - 1325 BARRY ROAD Phone - 5306745861, Fax - 5306741525, Email - norcalpump@yahoo.com	07/02/2014	07/02/2014
OLIVEIRA FENCE, INC. Address - 400 REED STREET SUITE 106 Phone - 4087273811, Fax - 4087272690, Email - pam@oliveirafenceinc.com	07/02/2014	07/02/2014
R. E. SERRANO INC. Address - 3430 PACHECD BLVD. Phone - 9259578184, Fax - 9259578121, Email - ricky@reserrano.com	07/02/2014	07/02/2014
RUPERT CONSTRUCTION SUPPLY, LLC Address - 12405 GOLD FLAKE CT.	07/02/2014	07/02/2014

Phone - 9252295577, Fax - 9166739737, Email - karen@rupertsupply.com

S.T. RHOADES CONSTRUCTION INC 07/02/2014 07/02/2014
Address - 14105 DOS PINION TRAIL
Phone - 5302239322, Fax - 5302239222, Email - steve@strhoadesinc.com

SITE WORK SOLUTIONS, INC 07/02/2014 07/02/2014
Address - 18981 GRAVEL PLANT RD
Phone - 5302222229, Fax - 5302223337 , Email - GWHITMER@CLEARWIRE.NET

SPECIALTY TRAFFIC SYSTEMS 07/02/2014 07/02/2014
Address - 2431 BROADWAY
Phone - 7074418420, Fax - 7074451856, Email - specialtytraffic@yahoo.com

STONY CREEK GENERAL ENGINEERING 07/03/2014 07/03/2014
Address - 5321 COUNTY RD 206
Phone - 5305263191, Fax - 5309885092, Email - luke@scgeinc.com

TRINITY VALLEY CONSULTING ENGINEERS, INC 07/03/2014 07/03/2014
Address - 67 WALNUT WAY
Phone - 5306293000 , Fax - 5306293011 , Email - tvce@tvce.biz

TULLY CONSULTING GROUP 07/03/2014 07/03/2014
Address - 580 WIEGAND WAY
Phone - 7076931926 , Fax - 7074710318 , Email - robintully8@gmail.com

TYRRELL RESOURCES, INC. 07/03/2014 07/03/2014
Address - 275 HILLTOP DRIVE
Phone - 5302438733, Fax - 5302418975 , Email - tyrrellresources@sbcglobal.net

UMA HINMAN CONSULTING 07/02/2014 07/02/2014
Address - 11143 BRUNSWICK DRIVE
Phone - 9168130818, Fax - 0000000000, Email - uhinman@comcast.net

WALLACE STRUCTURES 07/02/2014 07/02/2014
Address - 2515 TAWNDALE LN
Phone - 7078344992, Fax - 7077683386, Email - wallacestr@aol.com

WHITE CAP READY MIX, INC. 07/02/2014 07/02/2014
Address - 73880 HIGHWAY 70
Phone - 5308324225, Fax - 5308325847, Email - whitecaprm@sbcglobal.net

Recipients Phone Log 1 Set 1 Date: 07/08/2014

Company Details	Spoke to	Date/Time	Y/M/N
6 RIVERS CONSTRUCTION, INC. May be interested, left a voicemail message with all the project details.	Voicemail	07/08/2014 10:15 A.M	M
A B S L CONSTRUCTION May be interested, left a voicemail message with all the project details.	Voicemail	07/08/2014 10:16 A.M	M
A C DIKE CO No, not interested in bidding.	Estimator	07/08/2014 10:18 A.M	N
A F M ENVIRONMENTAL INC. May be interested, the estimator will take a look at the project details and will fax a quote if interested.	Estimator	07/08/2014 10:21 A.M	M
A S CONTRACTORS, INC. May be interested, left a voicemail message with all the project details.	Voicemail	07/08/2014 10:23 A.M	M
ALLEN GILL CONSTRUCTION, INC. May be interested, left a voicemail message with all the project details.	Voicemail	07/08/2014 10:25 A.M	M
AUSTIN ENTERPRISE No, not interested in bidding.	Receptionist	07/08/2014 10:26 A.M	N
AZCO May be interested, resent fax upon request.	Receptionist	07/08/2014 10:28 A.M	M
BAY LINE CUTTING & CORING, INC. May be interested, left a voicemail message with all the project details.	Voicemail	07/08/2014 10:29 A.M	M
CHARLIE'S CUSTOM EXCAVATING, INC May be interested, the estimator will take a look at the project details and will fax a quote if interested.	Receptionist	07/08/2014 10:29 A.M	M
CLEAR CREEK CONSTRUCTION May be interested, left a voicemail message with all the project details.	Voicemail	07/08/2014 10:30 A.M	M
CMC TRAFFIC CONTROL SPECIALIST May be interested, left a voicemail message with all the project details.	Voicemail	07/08/2014 10:31 A.M	M
COMBINED EFFORT INC May be interested, however, there was no answer to phone call.	No answer	07/08/2014 10:31 A.M	M
CONSTRUCTION AREA SIGNS, INCORPORATED May be interested, the estimator will take a look at the project details and will fax a quote if interested.	DeeDee	07/08/2014 10:32 A.M	M
DIRT & AGGREGATE INTERCHANGE, INC May be interested, however, there was no answer to phone call.	No answer	07/08/2014 10:33 A.M	M
DISABLED AMERICAN VETERAN ENT. TRUCKING & SWEEPING May be interested, left a voicemail message with all the project details.	Voicemail	07/08/2014 10:34 A.M	M
EAGLE ENGINEERING AND CONSTRUCTION, INC May be interested, left a voicemail message with all the project details.	Voicemail	07/08/2014 10:35 A.M	M
ERNEST B. DEE No, not interested in bidding.	Estimator	07/08/2014 10:36 A.M	N
FCS STRIPING, SEALING AND PAVING, INC. May be interested, left a voicemail message with all the project details.	Voicemail	07/08/2014 10:36 A.M	M

FRANK MEDINA GENERAL ENGINEERING CONTRACTOR	Receptionist	07/08/2014 10:37 A.M	M
May be interested, the estimator will take a look at the project details and will fax a quote if interested.			
GALLAWAY ENTERPRISES, INC	Voicemail	07/08/2014 10:37 A.M	M
May be interested, left a voicemail message with all the project details.			
GENERAL SUPPLY COMPANY	Voicemail	07/08/2014 10:49 A.M	M
May be interested, left a voicemail message with all the project details.			
GR SUNDBERG, INC.	Receptionist	07/08/2014 10:50 A.M	N
No, not interested in bidding.			
GREEN BUILDING PRODUCTS, INC	Estimator	07/08/2014 10:51 A.M	N
No, not interested in bidding.			
HAMANAKA PAINTING CO.	No answer	07/08/2014 10:52 A.M	M
May be interested, however, there was no answer to phone call.			
K & G CONCRETE INC	No answer	07/08/2014 10:53 A.M	M
May be interested, however, we were unable to connect call.			
K & K CONSTRUCTION SUPPLY, INC	Voicemail	07/08/2014 10:54 A.M	M
May be interested, left a voicemail message with all the project details.			
K R C SAFETY CO. INC.	Receptionist	07/08/2014 10:56 A.M	M
May be interested, the estimator will take a look at the project details and will fax a quote if interested.			
KA`PEL CONSTRUCTION INC	Receptionist	07/08/2014 10:58 A.M	M
May be interested, the estimator will take a look at the project details and will fax a quote if interested.			
KERN COUNTY CUSTOM CONCRETE	Voicemail	07/08/2014 11:00 A.M	M
May be interested, left a voicemail message with all the project details.			
KIONA LANDSCAPING	Voicemail	07/08/2014 11:00 A.M	M
May be interested, left a voicemail message with all the project details.			
MAG-CON ENGINEERING AND CONSTRUCTION, INC	Voicemail	07/08/2014 11:01 A.M	M
May be interested, left a voicemail message with all the project details.			
MC CULLOUGH CONSTRUCTION INC	Receptionist	07/08/2014 11:02 A.M	M
May be interested, the estimator will take a look at the project details and will fax a quote if interested.			
MONROE CONSTRUCTION SALES	Voicemail	07/08/2014 11:04 A.M	M
May be interested, left a voicemail message with all the project details.			
NATURAL INVESTIGATIONS COMPANY, LLC	Receptionist	07/08/2014 11:06 A.M	M
May be interested, the estimator will take a look at the project details and will fax a quote if interested.			
NITTA EROSION CONTROL	Valerie	07/08/2014 04:32 P.M	M
May be interested, not sure yet. They will know closer to the bid date.			
NOR-CAL PUMP & WELL DRILLING, INC.	Voicemail	07/08/2014 04:34 P.M	M
May be interested, left a voicemail with all the project details.			
OLIVEIRA FENCE, INC.	Receptionist	07/08/2014 04:36 P.M	N
No, not bidding. Too far.			
R. E. SERRANO INC.	Voicemail	07/08/2014 04:38 P.M	M
May be interested, left a voicemail with all the project details.			
RUPERT CONSTRUCTION SUPPLY, LLC	Voicemail	07/08/2014 04:41 P.M	M
May be interested, left a voicemail with all the project details.			

S.T. RHOADES CONSTRUCTION INC May be interested, left a voicemail with all the project details.	Voicemail	07/08/2014 04:43 P.M	M
SITE WORK SOLUTIONS, INC No, not bidding this project.	Estimator	07/08/2014 04:45 P.M	N
SPECIALTY TRAFFIC SYSTEMS May be interested, left a voicemail with all the project details.	Voicemail	07/08/2014 04:46 P.M	M
STONY CREEK GENERAL ENGINEERING May be interested, left a voicemail with all the project details.	Voicemail	07/08/2014 04:48 P.M	M
TRINITY VALLEY CONSULTING ENGINEERS, INC May be interested, not sure. Sent another fax on request.	Christian	07/08/2014 04:50 P.M	M
TULLY CONSULTING GROUP May be interested, left a voicemail with all the project details.	Voicemail	07/08/2014 04:52 P.M	M
TYRRELL RESOURCES, INC. May be interested, left a voicemail with all the project details.	Voicemail	07/08/2014 04:54 P.M	M
UMA HINMAN CONSULTING May be interested, left a voicemail with all the project details.	Voicemail	07/08/2014 04:57 P.M	M
WALLACE STRUCTURES May be interested, left a voicemail with all the project details.	Voicemail	07/08/2014 05:00 P.M	M
WHITE CAP READY MIX, INC. May be interested, however, no answer to call. Unable to leave a message.	No answer	07/08/2014 05:02 P.M	M

Recipients Phone Log 2 set 1 Date: 07/21/2014

Company Details	Spoke to	Date/Time	Y/M/N
6 RIVERS CONSTRUCTION, INC. May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 08:31 A.M	M
A B S L CONSTRUCTION May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 08:33 A.M	M
A F M ENVIRONMENTAL INC. Yes, will be bidding this project.	Mel	07/21/2014 08:36 A.M	Y
A S CONTRACTORS, INC. May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 08:38 A.M	M
ALLEN GILL CONSTRUCTION, INC. May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 08:40 A.M	M
AZCO May be bidding, not sure. The estimator will reply if interested.	Marie	07/21/2014 08:41 A.M	M
BAY LINE CUTTING & CORING, INC. No, not bidding this project.	Juan	07/21/2014 08:43 A.M	N
CHARLIE'S CUSTOM EXCAVATING, INC May be interested, however, we were unable to connect call.	Unable to connect	07/21/2014 08:44 A.M	M
CLEAR CREEK CONSTRUCTION May be bidding, not sure yet. They are looking at the project.	Receptionist	07/21/2014 08:45 A.M	M
CMC TRAFFIC CONTROL SPECIALIST May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 08:47 A.M	M
COMBINED EFFORT INC May be interested, however, number not available at this time.	Not available	07/21/2014 08:48 A.M	M
CONSTRUCTION AREA SIGNS, INCORPORATED Yes, will be bidding this project.	Receptionist	07/21/2014 08:49 A.M	Y
DIRT & AGGREGATE INTERCHANGE, INC Yes, will be bidding this project.	Receptionist	07/21/2014 08:50 A.M	Y
DISABLED AMERICAN VETERAN ENT. TRUCKING & SWEEPING No, not bidding this project.	Estimator	07/21/2014 08:51 A.M	N
EAGLE ENGINEERING AND CONSTRUCTION, INC May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 08:52 A.M	M
FCS STRIPING, SEALING AND PAVING, INC. May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 08:57 A.M	M
FRANK MEDINA GENERAL ENGINEERING CONTRACTOR May be interested, however, lines are temporarily busy.	Lines busy	07/21/2014 08:57 A.M	M
GALLAWAY ENTERPRISES, INC May be interested, left a voicemail for the estimator with all the project details.	Estimator Voicemail	07/21/2014 09:03 A.M	M
GENERAL SUPPLY COMPANY May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 09:05 A.M	M

HAMANAKA PAINTING CO. May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 09:08 A.M	M
K & G CONCRETE INC May be interested, however, voicemail has not been set up yet.	Voicemail not set up yet	07/21/2014 09:09 A.M	M
K & K CONSTRUCTION SUPPLY, INC Yes, will be bidding this project.	Receptionist	07/21/2014 09:10 A.M	Y
K R C SAFETY CO. INC. No, not bidding this project.	Receptionist	07/21/2014 09:12 A.M	N
KA`PEL CONSTRUCTION INC No, not bidding this project.	Receptionist	07/21/2014 09:14 A.M	N
KERN COUNTY CUSTOM CONCRETE May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 09:20 A.M	M
KIONA LANDSCAPING May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 09:21 A.M	M
MAG-CON ENGINEERING AND CONSTRUCTION, INC May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 09:22 A.M	M
MC CULLOUGH CONSTRUCTION INC No, not bidding this project.	Receptionist	07/21/2014 09:25 A.M	N
MONROE CONSTRUCTION SALES May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 09:27 A.M	M
NATURAL INVESTIGATIONS COMPANY, LLC May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 09:29 A.M	M
NITTA EROSION CONTROL No, not bidding this project.	Valerie	07/21/2014 09:30 A.M	N
NOR-CAL PUMP & WELL DRILLING, INC. No, not bidding this project.	Amy	07/21/2014 09:31 A.M	N
R. E. SERRANO INC. May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 09:32 A.M	M
RUPERT CONSTRUCTION SUPPLY, LLC May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 09:38 A.M	M
S.T. RHOADES CONSTRUCTION INC May be bidding, not sure. No answer to call.	No answer	07/21/2014 09:39 A.M	M
SPECIALTY TRAFFIC SYSTEMS No, not bidding this project.	Estimator	07/21/2014 09:40 A.M	N
STONY CREEK GENERAL ENGINEERING May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 09:41 A.M	M
TRINITY VALLEY CONSULTING ENGINEERS, INC May be bidding, not sure. We were unable to leave a message due to bad connection.	Bad connection	07/21/2014 09:44 A.M	M
TULLY CONSULTING GROUP May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 09:45 A.M	M
TYRRELL RESOURCES, INC. May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 09:47 A.M	M

UMA HINMAN CONSULTING No, not bidding this project.	Receptionist	07/21/2014 09:48 A.M	N
WALLACE STRUCTURES May be interested, left a voicemail with all the project details.	Voicemail	07/21/2014 09:49 A.M	M
WHITE CAP READY MIX, INC. May be interested, however, no answer to call. Unable to leave a message.	No answer	07/21/2014 09:50 A.M	M

DBE Goodfaith Inc. Fax Confirmation Report for J. F. Shea Construction, Inc. Bid Number:02-3E7904

No.	Company Name	Type	Ph. Number	Fax Number	Status	Date/Time
1	6 RIVERS CONSTRUCTION, INC.	DBE	5305157563	5306255423	Success	07/02/2014 18:14
2	A B S L CONSTRUCTION	DBE	5107270900	5107270910	Success	07/02/2014 18:12
3	A C DIKE CO	DBE	9166457747	9166459618	Failed	07/02/2014 18:19
4	A F M ENVIRONMENTAL INC.	DBE	9163749526	9163749527	Success	07/02/2014 18:08
5	A S CONTRACTORS, INC.	DBE	2097426684	2099662643	Failed	07/02/2014 18:16
6	ALLEN GILL CONSTRUCTION, INC.	DBE	5305474334	5305473197	Success	07/03/2014 07:44
7	AUSTIN ENTERPRISE	DBE	6615891001	6615899509	Success	07/03/2014 07:42
8	AZCO	DBE	2099432452	2099430437	Success	07/03/2014 07:39
9	BAY LINE CUTTING & CORING, INC.	DBE	5105271000	5105270500	Success	07/03/2014 07:18
10	CHARLIE'S CUSTOM EXCAVATING, INC	DBE	5302213626	5302217563	Success	07/03/2014 07:12
11	CLEAR CREEK CONSTRUCTION	DBE	5302241430	5302241430	Success	07/03/2014 07:11
12	CMC TRAFFIC CONTROL SPECIALIST	DBE	4152061700	4152061711	Success	07/03/2014 07:11
13	COMBINED EFFORT INC	DBE	8007281100	8005401789	Success	07/03/2014 07:05
14	CONSTRUCTION AREA SIGNS, INCORPORATED	DBE	9166639097	9166631858	Success	07/03/2014 07:04
15	DIRT & AGGREGATE INTERCHANGE, INC	DBE	5036615093	5036691192	Success	07/03/2014 07:02
16	DISABLED AMERICAN VETERAN ENT. TRUCKING & SWEEPING	DBE	5592138773	0000000000	Failed	07/01/2014 17:00
17	EAGLE ENGINEERING AND CONSTRUCTION, INC	DBE	6503678000	6503678282	Success	07/03/2014 07:24
18	ERNEST B. DEE	DBE	9162710410	9166912127	Failed	07/03/2014 07:32
19	FCS STRIPING, SEALING AND PAVING, INC.	DBE	9253736205	9253736208	Failed	07/03/2014 07:24
20	FRANK MEDINA GENERAL ENGINEERING CONTRACTOR	DBE	5307430744	5307439352	Success	07/03/2014 07:18

No.	Company Name	Type	Ph. Number	Fax Number	Status	Date/Time
21	GALLAWAY ENTERPRISES, INC	DBE	5303329909	5303329905	Success	07/02/2014 18:18
22	GENERAL SUPPLY COMPANY	DBE	5106325229	5106322315	Failed	07/02/2014 19:10
23	GR SUNDBERG, INC.	DBE	7078256565	7078256563	Failed	07/02/2014 19:08
24	GREEN BUILDING PRODUCTS, INC	DBE	9163330557	9163747998	Success	07/02/2014 18:54
25	HAMANAKA PAINTING CO.	DBE	7074443340	7074443346	Failed	07/02/2014 19:02
26	K & G CONCRETE INC	DBE	9162161623	9167746487	Success	07/02/2014 19:03
27	K & K CONSTRUCTION SUPPLY, INC	DBE	9168510965	9168510999	Success	07/02/2014 18:48
28	K R C SAFETY CO. INC.	DBE	5597320393	5597322684	Success	07/02/2014 18:46
29	KA`PEL CONSTRUCTION INC	DBE	5306293300	5306293300	Success	07/02/2014 18:49
30	KERN COUNTY CUSTOM CONCRETE	DBE	6618724602	6613255590	Failed	07/03/2014 07:32
31	KIONA LANDSCAPING	DBE	7076164340	0000000000	Failed	07/02/2014 17:00
32	MAG-CON ENGINEERING AND CONSTRUCTION, INC	DBE	9166381175	9166381178	Success	07/03/2014 07:40
33	MC CULLOUGH CONSTRUCTION INC	DBE	7078251014	7078251769	Success	07/03/2014 07:34
34	MONROE CONSTRUCTION SALES	DBE	2094846659	2098488093	Failed	07/02/2014 18:58
35	NATURAL INVESTIGATIONS COMPANY, LLC	DBE	9167659381	0000000000	Failed	07/01/2014 17:00
36	NITTA EROSION CONTROL	DBE	9166527459	9166524376	Success	07/02/2014 18:38
37	NOR-CAL PUMP & WELL DRILLING, INC.	DBE	5306745861	5306741525	Success	07/02/2014 18:36
38	OLIVEIRA FENCE, INC.	DBE	4087273811	4087272690	Success	07/02/2014 18:35
39	R. E. SERRANO INC.	DBE	9259578184	9259578121	Success	07/02/2014 18:32
40	RUPERT CONSTRUCTION SUPPLY, LLC	DBE	9252295577	9166739737	Success	07/02/2014 18:29

No.	Company Name	Type	Ph. Number	Fax Number	Status	Date/Time
41	S.T. RHOADES CONSTRUCTION INC	DBE	5302239322	5302239222	Success	07/02/2014 18:28
42	SITE WORK SOLUTIONS, INC	DBE	5302222229	5302223337	Success	07/02/2014 18:26
43	SPECIALTY TRAFFIC SYSTEMS	DBE	7074418420	7074451856	Success	07/02/2014 18:24
44	STONY CREEK GENERAL ENGINEERING	DBE	5305263191	5309885092	Success	07/03/2014 07:32
45	TRINITY VALLEY CONSULTING ENGINEERS, INC	DBE	5306293000	5306293011	Success	07/03/2014 07:36
46	TULLY CONSULTING GROUP	DBE	7076931926	7074710318	Success	07/03/2014 07:28
47	TYRRELL RESOURCES, INC.	DBE	5302438733	5302418975	Success	07/03/2014 07:29
48	UMA HINMAN CONSULTING	DBE	9168130818	0000000000	Failed	07/01/2014 17:00
49	WALLACE STRUCTURES	DBE	7078344992	7077683386	Success	07/02/2014 18:22
50	WHITE CAP READY MIX, INC.	DBE	5308324225	5308325847	Success	07/02/2014 18:21

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:A F M ENVIRONMENTAL INC.
CONTACT NAME	Stacy Dutra	Phone Number :9163749526
ADDRESS	17400 Clear Creek Rd.	Fax Number :9163749527
	Redding, California, 96001	Date :07/02/2014 6:08PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SDCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:A B S L CONSTRUCTION
CONTACT NAME	Stacy Dutra	Phone Number :5107270900
ADDRESS	17400 Clear Creek Rd.	Fax Number :5107270910
	Redding, California, 96001	Date :07/02/2014 6:12PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of Califomia Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	Califomia

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HDT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:UMA HINMAN CONSULTING
CONTACT NAME	Stacy Dutra	Phone Number :9168130818
ADDRESS	17400 Clear Creek Rd.	Fax Number :0000000000
	Redding, California, 96001	Date :07/01/2014 5:00PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of Califomia Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Bumt Ranch
PROJECT STATE :	Califomia

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDRDSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CDNCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:6 RIVERS CONSTRUCTION, INC.
CONTACT NAME	Stacy Dutra	Phone Number :5305157563
ADDRESS	17400 Clear Creek Rd.	Fax Number :5306255423
	Redding, California, 96001	Date :07/02/2014 6:14PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:A S CONTRACTORS, INC.
CONTACT NAME	Stacy Dutra	Phone Number :2097426684
ADDRESS	17400 Clear Creek Rd.	Fax Number :2099662643
	Redding, California, 96001	Date :07/02/2014 6:16PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:GALLAWAY ENTERPRISES, INC
CONTACT NAME	Stacy Dutra	Phone Number :5303329909
ADDRESS	17400 Clear Creek Rd.	Fax Number :5303329905
	Redding, California, 96001	Date :07/02/2014 6:18PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:A C DIKE CO
CONTACT NAME	Stacy Dutra	Phone Number :9166457747
ADDRESS	17400 Clear Creek Rd.	Fax Number :9166459618
	Redding, California, 96001	Date :07/02/2014 6:19PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional Information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:WHITE CAP READY MIX, INC.
CONTACT NAME	Stacy Dutra	Phone Number :5308324225
ADDRESS	17400 Clear Creek Rd.	Fax Number :5308325847
	Redding, California, 96001	Date :07/02/2014 6:21PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSIDN CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); DBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:WALLACE STRUCTURES
CONTACT NAME	Stacy Dutra	Phone Number :7078344992
ADDRESS	17400 Clear Creek Rd.	Fax Number :7077683386
	Redding, California, 96001	Date :07/02/2014 6:22PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY CDATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLDPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:SPECIALTY TRAFFIC SYSTEMS
CONTACT NAME	Stacy Dutra	Phone Number :7074418420
ADDRESS	17400 Clear Creek Rd.	Fax Number :7074451856
	Redding, California, 96001	Date :07/02/2014 6:24PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
J. F. Shea Construction, Inc.
For additional information about minority participation projects,
visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:SITE WORK SOLUTIONS, INC
CONTACT NAME	Stacy Dutra	Phone Number :5302222229
ADDRESS	17400 Clear Creek Rd.	Fax Number :5302223337
	Redding, California, 96001	Date :07/02/2014 6:26PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:S.T. RHOADES CONSTRUCTION INC
CONTACT NAME	Stacy Dutra	Phone Number :5302239322
ADDRESS	17400 Clear Creek Rd.	Fax Number :5302239222
	Redding, California, 96001	Date :07/02/2014 6:28PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:RUPERT CONSTRUCTION SUPPLY, LLC
CONTACT NAME	Stacy Dutra	Phone Number :9252295577
ADDRESS	17400 Clear Creek Rd.	Fax Number :9166739737
	Redding, California, 96001	Date :07/02/2014 6:29PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:R. E. SERRANO INC.
CONTACT NAME	Stacy Dutra	Phone Number :9259578184
ADDRESS	17400 Clear Creek Rd.	Fax Number :9259578121
	Redding, California, 96001	Date :07/02/2014 6:32PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/CDUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCDNTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.

[ ]No, we are not interested.

[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:OLIVEIRA FENCE, INC.
CONTACT NAME	Stacy Dutra	Phone Number :4087273811
ADDRESS	17400 Clear Creek Rd.	Fax Number :4087272690
	Redding, California, 96001	Date :07/02/2014 6:35PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.136" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:NOR-CAL PUMP & WELL DRILLING, INC.
CONTACT NAME	Stacy Dutra	Phone Number :5306745861
ADDRESS	17400 Clear Creek Rd.	Fax Number :5306741525
	Redding, California, 96001	Date :07/02/2014 6:36PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:NATURAL INVESTIGATIONS COMPANY, LLC
CONTACT NAME	Stacy Dutra	Phone Number :9167659381
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :0000000000 Date :07/01/2014 5:00PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:NITTA EROSION CONTROL
CONTACT NAME	Stacy Dutra	Phone Number :9166527459
ADDRESS	17400 Clear Creek Rd.	Fax Number :9166524376
	Redding, California, 96001	Date :07/02/2014 6:38PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:K R C SAFETY CO. INC.
CONTACT NAME	Stacy Dutra	Phone Number :5597320393
ADDRESS	17400 Clear Creek Rd.	Fax Number :5597322684
	Redding, California, 96001	Date :07/02/2014 6:46PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEDUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:K & K CONSTRUCTION SUPPLY, INC
CONTACT NAME	Stacy Dutra	Phone Number :9168510965
ADDRESS	17400 Clear Creek Rd.	Fax Number :9168510999
	Redding, California, 96001	Date :07/02/2014 6:48PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; RDCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:KA`PEL CONSTRUCTION INC
CONTACT NAME	Stacy Dutra	Phone Number :5306293300
ADDRESS	17400 Clear Creek Rd.	Fax Number :5306293300
	Redding, California, 96001	Date :07/02/2014 6:49PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:GREEN BUILDING PRODUCTS, INC
CONTACT NAME	Stacy Dutra	Phone Number :9163330557
ADDRESS	17400 Clear Creek Rd.	Fax Number :9163747998
	Redding, California, 96001	Date :07/02/2014 6:54PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:DISABLED AMERICAN VETERAN ENT. TRUCKING & SWEEPING
CONTACT NAME	Stacy Dutra	Phone Number :5592138773
ADDRESS	17400 Clear Creek Rd.	Fax Number :0000000000
	Redding, California, 96001	Date :07/01/2014 5:00PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.

[ ]No, we are not interested.

[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:MONROE CONSTRUCTION SALES
CONTACT NAME	Stacy Dutra	Phone Number :2094846659
ADDRESS	17400 Clear Creek Rd.	Fax Number :2098488093
	Redding, California, 96001	Date :07/02/2014 6:58PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:HAMANAKA PAINTING CO.
CONTACT NAME	Stacy Dutra	Phone Number :7074443340
ADDRESS	17400 Clear Creek Rd.	Fax Number :7074443346
	Redding, California, 96001	Date :07/02/2014 7:02PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-N-DRILLED-HOLE CONCRETE PILING; 16" CAST-N-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-N-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:K & G CONCRETE INC
CONTACT NAME	Stacy Dutra	Phone Number :9162161623
ADDRESS	17400 Clear Creek Rd.	Fax Number :9167746487
	Redding, California, 96001	Date :07/02/2014 7:03PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.

[ ]No, we are not interested.

[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:GR SUNDBERG, INC.
CONTACT NAME	Stacy Dutra	Phone Number :7078256565
ADDRESS	17400 Clear Creek Rd.	Fax Number :7078256563
	Redding, California, 96001	Date :07/02/2014 7:08PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:GENERAL SUPPLY COMPANY
CONTACT NAME	Stacy Dutra	Phone Number :5106325229
ADDRESS	17400 Clear Creek Rd.	Fax Number :5106322315
	Redding, California, 96001	Date :07/02/2014 7:10PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE	
BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of Califomia Department of Transportalion - CALTRANS
PRDJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	Califomia

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Eslimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CDRRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 738B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:DIRT & AGGREGATE INTERCHANGE, INC
CONTACT NAME	Stacy Dutra	Phone Number :5036615093
ADDRESS	17400 Clear Creek Rd.	Fax Number :5036691192
	Redding, California, 96001	Date :07/03/2014 7:02AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:CONSTRUCTION AREA SIGNS, INCORPORATED
CONTACT NAME	Stacy Dutra	Phone Number :9166639097
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :9166631858 Date :07/03/2014 7:04AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Bumt Ranch
PROJECT STATE :	Califomia

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.

[ ]No, we are not interested.

[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:COMBINED EFFORT INC
CONTACT NAME	Stacy Dutra	Phone Number :8007281100
ADDRESS	17400 Clear Creek Rd.	Fax Number :8005401789
	Redding, California, 96001	Date :07/03/2014 7:05AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:CLEAR CREEK CONSTRUCTION
CONTACT NAME	Stacy Dutra	Phone Number :5302241430
ADDRESS	17400 Clear Creek Rd.	Fax Number :5302241430
	Redding, California, 96001	Date :07/03/2014 7:11AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPDRT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:CMC TRAFFIC CONTROL SPECIALIST
CONTACT NAME	Stacy Dutra	Phone Number :4152061700
ADDRESS	17400 Clear Creek Rd.	Fax Number :4152061711
	Redding, California, 96001	Date :07/03/2014 7:11AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPDRARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:CHARLIE'S CUSTOM EXCAVATING, INC
CONTACT NAME	Stacy Dutra	Phone Number :5302213626
ADDRESS	17400 Clear Creek Rd.	Fax Number :5302217563
	Redding, California, 96001	Date :07/03/2014 7:12AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:BAY LINE CUTTING & CORING, INC.
CONTACT NAME	Stacy Dutra	Phone Number :5105271000
ADDRESS	17400 Clear Creek Rd.	Fax Number :5105270500
	Redding, California, 96001	Date :07/03/2014 7:18AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of Califomia Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	Califomia

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:FRANK MEDINA GENERAL ENGINEERING CONTRACTOR
CONTACT NAME	Stacy Dutra	Phone Number :5307430744
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :5307439352 Date :07/03/2014 7:18AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPDRARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW(CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITIDN RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:EAGLE ENGINEERING AND CONSTRUCTION, INC
CONTACT NAME	Stacy Dutra	Phone Number :6503678000
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :6503678282 Date :07/03/2014 7:24AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:FCS STRIPING, SEALING AND PAVING, INC.
CONTACT NAME	Stacy Dutra	Phone Number :9253736205
ADDRESS	17400 Clear Creek Rd.	Fax Number :9253736208
	Redding, California, 96001	Date :07/03/2014 7:24AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:TULLY CONSULTING GROUP
CONTACT NAME	Stacy Dutra	Phone Number :7076931926
ADDRESS	17400 Clear Creek Rd.	Fax Number :7074710318
	Redding, California, 96001	Date :07/03/2014 7:28AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:TYRRELL RESOURCES, INC.
CONTACT NAME	Stacy Dutra	Phone Number :5302438733
ADDRESS	17400 Clear Creek Rd.	Fax Number :5302418975
	Redding, California, 96001	Date :07/03/2014 7:29AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:STONY CREEK GENERAL ENGINEERING
CONTACT NAME	Stacy Dutra	Phone Number :5305263191
ADDRESS	17400 Clear Creek Rd.	Fax Number :5309885092
	Redding, Califomia, 96001	Date :07/03/2014 7:32AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of Califomia Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:KERN COUNTY CUSTOM CONCRETE
CONTACT NAME	Stacy Dutra	Phone Number :6618724602
ADDRESS	17400 Clear Creek Rd.	Fax Number :6613255590
	Redding, California, 96001	Date :07/03/2014 7:32AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:ERNEST B. DEE
CONTACT NAME	Stacy Dutra	Phone Number :9162710410
ADDRESS	17400 Clear Creek Rd.	Fax Number :9166912127
	Redding, California, 96001	Date :07/03/2014 7:32AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:MC CULLOUGH CONSTRUCTION INC
CONTACT NAME	Stacy Dutra	Phone Number :7078251014
ADDRESS	17400 Clear Creek Rd.	Fax Number :7078251769
	Redding, Califomia, 96001	Date :07/03/2014 7:34AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of Califomia Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	Califomia

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:KIONA LANDSCAPING
CONTACT NAME	Stacy Dutra	Phone Number :7076164340
ADDRESS	17400 Clear Creek Rd.	Fax Number :0000000000
	Redding, California, 96001	Date :07/02/2014 5:00PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:TRINITY VALLEY CONSULTING ENGINEERS, INC
CONTACT NAME	Stacy Dutra	Phone Number :5306293000
ADDRESS	17400 Clear Creek Rd.	Fax Number :5306293011
	Redding, California, 96001	Date :07/03/2014 7:36AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:AZCO
CONTACT NAME	Stacy Dutra	Phone Number :2099432452
ADDRESS	17400 Clear Creek Rd.	Fax Number :2099430437
	Redding, California, 96001	Date :07/03/2014 7:39AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
J. F. Shea Construction, Inc.

For additional information about minority participation projects,
visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-N-DRILLED-HOLE CONCRETE PILING; 16" CAST-N-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-N-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:MAG-CON ENGINEERING AND CONSTRUCTION, INC
CONTACT NAME	Stacy Dutra	Phone Number :9166381175
ADDRESS	17400 Clear Creek Rd.	Fax Number :9166381178
	Redding, California, 96001	Date :07/03/2014 7:40AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
J. F. Shea Construction, Inc.
For additional information about minority participation projects,
visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies.

Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:AUSTIN ENTERPRISE
CONTACT NAME	Stacy Dutra	Phone Number :6615891001
ADDRESS	17400 Clear Creek Rd.	Fax Number :6615899509
	Redding, California, 96001	Date :07/03/2014 7:42AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:ALLEN GILL CONSTRUCTION, INC.
CONTACT NAME	Stacy Dutra	Phone Number :5305474334
ADDRESS	17400 Clear Creek Rd.	Fax Number :5305473197
	Redding, California, 96001	Date :07/03/2014 7:44AM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
J. F. Shea Construction, Inc.
For additional information about minority participation projects,
visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	07/30/2014 at 02:00 P.M
BID No :	02-3E7904
PROJECT NAME :	Construct Sidehill Viaducts, Place HMA, Install Barrier Railing
AGENCY NAME :	State of Califomia Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Burnt Ranch
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TO 0.9 MILE WEST OF MILL CREEK ROAD. Engineers Estimate: $4,270,000.00. Goal: 9 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; TEMPORARY PAVEMENT MARKING (TAPE); TEMPORARY TRAFFIC STRIPE (PAINT); CHANNELIZER (SURFACE MOUNTED); TEMPORARY SIGNAL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); TEMPORARY RAILING (TYPE K); TEMPORARY CRASH CUSHION; JOB SITE MANAGEMENT; PREPARE STORM WATER POLLUTION PREVENTION PLAN; RAIN EVENT ACTION PLAN; STORM WATER SAMPLING AND ANALYSIS DAY; STORM WATER ANNUAL REPORT; TEMPORARY COVER; TEMPORARY CHECK DAM; TEMPORARY DRAINAGE INLET PROTECTION; TEMPORARY CONSTRUCTION ENTRANCE; STREET SWEEPING; TEMPORARY CONCRETE WASHOUT; ASBESTOS COMPLIANCE PLAN; TEMPORARY FENCE (TYPE ESA); TREATED WOOD WASTE; CONTRACTOR-SUPPLIED BIOLOGIST (LS); DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS); REMOVE GUARDRAIL; REMOVE THERMOPLASTIC TRAFFIC STRIPE; REMOVE ROADSIDE SIGN; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT RUBBLE WALL; COLD PLANE ASPHALT CONCRETE PAVEMENT; PREPARE CONCRETE BRIDGE DECK SURFACE; FURNISH POLYESTER CONCRETE OVERLAY; PLACE POLYESTER CONCRETE OVERLAY; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; SHOULDER BACKING; STRUCTURE EXCAVATION (BRIDGE); STRUCTURE BACKFILL (BRIDGE); IMPORTED BORROW (CY); EROSION CONTROL (BONDED FIBER MATRIX) (SQFT); ROLLED EROSION CONTROL PRODUCT (NETTING); ROLLED EROSION CONTROL PRODUCT (NETTING)(FLAP); HYDROMULCH; COMPOST SOCK; HYDROSEED (SEED MIX 1); HYDROSEED (SEED MIX 2); COMPOST; INCORPORATE MATERIALS; FINISHING ROADWAY; CLASS 2 AGGREGATE BASE (CY); HOT MIX ASPHALT (TYPE A); PLACE HOT MIX ASPHALT DIKE (TYPE F); PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA); TACK COAT; EARTH RETAINING SYSTEM (RAILING COMPONENTS); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING; 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (ROCK SOCKET); STRUCTURAL CONCRETE, BRIDGE; STRUCTURAL CONCRETE, BARRIER SLAB; MINOR CONCRETE (MINOR STRUCTURE); JOINT SEAL (MR 1"); BAR REINFORCING STEEL (BRIDGE); BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); ROADSIDE SIGN - ONE POST; STAIN GALVANIZED SURFACES; PREPARE AND STAIN CONCRETE; CONCRETE BACKFILL (PIPE TRENCH); 18" PLASTIC PIPE; 24" PLASTIC PIPE; 12" CORRUGATED STEEL PIPE (.079" THICK); 24" CORRUGATED STEEL PIPE (.138" THICK); 8" PERFORATED PLASTIC PIPE; 12" CORRUGATED STEEL PIPE DOWNDRAIN; 12" ANCHOR ASSEMBLY; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (FACING, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (CURB) (CY); MISCELLANEOUS IRON AND STEEL; MISCELLANEOUS METAL (BRIDGE); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER (TYPE P); METAL BEAM GUARD RAILING (7' POST); VEGETATION CONTROL (MINOR CONCRETE); TUBULAR BICYCLE RAILING; SINGLE THRIE BEAM BARRIER (STEEL POST); TRANSITION RAILING (TYPE STB); TRANSITION RAILING (TYPE WB); END ANCHOR ASSEMBLY (TYPE SFT); INTERMEDIATE ANCHOR ASSEMBLY (MODIFIED TYPE SFT); ALTERNATIVE IN-LINE TERMINAL SYSTEM; CONCRETE BARRIER (TYPE 736 MODIFIED); CONCRETE BARRIER (TYPE 736B MODIFIED); THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or

call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. We Are An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

Good Faith Efforts

Documentation -

Listed Subcontractors

S.T. RHOADES CONSTRUCTION INC.

8585 COMMERCIAL WAY, REDDING, CA 96002
P.O. BOX 494520, REDDING, CA., 96049
530-223-9322, Fax 530-223-9222, License # 930684
MBE/SBE- 1247344,U/DBE-37693, UNIONS-OPERATORS, LABORERS

PROPOSAL

DBE# 37693

To: GENERAL CONTRACTORS
Attn: ESTIMATORS
Project: 02-3E7904
Bid date: 7/30/14

Date: 7/30/14

Item	Description	Quantity	UM	Unit Price	Amount
35	Prepare Concrete Bridge Deck	5,096	sqft	$ 1.15	$ 5,860.40
36	Furnish Polyster Concrete Overlay	540	cf	$ 87.00	$ 46,980.00
37	Place Polyester Overlay	5,096	sqft	$ 12.50	$ 63,700.00
105	Mobilization	1	ls	$ 17,250.00	$ 17,250.00
				Total:	$ 133,790.40

Notes:
- Proposal valid for 30 days, Allow 10 days for scheduling
- All monies and retentions to be released after acceptance by owner irregardless of contract clauses or project duration within 30 days of completed work.
- 30 days advanced notice required for schedule
- Traffic Control is included in this proposal

100% All

Include
- Price includes furnishing and installation unless otherwise noted.
- Includes for only 1 mobilization

Exclud
- Bonds
- Permits
- Fees
- Striping
- Staking
- ~~Engineering~~
- Referencing
- Repair or replace asphalt damaged by others
- Permanent or temporary traffic control markers
- Temporary or permanent water pollution control
- Light Plants if needed.
- Costs associated with waivers of subrogation

Respectively Submitted,
Steve Rhoades
President

DBE

RECEIVED
J.F. SHEA CONST., INC.
JUL 30 2014
DIV. NO.
A/C NO.

CNJ

CNJ ENTERPRISES, INC.
P.O. BOX 15727 * SCOTTSDALE, ARIZONA 85267
TEL: 480/483-0989 * FAX: 480/907-1210 * EMAIL: vispol@aol.com
Contractor's License # 867058

RECEIVED
J.F. SHEA CONST., INC.
JUL 28 2014
DIV. NO.
A/C NO.

DATE: 7-28-2014

J.F. Shea Construction Cop., Inc.
17400 Clear Creek Rd.
Redding, CA 96001

VIA FAX: 530-246-9940

PROJECT: Caltrans #02-3E7904 Trinity County near Burnt Ranch to Mill Creek Rd

BID DATE: 7-30-2014

Quotation

Bid Item	Bid Item Description	Quantity	Unit Price	Estimated Total
73	**Prepare & Stain Concrete**	**4,000 sf**	**$ 5.75 sf**	**$ 23,000.00**

100%

- This quote includes product, and application of product. Pressure washing is included if necessary. Sandblasting is not included.
- Access and mechanical lift (if requested by Subcontractor) is to be provided by General Contractor.
- This quote includes one (1) mobility.
- ~~Includes one (1) test panel.~~
- The price quoted is for schedules established during regular daytime shifts.
- Road closures will be provided by GC as needed by subcontractor.
- The price quoted is subject to change after 45 days from date of Quotation.

Respectfully submitted:

Bruce Feit

Bruce Feit

NOTE: IF THE BID DATE CHANGES THIS QUOTE WILL STILL BE EFFECTIVE.

Whitson Inc.
3167 Hwy 96 North Cont. Lic: 585179
Post Office Box 240
Willow Creek, California 95573
(530) 629-2324

RECEIVED
J.F. SHEA CONST., INC.
JUL 30 2014
DIV. NO.
A/C NO.

Quotation

July 30, 2014

To: Bidding Contractors
Project: Contract Number 02-3E7904
Engineer: Cal Trans

We will provide all labor and materials to do the work items listed below. We have comprehensive general liability insurance. We will provide weekly certified pay reports. We can provide bonding for 1.2 % of total sub contract. Addendum 1 & 2 Acknowledged.

Item 7 Code #128601 TEMPORARY SIGNAL SYSTEM

100%

LUMP SUM PRICE: $ 178,620.00

Includes generators, Transfer switch, fuel and maintenance. Price does not include Flagging or Traffic Control. We need about three weeks of traffic control to install and take down system.

Respectfully Submitted,

Rick Reinhard

Rick Reinhard
General Manager

Our Phone is 530-629-2324. **Fax is 530-629-3774.**

APEX FENCE CO., INC.

Since 1970

CA.LIC.269127/NV.LIC.0022365
19896 ALEXANDER AVE.
P.O. BOX 545
ANDERSON, CA 96007

TELEPHONE 530-365-3316
FAX 530-365-5478
BOND RATE 1%

SBE NO. 11760531

UNION CONTRACTOR

HUB ZONE CERTIFIED

QUOTATION: FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TI 0.9 MILE WEST OF MILL CREEK ROAD. IN DISTRICT 02 ON ROUTE 299. CONTRACT NO. 02-3E7904

BID DATE: July 30, 2014

THE FOLLOWING QUOTATION ON THE ABOVE MENTIONED PROJECT IS HEREBY SUBMITTED ON THE ITEMS QUOTED. THE FOLLOWING QUOTATION INCLUDES TAX AND INSTALLATION. A MUTUALLY AGREEABLE SCHEDULE OF TIME WILL BE MADE PRIOR TO PERFORMING THE WORK. TRAFFIC CONTROL IS NOT INCLUDED. COST FOR ANY WATER POLLUTION CONTROL MEASURES OR SWPPP NOT INCLUDED. BONDABLE, BUT NO BONDS OR CONSTRUCTION STAKING INCLUDED IN THIS QUOTE. RETENTION BY THE CONTRACTOR SHALL NOT EXCEED THE AMOUNT WITHHELD BY THE OWNER. ALL RETENTION TO BE RELEASED WITHIN 30 DAYS AFTER COMPLETION AND ACCEPTANCE BY THE OWNER. THIS WOULD APPLY TO APEX FENCE'S ITEMS OF WORK. THIS QUOTE GOOD FOR ONLY 30 DAYS AFTER BID DATE. ATTORNEY FEES, IN THE EVENT LEGAL ACTION IS TAKEN TO ENFORCE ANY ITEM OF THIS AGREEMENT, WILL BE BORN BY THE OWNER AND ANY MONIES SPENT BY APEX FENCE CO. TO ENFORCE PAYMENT OF THIS AGREEMENT WILL BE BORE TO THE GENERAL CONTRACTOR

ITEM #	QTY	U/M	DESCRIPTION	UNIT PRICE	TOTAL
24	1611	LB	TREATED WOOD WASTE	$0.50	$805.50
27	400	LF	REMOVE GUARDRAIL	$3.50	$1,400.00
60	200	SQFT	EARTH RETAINING SYSTEM (RAILING COMPONENTS)	$40.00	$8,000.00
72	1	LS	STAIN GALVANIZED SURFACES	$12,000.00	$12,000.00
88	45	EA	DELINEATOR (CLASS 2)	$45.00	$2,025.00
89	1	EA	MILEPOST MARKER	$50.00	$50.00
90	17	EA	MARKER (CULVERT)	$45.00	$765.00
91	1	EA	OBJECT MARKER (TYPE P)	$85.00	$85.00
92	1640	LF	METAL BEAM GUARD RAILING (7' POST)	$26.00	$42,640.00
93	590	SQYD	VEGETATION CONTROL (MINOR CONCRETE)	$55.00	$32,450.00
94	776	LF	TUBULAR BICYCLE RAILING	$105.00	$81,480.00
95	63	LF	SINGLE THRIE BEAM BARRIER (STEEL POST)	$50.00	$3,150.00
96	1	EA	TRANSITION RAILING (TYPE STB)	$3,500.00	$3,500.00
97	3	EA	TRANSITION RAILING (TYPE WB)	$3,000.00	$9,000.00
98	3	EA	END ANCHOR ASSEMBLY (TYPE SFT)	$600.00	$1,800.00
99	2	EA	INTERMEDIATE ANCHOR ASSEM. (MOD.TYPE SFT)	$600.00	$1,200.00
100	1	EA	ALTERNATIVE IN-LINE TERMINAL SYSTEM	$3,000.00	$3,000.00

70% - 60

100% ALL EXCEPT #60

ITEM 60 INCLUDES INSTALLATION OF POST, RAIL AND FABRIC
BACKFILL AND COMPACTION TO DONE BY OTHERS

ITEM 94 ANCHOR HARDWARE SUPPLIED BY APEX INSTALLED BY OTHERS
EXCLUDES EPOXY CAPSULES

SUB GRADE FOR VEGETATION CONCRETE DONE BY OTHERS

$14,495.50

MBGR TRAFFIC DAYS (6)
DELINEATOR TRAFFIC DAYS (1)
CONCRETE TRAFFIC DAYS (4)
TUBULAR BICYCLE RAILING TRAFFIC DAYS (3)
INCLUDES (1) MOVE IN, ADDITIONAL MOVE INS $2,500.00 EA

ITEMS DON'T INCLUDE CLEARING OR GRUBBING
ITEMS DON'T INCLUDE GRADE UNDER MBGR ITEMS
ITEMS DON'T INCLUDE SLEEVES FOR CONNECTIONS TO CONCRETE BARRIER

PRIME TO MARK ALL USA, APEX WILL CALL IN THE TAG.

TOTAL $203,350.50

RECEIVED
J.F. SHEA CONST., INC.
JUL 29 2014
DIV. NO.
A/C NO.

SINCERELY,
APEX FENCE CO.,INC.

DAVID PARMER/VICE-PRESIDENT
GENERAL SUPERINTENDENT

562762

APPLY-A-LINE, INC.

19652 N. Hirsch Court • Anderson, CA 96007
Phone (530) 365-4000 • Fax (530) 365-4060
mail@applyaline.com • LIC. #562762
mail@applyaline.com • LIC. #APPLYA*161RU

To: **General Contractors**
Project: **02-TRI-299-12.3/12.9**
02-3E7904
County: **TRINITY**
City: **BURNT RANCH**
Bid Date **7/30/2014**

The Following is our proposal for the above referenced project:

Item #:	Description	Quantity:	Unit	Price:	Total:
1	LEAD PLAN (REMOVE STRIPE)	1	LS	1250.00	1250.00
4	TEMP PM SF (TAPE)	24	SF	24.00	576.00
5	TEMP STRIPE (PAINT)	4200	LF	0.75	3150.00
6	CHANNELIZER (NO MAINT)	85	EA	34.00	2890.00
28	REMOVE THERMO STRIPE	4200	LF	0.72	3024.00
103	SPRAYABLE THERMO	9000	LF	0.52	4680.00
104	RECESSED REFLECTOR	260	EA	12.50	3250.00
105	MOB	1	LS	850.00	850.00
					$19,670.00

.003

100%

Apply-A-Line, INC. proposes to furnish all labor, equipment, and materials necessary to complete the bid items on referenced project.

CONDITIONS OF PROPOSAL:

1 Offerer reserves the right to withdraw proposal if not accepted within 30 days.
2 Prices quoted above do NOT include performance bond.
3 If a formal subcontract is required a complete copy of this quote must be included.
4 3-Trips included. 1 for stage 1 , 1 for stage 3 , and 1 for perm work.
5 Remove floppys included.(Mow style not broke off pieces)
6 T.C. not included. 1/2 hour 1st trip t.c. needed. 1 day 2nd trip, 1 day perm work.
7 12 Working days required for scheduling.
8 General to provide dump site on job for millings, small amount. General to dispose of these millings.
9 Channelizer maint. not included. Extras for sale from apply-a-line.

PLEASE NOTIFY US RIGHT AWAY IF WE GET THIS JOB SO WE CAN PROCESS AND CREATE FILE.

Thank you for the opportunity to quote this project with your company.

Sincerely,

Steve Puderbaugh
Project Manager
steve@applyaline.com

RECEIVED
J.F. SHEA CONST., INC.
JUL 29 2014
DIV. NO.
A/C NO.

[*]

M&S Environmental Landscapes, Inc.
12192 Mac's Road
Redding, CA 96003
530-241-1418
Fax 241-9647
CA Lic. 751931 DBE,SMBE, and MBE Certified CT No. 030736

DBE

7/29/14 Bids 7/30/14

DBE # 030736

Bid For - Trinity County Near Burnt Ranch Route 299

Cal-trans Contract # 02-3E7904

M&S Environmental Landscapes, Inc. would like to propose a bid for the following items:

Item No.	Description	Units	Quantity	Cost per Unit	Est. Cost
45	Erosion Control (Bond Fiber Matrix)	SQFT	60000	$ 0.44	$ 26,400.00
46	Rolled Erosion Control Netting	SQFT	15800	$ 0.77	$ 12,166.00
47	Rolled Erosion Control Netting Flap	SQFT	74500	$ 0.770	$ 57,365.00
48	Hydromulch	SQFT	120000	$ 0.088	$ 10,560.00
49	Compost Sock	LF	1220	$ 10.65	$ 12,993.00
50	Hydroseed Seed Mix 1	SQFT	105000	$ 0.335	$ 35,175.00
51	Hydroseed Seed Mix 2	SQFT	15800	$ 0.54	$ 8,532.00

100% ALL

J.F

JUL 29 2014

DIV. NO.
A/C NO.

TOTAL $ 163,191.00

ADDITIONAL BID NOTES

* Prime Contractor to provide and pay for water source on site (i.e.-fire hydrant, water truck, or other approved source) at a minimum rate of 200 g.p.m.
* All traffic control to be provided by Prime contractor. Bid valid for 60 days.
* One move-in is inlcuded in total bid, unless otherwise stated. Additional move-in (if necessary) at the rate of $600.00 each.
* An estimated 3 acres of Hydroseeding can be done in one working day. Stand-by time will be billed at $600.00 per hour.
* Performance and Payment bonds are not included. Insurance beyond a $5 mil umbrella will result in additional charge.
* Additional insurance requirements including "Waiver of Subragation" will be charged to Prime Contractor.
* Signatory to Local 185 Laborers Union.
* If you have any questions please call our office.

Michael Smith

TOTAL = $182,811.22

M&S Environmental Landscapes, Inc.
12192 Mac's Road
Redding, CA 96003
530-241-1418
Fax 241-9647
CA Lic. 751931 DBE,SMBE, and MBE Certified CT No. 030736

7/29/14 Bids 7/30/14

Bid For - Trinity County Near Burnt Ranch Route 299

Cal-trans Contract # 02-3E7904

M&S Environmental Landscapes, Inc. would like to propose a bid for the following items:

Item No.	Description	Units	Quantity	Cost per Unit	Est. Cost
52	Compost * 50 cy / Truck Load	CY	357	$ 54.96	$ 19,620.72

100%

J.F. SHEA CONST., INC.

JUL 29 2014

DIV. NO._____
A/C NO._____

TOTAL $ 19,620.72

ADDITIONAL BID NOTES

* All traffic control to be provided by Prime contractor. Bid valid for 60 days.

* Performance and Payment bonds are not included. Insurance beyond a $5 mil umbrella will result in additional charge.
* Additional insurance requirements including "Waiver of Subragation" will be charged to Prime Contractor.
* Signatory to Local 185 Laborers Union.
* If you have any questions please call our office.

Michael Smith

HILLSIDE DRILLING COMPANY, INC.

RECEIVED
F. SHEA CONST., INC.
JUL 30 2014
DIV. NO.
A/C NO.

ENGINEERING CONTRACTORS
CONTRACTOR LICENSE NO. 478991-A
P.O. BOX 70130 - PT. RICHMOND, CA 94807
Phone 510-234-6532 Fax 510-234-3131

DRILLING PROPOSAL

TO: ESTIMATOR DATE: July 30, 2014

PROJECT: Caltrans Contract No. 02-3E7904
Burnt Ranch, CA

SCOPE OF WORK

We hereby quote the following items in accordance with the plans and specifications, soil borings, the inclusions, the exclusions and the general conditions listed below for the above mentioned project. Addenda acknowledged - ONE

ITEM NO.	DESCRIPTION	UNIT	QTY.	UNIT PRICE	TOTAL
61	24"Ø CIDH Concrete Pile	LF	92	$210.00/LF	$19,320
62	16"Ø CIDH - Rock Socket	LF	55	$210.00/LF	$11,550
63	24"Ø CIDH - Rock Socket	LF	416	$250.00 /LF	$104,000
			Total		$134,870

60%
48%
65%

Work to include drilling and rock coring from pile cut-off elevations, case, dewater pile ~~into others location, set reinforcement cage (rebar provided and placed adjacent to pier~~ by others), provide and pour concrete to pile cut-off elevation.

EXCLUSIONS AND/OR TO BE FURNISHED BY GENERAL CONTRACTOR

Wet weather construction, permits, bond premium (2%), testing, inspection, welding, providing beams or rebar, splicing beams or cages, nelson studs, concrete anchors, rebar protectors, anchor bolts, dowel, sand blasting, painting, demolition, structure excavation, structure backfill, dust control, concrete dobies, field engineering, block outs, structure concrete, formwork, site dewatering, submittal or implementation of water pollution control plan, erosion control, water supply at drilling rig, survey, layout, line & grade, toilet and hand wash station next to job site, shoring and protection of existing structures, streets, sidewalks, driveways and utilities, USA alert, location/removal of utilities, off-haul or removal of spoils and water, sediment pond or tank, concrete washout, off-haul of concrete over break, all costs related to any known or unknown hazardous or toxic materials, 40 hour Hazmat Training. Traffic control provided by others.

Hillside drilling to provide a 80,000 LB Lo-Drill excavator mounted drill rig with a 29' mast 11'-0" wide tracks, 5' tail swing and a 15' reach from the tracks to the center of the drilled hole.

RECEIVED
J.F. SHEA CONST., INC.
JUL 30 2014

GENERAL CONDITIONS

Hillside Drilling's (HSD) bid is based on ONE move-in to the job with continuous operation until completion of subject move-in; add $10,000 to the contract for each additional move. Contractor will provide 16 foot wide level, with no overhead obstructions, unobstructed all weather access adjacent to all drilled hole locations as required for drill rig, concrete trucks and concrete pumping equipment for HSD to start drilling from pile cut-off elevation. Contractor to provide a 4 foot wide bench for ground men to work adjacent to piles. Contractor to provide lay-down area adjacent to work site for equipment and materials as required. Contractor will remove spoils material concurrent with drilling operation so as not to delay or interfere with drilling or setting of steel. Contractor to provide clean out area for drilling equipment and concrete trucks. An area at the work site will be provided by the contractor for storage of Hillside Drilling's equipment and materials. Concrete pour crew may require additional work hours to complete pours. Bid is based on day work M-F 8 hours per day. Contractor to provide three weeks minimum notice of start date. Changes in start date shall be made 48 hours in advance of preliminary start date. Hillside Drilling will be given one working day to verify grade, access, and layout before moving on to the site. Price is based on groundwater being discharged at the site into desilting pit or basin provided by general contractor 100' max. from work area. If casing or dewatering is needed, rebar cages shall not block access to bottom of hole or casing removal, contractor to bend top of rebar cage 90 degrees after dewatering and/or casing removal. If any man-made/man-placed materials are encountered (such as bricks, concrete, rip rap, pea gravel, etc.), the general contractor will provide Hillside Drilling with written authorization to proceed with the work utilizing any required special tools and equipment. A daily log of labor, equipment and material will be maintained and subsequently billed at the rate of $200.00 per drill rig hour, plus costs of materials, labor and other equipment plus appropriate markups. All standby time due to delays by others will be billed at the same hourly rate. Standby rate for equipment left on site due to delays by others will be charged at $1,200 per day for the drill rig plus any additional equipment left on site. Back charges will only be accepted when properly documented and acknowledged on a daily basis by our authorized representative. Payments will be made with in 30 days of invoice. Retention will not exceed the percentage with held by the owner. Balance of retention will be paid in full within 35 days after completion of Hillside Drilling's work.

For shafts to be drilled deeper then soil borings indicate we have assumed that the materials to be drilled are similar to those indicated on the soil borings lowest depth explored adjacent to the drilled shaft. Conditions differing shall be considered a changed condition. Soil Conditions and/or water table elevations that are different then those indicating in the soils report/borings shall be considered a different site condition.

This quotation includes the following insurance coverage for HSD with the general contractor to be named as additional insured.

1. Worker's compensation & Employers Liability -$1,000,000.00 each accident, $1,000,000.00 disease policy limit & $1,000,000.00 disease each employee.
   **(excludes waiver of subrogation and rail road insurance)
2. General Liability - $2,000,000.00
3. Automobile Liability Coverage - $1,000,000.00.

This quotation is subject to acceptance within 30 days and the terms herein will be incorporated into any subsequent sub-contract agreement and shall be made as an attachment to the subcontract agreement. In the event that legal council is retained to collect any sums due, HSD will be reimbursed for legal expense incurred.

Any dispute arising under this agreement, including work performed under this agreement, the prevailing party in the dispute shall be entitled to recover reasonable attorney fees and costs involved with the disputed.

Thank you for the Business Opportunity!!

Andy J. Clisham

Signed: Andy J. Clisham, Estimator

Camblin Steel

SERVICE, INC. SINCE 1954

RECEIVED
J.F. SHEA CONST., INC.
JUL 30 2014
BY:
PRO. NO.
ACC NO.

Reinforcing Service ~ Contractor License CA#218839 Expires 07/31/14 NV#0042078 OR#191866 Expires 10/1/14
4175 Cincinnati ~ Rocklin, California 95765 Ph (916) 644-1300 Fax (916) 408-6999

JOB PROPOSAL

TO: _____ DATE: 07/30/2014

JOB & LOCATION: SIDEHILL VIADUCTS, TRINITY CO.

ADDENDUMS: PLANS: 02-3E7904

ITEM	INCLUDE	EXCLUDE	FURNISH	INSTALL	PRICE (tax inc.) U.N.O.
REBAR	X		X	X	
MASONRY REBAR					
MASONRY REBAR LAYOUT		X			
POST TENSION MATERIAL, LABOR		X			
CONSTRUCTION JOINT DOWELS		X			
GROUT DOWELS		X			
WELDED WIRE FABRIC		X			
LIFTING OR CHAIRING W.W.F.		X			
TIED & STOCKPILED ITEMS/ CAISSONS	X		X	TIED &	STOCKPILED
WELDING & REBAR WELDED TO MISC.		X			
ANCHOR BOLT TIES & ADDED REINF		X			
INSPECTION/TESTING/ENGINEERING		X			
HOISTING		X			
REBAR PROTECTION CAPS		X			
SITE REINFORCING		X			
LINES, GRADES & TEMPLATES		X			
			TOTAL PRICE:	$217,952.00	

SEE ATTACHED BID BREAKDOWN	ALTERNATES	ADDS	DEDUCT

THIS PROPOSAL IS SUBJECT TO REVISION OR WITHDRAWAL IF NOT ACCEPTED IN WRITING OR BY FACSIMILE TRANSMISSION WITHIN THIRTY (30) DAYS. THIS PROPOSAL IS CONDITIONED UPON OUR APPROVAL OF FINAL QUANTITIES, CONTRACT DOCUMENTS, INSURANCE AND BONDING REQUIREMENTS, AND CONSTRUCTION SCHEDULES. CAMBLIN STEEL SERVICE, INC. SHALL BE ENTITLED TO RECOVER ITS COLLECTION COSTS AND ATTORNEY'S FEES IF PAYMENT IS NOT MADE AS REQUIRED UNDER THE BUSINESS & PROFESSIONS CODE. CHANGE ORDER NUMBER/WRITTEN AUTHORIZATION IS REQUIRED PRIOR TO ANY EXTRA WORK BEING PERFORMED. UPON AWARDED JOB PLEASE PROVIDE ONE SET OF CONTRACT PLANS AND SPECS.

Price is subject to change if Material is not shipped within (90) days

Very Truly Yours,
Camblin Steel Service, Inc.

By: _____

THE UNDERSIGNED ACCEPTS THIS PROPOSAL AND AGREES TO PROVIDE THE NAME, ADDRESS AND PHONE NUMBER OF THE PROJECT OWNER, PROJECT LENDER AND GENERAL CONTRACTOR. THE UNDERSIGNED ALSO AGREES TO PROVIDE A COPY OF THE GENERAL CONTRACTOR'S PAYMENT BOND AND REQUIREMENTS ON INSURANCE, BONDING AND INDEMNITY BEFORE FINAL CONTRACT DOCUMENTS ARE SUBMITTED.

Dated: _____ ACCEPTED BY: _____ DATE: _____

Camblin Steel Service, Inc.

4175 Cincinnati Ave *Rocklin, CA 95765*(916) 644-1300*fax (916) 408-6999*contractor's lic. no. 442

RECEIVED
J.F. SHEA CONST., INC.
JUL 30 2014
DIV. NO.
A/C NO.

BID BREAKDOWN

SIDEHILL VIADUCT

ITEM 65	225 CY @ $135.00	$ 30,375.00	25%
ITEM 62	55' @ $23.00	$ 1,265.00	.05%
ITEM 68	76764# @ $1.38	$ 105,934.00	49.100
ITEM 69	36029# @ $1.40	$ 50,440.00	100%
ITEM 101	626' @ $38.00	$ 23,788.00	18%
ITEM 102	150' @ $41.00	$ 6,150.00	17%
TOTAL		$ 217,952.00	

T. K. BLACKBURN TRUCKING

P. O. BOX 5383
MARYSVILLE CA 95901

DBE

ITEM #56 - 1,052 HRS @ $110 /HR = $115,720.00
partial

DBE # 22000

FAX QUOTE SHEET
July 30 2014

Quote: 177

From	To
CONTACT: **TERRANCE K. BLACKBURN**	COMPANY: **JF SHEA COMPANY, INC.**
PHONE: **805-501-2693**	ATTENTION: **Kirk Johnson**
FAX: **661-256-2272**	PHONE: **530-246-4292**
EMAIL:	FAX: **530-246-9940**
	EMAIL:

COMMODITY: **All Materials**

QUANTITY:

REQUIREMENTS: **15 Day Pay. 4 Hour Minumin. All on site trucks require two hour travel @ $100.00 per hour. Fuel sur charge; 1% increase for every 10 cents a gallon after $4.10/gallon. Pervailing wage rate will increase hourly rate by $30.00 per hour.**

ORIGIN(S):

DESTINATION(S):

RATE:
10 Wheelers; $98.00 per hour
Bottom Dumps: $110.00 per hour
Transfers; $110.00 per hour

COMMENTS:
Bidding Project; Cal Trans Hwy 299-Burnt Ranch
Contract Number; 20-3E7904

(Signature)

CALIFORNIA UNIFIED CERTIFICATION PROGRAM
DISADVANTAGED BUSINESS ENTERPRISE CERTIFICATE

T K BLACKBURN TRUCKING

1452 KNIGHTS ROW
YUBA CITY, CA 95991

Owner: TERRANCE BLACKBURN
Business Structure: SOLE PROPRIETORSHIP

This certificate acknowledges that said firm is approved by the California Unified Certification Program (CUCP) as a Disadvantaged Business Enterprise (DBE) as defined by the U.S. Department of Transportation (DOT) CFR 49 Part 26, as may be amended, for the following NAICS codes:

NAICS Code(s) * Indicates primary NAICS code

* 484110 General Freight Trucking, Local

425120 Wholesale Trade Agents and Brokers

Work Category Code(s)

C9602	BOTTOM DUMP TRUCKING	C9605	FLAT BED TRUCKING
C9606	WATER TRUCK	C9771	TRUCK BROKER
C9774	TRUCKER		

Licenses

CERTIFYING AGENCY:
DEPARTMENT OF TRANSPORTATION
1823 14TH STREET
SACRAMENTO, CA 95811 0000
(916) 324-1700

UCP Firm Number : 22000

July 2, 2013

CUCP OFFICER

Back To Query Form

Search Returned 1 Records

Thu Jul 31 16:51:31 PDT 2014

Query Criteria

Firm/DBA Name: blackburn
Firm Type: DBE

Firm ID	22000
Firm/DBA Name	T K BLACKBURN TRUCKING
Address Line1	1081 FOOTHILL DRIVE
Address Line2	
City	YREKA
State	CA
Zip Code1	96097
Zip Code2	
Mailing Address Line1	1081 FOOTHILL DRIVE
Mailing Address Line2	
Mailing City	YREKA
Mailing State	CA
Mailing Zip Code1	98097
Mailing Zip Code2	
Certification Type	DBE
EMail	tkblackburntruckin@att.net
Contact Name	TERRANCE BLACKBURN
Area Code	(805)
Phone Number	501-2693
Fax Area Code	( )
Fax Phone Number	
Agency Name	DEPARTMENT OF TRANSPORTATION
Counties	01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 29; 30; 31; 32; 33; 34; 35; 36; 37; 38; 39; 40; 41; 42; 43; 44; 45; 46; 47; 48; 49; 50; 51; 52; 53; 54; 55; 56; 57; 58;
Districts	01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12;
DBE NAICS	425120; 484110;
ACDBE NAICS	
Work Codes	C9602 BOTTOM DUMP TRUCKING; C9605 FLAT BED TRUCKING; C9606 WATER TRUCK ; C9771 TRUCK BROKER; C9774 TRUCKER;
Licenses	
Trucks	FOR HIRE - 3;
Gender	M
Ethnicity	BLACK
Firm Type	DBE

Back To Query Form

DRAGON
MATERIAL TRANSPORT, INC.

DBE

P.O. Box 27800, Fresno, CA 93729-7800
Office (559)351-8822 Fax (559) 276-0818
CA No. 0366649
dragonmaterial@yahoo.com

DBE # 37444

DBE/WBE/UDBE Firm No. 37444
SBE 52655

---QUOTE

OIL = 250 TONS @ $750.00 + TAX = $201,562.50 / 60% = $120,937.50

FREIGHT = 250 TONS @ $42.00/TN = $10,500.00

J.F. Shea Construction, Co.
Attn. Juan Bernardino
Date: 07/29/14

PROJECT: Caltrans 02-3E7904, Trinity County Near Burnt Ranch

TOTAL = $131,437.50

ITEM # 56 partial

MATERIAL: 250 Tons - PG 64-28M
DELIVERED PRICE: $792.00 Per U.S. Ton + any applicable taxes

REFINERY: Paramount Petroleum, Elk Grove, CA
DESTINATION: Fawndale

***Standby after 1 hour from scheduled delivery time at $100.00 per hour**
***Index: 5% Crude**
***Pricing based on full loads - 26.00 ton**
*Fuel surcharge - rate increase - add $1.00 for every $.10 increase if Califomia On-Highway reaches $4.25 per gallon. www.eia.gov. $4.09 on bid day.

Good Faith Efforts Documentation [redacted] DBE Page 2 of 3 - # 3 - Subcontractors Used

Good Faith Efforts Documentation - DBE Page 2 of 3 - # 3 - Subcontractors Used vs Not Used

DIRT & AGGREGATE
INTERCHANGE, INC.

QUOTATION

RECEIVED
J.F. SHEA CONST., INC.
JUL 29 2014
DIV. NO.
A/C NO.

DATE: 7/29/2014

TO: J.F. SHEA CONSTRUCTION Attn: ESTIMATOR FAX: 530-246-9940

Project Name: 02-3E7904 CONSTRUCT SIDEHILL VIADUCTS
Owner: CALTRANS
Bid Date & Time: 7/30/14 2:00PM

Item	Description	Qty	U/M	Unit Price	Extended
24	Treated Wood Waste	1610	LB	$0.20	$322.00
27	Remove Guardrail	400	LF	$5.00	$2,000.00
60	Earth Retaining System (Railing Componits)	200	SQFT	$34.00	$6,800.00
92	Metal Beam Guardrailing (7 Ft Post)	1640	LF	$25.00	$41,000.00
95	Single Thrie Beam Railing (Steel Post)	63	LF	$75.00	$4,725.00
96	Transition Railing (Type STB)	1	EA	$4,000.00	$4,000.00
97	Transition Railing (Type WB)	3	EA	$4,000.00	$12,000.00
98	End Anchor Assembly (Type SFT)	3	EA	$1,250.00	$3,750.00
99	Intermediate Anchor Assembly (Mod. Type SFT)	2	EA	$1,250.00	$2,500.00
100	Alternative In-Line Terminal System	1	EA	$2,803.00	$2,803.00
105	Mobilization	1	LS	$5,000.00	$5,000.00
				TOTAL:	$84,900.00

Stipulations:

- Bond not included.
- No traffic control. No Survey Work.
- Excludes all dirt work and concrete work on guardrail items.
- Exlcudes erosion control.
- Price based on 1 mobilization.
- Extra mobilization = $5,000.00 per mobilization.
- 10 Working days.
- California UDBE Certified #CT-000020.

Due to continued and unpredictable increases in material costs and resulting delays in delivery of such materials, the prices and delivery dates quoted herein will automatically expire thirty (30) days from the above date, unless accepted in writing prior to that date.

Thank you for your consideration.

DIRT and AGGREGATE INTERCHANGE, INC.

Signed: William Smith

We are a Minority Business Enterprise
OR DBE #493, OR CCB# 26599, WA CCB# DIRTAI1192NP, WA DBE# D4 M0700 781
20905 NE Sandy Blvd, Fairview, OR 97024 Phone: 503-661-5093 Fax: 503-669-1192

DIRT & AGGREGATE
INTERCHANGE, INC.

QUOTATION

RECEIVED
J.F. SHEA CONST., INC.
JUL 29 2014
DIV. NO.
A/C NO.

DATE: 7/29/2014

TO: J.F. SHEA CONSTRUCTION Attn: ESTIMATOR FAX: 530-246-9940

Project Name: 02-3E7904 CONSTRUCT SIDEHILL VIADUCTS
Owner: CALTRANS
Bid Date & Time: 7/30/14 2:00PM

Item	Description	Qty	U/M	Unit Price	Extended
24	Treated Wood Waste	1610	LB	$0.20	$322.00
27	Remove Guardrail	400	LF	$5.00	$2,000.00
60	Earth Retaining System (Railing Componits)	200	SQFT	$34.00	$6,800.00
92	Metal Beam Guardrailing (7 Ft Post)	1640	LF	$25.00	$41,000.00
95	Single Thrie Beam Railing (Steel Post)	63	LF	$75.00	$4,725.00
96	Transition Railing (Type STB)	1	EA	$4,000.00	$4,000.00
97	Transition Railing (Type WB)	3	EA	$4,000.00	$12,000.00
98	End Anchor Assembly (Type SFT)	3	EA	$1,250.00	$3,750.00
99	Intermediate Anchor Assembly (Mod. Type SFT)	2	EA	$1,250.00	$2,500.00
100	Alternative In-Line Terminal System	1	EA	$2,803.00	$2,803.00
105	Mobilization	1	LS	$5,000.00	$5,000.00
				TOTAL:	$84,900.00

Stipulations:

- Bond not included.
- No traffic control. No Survey Work.
- Excludes all dirt work and concrete work on guardrail items.
- Exlcudes erosion control.
- Price based on 1 mobilization.
- Extra mobilization = $5,000.00 per mobilization.
- 10 Working days.
- California UDBE Certified #CT-000020.

Due to continued and unpredictable increases in material costs and resulting delays in delivery of such materials, the prices and delivery dates quoted herein will automatically expire thirty (30) days from the above date, unless accepted in writing prior to that date.

Thank you for your consideration.

DIRT and AGGREGATE INTERCHANGE, INC.

Signed: William Smith

We are a Minority Business Enterprise
OR DBE #493, OR CCB# 26599, WA CCB# DIRTAI192NP, WA DBE# D4 M0700 781
20905 NE Sandy Blvd, Fairview, OR 97024 Phone: 503-661-5093 Fax: 503-669-1192

M&S Environmental Landscapes, Inc.
12192 Mac's Road
Redding, CA 96003
530-241-1418
Fax 241-9647
CA Llc. 751931 DBE,SMBE, and MBE Certified CT No. 030736

DBE

7/29/14 Bids 7/30/14

DBE # 030736

Bid For - Trinity County Near Burnt Ranch Route 299

Cal-trans Contract # 02-3E7904

M&S Environmental Landscapes, Inc. would like to propose a bid for the following items:

Item No.	Description	Units	Quantity	Cost per Unit	Est. Cost
45	Erosion Control (Bond Fiber Matrix)	SQFT	60000	$ 0.44	$ 26,400.00
46	Rolled Erosion Control Netting	SQFT	15800	$ 0.77	$ 12,166.00
47	Rolled Erosion Control Netting Flap	SQFT	74500	$ 0.770	$ 57,365.00
48	Hydromulch	SQFT	120000	$ 0.088	$ 10,560.00
49	Compost Sock	LF	1220	$ 10.65	$ 12,993.00
50	Hydroseed Seed Mix 1	SQFT	105000	$ 0.335	$ 35,175.00
51	Hydroseed Seed Mix 2	SQFT	15800	$ 0.54	$ 8,532.00

100% ALL

J.F

JUL 29 20

DIV. NO.
A/C NO.

TOTAL $ 163,191.00

ADDITIONAL BID NOTES

* Prime Contractor to provide and pay for water source on site (i.e.-fire hydrant, water truck, or other approved source) at a minimum rate of 200 g.p.m.
* All traffic control to be provided by Prime contractor. Bid valid for 60 days.
* One move-in is inlcuded in total bid, unless otherwise stated. Additional move-in (if necessary) at the rate of $600.00 each.
* An estimated 3 acres of Hydroseeding can be done in one working day. Stand-by time will be billed at $600.00 per hour.
* Performance and Payment bonds are not included. Insurance beyond a $5 mil umbrella will result in additional charge.
* Additional insurance requirements including "Waiver of Subragation" will be charged to Prime Contractor.
* Signatory to Local 185 Laborers Union.
* If you have any questions please call our office.

Michael Smith

TOTAL = $ 182,811.72

M&S Environmental Landscapes, Inc.
12192 Mac's Road
Redding, CA 96003
530-241-1418
Fax 241-9647
CA Lic. 751931 DBE,SMBE, and MBE Certified CT No. 030736

7/29/14 Bids 7/30/14

Bid For - Trinity County Near Burnt Ranch Route 299

Cal-trans Contract # 02-3E7904

M&S Environmental Landscapes, Inc. would like to propose a bid for the following items:

Item No.	Description	Units	Quantity	Cost per Unit	Est. Cost
52	Compost * 50 cy / Truck Load	CY	357	$ 54.96	$ 19,620.72

100%

J.F. SHEA CONST., INC.

JUL 29 2014

DIV. NO._____
A/C NO._____

TOTAL $ 19,620.72

ADDITIONAL BID NOTES

* All traffic control to be provided by Prime contractor. Bid valid for 60 days.

* Performance and Payment bonds are not included. Insurance beyond a $5 mil umbrella will result in additional charge.
* Additional insurance requirements including "Waiver of Subragation" will be charged to Prime Contractor.
* Signatory to Local 185 Laborers Union.
* If you have any questions please call our office.

Michael Smith

Jul.29.2014 02:40 PM M&S ENVIRONMENTAL LANDSCA 5302419647/ PAGE. 1/ 1

CALIFORNIA PROFILE			
BidSync Supplier Name	M&S Environmental Landscapes, Inc.	Supplier Number	1023065
Legal Business Name	M & S Environmental Landscapes, Inc.	DBA Business Name	M&S Environmental Landscapes, Inc.
Address	12192 Mac's Road REDDING, CA 96003	Phone	(530) 241-1418
		FAX	(530) 241-9647
Email	mikeands5@aol.com		
Number of Employees	9		
Business Types	Construction		
Service Areas	Amador, Butte, Colusa, Contra Costa, Del Norte, El Dorado, Glenn, Humboldt, Lake, Lassen, Madera, Marin, Mendocino, Merced, Modoc, Napa, Nevada, Placer, Plumas, Sacramento, Shasta, Sierra, Siskiyou, Solano, Sonoma, Sutter, Tehama, Trinity, Tulare, Yolo, Yuba,		
Keywords	Landscape Contractor Erosion Control Hydroseeding Road Construction Grounds Services		
Construction License Types	C-27 - Landscaping		
Classifications	211015 - Agricultural machinery for soil preparation 701315 - Land and soil protection 721029 - Facility maintenance and repair services		
View Options	View Application		
Edit Options	Amend Application | Register as Disabled Veteran Business Enterprise (DVBE)		

Active Certifications

Register as Disabled Veteran Business Enterprise (DVBE)

TYPE	STATUS	STATUS DATE	FROM	TO	ACTIONS
SB (Micro)	Approved	Aug 28, 2013	Aug 28, 2013	Aug 31, 2015	

Certification History

TYPE	STATUS	STATUS DATE	FROM	TO
SB (Micro)	Expired	Aug 28, 2013	Aug 15, 2011	Aug 31, 2013
SB (Micro)	Expired	Aug 16, 2011	Apr 22, 2009	Aug 31, 2011
SB	Denied	Jul 28, 2011		

Customer Support - vendorsupport@bidsync.com or 800-990-9339

Copyright © 1999-2014 - BidSync - All rights reserved.

RECEIVED
J.F. SHEA CONST., INC.
JUL 29 2014
DIV. NO.
JOB NO.

JUL.29.2014 02:55 PM M&S ENVIRONMENTAL LANDSCA 5302419647 PAGE. 4/ 4

CALIFORNIA UNIFIED CERTIFICATION PROGRAM
DISADVANTAGED BUSINESS ENTERPRISE CERTIFICATE

M & S ENVIRONMENTAL LANDSCAPES, INC

12192 MACS ROAD
REDDING, CA 96003

Owner: MICHAEL SMITH
Business Structure: CORPORATION

This certificate acknowledges that said firm is approved by the California Unified Certification Program (CUCP) as a Disadvantaged Business Enterprise (DBE) as defined by the U.S. Department of Transportation (DOT) CFR 49 Part 26, as may be amended, for the following NAICS codes:

NAICS Code(s) * Indicates primary NAICS code

* 561730 Landscaping Services

238910 Site Preparation Contractors

Work Category Code(s)

C0620	LANDSCAPING & NURSERY	C2000	HIGHWAY PLANTING
C2020	SOIL AMENDMENTS	C2021	HYDROSEEDING
C2030	EROSION CONTROL	C2065	IRRIGATION SYSTEM

Licenses

C27 Landscaping Contractor

DIV. NO.
AUG NO.

CERTIFYING AGENCY:
DEPARTMENT OF TRANSPORTATION
1823 14TH STREET
SACRAMENTO, CA 95811 0000
(916) 324-1700

UCP Firm Number: 30736

UCP OFFICER

April 24, 2012

HILLSIDE DRILLING COMPANY, INC.

ENGINEERING CONTRACTORS

CONTRACTOR LICENSE NO. 478991-A

P.O. BOX 70130 - PT. RICHMOND, CA 94807

Phone 510-234-6532 Fax 510-234-3131

RECEIVED
J. F. SHEA CONST., INC.
JUL 30 2014
DIV. NO.
A/C NO.

DRILLING PROPOSAL

TO: ESTIMATOR DATE: July 30, 2014

PROJECT: Caltrans Contract No. 02-3E7904
Burnt Ranch, CA

SCOPE OF WORK

We hereby quote the following items in accordance with the plans and specifications, soil borings, the inclusions, the exclusions and the general conditions listed below for the above mentioned project. Addenda acknowledged - ONE

ITEM NO.	DESCRIPTION	UNIT	QTY.	UNIT PRICE	TOTAL
61	24"Ø CIDH Concrete Pile	LF	92	$210.00/LF	$19,320
62	16"Ø CIDH - Rock Socket	LF	55	$210.00/LF	$11,550
63	24"Ø CIDH - Rock Socket	LF	416	$250.00 /LF	$104,000
			Total		$134,870

60%
48%
65%

Work to include drilling and rock coring from pile cut-off elevations, case, dewater pile into others location, set reinforcement cage (rebar provided and placed adjacent to pier by others), provide and pour concrete to pile cut-off elevation.

EXCLUSIONS AND/OR TO BE FURNISHED BY GENERAL CONTRACTOR

Wet weather construction, permits, bond premium (2%), testing, inspection, welding, providing beams or rebar, splicing beams or cages, nelson studs, concrete anchors, rebar protectors, anchor bolts, dowel, sand blasting, painting, demolition, structure excavation, structure backfill, dust control, concrete dobies, field engineering, block outs, structure concrete, formwork, site dewatering, submittal or implementation of water pollution control plan, erosion control, water supply at drilling rig, survey, layout, line & grade, toilet and hand wash station next to job site, shoring and protection of existing structures, streets, sidewalks, driveways and utilities, USA alert, location/removal of utilities, off-haul or removal of spoils and water, sediment pond or tank, concrete washout, off-haul of concrete over break, all costs related to any known or unknown hazardous or toxic materials, 40 hour Hazmat Training. Traffic control provided by others.

Hillside drilling to provide a 80,000 LB Lo-Drill excavator mounted drill rig with a 29' mast 11'-0" wide tracks, 5' tail swing and a 15' reach from the tracks to the center of the drilled hole.

RECEIVED
J.F. SHEA CONST., INC.
JUL 30 2014

GENERAL CONDITIONS

Hillside Drilling's (HSD) bid is based on ONE move-in to the job with continuous operation until completion of subject move-in; add $10,000 to the contract for each additional move. Contractor will provide 16 foot wide level, with no overhead obstructions, unobstructed all weather access adjacent to all drilled hole locations as required for drill rig, concrete trucks and concrete pumping equipment for HSD to start drilling from pile cut-off elevation. Contractor to provide a 4 foot wide bench for ground men to work adjacent to piles. Contractor to provide lay-down area adjacent to work site for equipment and materials as required. Contractor will remove spoils material concurrent with drilling operation so as not to delay or interfere with drilling or setting of steel. Contractor to provide clean out area for drilling equipment and concrete trucks. An area at the work site will be provided by the contractor for storage of Hillside Drilling's equipment and materials. Concrete pour crew may require additional work hours to complete pours. Bid is based on day work M-F 8 hours per day. Contractor to provide three weeks minimum notice of start date. Changes in start date shall be made 48 hours in advance of preliminary start date. Hillside Drilling will be given one working day to verify grade, access, and layout before moving on to the site. Price is based on groundwater being discharged at the site into desilting pit or basin provided by general contractor 100' max. from work area. If casing or dewatering is needed, rebar cages shall not block access to bottom of hole or casing removal, contractor to bend top of rebar cage 90 degrees after dewatering and/or casing removal. If any man-made/man-placed materials are encountered (such as bricks, concrete, rip rap, pea gravel, etc.), the general contractor will provide Hillside Drilling with written authorization to proceed with the work utilizing any required special tools and equipment. A daily log of labor, equipment and material will be maintained and subsequently billed at the rate of $200.00 per drill rig hour, plus costs of materials, labor and other equipment plus appropriate markups. All standby time due to delays by others will be billed at the same hourly rate. Standby rate for equipment left on site due to delays by others will be charged at $1,200 per day for the drill rig plus any additional equipment left on site. Back charges will only be accepted when properly documented and acknowledged on a daily basis by our authorized representative. Payments will be made with in 30 days of invoice. Retention will not exceed the percentage with held by the owner. Balance of retention will be paid in full within 35 days after completion of Hillside Drilling's work.

For shafts to be drilled deeper then soil borings indicate we have assumed that the materials to be drilled are similar to those indicated on the soil borings lowest depth explored adjacent to the drilled shaft. Conditions differing shall be considered a changed condition. Soil Conditions and/or water table elevations that are different then those indicating in the soils report/borings shall be considered a different site condition.

This quotation includes the following insurance coverage for HSD with the general contractor to be named as additional insured.

1. Worker's compensation & Employers Liability -$1,000,000.00 each accident, $1,000,000.00 disease policy limit & $1,000,000.00 disease each employee.
   **(excludes waiver of subrogation and rail road insurance)
2. General Liability - $2,000,000.00
3. Automobile Liability Coverage - $1,000,000.00.

This quotation is subject to acceptance within 30 days and the terms herein will be incorporated into any subsequent sub-contract agreement and shall be made as an attachment to the subcontract agreement. In the event that legal council is retained to collect any sums due, HSD will be reimbursed for legal expense incurred.

Any dispute arising under this agreement, including work performed under this agreement, the prevailing party in the dispute shall be entitled to recover reasonable attorney fees and costs involved with the disputed.

Thank you for the Business Opportunity!!

Andy J. Clisham

Signed: Andy J. Clisham, Estimator

Camblin Steel

SERVICE, INC. SINCE 1954

RECEIVED
J.F. SHEA CONST., INC.
JUL 30 2014
P.O.
A/C NO.

Reinforcing Service ~ Contractor License CA#218839 Expires 07/31/14 NV#0042078 OR#191866 Expires 10/1/14
4175 Cincinnati ~ Rocklin, California 95765 Ph (916) 644-1300 Fax (916) 408-6999

JOB PROPOSAL

TO: _____ DATE: 07/30/2014

JOB & LOCATION: SIDEHILL VIADUCTS, TRINITY CO.

ADDENDUMS: PLANS: 02-3E7904

ITEM	INCLUDE	EXCLUDE	FURNISH	INSTALL	PRICE (tax inc.) U.N.O.
REBAR	X		X	X	
MASONRY REBAR					
MASONRY REBAR LAYOUT		X			
POST TENSION MATERIAL, LABOR		X			
CONSTRUCTION JOINT DOWELS		X			
GROUT DOWELS		X			
WELDED WIRE FABRIC		X			
LIFTING OR CHAIRING W.W.F.		X			
TIED & STOCKPILED ITEMS/ CAISSONS	X		X	TIED &	STOCKPILED
WELDING & REBAR WELDED TO MISC.		X			
ANCHOR BOLT TIES & ADDED REINF		X			
INSPECTION/TESTING/ENGINEERING		X			
HOISTING		X			
REBAR PROTECTION CAPS		X			
SITE REINFORCING		X			
LINES, GRADES & TEMPLATES		X			

TOTAL PRICE: $217,952.00

SEE ATTACHED BID BREAKDOWN	ALTERNATES	ADDS	DEDUCT

THIS PROPOSAL IS SUBJECT TO REVISION OR WITHDRAWAL IF NOT ACCEPTED IN WRITING OR BY FACSIMILE TRANSMISSION WITHIN THIRTY (30) DAYS. THIS PROPOSAL IS CONDITIONED UPON OUR APPROVAL OF FINAL QUANTITIES, CONTRACT DOCUMENTS, INSURANCE AND BONDING REQUIREMENTS, AND CONSTRUCTION SCHEDULES. CAMBLIN STEEL SERVICE, INC. SHALL BE ENTITLED TO RECOVER ITS COLLECTION COSTS AND ATTORNEY'S FEES IF PAYMENT IS NOT MADE AS REQUIRED UNDER THE BUSINESS & PROFESSIONS CODE. CHANGE ORDER NUMBER/WRITTEN AUTHORIZATION IS REQUIRED PRIOR TO ANY EXTRA WORK BEING PERFORMED. UPON AWARDED JOB PLEASE PROVIDE ONE SET OF CONTRACT PLANS AND SPECS.

Price is subject to change if Material is not shipped within (90) days

Very Truly Yours,
Camblin Steel Service, Inc.

By: _____

THE UNDERSIGNED ACCEPTS THIS PROPOSAL AND AGREES TO PROVIDE THE NAME, ADDRESS AND PHONE NUMBER OF THE PROJECT OWNER, PROJECT LENDER AND GENERAL CONTRACTOR. THE UNDERSIGNED ALSO AGREES TO PROVIDE A COPY OF THE GENERAL CONTRACTOR'S PAYMENT BOND AND REQUIREMENTS ON INSURANCE, BONDING AND INDEMNITY BEFORE FINAL CONTRACT DOCUMENTS ARE SUBMITTED.

Dated: _____ ACCEPTED BY: _____ DATE: _____

Camblin Steel Service, Inc.

4175 Cincinnati Ave *Rocklin, CA 95765*(916) 644-1300*fax (916) 408-6999*contractor's lic.#

RECEIVED
J.F. SHEA CONST., INC.
JUL 30 2014
DIV. NO.
A/C NO.

BID BREAKDOWN

SIDEHILL VIADUCT

ITEM 65	225 CY @ $135.00	$ 30,375.00	15%
ITEM 62	55' @ $23.00	$ 1,265.00	.05%
ITEM 68	76764# @ $1.38	$ 105,934.00	100
ITEM 69	36029# @ $1.40	$ 50,440.00	100%
ITEM 101	626' @ $38.00	$ 23,788.00	18%
ITEM 102	150' @ $41.00	$ 6,150.00	17%
TOTAL		$ 217,952.00	

T. K. BLACKBURN TRUCKING

P. O. BOX 5383
MARYSVILLE CA 95901

DBE

ITEM #56 - 1,052 HRS @ $110 /HR = $115,720.00
partial

DBE # 22000

FAX QUOTE SHEET
July 30 2014

Quote: 177

From	To
CONTACT: **TERRANCE K. BLACKBURN**	COMPANY: **JF SHEA COMPANY, INC.**
PHONE: **805-501-2693**	ATTENTION: **Kirk Johnson**
FAX: **661-256-2272**	PHONE: **530-246-4292**
EMAIL:	FAX: **530-246-9940**
	EMAIL:

COMMODITY: **All Materials**

QUANTITY:

REQUIREMENTS: **15 Day Pay. 4 Hour Minumin. All on site trucks require two hour travel @ $100.00 per hour. Fuel sur charge; 1% increase for every 10 cents a gallon after $4.10/gallon. Pervailing wage rate will increase hourly rate by $30.00 per hour.**

ORIGIN(S):

DESTINATION(S):

RATE:
10 Wheelers; $98.00 per hour
Bottom Dumps: $110.00 per hour
Transfers; $110.00 per hour

COMMENTS:
Bidding Project; Cal Trans Hwy 299-Burnt Ranch
Contract Number; 20-3E7904

(Signature)

CALIFORNIA UNIFIED CERTIFICATION PROGRAM
DISADVANTAGED BUSINESS ENTERPRISE CERTIFICATE

T K BLACKBURN TRUCKING

1452 KNIGHTS ROW
YUBA CITY, CA 95991

Owner: TERRANCE BLACKBURN
Business Structure: SOLE PROPRIETORSHIP

This certificate acknowledges that said firm is approved by the California Unified Certification Program (CUCP) as a Disadvantaged Business Enterprise (DBE) as defined by the U.S. Department of Transportation (DOT) CFR 49 Part 26, as may be amended, for the following NAICS codes:

NAICS Code(s) * Indicates primary NAICS code

* 484110 General Freight Trucking, Local

425120 Wholesale Trade Agents and Brokers

Work Category Code(s)

C9602	BOTTOM DUMP TRUCKING	C9605	FLAT BED TRUCKING
C9606	WATER TRUCK	C9771	TRUCK BROKER
C9774	TRUCKER		

Licenses

CERTIFYING AGENCY:
DEPARTMENT OF TRANSPORTATION
1823 14TH STREET
SACRAMENTO, CA 95811 0000
(916) 324-1700

UCP Firm Number : 22000

July 2, 2013

CUCP OFFICER

Back To Query Form

Search Returned 1 Records

Thu Jul 31 16:51:31 PDT 2014

Query Criteria

Firm/DBA Name: blackburn
Firm Type: DBE

Firm ID	22000
Firm/DBA Name	T K BLACKBURN TRUCKING
Address Line1	1081 FOOTHILL DRIVE
Address Line2	
City	YREKA
State	CA
Zip Code1	96097
Zip Code2	
Mailing Address Line1	1081 FOOTHILL DRIVE
Mailing Address Line2	
Mailing City	YREKA
Mailing State	CA
Mailing Zip Code1	96097
Mailing Zip Code2	
Certification Type	DBE
EMail	tkblackburntruckin@att.net
Contact Name	TERRANCE BLACKBURN
Area Code	(805)
Phone Number	501-2693
Fax Area Code	( )
Fax Phone Number	
Agency Name	DEPARTMENT OF TRANSPORTATION
Counties	01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 29; 30; 31; 32; 33; 34; 35; 36; 37; 38; 39; 40; 41; 42; 43; 44; 45; 46; 47; 48; 49; 50; 51; 52; 53; 54; 55; 56; 57; 58;
Districts	01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12;
DBE NAICS	425120; 484110;
ACDBE NAICS	
Work Codes	C9602 BOTTOM DUMP TRUCKING; C9605 FLAT BED TRUCKING; C9606 WATER TRUCK ; C9771 TRUCK BROKER; C9774 TRUCKER;
Licenses	
Trucks	FOR HIRE - 3;
Gender	M
Ethnicity	BLACK
Firm Type	DBE

Back To Query Form

APEX FENCE CO., INC.

Since 1970

CA.LIC.269127/NV.LIC.0022365
19896 ALEXANDER AVE.
P.O. BOX 545
ANDERSON, CA 96007

SBE NO. 11760531
UNION CONTRACTOR
HUB ZONE CERTIFIED

TELEPHONE 530-365-3316
FAX 530-365-5478
BOND RATE 1%

QUOTATION: FOR CONSTRUCTION ON STATE HIGHWAY IN TRINITY COUNTY NEAR BURNT RANCH FROM 1.4 MILES TI 0.9 MILE WEST OF MILL CREEK ROAD. IN DISTRICT 02 ON ROUTE 299. CONTRACT NO. 02-3E7904

BID DATE: July 30, 2014

THE FOLLOWING QUOTATION ON THE ABOVE MENTIONED PROJECT IS HEREBY SUBMITTED ON THE ITEMS QUOTED. THE FOLLOWING QUOTATION INCLUDES TAX AND INSTALLATION. A MUTUALLY AGREEABLE SCHEDULE OF TIME WILL BE MADE PRIOR TO PERFORMING THE WORK. TRAFFIC CONTROL IS NOT INCLUDED. COST FOR ANY WATER POLLUTION CONTROL MEASURES OR SWPPP NOT INCLUDED. BONDABLE, BUT NO BONDS OR CONSTRUCTION STAKING INCLUDED IN THIS QUOTE. RETENTION BY THE CONTRACTOR SHALL NOT EXCEED THE AMOUNT WITHHELD BY THE OWNER. ALL RETENTION TO BE RELEASED WITHIN 30 DAYS AFTER COMPLETION AND ACCEPTANCE BY THE OWNER. THIS WOULD APPLY TO APEX FENCE'S ITEMS OF WORK. THIS QUOTE GOOD FOR ONLY 30 DAYS AFTER BID DATE. ATTORNEY FEES, IN THE EVENT LEGAL ACTION IS TAKEN TO ENFORCE ANY ITEM OF THIS AGREEMENT, WILL BE BORN BY THE OWNER AND ANY MONIES SPENT BY APEX FENCE CO. TO ENFORCE PAYMENT OF THIS AGREEMENT WILL BE BORE TO THE GENERAL CONTRACTOR

ITEM #	QTY	U/M	DESCRIPTION	UNIT PRICE	TOTAL
24	1611	LB	TREATED WOOD WASTE	$0.50	$805.50
27	400	LF	REMOVE GUARDRAIL	$3.50	$1,400.00
70%–60	200	SQFT	EARTH RETAINING SYSTEM (RAILING COMPONENTS)	$40.00	$8,000.00
72	1	LS	STAIN GALVANIZED SURFACES	$12,000.00	$12,000.00
88	45	EA	DELINEATOR (CLASS 2)	$45.00	$2,025.00
89	1	EA	MILEPOST MARKER	$50.00	$50.00
90	17	EA	MARKER (CULVERT)	$45.00	$765.00
91	1	EA	OBJECT MARKER (TYPE P)	$85.00	$85.00
92	1640	LF	METAL BEAM GUARD RAILING (7' POST)	$26.00	$42,640.00
93	590	SQYD	VEGETATION CONTROL (MINOR CONCRETE)	$55.00	$32,450.00
94	776	LF	TUBULAR BICYCLE RAILING	$105.00	$81,480.00
95	63	LF	SINGLE THRIE BEAM BARRIER (STEEL POST)	$50.00	$3,150.00
96	1	EA	TRANSITION RAILING (TYPE STB)	$3,500.00	$3,500.00
97	3	EA	TRANSITION RAILING (TYPE WB)	$3,000.00	$9,000.00
98	3	EA	END ANCHOR ASSEMBLY (TYPE SFT)	$600.00	$1,800.00
99	2	EA	INTERMEDIATE ANCHOR ASSEM. (MOD.TYPE SFT)	$600.00	$1,200.00
100	1	EA	ALTERNATIVE IN-LINE TERMINAL SYSTEM	$3,000.00	$3,000.00

100% ALL EXCEPT #60

ITEM 60 INCLUDES INSTALLATION OF POST, RAIL AND FABRIC BACKFILL AND COMPACTION TO DONE BY OTHERS

ITEM 94 ANCHOR HARDWARE SUPPLIED BY APEX INSTALLED BY OTHERS EXCLUDES EPOXY CAPSULES

SUB GRADE FOR VEGETATION CONCRETE DONE BY OTHERS

& 74,495.50

RECEIVED
J.F. SHEA CONST., INC.
JUL 29 2014
DIV. NO.
A/C NO.

MBGR TRAFFIC DAYS (6)
DELINEATOR TRAFFIC DAYS (1)
CONCRETE TRAFFIC DAYS (4)
TUBULAR BICYCLE RAILING TRAFFIC DAYS (3)
INCLUDES (1) MOVE IN, ADDITIONAL MOVE INS $2,500.00 EA

ITEMS DON'T INCLUDE CLEARING OR GRUBBING
ITEMS DON'T INCLUDE GRADE UNDER MBGR ITEMS
ITEMS DON'T INCLUDE SLEEVES FOR CONNECTIONS TO CONCRETE BARRIER

PRIME TO MARK ALL USA, APEX WILL CALL IN THE TAG.

TOTAL $203,350.50

SINCERELY,
APEX FENCE CO.,INC.

DAVID PARMER/VICE-PRESIDENT
GENERAL SUPERINTENDENT

CNJ

CNJ ENTERPRISES, INC.
P.O. BOX 15727 * SCOTTSDALE, ARIZONA 85267
TEL: 480/483-0989 * FAX: 480/907-1210 * EMAIL: vispol@aol.com

Contractor's License # 967058

RECEIVED
J.F. SHEA CONST., INC.
JUL 28 2014
DIV. NO.
JOB NO.

DATE: 7-28-2014

J.F. Shea Construction Cop., Inc.
17400 Clear Creek Rd.
Redding, CA 96001

VIA FAX: 530-246-9940

PROJECT: Caltrans #02-3E7904 Trinity County near Burnt Ranch to Mill Creek Rd

BID DATE: 7-30-2014

Quotation

Bid Item	Bid Item Description	Quantity	Unit Price	Estimated Total
73	**Prepare & Stain Concrete**	**4,000 sf**	**$ 5.75 sf**	**$ 23,000.00**

100%

- This quote includes product, and application of product. Pressure washing is included if necessary. Sandblasting is not included.
- Access and mechanical lift (if requested by Subcontractor) is to be provided by General Contractor.
- This quote includes one (1) mobility.
- Includes one (1) test panel.
- The price quoted is for schedules established during regular daytime shifts.
- Road closures will be provided by GC as needed by subcontractor.
- The price quoted is subject to change after 45 days from date of Quotation.

Respectfully submitted:

Bruce Feit

Bruce Feit

NOTE: IF THE BID DATE CHANGES THIS QUOTE WILL STILL BE EFFECTIVE.

Whitson Inc.
3167 Hwy 96 North Cont. Lic: 585179
Post Office Box 240
Willow Creek, California 95573
(530) 629-2324

RECEIVED
J.F. SHEA CONST., INC.
JUL 30 2014
DIV. NO.
A/C NO.

Quotation

July 30, 2014

To: Bidding Contractors
Project: Contract Number 02-3E7904
Engineer: Cal Trans

We will provide all labor and materials to do the work items listed below. We have comprehensive general liability insurance. We will provide weekly certified pay reports. We can provide bonding for 1.2 % of total sub contract. Addendum 1 & 2 Acknowledged.

Item 7 Code #128601 TEMPORARY SIGNAL SYSTEM

LUMP SUM PRICE: $ 178,620.00

100%

Includes generators, Transfer switch, fuel and maintenance. Price does not include Flagging or Traffic Control. We need about three weeks of traffic control to install and take down system.

Respectfully Submitted,

Rick Reinhard

Rick Reinhard
General Manager

Our Phone is 530-629-2324. **Fax is 530-629-3774.**

DRAGON
MATERIAL TRANSPORT, INC.

DBE

P.O. Box 27800, Fresno, CA 93729-7800
Office (559)351-8822 Fax (559) 276-0818
CA No. 0366649
dragonmaterial@yahoo.com

DBE # 37444

DBE/WBE/UDBE Firm No. 37444
SBE 52655

OIL = 250 TONS @ $750.00 + TAX = $201,562.50 / 60% = $120,937.50

FREIGHT = 250 TONS @ $42.00/TN = $10,500.00

---QUOTE

J.F. Shea Construction, Co.
Attn. Juan Bernardino
Date: 07/29/14

PROJECT: Caltrans 02-3E7904, Trinity County Near Burnt Ranch

ITEM # 56 partial

MATERIAL: 250 Tons - PG 64-28M
DELIVERED PRICE: $792.00 Per U.S. Ton + any applicable taxes

TOTAL = $131,437.50

REFINERY: Paramount Petroleum, Elk Grove, CA
DESTINATION: Fawndale

---

*Standby after 1 hour from scheduled delivery time at $100.00 per hour
*Index: 5% Crude
*Pricing based on full loads - 26.00 ton
*Fuel surcharge - rate increase - add $1.00 for every $.10 increase if California On-Highway reaches $4.25 per gallon. www.eia.gov. $4.09 on bid day.

DBE

A. C. DIKE CO.

Specialty Paving Inc.

SPECIALTY PAVING CONTRACTOR

QUOTATION: CDOT TRINITY CO RT 299 02-3E7904

DBE# 000219

BIDS : 7/30/14

#57 **"PLACE ONLY"*600LF ASPHALT DIKE TYPE "F" @ $8.00 LF** $ = 4,800.00
INCLUDES MISC PAVING WITH DIKE PLACE.

PRICE INCLUDES TACK AND ONE MOBILIZATION FOR DIKE CREW.
ASPHALT MATERIAL AND HAULING BY PRIME CONTRACTOR.
TRAFFIC CONTROL BY PRIME CONTRACTOR.

RECEIVED
J.F. SHEA CONST., INC.
JUL 29 2014
DIV. NO.
A/C NO.

* **PLACE ONLY ASPHALT DIKE. SPECIFICALLY EXCLUDES SURFACE PREPARATION, BACKFILL, OR FOGSEAL.**

QUALIFIED MINORITY CONTRACTOR, DBE/WBE/UDBE # CT 000219
CAL. LIC.# 407417 NEV. LIC.#24188
2788 VENTURE DR. LINCOLN, CA. 95648
(916) 652-0159 FAX (916) 645-9618
WWW.ACDIKE.COM

DBE



APPIAN UDBE SWPPP
Storm Water Pollution Prevention Plans
Water Pollution Control Programs
Lead Compliance Plans

Certified DBE (UDBE, WBE & MBE):
BART - No. 38334 - exp: 04-20-2015

Business License Number 024765

5780 Olinda Road
El Sobrante, CA 94803

DBE # 38334

Phone: (510) 854-9402
Fax: (510) 256-0103

Friday, July 25, 2014

ATTN: Estimator

RE: Contract : **Caltrans – 02-3E7904**

Construct Sidehill Viaducts, Place Hma, Install Barrier Railing.

Bid Date: **July 30, 2014**

Please find below the APPIAN SWPPP quote for the referenced project.

Item #	Item Code	Items bid individually	Bid Price
1	070030	Prepare Lead Compliance Plan (LCP)	$1,900.00
22	140003	Asbestos Compliance Plan (ACP)	$1,900.00
26	149001	Dust Control Plan (Naturally Occurring Asbestos)	$1,900.00

Good luck,

TK

$5,700.00

RECEIVED
J.F. SHEA CONST., INC.
JUL 28 2014
DIV. NO.
A/C NO.

Thomas Koprek
Estimator
(510) 854-9402

562762

APPLY-A-LINE, INC.

19052 N. Hirsch Court • Anderson, CA 96007
Phone (530) 365-4000 • Fax (530) 365-4060
mail@applyaline.com • LIC. 562762
mail@applyaline.com • LIC. #APPLYI*161RU

To: **General Contractors**
Project: **02-TRI-299-12.3/12.9**
02-3E7904
County: **TRINITY**
City: **BURNT RANCH**
Bid Date **7/30/2014**

The Following is our proposal for the above referenced project:

Item #:	Description	Quantity:	Unit	Price:	Total:
1	LEAD PLAN (REMOVE STRIPE)	1	LS	1250.00	1250.00
4	TEMP PM SF (TAPE)	24	SF	24.00	576.00
5	TEMP STRIPE (PAINT)	4200	LF	0.75	3150.00
6	CHANNELIZER (NO MAINT)	85	EA	34.00	2890.00
28	REMOVE THERMO STRIPE	4200	LF	0.72	3024.00
103	SPRAYABLE THERMO	9000	LF	0.52	4680.00
104	RECESSED REFLECTOR	260	EA	12.50	3250.00
105	MOB	1	LS	850.00	850.00
					$19,670.00

,003

Apply-A-Line, INC. proposes to furnish all labor, equipment, and materials necessary to complete the bid items on referenced project.

100%

CONDITIONS OF PROPOSAL:

1 Offerer reserves the right to withdraw proposal if not accepted within 30 days.
2 Prices quoted above do NOT include performance bond.
3 If a formal subcontract is required a complete copy of this quote must be included.
4 3 -Trips included. 1 for stage 1 , 1 for stage 3 , and 1 for perm work.
5 Remove floppys included.(Mow style not broke off pieces)
6 T.C. not included. 1/2 hour 1st trip t.c. needed. 1 day 2nd trip, 1 day perm work.
7 12 Working days required for scheduling.
8 General to provide dump site on job for millings, small amount. General to dispose of these millings.
9 Channelizer maint. not included. Extras for sale from apply-a-line.

PLEASE NOTIFY US RIGHT AWAY IF WE GET THIS JOB SO WE CAN PROCESS AND CREATE FILE.

Thank you for the opportunity to quote this project with your company.

Sincerely,

Steve Puderbaugh
Project Manager
steve@applyaline.com

RECEIVED
J.F. SHEA CONST., INC.
JUL 29 2014
DIV. NO.
JOB NO.

[*]

CALIFORNIA PROFILE			
BidSync Supplier Name	M&S Environmental Landscapes, Inc.	Supplier Number	1023065
Legal Business Name	M & S Environmental Landscapes, Inc.	DBA Business Name	M&S Environmental Landscapes, Inc.
Address	12192 Mac's Road REDDING, CA 96003	Phone FAX	(530) 241-1418 (530) 241-9647
Email	mikeands5@aol.com		
Number of Employees	9		
Business Types	Construction		
Service Areas	Amador, Butte, Colusa, Contra Costa, Del Norte, El Dorado, Glenn, Humboldt, Lake, Lassen, Madera, Marin, Mendocino, Merced, Modoc, Napa, Nevada, Placer, Plumas, Sacramento, Shasta, Sierra, Siskiyou, Solano, Sonoma, Sutter, Tehama, Trinity, Tulare, Yolo, Yuba,		
Keywords	Landscape Contractor Erosion Control Hydroseeding Road Construction Grounds Services		
Construction License Types	C-27 - Landscaping		
Classifications	211015 - Agricultural machinery for soil preparation 701315 - Land and soil protection 721029 - Facility maintenance and repair services		
View Options	View Application		
Edit Options	Amend Application | Register as Disabled Veteran Business Enterprise (DVBE)		

Active Certifications

Register as Disabled Veteran Business Enterprise (DVBE)

TYPE	STATUS	STATUS DATE	FROM	TO	ACTIONS
SB (Micro)	Approved	Aug 28, 2013	Aug 28, 2013	Aug 31, 2015	

Certification History

TYPE	STATUS	STATUS DATE	FROM	TO
SB (Micro)	Expired	Aug 28, 2013	Aug 15, 2011	Aug 31, 2013
SB (Micro)	Expired	Aug 16, 2011	Apr 22, 2009	Aug 31, 2011
SB	Denied	Jul 28, 2011		

Customer Support - vendorsupport@bidsync.com or 800-990-9339

Copyright © 1999-2014 - BidSync - All rights reserved.

RECEIVED
J.F. SHEA CONST., INC.
JUL 29 2014
DIV. NO.
A/C NO.

JUL.29.2014 02:55 PM M&S ENVIRONMENTAL LANDSCA 5302419647 PAGE. 4/

CALIFORNIA UNIFIED CERTIFICATION PROGRAM
DISADVANTAGED BUSINESS ENTERPRISE CERTIFICATE

M & S ENVIRONMENTAL LANDSCAPES, INC

12392 MACS ROAD
REDDING, CA 96003

Owner: MICHAEL SMITH
Business Structure: CORPORATION

This certificate acknowledges that said firm is approved by the California Unified Certification Program (CUCP) as a Disadvantaged Business Enterprise (DBE) as defined by the U.S. Department of Transportation (DOT) CFR 49 Part 26, as may be amended, for the following NAICS codes:

NAICS Code(s) * Indicates primary NAICS code

* 561730 Landscaping Services

238910 Site Preparation Contractors

Work Category Code(s)

C0620	LANDSCAPING & NURSERY	C2000	HIGHWAY PLANTING
C2020	SOIL AMENDMENTS	C2021	HYDROSEEDING
C2030	EROSION CONTROL	C2065	IRRIGATION SYSTEM

Licenses

C27 Landscaping Contractor

DIV. NO.
AC NO.

CERTIFYING AGENCY:
DEPARTMENT OF TRANSPORTATION
1823 14TH STREET
SACRAMENTO, CA 95811 0000
(916) 324-1700

UCP Firm Number : 30736

UCP OFFICER

April 24, 2012

DBE

A. C. DIKE CO.

Specialty Paving Inc.

SPECIALTY PAVING CONTRACTOR

QUOTATION: CDOT TRINITY CO RT 299 02-3E7904

DBE # 000219

BIDS : 7/30/14

#57 **"PLACE ONLY"*600LF ASPHALT DIKE TYPE "F" @ $8.00 LF** = 4,800.00
INCLUDES MISC PAVING WITH DIKE PLACE.

PRICE INCLUDES TACK AND ONE MOBILIZATION FOR DIKE CREW.
ASPHALT MATERIAL AND HAULING BY PRIME CONTRACTOR.
TRAFFIC CONTROL BY PRIME CONTRACTOR.

RECEIVED
J.F. SHEA CONST., INC.
JUL 29 2014
DIV. NO.
A/C NO.

* **PLACE ONLY ASPHALT DIKE. SPECIFICALLY EXCLUDES SURFACE PREPARATION, BACKFILL, OR FOGSEAL.**

QUALIFIED MINORITY CONTRACTOR, DBE/WBE/UDBE # CT 000219
CAL. LIC.# 407417 NEV. LIC.#24188
2788 VENTURE DR. LINCOLN, CA. 95648
(916) 652-0159 FAX (916) 645-9618
WWW.ACDIKE.COM

DBE

APPIAN

SWPPP

APPIAN UDBE SWPPP
Storm Water Pollution Prevention Plans
Water Pollution Control Programs
Lead Compliance Plans

Certified DBE (UDBE, WBE & MBE):
BART - No. 38334 - exp: 04-20-2015

Business License Number 024765

5780 Olinda Road
El Sobrante, CA 94803

DBE # 38334

Phone: (510) 854-9402
Fax: (510) 256-0103

Friday, July 25, 2014

ATTN: Estimator

RE: Contract : **Caltrans – 02-3E7904**

Construct Sidehill Viaducts, Place Hma, Install Barrier Railing.

Bid Date: July 30, 2014

Please find below the APPIAN SWPPP quote for the referenced project.

Item #	Item Code	Items bid individually	Bid Price
1	070030	Prepare Lead Compliance Plan (LCP)	$1,900.00
22	140003	Asbestos Compliance Plan (ACP)	$1,900.00
26	149001	Dust Control Plan (Naturally Occurring Asbestos)	$1,900.00

Good luck,

Thomas Koprek

$5,700.00

RECEIVED
J.F. SHEA CONST., INC.
JUL 28 2014
DIV. NO.
A/C NO.

Thomas Koprek
Estimator
(510) 854-9402

562762

APPLY-A-LINE, INC.

19652 N. Hirsch Court • Anderson, CA 96007
Phone (530) 365-4000 • Fax (530) 365-4060
mail@applyaline.com • LIC. 456276?
mail@applyaline.com • LIC. #APPLYA*161RU

To: **General Contractors**
Project: **02-TRI-299-12.3/12.9**
02-3E7904
County: **TRINITY**
City: **BURNT RANCH**
Bid Date **7/30/2014**

The Following is our proposal for the above referenced project:

Item #:	Description	Quantity:	Unit	Price:	Total:
1	LEAD PLAN (REMOVE STRIPE)	1	LS	1250.00	1250.00
4	TEMP PM SF (TAPE)	24	SF	24.00	576.00
5	TEMP STRIPE (PAINT)	4200	LF	0.75	3150.00
6	CHANNELIZER (NO MAINT)	85	EA	34.00	2890.00
28	REMOVE THERMO STRIPE	4200	LF	0.72	3024.00
103	SPRAYABLE THERMO	9000	LF	0.52	4680.00
104	RECESSED REFLECTOR	260	EA	12.50	3250.00
105	MOB	1	LS	850.00	850.00
					$19,670.00

,003
100%

Apply-A-Line, INC. proposes to furnish all labor, equipment, and materials necessary to complete the bid items on referenced project.

CONDITIONS OF PROPOSAL:

1 Offerer reserves the right to withdraw proposal if not accepted within 30 days.
2 Prices quoted above do NOT include performance bond.
3 If a formal subcontract is required a complete copy of this quote must be included.
4 3 -Trips included. 1 for stage 1 , 1 for stage 3 , and 1 for perm work.
5 Remove floppys included.(Mow style not broke off pieces)
6 T.C. not included. 1/2 hour 1st trip t.c. needed. 1 day 2nd trip, 1 day perm work.
7 12 Working days required for scheduling.
8 General to provide dump site on job for millings, small amount. General to dispose of these millings.
9 Channelizer maint. not included, Extras for sale from apply-a-line.

PLEASE NOTIFY US RIGHT AWAY IF WE GET THIS JOB SO WE CAN PROCESS AND CREATE FILE.

Thank you for the opportunity to quote this project with your company.

Sincerely,

Steve Puderbaugh
Project Manager
steve@applyaline.com

RECEIVED
J.F. SHEA CONST., INC.
JUL 29 2014
DIV. NO.
A/C NO.

[*]

HILLSIDE DRILLING COMPANY, INC.

ENGINEERING CONTRACTORS

CONTRACTOR LICENSE NO. 478991-A

P.O. BOX 70130 - PT. RICHMOND, CA 94807

Phone 510-234-6532 Fax 510-234-3131

RECEIVED
C. F. SHEA CONST., INC.
JUL 30 2014
DIV. NO.
A/C NO.

DRILLING PROPOSAL

TO: ESTIMATOR DATE: July 30, 2014

PROJECT: Caltrans Contract No. 02-3E7904
Burnt Ranch, CA

SCOPE OF WORK

We hereby quote the following items in accordance with the plans and specifications, soil borings, the inclusions, the exclusions and the general conditions listed below for the above mentioned project. Addenda acknowledged - ONE

ITEM NO.	DESCRIPTION	UNIT	QTY.	UNIT PRICE	TOTAL
61	24"Ø CIDH Concrete Pile	LF	92	$210.00/LF	$19,320
62	16"Ø CIDH - Rock Socket	LF	55	$210.00/LF	$11,550
63	24"Ø CIDH - Rock Socket	LF	416	$250.00 /LF	$104,000
			Total		$134,870

60%
48%
65%

Work to include **drilling and rock coring from pile cut-off elevations, case, dewater pile into ~~others location, set reinforcement cage~~** (rebar provided and placed adjacent to pier by others), **provide and pour concrete to pile cut-off elevation.**

EXCLUSIONS AND/OR TO BE FURNISHED BY GENERAL CONTRACTOR

Wet weather construction, permits, bond premium (2%), testing, inspection, welding, providing beams or rebar, splicing beams or cages, nelson studs, concrete anchors, rebar protectors, anchor bolts, dowel, sand blasting, painting, demolition, structure excavation, structure backfill, dust control, concrete dobies, field engineering, block outs, structure concrete, formwork, site dewatering, submittal or implementation of water pollution control plan, erosion control, water supply at drilling rig, survey, layout, line & grade, toilet and hand wash station next to job site, shoring and protection of existing structures, streets, sidewalks, driveways and utilities, USA alert, location/removal of utilities, off-haul or removal of spoils and water, sediment pond or tank, concrete washout, off-haul of concrete over break, all costs related to any known or unknown hazardous or toxic materials, 40 hour Hazmat Training. Traffic control provided by others.

Hillside drilling to provide a 80,000 LB Lo-Drill excavator mounted drill rig with a 29' mast 11'-0" wide tracks, 5' tail swing and a 15' reach from the tracks to the center of the drilled hole.

RECEIVED
J.F. SHEA CONST., INC.
JUL 30 2014

GENERAL CONDITIONS

Hillside Drilling's (HSD) bid is based on ONE move-in to the job with continuous operation until completion of subject move-in; add $10,000 to the contract for each additional move. Contractor will provide 16 foot wide level, with no overhead obstructions, unobstructed all weather access adjacent to all drilled hole locations as required for drill rig, concrete trucks and concrete pumping equipment/HSD to start drilling from pile cut-off elevation. Contractor to provide a 4 foot wide bench for ground men to work adjacent to piles. Contractor to provide lay-down area adjacent to work site for equipment and materials as required. Contractor will remove spoils material concurrent with drilling operation so as not to delay or interfere with drilling or setting of steel. Contractor to provide clean out area for drilling equipment and concrete trucks. An area at the work site will be provided by the contractor for storage of Hillside Drilling's equipment and materials. Concrete pour crew may require additional work hours to complete pours. Bid is based on day work M-F 8 hours per day. Contractor to provide three weeks minimum notice of start date. Changes in start date shall be made 48 hours in advance of preliminary start date. Hillside Drilling will be given one working day to verify grade, access, and layout before moving on to the site. Price is based on groundwater being discharged at the site into desilting pit or basin provided by general contractor 100' max. from work area. If casing or dewatering is needed, rebar cages shall not block access to bottom of hole or casing removal, contractor to bend top of rebar cage 90 degrees after dewatering and/or casing removal. If any man-made/man-placed materials are encountered (such as bricks, concrete, rip rap, pea gravel, etc.), the general contractor will provide Hillside Drilling with written authorization to proceed with the work utilizing any required special tools and equipment. A daily log of labor, equipment and material will be maintained and subsequently billed at the rate of $200.00 per drill rig hour, plus costs of materials, labor and other equipment plus appropriate markups. All standby time due to delays by others will be billed at the same hourly rate. Standby rate for equipment left on site due to delays by others will be charged at $1,200 per day for the drill rig plus any additional equipment left on site. Back charges will only be accepted when properly documented and acknowledged on a daily basis by our authorized representative. Payments will be made with in 30 days of invoice. Retention will not exceed the percentage with held by the owner. Balance of retention will be paid in full within 35 days after completion of Hillside Drilling's work.

For shafts to be drilled deeper then soil borings indicate we have assumed that the materials to be drilled are similar to those indicated on the soil borings lowest depth explored adjacent to the drilled shaft. Conditions differing shall be considered a changed condition. Soil Conditions and/or water table elevations that are different then those indicating in the soils report/borings shall be considered a different site condition.

This quotation includes the following insurance coverage for HSD with the general contractor to be named as additional insured.

1. Worker's compensation & Employers Liability -$1,000,000.00 each accident, $1,000,000.00 disease policy limit & $1,000,000.00 disease each employee.
   **(excludes waiver of subrogation and rail road insurance)
2. General Liability - $2,000,000.00
3. Automobile Liability Coverage - $1,000,000.00.

This quotation is subject to acceptance within 30 days and the terms herein will be incorporated into any subsequent sub-contract agreement and shall be made as an attachment to the subcontract agreement. In the event that legal council is retained to collect any sums due, HSD will be reimbursed for legal expense incurred.

Any dispute arising under this agreement, including work performed under this agreement, the prevailing party in the dispute shall be entitled to recover reasonable attorney fees and costs involved with the disputed.

Thank you for the Business Opportunity!!

Andy J. Clisham

Signed: Andy J. Clisham, Estimator

Camblin Steel

SERVICE, INC. SINCE 1954

RECEIVED
J.F. SHEA CONST., INC.
JUL 30 2014
JOB NO.
SVC NO.

Reinforcing Service ~ Contractor License CA#218839 Expires 07/31/14 NV#0042078 OR#191866 Expires 10/31/14
4175 Cincinnati ~ Rocklin, California 95765 Ph (916) 644-1300 Fax (916) 408-6999

JOB PROPOSAL

TO: _____ DATE: 07/30/2014

JOB & LOCATION: SIDEHILL VIADUCTS, TRINITY CO.

ADDENDUMS: PLANS: 02-3E7904

ITEM	INCLUDE	EXCLUDE	FURNISH	INSTALL	PRICE (tax inc.) U.N.O.
REBAR	X		X	X	
MASONRY REBAR					
MASONRY REBAR LAYOUT		X			
POST TENSION MATERIAL, LABOR		X			
CONSTRUCTION JOINT DOWELS		X			
GROUT DOWELS		X			
WELDED WIRE FABRIC		X			
LIFTING OR CHAIRING W.W.F.		X			
TIED & STOCKPILED ITEMS/ CAISSONS	X		X	TIED &	STOCKPILED
WELDING & REBAR WELDED TO MISC.		X			
ANCHOR BOLT TIES & ADDED REINF		X			
INSPECTION/TESTING/ENGINEERING		X			
HOISTING		X			
REBAR PROTECTION CAPS		X			
SITE REINFORCING		X			
LINES, GRADES & TEMPLATES		X			

TOTAL PRICE: $217,952.00

SEE ATTACHED BID BREAKDOWN	ALTERNATES	ADDS	DEDUCT

THIS PROPOSAL IS SUBJECT TO REVISION OR WITHDRAWAL IF NOT ACCEPTED IN WRITING OR BY FACSIMILE TRANSMISSION WITHIN THIRTY (30) DAYS. THIS PROPOSAL IS CONDITIONED UPON OUR APPROVAL OF FINAL QUANTITIES, CONTRACT DOCUMENTS, INSURANCE AND BONDING REQUIREMENTS, AND CONSTRUCTION SCHEDULES. CAMBLIN STEEL SERVICE, INC. SHALL BE ENTITLED TO RECOVER ITS COLLECTION COSTS AND ATTORNEY'S FEES IF PAYMENT IS NOT MADE AS REQUIRED UNDER THE BUSINESS & PROFESSIONS CODE. CHANGE ORDER NUMBER/WRITTEN AUTHORIZATION IS REQUIRED PRIOR TO ANY EXTRA WORK BEING PERFORMED. UPON AWARDED JOB PLEASE PROVIDE ONE SET OF CONTRACT PLANS AND SPECS.

Price is subject to change if Material is not shipped within (90) days

Very Truly Yours,
Camblin Steel Service, Inc.

By: _____

THE UNDERSIGNED ACCEPTS THIS PROPOSAL AND AGREES TO PROVIDE THE NAME, ADDRESS AND PHONE NUMBER OF THE PROJECT OWNER, PROJECT LENDER AND GENERAL CONTRACTOR. THE UNDERSIGNED ALSO AGREES TO PROVIDE A COPY OF THE GENERAL CONTRACTOR'S PAYMENT BOND AND REQUIREMENTS ON INSURANCE, BONDING AND INDEMNITY BEFORE FINAL CONTRACT DOCUMENTS ARE SUBMITTED.

Dated: _____ ACCEPTED BY: _____ DATE: _____

Camblin Steel Service, Inc.

4175 Cincinnati Ave *Rocklin, CA 95765*(916) 644-1300*fax (916) 408-6999*contractor's lic. no. 442

RECEIVED
J.F. SHEA CONST., INC.
JUL 30 2014
DIV. NO.
A/C NO.

BID BREAKDOWN

SIDEHILL VIADUCT

ITEM 65	225 CY @ $135.00	$ 30,375.00	25%
ITEM 62	55' @ $23.00	$ 1,265.00	.05%
ITEM 68	76764# @ $1.38	$ 105,934.00	100
ITEM 69	36029# @ $1.40	$ 50,440.00	100%
ITEM 101	626' @ $38.00	$ 23,788.00	18%
ITEM 102	150' @ $41.00	$ 6,150.00	17%
TOTAL		$ 217,952.00	