

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION
DBE - COMMITMENT
 DES-OE-0102.10D (REV 12/2014)

Second Bidder

CONTRACT NO:
 02-4F58U4

BID AMOUNT:
 \$ 5,033,697.00

BID OPENING DATE:
 November 1, 2016

BIDDER'S NAME:
 Stewart Engineering Inc.

DBE GOAL FROM CONTRACT %:
 7%

DBE PRIME CONTRACTOR CERTIFICATION ¹ :	TOTAL NUMBER OF ALL SUBCONTRACTS (DBE & NON-DBE)	TOTAL VALUE OF ALL SUBCONTRACTS (DBE & NON-DBE)
n/a	11	1,338,789.62

BID ITEM NO.	ITEM OF WORK AND DESCRIPTION OF SERVICES TO BE SUBCONTRACTED OR MATERIALS TO BE PROVIDED ²	WORK CATEGORY CODES ³	NAME OF DBEs (Must be certified on the date bids are opened. Include Caltrans' certification no., DBE address, and phone number. Show 2nd and lower tier subcontractors)	AMOUNT (\$)
15	Asbestos Compliance Plan	C8795	Adanta, Inc. 828 School St. Napa, Ca 94559 (707) 709-8894 #37357	1,300.00
17	Treated Waste Wood	C8320	Dirt and Aggregate Interchange Inc. 20905 NE Sandy Blvd. Fairview, OR 97024 (503) 661-5093 #000020	2,119.00
20	Remove Guardrail	C8320	Dirt and Aggregate Interchange Inc. 20905 NE Sandy Blvd. Fairview, OR 97024 (503) 661-5093 #000020	2,410.00
26	Reconstruct Guardrail	C8320	Dirt and Aggregate Interchange Inc. 20905 NE Sandy Blvd. Fairview, OR 97024 (503) 661-5093 #000020	12,289.00
27	Reconstruct Guardrail	C8320	Dirt and Aggregate Interchange Inc. 20905 NE Sandy Blvd. Fairview, OR 97024 (503) 661-5093 #000020	6,161.00
28	Reconstruct Terminal System	C8320	Dirt and Aggregate Interchange Inc. 20905 NE Sandy Blvd. Fairview, OR 97024 (503) 661-5093 #000020	5,476.00

Show all DBE firms being claimed for credit, regardless of tier. Attach written confirmation from each DBE shown stating that it will be participating in the contract to perform the specific work shown for the specific amount agreed to.

The names of the 1st tier DBE subcontractors and items of work must be consistent with the Subcontractor List (Pub Cont Code § 4100 et seq.).

¹Each DBE prime contractor must enter its certification number and show all work to be performed by DBEs, including work performed by its own forces.

²If 100% of an item is not to be performed or furnished by the DBE, describe the exact portion of the item to be performed or furnished.

³Use Work Category Codes from the California Unified Certification Program database.

Total Claimed Participation	\$
	%

The bidder acknowledges that it is committed to use the DBEs shown on this form to meet the contract goal (49 CFR 26.53).



Signature of Bidder

11/4/16

Date

(530) 244-8464

(Area Code) Tel. No.

Renee Thomas

Person to Contact

(Please Type or Print)

ADA Notice

For individuals with sensory disabilities, this document is available in alternate formats. For information, call (916) 445-1233, TTY 711, or write to Records and Forms Management, 1120 N Street, MS-89, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION
DBE - COMMITMENT
 DES-OE-0102.10D (REV 12/2014)

CONTRACT NO:
02-4F58U4

BID AMOUNT:
\$ 5,033,697.00

BID OPENING DATE:
November 1, 2016

BIDDER'S NAME:
Stewart Engineering Inc.

DBE GOAL FROM CONTRACT %:
7%

DBE PRIME CONTRACTOR CERTIFICATION ¹ :	TOTAL NUMBER OF ALL SUBCONTRACTS (DBE & NON-DBE)	TOTAL VALUE OF ALL SUBCONTRACTS (DBE & NON-DBE)
n/a	11	1,338,789.62

BID ITEM NO.	ITEM OF WORK AND DESCRIPTION OF SERVICES TO BE SUBCONTRACTED OR MATERIALS TO BE PROVIDED ²	WORK CATEGORY CODES ³	NAME OF DBEs (Must be certified on the date bids are opened. Include Caltrans' certification no., DBE address, and phone number. Show 2nd and lower tier subcontractors)	AMOUNT (\$)
29	Reconstruct Transition Railing	C8320	Dirt and Aggregate Interchange Inc. 20905 NE Sandy Blvd, Fairview, OR 97024 (503) 661-5093 #000020	26,067.00
30	Reconstruct End Anchor	C8320	Dirt and Aggregate Interchange Inc. 20905 NE Sandy Blvd, Fairview, OR 97024 (503) 661-5093 #000020	1,643.00
50	Rail Element	C8320	Dirt and Aggregate Interchange Inc. 20905 NE Sandy Blvd, Fairview, OR 97024 (503) 661-5093 #000020	6,144.00
71	Midwest Guardrail System	C8320	Dirt and Aggregate Interchange Inc. 20905 NE Sandy Blvd, Fairview, OR 97024 (503) 661-5093 #000020	8,433.00
72	End Anchor Assembly	C8320	Dirt and Aggregate Interchange Inc. 20905 NE Sandy Blvd, Fairview, OR 97024 (503) 661-5093 #000020	2,738.00
11	Prepare Water Pollution Control Program	C8852	Tully Consulting Group 1650 N. Lincoln, Suite A, Dixon, Ca 95620 (707) 693-1926 #38300	625.00

Show all DBE firms being claimed for credit, regardless of tier. Attach written confirmation from each DBE shown stating that it will be participating in the contract to perform the specific work shown for the specific amount agreed to.

The names of the 1st tier DBE subcontractors and items of work must be consistent with the Subcontractor List (Pub Cont Code § 4100 et seq.).


¹Each DBE prime contractor must enter its certification number and show all work to be performed by DBEs, including work performed by its own forces.

²If 100% of an item is not to be performed or furnished by the DBE, describe the exact portion of the item to be performed or furnished.

³Use Work Category Codes from the California Unified Certification Program database.

Total Claimed Participation	\$
	%

The bidder acknowledges that it is committed to use the DBEs shown on this form to meet the contract goal (49 CFR 26.53).



Signature of Bidder
 Date 11/4/16 (530) 244-8464
 (Area Code) Tel. No.

Renee Thomas
 Person to Contact (Please Type or Print)

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION
DBE - COMMITMENT
 DES-OE-0102.10D (REV 12/2014)

CONTRACT NO:
 02-4F58U4

BID AMOUNT:
 \$ 5,033,697.00

BID OPENING DATE:
 November 1, 2016

BIDDER'S NAME:
 Stewart Engineering Inc.

DBE GOAL FROM CONTRACT %:
 7%

DBE PRIME CONTRACTOR CERTIFICATION ¹ :	TOTAL NUMBER OF ALL SUBCONTRACTS (DBE & NON-DBE)	TOTAL VALUE OF ALL SUBCONTRACTS (DBE & NON-DBE)
n/a	11	1,338,789.62

BID ITEM NO.	ITEM OF WORK AND DESCRIPTION OF SERVICES TO BE SUBCONTRACTED OR MATERIALS TO BE PROVIDED ²	WORK CATEGORY CODES ³	NAME OF DBEs (Must be certified on the date bids are opened. Include Caltrans' certification no., DBE address, and phone number. Show 2nd and lower tier subcontractors)	AMOUNT (\$)
77	Maintaining Electrical System	C8602	Northern Industrial Electric 2435 Radio Lane Redding, Ca 96001 (530) 246-2366 #34396	2,000.00
78	Modify Existing System	C8602	Northern Industrial Electric 2435 Radio Lane Redding, Ca 96001 (530) 246-2366 #34396	56,596.00
2	Construction Area Signs	C1200	T and S DVBE Inc. 4952 S Barney Rd. Anderson, Ca 96007 (530) 864-8105 #38721	6,900.00
3	Traffic Control System	C1201	T and S DVBE Inc. 4952 S Barney Rd. Anderson, Ca 96007 (530) 864-8105 #38721	186,200.00
8	Temporary Railing (Trucking)	NAICS 484110	T and S DVBE Inc. 4952 S Barney Rd. Anderson, Ca 96007 (530) 864-8105 #38721	35,000.00
41	Bridge Removal (Trucking)	NAICS 484110	T and S DVBE Inc. 4952 S Barney Rd. Anderson, Ca 96007 (530) 864-8105 #38721	10,625.00

Show all DBE firms being claimed for credit, regardless of tier. Attach written confirmation from each DBE shown stating that it will be participating in the contract to perform the specific work shown for the specific amount agreed to.

The names of the 1st tier DBE subcontractors and items of work must be consistent with the Subcontractor List (Pub Cont Code § 4100 et seq.).


¹Each DBE prime contractor must enter its certification number and show all work to be performed by DBEs, including work performed by its own forces.

²If 100% of an item is not to be performed or furnished by the DBE, describe the exact portion of the item to be performed or furnished.

³Use Work Category Codes from the California Unified Certification Program database.

Total Claimed Participation	\$
	%

The bidder acknowledges that it is committed to use the DBEs shown on this form to meet the contract goal (49 CFR 26.53).



Signature of Bidder

Date 11/4/14

(530) 244-8464

(Area Code) Tel. No.

Renee Thomas

Person to Contact

(Please Type or Print)

ADA Notice

For individuals with sensory disabilities, this document is available in alternate formats. For information, call (916) 445-1233, TTY 711, or write to Records and Forms Management, 1120 N Street, MS-89, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION
DBE - COMMITMENT
 DES-OE-0102.10D (REV 12/2014)

CONTRACT NO:
 02-4F58U4

BID AMOUNT:
 \$ 5,033,697.00

BID OPENING DATE:
 November 1, 2016

BIDDER'S NAME:
 Stewart Engineering Inc.

DBE GOAL FROM CONTRACT %:
 7%

DBE PRIME CONTRACTOR CERTIFICATION ¹ :	TOTAL NUMBER OF ALL SUBCONTRACTS (DBE & NON-DBE)	TOTAL VALUE OF ALL SUBCONTRACTS (DBE & NON-DBE)
n/a	11	1,338,789.62

BID ITEM NO.	ITEM OF WORK AND DESCRIPTION OF SERVICES TO BE SUBCONTRACTED OR MATERIALS TO BE PROVIDED ²	WORK CATEGORY CODES ³	NAME OF DBEs (Must be certified on the date bids are opened. Include Caltrans' certification no., DBE address, and phone number. Show 2nd and lower tier subcontractors)	AMOUNT (\$)
55	Structural Concrete (Trucking)	NAICS 484110	T and S DVBE Inc. 4952 S Barney Rd. Anderson, Ca 96007 (530) 864-8105 #38721	8,500.00
55	Structural Concrete (Exc. Operated)	A Gen. Eng. 983087	T and S DVBE Inc. 4952 S Barney Rd. Anderson, Ca 96007 (530) 864-8105 #38721	19,200.00

Show all DBE firms being claimed for credit, regardless of tier. Attach written confirmation from each DBE shown stating that it will be participating in the contract to perform the specific work shown for the specific amount agreed to.

The names of the 1st tier DBE subcontractors and items of work must be consistent with the Subcontractor List (Pub Cont Code § 4100 et seq.).

¹Each DBE prime contractor must enter its certification number and show all work to be performed by DBEs, including work performed by its own forces.

²If 100% of an item is not to be performed or furnished by the DBE, describe the exact portion of the item to be performed or furnished.

³Use Work Category Codes from the California Unified Certification Program database.

Total Claimed Participation	\$ 393,526.00
	7.8 %

The bidder acknowledges that it is committed to use the DBEs shown on this form to meet the contract goal (49 CFR 26.53).



Signature of Bidder

4/4/16 (530) 244-8464

Date (Area Code) Tel. No.

Renee Thomas

Person to Contact (Please Type or Print)

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information, call (916) 445-1233, TTY 711, or write to Records and Forms Management, 1120 N Street, MS-89, Sacramento, CA 95814.

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION
DBE CONFIRMATION
 DES-OE-0102.13 (NEW 05/2015)

Contract no.:
 02-4F58U4

Name of DBE business:
 T and S DVBE Inc.

Name of DBE representative:

DBE certification number:
 38721

Name of bidder:
 Stewart Engineering Inc.

Name of prime contractor if different from the bidder:

Name of representative of bidder or prime contractor:

Date:
 November 1, 2016

Bid item number	Item of work and description of services to be subcontracted or materials to be provided ¹	Amount (\$)
2	Construction Area Signs	6,900.00
3	Lane Closures (36) @ \$950 and (108) @ \$100 ot	45,000.00
3	Attenuator Truck (36) @ \$300	10,800.00
3	Detour PCMS (2) (2) @ \$800	3,200.00
3	Closure Arrow Boards (2)(15) @ \$300	18,000.00
3	Radar Trailer (2)(15) @ \$650	19,500.00
3	1- Man Flagging (9) @ \$900 and (27) @ \$100 ot	10,800.00
3	2- Man Flagging w/Rumble (40) @ \$1,350 and (40) @ \$350 and (80) @ \$50 ot	72,000.00
8	Trucking-350 Hours @ \$115	35,000.00
41	Onsite Trucking-85 Hours @ \$125	10,625.00

¹If 100% of an item is not to be performed or furnished by the DBE, describe the exact portion of the item to be performed or furnished.

	Total	Continued on Page 2
<p>As an authorized representative of a certified disadvantaged business enterprise, I confirm that my business was contacted by the bidder or prime contractor shown above regarding the contract shown above. If the bidder is awarded the contract, my business will enter into a contractual agreement with the bidder or prime contractor to perform the type and dollar amount of work shown on the DBE Commitment form.</p> <p>I certify under penalty of perjury that the foregoing is true and correct.</p> <p style="text-align: right;"><i>Taren Forde, President</i></p> <p>Signature of DBE's authorized representative: _____</p> <p style="text-align: right;">Taren Forde</p> <p>Printed name of DBE's authorized representative: _____</p> <p style="text-align: right;">President</p> <p>Title of DBE's authorized representative: _____</p> <p style="text-align: right;">11/4/16</p> <p>Date: _____</p>		

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For alternate format information, contact the Forms Management Unit at (916) 445-1233, TTY 711, or write to Records and Forms Management, 1120 N Street, MS-99, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION
DBE CONFIRMATION
 DES-OE-0102.13 (NEW 05/2015)

Contract no.:
 02-4F58U4

Name of DBE business:
 Dirt and Aggregate Interchange Inc.

Name of DBE representative:
 Henry H. Pelfrey

DBE certification number:
 000020

Name of bidder:
 Stewart Engineering Inc.

Name of prime contractor if different from the bidder:

Name of representative of bidder or prime contractor:

Date:
 November 1, 2016

Bid Item number	Item of work and description of services to be subcontracted or materials to be provided ¹	Amount (\$)
17	Treated Waste Wood	2,119.00
20	Remove Guardrail	2,410.00
26	Reconstruct Guardrail	12,289.00
27	Reconstruct Guardrail	6,161.00
28	Reconstruct Terminal System	5,476.00
29	Reconstruct Transition Railing	26,067.00
30	Reconstruct End Anchor	1,643.00
50	Rail Element	6,144.00
71	Midwest Guardrail System	8,433.00
72	End Anchor Assembly	2,738.00

¹If 100% of an item is not to be performed or furnished by the DBE, describe the exact portion of the item to be performed or furnished.

Total	73,480.00
--------------	------------------

As an authorized representative of a certified disadvantaged business enterprise, I confirm that my business was contacted by the bidder or prime contractor shown above regarding the contract shown above. If the bidder is awarded the contract, my business will enter into a contractual agreement with the bidder or prime contractor to perform the type and dollar amount of work shown on the DBE Commitment form.

I certify under penalty of perjury that the foregoing is true and correct.

Henry H. Pelfrey
 Signature of DBE's authorized representative:

Henry H. Pelfrey
 Printed name of DBE's authorized representative:

President
 Title of DBE's authorized representative:

11-2-16
 Date:

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For alternate format information, contact the Forms Management Unit at (916) 445-1233, TTY 711, or write to Records and Forms Management, 1120 N Street, MS-99, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION
DBE CONFIRMATION
 DES-OE-0102.13 (NEW 05/2015)

Contract no.:
 Caltrans 02-4F58U4
 Name of DBE business:
 Tully Inc. DBA Tully Consulting Group
 Name of DBE representative:
 Robin Tully
 DBE certification number:
 38300
 Name of bidder:

 Name of prime contractor if different from the bidder:

 Name of representative of bidder or prime contractor:

 Date:

Bid item number	Item of work and description of services to be subcontracted or materials to be provided ¹	Amount (\$)
11	Prepare WPCP	625

¹If 100% of an item is not to be performed or furnished by the DBE, describe the exact portion of the item to be performed or furnished.

Total	625
--------------	------------

As an authorized representative of a certified disadvantaged business enterprise, I confirm that my business was contacted by the bidder or prime contractor shown above regarding the contract shown above. If the bidder is awarded the contract, my business will enter into a contractual agreement with the bidder or prime contractor to perform the type and dollar amount of work shown on the DBE Commitment form.

I certify under penalty of perjury that the foregoing is true and correct.

Katelyn Anderson
 Signature of DBE's authorized representative:
 Katelyn Anderson

Printed name of DBE's authorized representative:
 Office Manager

Title of DBE's authorized representative:

10/27/16
 Date:

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For alternate format information, contact the Forms Management Unit at (916) 445-1233, TTY 711, or write to Records and Forms Management, 1120 N Street, MS-89, Sacramento, CA 95814.

1. List items of work the Bidder made available to DBE firms. Identify items of work the Bidder might otherwise perform with its own forces, items that have been broken down into economically feasible units to facilitate DBE participation, and items for which the Bidder has established flexible time frames for performance and delivery schedules in a manner that encourages and facilitates DBE participation. For each item listed, show the dollar value and percentage of the total contract. The Bidder must demonstrate that sufficient work to meet the goal was made available to DBE firms.

Item of Work Offered, Services Offered, or Materials Supplied	Bidder Normally Performs Item Yes/No	Item Broken Down to Facilitate Participation Yes/No	Established Flexible Timeframes for Performance and Delivery Schedules Yes/No	Amount (\$)	Percentage of Total Bid
See Attachment B	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO		
	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO		
	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO		
	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO		
	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO		
	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO		
	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO		
	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO		
	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO		
	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO		
	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO		
	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO		
	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO		
	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO		
	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO		
	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO		
	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO		
	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO		
	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO		
	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO		
	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO	<input type="checkbox"/> YES <input type="checkbox"/> NO		

2. List the names of certified DBEs and all the dates on which they were solicited to bid on this project. Include the items of work offered and the dates and methods used for following up initial and follow-up solicitations to determine with certainty whether the DBEs were interested. Attach copies of solicitations, e-mail messages, telephone records, fax confirmations, etc.

Name of DBE Solicited	Date of Initial Solicitation	Items of Work Offered	Follow Up Methods and Dates
Attachment C			

3. For each item of work made available, indicate whether the Bidder provided plans and specifications specific to the items of work being offered, list the selected firm and its status as a DBE, the DBEs that provided quotes, the price quote for each firm, and the price difference for each DBE if the selected firm is not a DBE. Provide copies of each DBE and Non-DBE quote submitted to the Bidder whenever a Non-DBE firm was selected over a DBE for work on the Contract.

Items of Work	Provided Plans/ Specifications for Work Offered Yes/No	Name of Selected Firm	DBE or Non-DBE	Name of Rejected Firm	Quote (\$)	Price Difference (\$)
Attachment D	<input type="checkbox"/> YES <input type="checkbox"/> NO					
	<input type="checkbox"/> YES <input type="checkbox"/> NO					
	<input type="checkbox"/> YES <input type="checkbox"/> NO					
	<input type="checkbox"/> YES <input type="checkbox"/> NO					
	<input type="checkbox"/> YES <input type="checkbox"/> NO					
	<input type="checkbox"/> YES <input type="checkbox"/> NO					
	<input type="checkbox"/> YES <input type="checkbox"/> NO					
	<input type="checkbox"/> YES <input type="checkbox"/> NO					
	<input type="checkbox"/> YES <input type="checkbox"/> NO					

If the firm selected for the item is not a DBE, provide the reasons for the selection on a separate sheet and attach names, addresses, and phone numbers for the firms listed above. Provide evidence as to why additional agreements could not be reached for DBEs to perform work.

4. Describe the Bidder's outreach efforts to identify and solicit the interest of all certified DBEs that have the capability to perform the work of the Contract. Provide copies of supporting documents.

Description of Outreach	Dates	Location (if applicable)	Results
Compliance News Monthly Trade Journal	October 18, 2016		
Compliance News Daily Focus Journal	October 18, 2016		

5. Describe the Bidder's efforts made to provide interested DBEs with adequate information about the plans, specifications, and requirements of the Contract to assist them in responding to a solicitation. Identify the DBEs assisted, the type of information provided, and the date of the contracts. Provide copies of supporting documents.

Project plans and specifications were made available for review, copying and email upon request. Our staff is available to answer questions and offer technical assistance to interested parties. We were not contacted requesting help.

6. Describe the Bidder's efforts made to assist interested DBEs in obtaining bonding, lines of credit, or insurance. Identify the DBEs assisted, the type of assistance offered, and the dates. Provide copies of supporting documents.

SEI offers assistance in bonding, necessary equipment, LOC, insurance and related information. No DBE's requested assistance in regard to the above mentioned.

7. Describe the Bidder's efforts made to assist interested DBEs in obtaining necessary equipment, supplies, materials, or related assistance or services, excluding supplies and equipment the DBE purchases or leases from the prime contractor or its affiliate. Identify the DBEs assisted, the type of assistance offered, and the dates. Provide copies of supporting documents. List efforts made to assist interested DBEs in obtaining bonding, lines of credit, insurance, necessary equipment, supplies, materials, or related assistance or services, excluding supplies and equipment the DBE subcontractor purchases or leases from the prime contractor or its affiliate. Identify the DBE assisted, the assistance offered, and the date. Provide copies of supporting documents.

No DBE's requested assistance in regard to the above mentioned.

8. List the names of agencies and the dates on which they were contacted to provide assistance in contacting, recruiting, and using DBE firms. If the agencies were contacted in writing, provide copies of supporting documents.

Cal EProcure	www.caleprocure.ca.gov	Reviewed database for additional DBE's
Disadvantaged Business Enterprise Firm Search	www.dot.ca.gov/ucp	Reviewed database for additional DBE's
Review databases look for additional DBE./		

9. Include additional data to support a demonstration of good faith efforts.

NOTE: USE ADDITIONAL SHEETS OF PAPER IF NECESSARY.

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information, call (916) 445-1233, TTY 711, or write to Records and Forms Management, 1120 N Street, MS-89, Sacramento, CA 95814.



Caltrans[®]

STATE OF CALIFORNIA
DEPARTMENT OF TRANSPORTATION

**FORMS FOR
BID**

**FOR CONSTRUCTION ON STATE HIGHWAY IN SISKIYOU COUNTY NEAR HORNBROOK
FROM KLAMATH RIVER ROAD UNDERCROSSING TO 0.4 MILE NORTH OF KLAMATH
RIVER ROAD UNDERCROSSING**

In District 02 On Route 5

Under

Notice to Bidders and Special Provisions dated September 26, 2016

Standard Specifications dated 2010

Project plans approved June 15, 2016

Standard Plans dated 2010

Applicable to

Electronic *Bid* book dated September 26, 2016

Identified by

Contract No. 02-4F58U4

02-Sis-5-R57.8/R58.5

Project ID 0215000021

Federal-Aid Project


ACIM-005-9(176)E

Attachment A

Copies of quotes for the DBE Subcontractors

Adanta, Inc.

828 School Street
 Napa, California 94559
 Tel. (707) 709-8894
 Fax (707) 736-8368



A d a n t a

8(a), DBE, MBE, WBE
 CSLB #961132
 DBE Certificate #37357
 DIR Registration #1000029442

October 31, 2016

Attn: Estimator

Subject: Caltrans Contract 02-4F58U4

<u>Description</u>	<u>Qty</u>	<u>Unit Cost</u>	<u>Total Cost</u>
LEAD COMPLIANCE PLAN	1	LS	\$1,300
ASBESTOS COMPLIANCE PLAN	1	LS	\$1,300
		TOTAL	\$2,600

Dear Estimator:

Adanta, Inc. is pleased to present this bid to provide environmental services for the above referenced project. This quote includes up to two revisions per plan without additional cost and all plans are delivered in PDF electronic format only. Quotes for air monitoring and lead/asbestos training are available upon request.

Please send DBE Confirmation forms to Operations Manager, Cheryl Moore at cheryl.moore@adanta-inc.com and feel free to contact us at (707) 709-8894 if you have any questions.

Sincerely,

Kimberly Patz, President

[Back To Query Form](#)

Search Returned 1 Records

Wed Nov 02 10:45:46 PDT 2016

Query Criteria

Firm ID: 37357
 Firm Type: DBE

Firm ID	37357
Firm/DBA Name	ADANTA, INC
Address Line1	828 SCHOOL STREET
Address Line2	
City	NAPA
State	CA
Zip Code1	94559
Zip Code2	
Mailing Address Line1	828 SCHOOL STREET
Mailing Address Line2	
Mailing City	NAPA
Mailing State	CA
Mailing Zip Code1	94559
Mailing Zip Code2	
Certification Type	DBE
EMail	kimberlypatz@adanta-inc.com
Contact Name	KIMBERLY PATZ
Area Code	(707)
Phone Number	709-8894
Alt Area Code	()
Alt Phone Number	
Fax Area Code	(707)
Fax Phone Number	736-8368
Agency Name	DEPARTMENT OF TRANSPORTATION
Counties	01; 06; 07; 08; 09; 10; 11; 15; 17; 19; 23; 24; 25; 27; 28; 29; 30; 31; 33; 34; 36; 37; 38; 39; 40; 41; 42; 43; 44; 48; 49; 50; 56; 57; 58;
Districts	01; 02; 03; 04; 05; 06; 07; 08; 10; 11; 12;
DBE NAICS	541620; 562910;
 ACDBE NAICS	
 Work Codes	C8713 CONSULTANT, ENVIRONMENTAL; C8792 Environmental - Biological Studies; C8793 Environmental - Environmental Impact Assessment; C8795 Environmental-Regulatory; C8851 Lead Compliance; C8852 SWPPP Planning;
Licenses	
Trucks	
Gender	F
Ethnicity	NATIVE AMERICAN
Firm Type	DBE

[Back To Query Form](#)



DIRT & AGGREGATE INTERCHANGE, INC.

QUOTATION

Revised

DATE: 11/1/2016

TO: STEWART ENGINEERING INC. Attn: ESTIMATOR FAX: 530-244-8462

Project Name: **02-4F58U4 BRIDGE STRENGTHENING**
 Owner: **CALTRANS**
 Bid Date & Time: **11/1/16 2:00PM**

Item	Description	Qty	U/M	Unit Price	Extended
17	Treated Wood Waste	2580	LBS	\$0.75	\$1,935.00
20	Remove Guardrail	220	LF	\$10.00	\$2,200.00
26	Reconstruct Guardrail	510	LF	\$22.00	\$11,220.00
27	Reconstruct Guardrail (9' Post)	75	LF	\$75.00	\$5,625.00
28	Reconstruct Terminal System	2	EA	\$2,500.00	\$5,000.00
29	Reconstruct Transition Railing	7	EA	\$3,400.00	\$23,800.00
30	Reconstruct End Anchor (Type SFT)	2	EA	\$750.00	\$1,500.00
50	Rail Element Wall	100	SQFT	\$50.00	\$5,000.00
71	Midwest Guardrail System (7' Post)	220	LF	\$35.00	\$7,700.00
72	End Anchor Assembly (Type SFT)	2	EA	\$1,250.00	\$2,500.00
81 76	Mobilization	1	LS	\$7,000.00	\$7,000.00
				TOTAL:	\$73,480.00

Stipulations:

- EXCLUDES ALL EXCAVATION / FABRIC / BACKFILL FOR ITEM# 50 - D&A TO INSTALL STEEL GUARDRAIL POSTS & RAIL ONLY.
- Bond not included.
- No traffic control. No Survey Work. No Engineering or Testing.
- Excludes all dirt work and concrete work on guardrail items.
- Excludes erosion control.
- Price based on 2 mobilization to project.
- Extra mobilization = \$3,500.00 per mobilization.
- 8 Working days.
- CA Contractor # 507828
- CA DBE # CT-000020
- CA DIR# 1000010905

Due to continued and unpredictable increases in material costs and resulting delays in delivery of such materials, the prices and delivery dates quoted herein will automatically expire thirty (30) days from the above date, unless accepted in writing prior to that date.

Thank you for your consideration.

DIRT and AGGREGATE INTERCHANGE, INC.

Signed: William Smith

We are a Minority Business Enterprise

OR DBE #493, OR CCB# 26599, WA CCB# DIRTAL192NP, WA DBE# D4 M0700 781
 20905 NE Sandy Blvd, Fairview, OR 97024 Phone: 503-661-5093 Fax: 503-669-1192

[Back To Query Form](#)

Search Returned 1 Records

Wed Nov 02 10:46:54 PDT 2016

Query Criteria

City: fairview
 Zip Code: 97024
 Firm Type: DBE

Firm ID	20
Firm/DBA Name	DIRT & AGGREGATE INTERCHANGE, INC
Address Line1	20905 N.E. SANDY BOULEVARD
Address Line2	
City	FAIRVIEW
State	OR
Zip Code1	97024
Zip Code2	9772
Mailing Address Line1	
Mailing Address Line2	
Mailing City	
Mailing State	
Mailing Zip Code1	
Mailing Zip Code2	
Certification Type	DBE
EMail	contractor@dirtagg.com
Contact Name	HENRY PELFREY
Area Code	(503)
Phone Number	661-5093
Alt Area Code	()
Alt Phone Number	
Fax Area Code	(503)
Fax Phone Number	669-1192
Agency Name	DEPARTMENT OF TRANSPORTATION
Counties	02; 04; 06; 08; 09; 11; 12; 14; 17; 18; 23; 25; 26; 29; 31; 32; 34; 45; 46; 47; 51; 52; 53; 57; 58;
Districts	01; 02; 03; 09; 10;
DBE NAICS	237310;

ACDBE NAICS

Work Codes

C0683 GUARD RAILINGS & BARRIERS SUPPLIER; C1000 WHOLESALE BROKER OF CONSTRUCTION MATERIALS; C1522 RESET, ADJUST ROADWAY ITEMS; C1601 CLEARING & GRUBBING; C1901 ROADWAY EXCAVATION; C1920 STRUCTURE EXCAVATION; C1970 EMBANKMENT CONSTRUCTION; C5105 MINOR CONCRETE STRUCTURE; C8201 OBJECT MARKER; C8320 METAL BEAM GUARD RAILING; C8330 METAL RAILING; C8391 METAL BEAM BARRIER; A General Engineering Contractor; C32 Parking and Highway Improvement Contractor;

Licenses

Trucks

Gender

Ethnicity

Firm Type

M
 ASIAN PACIFIC
 DBE

[Back To Query Form](#)



Civil Engineering and Stormwater Solutions

October 26, 2016

RE: Proposal for WPCP for Caltrans 02-4F58U4, bidding 11/01/16

Dear Prime Contractor,

Thank you for the opportunity to provide a proposal for this project. We provide civil engineering and stormwater management services.

Scope of Work:

A. Prepare Water Pollution Control Program (WPCP)

Prepare a Water Pollution Control Program (WPCP). The document will be prepared in accordance with Caltrans requirements. Water Pollution Control Drawings will be included.

Exclusions: Installation and implementation of water pollution practices, providing a WPC Manager, conducting training, and monitoring, inspection and correcting water pollution control practices are excluded. A WPC Manager, training, monitoring and inspection are available as an additional service upon request.

Fee:

The WPCP will be prepared for a Fixed Fee of the following, with fees billed monthly based upon percent completion:

A. Prepare WPCP (Part of Bid Item No. 11) \$ 625

Fees will be due within 30 days of client's receipt of invoice. Late payments beyond 30 days past due can be subject to a 1.5% per month interest charge. Payment arrangements can be made to coincide with any owner to contractor payment installments.

Timing and deliverables:

Submittals will be provided in a timely manner; please contact us for scheduling so we can meet your deadline. The document will be provided in hard copy (4 copies) and electronic PDF format.

We appreciate the opportunity to present this proposal. Please feel free to contact me if you have any questions via cell at (707) 628-4219 or at our office number below.

Sincerely,

AUTHORIZATION TO PROCEED

Robin Tully, PE, QSD, President
License #: C64354

Name:

Date:

DBE/WBE/UDBE #38300, Exp. 2/4/2018, SBE (Micro) #60919, Exp. 1/31/2018
Annual Revenue Under \$1 Million, In Business Since 2005
Taxpayer Identification Number (TIN) 83-0499875; DIR Registration Number: 1000024960,
Exp. 06/30/2017; Full legal name is Tully Inc., DBA Tully Consulting Group

TULLY CONSULTING GROUP
1650 N. LINCOLN ST, SUITE A • DIXON, CA • 95620
PHONE: 707-693-1926 • FAX 707-471-0318 • ROBIN@TULLYGROUP.COM OR
KATELYN@TULLYGROUP.COM

[Back To Query Form](#)

Search Returned 1 Records

Wed Nov 02 10:48:01 PDT 2016

Query Criteria

Firm ID: 38300
 Firm Type: DBE

Firm ID	38300
Firm/DBA Name	TULLY CONSULTING GROUP
Address Line1	580 WIEGAND WAY
Address Line2	
City	DIXON
State	CA
Zip Code1	95620
Zip Code2	
Mailing Address Line1	1650 N LINCOLN ST, SUITE A
Mailing Address Line2	
Mailing City	DIXON
Mailing State	CA
Mailing Zip Code1	95620
Mailing Zip Code2	
Certification Type	DBE
EMail	robin@tullygroup.com
Contact Name	ROBIN TULLY
Area Code	(707)
Phone Number	693-1926
Alt Area Code	()
Alt Phone Number	
Fax Area Code	(707)
Fax Phone Number	471-0318
Agency Name	DEPARTMENT OF TRANSPORTATION
Counties	01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 29; 30; 31; 32; 33; 34; 35; 36; 37; 38; 39; 40; 41; 42; 43; 44; 45; 46; 47; 48; 49; 50; 51; 52; 53; 54; 55; 56; 57; 58;
Districts	01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12;
DBE NAICS	541330; 541340;
ACDBE NAICS	
Work Codes	C8720 CML ENGINEERING; C8722 ENVIRONMENTAL ENGINEER; C8765 DRAFTING; C8852 SWPPP Planning;
Licenses	EC Civil Engineer;
Trucks	
Gender	F
Ethnicity	HISPANIC
Firm Type	DBE

[Back To Query Form](#)



Contractor License #291649
DBE/SWBE Certification #34396
SBE Certification #9083
PW Contractor Registration #1000008129

2435 Radio Lane, Redding, CA 96001 • Phone: (530) 246-2366 • Fax: (530) 246-2368 • nie01@sbcglobal.net

November 1, 2016

REVISED

To Bidding Contractors

Re: Caltrans Contract 02-4F58U4 – Construction on State Highway in Siskiyou County near Hornbrook
From Klamath River Road Undercrossing to 0.4 Mile North of Klamath River Road Undercrossing
02-Sis-5-R57.8/R58.5

Bid Date: November 1, 2016 @ 2:00 p.m.

Northern Industrial Electric is pleased to quote the above referenced project per plans and specifications as follows:

Table with 3 columns: Bid Item, L.S., and Amount. Includes items for maintaining TMS elements and modifying electrical system.

We acknowledge Addendum No. 1

We are signatory to the following unions:

- Laborers Local 185
Operating Engineers Local 3

Exclusions:

- Traffic control and portable changeable message signs;
Pull box paving; any paving;
Removal of existing foundations;
Removal of excess spoils;
Light towers;
SWPP/WPCP and implementation;
Fees, permits or bonds;
Worker's comp waivers of subrogation;
Excess (umbrella) liability insurance;
Weekend and holiday shift;
Staking.

Our quote is firm for 30 days unless otherwise stated. This proposal must be attached and incorporated into our subcontract agreement. If you have any questions, please do not hesitate to call.

Sincerely,

Handwritten signature of Harry P. Cramer

Harry P. Cramer
Project Manager / Estimator

CALIFORNIA UNIFIED CERTIFICATION PROGRAM DISADVANTAGED BUSINESS ENTERPRISE CERTIFICATE

NORTHERN INDUSTRIAL ELECTRIC

2435 RADIO LANE
REDDING, CA 96001 3810

Owner :DORI CRAMER

Business Structure : CORPORATION

This certificate acknowledges that said firm is approved by the California Unified Certification Program (CUCP) as a Disadvantaged Business Enterprise (DBE) as defined by the U.S. Department of Transportation (DOT) CFR 49 Part 26, as may be amended, for the following NAICS codes:

NAICS Code(s) * Indicates primary NAICS code

* 238210 Electrical Contractors

Work Category Code(s)

C0686 ELECTRICAL & SIGNALS
E4910 ELECTRIC SERVICES

C9858 RESIDENTIAL ELECTRICAL

Licenses

A General Engineering Contractor


B General Building Contractor

C10 Electrical Contractor

CERTIFYING AGENCY:

DEPARTMENT OF TRANSPORTATION
1823 14TH STREET, MS 79
SACRAMENTO, CA 95814 0000
(916) 324-1700

UCP Firm Number : 34396


CUCP OFFICER

July 18, 2007

It is CUCP's policy and objective to promote and maintain a level playing field for DBEs in California on Federal-aid contracts. We ensure nondiscrimination in the award and administration of U.S. DOT assisted contracts based on the requirements of 49 CFR Parts 21 and 26.

5/5/2016

Unified Certification Program

[Back To Query Form](#)**Search Returned 1 Records**

Tue May 05 09:21:38 PDT 2016

Query Criteria

Firm ID: 34396

Firm Type: DBE

Firm ID	34396
Firm/DBA Name	NORTHERN INDUSTRIAL ELECTRIC
Address Line1	2435 RADIO LANE
Address Line2	
City	REDDING
State	CA
Zip Code1	96001
Zip Code2	3810
Mailing Address Line1	2435 RADIO LANE
Mailing Address Line2	
Mailing City	REDDING
Mailing State	CA
Mailing Zip Code1	96001
Mailing Zip Code2	3810
Certification Type	DBE
EMail	nie01@sbcglobal.net
Contact Name	DORJ CRAMER
Area Code	(530)
Phone Number	246-2366
Fax Area Code	(530)
Fax Phone Number	246-2368
Agency Name	DEPARTMENT OF TRANSPORTATION
Counties	04; 06; 08; 11; 12; 18; 23; 25; 32; 45; 46; 47; 52; 53;
Districts	01; 02; 03;
DBE NAICS	238210;

ACDBE NAICS**Work Codes**

C0686 ELECTRICAL & SIGNALS SUPPLIER; C8602 SIGNAL & LIGHTING; C8603 SIGNAL; C8604 LIGHTING; C8605 MESSAGE SIGNS, LIGHTING & SIGN ILLUMINATION; C8608 DETECTOR; C8609 TRAFFIC COUNT STATION; C8610 SPEED MONITORING STATION; C8611 RAMP METERING SYSTEM;

Licenses

A General Engineering Contractor; B General Building Contractor; C10 Electrical Contractor;

Trucks**Gender**

F

Ethnicity

CAUCASIAN

Firm Type

DBE

[Back To Query Form](#)

BUSINESS ENTERPRISE CERTIFICATE

NORTHERN INDUSTRIAL ELECTRIC

2435 RADIO LANE
REDDING, CA 96001 3810
Owner: DORI CRAMER

Business Structure: CORPORATION

STATE WOMEN BUSINESS ENTERPRISE

This Certification Not Valid For Federal Aid Contracts


This certificate acknowledges that said firm is approved by the California Department of Transportation as a State Minority Business Enterprise or State Women Business Enterprise (or in some cases both) in accordance with Assembly Bill Number 486, Chapter 1329 and the California Public Code, Chapter 2.5 (commencing with Section 2050), for the following NAICS codes:

* 238210 Electrical Contractors and Other Wiring Installation Contractors

* Indicates primary NAICS code

CERTIFYING AGENCY:
DEPARTMENT OF TRANSPORTATION
1823 14TH STREET, MS 79
SACRAMENTO, CA 95814 0000
(916) 324-1700

Firm Number: 14396
Renewal Date: February 1, 2017


Janice Salais, CERTIFYING AGENCY REPRESENTATIVE

January 30, 2015



Department of
General Services

BUILDING GREEN BUYING GREEN WORKING GREEN

NORTHERN INDUSTRIAL ELECTRIC - #9083

SUPPLIER PROFILE

Legal Business Name	NORTHERN INDUSTRIAL ELECTRIC		
Doing Business As	NORTHERN INDUSTRIAL ELECTRIC		
Address	2435 RADIO LN REDDING, CA 96001-3810	Phone	(530) 246-2366
		FAX	(530) 246-2368
Email	nie01@sbcglobal.net		
Business Types	Construction		
Service Areas	Butte, Colusa, Del Norte, El Dorado, Glenn, Humboldt, Lake, Lassen, Mendocino, Modoc, Nevada, Placer, Plumas, Sacramento, Shasta, Sierra, Siskiyou, Sutter, Tehama, Trinity, Yolo, Yuba,		
Keywords	electrical industrial and highway services		
Construction License Types	A - General Engineering B - General Building Contractor C-10 - Electrical (general)		
Classifications	721410 - Highway and road construction services 721515 - Electrical system services		

Active Certifications

TYPE	STATUS	FROM	TO
SB (Micro)	Approved	Oct 31, 2013	Nov 30, 2017

Certification History

TYPE	STATUS	FROM	TO
SB (Micro)	Expired	Nov 18, 2011	Nov 30, 2013
SB (Micro)	Expired	Nov 2, 2009	Nov 30, 2011
SB (Micro)	Expired	Mar 14, 2006	Aug 31, 2009
SB	Expired	Jan 23, 2004	Apr 30, 2006
SB	Expired	Dec 18, 2000	Nov 30, 2003
SB	Expired	Jan 9, 1998	Dec 31, 2000

8/18/2016

California Department of Industrial Relations - Contact DIR

Press Room | Contact DIR | CA.gov

Go to Search



Home Labor Law Cal/OSHA Safety & Health Workers' Comp Self Insurance Apprenticeship Director's Office Boards

Public Works

Public Works Contractor (PWC) Registration Search

This is a listing of current and active PWC registrations pursuant to Division 2, Part 7, Chapter 1 (commencing with section 1720 of the California Labor Code.)

Enter at least one search criteria to display active registered public works contractor(s) matching your selections.

Registration Year:

PWC Registration Number:

Contractor Legal Name: [Contractor License Lookup](#)

License Number:

County:

Export as: [Excel](#) | [PDF](#)

Search Results

One registered contractor found. 1

Details	Legal Name	Registration Number	County	City	Registration Date	Expiration Date
View	NORTHERN INDUSTRIAL ELECTRIC	1000008129	SHASTA	REDDING	06/22/2016	06/30/2017 v2.20160101

About DIR

[Who we are](#)
[DIR Divisions, Boards & Commissions](#)
[Contact DIR](#)

Work with Us

[Licensing, registrations, certifications & permits](#)
[Notification of activities](#)
[Public Records Act](#)

Learn More

[Site Map](#)
[Frequently Asked Questions](#)
[Jobs at DIR](#)

[Conditions of Use](#) [Privacy Policy](#) [Disclaimer](#) [Disability accommodation](#) [Site Help](#)

Copyright © 2015 State of California

[Back To Query Form](#)

Search Returned 1 Records

Wed Nov 02 10:47:19 PDT 2016

Query Criteria

Firm ID: 34396
 Firm Type: DBE

Firm ID	34396
Firm/DBA Name	NORTHERN INDUSTRIAL ELECTRIC
Address Line1	2435 RADIO LANE
Address Line2	
City	REDDING
State	CA
Zip Code1	96001
Zip Code2	3810
Mailing Address Line1	2435 RADIO LANE
Mailing Address Line2	
Mailing City	REDDING
Mailing State	CA
Mailing Zip Code1	96001
Mailing Zip Code2	3810
Certification Type	DBE
Email	nie01@sbcglobal.net
Contact Name	DORI CRAMER
Area Code	(530)
Phone Number	246-2366
Alt Area Code	()
Alt Phone Number	
Fax Area Code	(530)
Fax Phone Number	246-2368
Agency Name	DEPARTMENT OF TRANSPORTATION
Counties	04; 06; 08; 11; 12; 18; 23; 25; 32; 45; 46; 47; 52; 53;
Districts	01; 02; 03;
DBE NAICS	238210;

ACDBE NAICS

Work Codes

C0686 ELECTRICAL & SIGNALS SUPPLIER; C8602 SIGNAL & LIGHTING; C8603 SIGNAL; C8604 LIGHTING; C8605 MESSAGE SIGNS, LIGHTING & SIGN ILLUMINATION; C8608 DETECTOR; C8609 TRAFFIC COUNT STATION; C8610 SPEED MONITORING STATION; C8611 RAMP METERING SYSTEM;

Licenses

A General Engineering Contractor; B General Building Contractor; C10 Electrical Contractor;

Trucks

Gender

F

Ethnicity

CAUCASIAN

Firm Type

DBE

[Back To Query Form](#)

4952 S. Barney Rd.
Anderson, CA 96007
(530)864-8105
Fax(530)466-2613



License Number: 983087 A, C31
DVBE Supplier #1753009
DBE Firm #38721
DIR REG #1000007688
Union Contractor


Sheet 1 of 1

PROJECT: Br strengthening, Barrier Rail, HMA, Polyester Conc, Approach Slabs
CONTRACT: 02-4F58U4

BID DATE: November 1, 2016

ITEM NUMBER	DESCRIPTION	UNIT OF MEASURE	UNIT PRICE	
		MONTH	\$2,500.00	
	TRUCK MOUNTED ATTENUATOR***	WEEK	\$1,500.00	
		DAY	\$500.00	
		MONTH	\$500.00	
	LIGHT TOWER	WEEK	\$250.00	
		DAY	\$150.00	
		MONTH	\$650.00	19,500
	PORTABLE RADAR TRAILER	WEEK	\$300.00	
		DAY	\$100.00	
	END DUMP, BELLY DUMP (NON-PREVAILING WAGE)	(350) STRAIGHT TIME (HR.)	\$115.00	35,000
		OVERTIME (HR.)	\$130.00	
	END DUMP, BELLY DUMP (PREVAILING WAGE)	(153) STRAIGHT TIME (HR.)	\$125.00	19,125
		OVERTIME (HR.)	\$140.00	
		DOUBLE TIME (HR.)	\$160.00	
	OPERATED 4000 GALLON WATER TRUCK****	STRAIGHT TIME (HR.)	\$110.00	
		OVERTIME (HR.)	\$125.00	
		DOUBLE TIME (HR.)	\$145.00	
	OPERATED 235 EXCAVATOR WITH HYDRO HAMMER	(60) STRAIGHT TIME (HR.)	\$320.00	19,200
		OVERTIME (HR.)	\$350.00	
		DOUBLE TIME (HR.)	\$380.00	
	DELIVERY AND SET UP OF RENTAL EQUIPMENT CHARGE (\$100.00 PER HOUR)			INCLUDED W/TC
	SUBSISTENCE (IF SUB. AREA) PER PERSON, PER DAY			BOOK RATE
	***F.O.B. ANDERSON, first 100 miles per week is free, beyond 100 miles is \$0.55 per mile...Driver optional - \$500.00 per 8 hour shift			
	****All water truck operators will be paid the correct prevailing wage and certified payroll. Prime contractor will not have to worry about			
ADDITIONAL SERVICES	ASPHALT OIL HAULING (trucks and tanks owned by T&S), OPERATED WATER TRUCKS, ROADSIDE SIGNS, CONSTRUCTION AREA SIGNS, TRAFFIC SAFETY PRODUCT SALES/RENTALS, END-DUMPS, FLAT-BEDS,			

4952 S. Barney Rd.
Anderson, CA 96007
(530)864-8105
Fax(530)466-2613



License Number: 983087 A, C31
DVBE Supplier #1753009
DBE Firm #38721
DIR REG #1000007688
Union Contractor

SHEET 1 OF 2

ATTENTION ESTIMATOR:

PROJECT: Br strengthening, Barrier Rail, HMA, Polyester Conc, Approach Slabs
CONTRACT: 02-4F58U4

BID DATE: November 1, 2016

ITEM NUMBER	UNIT OF MEASURE	ESTIMATED QUANTITY	UNIT PRICE	TOTAL PRICE
2	CONSTRUCTION AREA SIGNS	LS	1	\$6,900.00 \$6,900.00 ✓
<u>TRAFFIC CONTROL SYSTEM</u>				
	2 FLAGGERS 8 HR MINIMUM	WEEK DAY	(9)	1,200 10,800
	SETUP AND TAKEDOWN OF RUMBLE STRIP CLOSURE	WEEK DAY	(40)	\$1,350.00 54,000
	EACH ADDITIONAL FLAGGER 8 HR MINIMUM	WEEK DAY	(40)	\$350.00 14,000
	FLAG OVERTIME FOR EACH PERSON	WEEK DAY		\$550.00
	LANE/SHOULDER CLOSURE: 1 TRUCK, 1 ARROW BOARD, CONES, 1 PERSON 8 HR MINIMUM	HOUR	(80)	\$50.00 4,000
3	EACH ADDITIONAL L/C PERSON 8 HR MINIMUM	DAY	(36)	\$950.00 34,200
	ADDITIONAL LANE CLOSURE: (1 ARROW BOARD, CONES AND SIGNAGE)	DAY		\$580.00
	OVERTIME FOR LANE CLOSURE: PER PERSON	EA	(108)	\$100.00 10,800
	TRUCK MOUNTED ATTENUATOR***	HOUR		\$100.00
		MONTH		\$3,000.00
		WEEK		\$1,500.00
		DAY	(36)	\$300.00 10,800
7	PORTABLE CHANGEABLE MESSAGE BOARD SIGN	MONTH	(4)	\$800.00 3,200
		WEEK		\$400.00
		DAY		\$200.00
9	TEMPORARY CRASH CUSHION SYSTEM (RENTAL OF INLINE CRASH CUSHION)	MONTH		\$750.00
		WEEK		\$400.00
	ARROW BOARD	MONTH	(30)	\$300.00 18,000
		WEEK		\$150.00
		DAY		\$100.00
DELIVERY AND SET UP OF RENTAL EQUIPMENT CHARGE (\$100.00 PER HOUR)				INCLUDED W/TC
SUBSISTENCE (IF SUB. AREA) PER PERSON, PER DAY				BOOK RATE

***F.O.B. ANDERSON, first 100 miles per week is free, beyond 100 miles is \$0.55 per mile...Driver optional - \$500.00 per 8 hour shift \$75.00 per hour overtime. IF T and S is doing the traffic control, delivery, fuel and mileage charges do not apply.

ADDITIONAL SERVICES	ASPHALT OIL HAULING (trucks and tanks owned by T&S), OPERATED WATER TRUCKS, ROADSIDE SIGNS, CONSTRUCTION AREA SIGNS, TRAFFIC SAFETY PRODUCT SALES/RENTALS, END-DUMPS, FLAT-BEDS, TRAFFIC CONTROL
---------------------	--

[Back To Query Form](#)

Search Returned 1 Records

Wed Nov 02 10:47:46 PDT 2016

Query Criteria

Firm ID: 38721
 Firm Type: DBE

Firm ID	38721
Firm/DBA Name	T AND S DVBE, INC.
Address Line1	4952 SOUTH BARNEY ROAD
Address Line2	
City	ANDERSON
State	CA
Zip Code1	96007
Zip Code2	
Mailing Address Line1	P.O. BOX 608
Mailing Address Line2	
Mailing City	ANDERSON
Mailing State	CA
Mailing Zip Code1	96007
Mailing Zip Code2	
Certification Type	DBE
EMail	tandsdvbe@yahoo.com
Contact Name	TAREN FORDE
Area Code	(530)
Phone Number	250-5875
Alt Area Code	()
Alt Phone Number	
Fax Area Code	(530)
Fax Phone Number	466-2613
Agency Name	DEPARTMENT OF TRANSPORTATION
Counties	04; 18; 25; 32; 52;
Districts	02; 03;
DBE NAICS	484110; 488490; 561990;

ACDBE NAICS

Work Codes	C 1200 CONSTRUCTION AREA SIGNS; C1201 TRAFFIC CONTROL SYSTEM; C1211 TRAFFIC FLAGGERS; C1212 PILOT CAR SERVICES; C9606 WATER TRUCK ;
Licenses	A General Engineering Contractor; C31 Construction Zone Traffic Control Contractor;
Trucks	WATER TRUCKS - 3;
Gender	F
Ethnicity	CAUCASIAN
Firm Type	DBE

[Back To Query Form](#)

Attachment B

Items of work made available to DBE's
Breakdown


Attachment B

Items of Work	Bidder Normally Performs Item	Item Broken Down	Establish Flexible Timeframes	Amount	Percentage of Contract
1 Lead Compliance Plan	No	Yes	Yes	\$ 1,900.00	0.04%
2 Construction Area Signs	No	Yes	Yes	\$ 8,000.00	0.16%
3 Traffic Control System	No	Yes	Yes	\$ 242,000.00	4.81%
4 Temp. Pavement Marking (Paint)	No	Yes	Yes	\$ 3,315.00	0.07%
5 Temp. Traffic Stripe (Paint)	No	Yes	Yes	\$ 19,200.00	0.38%
6 Channelizer (Surface Mounted)	No	Yes	Yes	\$ 11,700.00	0.23%
7 Portable Changeable Message Sign	No	Yes	Yes	\$ 48,000.00	0.95%
8 Temp. Railing (Type K)	No	Yes	Yes	\$ 196,680.00	3.91%
9 Temp. Crash Cushion System	No	Yes	Yes	\$ 25,200.00	0.50%
11 Prepare Water Pollution Control Program	No	Yes	Yes	\$ 2,000.00	0.04%
12 Temp. Drainage Inlet Protection	Yes	Yes	Yes	\$ 1,380.00	0.03%
13 Temp. Fiber Roll	Yes	Yes	Yes	\$ 1,100.00	0.02%
14 Temp. Concrete Washout	Yes	Yes	Yes	\$ 20,000.00	0.40%
15 Asbestos Compliance Plan	No	Yes	Yes	\$ 1,500.00	0.03%
16 Asbestos Removal	No	Yes	Yes	\$ 10,000.00	0.20%
17 Treated Wood Waste	No	Yes	Yes	\$ 2,580.00	0.05%
18 Bird Exclusion	Yes	Yes	Yes	\$ 65,000.00	1.29%
19 Rumble Strip Patch (Concrete)	Yes	Yes	Yes	\$ 13,000.00	0.26%
20 Remove Guardrail	No	Yes	Yes	\$ 2,640.00	0.05%
21 Remove Painted Traffic Stripe	No	Yes	Yes	\$ 2,080.00	0.04%
22 Remove Painted Pavement Marking	No	Yes	Yes	\$ 4,032.00	0.08%
23 Remove Thermoplastic Traffic Stripe	No	Yes	Yes	\$ 16,830.00	0.33%
24 Remove Pavement Marker	No	Yes	Yes	\$ 305.00	0.01%
25 Salvage Metal Bridge Railing	No	Yes	Yes	\$ 32,242.00	0.64%
26 Reconstruct Guardrail	No	Yes	Yes	\$ 13,770.00	0.27%
27 Reconstruct Guardrail (9' Post)	No	Yes	Yes	\$ 6,900.00	0.14%
28 Reconstruct Terminal System	No	Yes	Yes	\$ 6,000.00	0.12%
29 Reconstruct Transition Railing	No	Yes	Yes	\$ 29,400.00	0.58%
30 Reconstruct End Anchor (Type SFT)	No	Yes	Yes	\$ 1,840.00	0.04%
31 Cold Plane Asphalt Concrete Pavement	No	Yes	Yes	\$ 16,000.00	0.32%
32 Remove Concrete Barrier	No	Yes	Yes	\$ 2,250.00	0.04%
33 Prepare Concrete Bridge Deck Surface	No	Yes	Yes	\$ 20,980.00	0.42%
34 Furnish Polyester Concrete Overlay	No	Yes	Yes	\$ 41,078.00	0.82%
35 Place Polyester Concrete Overlay	No	Yes	Yes	\$ 36,715.00	0.73%
36 Carbon Fiber Reinforced Polymer Strip (Deck)	No	Yes	Yes	\$ 322,799.00	6.41%
37 Carbon Fiber Reinforced Polymer Sheet (Exterior)	No	Yes	Yes	\$ 136,500.00	2.71%
38 Carbon Fiber Reinforced Polymer Sheet (Interior)	No	Yes	Yes	\$ 60,848.00	1.21%
39 Access Opening; Soffit	No	Yes	Yes	\$ 52,000.00	1.03%
40 Bridge Removal (Portion)Location A	Yes	Yes	Yes	\$ 130,000.00	2.58%
41 Bridge Removal (Portion)Location B	Yes	Yes	Yes	\$ 385,000.00	7.65%
42 Develop Water Supply	Yes	Yes	Yes	\$ 23,000.00	0.46%
43 Class 2 Aggregate Base	No	Yes	Yes	\$ 889.00	0.02%
44 Hot Mix Asphalt (Type A)	No	Yes	Yes	\$ 27,200.00	0.54%
45 Minor Hot Mix Asphalt	No	Yes	Yes	\$ 4,800.00	0.10%
46 Shoulder Rumble Strip (HMA, Ground-In Indentations)	No	Yes	Yes	\$ 4,230.00	0.08%
47 Place Hot Mix Asphalt Dike (Type F)	No	Yes	Yes	\$ 8,800.00	0.17%
48 Place Hot Mix Asphalt (Misc. Area)	No	Yes	Yes	\$ 1,240.00	0.02%
49 Shoulder Rumble Strip (Concrete Pavement, Ground-In Indentation)	No	Yes	Yes	\$ 3,960.00	0.08%
50 Rail Element Wall	No	Yes	Yes	\$ 8,800.00	0.17%
51 Structural Concrete	Yes	Yes	Yes	\$ 14,840.00	0.29%
52 Bridge, Structural Concrete Bridge (Polymer Fiber)	Yes	Yes	Yes	\$ 845,000.00	16.79%
53 Structural Concrete, Barrier Slab	Yes	Yes	Yes	\$ 47,700.00	0.95%
54 Aggregate Base (Approach Slab)	Yes	Yes	Yes	\$ 3,510.00	0.07%
55 Structural Concrete Approach Slab (Type R)	Yes	Yes	Yes	\$ 490,200.00	9.74%
56 Drill and Bond Dowel	Yes	Yes	Yes	\$ 10,800.00	0.21%
57 Clean Expansion Joint	Yes	Yes	Yes	\$ 4,728.00	0.09%

Items of Work	Bidder			Amount	Percentage of Contract
	Normally Performs Item	Broken Down	Establish Flexible Timeframes		
58 Neoprene Gland (Wabo Strip Seal SE-400)	Yes	Yes	Yes	\$ 3,280.00	0.07%
59 Neoprene Gland (Wabo Strip Seal SE-500)	Yes	Yes	Yes	\$ 9,760.00	0.19%
60 Fabricated Strip Seal (Wabo Type M)	Yes	Yes	Yes	\$ 15,600.00	0.31%
61 Fabricated Strip Seal (Wabo Type R)	Yes	Yes	Yes	\$ 13,600.00	0.27%
62 Joint Seal (MR 1/2")	Yes	Yes	Yes	\$ 11,792.00	0.23%
63 Joint Seal (MR 2")	Yes	Yes	Yes	\$ 6,300.00	0.13%
64 Bar Reinforcing Steel (Epoxy Coated) (Bridge)	No	Yes	Yes	\$ 150,672.00	2.99%
65 Bar Reinforcing Steel (Stainless Steel)	No	Yes	Yes	\$ 9,295.00	0.18%
66 8" Corrugated Steel Pipe Downdrain (.079" Thick)	No	Yes	Yes	\$ 2,580.00	0.05%
67 8" Entrance Taper	No	Yes	Yes	\$ 2,400.00	0.05%
68 8" Anchor Assembly	Yes	Yes	Yes	\$ 3,000.00	0.06%
69 Minor Concrete (Misc. Construction)	Yes	Yes	Yes	\$ 1,860.00	0.04%
70 Object Marker (Type P)	Yes	Yes	Yes	\$ 440.00	0.01%
71 Midwest Guardrail System (7' Post)	No	Yes	Yes	\$ 9,460.00	0.19%
72 End Anchor Assembly (Type SFT)	No	Yes	Yes	\$ 3,100.00	0.06%
73 Concrete Barrier (Type 60)	No	Yes	Yes	\$ 8,450.00	0.17%
74 Concrete Barrier (Type 736)	No	Yes	Yes	\$ 515,897.00	10.25%
75 Thermoplastic Traffic Stripe (Sprayable)	No	Yes	Yes	\$ 10,220.00	0.20%
76 Pavement Marker (Retroreflective)	No	Yes	Yes	\$ 3,450.00	0.07%
77 Maintaining Existing Traffic Mgmt. System Elements During Construction	No	Yes	Yes	\$ 3,700.00	0.07%
78 Modifying Existing Electrical System	No	Yes	Yes	\$ 68,500.00	1.36%
				\$ 4,345,817.00	86.33%

Attachment C

Names of solicited DBE's and backup
documentation



FAXED 10/14/16

Good-Faith Effort Fax Form 4.0

Please print clearly in black ink with accurate information.

Company Info

Company Name Stewart Engineering Inc.
Your Name (for questions about this form) Renee Thomas
Address PO Box 990010
City Redding State Ca Zip 96099
Phone (530) 244 8464 Fax (530) 244 8460
Email rthomas@sebinec.net Web Site sebinec.net
Contact Name to appear in Ads and/or Letters Renee Thomas

Project Info

Project Awarding Dept/Agency/Owner State of California, Dept of Transportation
Project Name Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County
Circle Category/s: DVBE SBE DBE MBE WBE OBE OTHER 9%
Subs and Suppliers to provide: See attached

Near Hornbrook, Ca
Project Location (city) (state) (zip)
Bid Due Date November 1, 2016 Bid Due Time 1:00
Bid Solicitation Contract Number 02-4F58U4

Billing Info

Check one of the following:

- 1. The Works (Entire Good Faith Effort Process): \$90
Publish Ads + Log + Fed/State/Local Contact + Fax Solicitation Letters & Copies (limit 30)
2. The Works Plus+ ("The Works" with Additional Letters): \$90 + \$1 per extra firm beyond 30
**Please specify total number of firms: 40
3. Publish Ads & Return Proofs: \$35 Total Both Ads (Trade & Focus)
4. Publish Ads & Print Log (No Letters): \$55
5. Letters & Log (No Ads): \$55

Table with 5 columns: Circle Card Type, Name On Card, Credit Card Number, Billing Zipcode, Expiration Date. Includes options for Visa, MasterCard, AMEX, Discover.

** Please attach any additional wording you would like to include in your ads and letters. **
Fax this form to (562) 439-1398 or log in and complete at www.compliancencenews.com 24/7!

02-4F58U4

Stewart Engineering Inc. is an EEO Employer. We encourage and actively solicit proposals from DBE subcontractors and suppliers on all our projects. All qualified DBE subcontractors must be registered and certified by the California Department of Transportation. Plans & Specifications may be obtained from the Department of Transportation's website:

http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_advertised.php. Prior to the bid, upon request, you can contact our office if you require assistance in bonding, lines of credit, insurance, obtaining necessary equipment, supplies, materials or services etc., which may be required by the Owner. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing prior to bid opening. All Subcontractors will be required to sign our standard Subcontract Agreement. You must be registered and provide your Department of Industrial Relations number.

Stewart Engineering Inc. is requesting quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items of work, including but not limited to: Lead Compliance Plan, Construction Area Signs, Traffic Control System, Temp. Pavement Marking (Paint), Temp. Traffic Stripe (Paint), Channelizer (Surface Mounted), Portable Changeable Message Sign, Temp. Railing (Type K), Temp. Crash Cushion System, Prepare Water Pollution Control Program, Temp. Drainage Inlet Protection, Temp. Fiber Roll, Temp. Concrete Washout, Asbestos Compliance Plan, Asbestos Removal, Treated Wood Waste, Bird Exclusion, Rumble Strip Patch (Concrete), Remove Guardrail, Remove Painted Traffic Stripe, Remove Painted Pavement Marking, Remove Thermoplastic Traffic Stripe, Remove Pavement Marker, Salvage Metal Bridge Railing, Reconstruct Guardrail, Reconstruct Guardrail (9' Post), Reconstruct Terminal System, Reconstruct Transition Railing, Reconstruct End Anchor (Type SFT), Cold Plane Asphalt Concrete Pavement, Remove Concrete Barrier, Prepare Concrete Bridge Deck Surface, Furnish and Place Polyester Concrete Overlay, Carbon Fiber Reinforced Polymer Strip (Deck), Carbon Fiber Reinforced Polymer Sheet (Exterior & Interior), Access Opening; Soffit, Bridge Removal (Portion), Location A and B, Develop Water Supply, Class 2 Aggregate Base, Hot Mix Asphalt (Type A), Minor Hot Mix Asphalt, Shoulder Rumble Strip (HMA, Ground-In Indentations), Place Hot Mix Asphalt Dike (Type F), Place Hot Mix Asphalt (Misc. Area), Shoulder Rumble Strip (Concrete Pavement, Ground-In Indentation), Rail Element Wall, Structural Concrete; Bridge, Structural Concrete; Bridge (Polymer Fiber), Structural Concrete; Barrier Slab, Aggregate Base (Approach Slab), Structural Concrete; Approach Slab (Type R), Drill and Bond Dowel, Clean Expansion Joint, Neoprene Gland (Wabo Strip Seal SE-400), Neoprene Gland (Wabo Strip Seal SE-500), Fabricated Strip Seal (Wabo Type M), Fabricated Strip Seal (Wabo Type R), Joint Seal (MR 1/2"), Joint Seal (MR 2"), Bar Reinforcing Steel (Epoxy Coated) (Bridge), Bar Reinforcing Steel (Epoxy Coated) Bridge, Bar Reinforcing Steel (Stainless Steel), 8" Corrugated Steel Pipe Downdrain (.079" Thick), 8" Entrance Taper, 8" Anchor Assembly, Minor Concrete (Misc. Construction), Object Marker (Type P), Midwest Guardrail System (7' Post), End Anchor Assembly (Type SFT), Concrete Barrier (Type 60 and Type 736), Thermoplastic Traffic Stripe (Sprayable), Pavement Marker (Retroreflective), Maintaining Existing Traffic Mgmt. System Elements During Construction, Modifying Existing Electrical System.

Stewart Engineering, Inc.

P.O. Box 990010

Redding, CA 96099

Telephone: (530) 244-8464

Fax: (530) 244-8462

INVITATION TO BID

October 18, 2016

S.t. Rhoades Construction, Inc.

3468 Bechelli Lane, Suite E

Redding, CA, 96049

We are seeking certified and qualified **DBE (9% Goal)** subcontractors and/or suppliers for:

Project: State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Location: Near Hornbrook, CA

Bid Due Date: 11/01/16 at 01:00 PM PST

Solicitation Number: 02-4F58U4

Contact: Renee Thomas

Quotes are needed for:

the following items of work, including but not limited to: Lead Compliance Plan, Construction Area Signs, Traffic Control System, Temp. Pavement Marking (Paint), Temp. Traffic Stripe (Paint), Channelizer (Surface Mounted), Portable Changeable Message Sign, Temp. Railing (Type K), Temp. Crash Cushion System, Prepare Water Pollution Control Program, Temp. Drainage Inlet Protection, Temp. Fiber Roll, Temp. Concrete Washout, Asbestos Compliance Plan, Asbestos Removal, Treated Wood Waste, Bird Exclusion, Rumble Strip Patch (Concrete), Remove Guardrail, Remove Painted Traffic Stripe, Remove Painted Pavement Marking, Remove Thermoplastic Traffic Stripe, Remove Pavement Marker, Salvage Metal Bridge Railing, Reconstruct Guardrail, Reconstruct Guardrail (9' Post), Reconstruct Terminal System, Reconstruct Transition Railing, Reconstruct End Anchor (Type SFT), Cold Plane Asphalt Concrete Pavement, Remove Concrete Barrier, Prepare Concrete Bridge Deck Surface, Furnish and Place Polyester Concrete Overlay, Carbon Fiber Reinforced Polymer Strip (Deck), Carbon Fiber Reinforced Polymer Sheet (Exterior & Interior), Access Opening; Soffit, Bridge Removal (Portion), Location A and B, Develop Water Supply, Class 2 Aggregate Base, Hot Mix Asphalt (Type A), Minor Hot Mix Asphalt, Shoulder Rumble Strip (HMA, Ground-In Indentations), Place Hot Mix Asphalt Dike (Type F), Place Hot Mix Asphalt (Misc. Area), Shoulder Rumble Strip (Concrete Pavement, Ground-In Indentation), Rail Element Wall, Structural Concrete; Bridge, Structural Concrete; Bridge (Polymer Fiber), Structural Concrete; Barrier Slab, Aggregate Base (Approach Slab), Structural Concrete; Approach Slab (Type R), Drill and Bond Dowel, Clean Expansion Joint, Neoprene Gland (Wabo Strip Seal SE-400), Neoprene Gland (Wabo Strip Seal SE-500), Fabricated Strip Seal (Wabo Type M), Fabricated Strip Seal (Wabo Type R), Joint Seal (MR 1/2"), Joint Seal (MR 2"), Bar Reinforcing Steel (Epoxy Coated) (Bridge), Bar Reinforcing Steel (Epoxy Coated) Bridge, Bar Reinforcing Steel (Stainless Steel), 8" Corrugated Steel Pipe Down drain (.079" Thick), 8" Entrance Taper, 8" Anchor Assembly, Minor Concrete (Misc. Construction), Object Marker (Type P), Midwest Guardrail System (7' Post), End Anchor Assembly (Type SFT), Concrete Barrier (Type 60 and Type 736), Thermoplastic Traffic Stripe (Sprayable), Pavement Marker (Retroreflective), Maintaining Existing Traffic Mgmt. System Elements During Construction, Modifying Existing Electrical System..

Stewart Engineering Inc. is an EEO Employer. We encourage and actively solicit proposals from DBE subcontractors and suppliers on all our projects. All qualified DBE subcontractors must be registered and certified by the California Department of Transportation.

Plans & Specifications may be obtained from the Department of Transportation's website: http://www.dot.ca.gov/hq/csc/oc/weekly_ads/all_advertised.php. Prior to the bid, upon request, you can contact our office if you require assistance in bonding, lines of credit, insurance, obtaining necessary equipment, supplies, materials or services etc., which may be required by the Owner. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing prior to bid opening. All Subcontractors will be required to sign our standard Subcontract Agreement. You must be registered and provide your Department of Industrial Relations number.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Steve Rhoades

Print Name of Business Owner

Signature

Date: 10/24/2016

Please fax return this form by Nov 01, 2016
with a copy of your certification to Renee Thomas at (530) 244-8462

Stewart Engineering, Inc.

P.O. Box 990010
Redding, CA 96099
Telephone: (530) 244-8464
Fax: (530) 244-8462

INVITATION TO BID

October 18, 2016
Allen Gill Construction, Inc.
950 B DESCHUTES ROAD
PALO CEDRO, CA, 96073

We are seeking certified and qualified **DBE (9% Goal)** subcontractors and/or suppliers for:

Project: State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Location: Near Hornbrook, CA

Bid Due Date: 11/01/16 at 01:00 PM PST

Solicitation Number: 02-4F58U4

Contact: Renee Thomas

Quotes are needed for:

the following items of work, including but not limited to: Lead Compliance Plan, Construction Area Signs, Traffic Control System, Temp. Pavement Marking (Paint), Temp. Traffic Stripe (Paint), Channelizer (Surface Mounted), Portable Changeable Message Sign, Temp. Railing (Type K), Temp. Crash Cushion System, Prepare Water Pollution Control Program, Temp. Drainage Inlet Protection, Temp. Fiber Roll, Temp. Concrete Washout, Asbestos Compliance Plan, Asbestos Removal, Treated Wood Waste, Bird Exclusion, Rumble Strip Patch (Concrete), Remove Guardrail, Remove Painted Traffic Stripe, Remove Painted Pavement Marking, Remove Thermoplastic Traffic Stripe, Remove Pavement Marker, Salvage Metal Bridge Railing, Reconstruct Guardrail, Reconstruct Guardrail (9' Post), Reconstruct Terminal System, Reconstruct Transition Railing, Reconstruct End Anchor (Type SFT), Cold Plane Asphalt Concrete Pavement, Remove Concrete Barrier, Prepare Concrete Bridge Deck Surface, Furnish and Place Polyester Concrete Overlay, Carbon Fiber Reinforced Polymer Strip (Deck), Carbon Fiber Reinforced Polymer Sheet (Exterior & Interior), Access Opening; Soffit, Bridge Removal (Portion), Location A and B, Develop Water Supply, Class 2 Aggregate Base, Hot Mix Asphalt (Type A), Minor Hot Mix Asphalt, Shoulder Rumble Strip (HMA, Ground-In Indentations), Place Hot Mix Asphalt Dike (Type F), Place Hot Mix Asphalt (Misc. Area), Shoulder Rumble Strip (Concrete Pavement, Ground-In Indentation), Rail Element Wall, Structural Concrete; Bridge, Structural Concrete; Bridge (Polymer Fiber), Structural Concrete; Barrier Slab, Aggregate Base (Approach Slab), Structural Concrete; Approach Slab (Type R), Drill and Bond Dowel, Clean Expansion Joint, Neoprene Gland (Wabo Strip Seal SE-400), Neoprene Gland (Wabo Strip Seal SE-500), Fabricated Strip Seal (Wabo Type M), Fabricated Strip Seal (Wabo Type R), Joint Seal (MR 1/2"), Joint Seal (MR 2"), Bar Reinforcing Steel (Epoxy Coated) (Bridge), Bar Reinforcing Steel (Epoxy Coated) Bridge, Bar Reinforcing Steel (Stainless Steel), 8" Corrugated Steel Pipe Down drain (.079" Thick), 8" Entrance Taper, 8" Anchor Assembly, Minor Concrete (Misc. Construction), Object Marker (Type P), Midwest Guardrail System (7' Post), End Anchor Assembly (Type SFT), Concrete Barrier (Type 60 and Type 736), Thermoplastic Traffic Stripe (Sprayable), Pavement Marker (Retroreflective), Maintaining Existing Traffic Mgmt. System Elements During Construction, Modifying Existing Electrical System..

Stewart Engineering Inc. is an EEO Employer. We encourage and actively solicit proposals from DBE subcontractors and suppliers on all our projects. All qualified DBE subcontractors must be registered and certified by the California Department of Transportation.

Plans & Specifications may be obtained from the Department of Transportation's website: http://www.dot.ca.gov/hq/csc/oc/weekly_ads/all_advertiscd.php. Prior to the bid, upon request, you can contact our office if you require assistance in bonding, lines of credit, insurance, obtaining necessary equipment, supplies, materials or services etc., which may be required by the Owner. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing prior to bid opening. All Subcontractors will be required to sign our standard Subcontract Agreement. You must be registered and provide your Department of Industrial Relations number.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Armed Gun
Print Name of Business Owner

[Signature]
Signature

Date: 10/19/16

Please fax return this form by Nov 01, 2016
with a copy of your certification to Renee Thomas at (530) 244-8462

Stewart Engineering, Inc.

P.O. Box 990010
Redding, CA 96099
Telephone: (530) 244-8464
Fax: (530) 244-8462

INVITATION TO BID

October 18, 2016
Dirt & Aggregate Interchange, Inc
20905 N.e. Sandy Boulevard
Fairview, OR, 97024

We are seeking certified and qualified DBE (9% Goal) subcontractors and/or suppliers for:

Project: State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Location: Near Hornbrook, CA

Bid Due Date: 11/01/16 at 01:00 PM PST

Solicitation Number: 02-4F58U4

Contact: Renee Thomas

Quotes are needed for:

the following items of work, including but not limited to: Lead Compliance Plan, Construction Area Signs, Traffic Control System, Temp. Pavement Marking (Paint), Temp. Traffic Stripe (Paint), Channelizer (Surface Mounted), Portable Changeable Message Sign, Temp. Railing (Type K), Temp. Crash Cushion System, Prepare Water Pollution Control Program, Temp. Drainage Inlet Protection, Temp. Fiber Roll, Temp. Concrete Washout, Asbestos Compliance Plan, Asbestos Removal, Treated Wood Waste, Bird Exclusion, Rumble Strip Patch (Concrete), Remove Guardrail, Remove Painted Traffic Stripe, Remove Painted Pavement Marking, Remove Thermoplastic Traffic Stripe, Remove Pavement Marker, Salvage Metal Bridge Railing, Reconstruct Guardrail, Reconstruct End Anchor (Type SFT), Cold Plane Asphalt Concrete Pavement, Remove Concrete Barrier, Prepare Concrete Bridge Deck Surface, Furnish and Place Polyester Concrete Overlay, Carbon Fiber Reinforced Polymer Strip (Deck), Carbon Fiber Reinforced Polymer Sheet (Exterior & Interior), Access Opening; Soffit, Bridge Removal (Portion), Location A and B, Develop Water Supply, Class 2 Aggregate Base, Hot Mix Asphalt (Type A), Minor Hot Mix Asphalt, Shoulder Rumble Strip (HMA, Ground-In Indentations), Place Hot Mix Asphalt Dike (Type F), Place Hot Mix Asphalt (Misc. Area), Shoulder Rumble Strip (Concrete Pavement, Ground-In Indentation), Rail Element Wall, Structural Concrete; Bridge, Structural Concrete; Bridge (Polymer Fiber), Structural Concrete; Barrier Slab, Aggregate Base (Approach Slab), Structural Concrete; Approach Slab (Type R), Drill and Bond Dowel, Clean Expansion Joint, Neoprene Gland (Wabo Strip Seal SE-400), Neoprene Gland (Wabo Strip Seal SE-500), Fabricated Strip Seal (Wabo Type M), Fabricated Strip Seal (Wabo Type R), Joint Seal (MR 1/2"), Joint Seal (MR 2"), Bar Reinforcing Steel (Epoxy Coated) (Bridge), Bar Reinforcing Steel (Epoxy Coated) Bridge, Bar Reinforcing Steel (Stainless Steel), 8" Corrugated Steel Pipe Down drain (.079" Thick), 8" Entrance Taper, 8" Anchor Assembly, Minor Concrete (Misc. Construction), Object Marker (Type P), Midwest Guardrail System (7' Post), End Anchor Assembly (Type SFT), Concrete Barrier (Type 60 and Type 736), Thermoplastic Traffic Stripe (Sprayable), Pavement Marker (Retroreflective), Maintaining Existing Traffic Mgmt. System Elements During Construction, Modifying Existing Electrical System.

Stewart Engineering Inc. is an EEO Employer. We encourage and actively solicit proposals from DBE subcontractors and suppliers on all our projects. All qualified DBE subcontractors must be registered and certified by the California Department of Transportation.

Plans & Specifications may be obtained from the Department of Transportation's website: http://www.dot.ca.gov/hq/csc/oc/weekly_ads/all_advertised.php. Prior to the bid, upon request, you can contact our office if you require assistance in bonding, lines of credit, insurance, obtaining necessary equipment, supplies, materials or services etc., which may be required by the Owner. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing prior to bid opening. All Subcontractors will be required to sign our standard Subcontract Agreement. You must be registered and provide your Department of Industrial Relations number.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: Guardrail Installation

We cannot participate in the contract

Print Name of Business Owner _____

Signature _____

Date: 10/18/16

Please fax return this form by Nov 01, 2016
with a copy of your certification to Renee Thomas at (530) 244-8462

Fax Confirmations for State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Company Name	Fax	Status	Attempts	Time Sent
A B S L Construction	(510) 727-0910	Success	1	10/18/2016 at 07:18 PM
Quimu Contracting, Inc.	(707) 678-8384	Failure	1	
Allen Gill Construction, Inc.	(530) 547-1118	Success	1	10/18/2016 at 07:18 PM
Dillard Environmental Services	(925) 634-0874	Success	1	10/18/2016 at 07:18 PM
White Cap Ready Mix, Inc.	(530) 832-5847	Success	1	10/18/2016 at 07:18 PM
WALLACE STRUCTURES	(707) 768-3386	Success	1	10/18/2016 at 07:18 PM
6 RIVERS CONSTRUCTION, INC	(530) 625-5423	Success	1	10/18/2016 at 07:18 PM
Dirt & Aggregate Interchange, Inc	(503) 669-1192	Success	1	10/18/2016 at 07:18 PM
STAFFORD ENVIRONMENTAL SERVICES INC-BIRD SOLUTIONS INTERNATIONAL	(760) 758-3969	Success	1	10/18/2016 at 07:18 PM
Alert-o-lite, Inc	(559) 453-3250	Success	1	10/18/2016 at 07:18 PM
Hamanaka Painting Co.	(707) 444-3346	Success	1	10/18/2016 at 07:18 PM
BAY LINE CUTTING & CORING INC	(510) 527-0500	Success	1	10/18/2016 at 07:18 PM
General Supply Company	(510) 632-2315	Success	1	10/18/2016 at 07:18 PM
Gr Sundberg, Inc.	(707) 825-6563	Success	1	10/18/2016 at 07:18 PM
BLACK DIAMOND ASPHALT, INC.	(707) 448-9407	Success	1	10/18/2016 at 07:19 PM
HEIR & SON CONSTRUCTION, INC	(916) 463-9041	Success	1	10/18/2016 at 07:19 PM
Eighteen Trucking Co.	(415) 552-3130	Failure	1	
Quality Erectors & Construction, Inc.	(707) 751-3962	Success	1	10/18/2016 at 07:19 PM
Metco	(415) 455-9960	Failure	1	
Pc&n Construction, Inc	(925) 634-4339	Success	1	10/18/2016 at 07:19 PM
Vintage Paving Company, Inc.	(530) 795-5734	Success	1	10/18/2016 at 07:19 PM
Specialty Traffic Systems	(707) 445-1856	Success	1	10/18/2016 at 07:19 PM
DON H MAHAFFEY DRILLING CO	(310) 668-	Success	1	10/18/2016

DISABLED AMERICAN VETERAN ENTERPRISES TRUCKING & SWEEPING, INC	2040 (559) 374- 6470	Success 1	at 07:19 PM 10/18/2016 at 07:24 PM
Bert W Salas, Inc.	(619) 258- 3515	Success 1	10/18/2016 at 07:19 PM
FCS STRIPING SEALING & PAVING INC	(925) 373- 6208	Success 1	10/18/2016 at 07:19 PM
Northern Industrial Electric	(530) 246- 2368	Success 1	10/18/2016 at 07:19 PM
Eagle Engineering And Construction, Inc	(650) 367- 8282	Success 1	10/18/2016 at 07:19 PM
A F M Environmental Inc.	(916) 374- 9527	Success 1	10/18/2016 at 07:19 PM
MC CULLOUGH CONSTRUCTION INC	(707) 825- 1769	Success 1	10/18/2016 at 07:19 PM
IRB CONSTRUCTION, INC.	(888) 315- 7315	Success 1	10/18/2016 at 07:25 PM
Newland Entities, Inc	(530) 674- 0756	Failure 1	
Frank Medina General Engineering Contrac	(530) 743- 9352	Success 1	10/18/2016 at 07:25 PM
ALL AMERICAN ASPHALT SEALING INC	(775) 827- 3006	Failure 1	
Adanta, Inc	(707) 736- 8368	Failure 1	
TRINITY VALLEY CONSULTING ENGINEERS	(530) 629- 3011	Success 1	10/18/2016 at 07:30 PM
S.t. Rhoades Construction, Inc.	(530) 223- 9222	Success 1	10/18/2016 at 07:25 PM
ABRASIVE BLASTING SERVICE	(951) 786- 9081	Success 1	10/18/2016 at 07:25 PM
ARROW S COMPANY	(707) 437- 2555	Failure 1	
Industrial Battery Services	(510) 412- 5988	Failure 1	

Stewart Engineering, Inc.

LOG

Good Faith Effort for Bid Solicitation 02-4F58U4

Project: State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Important Instructions

NOTE: If your bid-package includes form STD-840, you MUST write "See attached Log sections A, B, & C" on STD-840 and include STD-840 with your GFE documents.

- 1.) Read and complete Section A.
 - 2.) We have completed Section B for you.
 - 3.) Complete Section C by making follow-up phone calls to the firms listed below.
- >For DVBE firms, call at least 3 firms. ->For DBE, MBE, & WBE firms, call all of them.

SPECIAL DIRECTIONS FOR CALTRANS PROJECTS:

As of June 1, 2010 Caltrans now requires primes that do not meet their UDBE & DBE goal to do the following:

1.
 - A. Go to the CalTrans project calendar webpage at <http://dap1.dot.ca.gov/hq/esc/oe/calendar> and log-in using your bid package registration and password.
 - B. Hit on the project number your bidding.
 - C. Hit "See Opt-in records".
 - D. Print this page. You must now contact these Opt-in DBE's as part of your search for participation.
2. Now hit your browser back-button and hit "Primes: Advertise for help" Be sure your listed in the CalTrans "Primes Seeking Assistance".

As of Sept. 2010, Caltrans suggests the following further steps to support Good Faith Effort (GFE).

1. Attend networking opportunity events at mandatory Caltrans pre-bids & district meetings. Include with your GFE, information that you attended the meeting along with the event brochure.
2. As you reach the bid opening date, ask yourself how likely you are to meeting the goal. If its apparent you may not, then do another GFE. This should be done 5 days of bid opening.

SPECIAL DIRECTIONS FOR FEDERALLY FUNDED PROJECTS:

Review your bid documents and search for any references to the Small Business Administration (SBA) and the Minority Business Development Agency (MBDA). If the agencies are mentioned in the bid documents you MUST post your opportunity through their websites. Contact us for more details.

A. Awarding Department Contact Instructions

Many California Good-Faith Efforts may require the bidding contractor to CALL the awarding department or owner and talk with their Good-Faith representative. SEE YOUR CONTRACT DOCUMENTS FOR THIS TELEPHONE NO. Call it and record the result below.

Awarding Department Contact Action

Stewart Engineering, Inc. contacted the awarding department issuing this contract at (tel number) _____ at (time) _____ on (date) _____ and discussed Good-Faith Effort with (Awarding Department Contact) _____.
Remarks:(left message, etc.) _____.
Phone call was made by (Prime Rep's do_signature) _____.

B. Federal, State, & Local Agencies Contacted

On 10/18/16, Stewart Engineering, Inc. contacted:

1. Federal Agency: System for Award Management (SAM) at <https://www.sam.gov/portal/SAM/##11#1> at 07:13PM on 10/18/2016
 2. State Agency: Office of Small Business & DVBE Certification (OSDC) <http://www.pd.dgs.ca.gov/smbus> at 07:13PM on 10/18/2016
 3. California Unified Certification Program (CUCP) at <http://www.dot.ca.gov/ucp/GetLicenseForm.do> at 07:13PM on 10/18/2016
 4. Local referral organization: Compliance News (www.compliancenews.com) at 07:13PM on 10/18/2016
-

See Next Page for Firms

C. Summary of Firms Sent Bid Invitations

40 total firms were sent invitations.

Company Name: A B S L Construction

Address: 29334 Pacific Street

Hayward, CA, 94544

Phone: (510) 727-0900, **Fax:** (510) 727-0910

Work Categories:

Â TRAFFIC CONTROL SYSTEM; RESET, ADJUST ROADWAY ITEMS; PLANE ASPHALT CONCRETE; CLEARING & GRUBBING; ROADWAY EXCAVATION; GRADING; STRUCTURE EXCAVATION; STRUCTURE BACKFILL; DITCHES EXCAVATION; GROOVE & GRIND PAVEMENT; MINOR CONCRETE STRUCTURE; ERECT PRECAST

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: Not Bidding 10/20

Person Contacted and Comments for Solicitation: 02-4F58U4 State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Company Name: Quimu Contracting, Inc.

Address: 695 Priddy Drive

Dixon, CA, 95620

Phone: (707) 693-0289, **Fax:** (707) 678-8384

Work Categories:

Demolition, General Engineering Construction 811015 - Civil Engineering, Ditches Excavation, 238110, Poured Concrete Foundation And Structure Contractors, Core Concrete - Repair Bridge Deck, Clearing & Grubbing, Prestressing Concrete Cast-in-place, Steel

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: No 10/20

Person Contacted and Comments for Solicitation: 02-4F58U4 State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Company Name: Allen Gill Construction, Inc.

Address: 950 B DESCHUTES ROAD

PALO CEDRO, CA, 96073

Phone: (530) 547-1112, **Fax:** (530) 547-1118

Work Categories:

CLEARING & GRUBBING; DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; GRADING; STRUCTURE EXCAVATION; STRUCTURE BACKFILL; DITCHES EXCAVATION; EMBANKMENT CONSTRUCTION; FINISHING ROADWAY; CONCRETE BASE; ASPHALT CONCRETE; PRESTRESSING CONCRETE CAST-IN-PLACE; DRAINAG

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: Not Bidding 10/20

Person Contacted and Comments for Solicitation: 02-4F58U4 State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in

Siskiyou County

Company Name: Dillard Environmental Services

Address: 3120 Camino Diablo Rd
Byron, CA, 94514

Phone: (925) 634-6850, **Fax:** (925) 634-0874

Work Categories:

Demolition, Haz And Non-haz Remediation, Management, Collection, Packaging, Transportation, Disposal, Spill Response; Trucking; Equipment Includes Semi End Dumps, Semi Bottom Dumps, Super Dumps, Vacuum Trucks, Rolloffs, Vans, Loaders, Trucking 111115 - D

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: NO

Person Contacted and Comments for Solicitation: 02-4F58U4 State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Company Name: White Cap Ready Mix, Inc.

Address: 73880 Highway 70
Portola, CA, 96122

Phone: (530) 832-4225, **Fax:** (530) 832-5847

Work Categories:

Metals & Minerals, Except Petroleum, Lumber & Other Building Materials, 444190, Other Building Material Dealers, Concrete & Cement Supplier, Concrete, Gypsum, & Plaster Products, Building Material Supplier, Lumber Supplier, Reinforcing Bar Section Supplier

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: Supplier 10/20

Person Contacted and Comments for Solicitation: 02-4F58U4 State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Company Name: WALLACE STRUCTURES

Address: PO BOX 629
FORTUNA, CA, 95540

Phone: (707) 834-4992, **Fax:** (707) 768-3386

Work Categories:

General Building Contractor General Engineering Contractor Wetland Construction, Construction Management, 237110, Water And Sewer Line And Related Structures Construction, Structure Excavation, Construction Management - Other Heavy And Civil Construction

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: NO 10/20

Person Contacted and Comments for Solicitation: 02-4F58U4 State of California, Department of

Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Company Name: 6 RIVERS CONSTRUCTION, INC

Address: 200 Redwood Grove Rd
HOOPA VALLEY INDIAN RESERVAT,CA, 95546

Phone: (530) 515-7563, **Fax:** (530) 625-5423

Work Categories:

Excavating,earthwork,paving,grading,rock Slope Protection, Decommissioning, Slide Removal, Site Prep, Hauling, Grubbing/clearing, Slide Removal,parking Lot Repair, Erosion Control,rolling Dips, Culverts Placement, Ditching, 721033 - Infrastructure Mainten

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: NO 10/20

Person Contacted and Commments for Solicitation: 02-4F58U4 State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Company Name: Dirt & Aggregate Interchange, Inc

Address: 20905 N.e. Sandy Boulevard
Fairview,OR, 97024

Phone: (503) 661-5093, **Fax:** (503) 669-1192

Work Categories:

Metal Beam Barrier, Clearing & Grubbing, 237310, Highway, Street, And Bridge Construction, Embankment Construction, Structure Excavation, Object Marker, Roadway Excavation, Wholesale Broker Of Construction Materials, Reset, Adjust Roadway Items, Guard Rai

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: yes will send quote 10/20

Person Contacted and Commments for Solicitation: 02-4F58U4 State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Company Name: STAFFORD ENVIRONMENTAL SERVICES INC-BIRD SOLUTIONS
INTERNATIONAL

Address: 323 E BROADWAY C
VISTA,CA, 92084

Phone: (760) 758-9747, **Fax:** (760) 758-3969

Work Categories:

Disinfecting & Pest Control Services, Bird Control, Bird Netting, Bird Abatement, Wire Spikes, Pest, Bats, Swallows, Seagulls, Pigeons, Rodent, Rats, Animal Trapping, Bed Bugs 101917 - Pest Control Devices 721021 - Pest Control, Disinfecting And Pest Cont

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: NO 10/20
Person Contacted and Comments for Solicitation: 02-4F58U4 State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Company Name: Alert-o-lite, Inc
Address: P.o. Box 12224
Fresno,CA, 93777
Phone: (559) 453-2474, **Fax:** (559) 453-3250

Work Categories:
SAFETY EQUIPMENT SUPPLIER; GUARD RAILINGS & BARRIERS SUPPLIER; ELECTRICAL & SIGNALS SUPPLIER; TOOLS Supplier; CONSTRUCTION AREA SIGNS; TEMPORARY RAILING (TYPE K); SIGN STRUCTURE; ROADSIDE SIGN; CONSTRUCTION EQUIPMENT RENTAL; HEAVY EQUIPMENT RENTAL (OWNED)

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: NO 10/20
Person Contacted and Comments for Solicitation: 02-4F58U4 State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Company Name: Hamanaka Painting Co.
Address: P.o. Box 6413
Eureka,CA, 95503
Phone: (707) 444-3340, **Fax:** (707) 444-3346

Work Categories:
Painting Structures, General Building Contractor Painting And Decorating Home Improvement Certification Commercial Residential 721513 - Painting And Paper Hanging Services 781816 - Panel And Paint Services, 238320, Painting And Wall Covering Contractors,

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: NO BID 10/20
Person Contacted and Comments for Solicitation: 02-4F58U4 State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Company Name: BAY LINE CUTTING & CORING INC
Address: 1635 4TH STREET
BERKELEY,CA, 94710
Phone: (510) 527-1000, **Fax:** (510) 527-0500

Work Categories:
MODIFY BRIDGE ITEM; CLEAN & SEAL PAVEMENT JOINTS - ROUT & SEAL CRACKS; CONCRETE STRUCTURE; MINOR CONCRETE STRUCTURE; CONCRETE SURFACE FINISH;

CONCRETE OVERLAY, DRILL & BOND; CORE CONCRETE - REPAIR BRIDGE DECK; JOINT SEAL - WATER STOP; SAW CUTTING;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: NO 10/20

Person Contacted and Comments for Solicitation: 02-4F58U4 State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Company Name: General Supply Company

Address: 971 87th Avenue

Oakland,CA, 94621

Phone: (510) 632-5229, **Fax:** (510) 632-2315

Work Categories:

Lumber And Construction Material, Supplier Of Construction Equipment, Building Materials, All Lumber Products And Plywood And Hard Woods, Safety Supplies. 201214 - Completion Tools And Equipment 301036 - Structural Products 301217 - Road And Railroad Cons

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: Supplier 10/20

Person Contacted and Comments for Solicitation: 02-4F58U4 State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Company Name: Gr Sundberg, Inc.

Address: 5211 Boyd Road

Arcata,CA, 95521

Phone: (707) 825-6565, **Fax:** (707) 825-6563

Work Categories:

C1522 RESET, ADJUST ROADWAY ITEMS; C1531 PLANE ASPHALT CONCRETE; C1701 DEVELOP WATER SUPPLY; C1901 ROADWAY EXCAVATION; C1910 GRADING; C1920 STRUCTURE EXCAVATION; C3701 SEAL COAT; C3901 ASPHALT CONCRETE; C3910 PAVING ASPHALT (ASPHALT CONCRETE); C8201 OBJ

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: NO 10/20

Person Contacted and Comments for Solicitation: 02-4F58U4 State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Company Name: BLACK DIAMOND ASPHALT, INC.

Address: 118 MAIN STREET

VACAVILLE,CA, 95688

Phone: (707) 448-9402, **Fax:** (707) 448-9407

Work Categories:

ASPHALT SUPPLIER; TRUCKER;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: Supplier 10/20

Person Contacted and Comments for Solicitation: 02-4F58U4 State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Company Name: HEIR & SON CONSTRUCTION, INC

Address: 1180 SANBORN ROAD

YUBA CITY, CA, 95993

Phone: (530) 415-4777, **Fax:** (916) 463-9041

Work Categories:

CONSTRUCTION AREA SIGNS; TRAFFIC FLAGGERS; ROADWAY EXCAVATION; FINISHING ROADWAY; CLEAN & SEAL PAVEMENT JOINTS - ROUT & SEAL CRACKS; GROOVE & GRIND PAVEMENT; CONCRETE SURFACE FINISH; CONCRETE OVERLAY, DRILL & BOND;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: NO Bid 10/20

Person Contacted and Comments for Solicitation: 02-4F58U4 State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Company Name: Eighteen Trucking Co.

Address: 160 Cargo Way No. 2002

San Francisco, CA, 94124

Phone: (415) 552-1818, **Fax:** (415) 552-3130

Work Categories:

Truck Broker, Local Construction Trucking Wholesale Of Aggregates Disposal Services 251016 - Product And Material Transport Vehicles 781018 - Road Cargo Transport, Construction Related Trucking. Hazardous Waste Transport And Disposal. Wholesale Of Aggrega

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: Trucker 10/20

Person Contacted and Comments for Solicitation: 02-4F58U4 State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Company Name: Quality Erectors & Construction, Inc.

Address: 3130 Bayshore Rd.

Benicia, CA, 94510

Phone: (707) 746-4198, **Fax:** (707) 751-3962

Work Categories:

Roofing, Pre-engineered Metal Buildings, Storage Architectural Paneling Roofing, Manufacturing Facilities
Structural Steel Fabricate Fabrication Warehouse Steel Buildings 332311 - Prefabricated Metal Building And
Component Manufacturing 332322 - Sheet Met

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: NO 10/20

Person Contacted and Comments for Solicitation: 02-4F58U4 State of California, Department of
Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in
Siskiyou County

Company Name: Metco

Address: 2165 Francisco Boulevard, #ai
San Rafael, CA, 94901

Phone: (415) 455-9922, **Fax:** (415) 455-9960

Work Categories:

Electrical, Electrical Goods, 238210, Electrical Contractors, Residential Electrical, Telephone
Communications, Management & Public Relations, Consultant, Non Engineering, Computer Equipment &
Supplies, Civil Engineering, Computer Programming, Computer &

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: No Bid not what they do

Person Contacted and Comments for Solicitation: 02-4F58U4 State of California, Department of
Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in
Siskiyou County 10/20

Company Name: Pc&n Construction, Inc

Address: 5301-f Byron Hot Springs Road
Byron, CA, 94514

Phone: (925) 634-4567, **Fax:** (925) 634-4339

Work Categories:

Guard Railings & Barriers, Metal Beam Guard Rail, Terminal System, Cable Railing, Bridge Railing 721410 -
Highway And Road Construction Services, Guard Railings & Barriers Supplier, 237310, Highway, Street, And
Bridge Construction, Metal Beam Barrier, Met

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: NO Bid 10/20

Person Contacted and Comments for Solicitation: 02-4F58U4 State of California, Department of
Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in
Siskiyou County

Company Name: Vintage Paving Company, Inc.

Address: 119 Main Street
Winters, CA, 95694

Phone: (530) 795-0132, **Fax:** (530) 795-5734

Work Categories:

PLANE ASPHALT CONCRETE; CLEARING & GRUBBING; ROADWAY EXCAVATION; GRADING; STRUCTURE EXCAVATION; STRUCTURE BACKFILL; DITCHES EXCAVATION; PAVING ASPHALT (ASPHALT CONCRETE); AIR-BLOWN MORTAR (SLOPE PAVING); DEMOLITION;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 90 10/20

Person Contacted and Comments for Solicitation: 02-4F58U4 State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Company Name: Specialty Traffic Systems

Address: 2431 Broadway
Eureka, CA, 95501

Phone: (707) 441-8420, **Fax:** (707) 445-1856

Work Categories:

Pavement Markers, Pavement Markers Supplier, 453998, All Other Miscellaneous Store Retailers (except Tobacco Stores), Misc Apparel & Accessory Stores, Safety Supplier, Tools Supplier, Decals, Signs, Guard Railings & Barriers Supplier, Retail Stores Suppli

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 20 Supplier 10/20

Person Contacted and Comments for Solicitation: 02-4F58U4 State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Company Name: DON H MAHAFFEY DRILLING CO

Address: 1800 SOUTH ALAMEDA STREET
COMPTON, CA, 90221

Phone: (310) 668-2030, **Fax:** (310) 668-2040

Work Categories:

MODIFY BRIDGE ITEM; C1970 EMBANKMENT CONSTRUCTION; C4901 FURNISH & DRIVE PILING; C4905 SOIL STABILIZATION; C4906 CAST-IN-DRILLED-HOLE CONCRETE PILING;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 20 10/20

Person Contacted and Comments for Solicitation: 02-4F58U4 State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Company Name: DISABLED AMERICAN VETERAN ENTERPRISES TRUCKING & SWEEPING, INC

Address: 5633 N. Fig Garden Dr #109
Fresno, CA, 93706

Phone: (559) 370-5756, **Fax:** (559) 374-6470

Work Categories:

PETROLEUM, OIL, LUBRICANTS SUPPLIER; SAND & GRAVEL SUPPLIER; ASPHALT SUPPLIER; REINFORCING BAR SECTION SUPPLIER; STEEL SUPPLIER; LUMBER SUPPLIER; PIPE SUPPLIER; Draining Systems Supplier; Storm Water Systems Supplier; GUARD RAILINGS & BARRIERS SUPPLIER; B

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: Supplier / Truckee 10/20
Person Contacted and Comments for Solicitation: 02-4F58U4 State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Company Name: Bert W Salas, Inc.
Address: 10769 Woodside Avenue, Suite 201
Santee, CA, 92071
Phone: (619) 562-7711, **Fax:** (619) 258-3515

Work Categories:

CLEARING & GRUBBING; ROADWAY EXCAVATION; STRUCTURE EXCAVATION; STRUCTURE BACKFILL; DITCHES EXCAVATION; MINOR CONCRETE STRUCTURE; STEEL STRUCTURES; STEEL CRIB WALL; ALTERNATIVE PIPE CULVERT; REINFORCED CONCRETE PIPE; CORRUGATED METAL PIPE (CSP); FILTER FAB

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: NO 10/20
Person Contacted and Comments for Solicitation: 02-4F58U4 State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Company Name: FCS STRIPING SEALING & PAVING INC
Address: PO BOX 664
LIVERMORE, CA, 94551
Phone: (925) 373-6205, **Fax:** (925) 373-6208

Work Categories:

ASPHALT SUPPLIER; PLANE ASPHALT CONCRETE; ASPHALT CONCRETE; PAVING ASPHALT (ASPHALT CONCRETE);

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: Supplier / Paving NO 10/20
Person Contacted and Comments for Solicitation: 02-4F58U4 State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Company Name: Northern Industrial Electric
Address: 2435 Radio Lane
Redding, CA, 96001

Phone: (530) 246-2366, **Fax:** (530) 246-2368

Work Categories:

ELECTRICAL & SIGNALS SUPPLIER; SIGNAL & LIGHTING; SIGNAL; LIGHTING; MESSAGE SIGNS, LIGHTING & SIGN ILLUMINATION; DETECTOR; TRAFFIC COUNT STATION; SPEED MONITORING STATION; RAMP METERING SYSTEM;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: yes will send quote 10/20

Person Contacted and Comments for Solicitation: 02-4F58U4 State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Company Name: Eagle Engineering And Construction, Inc

Address: 1175 Palomar Drive

Redwood City, CA, 94062

Phone: (650) 367-8000, **Fax:** (650) 367-8282

Work Categories:

Electric Services, 237990, Other Heavy And Civil Engineering Construction, Telegraph & Other Communications, Engines & Turbines, Demolition, Heating & Air Conditioning, Residential Electrical, Pumping Plant Electrical Equipment, Steel Structures, Structur

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: no 10/20

Person Contacted and Comments for Solicitation: 02-4F58U4 State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Company Name: A F M Environmental Inc.

Address: 830 Northport Dr., # 204

West Sacramento, CA, 95691

Phone: (916) 374-9526, **Fax:** (916) 374-9527

Work Categories:

Building Maintenance Services, Asbestos Lead Abatement Insulation Acoustical Mold Clean Up Pcb Removal 301415 - Thermal Insulation 301416 - Specialty Insulation 721521 - Acoustical And Insulation Services 721538 - Decontamination Services 761016 - Hazardo

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: no 10/20

Person Contacted and Comments for Solicitation: 02-4F58U4 State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Company Name: MC CULLOUGH CONSTRUCTION INC

Address: 57 ALDERGROVE ROAD

Arcata, CA, 95521

Phone: (707) 825-1014, **Fax:** (707) 825-1769

Work Categories:

SAND & GRAVEL; TRAFFIC CONTROL SYSTEM; REMOVE BRIDGE ITEM; MODIFY BRIDGE ITEM; CLEARING & GRUBBING; DEVELOP WATER SUPPLY; ROADWAY EXCAVATION; STRUCTURE EXCAVATION; STRUCTURE BACKFILL; DITCHES EXCAVATION; STEEL STRUCTURES; STEEL CRIB WALL; CONSTRUCTION EQU

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 10/20 10/20

Person Contacted and Comments for Solicitation: 02-4F58U4 State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Company Name: IRB CONSTRUCTION, INC.

Address: 725 6TH STREET

MARYSVILLE, CA, 95901

Phone: (916) 612-0608, **Fax:** (888) 315-7315

Work Categories:

WHOLESALE BROKER OF CONSTRUCTION MATERIALS; CLEARING & GRUBBING; DUST PALLIATIVE; ROADWAY EXCAVATION; GRADING; STRUCTURE EXCAVATION; STRUCTURE BACKFILL; DITCHES EXCAVATION; FINISHING ROADWAY; LIME TREATMENT; AGGREGATE SUBBASE; AGGREGATE BASE; CEMENT TREAT

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 10/20

Person Contacted and Comments for Solicitation: 02-4F58U4 State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Company Name: Newland Entities, Inc

Address: 335 Teegarden Avenue

Yuba City, CA, 95992

Phone: (530) 755-1178, **Fax:** (530) 674-0756

Work Categories:

Water Meter & Temp Facilities, Asphalt Concrete, 237110, Water And Sewer Line And Related Structures Construction, Sewer Connection, Roadway Excavation, Finishing Roadway, Modify Bridge Item

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 10/20

Person Contacted and Comments for Solicitation: 02-4F58U4 State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Company Name: Frank Medina General Engineering Contrac

Address: 10096 Ahart Road

Oroville,CA, 95966

Phone: (530) 743-0744, **Fax:** (530) 743-9352

Work Categories:

Irrigation Systems, General Engineering Contractor, Fencing Contractor, Minor Concrete, Patch Paving, Signage, Metal Beam Guard Railing, Markers And Delineator Installation 721410 - Highway And Road Construction Services 721527 - Concrete Installation And

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: Not Bid 10/20

Person Contacted and Comments for Solicitation: 02-4F58U4 State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Company Name: ALL AMERICAN ASPHALT SEALING INC

Address: 1565 TRAINER WAY

RENO,NV, 89512

Phone: (775) 329-3003, **Fax:** (775) 827-3006

Work Categories:

Paving Asphalt (asphalt Concrete), Highway, Street, And Bridge Construction, Pavement Reinforcing Fabric, 237310, Grading, Pavement Marking, Finishing Roadway, Asphalt Supplier, Painted Traffic Striping & Marking

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: NO 10/20

Person Contacted and Comments for Solicitation: 02-4F58U4 State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Company Name: Adanta, Inc

Address: 828 School Street

Napa,CA, 94559

Phone: (707) 709-8894, **Fax:** (707) 736-8368

Work Categories:

C8713 CONSULTANT, ENVIRONMENTAL; C8792 Environmental - Biological Studies; C8793 Environmental - Environmental Impact Assessment; C8795 Environmental-Regulatory; C8851 Lead Compliance; C8852 SWPPP Planning;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: yes wait and quote

Person Contacted and Comments for Solicitation: 02-4F58U4 State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Company Name: TRINITY VALLEY CONSULTING ENGINEERS

Address: P O BOX 1567

WILLOW CREEK, CA, 95573

Phone: (530) 629-3000, **Fax:** (530) 629-3011

Work Categories:

Engineering Services 801015 - Business And Corporate Management Consultation Services, Swppp Planning, 541330, Construction Management, Civil Engineering, Consultant, Environmental, Consultant, Engineering

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 10/20

Person Contacted and Comments for Solicitation: 02-4F58U4 State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Company Name: S.t. Rhoades Construction, Inc.

Address: 3468 Bechelli Lane, Suite E

Redding, CA, 96049

Phone: (530) 223-9322, **Fax:** (530) 223-9222

Work Categories:

CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PLANE ASPHALT CONCRETE; ROADWAY EXCAVATION; GRADING; TEMPORARY EROSION CONTROL; FINISHING ROADWAY; AGGREGATE BASE; PENETRATION TREATMENT & PRIME COAT; SEAL COAT; ASPHALT CONCRETE; PAVING ASPHALT (ASPHALT CO

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: Will send quote 10/20

Person Contacted and Comments for Solicitation: 02-4F58U4 State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Company Name: ABRASIVE BLASTING SERVICE

Address: 5465 24TH. STREET

RIVERSIDE, CA, 92509

Phone: (951) 683-4692, **Fax:** (951) 786-9081

Work Categories:

GROOVE & GRIND PAVEMENT; REMOVE PAVEMENT MARKING & TRAFFIC STRIPES; SANDBLASTING;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 10/20

Person Contacted and Comments for Solicitation: 02-4F58U4 State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Stewart Engineering, Inc.

P.O. Box 990010
Redding, CA 96099
Telephone: (530) 244-8464
Fax: (530) 244-8462

INVITATION TO BID

October 18, 2016
A B S L Construction
29334 Pacific Street
Hayward, CA, 94544

We are seeking certified and qualified **DBE (9% Goal)** subcontractors and/or suppliers for:

Project: State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Location: Near Hornbrook, CA

Bid Due Date: 11/01/16 at 01:00 PM PST

Solicitation Number: 02-4F58U4

Contact: Renee Thomas

Quotes are needed for:

the following items of work, including but not limited to: Lead Compliance Plan, Construction Area Signs, Traffic Control System, Temp. Pavement Marking (Paint), Temp. Traffic Stripe (Paint), Channelizer (Surface Mounted), Portable Changeable Message Sign, Temp. Railing (Type K), Temp. Crash Cushion System, Prepare Water Pollution Control Program, Temp. Drainage Inlet Protection, Temp. Fiber Roll, Temp. Concrete Washout, Asbestos Compliance Plan, Asbestos Removal, Treated Wood Waste, Bird Exclusion, Rumble Strip Patch (Concrete), Remove Guardrail, Remove Painted Traffic Stripe, Remove Painted Pavement Marking, Remove Thermoplastic Traffic Stripe, Remove Pavement Marker, Salvage Metal Bridge Railing, Reconstruct Guardrail, Reconstruct Guardrail (9' Post), Reconstruct Terminal System, Reconstruct Transition Railing, Reconstruct End Anchor (Type SFT), Cold Plane Asphalt Concrete Pavement, Remove Concrete Barrier, Prepare Concrete Bridge Deck Surface, Furnish and Place Polyester Concrete Overlay, Carbon Fiber Reinforced Polymer Strip (Deck), Carbon Fiber Reinforced Polymer Sheet (Exterior & Interior), Access Opening; Soffit, Bridge Removal (Portion), Location A and B, Develop Water Supply, Class 2 Aggregate Base, Hot Mix Asphalt (Type A), Minor Hot Mix Asphalt, Shoulder Rumble Strip (HMA, Ground-In Indentations), Place Hot Mix Asphalt Dike (Type F), Place Hot Mix Asphalt (Misc. Area), Shoulder Rumble Strip (Concrete Pavement, Ground-In Indentation), Rail Element Wall, Structural Concrete; Bridge, Structural Concrete; Bridge (Polymer Fiber), Structural Concrete; Barrier Slab, Aggregate Base (Approach Slab), Structural Concrete; Approach Slab (Type R), Drill and Bond Dowel, Clean Expansion Joint, Neoprene Gland (Wabo Strip Seal SE-400), Neoprene Gland (Wabo Strip Seal SE-500), Fabricated Strip Seal (Wabo Type M), Fabricated Strip Seal (Wabo Type R), Joint Seal (MR 1/2"), Joint Seal (MR 2"), Bar Reinforcing Steel (Epoxy Coated) (Bridge), Bar Reinforcing Steel (Epoxy Coated) Bridge, Bar Reinforcing Steel (Stainless Steel), 8" Corrugated Steel Pipe Downdrain (.079" Thick), 8" Entrance Taper, 8" Anchor Assembly, Minor Concrete (Misc. Construction), Object Marker (Type P), Midwest Guardrail System (7' Post), End Anchor Assembly (Type SFT), Concrete Barrier (Type 60 and Type 736), Thermoplastic Traffic Stripe (Sprayable), Pavement Marker (Retroreflective), Maintaining Existing Traffic Mgmt. System Elements During Construction, Modifying Existing Electrical System..

Stewart Engineering Inc. is an EEO Employer. We encourage and actively solicit proposals from DBE subcontractors and suppliers on all our projects. All qualified DBE subcontractors must be registered and certified by the California Department of Transportation.

Plans & Specifications may be obtained from the Department of Transportation's website:
http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_advertised.php. Prior to the bid, upon request, you can contact our office if you require assistance in bonding, lines of credit, insurance, obtaining necessary equipment, supplies, materials or services etc., which may be required by the Owner. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing prior to bid opening. All Subcontractors will be required to sign our standard Subcontract Agreement. You must be registered and provide your Department of Industrial Relations number.

If you have any questions please do not hesitate to contact us.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Nov 01, 2016
with a copy of your certification to Renee Thomas at (530) 244-8462

Stewart Engineering, Inc.

P.O. Box 990010
Redding, CA 96099
Telephone: (530) 244-8464
Fax: (530) 244-8462

INVITATION TO BID

October 18, 2016
Quimu Contracting, Inc.
695 Priddy Drive
Dixon, CA, 95620

We are seeking certified and qualified **DBE (9% Goal)** subcontractors and/or suppliers for:

Project: State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Location: Near Hornbrook, CA

Bid Due Date: 11/01/16 at 01:00 PM PST

Solicitation Number: 02-4F58U4

Contact: Renee Thomas

Quotes are needed for:

the following items of work, including but not limited to: Lead Compliance Plan, Construction Area Signs, Traffic Control System, Temp. Pavement Marking (Paint), Temp. Traffic Stripe (Paint), Channelizer (Surface Mounted), Portable Changeable Message Sign, Temp. Railing (Type K), Temp. Crash Cushion System, Prepare Water Pollution Control Program, Temp. Drainage Inlet Protection, Temp. Fiber Roll, Temp. Concrete Washout, Asbestos Compliance Plan, Asbestos Removal, Treated Wood Waste, Bird Exclusion, Rumble Strip Patch (Concrete), Remove Guardrail, Remove Painted Traffic Stripe, Remove Painted Pavement Marking, Remove Thermoplastic Traffic Stripe, Remove Pavement Marker, Salvage Metal Bridge Railing, Reconstruct Guardrail, Reconstruct Guardrail (9' Post), Reconstruct Terminal System, Reconstruct Transition Railing, Reconstruct End Anchor (Type SFT), Cold Plane Asphalt Concrete Pavement, Remove Concrete Barrier, Prepare Concrete Bridge Deck Surface, Furnish and Place Polyester Concrete Overlay, Carbon Fiber Reinforced Polymer Strip (Deck), Carbon Fiber Reinforced Polymer Sheet (Exterior & Interior), Access Opening; Soffit, Bridge Removal (Portion), Location A and B, Develop Water Supply, Class 2 Aggregate Base, Hot Mix Asphalt (Type A), Minor Hot Mix Asphalt, Shoulder Rumble Strip (HMA, Ground-In Indentations), Place Hot Mix Asphalt Dike (Type F), Place Hot Mix Asphalt (Misc. Area), Shoulder Rumble Strip (Concrete Pavement, Ground-In Indentation), Rail Element Wall, Structural Concrete; Bridge, Structural Concrete; Bridge (Polymer Fiber), Structural Concrete; Barrier Slab, Aggregate Base (Approach Slab), Structural Concrete; Approach Slab (Type R), Drill and Bond Dowel, Clean Expansion Joint, Neoprene Gland (Wabo Strip Seal SE-400), Neoprene Gland (Wabo Strip Seal SE-500), Fabricated Strip Seal (Wabo Type M), Fabricated Strip Seal (Wabo Type R), Joint Seal (MR 1/2"), Joint Seal (MR 2"), Bar Reinforcing Steel (Epoxy Coated) (Bridge), Bar Reinforcing Steel (Epoxy Coated) Bridge, Bar Reinforcing Steel (Stainless Steel), 8" Corrugated Steel Pipe Downdrain (.079" Thick), 8" Entrance Taper, 8" Anchor Assembly, Minor Concrete (Misc. Construction), Object Marker (Type P), Midwest Guardrail System (7' Post), End Anchor Assembly (Type SFT), Concrete Barrier (Type 60 and Type 736), Thermoplastic Traffic Stripe (Sprayable), Pavement Marker (Retroreflective), Maintaining Existing Traffic Mgmt. System Elements During Construction, Modifying Existing Electrical System..

Stewart Engineering Inc. is an EEO Employer. We encourage and actively solicit proposals from DBE subcontractors and suppliers on all our projects. All qualified DBE subcontractors must be registered and certified by the California Department of Transportation.

Plans & Specifications may be obtained from the Department of Transportation's website:
http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_advertised.php. Prior to the bid, upon request, you can contact our office if you require assistance in bonding, lines of credit, insurance, obtaining necessary equipment, supplies, materials or services etc., which may be required by the Owner. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing prior to bid opening. All Subcontractors will be required to sign our standard Subcontract Agreement. You must be registered and provide your Department of Industrial Relations number.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Nov 01, 2016
with a copy of your certification to Renee Thomas at (530) 244-8462

Stewart Engineering, Inc.

P.O. Box 990010
Redding, CA 96099
Telephone: (530) 244-8464
Fax: (530) 244-8462

INVITATION TO BID

October 18, 2016
Allen Gill Construction, Inc.
950 B DESCHUTES ROAD
PALO CEDRO, CA, 96073

We are seeking certified and qualified **DBE (9% Goal)** subcontractors and/or suppliers for:

Project: State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Location: Near Hornbrook, CA

Bid Due Date: 11/01/16 at 01:00 PM PST

Solicitation Number: 02-4F58U4

Contact: Renee Thomas

Quotes are needed for:

the following items of work, including but not limited to: Lead Compliance Plan, Construction Area Signs, Traffic Control System, Temp. Pavement Marking (Paint), Temp. Traffic Stripe (Paint), Channelizer (Surface Mounted), Portable Changeable Message Sign, Temp. Railing (Type K), Temp. Crash Cushion System, Prepare Water Pollution Control Program, Temp. Drainage Inlet Protection, Temp. Fiber Roll, Temp. Concrete Washout, Asbestos Compliance Plan, Asbestos Removal, Treated Wood Waste, Bird Exclusion, Rumble Strip Patch (Concrete), Remove Guardrail, Remove Painted Traffic Stripe, Remove Painted Pavement Marking, Remove Thermoplastic Traffic Stripe, Remove Pavement Marker, Salvage Metal Bridge Railing, Reconstruct Guardrail, Reconstruct Guardrail (9' Post), Reconstruct Terminal System, Reconstruct Transition Railing, Reconstruct End Anchor (Type SFT), Cold Plane Asphalt Concrete Pavement, Remove Concrete Barrier, Prepare Concrete Bridge Deck Surface, Furnish and Place Polyester Concrete Overlay, Carbon Fiber Reinforced Polymer Strip (Deck), Carbon Fiber Reinforced Polymer Sheet (Exterior & Interior), Access Opening; Soffit, Bridge Removal (Portion), Location A and B, Develop Water Supply, Class 2 Aggregate Base, Hot Mix Asphalt (Type A), Minor Hot Mix Asphalt, Shoulder Rumble Strip (HMA, Ground-In Indentations), Place Hot Mix Asphalt Dike (Type F), Place Hot Mix Asphalt (Misc. Area), Shoulder Rumble Strip (Concrete Pavement, Ground-In Indentation), Rail Element Wall, Structural Concrete; Bridge, Structural Concrete; Bridge (Polymer Fiber), Structural Concrete; Barrier Slab, Aggregate Base (Approach Slab), Structural Concrete; Approach Slab (Type R), Drill and Bond Dowel, Clean Expansion Joint, Neoprene Gland (Wabo Strip Seal SE-400), Neoprene Gland (Wabo Strip Seal SE-500), Fabricated Strip Seal (Wabo Type M), Fabricated Strip Seal (Wabo Type R), Joint Seal (MR 1/2"), Joint Seal (MR 2"), Bar Reinforcing Steel (Epoxy Coated) (Bridge), Bar Reinforcing Steel (Epoxy Coated) Bridge, Bar Reinforcing Steel (Stainless Steel), 8" Corrugated Steel Pipe Down drain (.079" Thick), 8" Entrance Taper, 8" Anchor Assembly, Minor Concrete (Misc. Construction), Object Marker (Type P), Midwest Guardrail System (7' Post), End Anchor Assembly (Type SFT), Concrete Barrier (Type 60 and Type 736), Thermoplastic Traffic Stripe (Sprayable), Pavement Marker (Retroreflective), Maintaining Existing Traffic Mgmt. System Elements During Construction, Modifying Existing Electrical System..

Stewart Engineering Inc. is an EEO Employer. We encourage and actively solicit proposals from DBE subcontractors and suppliers on all our projects. All qualified DBE subcontractors must be registered and certified by the California Department of Transportation.

Plans & Specifications may be obtained from the Department of Transportation's website:
http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_advertised.php. Prior to the bid, upon request, you can contact our office if you require assistance in bonding, lines of credit, insurance, obtaining necessary equipment, supplies, materials or services etc., which may be required by the Owner. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing prior to bid opening. All Subcontractors will be required to sign our standard Subcontract Agreement. You must be registered and provide your Department of Industrial Relations number.

If you have any questions please do not hesitate to contact us.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Nov 01, 2016
with a copy of your certification to Renee Thomas at (530) 244-8462

Stewart Engineering, Inc.

P.O. Box 990010
Redding, CA 96099
Telephone: (530) 244-8464
Fax: (530) 244-8462

INVITATION TO BID

October 18, 2016
Dillard Environmental Services
3120 Camino Diablo Rd
Byron, CA, 94514

We are seeking certified and qualified **DBE (9% Goal)** subcontractors and/or suppliers for:

Project: State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Location: Near Hornbrook, CA

Bid Due Date: 11/01/16 at 01:00 PM PST

Solicitation Number: 02-4F58U4

Contact: Renee Thomas

Quotes are needed for:

the following items of work, including but not limited to: Lead Compliance Plan, Construction Area Signs, Traffic Control System, Temp. Pavement Marking (Paint), Temp. Traffic Stripe (Paint), Channelizer (Surface Mounted), Portable Changeable Message Sign, Temp. Railing (Type K), Temp. Crash Cushion System, Prepare Water Pollution Control Program, Temp. Drainage Inlet Protection, Temp. Fiber Roll, Temp. Concrete Washout, Asbestos Compliance Plan, Asbestos Removal, Treated Wood Waste, Bird Exclusion, Rumble Strip Patch (Concrete), Remove Guardrail, Remove Painted Traffic Stripe, Remove Painted Pavement Marking, Remove Thermoplastic Traffic Stripe, Remove Pavement Marker, Salvage Metal Bridge Railing, Reconstruct Guardrail, Reconstruct Guardrail (9' Post), Reconstruct Terminal System, Reconstruct Transition Railing, Reconstruct End Anchor (Type SFT), Cold Plane Asphalt Concrete Pavement, Remove Concrete Barrier, Prepare Concrete Bridge Deck Surface, Furnish and Place Polyester Concrete Overlay, Carbon Fiber Reinforced Polymer Strip (Deck), Carbon Fiber Reinforced Polymer Sheet (Exterior & Interior), Access Opening; Soffit, Bridge Removal (Portion), Location A and B, Develop Water Supply, Class 2 Aggregate Base, Hot Mix Asphalt (Type A), Minor Hot Mix Asphalt, Shoulder Rumble Strip (HMA, Ground-In Indentations), Place Hot Mix Asphalt Dike (Type F), Place Hot Mix Asphalt (Misc. Area), Shoulder Rumble Strip (Concrete Pavement, Ground-In Indentation), Rail Element Wall, Structural Concrete; Bridge, Structural Concrete; Bridge (Polymer Fiber), Structural Concrete; Barrier Slab, Aggregate Base (Approach Slab), Structural Concrete; Approach Slab (Type R), Drill and Bond Dowel, Clean Expansion Joint, Neoprene Gland (Wabo Strip Seal SE-400), Neoprene Gland (Wabo Strip Seal SE-500), Fabricated Strip Seal (Wabo Type M), Fabricated Strip Seal (Wabo Type R), Joint Seal (MR 1/2"), Joint Seal (MR 2"), Bar Reinforcing Steel (Epoxy Coated) (Bridge), Bar Reinforcing Steel (Epoxy Coated) Bridge, Bar Reinforcing Steel (Stainless Steel), 8" Corrugated Steel Pipe Downdrain (.079" Thick), 8" Entrance Taper, 8" Anchor Assembly, Minor Concrete (Misc. Construction), Object Marker (Type P), Midwest Guardrail System (7' Post), End Anchor Assembly (Type SFT), Concrete Barrier (Type 60 and Type 736), Thermoplastic Traffic Stripe (Sprayable), Pavement Marker (Retroreflective), Maintaining Existing Traffic Mgmt. System Elements During Construction, Modifying Existing Electrical System..

Stewart Engineering Inc. is an EEO Employer. We encourage and actively solicit proposals from DBE subcontractors and suppliers on all our projects. All qualified DBE subcontractors must be registered and certified by the California Department of Transportation.

Plans & Specifications may be obtained from the Department of Transportation's website:
http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_advertised.php. Prior to the bid, upon request, you can contact our office if you require assistance in bonding, lines of credit, insurance, obtaining necessary equipment, supplies, materials or services etc., which may be required by the Owner. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing prior to bid opening. All Subcontractors will be required to sign our standard Subcontract Agreement. You must be registered and provide your Department of Industrial Relations number.

If you have any questions please do not hesitate to contact us.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Nov 01, 2016
with a copy of your certification to Renee Thomas at (530) 244-8462

Stewart Engineering, Inc.

P.O. Box 990010
Redding, CA 96099
Telephone: (530) 244-8464
Fax: (530) 244-8462

INVITATION TO BID

October 18, 2016
White Cap Ready Mix, Inc.
73880 Highway 70
Portola, CA, 96122

We are seeking certified and qualified **DBE (9% Goal)** subcontractors and/or suppliers for:

Project: State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Location: Near Hornbrook, CA

Bid Due Date: 11/01/16 at 01:00 PM PST

Solicitation Number: 02-4F58U4

Contact: Renee Thomas

Quotes are needed for:

the following items of work, including but not limited to: Lead Compliance Plan, Construction Area Signs, Traffic Control System, Temp. Pavement Marking (Paint), Temp. Traffic Stripe (Paint), Channelizer (Surface Mounted), Portable Changeable Message Sign, Temp. Railing (Type K), Temp. Crash Cushion System, Prepare Water Pollution Control Program, Temp. Drainage Inlet Protection, Temp. Fiber Roll, Temp. Concrete Washout, Asbestos Compliance Plan, Asbestos Removal, Treated Wood Waste, Bird Exclusion, Rumble Strip Patch (Concrete), Remove Guardrail, Remove Painted Traffic Stripe, Remove Painted Pavement Marking, Remove Thermoplastic Traffic Stripe, Remove Pavement Marker, Salvage Metal Bridge Railing, Reconstruct Guardrail, Reconstruct Guardrail (9' Post), Reconstruct Terminal System, Reconstruct Transition Railing, Reconstruct End Anchor (Type SFT), Cold Plane Asphalt Concrete Pavement, Remove Concrete Barrier, Prepare Concrete Bridge Deck Surface, Furnish and Place Polyester Concrete Overlay, Carbon Fiber Reinforced Polymer Strip (Deck), Carbon Fiber Reinforced Polymer Sheet (Exterior & Interior), Access Opening; Soffit, Bridge Removal (Portion), Location A and B, Develop Water Supply, Class 2 Aggregate Base, Hot Mix Asphalt (Type A), Minor Hot Mix Asphalt, Shoulder Rumble Strip (HMA, Ground-In Indentations), Place Hot Mix Asphalt Dike (Type F), Place Hot Mix Asphalt (Misc. Area), Shoulder Rumble Strip (Concrete Pavement, Ground-In Indentation), Rail Element Wall, Structural Concrete; Bridge, Structural Concrete; Bridge (Polymer Fiber), Structural Concrete; Barrier Slab, Aggregate Base (Approach Slab), Structural Concrete; Approach Slab (Type R), Drill and Bond Dowel, Clean Expansion Joint, Neoprene Gland (Wabo Strip Seal SE-400), Neoprene Gland (Wabo Strip Seal SE-500), Fabricated Strip Seal (Wabo Type M), Fabricated Strip Seal (Wabo Type R), Joint Seal (MR 1/2"), Joint Seal (MR 2"), Bar Reinforcing Steel (Epoxy Coated) (Bridge), Bar Reinforcing Steel (Epoxy Coated) Bridge, Bar Reinforcing Steel (Stainless Steel), 8" Corrugated Steel Pipe Downdrain (.079" Thick), 8" Entrance Taper, 8" Anchor Assembly, Minor Concrete (Misc. Construction), Object Marker (Type P), Midwest Guardrail System (7' Post), End Anchor Assembly (Type SFT), Concrete Barrier (Type 60 and Type 736), Thermoplastic Traffic Stripe (Sprayable), Pavement Marker (Retroreflective), Maintaining Existing Traffic Mgmt. System Elements During Construction, Modifying Existing Electrical System..

Stewart Engineering Inc. is an EEO Employer. We encourage and actively solicit proposals from DBE subcontractors and suppliers on all our projects. All qualified DBE subcontractors must be registered and certified by the California Department of Transportation.

Plans & Specifications may be obtained from the Department of Transportation's website:
http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_advertised.php. Prior to the bid, upon request, you can contact our office if you require assistance in bonding, lines of credit, insurance, obtaining necessary equipment, supplies, materials or services etc., which may be required by the Owner. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing prior to bid opening. All Subcontractors will be required to sign our standard Subcontract Agreement. You must be registered and provide your Department of Industrial Relations number.

If you have any questions please do not hesitate to contact us.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Nov 01, 2016
with a copy of your certification to Renee Thomas at (530) 244-8462

Stewart Engineering, Inc.

P.O. Box 990010
Redding, CA 96099
Telephone: (530) 244-8464
Fax: (530) 244-8462

INVITATION TO BID

October 18, 2016
WALLACE STRUCTURES
PO BOX 629
FORTUNA, CA, 95540

We are seeking certified and qualified **DBE (9% Goal)** subcontractors and/or suppliers for:

Project: State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Location: Near Hornbrook, CA

Bid Due Date: 11/01/16 at 01:00 PM PST

Solicitation Number: 02-4F58U4

Contact: Renee Thomas

Quotes are needed for:

the following items of work, including but not limited to: Lead Compliance Plan, Construction Area Signs, Traffic Control System, Temp. Pavement Marking (Paint), Temp. Traffic Stripe (Paint), Channelizer (Surface Mounted), Portable Changeable Message Sign, Temp. Railing (Type K), Temp. Crash Cushion System, Prepare Water Pollution Control Program, Temp. Drainage Inlet Protection, Temp. Fiber Roll, Temp. Concrete Washout, Asbestos Compliance Plan, Asbestos Removal, Treated Wood Waste, Bird Exclusion, Rumble Strip Patch (Concrete), Remove Guardrail, Remove Painted Traffic Stripe, Remove Painted Pavement Marking, Remove Thermoplastic Traffic Stripe, Remove Pavement Marker, Salvage Metal Bridge Railing, Reconstruct Guardrail, Reconstruct Guardrail (9' Post), Reconstruct Terminal System, Reconstruct Transition Railing, Reconstruct End Anchor (Type SFT), Cold Plane Asphalt Concrete Pavement, Remove Concrete Barrier, Prepare Concrete Bridge Deck Surface, Furnish and Place Polyester Concrete Overlay, Carbon Fiber Reinforced Polymer Strip (Deck), Carbon Fiber Reinforced Polymer Sheet (Exterior & Interior), Access Opening; Soffit, Bridge Removal (Portion), Location A and B, Develop Water Supply, Class 2 Aggregate Base, Hot Mix Asphalt (Type A), Minor Hot Mix Asphalt, Shoulder Rumble Strip (HMA, Ground-In Indentations), Place Hot Mix Asphalt Dike (Type F), Place Hot Mix Asphalt (Misc. Area), Shoulder Rumble Strip (Concrete Pavement, Ground-In Indentation), Rail Element Wall, Structural Concrete; Bridge, Structural Concrete; Bridge (Polymer Fiber), Structural Concrete; Barrier Slab, Aggregate Base (Approach Slab), Structural Concrete; Approach Slab (Type R), Drill and Bond Dowel, Clean Expansion Joint, Neoprene Gland (Wabo Strip Seal SE-400), Neoprene Gland (Wabo Strip Seal SE-500), Fabricated Strip Seal (Wabo Type M), Fabricated Strip Seal (Wabo Type R), Joint Seal (MR 1/2"), Joint Seal (MR 2"), Bar Reinforcing Steel (Epoxy Coated) (Bridge), Bar Reinforcing Steel (Epoxy Coated) Bridge, Bar Reinforcing Steel (Stainless Steel), 8" Corrugated Steel Pipe Downdrain (.079" Thick), 8" Entrance Taper, 8" Anchor Assembly, Minor Concrete (Misc. Construction), Object Marker (Type P), Midwest Guardrail System (7' Post), End Anchor Assembly (Type SFT), Concrete Barrier (Type 60 and Type 736), Thermoplastic Traffic Stripe (Sprayable), Pavement Marker (Retroreflective), Maintaining Existing Traffic Mgmt. System Elements During Construction, Modifying Existing Electrical System..

Stewart Engineering Inc. is an EEO Employer. We encourage and actively solicit proposals from DBE subcontractors and suppliers on all our projects. All qualified DBE subcontractors must be registered and certified by the California Department of Transportation.

Plans & Specifications may be obtained from the Department of Transportation's website:
http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_advertised.php. Prior to the bid, upon request, you can contact our office if you require assistance in bonding, lines of credit, insurance, obtaining necessary equipment, supplies, materials or services etc., which may be required by the Owner. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing prior to bid opening. All Subcontractors will be required to sign our standard Subcontract Agreement. You must be registered and provide your Department of Industrial Relations number.

If you have any questions please do not hesitate to contact us.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Nov 01, 2016
with a copy of your certification to Renee Thomas at (530) 244-8462

Stewart Engineering, Inc.

P.O. Box 990010
Redding, CA 96099
Telephone: (530) 244-8464
Fax: (530) 244-8462

INVITATION TO BID

October 18, 2016
6 RIVERS CONSTRUCTION, INC
200 Redwood Grove Rd
HOOPA VALLEY INDIAN RESERVAT, CA, 95546

We are seeking certified and qualified **DBE (9% Goal)** subcontractors and/or suppliers for:

Project: State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Location: Near Hornbrook, CA

Bid Due Date: 11/01/16 at 01:00 PM PST

Solicitation Number: 02-4F58U4

Contact: Renee Thomas

Quotes are needed for:

the following items of work, including but not limited to: Lead Compliance Plan, Construction Area Signs, Traffic Control System, Temp. Pavement Marking (Paint), Temp. Traffic Stripe (Paint), Channelizer (Surface Mounted), Portable Changeable Message Sign, Temp. Railing (Type K), Temp. Crash Cushion System, Prepare Water Pollution Control Program, Temp. Drainage Inlet Protection, Temp. Fiber Roll, Temp. Concrete Washout, Asbestos Compliance Plan, Asbestos Removal, Treated Wood Waste, Bird Exclusion, Rumble Strip Patch (Concrete), Remove Guardrail, Remove Painted Traffic Stripe, Remove Painted Pavement Marking, Remove Thermoplastic Traffic Stripe, Remove Pavement Marker, Salvage Metal Bridge Railing, Reconstruct Guardrail, Reconstruct Guardrail (9' Post), Reconstruct Terminal System, Reconstruct Transition Railing, Reconstruct End Anchor (Type SFT), Cold Plane Asphalt Concrete Pavement, Remove Concrete Barrier, Prepare Concrete Bridge Deck Surface, Furnish and Place Polyester Concrete Overlay, Carbon Fiber Reinforced Polymer Strip (Deck), Carbon Fiber Reinforced Polymer Sheet (Exterior & Interior), Access Opening; Soffit, Bridge Removal (Portion), Location A and B, Develop Water Supply, Class 2 Aggregate Base, Hot Mix Asphalt (Type A), Minor Hot Mix Asphalt, Shoulder Rumble Strip (HMA, Ground-In Indentations), Place Hot Mix Asphalt Dike (Type F), Place Hot Mix Asphalt (Misc. Area), Shoulder Rumble Strip (Concrete Pavement, Ground-In Indentation), Rail Element Wall, Structural Concrete; Bridge, Structural Concrete; Bridge (Polymer Fiber), Structural Concrete; Barrier Slab, Aggregate Base (Approach Slab), Structural Concrete; Approach Slab (Type R), Drill and Bond Dowel, Clean Expansion Joint, Neoprene Gland (Wabo Strip Seal SE-400), Neoprene Gland (Wabo Strip Seal SE-500), Fabricated Strip Seal (Wabo Type M), Fabricated Strip Seal (Wabo Type R), Joint Seal (MR 1/2"), Joint Seal (MR 2"), Bar Reinforcing Steel (Epoxy Coated) (Bridge), Bar Reinforcing Steel (Epoxy Coated) Bridge, Bar Reinforcing Steel (Stainless Steel), 8" Corrugated Steel Pipe Down drain (.079" Thick), 8" Entrance Taper, 8" Anchor Assembly, Minor Concrete (Misc. Construction), Object Marker (Type P), Midwest Guardrail System (7' Post), End Anchor Assembly (Type SFT), Concrete Barrier (Type 60 and Type 736), Thermoplastic Traffic Stripe (Sprayable), Pavement Marker (Retroreflective), Maintaining Existing Traffic Mgmt. System Elements During Construction, Modifying Existing Electrical System..

Stewart Engineering Inc. is an EEO Employer. We encourage and actively solicit proposals from DBE subcontractors and suppliers on all our projects. All qualified DBE subcontractors must be registered and certified by the California Department of Transportation.

Plans & Specifications may be obtained from the Department of Transportation's website:
http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_advertised.php. Prior to the bid, upon request, you can contact our office if you require assistance in bonding, lines of credit, insurance, obtaining necessary equipment, supplies, materials or services etc., which may be required by the Owner. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing prior to bid opening. All Subcontractors will be required to sign our standard Subcontract Agreement. You must be registered and provide your Department of Industrial Relations number.

If you have any questions please do not hesitate to contact us.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Nov 01, 2016
with a copy of your certification to Renee Thomas at (530) 244-8462

Stewart Engineering, Inc.

P.O. Box 990010
Redding, CA 96099
Telephone: (530) 244-8464
Fax: (530) 244-8462

INVITATION TO BID

October 18, 2016
Dirt & Aggregate Interchange, Inc
20905 N.e. Sandy Boulevard
Fairview, OR, 97024

We are seeking certified and qualified **DBE (9% Goal)** subcontractors and/or suppliers for:

Project: State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Location: Near Hornbrook, CA

Bid Due Date: 11/01/16 at 01:00 PM PST

Solicitation Number: 02-4F58U4

Contact: Renee Thomas

Quotes are needed for:

the following items of work, including but not limited to: Lead Compliance Plan, Construction Area Signs, Traffic Control System, Temp. Pavement Marking (Paint), Temp. Traffic Stripe (Paint), Channelizer (Surface Mounted), Portable Changeable Message Sign, Temp. Railing (Type K), Temp. Crash Cushion System, Prepare Water Pollution Control Program, Temp. Drainage Inlet Protection, Temp. Fiber Roll, Temp. Concrete Washout, Asbestos Compliance Plan, Asbestos Removal, Treated Wood Waste, Bird Exclusion, Rumble Strip Patch (Concrete), Remove Guardrail, Remove Painted Traffic Stripe, Remove Painted Pavement Marking, Remove Thermoplastic Traffic Stripe, Remove Pavement Marker, Salvage Metal Bridge Railing, Reconstruct Guardrail, Reconstruct Guardrail (9' Post), Reconstruct Terminal System, Reconstruct Transition Railing, Reconstruct End Anchor (Type SFT), Cold Plane Asphalt Concrete Pavement, Remove Concrete Barrier, Prepare Concrete Bridge Deck Surface, Furnish and Place Polyester Concrete Overlay, Carbon Fiber Reinforced Polymer Strip (Deck), Carbon Fiber Reinforced Polymer Sheet (Exterior & Interior), Access Opening; Soffit, Bridge Removal (Portion), Location A and B, Develop Water Supply, Class 2 Aggregate Base, Hot Mix Asphalt (Type A), Minor Hot Mix Asphalt, Shoulder Rumble Strip (HMA, Ground-In Indentations), Place Hot Mix Asphalt Dike (Type F), Place Hot Mix Asphalt (Misc. Area), Shoulder Rumble Strip (Concrete Pavement, Ground-In Indentation), Rail Element Wall, Structural Concrete; Bridge, Structural Concrete; Bridge (Polymer Fiber), Structural Concrete; Barrier Slab, Aggregate Base (Approach Slab), Structural Concrete; Approach Slab (Type R), Drill and Bond Dowel, Clean Expansion Joint, Neoprene Gland (Wabo Strip Seal SE-400), Neoprene Gland (Wabo Strip Seal SE-500), Fabricated Strip Seal (Wabo Type M), Fabricated Strip Seal (Wabo Type R), Joint Seal (MR 1/2"), Joint Seal (MR 2"), Bar Reinforcing Steel (Epoxy Coated) (Bridge), Bar Reinforcing Steel (Epoxy Coated) Bridge, Bar Reinforcing Steel (Stainless Steel), 8" Corrugated Steel Pipe Downdrain (.079" Thick), 8" Entrance Taper, 8" Anchor Assembly, Minor Concrete (Misc. Construction), Object Marker (Type P), Midwest Guardrail System (7' Post), End Anchor Assembly (Type SFT), Concrete Barrier (Type 60 and Type 736), Thermoplastic Traffic Stripe (Sprayable), Pavement Marker (Retroreflective), Maintaining Existing Traffic Mgmt. System Elements During Construction, Modifying Existing Electrical System..

Stewart Engineering Inc. is an EEO Employer. We encourage and actively solicit proposals from DBE subcontractors and suppliers on all our projects. All qualified DBE subcontractors must be registered and certified by the California Department of Transportation.

Plans & Specifications may be obtained from the Department of Transportation's website:
http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_advertised.php. Prior to the bid, upon request, you can contact our office if you require assistance in bonding, lines of credit, insurance, obtaining necessary equipment, supplies, materials or services etc., which may be required by the Owner. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing prior to bid opening. All Subcontractors will be required to sign our standard Subcontract Agreement. You must be registered and provide your Department of Industrial Relations number.

If you have any questions please do not hesitate to contact us.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Nov 01, 2016
with a copy of your certification to Renee Thomas at (530) 244-8462

Stewart Engineering, Inc.

P.O. Box 990010
Redding, CA 96099
Telephone: (530) 244-8464
Fax: (530) 244-8462

INVITATION TO BID

October 18, 2016

STAFFORD ENVIRONMENTAL SERVICES INC-BIRD SOLUTIONS INTERNATIONAL
323 E BROADWAY C
VISTA, CA, 92084

We are seeking certified and qualified **DBE (9% Goal)** subcontractors and/or suppliers for:

Project: State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Location: Near Hornbrook, CA

Bid Due Date: 11/01/16 at 01:00 PM PST

Solicitation Number: 02-4F58U4

Contact: Renee Thomas

Quotes are needed for:

the following items of work, including but not limited to: Lead Compliance Plan, Construction Area Signs, Traffic Control System, Temp. Pavement Marking (Paint), Temp. Traffic Stripe (Paint), Channelizer (Surface Mounted), Portable Changeable Message Sign, Temp. Railing (Type K), Temp. Crash Cushion System, Prepare Water Pollution Control Program, Temp. Drainage Inlet Protection, Temp. Fiber Roll, Temp. Concrete Washout, Asbestos Compliance Plan, Asbestos Removal, Treated Wood Waste, Bird Exclusion, Rumble Strip Patch (Concrete), Remove Guardrail, Remove Painted Traffic Stripe, Remove Painted Pavement Marking, Remove Thermoplastic Traffic Stripe, Remove Pavement Marker, Salvage Metal Bridge Railing, Reconstruct Guardrail, Reconstruct Guardrail (9' Post), Reconstruct Terminal System, Reconstruct Transition Railing, Reconstruct End Anchor (Type SFT), Cold Plane Asphalt Concrete Pavement, Remove Concrete Barrier, Prepare Concrete Bridge Deck Surface, Furnish and Place Polyester Concrete Overlay, Carbon Fiber Reinforced Polymer Strip (Deck), Carbon Fiber Reinforced Polymer Sheet (Exterior & Interior), Access Opening; Soffit, Bridge Removal (Portion), Location A and B, Develop Water Supply, Class 2 Aggregate Base, Hot Mix Asphalt (Type A), Minor Hot Mix Asphalt, Shoulder Rumble Strip (HMA, Ground-In Indentations), Place Hot Mix Asphalt Dike (Type F), Place Hot Mix Asphalt (Misc. Area), Shoulder Rumble Strip (Concrete Pavement, Ground-In Indentation), Rail Element Wall, Structural Concrete; Bridge, Structural Concrete; Bridge (Polymer Fiber), Structural Concrete; Barrier Slab, Aggregate Base (Approach Slab), Structural Concrete; Approach Slab (Type R), Drill and Bond Dowel, Clean Expansion Joint, Neoprene Gland (Wabo Strip Seal SE-400), Neoprene Gland (Wabo Strip Seal SE-500), Fabricated Strip Seal (Wabo Type M), Fabricated Strip Seal (Wabo Type R), Joint Seal (MR 1/2"), Joint Seal (MR 2"), Bar Reinforcing Steel (Epoxy Coated) (Bridge), Bar Reinforcing Steel (Epoxy Coated) Bridge, Bar Reinforcing Steel (Stainless Steel), 8" Corrugated Steel Pipe Downdrain (.079" Thick), 8" Entrance Taper, 8" Anchor Assembly, Minor Concrete (Misc. Construction), Object Marker (Type P), Midwest Guardrail System (7' Post), End Anchor Assembly (Type SFT), Concrete Barrier (Type 60 and Type 736), Thermoplastic Traffic Stripe (Sprayable), Pavement Marker (Retroreflective), Maintaining Existing Traffic Mgmt. System Elements During Construction, Modifying Existing Electrical System..

Stewart Engineering Inc. is an EEO Employer. We encourage and actively solicit proposals from DBE subcontractors and suppliers on all our projects. All qualified DBE subcontractors must be registered and certified by the California Department of Transportation.

Plans & Specifications may be obtained from the Department of Transportation's website:
http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_advertised.php. Prior to the bid, upon request, you can contact our office if you require assistance in bonding, lines of credit, insurance, obtaining necessary equipment, supplies, materials or services etc., which may be required by the Owner. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing prior to bid opening. All Subcontractors will be required to sign our standard Subcontract Agreement. You must be registered and provide your Department of Industrial Relations number.

If you have any questions please do not hesitate to contact us.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Nov 01, 2016
with a copy of your certification to Renee Thomas at (530) 244-8462

Stewart Engineering, Inc.

P.O. Box 990010
Redding, CA 96099
Telephone: (530) 244-8464
Fax: (530) 244-8462

INVITATION TO BID

October 18, 2016
Alert-o-lite, Inc
P.o. Box 12224
Fresno, CA, 93777

We are seeking certified and qualified **DBE (9% Goal)** subcontractors and/or suppliers for:

Project: State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Location: Near Hornbrook, CA

Bid Due Date: 11/01/16 at 01:00 PM PST

Solicitation Number: 02-4F58U4

Contact: Renee Thomas

Quotes are needed for:

the following items of work, including but not limited to: Lead Compliance Plan, Construction Area Signs, Traffic Control System, Temp. Pavement Marking (Paint), Temp. Traffic Stripe (Paint), Channelizer (Surface Mounted), Portable Changeable Message Sign, Temp. Railing (Type K), Temp. Crash Cushion System, Prepare Water Pollution Control Program, Temp. Drainage Inlet Protection, Temp. Fiber Roll, Temp. Concrete Washout, Asbestos Compliance Plan, Asbestos Removal, Treated Wood Waste, Bird Exclusion, Rumble Strip Patch (Concrete), Remove Guardrail, Remove Painted Traffic Stripe, Remove Painted Pavement Marking, Remove Thermoplastic Traffic Stripe, Remove Pavement Marker, Salvage Metal Bridge Railing, Reconstruct Guardrail, Reconstruct Guardrail (9' Post), Reconstruct Terminal System, Reconstruct Transition Railing, Reconstruct End Anchor (Type SFT), Cold Plane Asphalt Concrete Pavement, Remove Concrete Barrier, Prepare Concrete Bridge Deck Surface, Furnish and Place Polyester Concrete Overlay, Carbon Fiber Reinforced Polymer Strip (Deck), Carbon Fiber Reinforced Polymer Sheet (Exterior & Interior), Access Opening; Soffit, Bridge Removal (Portion), Location A and B, Develop Water Supply, Class 2 Aggregate Base, Hot Mix Asphalt (Type A), Minor Hot Mix Asphalt, Shoulder Rumble Strip (HMA, Ground-In Indentations), Place Hot Mix Asphalt Dike (Type F), Place Hot Mix Asphalt (Misc. Area), Shoulder Rumble Strip (Concrete Pavement, Ground-In Indentation), Rail Element Wall, Structural Concrete; Bridge, Structural Concrete; Bridge (Polymer Fiber), Structural Concrete; Barrier Slab, Aggregate Base (Approach Slab), Structural Concrete; Approach Slab (Type R), Drill and Bond Dowel, Clean Expansion Joint, Neoprene Gland (Wabo Strip Seal SE-400), Neoprene Gland (Wabo Strip Seal SE-500), Fabricated Strip Seal (Wabo Type M), Fabricated Strip Seal (Wabo Type R), Joint Seal (MR 1/2"), Joint Seal (MR 2"), Bar Reinforcing Steel (Epoxy Coated) (Bridge), Bar Reinforcing Steel (Epoxy Coated) Bridge, Bar Reinforcing Steel (Stainless Steel), 8" Corrugated Steel Pipe Downdrain (.079" Thick), 8" Entrance Taper, 8" Anchor Assembly, Minor Concrete (Misc. Construction), Object Marker (Type P), Midwest Guardrail System (7' Post), End Anchor Assembly (Type SFT), Concrete Barrier (Type 60 and Type 736), Thermoplastic Traffic Stripe (Sprayable), Pavement Marker (Retroreflective), Maintaining Existing Traffic Mgmt. System Elements During Construction, Modifying Existing Electrical System..

Stewart Engineering Inc. is an EEO Employer. We encourage and actively solicit proposals from DBE subcontractors and suppliers on all our projects. All qualified DBE subcontractors must be registered and certified by the California Department of Transportation.

Plans & Specifications may be obtained from the Department of Transportation's website:
http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_advertised.php. Prior to the bid, upon request, you can contact our office if you require assistance in bonding, lines of credit, insurance, obtaining necessary equipment, supplies, materials or services etc., which may be required by the Owner. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing prior to bid opening. All Subcontractors will be required to sign our standard Subcontract Agreement. You must be registered and provide your Department of Industrial Relations number.

If you have any questions please do not hesitate to contact us.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Nov 01, 2016
with a copy of your certification to Renee Thomas at (530) 244-8462

Stewart Engineering, Inc.

P.O. Box 990010
Redding, CA 96099
Telephone: (530) 244-8464
Fax: (530) 244-8462

INVITATION TO BID

October 18, 2016
Hamanaka Painting Co.
P.o. Box 6413
Eureka, CA, 95503

We are seeking certified and qualified **DBE (9% Goal)** subcontractors and/or suppliers for:

Project: State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Location: Near Hornbrook, CA

Bid Due Date: 11/01/16 at 01:00 PM PST

Solicitation Number: 02-4F58U4

Contact: Renee Thomas

Quotes are needed for:

the following items of work, including but not limited to: Lead Compliance Plan, Construction Area Signs, Traffic Control System, Temp. Pavement Marking (Paint), Temp. Traffic Stripe (Paint), Channelizer (Surface Mounted), Portable Changeable Message Sign, Temp. Railing (Type K), Temp. Crash Cushion System, Prepare Water Pollution Control Program, Temp. Drainage Inlet Protection, Temp. Fiber Roll, Temp. Concrete Washout, Asbestos Compliance Plan, Asbestos Removal, Treated Wood Waste, Bird Exclusion, Rumble Strip Patch (Concrete), Remove Guardrail, Remove Painted Traffic Stripe, Remove Painted Pavement Marking, Remove Thermoplastic Traffic Stripe, Remove Pavement Marker, Salvage Metal Bridge Railing, Reconstruct Guardrail, Reconstruct Guardrail (9' Post), Reconstruct Terminal System, Reconstruct Transition Railing, Reconstruct End Anchor (Type SFT), Cold Plane Asphalt Concrete Pavement, Remove Concrete Barrier, Prepare Concrete Bridge Deck Surface, Furnish and Place Polyester Concrete Overlay, Carbon Fiber Reinforced Polymer Strip (Deck), Carbon Fiber Reinforced Polymer Sheet (Exterior & Interior), Access Opening; Soffit, Bridge Removal (Portion), Location A and B, Develop Water Supply, Class 2 Aggregate Base, Hot Mix Asphalt (Type A), Minor Hot Mix Asphalt, Shoulder Rumble Strip (HMA, Ground-In Indentations), Place Hot Mix Asphalt Dike (Type F), Place Hot Mix Asphalt (Misc. Area), Shoulder Rumble Strip (Concrete Pavement, Ground-In Indentation), Rail Element Wall, Structural Concrete; Bridge, Structural Concrete; Bridge (Polymer Fiber), Structural Concrete; Barrier Slab, Aggregate Base (Approach Slab), Structural Concrete; Approach Slab (Type R), Drill and Bond Dowel, Clean Expansion Joint, Neoprene Gland (Wabo Strip Seal SE-400), Neoprene Gland (Wabo Strip Seal SE-500), Fabricated Strip Seal (Wabo Type M), Fabricated Strip Seal (Wabo Type R), Joint Seal (MR 1/2"), Joint Seal (MR 2"), Bar Reinforcing Steel (Epoxy Coated) (Bridge), Bar Reinforcing Steel (Epoxy Coated) Bridge, Bar Reinforcing Steel (Stainless Steel), 8" Corrugated Steel Pipe Downdrain (.079" Thick), 8" Entrance Taper, 8" Anchor Assembly, Minor Concrete (Misc. Construction), Object Marker (Type P), Midwest Guardrail System (7' Post), End Anchor Assembly (Type SFT), Concrete Barrier (Type 60 and Type 736), Thermoplastic Traffic Stripe (Sprayable), Pavement Marker (Retroreflective), Maintaining Existing Traffic Mgmt. System Elements During Construction, Modifying Existing Electrical System..

Stewart Engineering Inc. is an EEO Employer. We encourage and actively solicit proposals from DBE subcontractors and suppliers on all our projects. All qualified DBE subcontractors must be registered and certified by the California Department of Transportation.

Plans & Specifications may be obtained from the Department of Transportation's website:
http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_advertised.php. Prior to the bid, upon request, you can contact our office if you require assistance in bonding, lines of credit, insurance, obtaining necessary equipment, supplies, materials or services etc., which may be required by the Owner. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing prior to bid opening. All Subcontractors will be required to sign our standard Subcontract Agreement. You must be registered and provide your Department of Industrial Relations number.

If you have any questions please do not hesitate to contact us.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Nov 01, 2016
with a copy of your certification to Renee Thomas at (530) 244-8462

Stewart Engineering, Inc.

P.O. Box 990010
Redding, CA 96099
Telephone: (530) 244-8464
Fax: (530) 244-8462

INVITATION TO BID

October 18, 2016
BAY LINE CUTTING & CORING INC
1635 4TH STREET
BERKELEY, CA, 94710

We are seeking certified and qualified **DBE (9% Goal)** subcontractors and/or suppliers for:

Project: State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Location: Near Hornbrook, CA

Bid Due Date: 11/01/16 at 01:00 PM PST

Solicitation Number: 02-4F58U4

Contact: Renee Thomas

Quotes are needed for:

the following items of work, including but not limited to: Lead Compliance Plan, Construction Area Signs, Traffic Control System, Temp. Pavement Marking (Paint), Temp. Traffic Stripe (Paint), Channelizer (Surface Mounted), Portable Changeable Message Sign, Temp. Railing (Type K), Temp. Crash Cushion System, Prepare Water Pollution Control Program, Temp. Drainage Inlet Protection, Temp. Fiber Roll, Temp. Concrete Washout, Asbestos Compliance Plan, Asbestos Removal, Treated Wood Waste, Bird Exclusion, Rumble Strip Patch (Concrete), Remove Guardrail, Remove Painted Traffic Stripe, Remove Painted Pavement Marking, Remove Thermoplastic Traffic Stripe, Remove Pavement Marker, Salvage Metal Bridge Railing, Reconstruct Guardrail, Reconstruct Guardrail (9' Post), Reconstruct Terminal System, Reconstruct Transition Railing, Reconstruct End Anchor (Type SFT), Cold Plane Asphalt Concrete Pavement, Remove Concrete Barrier, Prepare Concrete Bridge Deck Surface, Furnish and Place Polyester Concrete Overlay, Carbon Fiber Reinforced Polymer Strip (Deck), Carbon Fiber Reinforced Polymer Sheet (Exterior & Interior), Access Opening; Soffit, Bridge Removal (Portion), Location A and B, Develop Water Supply, Class 2 Aggregate Base, Hot Mix Asphalt (Type A), Minor Hot Mix Asphalt, Shoulder Rumble Strip (HMA, Ground-In Indentations), Place Hot Mix Asphalt Dike (Type F), Place Hot Mix Asphalt (Misc. Area), Shoulder Rumble Strip (Concrete Pavement, Ground-In Indentation), Rail Element Wall, Structural Concrete; Bridge, Structural Concrete; Bridge (Polymer Fiber), Structural Concrete; Barrier Slab, Aggregate Base (Approach Slab), Structural Concrete; Approach Slab (Type R), Drill and Bond Dowel, Clean Expansion Joint, Neoprene Gland (Wabo Strip Seal SE-400), Neoprene Gland (Wabo Strip Seal SE-500), Fabricated Strip Seal (Wabo Type M), Fabricated Strip Seal (Wabo Type R), Joint Seal (MR 1/2"), Joint Seal (MR 2"), Bar Reinforcing Steel (Epoxy Coated) (Bridge), Bar Reinforcing Steel (Epoxy Coated) Bridge, Bar Reinforcing Steel (Stainless Steel), 8" Corrugated Steel Pipe Downdrain (.079" Thick), 8" Entrance Taper, 8" Anchor Assembly, Minor Concrete (Misc. Construction), Object Marker (Type P), Midwest Guardrail System (7' Post), End Anchor Assembly (Type SFT), Concrete Barrier (Type 60 and Type 736), Thermoplastic Traffic Stripe (Sprayable), Pavement Marker (Retroreflective), Maintaining Existing Traffic Mgmt. System Elements During Construction, Modifying Existing Electrical System..

Stewart Engineering Inc. is an EEO Employer. We encourage and actively solicit proposals from DBE subcontractors and suppliers on all our projects. All qualified DBE subcontractors must be registered and certified by the California Department of Transportation.

Plans & Specifications may be obtained from the Department of Transportation's website:
http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_advertised.php. Prior to the bid, upon request, you can contact our office if you require assistance in bonding, lines of credit, insurance, obtaining necessary equipment, supplies, materials or services etc., which may be required by the Owner. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing prior to bid opening. All Subcontractors will be required to sign our standard Subcontract Agreement. You must be registered and provide your Department of Industrial Relations number.

If you have any questions please do not hesitate to contact us.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Nov 01, 2016
with a copy of your certification to Renee Thomas at (530) 244-8462

Stewart Engineering, Inc.

P.O. Box 990010
Redding, CA 96099
Telephone: (530) 244-8464
Fax: (530) 244-8462

INVITATION TO BID

October 18, 2016
General Supply Company
971 87th Avenue
Oakland, CA, 94621

We are seeking certified and qualified **DBE (9% Goal)** subcontractors and/or suppliers for:

Project: State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Location: Near Hornbrook, CA

Bid Due Date: 11/01/16 at 01:00 PM PST

Solicitation Number: 02-4F58U4

Contact: Renee Thomas

Quotes are needed for:

the following items of work, including but not limited to: Lead Compliance Plan, Construction Area Signs, Traffic Control System, Temp. Pavement Marking (Paint), Temp. Traffic Stripe (Paint), Channelizer (Surface Mounted), Portable Changeable Message Sign, Temp. Railing (Type K), Temp. Crash Cushion System, Prepare Water Pollution Control Program, Temp. Drainage Inlet Protection, Temp. Fiber Roll, Temp. Concrete Washout, Asbestos Compliance Plan, Asbestos Removal, Treated Wood Waste, Bird Exclusion, Rumble Strip Patch (Concrete), Remove Guardrail, Remove Painted Traffic Stripe, Remove Painted Pavement Marking, Remove Thermoplastic Traffic Stripe, Remove Pavement Marker, Salvage Metal Bridge Railing, Reconstruct Guardrail, Reconstruct Guardrail (9' Post), Reconstruct Terminal System, Reconstruct Transition Railing, Reconstruct End Anchor (Type SFT), Cold Plane Asphalt Concrete Pavement, Remove Concrete Barrier, Prepare Concrete Bridge Deck Surface, Furnish and Place Polyester Concrete Overlay, Carbon Fiber Reinforced Polymer Strip (Deck), Carbon Fiber Reinforced Polymer Sheet (Exterior & Interior), Access Opening; Soffit, Bridge Removal (Portion), Location A and B, Develop Water Supply, Class 2 Aggregate Base, Hot Mix Asphalt (Type A), Minor Hot Mix Asphalt, Shoulder Rumble Strip (HMA, Ground-In Indentations), Place Hot Mix Asphalt Dike (Type F), Place Hot Mix Asphalt (Misc. Area), Shoulder Rumble Strip (Concrete Pavement, Ground-In Indentation), Rail Element Wall, Structural Concrete; Bridge, Structural Concrete; Bridge (Polymer Fiber), Structural Concrete; Barrier Slab, Aggregate Base (Approach Slab), Structural Concrete; Approach Slab (Type R), Drill and Bond Dowel, Clean Expansion Joint, Neoprene Gland (Wabo Strip Seal SE-400), Neoprene Gland (Wabo Strip Seal SE-500), Fabricated Strip Seal (Wabo Type M), Fabricated Strip Seal (Wabo Type R), Joint Seal (MR 1/2"), Joint Seal (MR 2"), Bar Reinforcing Steel (Epoxy Coated) (Bridge), Bar Reinforcing Steel (Epoxy Coated) Bridge, Bar Reinforcing Steel (Stainless Steel), 8" Corrugated Steel Pipe Downdrain (.079" Thick), 8" Entrance Taper, 8" Anchor Assembly, Minor Concrete (Misc. Construction), Object Marker (Type P), Midwest Guardrail System (7' Post), End Anchor Assembly (Type SFT), Concrete Barrier (Type 60 and Type 736), Thermoplastic Traffic Stripe (Sprayable), Pavement Marker (Retroreflective), Maintaining Existing Traffic Mgmt. System Elements During Construction, Modifying Existing Electrical System..

Stewart Engineering Inc. is an EEO Employer. We encourage and actively solicit proposals from DBE subcontractors and suppliers on all our projects. All qualified DBE subcontractors must be registered and certified by the California Department of Transportation.

Plans & Specifications may be obtained from the Department of Transportation's website:
http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_advertised.php. Prior to the bid, upon request, you can contact our office if you require assistance in bonding, lines of credit, insurance, obtaining necessary equipment, supplies, materials or services etc., which may be required by the Owner. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing prior to bid opening. All Subcontractors will be required to sign our standard Subcontract Agreement. You must be registered and provide your Department of Industrial Relations number.

If you have any questions please do not hesitate to contact us.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Nov 01, 2016
with a copy of your certification to Renee Thomas at (530) 244-8462

Stewart Engineering, Inc.

P.O. Box 990010
Redding, CA 96099
Telephone: (530) 244-8464
Fax: (530) 244-8462

INVITATION TO BID

October 18, 2016
Gr Sundberg, Inc.
5211 Boyd Road
Arcata, CA, 95521

We are seeking certified and qualified **DBE (9% Goal)** subcontractors and/or suppliers for:

Project: State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Location: Near Hornbrook, CA

Bid Due Date: 11/01/16 at 01:00 PM PST

Solicitation Number: 02-4F58U4

Contact: Renee Thomas

Quotes are needed for:

the following items of work, including but not limited to: Lead Compliance Plan, Construction Area Signs, Traffic Control System, Temp. Pavement Marking (Paint), Temp. Traffic Stripe (Paint), Channelizer (Surface Mounted), Portable Changeable Message Sign, Temp. Railing (Type K), Temp. Crash Cushion System, Prepare Water Pollution Control Program, Temp. Drainage Inlet Protection, Temp. Fiber Roll, Temp. Concrete Washout, Asbestos Compliance Plan, Asbestos Removal, Treated Wood Waste, Bird Exclusion, Rumble Strip Patch (Concrete), Remove Guardrail, Remove Painted Traffic Stripe, Remove Painted Pavement Marking, Remove Thermoplastic Traffic Stripe, Remove Pavement Marker, Salvage Metal Bridge Railing, Reconstruct Guardrail, Reconstruct Guardrail (9' Post), Reconstruct Terminal System, Reconstruct Transition Railing, Reconstruct End Anchor (Type SFT), Cold Plane Asphalt Concrete Pavement, Remove Concrete Barrier, Prepare Concrete Bridge Deck Surface, Furnish and Place Polyester Concrete Overlay, Carbon Fiber Reinforced Polymer Strip (Deck), Carbon Fiber Reinforced Polymer Sheet (Exterior & Interior), Access Opening; Soffit, Bridge Removal (Portion), Location A and B, Develop Water Supply, Class 2 Aggregate Base, Hot Mix Asphalt (Type A), Minor Hot Mix Asphalt, Shoulder Rumble Strip (HMA, Ground-In Indentations), Place Hot Mix Asphalt Dike (Type F), Place Hot Mix Asphalt (Misc. Area), Shoulder Rumble Strip (Concrete Pavement, Ground-In Indentation), Rail Element Wall, Structural Concrete; Bridge, Structural Concrete; Bridge (Polymer Fiber), Structural Concrete; Barrier Slab, Aggregate Base (Approach Slab), Structural Concrete; Approach Slab (Type R), Drill and Bond Dowel, Clean Expansion Joint, Neoprene Gland (Wabo Strip Seal SE-400), Neoprene Gland (Wabo Strip Seal SE-500), Fabricated Strip Seal (Wabo Type M), Fabricated Strip Seal (Wabo Type R), Joint Seal (MR 1/2"), Joint Seal (MR 2"), Bar Reinforcing Steel (Epoxy Coated) (Bridge), Bar Reinforcing Steel (Epoxy Coated) Bridge, Bar Reinforcing Steel (Stainless Steel), 8" Corrugated Steel Pipe Downdrain (.079" Thick), 8" Entrance Taper, 8" Anchor Assembly, Minor Concrete (Misc. Construction), Object Marker (Type P), Midwest Guardrail System (7' Post), End Anchor Assembly (Type SFT), Concrete Barrier (Type 60 and Type 736), Thermoplastic Traffic Stripe (Sprayable), Pavement Marker (Retroreflective), Maintaining Existing Traffic Mgmt. System Elements During Construction, Modifying Existing Electrical System..

Stewart Engineering Inc. is an EEO Employer. We encourage and actively solicit proposals from DBE subcontractors and suppliers on all our projects. All qualified DBE subcontractors must be registered and certified by the California Department of Transportation.

Stewart Engineering, Inc.

P.O. Box 990010
Redding, CA 96099
Telephone: (530) 244-8464
Fax: (530) 244-8462

INVITATION TO BID

October 18, 2016
BLACK DIAMOND ASPHALT, INC.
118 MAIN STREET
VACAVILLE, CA, 95688

We are seeking certified and qualified **DBE (9% Goal)** subcontractors and/or suppliers for:

Project: State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Location: Near Hornbrook, CA

Bid Due Date: 11/01/16 at 01:00 PM PST

Solicitation Number: 02-4F58U4

Contact: Renee Thomas

Quotes are needed for:

the following items of work, including but not limited to: Lead Compliance Plan, Construction Area Signs, Traffic Control System, Temp. Pavement Marking (Paint), Temp. Traffic Stripe (Paint), Channelizer (Surface Mounted), Portable Changeable Message Sign, Temp. Railing (Type K), Temp. Crash Cushion System, Prepare Water Pollution Control Program, Temp. Drainage Inlet Protection, Temp. Fiber Roll, Temp. Concrete Washout, Asbestos Compliance Plan, Asbestos Removal, Treated Wood Waste, Bird Exclusion, Rumble Strip Patch (Concrete), Remove Guardrail, Remove Painted Traffic Stripe, Remove Painted Pavement Marking, Remove Thermoplastic Traffic Stripe, Remove Pavement Marker, Salvage Metal Bridge Railing, Reconstruct Guardrail, Reconstruct Guardrail (9' Post), Reconstruct Terminal System, Reconstruct Transition Railing, Reconstruct End Anchor (Type SFT), Cold Plane Asphalt Concrete Pavement, Remove Concrete Barrier, Prepare Concrete Bridge Deck Surface, Furnish and Place Polyester Concrete Overlay, Carbon Fiber Reinforced Polymer Strip (Deck), Carbon Fiber Reinforced Polymer Sheet (Exterior & Interior), Access Opening; Soffit, Bridge Removal (Portion), Location A and B, Develop Water Supply, Class 2 Aggregate Base, Hot Mix Asphalt (Type A), Minor Hot Mix Asphalt, Shoulder Rumble Strip (HMA, Ground-In Indentations), Place Hot Mix Asphalt Dike (Type F), Place Hot Mix Asphalt (Misc. Area), Shoulder Rumble Strip (Concrete Pavement, Ground-In Indentation), Rail Element Wall, Structural Concrete; Bridge, Structural Concrete; Bridge (Polymer Fiber), Structural Concrete; Barrier Slab, Aggregate Base (Approach Slab), Structural Concrete; Approach Slab (Type R), Drill and Bond Dowel, Clean Expansion Joint, Neoprene Gland (Wabo Strip Seal SE-400), Neoprene Gland (Wabo Strip Seal SE-500), Fabricated Strip Seal (Wabo Type M), Fabricated Strip Seal (Wabo Type R), Joint Seal (MR 1/2"), Joint Seal (MR 2"), Bar Reinforcing Steel (Epoxy Coated) (Bridge), Bar Reinforcing Steel (Epoxy Coated) Bridge, Bar Reinforcing Steel (Stainless Steel), 8" Corrugated Steel Pipe Down drain (.079" Thick), 8" Entrance Taper, 8" Anchor Assembly, Minor Concrete (Misc. Construction), Object Marker (Type P), Midwest Guardrail System (7' Post), End Anchor Assembly (Type SFT), Concrete Barrier (Type 60 and Type 736), Thermoplastic Traffic Stripe (Sprayable), Pavement Marker (Retroreflective), Maintaining Existing Traffic Mgmt. System Elements During Construction, Modifying Existing Electrical System..

Stewart Engineering Inc. is an EEO Employer. We encourage and actively solicit proposals from DBE subcontractors and suppliers on all our projects. All qualified DBE subcontractors must be registered and certified by the California Department of Transportation.

Plans & Specifications may be obtained from the Department of Transportation's website:
http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_advertised.php. Prior to the bid, upon request, you can contact our office if you require assistance in bonding, lines of credit, insurance, obtaining necessary equipment, supplies, materials or services etc., which may be required by the Owner. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing prior to bid opening. All Subcontractors will be required to sign our standard Subcontract Agreement. You must be registered and provide your Department of Industrial Relations number.

If you have any questions please do not hesitate to contact us.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner Signature

Date: _____

Please fax return this form by Nov 01, 2016
with a copy of your certification to Renee Thomas at (530) 244-8462

Stewart Engineering, Inc.

P.O. Box 990010
Redding, CA 96099
Telephone: (530) 244-8464
Fax: (530) 244-8462

INVITATION TO BID

October 18, 2016
HEIR & SON CONSTRUCTION, INC
1180 SANBORN ROAD
YUBA CITY, CA, 95993

We are seeking certified and qualified **DBE (9% Goal)** subcontractors and/or suppliers for:

Project: State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Location: Near Hornbrook, CA

Bid Due Date: 11/01/16 at 01:00 PM PST

Solicitation Number: 02-4F58U4

Contact: Renee Thomas

Quotes are needed for:

the following items of work, including but not limited to: Lead Compliance Plan, Construction Area Signs, Traffic Control System, Temp. Pavement Marking (Paint), Temp. Traffic Stripe (Paint), Channelizer (Surface Mounted), Portable Changeable Message Sign, Temp. Railing (Type K), Temp. Crash Cushion System, Prepare Water Pollution Control Program, Temp. Drainage Inlet Protection, Temp. Fiber Roll, Temp. Concrete Washout, Asbestos Compliance Plan, Asbestos Removal, Treated Wood Waste, Bird Exclusion, Rumble Strip Patch (Concrete), Remove Guardrail, Remove Painted Traffic Stripe, Remove Painted Pavement Marking, Remove Thermoplastic Traffic Stripe, Remove Pavement Marker, Salvage Metal Bridge Railing, Reconstruct Guardrail, Reconstruct Guardrail (9' Post), Reconstruct Terminal System, Reconstruct Transition Railing, Reconstruct End Anchor (Type SFT), Cold Plane Asphalt Concrete Pavement, Remove Concrete Barrier, Prepare Concrete Bridge Deck Surface, Furnish and Place Polyester Concrete Overlay, Carbon Fiber Reinforced Polymer Strip (Deck), Carbon Fiber Reinforced Polymer Sheet (Exterior & Interior), Access Opening; Soffit, Bridge Removal (Portion), Location A and B, Develop Water Supply, Class 2 Aggregate Base, Hot Mix Asphalt (Type A), Minor Hot Mix Asphalt, Shoulder Rumble Strip (HMA, Ground-In Indentations), Place Hot Mix Asphalt Dike (Type F), Place Hot Mix Asphalt (Misc. Area), Shoulder Rumble Strip (Concrete Pavement, Ground-In Indentation), Rail Element Wall, Structural Concrete; Bridge, Structural Concrete; Bridge (Polymer Fiber), Structural Concrete; Barrier Slab, Aggregate Base (Approach Slab), Structural Concrete; Approach Slab (Type R), Drill and Bond Dowel, Clean Expansion Joint, Neoprene Gland (Wabo Strip Seal SE-400), Neoprene Gland (Wabo Strip Seal SE-500), Fabricated Strip Seal (Wabo Type M), Fabricated Strip Seal (Wabo Type R), Joint Seal (MR 1/2"), Joint Seal (MR 2"), Bar Reinforcing Steel (Epoxy Coated) (Bridge), Bar Reinforcing Steel (Epoxy Coated) Bridge, Bar Reinforcing Steel (Stainless Steel), 8" Corrugated Steel Pipe Downrain (.079" Thick), 8" Entrance Taper, 8" Anchor Assembly, Minor Concrete (Misc. Construction), Object Marker (Type P), Midwest Guardrail System (7' Post), End Anchor Assembly (Type SFT), Concrete Barrier (Type 60 and Type 736), Thermoplastic Traffic Stripe (Sprayable), Pavement Marker (Retroreflective), Maintaining Existing Traffic Mgmt. System Elements During Construction, Modifying Existing Electrical System..

Stewart Engineering Inc. is an EEO Employer. We encourage and actively solicit proposals from DBE subcontractors and suppliers on all our projects. All qualified DBE subcontractors must be registered and certified by the California Department of Transportation.

Plans & Specifications may be obtained from the Department of Transportation's website:
http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_advertised.php. Prior to the bid, upon request, you can contact our office if you require assistance in bonding, lines of credit, insurance, obtaining necessary equipment, supplies, materials or services etc., which may be required by the Owner. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing prior to bid opening. All Subcontractors will be required to sign our standard Subcontract Agreement. You must be registered and provide your Department of Industrial Relations number.

If you have any questions please do not hesitate to contact us.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Nov 01, 2016
with a copy of your certification to Renee Thomas at (530) 244-8462

Stewart Engineering, Inc.

P.O. Box 990010
Redding, CA 96099
Telephone: (530) 244-8464
Fax: (530) 244-8462

INVITATION TO BID

October 18, 2016
Eighteen Trucking Co.
160 Cargo Way No. 2002
San Francisco, CA, 94124

We are seeking certified and qualified **DBE (9% Goal)** subcontractors and/or suppliers for:

Project: State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Location: Near Hornbrook, CA

Bid Due Date: 11/01/16 at 01:00 PM PST

Solicitation Number: 02-4F58U4

Contact: Renee Thomas

Quotes are needed for:

the following items of work, including but not limited to: Lead Compliance Plan, Construction Area Signs, Traffic Control System, Temp. Pavement Marking (Paint), Temp. Traffic Stripe (Paint), Channelizer (Surface Mounted), Portable Changeable Message Sign, Temp. Railing (Type K), Temp. Crash Cushion System, Prepare Water Pollution Control Program, Temp. Drainage Inlet Protection, Temp. Fiber Roll, Temp. Concrete Washout, Asbestos Compliance Plan, Asbestos Removal, Treated Wood Waste, Bird Exclusion, Rumble Strip Patch (Concrete), Remove Guardrail, Remove Painted Traffic Stripe, Remove Painted Pavement Marking, Remove Thermoplastic Traffic Stripe, Remove Pavement Marker, Salvage Metal Bridge Railing, Reconstruct Guardrail, Reconstruct Guardrail (9' Post), Reconstruct Terminal System, Reconstruct Transition Railing, Reconstruct End Anchor (Type SFT), Cold Plane Asphalt Concrete Pavement, Remove Concrete Barrier, Prepare Concrete Bridge Deck Surface, Furnish and Place Polyester Concrete Overlay, Carbon Fiber Reinforced Polymer Strip (Deck), Carbon Fiber Reinforced Polymer Sheet (Exterior & Interior), Access Opening; Soffit, Bridge Removal (Portion), Location A and B, Develop Water Supply, Class 2 Aggregate Base, Hot Mix Asphalt (Type A), Minor Hot Mix Asphalt, Shoulder Rumble Strip (HMA, Ground-In Indentations), Place Hot Mix Asphalt Dike (Type F), Place Hot Mix Asphalt (Misc. Area), Shoulder Rumble Strip (Concrete Pavement, Ground-In Indentation), Rail Element Wall, Structural Concrete; Bridge, Structural Concrete; Bridge (Polymer Fiber), Structural Concrete; Barrier Slab, Aggregate Base (Approach Slab), Structural Concrete; Approach Slab (Type R), Drill and Bond Dowel, Clean Expansion Joint, Neoprene Gland (Wabo Strip Seal SE-400), Neoprene Gland (Wabo Strip Seal SE-500), Fabricated Strip Seal (Wabo Type M), Fabricated Strip Seal (Wabo Type R), Joint Seal (MR 1/2"), Joint Seal (MR 2"), Bar Reinforcing Steel (Epoxy Coated) (Bridge), Bar Reinforcing Steel (Epoxy Coated) Bridge, Bar Reinforcing Steel (Stainless Steel), 8" Corrugated Steel Pipe Downdrain (.079" Thick), 8" Entrance Taper, 8" Anchor Assembly, Minor Concrete (Misc. Construction), Object Marker (Type P), Midwest Guardrail System (7' Post), End Anchor Assembly (Type SFT), Concrete Barrier (Type 60 and Type 736), Thermoplastic Traffic Stripe (Sprayable), Pavement Marker (Retroreflective), Maintaining Existing Traffic Mgmt. System Elements During Construction, Modifying Existing Electrical System..

Stewart Engineering Inc. is an EEO Employer. We encourage and actively solicit proposals from DBE subcontractors and suppliers on all our projects. All qualified DBE subcontractors must be registered and certified by the California Department of Transportation.

Plans & Specifications may be obtained from the Department of Transportation's website:
http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_advertised.php. Prior to the bid, upon request, you can contact our office if you require assistance in bonding, lines of credit, insurance, obtaining necessary equipment, supplies, materials or services etc., which may be required by the Owner. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing prior to bid opening. All Subcontractors will be required to sign our standard Subcontract Agreement. You must be registered and provide your Department of Industrial Relations number.

If you have any questions please do not hesitate to contact us.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Nov 01, 2016
with a copy of your certification to Renee Thomas at (530) 244-8462

Stewart Engineering, Inc.

P.O. Box 990010
Redding, CA 96099
Telephone: (530) 244-8464
Fax: (530) 244-8462

INVITATION TO BID

October 18, 2016
Quality Erectors & Construction, Inc.
3130 Bayshore Rd.
Benicia, CA, 94510

We are seeking certified and qualified **DBE (9% Goal)** subcontractors and/or suppliers for:

Project: State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Location: Near Hornbrook, CA

Bid Due Date: 11/01/16 at 01:00 PM PST

Solicitation Number: 02-4F58U4

Contact: Renee Thomas

Quotes are needed for:

the following items of work, including but not limited to: Lead Compliance Plan, Construction Area Signs, Traffic Control System, Temp. Pavement Marking (Paint), Temp. Traffic Stripe (Paint), Channelizer (Surface Mounted), Portable Changeable Message Sign, Temp. Railing (Type K), Temp. Crash Cushion System, Prepare Water Pollution Control Program, Temp. Drainage Inlet Protection, Temp. Fiber Roll, Temp. Concrete Washout, Asbestos Compliance Plan, Asbestos Removal, Treated Wood Waste, Bird Exclusion, Rumble Strip Patch (Concrete), Remove Guardrail, Remove Painted Traffic Stripe, Remove Painted Pavement Marking, Remove Thermoplastic Traffic Stripe, Remove Pavement Marker, Salvage Metal Bridge Railing, Reconstruct Guardrail, Reconstruct Guardrail (9' Post), Reconstruct Terminal System, Reconstruct Transition Railing, Reconstruct End Anchor (Type SFT), Cold Plane Asphalt Concrete Pavement, Remove Concrete Barrier, Prepare Concrete Bridge Deck Surface, Furnish and Place Polyester Concrete Overlay, Carbon Fiber Reinforced Polymer Strip (Deck), Carbon Fiber Reinforced Polymer Sheet (Exterior & Interior), Access Opening; Soffit, Bridge Removal (Portion), Location A and B, Develop Water Supply, Class 2 Aggregate Base, Hot Mix Asphalt (Type A), Minor Hot Mix Asphalt, Shoulder Rumble Strip (HMA, Ground-In Indentations), Place Hot Mix Asphalt Dike (Type F), Place Hot Mix Asphalt (Misc. Area), Shoulder Rumble Strip (Concrete Pavement, Ground-In Indentation), Rail Element Wall, Structural Concrete; Bridge, Structural Concrete; Bridge (Polymer Fiber), Structural Concrete; Barrier Slab, Aggregate Base (Approach Slab), Structural Concrete; Approach Slab (Type R), Drill and Bond Dowel, Clean Expansion Joint, Neoprene Gland (Wabo Strip Seal SE-400), Neoprene Gland (Wabo Strip Seal SE-500), Fabricated Strip Seal (Wabo Type M), Fabricated Strip Seal (Wabo Type R), Joint Seal (MR 1/2"), Joint Seal (MR 2"), Bar Reinforcing Steel (Epoxy Coated) (Bridge), Bar Reinforcing Steel (Epoxy Coated) Bridge, Bar Reinforcing Steel (Stainless Steel), 8" Corrugated Steel Pipe Down drain (.079" Thick), 8" Entrance Taper, 8" Anchor Assembly, Minor Concrete (Misc. Construction), Object Marker (Type P), Midwest Guardrail System (7' Post), End Anchor Assembly (Type SFT), Concrete Barrier (Type 60 and Type 736), Thermoplastic Traffic Stripe (Sprayable), Pavement Marker (Retroreflective), Maintaining Existing Traffic Mgmt. System Elements During Construction, Modifying Existing Electrical System..

Stewart Engineering Inc. is an EEO Employer. We encourage and actively solicit proposals from DBE subcontractors and suppliers on all our projects. All qualified DBE subcontractors must be registered and certified by the California Department of Transportation.

Plans & Specifications may be obtained from the Department of Transportation's website:
http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_advertised.php. Prior to the bid, upon request, you can contact our office if you require assistance in bonding, lines of credit, insurance, obtaining necessary equipment, supplies, materials or services etc., which may be required by the Owner. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing prior to bid opening. All Subcontractors will be required to sign our standard Subcontract Agreement. You must be registered and provide your Department of Industrial Relations number.

If you have any questions please do not hesitate to contact us.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Nov 01, 2016
with a copy of your certification to Renee Thomas at (530) 244-8462

Stewart Engineering, Inc.

P.O. Box 990010
Redding, CA 96099
Telephone: (530) 244-8464
Fax: (530) 244-8462

INVITATION TO BID

October 18, 2016

Metco

2165 Francisco Boulevard, #ai
San Rafael, CA, 94901

We are seeking certified and qualified **DBE (9% Goal)** subcontractors and/or suppliers for:

Project: State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Location: Near Hornbrook, CA

Bid Due Date: 11/01/16 at 01:00 PM PST

Solicitation Number: 02-4F58U4

Contact: Renee Thomas

Quotes are needed for:

the following items of work, including but not limited to: Lead Compliance Plan, Construction Area Signs, Traffic Control System, Temp. Pavement Marking (Paint), Temp. Traffic Stripe (Paint), Channelizer (Surface Mounted), Portable Changeable Message Sign, Temp. Railing (Type K), Temp. Crash Cushion System, Prepare Water Pollution Control Program, Temp. Drainage Inlet Protection, Temp. Fiber Roll, Temp. Concrete Washout, Asbestos Compliance Plan, Asbestos Removal, Treated Wood Waste, Bird Exclusion, Rumble Strip Patch (Concrete), Remove Guardrail, Remove Painted Traffic Stripe, Remove Painted Pavement Marking, Remove Thermoplastic Traffic Stripe, Remove Pavement Marker, Salvage Metal Bridge Railing, Reconstruct Guardrail, Reconstruct Guardrail (9' Post), Reconstruct Terminal System, Reconstruct Transition Railing, Reconstruct End Anchor (Type SFT), Cold Plane Asphalt Concrete Pavement, Remove Concrete Barrier, Prepare Concrete Bridge Deck Surface, Furnish and Place Polyester Concrete Overlay, Carbon Fiber Reinforced Polymer Strip (Deck), Carbon Fiber Reinforced Polymer Sheet (Exterior & Interior), Access Opening; Soffit, Bridge Removal (Portion), Location A and B, Develop Water Supply, Class 2 Aggregate Base, Hot Mix Asphalt (Type A), Minor Hot Mix Asphalt, Shoulder Rumble Strip (HMA, Ground-In Indentations), Place Hot Mix Asphalt Dike (Type F), Place Hot Mix Asphalt (Misc. Area), Shoulder Rumble Strip (Concrete Pavement, Ground-In Indentation), Rail Element Wall, Structural Concrete; Bridge, Structural Concrete; Bridge (Polymer Fiber), Structural Concrete; Barrier Slab, Aggregate Base (Approach Slab), Structural Concrete; Approach Slab (Type R), Drill and Bond Dowel, Clean Expansion Joint, Neoprene Gland (Wabo Strip Seal SE-400), Neoprene Gland (Wabo Strip Seal SE-500), Fabricated Strip Seal (Wabo Type M), Fabricated Strip Seal (Wabo Type R), Joint Seal (MR 1/2"), Joint Seal (MR 2"), Bar Reinforcing Steel (Epoxy Coated) (Bridge), Bar Reinforcing Steel (Epoxy Coated) Bridge, Bar Reinforcing Steel (Stainless Steel), 8" Corrugated Steel Pipe Downdrain (.079" Thick), 8" Entrance Taper, 8" Anchor Assembly, Minor Concrete (Misc. Construction), Object Marker (Type P), Midwest Guardrail System (7' Post), End Anchor Assembly (Type SFT), Concrete Barrier (Type 60 and Type 736), Thermoplastic Traffic Stripe (Sprayable), Pavement Marker (Retroreflective), Maintaining Existing Traffic Mgmt. System Elements During Construction, Modifying Existing Electrical System..

Stewart Engineering Inc. is an EEO Employer. We encourage and actively solicit proposals from DBE subcontractors and suppliers on all our projects. All qualified DBE subcontractors must be registered and certified by the California Department of Transportation.

Plans & Specifications may be obtained from the Department of Transportation's website:
http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_advertised.php. Prior to the bid, upon request, you can contact our office if you require assistance in bonding, lines of credit, insurance, obtaining necessary equipment, supplies, materials or services etc., which may be required by the Owner. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing prior to bid opening. All Subcontractors will be required to sign our standard Subcontract Agreement. You must be registered and provide your Department of Industrial Relations number.

If you have any questions please do not hesitate to contact us.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Nov 01, 2016
with a copy of your certification to Renee Thomas at (530) 244-8462

Stewart Engineering, Inc.

P.O. Box 990010
Redding, CA 96099
Telephone: (530) 244-8464
Fax: (530) 244-8462

INVITATION TO BID

October 18, 2016
Pc&n Construction, Inc
5301-f Byron Hot Springs Road
Byron, CA, 94514

We are seeking certified and qualified **DBE (9% Goal)** subcontractors and/or suppliers for:

Project: State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Location: Near Hornbrook, CA

Bid Due Date: 11/01/16 at 01:00 PM PST

Solicitation Number: 02-4F58U4

Contact: Renee Thomas

Quotes are needed for:

the following items of work, including but not limited to: Lead Compliance Plan, Construction Area Signs, Traffic Control System, Temp. Pavement Marking (Paint), Temp. Traffic Stripe (Paint), Channelizer (Surface Mounted), Portable Changeable Message Sign, Temp. Railing (Type K), Temp. Crash Cushion System, Prepare Water Pollution Control Program, Temp. Drainage Inlet Protection, Temp. Fiber Roll, Temp. Concrete Washout, Asbestos Compliance Plan, Asbestos Removal, Treated Wood Waste, Bird Exclusion, Rumble Strip Patch (Concrete), Remove Guardrail, Remove Painted Traffic Stripe, Remove Painted Pavement Marking, Remove Thermoplastic Traffic Stripe, Remove Pavement Marker, Salvage Metal Bridge Railing, Reconstruct Guardrail, Reconstruct Guardrail (9' Post), Reconstruct Terminal System, Reconstruct Transition Railing, Reconstruct End Anchor (Type SFT), Cold Plane Asphalt Concrete Pavement, Remove Concrete Barrier, Prepare Concrete Bridge Deck Surface, Furnish and Place Polyester Concrete Overlay, Carbon Fiber Reinforced Polymer Strip (Deck), Carbon Fiber Reinforced Polymer Sheet (Exterior & Interior), Access Opening; Soffit, Bridge Removal (Portion), Location A and B, Develop Water Supply, Class 2 Aggregate Base, Hot Mix Asphalt (Type A), Minor Hot Mix Asphalt, Shoulder Rumble Strip (HMA, Ground-In Indentations), Place Hot Mix Asphalt Dike (Type F), Place Hot Mix Asphalt (Misc. Area), Shoulder Rumble Strip (Concrete Pavement, Ground-In Indentation), Rail Element Wall, Structural Concrete; Bridge, Structural Concrete; Bridge (Polymer Fiber), Structural Concrete; Barrier Slab, Aggregate Base (Approach Slab), Structural Concrete; Approach Slab (Type R), Drill and Bond Dowel, Clean Expansion Joint, Neoprene Gland (Wabo Strip Seal SE-400), Neoprene Gland (Wabo Strip Seal SE-500), Fabricated Strip Seal (Wabo Type M), Fabricated Strip Seal (Wabo Type R), Joint Seal (MR 1/2"), Joint Seal (MR 2"), Bar Reinforcing Steel (Epoxy Coated) (Bridge), Bar Reinforcing Steel (Epoxy Coated) Bridge, Bar Reinforcing Steel (Stainless Steel), 8" Corrugated Steel Pipe Downrain (.079" Thick), 8" Entrance Taper, 8" Anchor Assembly, Minor Concrete (Misc. Construction), Object Marker (Type P), Midwest Guardrail System (7' Post), End Anchor Assembly (Type SFT), Concrete Barrier (Type 60 and Type 736), Thermoplastic Traffic Stripe (Sprayable), Pavement Marker (Retroreflective), Maintaining Existing Traffic Mgmt. System Elements During Construction, Modifying Existing Electrical System..

Stewart Engineering Inc. is an EEO Employer. We encourage and actively solicit proposals from DBE subcontractors and suppliers on all our projects. All qualified DBE subcontractors must be registered and certified by the California Department of Transportation.

Plans & Specifications may be obtained from the Department of Transportation's website:
http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_advertised.php. Prior to the bid, upon request, you can contact our office if you require assistance in bonding, lines of credit, insurance, obtaining necessary equipment, supplies, materials or services etc., which may be required by the Owner. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing prior to bid opening. All Subcontractors will be required to sign our standard Subcontract Agreement. You must be registered and provide your Department of Industrial Relations number.

If you have any questions please do not hesitate to contact us.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Nov 01, 2016
with a copy of your certification to Renee Thomas at (530) 244-8462

Stewart Engineering, Inc.

P.O. Box 990010
Redding, CA 96099
Telephone: (530) 244-8464
Fax: (530) 244-8462

INVITATION TO BID

October 18, 2016
Vintage Paving Company, Inc.
119 Main Street
Winters, CA, 95694

We are seeking certified and qualified **DBE (9% Goal)** subcontractors and/or suppliers for:

Project: State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Location: Near Hornbrook, CA

Bid Due Date: 11/01/16 at 01:00 PM PST

Solicitation Number: 02-4F58U4

Contact: Renee Thomas

Quotes are needed for:

the following items of work, including but not limited to: Lead Compliance Plan, Construction Area Signs, Traffic Control System, Temp. Pavement Marking (Paint), Temp. Traffic Stripe (Paint), Channelizer (Surface Mounted), Portable Changeable Message Sign, Temp. Railing (Type K), Temp. Crash Cushion System, Prepare Water Pollution Control Program, Temp. Drainage Inlet Protection, Temp. Fiber Roll, Temp. Concrete Washout, Asbestos Compliance Plan, Asbestos Removal, Treated Wood Waste, Bird Exclusion, Rumble Strip Patch (Concrete), Remove Guardrail, Remove Painted Traffic Stripe, Remove Painted Pavement Marking, Remove Thermoplastic Traffic Stripe, Remove Pavement Marker, Salvage Metal Bridge Railing, Reconstruct Guardrail, Reconstruct Guardrail (9' Post), Reconstruct Terminal System, Reconstruct Transition Railing, Reconstruct End Anchor (Type SFT), Cold Plane Asphalt Concrete Pavement, Remove Concrete Barrier, Prepare Concrete Bridge Deck Surface, Furnish and Place Polyester Concrete Overlay, Carbon Fiber Reinforced Polymer Strip (Deck), Carbon Fiber Reinforced Polymer Sheet (Exterior & Interior), Access Opening; Soffit, Bridge Removal (Portion), Location A and B, Develop Water Supply, Class 2 Aggregate Base, Hot Mix Asphalt (Type A), Minor Hot Mix Asphalt, Shoulder Rumble Strip (HMA, Ground-In Indentations), Place Hot Mix Asphalt Dike (Type F), Place Hot Mix Asphalt (Misc. Area), Shoulder Rumble Strip (Concrete Pavement, Ground-In Indentation), Rail Element Wall, Structural Concrete; Bridge, Structural Concrete; Bridge (Polymer Fiber), Structural Concrete; Barrier Slab, Aggregate Base (Approach Slab), Structural Concrete; Approach Slab (Type R), Drill and Bond Dowel, Clean Expansion Joint, Neoprene Gland (Wabo Strip Seal SE-400), Neoprene Gland (Wabo Strip Seal SE-500), Fabricated Strip Seal (Wabo Type M), Fabricated Strip Seal (Wabo Type R), Joint Seal (MR 1/2"), Joint Seal (MR 2"), Bar Reinforcing Steel (Epoxy Coated) (Bridge), Bar Reinforcing Steel (Epoxy Coated) Bridge, Bar Reinforcing Steel (Stainless Steel), 8" Corrugated Steel Pipe Downdrain (.079" Thick), 8" Entrance Taper, 8" Anchor Assembly, Minor Concrete (Misc. Construction), Object Marker (Type P), Midwest Guardrail System (7' Post), End Anchor Assembly (Type SFT), Concrete Barrier (Type 60 and Type 736), Thermoplastic Traffic Stripe (Sprayable), Pavement Marker (Retroreflective), Maintaining Existing Traffic Mgmt. System Elements During Construction, Modifying Existing Electrical System..

Stewart Engineering Inc. is an EEO Employer. We encourage and actively solicit proposals from DBE subcontractors and suppliers on all our projects. All qualified DBE subcontractors must be registered and certified by the California Department of Transportation.

Plans & Specifications may be obtained from the Department of Transportation's website:
http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_advertised.php. Prior to the bid, upon request, you can contact our office if you require assistance in bonding, lines of credit, insurance, obtaining necessary equipment, supplies, materials or services etc., which may be required by the Owner. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing prior to bid opening. All Subcontractors will be required to sign our standard Subcontract Agreement. You must be registered and provide your Department of Industrial Relations number.

If you have any questions please do not hesitate to contact us.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Nov 01, 2016
with a copy of your certification to Renee Thomas at (530) 244-8462

Stewart Engineering, Inc.

P.O. Box 990010

Redding, CA 96099

Telephone: (530) 244-8464

Fax: (530) 244-8462

INVITATION TO BID

October 18, 2016

Specialty Traffic Systems

2431 Broadway

Eureka, CA, 95501

We are seeking certified and qualified **DBE (9% Goal)** subcontractors and/or suppliers for:

Project: State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Location: Near Hornbrook, CA

Bid Due Date: 11/01/16 at 01:00 PM PST

Solicitation Number: 02-4F58U4

Contact: Renee Thomas

Quotes are needed for:

the following items of work, including but not limited to: Lead Compliance Plan, Construction Area Signs, Traffic Control System, Temp. Pavement Marking (Paint), Temp. Traffic Stripe (Paint), Channelizer (Surface Mounted), Portable Changeable Message Sign, Temp. Railing (Type K), Temp. Crash Cushion System, Prepare Water Pollution Control Program, Temp. Drainage Inlet Protection, Temp. Fiber Roll, Temp. Concrete Washout, Asbestos Compliance Plan, Asbestos Removal, Treated Wood Waste, Bird Exclusion, Rumble Strip Patch (Concrete), Remove Guardrail, Remove Painted Traffic Stripe, Remove Painted Pavement Marking, Remove Thermoplastic Traffic Stripe, Remove Pavement Marker, Salvage Metal Bridge Railing, Reconstruct Guardrail, Reconstruct Guardrail (9' Post), Reconstruct Terminal System, Reconstruct Transition Railing, Reconstruct End Anchor (Type SFT), Cold Plane Asphalt Concrete Pavement, Remove Concrete Barrier, Prepare Concrete Bridge Deck Surface, Furnish and Place Polyester Concrete Overlay, Carbon Fiber Reinforced Polymer Strip (Deck), Carbon Fiber Reinforced Polymer Sheet (Exterior & Interior), Access Opening; Soffit, Bridge Removal (Portion), Location A and B, Develop Water Supply, Class 2 Aggregate Base, Hot Mix Asphalt (Type A), Minor Hot Mix Asphalt, Shoulder Rumble Strip (HMA, Ground-In Indentations), Place Hot Mix Asphalt Dike (Type F), Place Hot Mix Asphalt (Misc. Area), Shoulder Rumble Strip (Concrete Pavement, Ground-In Indentation), Rail Element Wall, Structural Concrete; Bridge, Structural Concrete; Bridge (Polymer Fiber), Structural Concrete; Barrier Slab, Aggregate Base (Approach Slab), Structural Concrete; Approach Slab (Type R), Drill and Bond Dowel, Clean Expansion Joint, Neoprene Gland (Wabo Strip Seal SE-400), Neoprene Gland (Wabo Strip Seal SE-500), Fabricated Strip Seal (Wabo Type M), Fabricated Strip Seal (Wabo Type R), Joint Seal (MR 1/2"), Joint Seal (MR 2"), Bar Reinforcing Steel (Epoxy Coated) (Bridge), Bar Reinforcing Steel (Epoxy Coated) Bridge, Bar Reinforcing Steel (Stainless Steel), 8" Corrugated Steel Pipe Downdrain (.079" Thick), 8" Entrance Taper, 8" Anchor Assembly, Minor Concrete (Misc. Construction), Object Marker (Type P), Midwest Guardrail System (7' Post), End Anchor Assembly (Type SFT), Concrete Barrier (Type 60 and Type 736), Thermoplastic Traffic Stripe (Sprayable), Pavement Marker (Retroreflective), Maintaining Existing Traffic Mgmt. System Elements During Construction, Modifying Existing Electrical System..

Stewart Engineering Inc. is an EEO Employer. We encourage and actively solicit proposals from DBE subcontractors and suppliers on all our projects. All qualified DBE subcontractors must be registered and certified by the California Department of Transportation.

Plans & Specifications may be obtained from the Department of Transportation's website:
http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_advertised.php. Prior to the bid, upon request, you can contact our office if you require assistance in bonding, lines of credit, insurance, obtaining necessary equipment, supplies, materials or services etc., which may be required by the Owner. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing prior to bid opening. All Subcontractors will be required to sign our standard Subcontract Agreement. You must be registered and provide your Department of Industrial Relations number.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Nov 01, 2016
with a copy of your certification to Renee Thomas at (530) 244-8462

Stewart Engineering, Inc.

P.O. Box 990010

Redding, CA 96099

Telephone: (530) 244-8464

Fax: (530) 244-8462

INVITATION TO BID

October 18, 2016

DON H MAHAFFEY DRILLING CO

1800 SOUTH ALAMEDA STREET

COMPTON, CA, 90221

We are seeking certified and qualified **DBE (9% Goal)** subcontractors and/or suppliers for:

Project: State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Location: Near Hornbrook, CA

Bid Due Date: 11/01/16 at 01:00 PM PST

Solicitation Number: 02-4F58U4

Contact: Renee Thomas

Quotes are needed for:

the following items of work, including but not limited to: Lead Compliance Plan, Construction Area Signs, Traffic Control System, Temp. Pavement Marking (Paint), Temp. Traffic Stripe (Paint), Channelizer (Surface Mounted), Portable Changeable Message Sign, Temp. Railing (Type K), Temp. Crash Cushion System, Prepare Water Pollution Control Program, Temp. Drainage Inlet Protection, Temp. Fiber Roll, Temp. Concrete Washout, Asbestos Compliance Plan, Asbestos Removal, Treated Wood Waste, Bird Exclusion, Rumble Strip Patch (Concrete), Remove Guardrail, Remove Painted Traffic Stripe, Remove Painted Pavement Marking, Remove Thermoplastic Traffic Stripe, Remove Pavement Marker, Salvage Metal Bridge Railing, Reconstruct Guardrail, Reconstruct Guardrail (9' Post), Reconstruct Terminal System, Reconstruct Transition Railing, Reconstruct End Anchor (Type SFT), Cold Plane Asphalt Concrete Pavement, Remove Concrete Barrier, Prepare Concrete Bridge Deck Surface, Furnish and Place Polyester Concrete Overlay, Carbon Fiber Reinforced Polymer Strip (Deck), Carbon Fiber Reinforced Polymer Sheet (Exterior & Interior), Access Opening; Soffit, Bridge Removal (Portion), Location A and B, Develop Water Supply, Class 2 Aggregate Base, Hot Mix Asphalt (Type A), Minor Hot Mix Asphalt, Shoulder Rumble Strip (HMA, Ground-In Indentations), Place Hot Mix Asphalt Dike (Type F), Place Hot Mix Asphalt (Misc. Area), Shoulder Rumble Strip (Concrete Pavement, Ground-In Indentation), Rail Element Wall, Structural Concrete; Bridge, Structural Concrete; Bridge (Polymer Fiber), Structural Concrete; Barrier Slab, Aggregate Base (Approach Slab), Structural Concrete; Approach Slab (Type R), Drill and Bond Dowel, Clean Expansion Joint, Neoprene Gland (Wabo Strip Seal SE-400), Neoprene Gland (Wabo Strip Seal SE-500), Fabricated Strip Seal (Wabo Type M), Fabricated Strip Seal (Wabo Type R), Joint Seal (MR 1/2"), Joint Seal (MR 2"), Bar Reinforcing Steel (Epoxy Coated) (Bridge), Bar Reinforcing Steel (Epoxy Coated) Bridge, Bar Reinforcing Steel (Stainless Steel), 8" Corrugated Steel Pipe Downdrain (.079" Thick), 8" Entrance Taper, 8" Anchor Assembly, Minor Concrete (Misc. Construction), Object Marker (Type P), Midwest Guardrail System (7' Post), End Anchor Assembly (Type SFT), Concrete Barrier (Type 60 and Type 736), Thermoplastic Traffic Stripe (Sprayable), Pavement Marker (Retroreflective), Maintaining Existing Traffic Mgmt. System Elements During Construction, Modifying Existing Electrical System..

Stewart Engineering Inc. is an EEO Employer. We encourage and actively solicit proposals from DBE subcontractors and suppliers on all our projects. All qualified DBE subcontractors must be registered and certified by the California Department of Transportation.

Stewart Engineering, Inc.

P.O. Box 990010
Redding, CA 96099
Telephone: (530) 244-8464
Fax: (530) 244-8462

INVITATION TO BID

October 18, 2016
DISABLED AMERICAN VETERAN ENTERPRISES TRUCKING & SWEEPING, INC
5633 N. Fig Garden Dr #109
Fresno, CA, 93706

We are seeking certified and qualified **DBE (9% Goal)** subcontractors and/or suppliers for:

Project: State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Location: Near Hornbrook, CA

Bid Due Date: 11/01/16 at 01:00 PM PST

Solicitation Number: 02-4F58U4

Contact: Renee Thomas

Quotes are needed for:

the following items of work, including but not limited to: Lead Compliance Plan, Construction Area Signs, Traffic Control System, Temp. Pavement Marking (Paint), Temp. Traffic Stripe (Paint), Channelizer (Surface Mounted), Portable Changeable Message Sign, Temp. Railing (Type K), Temp. Crash Cushion System, Prepare Water Pollution Control Program, Temp. Drainage Inlet Protection, Temp. Fiber Roll, Temp. Concrete Washout, Asbestos Compliance Plan, Asbestos Removal, Treated Wood Waste, Bird Exclusion, Rumble Strip Patch (Concrete), Remove Guardrail, Remove Painted Traffic Stripe, Remove Painted Pavement Marking, Remove Thermoplastic Traffic Stripe, Remove Pavement Marker, Salvage Metal Bridge Railing, Reconstruct Guardrail, Reconstruct Guardrail (9' Post), Reconstruct Terminal System, Reconstruct Transition Railing, Reconstruct End Anchor (Type SFT), Cold Plane Asphalt Concrete Pavement, Remove Concrete Barrier, Prepare Concrete Bridge Deck Surface, Furnish and Place Polyester Concrete Overlay, Carbon Fiber Reinforced Polymer Strip (Deck), Carbon Fiber Reinforced Polymer Sheet (Exterior & Interior), Access Opening; Soffit, Bridge Removal (Portion), Location A and B, Develop Water Supply, Class 2 Aggregate Base, Hot Mix Asphalt (Type A), Minor Hot Mix Asphalt, Shoulder Rumble Strip (HMA, Ground-In Indentations), Place Hot Mix Asphalt Dike (Type F), Place Hot Mix Asphalt (Misc. Area), Shoulder Rumble Strip (Concrete Pavement, Ground-In Indentation), Rail Element Wall, Structural Concrete; Bridge, Structural Concrete; Bridge (Polymer Fiber), Structural Concrete; Barrier Slab, Aggregate Base (Approach Slab), Structural Concrete; Approach Slab (Type R), Drill and Bond Dowel, Clean Expansion Joint, Neoprene Gland (Wabo Strip Seal SE-400), Neoprene Gland (Wabo Strip Seal SE-500), Fabricated Strip Seal (Wabo Type M), Fabricated Strip Seal (Wabo Type R), Joint Seal (MR 1/2"), Joint Seal (MR 2"), Bar Reinforcing Steel (Epoxy Coated) (Bridge), Bar Reinforcing Steel (Epoxy Coated) Bridge, Bar Reinforcing Steel (Stainless Steel), 8" Corrugated Steel Pipe Down drain (.079" Thick), 8" Entrance Taper, 8" Anchor Assembly, Minor Concrete (Misc. Construction), Object Marker (Type P), Midwest Guardrail System (7' Post), End Anchor Assembly (Type SFT), Concrete Barrier (Type 60 and Type 736), Thermoplastic Traffic Stripe (Sprayable), Pavement Marker (Retroreflective), Maintaining Existing Traffic Mgmt. System Elements During Construction, Modifying Existing Electrical System..

Stewart Engineering Inc. is an EEO Employer. We encourage and actively solicit proposals from DBE subcontractors and suppliers on all our projects. All qualified DBE subcontractors must be registered and certified by the California Department of Transportation.

Plans & Specifications may be obtained from the Department of Transportation's website:
http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_advertised.php. Prior to the bid, upon request, you can contact our office if you require assistance in bonding, lines of credit, insurance, obtaining necessary equipment, supplies, materials or services etc., which may be required by the Owner. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing prior to bid opening. All Subcontractors will be required to sign our standard Subcontract Agreement. You must be registered and provide your Department of Industrial Relations number.

If you have any questions please do not hesitate to contact us.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Nov 01, 2016
with a copy of your certification to Renee Thomas at (530) 244-8462

Stewart Engineering, Inc.

P.O. Box 990010
Redding, CA 96099
Telephone: (530) 244-8464
Fax: (530) 244-8462

INVITATION TO BID

October 18, 2016
Bert W Salas, Inc.
10769 Woodside Avenue, Suite 201
Santee, CA, 92071

We are seeking certified and qualified **DBE (9% Goal)** subcontractors and/or suppliers for:

Project: State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Location: Near Hornbrook, CA

Bid Due Date: 11/01/16 at 01:00 PM PST

Solicitation Number: 02-4F58U4

Contact: Renee Thomas

Quotes are needed for:

the following items of work, including but not limited to: Lead Compliance Plan, Construction Area Signs, Traffic Control System, Temp. Pavement Marking (Paint), Temp. Traffic Stripe (Paint), Channelizer (Surface Mounted), Portable Changeable Message Sign, Temp. Railing (Type K), Temp. Crash Cushion System, Prepare Water Pollution Control Program, Temp. Drainage Inlet Protection, Temp. Fiber Roll, Temp. Concrete Washout, Asbestos Compliance Plan, Asbestos Removal, Treated Wood Waste, Bird Exclusion, Rumble Strip Patch (Concrete), Remove Guardrail, Remove Painted Traffic Stripe, Remove Painted Pavement Marking, Remove Thermoplastic Traffic Stripe, Remove Pavement Marker, Salvage Metal Bridge Railing, Reconstruct Guardrail, Reconstruct Guardrail (9' Post), Reconstruct Terminal System, Reconstruct Transition Railing, Reconstruct End Anchor (Type SFT), Cold Plane Asphalt Concrete Pavement, Remove Concrete Barrier, Prepare Concrete Bridge Deck Surface, Furnish and Place Polyester Concrete Overlay, Carbon Fiber Reinforced Polymer Strip (Deck), Carbon Fiber Reinforced Polymer Sheet (Exterior & Interior), Access Opening; Soffit, Bridge Removal (Portion), Location A and B, Develop Water Supply, Class 2 Aggregate Base, Hot Mix Asphalt (Type A), Minor Hot Mix Asphalt, Shoulder Rumble Strip (HMA, Ground-In Indentations), Place Hot Mix Asphalt Dike (Type F), Place Hot Mix Asphalt (Misc. Area), Shoulder Rumble Strip (Concrete Pavement, Ground-In Indentation), Rail Element Wall, Structural Concrete; Bridge, Structural Concrete; Bridge (Polymer Fiber), Structural Concrete; Barrier Slab, Aggregate Base (Approach Slab), Structural Concrete; Approach Slab (Type R), Drill and Bond Dowel, Clean Expansion Joint, Neoprene Gland (Wabo Strip Seal SE-400), Neoprene Gland (Wabo Strip Seal SE-500), Fabricated Strip Seal (Wabo Type M), Fabricated Strip Seal (Wabo Type R), Joint Seal (MR 1/2"), Joint Seal (MR 2"), Bar Reinforcing Steel (Epoxy Coated) (Bridge), Bar Reinforcing Steel (Epoxy Coated) Bridge, Bar Reinforcing Steel (Stainless Steel), 8" Corrugated Steel Pipe Down drain (.079" Thick), 8" Entrance Taper, 8" Anchor Assembly, Minor Concrete (Misc. Construction), Object Marker (Type P), Midwest Guardrail System (7' Post), End Anchor Assembly (Type SFT), Concrete Barrier (Type 60 and Type 736), Thermoplastic Traffic Stripe (Sprayable), Pavement Marker (Retroreflective), Maintaining Existing Traffic Mgmt. System Elements During Construction, Modifying Existing Electrical System..

Stewart Engineering Inc. is an EEO Employer. We encourage and actively solicit proposals from DBE subcontractors and suppliers on all our projects. All qualified DBE subcontractors must be registered and certified by the California Department of Transportation.

Plans & Specifications may be obtained from the Department of Transportation's website:
http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_advertised.php. Prior to the bid, upon request, you can contact our office if you require assistance in bonding, lines of credit, insurance, obtaining necessary equipment, supplies, materials or services etc., which may be required by the Owner. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing prior to bid opening. All Subcontractors will be required to sign our standard Subcontract Agreement. You must be registered and provide your Department of Industrial Relations number.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Nov 01, 2016
with a copy of your certification to Renee Thomas at (530) 244-8462

Stewart Engineering, Inc.

P.O. Box 990010
Redding, CA 96099
Telephone: (530) 244-8464
Fax: (530) 244-8462

INVITATION TO BID

October 18, 2016
FCS STRIPING SEALING & PAVING INC
PO BOX 664
LIVERMORE, CA, 94551

We are seeking certified and qualified **DBE (9% Goal)** subcontractors and/or suppliers for:

Project: State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Location: Near Hornbrook, CA

Bid Due Date: 11/01/16 at 01:00 PM PST

Solicitation Number: 02-4F58U4

Contact: Renee Thomas

Quotes are needed for:

the following items of work, including but not limited to: Lead Compliance Plan, Construction Area Signs, Traffic Control System, Temp. Pavement Marking (Paint), Temp. Traffic Stripe (Paint), Channelizer (Surface Mounted), Portable Changeable Message Sign, Temp. Railing (Type K), Temp. Crash Cushion System, Prepare Water Pollution Control Program, Temp. Drainage Inlet Protection, Temp. Fiber Roll, Temp. Concrete Washout, Asbestos Compliance Plan, Asbestos Removal, Treated Wood Waste, Bird Exclusion, Rumble Strip Patch (Concrete), Remove Guardrail, Remove Painted Traffic Stripe, Remove Painted Pavement Marking, Remove Thermoplastic Traffic Stripe, Remove Pavement Marker, Salvage Metal Bridge Railing, Reconstruct Guardrail, Reconstruct Guardrail (9' Post), Reconstruct Terminal System, Reconstruct Transition Railing, Reconstruct End Anchor (Type SFT), Cold Plane Asphalt Concrete Pavement, Remove Concrete Barrier, Prepare Concrete Bridge Deck Surface, Furnish and Place Polyester Concrete Overlay, Carbon Fiber Reinforced Polymer Strip (Deck), Carbon Fiber Reinforced Polymer Sheet (Exterior & Interior), Access Opening; Soffit, Bridge Removal (Portion), Location A and B, Develop Water Supply, Class 2 Aggregate Base, Hot Mix Asphalt (Type A), Minor Hot Mix Asphalt, Shoulder Rumble Strip (HMA, Ground-In Indentations), Place Hot Mix Asphalt Dike (Type F), Place Hot Mix Asphalt (Misc. Area), Shoulder Rumble Strip (Concrete Pavement, Ground-In Indentation), Rail Element Wall, Structural Concrete; Bridge, Structural Concrete; Bridge (Polymer Fiber), Structural Concrete; Barrier Slab, Aggregate Base (Approach Slab), Structural Concrete; Approach Slab (Type R), Drill and Bond Dowel, Clean Expansion Joint, Neoprene Gland (Wabo Strip Seal SE-400), Neoprene Gland (Wabo Strip Seal SE-500), Fabricated Strip Seal (Wabo Type M), Fabricated Strip Seal (Wabo Type R), Joint Seal (MR 1/2"), Joint Seal (MR 2"), Bar Reinforcing Steel (Epoxy Coated) (Bridge), Bar Reinforcing Steel (Epoxy Coated) Bridge, Bar Reinforcing Steel (Stainless Steel), 8" Corrugated Steel Pipe Downdrain (.079" Thick), 8" Entrance Taper, 8" Anchor Assembly, Minor Concrete (Misc. Construction), Object Marker (Type P), Midwest Guardrail System (7' Post), End Anchor Assembly (Type SFT), Concrete Barrier (Type 60 and Type 736), Thermoplastic Traffic Stripe (Sprayable), Pavement Marker (Retroreflective), Maintaining Existing Traffic Mgmt. System Elements During Construction, Modifying Existing Electrical System..

Stewart Engineering Inc. is an EEO Employer. We encourage and actively solicit proposals from DBE subcontractors and suppliers on all our projects. All qualified DBE subcontractors must be registered and certified by the California Department of Transportation.

Plans & Specifications may be obtained from the Department of Transportation's website:
http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_advertised.php. Prior to the bid, upon request, you can contact our office if you require assistance in bonding, lines of credit, insurance, obtaining necessary equipment, supplies, materials or services etc., which may be required by the Owner. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing prior to bid opening. All Subcontractors will be required to sign our standard Subcontract Agreement. You must be registered and provide your Department of Industrial Relations number.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Nov 01, 2016
with a copy of your certification to Renee Thomas at (530) 244-8462

Stewart Engineering, Inc.

P.O. Box 990010
Redding, CA 96099
Telephone: (530) 244-8464
Fax: (530) 244-8462

INVITATION TO BID

October 18, 2016
Northern Industrial Electric
2435 Radio Lane
Redding, CA, 96001

We are seeking certified and qualified **DBE (9% Goal)** subcontractors and/or suppliers for:

Project: State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Location: Near Hornbrook, CA

Bid Due Date: 11/01/16 at 01:00 PM PST

Solicitation Number: 02-4F58U4

Contact: Renee Thomas

Quotes are needed for:

the following items of work, including but not limited to: Lead Compliance Plan, Construction Area Signs, Traffic Control System, Temp. Pavement Marking (Paint), Temp. Traffic Stripe (Paint), Channelizer (Surface Mounted), Portable Changeable Message Sign, Temp. Railing (Type K), Temp. Crash Cushion System, Prepare Water Pollution Control Program, Temp. Drainage Inlet Protection, Temp. Fiber Roll, Temp. Concrete Washout, Asbestos Compliance Plan, Asbestos Removal, Treated Wood Waste, Bird Exclusion, Rumble Strip Patch (Concrete), Remove Guardrail, Remove Painted Traffic Stripe, Remove Painted Pavement Marking, Remove Thermoplastic Traffic Stripe, Remove Pavement Marker, Salvage Metal Bridge Railing, Reconstruct Guardrail, Reconstruct Guardrail (9' Post), Reconstruct Terminal System, Reconstruct Transition Railing, Reconstruct End Anchor (Type SFT), Cold Plane Asphalt Concrete Pavement, Remove Concrete Barrier, Prepare Concrete Bridge Deck Surface, Furnish and Place Polyester Concrete Overlay, Carbon Fiber Reinforced Polymer Strip (Deck), Carbon Fiber Reinforced Polymer Sheet (Exterior & Interior), Access Opening; Soffit, Bridge Removal (Portion), Location A and B, Develop Water Supply, Class 2 Aggregate Base, Hot Mix Asphalt (Type A), Minor Hot Mix Asphalt, Shoulder Rumble Strip (HMA, Ground-In Indentations), Place Hot Mix Asphalt Dike (Type F), Place Hot Mix Asphalt (Misc. Area), Shoulder Rumble Strip (Concrete Pavement, Ground-In Indentation), Rail Element Wall, Structural Concrete; Bridge, Structural Concrete; Bridge (Polymer Fiber), Structural Concrete; Barrier Slab, Aggregate Base (Approach Slab), Structural Concrete; Approach Slab (Type R), Drill and Bond Dowel, Clean Expansion Joint, Neoprene Gland (Wabo Strip Seal SE-400), Neoprene Gland (Wabo Strip Seal SE-500), Fabricated Strip Seal (Wabo Type M), Fabricated Strip Seal (Wabo Type R), Joint Seal (MR 1/2"), Joint Seal (MR 2"), Bar Reinforcing Steel (Epoxy Coated) (Bridge), Bar Reinforcing Steel (Epoxy Coated) Bridge, Bar Reinforcing Steel (Stainless Steel), 8" Corrugated Steel Pipe Down drain (.079" Thick), 8" Entrance Taper, 8" Anchor Assembly, Minor Concrete (Misc. Construction), Object Marker (Type P), Midwest Guardrail System (7' Post), End Anchor Assembly (Type SFT), Concrete Barrier (Type 60 and Type 736), Thermoplastic Traffic Stripe (Sprayable), Pavement Marker (Retroreflective), Maintaining Existing Traffic Mgmt. System Elements During Construction, Modifying Existing Electrical System..

Stewart Engineering Inc. is an EEO Employer. We encourage and actively solicit proposals from DBE subcontractors and suppliers on all our projects. All qualified DBE subcontractors must be registered and certified by the California Department of Transportation.

Plans & Specifications may be obtained from the Department of Transportation's website:
http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_advertised.php. Prior to the bid, upon request, you can contact our office if you require assistance in bonding, lines of credit, insurance, obtaining necessary equipment, supplies, materials or services etc., which may be required by the Owner. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing prior to bid opening. All Subcontractors will be required to sign our standard Subcontract Agreement. You must be registered and provide your Department of Industrial Relations number.

If you have any questions please do not hesitate to contact us.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Nov 01, 2016
with a copy of your certification to Renee Thomas at (530) 244-8462

Stewart Engineering, Inc.

P.O. Box 990010
Redding, CA 96099
Telephone: (530) 244-8464
Fax: (530) 244-8462

INVITATION TO BID

October 18, 2016
Eagle Engineering And Construction, Inc
1175 Palomar Drive
Redwood City, CA, 94062

We are seeking certified and qualified **DBE (9% Goal)** subcontractors and/or suppliers for:

Project: State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Location: Near Hornbrook, CA

Bid Due Date: 11/01/16 at 01:00 PM PST

Solicitation Number: 02-4F58U4

Contact: Renee Thomas

Quotes are needed for:

the following items of work, including but not limited to: Lead Compliance Plan, Construction Area Signs, Traffic Control System, Temp. Pavement Marking (Paint), Temp. Traffic Stripe (Paint), Channelizer (Surface Mounted), Portable Changeable Message Sign, Temp. Railing (Type K), Temp. Crash Cushion System, Prepare Water Pollution Control Program, Temp. Drainage Inlet Protection, Temp. Fiber Roll, Temp. Concrete Washout, Asbestos Compliance Plan, Asbestos Removal, Treated Wood Waste, Bird Exclusion, Rumble Strip Patch (Concrete), Remove Guardrail, Remove Painted Traffic Stripe, Remove Painted Pavement Marking, Remove Thermoplastic Traffic Stripe, Remove Pavement Marker, Salvage Metal Bridge Railing, Reconstruct Guardrail, Reconstruct Guardrail (9' Post), Reconstruct Terminal System, Reconstruct Transition Railing, Reconstruct End Anchor (Type SFT), Cold Plane Asphalt Concrete Pavement, Remove Concrete Barrier, Prepare Concrete Bridge Deck Surface, Furnish and Place Polyester Concrete Overlay, Carbon Fiber Reinforced Polymer Strip (Deck), Carbon Fiber Reinforced Polymer Sheet (Exterior & Interior), Access Opening; Soffit, Bridge Removal (Portion), Location A and B, Develop Water Supply, Class 2 Aggregate Base, Hot Mix Asphalt (Type A), Minor Hot Mix Asphalt, Shoulder Rumble Strip (HMA, Ground-In Indentations), Place Hot Mix Asphalt Dike (Type F), Place Hot Mix Asphalt (Misc. Area), Shoulder Rumble Strip (Concrete Pavement, Ground-In Indentation), Rail Element Wall, Structural Concrete; Bridge, Structural Concrete; Bridge (Polymer Fiber), Structural Concrete; Barrier Slab, Aggregate Base (Approach Slab), Structural Concrete; Approach Slab (Type R), Drill and Bond Dowel, Clean Expansion Joint, Neoprene Gland (Wabo Strip Seal SE-400), Neoprene Gland (Wabo Strip Seal SE-500), Fabricated Strip Seal (Wabo Type M), Fabricated Strip Seal (Wabo Type R), Joint Seal (MR 1/2"), Joint Seal (MR 2"), Bar Reinforcing Steel (Epoxy Coated) (Bridge), Bar Reinforcing Steel (Epoxy Coated) Bridge, Bar Reinforcing Steel (Stainless Steel), 8" Corrugated Steel Pipe Downdrain (.079" Thick), 8" Entrance Taper, 8" Anchor Assembly, Minor Concrete (Misc. Construction), Object Marker (Type P), Midwest Guardrail System (7' Post), End Anchor Assembly (Type SFT), Concrete Barrier (Type 60 and Type 736), Thermoplastic Traffic Stripe (Sprayable), Pavement Marker (Retroreflective), Maintaining Existing Traffic Mgmt. System Elements During Construction, Modifying Existing Electrical System..

Stewart Engineering Inc. is an EEO Employer. We encourage and actively solicit proposals from DBE subcontractors and suppliers on all our projects. All qualified DBE subcontractors must be registered and certified by the California Department of Transportation.

Plans & Specifications may be obtained from the Department of Transportation's website:
http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_advertised.php. Prior to the bid, upon request, you can contact our office if you require assistance in bonding, lines of credit, insurance, obtaining necessary equipment, supplies, materials or services etc., which may be required by the Owner. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing prior to bid opening. All Subcontractors will be required to sign our standard Subcontract Agreement. You must be registered and provide your Department of Industrial Relations number.

If you have any questions please do not hesitate to contact us.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Nov 01, 2016
with a copy of your certification to Renee Thomas at (530) 244-8462

Stewart Engineering, Inc.

P.O. Box 990010
Redding, CA 96099
Telephone: (530) 244-8464
Fax: (530) 244-8462

INVITATION TO BID

October 18, 2016
A F M Environmental Inc.
830 Northport Dr., # 204
West Sacramento, CA, 95691

We are seeking certified and qualified **DBE (9% Goal)** subcontractors and/or suppliers for:

Project: State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Location: Near Hornbrook, CA

Bid Due Date: 11/01/16 at 01:00 PM PST

Solicitation Number: 02-4F58U4

Contact: Renee Thomas

Quotes are needed for:

the following items of work, including but not limited to: Lead Compliance Plan, Construction Area Signs, Traffic Control System, Temp. Pavement Marking (Paint), Temp. Traffic Stripe (Paint), Channelizer (Surface Mounted), Portable Changeable Message Sign, Temp. Railing (Type K), Temp. Crash Cushion System, Prepare Water Pollution Control Program, Temp. Drainage Inlet Protection, Temp. Fiber Roll, Temp. Concrete Washout, Asbestos Compliance Plan, Asbestos Removal, Treated Wood Waste, Bird Exclusion, Rumble Strip Patch (Concrete), Remove Guardrail, Remove Painted Traffic Stripe, Remove Painted Pavement Marking, Remove Thermoplastic Traffic Stripe, Remove Pavement Marker, Salvage Metal Bridge Railing, Reconstruct Guardrail, Reconstruct Guardrail (9' Post), Reconstruct Terminal System, Reconstruct Transition Railing, Reconstruct End Anchor (Type SFT), Cold Plane Asphalt Concrete Pavement, Remove Concrete Barrier, Prepare Concrete Bridge Deck Surface, Furnish and Place Polyester Concrete Overlay, Carbon Fiber Reinforced Polymer Strip (Deck), Carbon Fiber Reinforced Polymer Sheet (Exterior & Interior), Access Opening; Soffit, Bridge Removal (Portion), Location A and B, Develop Water Supply, Class 2 Aggregate Base, Hot Mix Asphalt (Type A), Minor Hot Mix Asphalt, Shoulder Rumble Strip (HMA, Ground-In Indentations), Place Hot Mix Asphalt Dike (Type F), Place Hot Mix Asphalt (Misc. Area), Shoulder Rumble Strip (Concrete Pavement, Ground-In Indentation), Rail Element Wall, Structural Concrete; Bridge, Structural Concrete; Bridge (Polymer Fiber), Structural Concrete; Barrier Slab, Aggregate Base (Approach Slab), Structural Concrete; Approach Slab (Type R), Drill and Bond Dowel, Clean Expansion Joint, Neoprene Gland (Wabo Strip Seal SE-400), Neoprene Gland (Wabo Strip Seal SE-500), Fabricated Strip Seal (Wabo Type M), Fabricated Strip Seal (Wabo Type R), Joint Seal (MR 1/2"), Joint Seal (MR 2"), Bar Reinforcing Steel (Epoxy Coated) (Bridge), Bar Reinforcing Steel (Epoxy Coated) Bridge, Bar Reinforcing Steel (Stainless Steel), 8" Corrugated Steel Pipe Downdrain (.079" Thick), 8" Entrance Taper, 8" Anchor Assembly, Minor Concrete (Misc. Construction), Object Marker (Type P), Midwest Guardrail System (7' Post), End Anchor Assembly (Type SFT), Concrete Barrier (Type 60 and Type 736), Thermoplastic Traffic Stripe (Sprayable), Pavement Marker (Retroreflective), Maintaining Existing Traffic Mgmt. System Elements During Construction, Modifying Existing Electrical System..

Stewart Engineering Inc. is an EEO Employer. We encourage and actively solicit proposals from DBE subcontractors and suppliers on all our projects. All qualified DBE subcontractors must be registered and certified by the California Department of Transportation.

Plans & Specifications may be obtained from the Department of Transportation's website:
http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_advertised.php. Prior to the bid, upon request, you can contact our office if you require assistance in bonding, lines of credit, insurance, obtaining necessary equipment, supplies, materials or services etc., which may be required by the Owner. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing prior to bid opening. All Subcontractors will be required to sign our standard Subcontract Agreement. You must be registered and provide your Department of Industrial Relations number.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Nov 01, 2016
with a copy of your certification to Renee Thomas at (530) 244-8462

Stewart Engineering, Inc.

P.O. Box 990010
Redding, CA 96099
Telephone: (530) 244-8464
Fax: (530) 244-8462

INVITATION TO BID

October 18, 2016
MC CULLOUGH CONSTRUCTION INC
57 ALDERGROVE ROAD
Arcata, CA, 95521

We are seeking certified and qualified **DBE (9% Goal)** subcontractors and/or suppliers for:

Project: State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Location: Near Hornbrook, CA

Bid Due Date: 11/01/16 at 01:00 PM PST

Solicitation Number: 02-4F58U4

Contact: Renee Thomas

Quotes are needed for:

the following items of work, including but not limited to: Lead Compliance Plan, Construction Area Signs, Traffic Control System, Temp. Pavement Marking (Paint), Temp. Traffic Stripe (Paint), Channelizer (Surface Mounted), Portable Changeable Message Sign, Temp. Railing (Type K), Temp. Crash Cushion System, Prepare Water Pollution Control Program, Temp. Drainage Inlet Protection, Temp. Fiber Roll, Temp. Concrete Washout, Asbestos Compliance Plan, Asbestos Removal, Treated Wood Waste, Bird Exclusion, Rumble Strip Patch (Concrete), Remove Guardrail, Remove Painted Traffic Stripe, Remove Painted Pavement Marking, Remove Thermoplastic Traffic Stripe, Remove Pavement Marker, Salvage Metal Bridge Railing, Reconstruct Guardrail, Reconstruct Guardrail (9' Post), Reconstruct Terminal System, Reconstruct Transition Railing, Reconstruct End Anchor (Type SFT), Cold Plane Asphalt Concrete Pavement, Remove Concrete Barrier, Prepare Concrete Bridge Deck Surface, Furnish and Place Polyester Concrete Overlay, Carbon Fiber Reinforced Polymer Strip (Deck), Carbon Fiber Reinforced Polymer Sheet (Exterior & Interior), Access Opening; Soffit, Bridge Removal (Portion), Location A and B, Develop Water Supply, Class 2 Aggregate Base, Hot Mix Asphalt (Type A), Minor Hot Mix Asphalt, Shoulder Rumble Strip (HMA, Ground-In Indentations), Place Hot Mix Asphalt Dike (Type F), Place Hot Mix Asphalt (Misc. Area), Shoulder Rumble Strip (Concrete Pavement, Ground-In Indentation), Rail Element Wall, Structural Concrete; Bridge, Structural Concrete; Bridge (Polymer Fiber), Structural Concrete; Barrier Slab, Aggregate Base (Approach Slab), Structural Concrete; Approach Slab (Type R), Drill and Bond Dowel, Clean Expansion Joint, Neoprene Gland (Wabo Strip Seal SE-400), Neoprene Gland (Wabo Strip Seal SE-500), Fabricated Strip Seal (Wabo Type M), Fabricated Strip Seal (Wabo Type R), Joint Seal (MR 1/2"), Joint Seal (MR 2"), Bar Reinforcing Steel (Epoxy Coated) (Bridge), Bar Reinforcing Steel (Epoxy Coated) Bridge, Bar Reinforcing Steel (Stainless Steel), 8" Corrugated Steel Pipe Downdrain (.079" Thick), 8" Entrance Taper, 8" Anchor Assembly, Minor Concrete (Misc. Construction), Object Marker (Type P), Midwest Guardrail System (7' Post), End Anchor Assembly (Type SFT), Concrete Barrier (Type 60 and Type 736), Thermoplastic Traffic Stripe (Sprayable), Pavement Marker (Retroreflective), Maintaining Existing Traffic Mgmt. System Elements During Construction, Modifying Existing Electrical System..

Stewart Engineering Inc. is an EEO Employer. We encourage and actively solicit proposals from DBE subcontractors and suppliers on all our projects. All qualified DBE subcontractors must be registered and certified by the California Department of Transportation.

Plans & Specifications may be obtained from the Department of Transportation's website:
http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_advertised.php. Prior to the bid, upon request, you can contact our office if you require assistance in bonding, lines of credit, insurance, obtaining necessary equipment, supplies, materials or services etc., which may be required by the Owner. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing prior to bid opening. All Subcontractors will be required to sign our standard Subcontract Agreement. You must be registered and provide your Department of Industrial Relations number.

If you have any questions please do not hesitate to contact us.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Nov 01, 2016
with a copy of your certification to Renee Thomas at (530) 244-8462

Stewart Engineering, Inc.

P.O. Box 990010
Redding, CA 96099
Telephone: (530) 244-8464
Fax: (530) 244-8462

INVITATION TO BID

October 18, 2016
IRB CONSTRUCTION, INC.
725 6TH STREET
MARYSVILLE, CA, 95901

We are seeking certified and qualified **DBE (9% Goal)** subcontractors and/or suppliers for:

Project: State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Location: Near Hornbrook, CA

Bid Due Date: 11/01/16 at 01:00 PM PST

Solicitation Number: 02-4F58U4

Contact: Renee Thomas

Quotes are needed for:

the following items of work, including but not limited to: Lead Compliance Plan, Construction Area Signs, Traffic Control System, Temp. Pavement Marking (Paint), Temp. Traffic Stripe (Paint), Channelizer (Surface Mounted), Portable Changeable Message Sign, Temp. Railing (Type K), Temp. Crash Cushion System, Prepare Water Pollution Control Program, Temp. Drainage Inlet Protection, Temp. Fiber Roll, Temp. Concrete Washout, Asbestos Compliance Plan, Asbestos Removal, Treated Wood Waste, Bird Exclusion, Rumble Strip Patch (Concrete), Remove Guardrail, Remove Painted Traffic Stripe, Remove Painted Pavement Marking, Remove Thermoplastic Traffic Stripe, Remove Pavement Marker, Salvage Metal Bridge Railing, Reconstruct Guardrail, Reconstruct Guardrail (9' Post), Reconstruct Terminal System, Reconstruct Transition Railing, Reconstruct End Anchor (Type SFT), Cold Plane Asphalt Concrete Pavement, Remove Concrete Barrier, Prepare Concrete Bridge Deck Surface, Furnish and Place Polyester Concrete Overlay, Carbon Fiber Reinforced Polymer Strip (Deck), Carbon Fiber Reinforced Polymer Sheet (Exterior & Interior), Access Opening; Soffit, Bridge Removal (Portion), Location A and B, Develop Water Supply, Class 2 Aggregate Base, Hot Mix Asphalt (Type A), Minor Hot Mix Asphalt, Shoulder Rumble Strip (HMA, Ground-In Indentations), Place Hot Mix Asphalt Dike (Type F), Place Hot Mix Asphalt (Misc. Area), Shoulder Rumble Strip (Concrete Pavement, Ground-In Indentation), Rail Element Wall, Structural Concrete; Bridge, Structural Concrete; Bridge (Polymer Fiber), Structural Concrete; Barrier Slab, Aggregate Base (Approach Slab), Structural Concrete; Approach Slab (Type R), Drill and Bond Dowel, Clean Expansion Joint, Neoprene Gland (Wabo Strip Seal SE-400), Neoprene Gland (Wabo Strip Seal SE-500), Fabricated Strip Seal (Wabo Type M), Fabricated Strip Seal (Wabo Type R), Joint Seal (MR 1/2"), Joint Seal (MR 2"), Bar Reinforcing Steel (Epoxy Coated) (Bridge), Bar Reinforcing Steel (Epoxy Coated) Bridge, Bar Reinforcing Steel (Stainless Steel), 8" Corrugated Steel Pipe Downdrain (.079" Thick), 8" Entrance Taper, 8" Anchor Assembly, Minor Concrete (Misc. Construction), Object Marker (Type P), Midwest Guardrail System (7' Post), End Anchor Assembly (Type SFT), Concrete Barrier (Type 60 and Type 736), Thermoplastic Traffic Stripe (Sprayable), Pavement Marker (Retroreflective), Maintaining Existing Traffic Mgmt. System Elements During Construction, Modifying Existing Electrical System..

Stewart Engineering Inc. is an EEO Employer. We encourage and actively solicit proposals from DBE subcontractors and suppliers on all our projects. All qualified DBE subcontractors must be registered and certified by the California Department of Transportation.

Plans & Specifications may be obtained from the Department of Transportation's website: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_advertised.php. Prior to the bid, upon request, you can contact our office if you require assistance in bonding, lines of credit, insurance, obtaining necessary equipment, supplies, materials or services etc., which may be required by the Owner. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing prior to bid opening. All Subcontractors will be required to sign our standard Subcontract Agreement. You must be registered and provide your Department of Industrial Relations number.

If you have any questions please do not hesitate to contact us.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Nov 01, 2016
with a copy of your certification to Renee Thomas at (530) 244-8462

Stewart Engineering, Inc.

P.O. Box 990010
Redding, CA 96099
Telephone: (530) 244-8464
Fax: (530) 244-8462

INVITATION TO BID

October 18, 2016
Newland Entities, Inc
335 Teegarden Avenue
Yuba City, CA, 95992

We are seeking certified and qualified **DBE (9% Goal)** subcontractors and/or suppliers for:

Project: State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Location: Near Hornbrook, CA

Bid Due Date: 11/01/16 at 01:00 PM PST

Solicitation Number: 02-4F58U4

Contact: Renee Thomas

Quotes are needed for:

the following items of work, including but not limited to: Lead Compliance Plan, Construction Area Signs, Traffic Control System, Temp. Pavement Marking (Paint), Temp. Traffic Stripe (Paint), Channelizer (Surface Mounted), Portable Changeable Message Sign, Temp. Railing (Type K), Temp. Crash Cushion System, Prepare Water Pollution Control Program, Temp. Drainage Inlet Protection, Temp. Fiber Roll, Temp. Concrete Washout, Asbestos Compliance Plan, Asbestos Removal, Treated Wood Waste, Bird Exclusion, Rumble Strip Patch (Concrete), Remove Guardrail, Remove Painted Traffic Stripe, Remove Painted Pavement Marking, Remove Thermoplastic Traffic Stripe, Remove Pavement Marker, Salvage Metal Bridge Railing, Reconstruct Guardrail, Reconstruct Guardrail (9' Post), Reconstruct Terminal System, Reconstruct Transition Railing, Reconstruct End Anchor (Type SFT), Cold Plane Asphalt Concrete Pavement, Remove Concrete Barrier, Prepare Concrete Bridge Deck Surface, Furnish and Place Polyester Concrete Overlay, Carbon Fiber Reinforced Polymer Strip (Deck), Carbon Fiber Reinforced Polymer Sheet (Exterior & Interior), Access Opening; Soffit, Bridge Removal (Portion), Location A and B, Develop Water Supply, Class 2 Aggregate Base, Hot Mix Asphalt (Type A), Minor Hot Mix Asphalt, Shoulder Rumble Strip (HMA, Ground-In Indentations), Place Hot Mix Asphalt Dike (Type F), Place Hot Mix Asphalt (Misc. Area), Shoulder Rumble Strip (Concrete Pavement, Ground-In Indentation), Rail Element Wall, Structural Concrete; Bridge, Structural Concrete; Bridge (Polymer Fiber), Structural Concrete; Barrier Slab, Aggregate Base (Approach Slab), Structural Concrete; Approach Slab (Type R), Drill and Bond Dowel, Clean Expansion Joint, Neoprene Gland (Wabo Strip Seal SE-400), Neoprene Gland (Wabo Strip Seal SE-500), Fabricated Strip Seal (Wabo Type M), Fabricated Strip Seal (Wabo Type R), Joint Seal (MR 1/2"), Joint Seal (MR 2"), Bar Reinforcing Steel (Epoxy Coated) (Bridge), Bar Reinforcing Steel (Epoxy Coated) Bridge, Bar Reinforcing Steel (Stainless Steel), 8" Corrugated Steel Pipe Downdrain (.079" Thick), 8" Entrance Taper, 8" Anchor Assembly, Minor Concrete (Misc. Construction), Object Marker (Type P), Midwest Guardrail System (7' Post), End Anchor Assembly (Type SFT), Concrete Barrier (Type 60 and Type 736), Thermoplastic Traffic Stripe (Sprayable), Pavement Marker (Retroreflective), Maintaining Existing Traffic Mgmt. System Elements During Construction, Modifying Existing Electrical System..

Stewart Engineering Inc. is an EEO Employer. We encourage and actively solicit proposals from DBE subcontractors and suppliers on all our projects. All qualified DBE subcontractors must be registered and certified by the California Department of Transportation.

Plans & Specifications may be obtained from the Department of Transportation's website:
http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_advertised.php. Prior to the bid, upon request, you can contact our office if you require assistance in bonding, lines of credit, insurance, obtaining necessary equipment, supplies, materials or services etc., which may be required by the Owner. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing prior to bid opening. All Subcontractors will be required to sign our standard Subcontract Agreement. You must be registered and provide your Department of Industrial Relations number.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Nov 01, 2016
with a copy of your certification to Renee Thomas at (530) 244-8462

Stewart Engineering, Inc.

P.O. Box 990010
Redding, CA 96099
Telephone: (530) 244-8464
Fax: (530) 244-8462

INVITATION TO BID

October 18, 2016
Frank Medina General Engineering Contract
10096 Ahart Road
Oroville, CA, 95966

We are seeking certified and qualified **DBE (9% Goal)** subcontractors and/or suppliers for:

Project: State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Location: Near Hornbrook, CA

Bid Due Date: 11/01/16 at 01:00 PM PST

Solicitation Number: 02-4F58U4

Contact: Renee Thomas

Quotes are needed for:

the following items of work, including but not limited to: Lead Compliance Plan, Construction Area Signs, Traffic Control System, Temp. Pavement Marking (Paint), Temp. Traffic Stripe (Paint), Channelizer (Surface Mounted), Portable Changeable Message Sign, Temp. Railing (Type K), Temp. Crash Cushion System, Prepare Water Pollution Control Program, Temp. Drainage Inlet Protection, Temp. Fiber Roll, Temp. Concrete Washout, Asbestos Compliance Plan, Asbestos Removal, Treated Wood Waste, Bird Exclusion, Rumble Strip Patch (Concrete), Remove Guardrail, Remove Painted Traffic Stripe, Remove Painted Pavement Marking, Remove Thermoplastic Traffic Stripe, Remove Pavement Marker, Salvage Metal Bridge Railing, Reconstruct Guardrail, Reconstruct Guardrail (9' Post), Reconstruct Terminal System, Reconstruct Transition Railing, Reconstruct End Anchor (Type SFT), Cold Plane Asphalt Concrete Pavement, Remove Concrete Barrier, Prepare Concrete Bridge Deck Surface, Furnish and Place Polyester Concrete Overlay, Carbon Fiber Reinforced Polymer Strip (Deck), Carbon Fiber Reinforced Polymer Sheet (Exterior & Interior), Access Opening; Soffit, Bridge Removal (Portion), Location A and B, Develop Water Supply, Class 2 Aggregate Base, Hot Mix Asphalt (Type A), Minor Hot Mix Asphalt, Shoulder Rumble Strip (HMA, Ground-In Indentations), Place Hot Mix Asphalt Dike (Type F), Place Hot Mix Asphalt (Misc. Area), Shoulder Rumble Strip (Concrete Pavement, Ground-In Indentation), Rail Element Wall, Structural Concrete; Bridge, Structural Concrete; Bridge (Polymer Fiber), Structural Concrete; Barrier Slab, Aggregate Base (Approach Slab), Structural Concrete; Approach Slab (Type R), Drill and Bond Dowel, Clean Expansion Joint, Neoprene Gland (Wabo Strip Seal SE-400), Neoprene Gland (Wabo Strip Seal SE-500), Fabricated Strip Seal (Wabo Type M), Fabricated Strip Seal (Wabo Type R), Joint Seal (MR 1/2"), Joint Seal (MR 2"), Bar Reinforcing Steel (Epoxy Coated) (Bridge), Bar Reinforcing Steel (Epoxy Coated) Bridge, Bar Reinforcing Steel (Stainless Steel), 8" Corrugated Steel Pipe Downdrain (.079" Thick), 8" Entrance Taper, 8" Anchor Assembly, Minor Concrete (Misc. Construction), Object Marker (Type P), Midwest Guardrail System (7' Post), End Anchor Assembly (Type SFT), Concrete Barrier (Type 60 and Type 736), Thermoplastic Traffic Stripe (Sprayable), Pavement Marker (Retroreflective), Maintaining Existing Traffic Mgmt. System Elements During Construction, Modifying Existing Electrical System..

Stewart Engineering Inc. is an EEO Employer. We encourage and actively solicit proposals from DBE subcontractors and suppliers on all our projects. All qualified DBE subcontractors must be registered and certified by the California Department of Transportation.

Plans & Specifications may be obtained from the Department of Transportation's website:
http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_advertised.php. Prior to the bid, upon request, you can contact our office if you require assistance in bonding, lines of credit, insurance, obtaining necessary equipment, supplies, materials or services etc., which may be required by the Owner. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing prior to bid opening. All Subcontractors will be required to sign our standard Subcontract Agreement. You must be registered and provide your Department of Industrial Relations number.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Nov 01, 2016
with a copy of your certification to Renee Thomas at (530) 244-8462

Stewart Engineering, Inc.

P.O. Box 990010
Redding, CA 96099
Telephone: (530) 244-8464
Fax: (530) 244-8462

INVITATION TO BID

October 18, 2016
ALL AMERICAN ASPHALT SEALING INC
1565 TRAINER WAY
RENO, NV, 89512

We are seeking certified and qualified **DBE (9% Goal)** subcontractors and/or suppliers for:

Project: State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Location: Near Hornbrook, CA

Bid Due Date: 11/01/16 at 01:00 PM PST

Solicitation Number: 02-4F58U4

Contact: Renee Thomas

Quotes are needed for:

the following items of work, including but not limited to: Lead Compliance Plan, Construction Area Signs, Traffic Control System, Temp. Pavement Marking (Paint), Temp. Traffic Stripe (Paint), Channelizer (Surface Mounted), Portable Changeable Message Sign, Temp. Railing (Type K), Temp. Crash Cushion System, Prepare Water Pollution Control Program, Temp. Drainage Inlet Protection, Temp. Fiber Roll, Temp. Concrete Washout, Asbestos Compliance Plan, Asbestos Removal, Treated Wood Waste, Bird Exclusion, Rumble Strip Patch (Concrete), Remove Guardrail, Remove Painted Traffic Stripe, Remove Painted Pavement Marking, Remove Thermoplastic Traffic Stripe, Remove Pavement Marker, Salvage Metal Bridge Railing, Reconstruct Guardrail, Reconstruct Guardrail (9' Post), Reconstruct Terminal System, Reconstruct Transition Railing, Reconstruct End Anchor (Type SFT), Cold Plane Asphalt Concrete Pavement, Remove Concrete Barrier, Prepare Concrete Bridge Deck Surface, Furnish and Place Polyester Concrete Overlay, Carbon Fiber Reinforced Polymer Strip (Deck), Carbon Fiber Reinforced Polymer Sheet (Exterior & Interior), Access Opening; Soffit, Bridge Removal (Portion), Location A and B, Develop Water Supply, Class 2 Aggregate Base, Hot Mix Asphalt (Type A), Minor Hot Mix Asphalt, Shoulder Rumble Strip (HMA, Ground-In Indentations), Place Hot Mix Asphalt Dike (Type F), Place Hot Mix Asphalt (Misc. Area), Shoulder Rumble Strip (Concrete Pavement, Ground-In Indentation), Rail Element Wall, Structural Concrete; Bridge, Structural Concrete; Bridge (Polymer Fiber), Structural Concrete; Barrier Slab, Aggregate Base (Approach Slab), Structural Concrete; Approach Slab (Type R), Drill and Bond Dowel, Clean Expansion Joint, Neoprene Gland (Wabo Strip Seal SE-400), Neoprene Gland (Wabo Strip Seal SE-500), Fabricated Strip Seal (Wabo Type M), Fabricated Strip Seal (Wabo Type R), Joint Seal (MR 1/2"), Joint Seal (MR 2"), Bar Reinforcing Steel (Epoxy Coated) (Bridge), Bar Reinforcing Steel (Epoxy Coated) Bridge, Bar Reinforcing Steel (Stainless Steel), 8" Corrugated Steel Pipe Downdrain (.079" Thick), 8" Entrance Taper, 8" Anchor Assembly, Minor Concrete (Misc. Construction), Object Marker (Type P), Midwest Guardrail System (7' Post), End Anchor Assembly (Type SFT), Concrete Barrier (Type 60 and Type 736), Thermoplastic Traffic Stripe (Sprayable), Pavement Marker (Retroreflective), Maintaining Existing Traffic Mgmt. System Elements During Construction, Modifying Existing Electrical System..

Stewart Engineering Inc. is an EEO Employer. We encourage and actively solicit proposals from DBE subcontractors and suppliers on all our projects. All qualified DBE subcontractors must be registered and certified by the California Department of Transportation.

Plans & Specifications may be obtained from the Department of Transportation's website: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_advertised.php. Prior to the bid, upon request, you can contact our office if you require assistance in bonding, lines of credit, insurance, obtaining necessary equipment, supplies, materials or services etc., which may be required by the Owner. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing prior to bid opening. All Subcontractors will be required to sign our standard Subcontract Agreement. You must be registered and provide your Department of Industrial Relations number.

If you have any questions please do not hesitate to contact us.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Nov 01, 2016
with a copy of your certification to Renee Thomas at (530) 244-8462

Stewart Engineering, Inc.

P.O. Box 990010
Redding, CA 96099
Telephone: (530) 244-8464
Fax: (530) 244-8462

INVITATION TO BID

October 18, 2016
Adanta, Inc
828 School Street
Napa, CA, 94559

We are seeking certified and qualified **DBE (9% Goal)** subcontractors and/or suppliers for:

Project: State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Location: Near Hornbrook, CA

Bid Due Date: 11/01/16 at 01:00 PM PST

Solicitation Number: 02-4F58U4

Contact: Renee Thomas

Quotes are needed for:

the following items of work, including but not limited to: Lead Compliance Plan, Construction Area Signs, Traffic Control System, Temp. Pavement Marking (Paint), Temp. Traffic Stripe (Paint), Channelizer (Surface Mounted), Portable Changeable Message Sign, Temp. Railing (Type K), Temp. Crash Cushion System, Prepare Water Pollution Control Program, Temp. Drainage Inlet Protection, Temp. Fiber Roll, Temp. Concrete Washout, Asbestos Compliance Plan, Asbestos Removal, Treated Wood Waste, Bird Exclusion, Rumble Strip Patch (Concrete), Remove Guardrail, Remove Painted Traffic Stripe, Remove Painted Pavement Marking, Remove Thermoplastic Traffic Stripe, Remove Pavement Marker, Salvage Metal Bridge Railing, Reconstruct Guardrail, Reconstruct Guardrail (9' Post), Reconstruct Terminal System, Reconstruct Transition Railing, Reconstruct End Anchor (Type SFT), Cold Plane Asphalt Concrete Pavement, Remove Concrete Barrier, Prepare Concrete Bridge Deck Surface, Furnish and Place Polyester Concrete Overlay, Carbon Fiber Reinforced Polymer Strip (Deck), Carbon Fiber Reinforced Polymer Sheet (Exterior & Interior), Access Opening; Soffit, Bridge Removal (Portion), Location A and B, Develop Water Supply, Class 2 Aggregate Base, Hot Mix Asphalt (Type A), Minor Hot Mix Asphalt, Shoulder Rumble Strip (HMA, Ground-In Indentations), Place Hot Mix Asphalt Dike (Type F), Place Hot Mix Asphalt (Misc. Area), Shoulder Rumble Strip (Concrete Pavement, Ground-In Indentation), Rail Element Wall, Structural Concrete; Bridge, Structural Concrete; Bridge (Polymer Fiber), Structural Concrete; Barrier Slab, Aggregate Base (Approach Slab), Structural Concrete; Approach Slab (Type R), Drill and Bond Dowel, Clean Expansion Joint, Neoprene Gland (Wabo Strip Seal SE-400), Neoprene Gland (Wabo Strip Seal SE-500), Fabricated Strip Seal (Wabo Type M), Fabricated Strip Seal (Wabo Type R), Joint Seal (MR 1/2"), Joint Seal (MR 2"), Bar Reinforcing Steel (Epoxy Coated) (Bridge), Bar Reinforcing Steel (Epoxy Coated) Bridge, Bar Reinforcing Steel (Stainless Steel), 8" Corrugated Steel Pipe Downdrain (.079" Thick), 8" Entrance Taper, 8" Anchor Assembly, Minor Concrete (Misc. Construction), Object Marker (Type P), Midwest Guardrail System (7' Post), End Anchor Assembly (Type SFT), Concrete Barrier (Type 60 and Type 736), Thermoplastic Traffic Stripe (Sprayable), Pavement Marker (Retroreflective), Maintaining Existing Traffic Mgmt. System Elements During Construction, Modifying Existing Electrical System..

Stewart Engineering Inc. is an EEO Employer. We encourage and actively solicit proposals from DBE subcontractors and suppliers on all our projects. All qualified DBE subcontractors must be registered and certified by the California Department of Transportation.

Plans & Specifications may be obtained from the Department of Transportation's website:
http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_advertised.php. Prior to the bid, upon request, you can contact our office if you require assistance in bonding, lines of credit, insurance, obtaining necessary equipment, supplies, materials or services etc., which may be required by the Owner. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing prior to bid opening. All Subcontractors will be required to sign our standard Subcontract Agreement. You must be registered and provide your Department of Industrial Relations number.

If you have any questions please do not hesitate to contact us.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Nov 01, 2016
with a copy of your certification to Renee Thomas at (530) 244-8462

Stewart Engineering, Inc.

P.O. Box 990010
Redding, CA 96099
Telephone: (530) 244-8464
Fax: (530) 244-8462

INVITATION TO BID

October 18, 2016
TRINITY VALLEY CONSULTING ENGINEERS
P O BOX 1567
WILLOW CREEK, CA, 95573

We are seeking certified and qualified **DBE (9% Goal)** subcontractors and/or suppliers for:

Project: State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Location: Near Hornbrook, CA

Bid Due Date: 11/01/16 at 01:00 PM PST

Solicitation Number: 02-4F58U4

Contact: Renee Thomas

Quotes are needed for:

the following items of work, including but not limited to: Lead Compliance Plan, Construction Area Signs, Traffic Control System, Temp. Pavement Marking (Paint), Temp. Traffic Stripe (Paint), Channelizer (Surface Mounted), Portable Changeable Message Sign, Temp. Railing (Type K), Temp. Crash Cushion System, Prepare Water Pollution Control Program, Temp. Drainage Inlet Protection, Temp. Fiber Roll, Temp. Concrete Washout, Asbestos Compliance Plan, Asbestos Removal, Treated Wood Waste, Bird Exclusion, Rumble Strip Patch (Concrete), Remove Guardrail, Remove Painted Traffic Stripe, Remove Painted Pavement Marking, Remove Thermoplastic Traffic Stripe, Remove Pavement Marker, Salvage Metal Bridge Railing, Reconstruct Guardrail, Reconstruct Guardrail (9' Post), Reconstruct Terminal System, Reconstruct Transition Railing, Reconstruct End Anchor (Type SFT), Cold Plane Asphalt Concrete Pavement, Remove Concrete Barrier, Prepare Concrete Bridge Deck Surface, Furnish and Place Polyester Concrete Overlay, Carbon Fiber Reinforced Polymer Strip (Deck), Carbon Fiber Reinforced Polymer Sheet (Exterior & Interior), Access Opening; Soffit, Bridge Removal (Portion), Location A and B, Develop Water Supply, Class 2 Aggregate Base, Hot Mix Asphalt (Type A), Minor Hot Mix Asphalt, Shoulder Rumble Strip (HMA, Ground-In Indentations), Place Hot Mix Asphalt Dike (Type F), Place Hot Mix Asphalt (Misc. Area), Shoulder Rumble Strip (Concrete Pavement, Ground-In Indentation), Rail Element Wall, Structural Concrete; Bridge, Structural Concrete; Bridge (Polymer Fiber), Structural Concrete; Barrier Slab, Aggregate Base (Approach Slab), Structural Concrete; Approach Slab (Type R), Drill and Bond Dowel, Clean Expansion Joint, Neoprene Gland (Wabo Strip Seal SE-400), Neoprene Gland (Wabo Strip Seal SE-500), Fabricated Strip Seal (Wabo Type M), Fabricated Strip Seal (Wabo Type R), Joint Seal (MR 1/2"), Joint Seal (MR 2"), Bar Reinforcing Steel (Epoxy Coated) (Bridge), Bar Reinforcing Steel (Epoxy Coated) Bridge, Bar Reinforcing Steel (Stainless Steel), 8" Corrugated Steel Pipe Downrain (.079" Thick), 8" Entrance Taper, 8" Anchor Assembly, Minor Concrete (Misc. Construction), Object Marker (Type P), Midwest Guardrail System (7' Post), End Anchor Assembly (Type SFT), Concrete Barrier (Type 60 and Type 736), Thermoplastic Traffic Stripe (Sprayable), Pavement Marker (Retroreflective), Maintaining Existing Traffic Mgmt. System Elements During Construction, Modifying Existing Electrical System..

Stewart Engineering Inc. is an EEO Employer. We encourage and actively solicit proposals from DBE subcontractors and suppliers on all our projects. All qualified DBE subcontractors must be registered and certified by the California Department of Transportation.

Plans & Specifications may be obtained from the Department of Transportation's website:
http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_advertised.php. Prior to the bid, upon request, you can contact our office if you require assistance in bonding, lines of credit, insurance, obtaining necessary equipment, supplies, materials or services etc., which may be required by the Owner. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing prior to bid opening. All Subcontractors will be required to sign our standard Subcontract Agreement. You must be registered and provide your Department of Industrial Relations number.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Nov 01, 2016
with a copy of your certification to Renee Thomas at (530) 244-8462

Plans & Specifications may be obtained from the Department of Transportation's website:
http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_advertised.php. Prior to the bid, upon request, you can contact our office if you require assistance in bonding, lines of credit, insurance, obtaining necessary equipment, supplies, materials or services etc., which may be required by the Owner. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing prior to bid opening. All Subcontractors will be required to sign our standard Subcontract Agreement. You must be registered and provide your Department of Industrial Relations number.

If you have any questions please do not hesitate to contact us.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Nov 01, 2016
with a copy of your certification to Renee Thomas at (530) 244-8462

Stewart Engineering, Inc.

P.O. Box 990010
Redding, CA 96099
Telephone: (530) 244-8464
Fax: (530) 244-8462

INVITATION TO BID

October 18, 2016
S.t. Rhoades Construction, Inc.
3468 Bechelli Lane, Suite E
Redding, CA, 96049

We are seeking certified and qualified **DBE (9% Goal)** subcontractors and/or suppliers for:

Project: State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Location: Near Hornbrook, CA

Bid Due Date: 11/01/16 at 01:00 PM PST

Solicitation Number: 02-4F58U4

Contact: Renee Thomas

Quotes are needed for:

the following items of work, including but not limited to: Lead Compliance Plan, Construction Area Signs, Traffic Control System, Temp. Pavement Marking (Paint), Temp. Traffic Stripe (Paint), Channelizer (Surface Mounted), Portable Changeable Message Sign, Temp. Railing (Type K), Temp. Crash Cushion System, Prepare Water Pollution Control Program, Temp. Drainage Inlet Protection, Temp. Fiber Roll, Temp. Concrete Washout, Asbestos Compliance Plan, Asbestos Removal, Treated Wood Waste, Bird Exclusion, Rumble Strip Patch (Concrete), Remove Guardrail, Remove Painted Traffic Stripe, Remove Painted Pavement Marking, Remove Thermoplastic Traffic Stripe, Remove Pavement Marker, Salvage Metal Bridge Railing, Reconstruct Guardrail, Reconstruct Guardrail (9' Post), Reconstruct Terminal System, Reconstruct Transition Railing, Reconstruct End Anchor (Type SFT), Cold Plane Asphalt Concrete Pavement, Remove Concrete Barrier, Prepare Concrete Bridge Deck Surface, Furnish and Place Polyester Concrete Overlay, Carbon Fiber Reinforced Polymer Strip (Deck), Carbon Fiber Reinforced Polymer Sheet (Exterior & Interior), Access Opening; Soffit, Bridge Removal (Portion), Location A and B, Develop Water Supply, Class 2 Aggregate Base, Hot Mix Asphalt (Type A), Minor Hot Mix Asphalt, Shoulder Rumble Strip (HMA, Ground-In Indentations), Place Hot Mix Asphalt Dike (Type F), Place Hot Mix Asphalt (Misc. Area), Shoulder Rumble Strip (Concrete Pavement, Ground-In Indentation), Rail Element Wall, Structural Concrete; Bridge, Structural Concrete; Bridge (Polymer Fiber), Structural Concrete; Barrier Slab, Aggregate Base (Approach Slab), Structural Concrete; Approach Slab (Type R), Drill and Bond Dowel, Clean Expansion Joint, Neoprene Gland (Wabo Strip Seal SE-400), Neoprene Gland (Wabo Strip Seal SE-500), Fabricated Strip Seal (Wabo Type M), Fabricated Strip Seal (Wabo Type R), Joint Seal (MR 1/2"), Joint Seal (MR 2"), Bar Reinforcing Steel (Epoxy Coated) (Bridge), Bar Reinforcing Steel (Epoxy Coated) Bridge, Bar Reinforcing Steel (Stainless Steel), 8" Corrugated Steel Pipe Downrain (.079" Thick), 8" Entrance Taper, 8" Anchor Assembly, Minor Concrete (Misc. Construction), Object Marker (Type P), Midwest Guardrail System (7' Post), End Anchor Assembly (Type SFT), Concrete Barrier (Type 60 and Type 736), Thermoplastic Traffic Stripe (Sprayable), Pavement Marker (Retroreflective), Maintaining Existing Traffic Mgmt. System Elements During Construction, Modifying Existing Electrical System..

Stewart Engineering Inc. is an EEO Employer. We encourage and actively solicit proposals from DBE subcontractors and suppliers on all our projects. All qualified DBE subcontractors must be registered and certified by the California Department of Transportation.

Plans & Specifications may be obtained from the Department of Transportation's website:
http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_advertised.php. Prior to the bid, upon request, you can contact our office if you require assistance in bonding, lines of credit, insurance, obtaining necessary equipment, supplies, materials or services etc., which may be required by the Owner. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing prior to bid opening. All Subcontractors will be required to sign our standard Subcontract Agreement. You must be registered and provide your Department of Industrial Relations number.

If you have any questions please do not hesitate to contact us.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Nov 01, 2016
with a copy of your certification to Renee Thomas at (530) 244-8462

Stewart Engineering, Inc.

P.O. Box 990010
Redding, CA 96099
Telephone: (530) 244-8464
Fax: (530) 244-8462

INVITATION TO BID

October 18, 2016
ABRASIVE BLASTING SERVICE
5465 24TH. STREET
RIVERSIDE, CA, 92509

We are seeking certified and qualified **DBE (9% Goal)** subcontractors and/or suppliers for:

Project: State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Location: Near Hornbrook, CA

Bid Due Date: 11/01/16 at 01:00 PM PST

Solicitation Number: 02-4F58U4

Contact: Renee Thomas

Quotes are needed for:

the following items of work, including but not limited to: Lead Compliance Plan, Construction Area Signs, Traffic Control System, Temp. Pavement Marking (Paint), Temp. Traffic Stripe (Paint), Channelizer (Surface Mounted), Portable Changeable Message Sign, Temp. Railing (Type K), Temp. Crash Cushion System, Prepare Water Pollution Control Program, Temp. Drainage Inlet Protection, Temp. Fiber Roll, Temp. Concrete Washout, Asbestos Compliance Plan, Asbestos Removal, Treated Wood Waste, Bird Exclusion, Rumble Strip Patch (Concrete), Remove Guardrail, Remove Painted Traffic Stripe, Remove Painted Pavement Marking, Remove Thermoplastic Traffic Stripe, Remove Pavement Marker, Salvage Metal Bridge Railing, Reconstruct Guardrail, Reconstruct Guardrail (9' Post), Reconstruct Terminal System, Reconstruct Transition Railing, Reconstruct End Anchor (Type SFT), Cold Plane Asphalt Concrete Pavement, Remove Concrete Barrier, Prepare Concrete Bridge Deck Surface, Furnish and Place Polyester Concrete Overlay, Carbon Fiber Reinforced Polymer Strip (Deck), Carbon Fiber Reinforced Polymer Sheet (Exterior & Interior), Access Opening; Soffit, Bridge Removal (Portion), Location A and B, Develop Water Supply, Class 2 Aggregate Base, Hot Mix Asphalt (Type A), Minor Hot Mix Asphalt, Shoulder Rumble Strip (HMA, Ground-In Indentations), Place Hot Mix Asphalt Dike (Type F), Place Hot Mix Asphalt (Misc. Area), Shoulder Rumble Strip (Concrete Pavement, Ground-In Indentation), Rail Element Wall, Structural Concrete; Bridge, Structural Concrete; Bridge (Polymer Fiber), Structural Concrete; Barrier Slab, Aggregate Base (Approach Slab), Structural Concrete; Approach Slab (Type R), Drill and Bond Dowel, Clean Expansion Joint, Neoprene Gland (Wabo Strip Seal SE-400), Neoprene Gland (Wabo Strip Seal SE-500), Fabricated Strip Seal (Wabo Type M), Fabricated Strip Seal (Wabo Type R), Joint Seal (MR 1/2"), Joint Seal (MR 2"), Bar Reinforcing Steel (Epoxy Coated) (Bridge), Bar Reinforcing Steel (Epoxy Coated) Bridge, Bar Reinforcing Steel (Stainless Steel), 8" Corrugated Steel Pipe Downdrain (.079" Thick), 8" Entrance Taper, 8" Anchor Assembly, Minor Concrete (Misc. Construction), Object Marker (Type P), Midwest Guardrail System (7' Post), End Anchor Assembly (Type SFT), Concrete Barrier (Type 60 and Type 736), Thermoplastic Traffic Stripe (Sprayable), Pavement Marker (Retroreflective), Maintaining Existing Traffic Mgmt. System Elements During Construction, Modifying Existing Electrical System..

Stewart Engineering Inc. is an EEO Employer. We encourage and actively solicit proposals from DBE subcontractors and suppliers on all our projects. All qualified DBE subcontractors must be registered and certified by the California Department of Transportation.

Plans & Specifications may be obtained from the Department of Transportation's website: http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_advertised.php. Prior to the bid, upon request, you can contact our office if you require assistance in bonding, lines of credit, insurance, obtaining necessary equipment, supplies, materials or services etc., which may be required by the Owner. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing prior to bid opening. All Subcontractors will be required to sign our standard Subcontract Agreement. You must be registered and provide your Department of Industrial Relations number.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Nov 01, 2016
with a copy of your certification to Renee Thomas at (530) 244-8462

Plans & Specifications may be obtained from the Department of Transportation's website:
http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_advertised.php. Prior to the bid, upon request, you can contact our office if you require assistance in bonding, lines of credit, insurance, obtaining necessary equipment, supplies, materials or services etc., which may be required by the Owner. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing prior to bid opening. All Subcontractors will be required to sign our standard Subcontract Agreement. You must be registered and provide your Department of Industrial Relations number.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Nov 01, 2016
with a copy of your certification to Renee Thomas at (530) 244-8462

Stewart Engineering, Inc.

P.O. Box 990010
Redding, CA 96099
Telephone: (530) 244-8464
Fax: (530) 244-8462

INVITATION TO BID

October 18, 2016
S.t. Rhoades Construction, Inc.
3468 Bechelli Lane, Suite E
Redding, CA, 96049

We are seeking certified and qualified **DBE (9% Goal)** subcontractors and/or suppliers for:

Project: State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Location: Near Hornbrook, CA

Bid Due Date: 11/01/16 at 01:00 PM PST

Solicitation Number: 02-4F58U4

Contact: Renee Thomas

Quotes are needed for:

the following items of work, including but not limited to: Lead Compliance Plan, Construction Area Signs, Traffic Control System, Temp. Pavement Marking (Paint), Temp. Traffic Stripe (Paint), Channelizer (Surface Mounted), Portable Changeable Message Sign, Temp. Railing (Type K), Temp. Crash Cushion System, Prepare Water Pollution Control Program, Temp. Drainage Inlet Protection, Temp. Fiber Roll, Temp. Concrete Washout, Asbestos Compliance Plan, Asbestos Removal, Treated Wood Waste, Bird Exclusion, Rumble Strip Patch (Concrete), Remove Guardrail, Remove Painted Traffic Stripe, Remove Painted Pavement Marking, Remove Thermoplastic Traffic Stripe, Remove Pavement Marker, Salvage Metal Bridge Railing, Reconstruct Guardrail, Reconstruct Guardrail (9' Post), Reconstruct Terminal System, Reconstruct Transition Railing, Reconstruct End Anchor (Type SFT), Cold Plane Asphalt Concrete Pavement, Remove Concrete Barrier, Prepare Concrete Bridge Deck Surface, Furnish and Place Polyester Concrete Overlay, Carbon Fiber Reinforced Polymer Strip (Deck), Carbon Fiber Reinforced Polymer Sheet (Exterior & Interior), Access Opening; Soffit, Bridge Removal (Portion), Location A and B, Develop Water Supply, Class 2 Aggregate Base, Hot Mix Asphalt (Type A), Minor Hot Mix Asphalt, Shoulder Rumble Strip (HMA, Ground-In Indentations), Place Hot Mix Asphalt Dike (Type F), Place Hot Mix Asphalt (Misc. Area), Shoulder Rumble Strip (Concrete Pavement, Ground-In Indentation), Rail Element Wall, Structural Concrete; Bridge, Structural Concrete; Bridge (Polymer Fiber), Structural Concrete; Barrier Slab, Aggregate Base (Approach Slab), Structural Concrete; Approach Slab (Type R), Drill and Bond Dowel, Clean Expansion Joint, Neoprene Gland (Wabo Strip Seal SE-400), Neoprene Gland (Wabo Strip Seal SE-500), Fabricated Strip Seal (Wabo Type M), Fabricated Strip Seal (Wabo Type R), Joint Seal (MR 1/2"), Joint Seal (MR 2"), Bar Reinforcing Steel (Epoxy Coated) (Bridge), Bar Reinforcing Steel (Epoxy Coated) Bridge, Bar Reinforcing Steel (Stainless Steel), 8" Corrugated Steel Pipe Down drain (.079" Thick), 8" Entrance Taper, 8" Anchor Assembly, Minor Concrete (Misc. Construction), Object Marker (Type P), Midwest Guardrail System (7' Post), End Anchor Assembly (Type SFT), Concrete Barrier (Type 60 and Type 736), Thermoplastic Traffic Stripe (Sprayable), Pavement Marker (Retroreflective), Maintaining Existing Traffic Mgmt. System Elements During Construction, Modifying Existing Electrical System..

Stewart Engineering Inc. is an EEO Employer. We encourage and actively solicit proposals from DBE subcontractors and suppliers on all our projects. All qualified DBE subcontractors must be registered and certified by the California Department of Transportation.

Plans & Specifications may be obtained from the Department of Transportation's website:
http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_advertised.php. Prior to the bid, upon request, you can contact our office if you require assistance in bonding, lines of credit, insurance, obtaining necessary equipment, supplies, materials or services etc., which may be required by the Owner. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing prior to bid opening. All Subcontractors will be required to sign our standard Subcontract Agreement. You must be registered and provide your Department of Industrial Relations number.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Nov 01, 2016
with a copy of your certification to Renee Thomas at (530) 244-8462

Stewart Engineering, Inc.

P.O. Box 990010
Redding, CA 96099
Telephone: (530) 244-8464
Fax: (530) 244-8462

INVITATION TO BID

October 18, 2016
ABRASIVE BLASTING SERVICE
5465 24TH. STREET
RIVERSIDE, CA, 92509

We are seeking certified and qualified **DBE (9% Goal)** subcontractors and/or suppliers for:

Project: State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Location: Near Hornbrook, CA

Bid Due Date: 11/01/16 at 01:00 PM PST

Solicitation Number: 02-4F58U4

Contact: Renee Thomas

Quotes are needed for:

the following items of work, including but not limited to: Lead Compliance Plan, Construction Area Signs, Traffic Control System, Temp. Pavement Marking (Paint), Temp. Traffic Stripe (Paint), Channelizer (Surface Mounted), Portable Changeable Message Sign, Temp. Railing (Type K), Temp. Crash Cushion System, Prepare Water Pollution Control Program, Temp. Drainage Inlet Protection, Temp. Fiber Roll, Temp. Concrete Washout, Asbestos Compliance Plan, Asbestos Removal, Treated Wood Waste, Bird Exclusion, Rumble Strip Patch (Concrete), Remove Guardrail, Remove Painted Traffic Stripe, Remove Painted Pavement Marking, Remove Thermoplastic Traffic Stripe, Remove Pavement Marker, Salvage Metal Bridge Railing, Reconstruct Guardrail, Reconstruct Guardrail (9' Post), Reconstruct Terminal System, Reconstruct Transition Railing, Reconstruct End Anchor (Type SFT), Cold Plane Asphalt Concrete Pavement, Remove Concrete Barrier, Prepare Concrete Bridge Deck Surface, Furnish and Place Polyester Concrete Overlay, Carbon Fiber Reinforced Polymer Strip (Deck), Carbon Fiber Reinforced Polymer Sheet (Exterior & Interior), Access Opening; Soffit, Bridge Removal (Portion), Location A and B, Develop Water Supply, Class 2 Aggregate Base, Hot Mix Asphalt (Type A), Minor Hot Mix Asphalt, Shoulder Rumble Strip (HMA, Ground-In Indentations), Place Hot Mix Asphalt Dike (Type F), Place Hot Mix Asphalt (Misc. Area), Shoulder Rumble Strip (Concrete Pavement, Ground-In Indentation), Rail Element Wall, Structural Concrete; Bridge, Structural Concrete; Bridge (Polymer Fiber), Structural Concrete; Barrier Slab, Aggregate Base (Approach Slab), Structural Concrete; Approach Slab (Type R), Drill and Bond Dowel, Clean Expansion Joint, Neoprene Gland (Wabo Strip Seal SE-400), Neoprene Gland (Wabo Strip Seal SE-500), Fabricated Strip Seal (Wabo Type M), Fabricated Strip Seal (Wabo Type R), Joint Seal (MR 1/2"), Joint Seal (MR 2"), Bar Reinforcing Steel (Epoxy Coated) (Bridge), Bar Reinforcing Steel (Epoxy Coated) Bridge, Bar Reinforcing Steel (Stainless Steel), 8" Corrugated Steel Pipe Down drain (.079" Thick), 8" Entrance Taper, 8" Anchor Assembly, Minor Concrete (Misc. Construction), Object Marker (Type P), Midwest Guardrail System (7' Post), End Anchor Assembly (Type SFT), Concrete Barrier (Type 60 and Type 736), Thermoplastic Traffic Stripe (Sprayable), Pavement Marker (Retroreflective), Maintaining Existing Traffic Mgmt. System Elements During Construction, Modifying Existing Electrical System..

Stewart Engineering Inc. is an EEO Employer. We encourage and actively solicit proposals from DBE subcontractors and suppliers on all our projects. All qualified DBE subcontractors must be registered and certified by the California Department of Transportation.

Plans & Specifications may be obtained from the Department of Transportation's website:
http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_advertised.php. Prior to the bid, upon request, you can contact our office if you require assistance in bonding, lines of credit, insurance, obtaining necessary equipment, supplies, materials or services etc., which may be required by the Owner. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing prior to bid opening. All Subcontractors will be required to sign our standard Subcontract Agreement. You must be registered and provide your Department of Industrial Relations number.

If you have any questions please do not hesitate to contact us.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Nov 01, 2016
with a copy of your certification to Renee Thomas at (530) 244-8462

Stewart Engineering, Inc.

P.O. Box 990010
Redding, CA 96099
Telephone: (530) 244-8464
Fax: (530) 244-8462

INVITATION TO BID

October 18, 2016
ARROW S COMPANY
177 CALIFORNIA AVENUE
ARBUCKLE, CA, 95912

We are seeking certified and qualified **DBE (9% Goal)** subcontractors and/or suppliers for:

Project: State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Location: Near Hornbrook, CA

Bid Due Date: 11/01/16 at 01:00 PM PST

Solicitation Number: 02-4F58U4

Contact: Renee Thomas

Quotes are needed for:

the following items of work, including but not limited to: Lead Compliance Plan, Construction Area Signs, Traffic Control System, Temp. Pavement Marking (Paint), Temp. Traffic Stripe (Paint), Channelizer (Surface Mounted), Portable Changeable Message Sign, Temp. Railing (Type K), Temp. Crash Cushion System, Prepare Water Pollution Control Program, Temp. Drainage Inlet Protection, Temp. Fiber Roll, Temp. Concrete Washout, Asbestos Compliance Plan, Asbestos Removal, Treated Wood Waste, Bird Exclusion, Rumble Strip Patch (Concrete), Remove Guardrail, Remove Painted Traffic Stripe, Remove Painted Pavement Marking, Remove Thermoplastic Traffic Stripe, Remove Pavement Marker, Salvage Metal Bridge Railing, Reconstruct Guardrail, Reconstruct Guardrail (9' Post), Reconstruct Terminal System, Reconstruct Transition Railing, Reconstruct End Anchor (Type SFT), Cold Plane Asphalt Concrete Pavement, Remove Concrete Barrier, Prepare Concrete Bridge Deck Surface, Furnish and Place Polyester Concrete Overlay, Carbon Fiber Reinforced Polymer Strip (Deck), Carbon Fiber Reinforced Polymer Sheet (Exterior & Interior), Access Opening; Soffit, Bridge Removal (Portion), Location A and B, Develop Water Supply, Class 2 Aggregate Base, Hot Mix Asphalt (Type A), Minor Hot Mix Asphalt, Shoulder Rumble Strip (HMA, Ground-In Indentations), Place Hot Mix Asphalt Dike (Type F), Place Hot Mix Asphalt (Misc. Area), Shoulder Rumble Strip (Concrete Pavement, Ground-In Indentation), Rail Element Wall, Structural Concrete; Bridge, Structural Concrete; Bridge (Polymer Fiber), Structural Concrete; Barrier Slab, Aggregate Base (Approach Slab), Structural Concrete; Approach Slab (Type R), Drill and Bond Dowel, Clean Expansion Joint, Neoprene Gland (Wabo Strip Seal SE-400), Neoprene Gland (Wabo Strip Seal SE-500), Fabricated Strip Seal (Wabo Type M), Fabricated Strip Seal (Wabo Type R), Joint Seal (MR 1/2"), Joint Seal (MR 2"), Bar Reinforcing Steel (Epoxy Coated) (Bridge), Bar Reinforcing Steel (Epoxy Coated) Bridge, Bar Reinforcing Steel (Stainless Steel), 8" Corrugated Steel Pipe Downdrain (.079" Thick), 8" Entrance Taper, 8" Anchor Assembly, Minor Concrete (Misc. Construction), Object Marker (Type P), Midwest Guardrail System (7' Post), End Anchor Assembly (Type SFT), Concrete Barrier (Type 60 and Type 736), Thermoplastic Traffic Stripe (Sprayable), Pavement Marker (Retroreflective), Maintaining Existing Traffic Mgmt. System Elements During Construction, Modifying Existing Electrical System..

Stewart Engineering Inc. is an EEO Employer. We encourage and actively solicit proposals from DBE subcontractors and suppliers on all our projects. All qualified DBE subcontractors must be registered and certified by the California Department of Transportation.

Plans & Specifications may be obtained from the Department of Transportation's website:
http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_advertised.php. Prior to the bid, upon request, you can contact our office if you require assistance in bonding, lines of credit, insurance, obtaining necessary equipment, supplies, materials or services etc., which may be required by the Owner. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing prior to bid opening. All Subcontractors will be required to sign our standard Subcontract Agreement. You must be registered and provide your Department of Industrial Relations number.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Nov 01, 2016
with a copy of your certification to Renee Thomas at (530) 244-8462

Stewart Engineering, Inc.

P.O. Box 990010
Redding, CA 96099
Telephone: (530) 244-8464
Fax: (530) 244-8462

INVITATION TO BID

October 18, 2016
Industrial Battery Services
673 Erlandson Street
Richmond, CA, 94804

We are seeking certified and qualified **DBE (9% Goal)** subcontractors and/or suppliers for:

Project: State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County

Location: Near Hornbrook, CA

Bid Due Date: 11/01/16 at 01:00 PM PST

Solicitation Number: 02-4F58U4

Contact: Renee Thomas

Quotes are needed for:

the following items of work, including but not limited to: Lead Compliance Plan, Construction Area Signs, Traffic Control System, Temp. Pavement Marking (Paint), Temp. Traffic Stripe (Paint), Channelizer (Surface Mounted), Portable Changeable Message Sign, Temp. Railing (Type K), Temp. Crash Cushion System, Prepare Water Pollution Control Program, Temp. Drainage Inlet Protection, Temp. Fiber Roll, Temp. Concrete Washout, Asbestos Compliance Plan, Asbestos Removal, Treated Wood Waste, Bird Exclusion, Rumble Strip Patch (Concrete), Remove Guardrail, Remove Painted Traffic Stripe, Remove Painted Pavement Marking, Remove Thermoplastic Traffic Stripe, Remove Pavement Marker, Salvage Metal Bridge Railing, Reconstruct Guardrail, Reconstruct Guardrail (9' Post), Reconstruct Terminal System, Reconstruct Transition Railing, Reconstruct End Anchor (Type SFT), Cold Plane Asphalt Concrete Pavement, Remove Concrete Barrier, Prepare Concrete Bridge Deck Surface, Furnish and Place Polyester Concrete Overlay, Carbon Fiber Reinforced Polymer Strip (Deck), Carbon Fiber Reinforced Polymer Sheet (Exterior & Interior), Access Opening; Soffit, Bridge Removal (Portion), Location A and B, Develop Water Supply, Class 2 Aggregate Base, Hot Mix Asphalt (Type A), Minor Hot Mix Asphalt, Shoulder Rumble Strip (HMA, Ground-In Indentations), Place Hot Mix Asphalt Dike (Type F), Place Hot Mix Asphalt (Misc. Area), Shoulder Rumble Strip (Concrete Pavement, Ground-In Indentation), Rail Element Wall, Structural Concrete; Bridge, Structural Concrete; Bridge (Polymer Fiber), Structural Concrete; Barrier Slab, Aggregate Base (Approach Slab), Structural Concrete; Approach Slab (Type R), Drill and Bond Dowel, Clean Expansion Joint, Neoprene Gland (Wabo Strip Seal SE-400), Neoprene Gland (Wabo Strip Seal SE-500), Fabricated Strip Seal (Wabo Type M), Fabricated Strip Seal (Wabo Type R), Joint Seal (MR 1/2"), Joint Seal (MR 2"), Bar Reinforcing Steel (Epoxy Coated) (Bridge), Bar Reinforcing Steel (Epoxy Coated) Bridge, Bar Reinforcing Steel (Stainless Steel), 8" Corrugated Steel Pipe Down drain (.079" Thick), 8" Entrance Taper, 8" Anchor Assembly, Minor Concrete (Misc. Construction), Object Marker (Type P), Midwest Guardrail System (7' Post), End Anchor Assembly (Type SFT), Concrete Barrier (Type 60 and Type 736), Thermoplastic Traffic Stripe (Sprayable), Pavement Marker (Retroreflective), Maintaining Existing Traffic Mgmt. System Elements During Construction, Modifying Existing Electrical System..

Stewart Engineering Inc. is an EEO Employer. We encourage and actively solicit proposals from DBE subcontractors and suppliers on all our projects. All qualified DBE subcontractors must be registered and certified by the California Department of Transportation.

Plans & Specifications may be obtained from the Department of Transportation's website:
http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_advertised.php. Prior to the bid, upon request, you can contact our office if you require assistance in bonding, lines of credit, insurance, obtaining necessary equipment, supplies, materials or services etc., which may be required by the Owner. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing prior to bid opening. All Subcontractors will be required to sign our standard Subcontract Agreement. You must be registered and provide your Department of Industrial Relations number.

If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Nov 01, 2016
with a copy of your certification to Renee Thomas at (530) 244-8462

Home » Construction Contract Awards » **Opt-in Records**

Opt-in Records

Search Results: Opt-in's on 02-4F58U4

19 Opt-in records found.

02-4F58U4	West Coast Under Bridge Platforms
	P.o Box 2837 Rohnert Park, Ca 94927
	Phone: 866-984-9526 Fax Number: 707-521-9045
	Disadvantaged status: SBE
	Services offered: We rent truck and trailer mounted under bridge access platforms bare or operated. We also can provide negative reach or below grade man lifts See us on the web at www.westcoastunderbridgeplatform.com E-mail: platform@sonic.net
02-4F58U4	Wells Sweeping
	5425 Marmith Avenue Sacramento, CA 95841
	Phone: 9165680104 Fax Number: 9166463760
	Disadvantaged status: DVBE SBE
	Services offered: Wells Sweeping is a DVBE & SBE Certified Street Sweeping Company. We have over 30 years of experience in the construction sweeping industry and have worked with some of the largest construction companies on the largest projects in Northern California. www.wellssweeping.com
02-4F58U4	A.C. DIKE CO
	2788 VENTURE DR LINCOLN, CA, 95648
	Phone: 9163-645-7747 Fax Number: 916-645-9618
	Disadvantaged status:
Services offered: Place asphalt dike.	
02-4F58U4	Diversified Concrete Cutting, Inc.
	59 Coney Island Dr. Sparks, NV 89431
	Phone: 775-331-1411 Fax Number: 775-331-1572
	Disadvantaged status:
Services offered: carbon fiber strips	
02-4F58U4	Statewide Traffic Safety & Signs, Inc.
	6479 Eastside Rd. Redding, CA, 96001
	Phone: 530-222-8023 Fax Number: 530-222-5517
	Disadvantaged status:
Services offered: Statewide Traffic Safety and Signs designs, manufactures, sells, rents and installs active and passive traffic control systems. We have the capabilities to remove, reset, relocate, furnish and install these systems in all temporary or permanent applications. Our scope includes Construction Area Signs, Traffic Control Flagging, Flashing Arrow Signs, Changeable Message Signs,	

will send quote

DO

JES

Extinguishable Message Signs, Rapid Flash Beacons (RRFB), Flashing LED Signs, Crosswalk Systems, Pedestrian Safety Systems, Guardrail Material, Midwest Guardrail System (MGS), Flared Terminal Systems, In-Line Terminal Systems, Alternative Temporary Crash Cushion Systems, Alternative Permanent Crash Cushion Systems, Armor Guard Barrier, Armor Guard Gate, Roadside Signs/Posts/Structures, Overhead Signs/Structures, Traffic Cones, Barricades, Channelizers, Delineators, Object Markers, Pavement Markers, Thermoplastic and pre-form materials. Locations Servicing California and Nevada: Arcata, Redding, Fairfield, San Jose, Sacramento, Fresno, Bakersfield, Nipomo, Garden Grove, Poway, Riverside and Las Vegas.

--	--

	Terry Hansen Electric
	6911 Danyeur Road Redding, CA 96001
02-4F58U4	Phone: 530-241-3073 Fax Number: 530-241-3033
	Disadvantaged status: SBE
	Services offered:

--	--

	Contractor Plan Center
	5468 SE International Way Milwaukie, OR 97222
02-4F58U4	Phone: 503-650-0148 Fax Number: 503-650-8273
	Disadvantaged status:
	Services offered:

--	--

	M1 Corps, Inc.
	2415 San Ramon Valley Blvd. 4-426 San Ramon, CA 94583
02-4F58U4	Phone: 925-626-5316 Fax Number: 925-626-5324
	Disadvantaged status:
	Services offered: Bidding Approach Slabs

--	--

	The Construction Zone
	4961 Pacheco Blvd. Martinez, CA, 94553
	Phone: 925-387-8013 Fax Number: 925-293-0800
	Disadvantaged status: DBE SBE
02-4F58U4	Services offered: The Construction Zone is a DBE, SBE & WBE supplier of cones, barricades, delineators, signs, temporary and permanent traffic markings and markers, general construction supplies, paint, striping supplies, crowd control, SWPPP supplies, survey supplies, arrowboards, CMS boards, traffic control equipment, safety supplies, sign installation supplies, custom signs, aluminum signs, cardboard signs, corrugated plastic signs, street name signs, roll-up signs, ADA signs, thermoplastic, raingear, high visibility vests and pants, tape measures, flares, reflective tape and sheeting, detectable warning surfaces, dust masks, shovels, rakes, batteries, beacons, gloves, hard hats, first aid kits, safety glasses, measuring wheels, head lamps, and more. Some items are available to rent. Temporary construction fence now available. We offer delivery and are available statewide for certain activities. TCZ can supply your next job, contact us today to discuss what you need, even if it is not listed above we can get it for you. www.theconstructionzone.us.com

Supplier

--	--

02-4F58U4	Throop Co.
-----------	------------

444 N. Fair Oaks Ave. Pasadena, CA 91109	
Phone: 6262223470	Fax Number: 6265770023
Disadvantaged status: SBE	
Services offered: APPROACH SLAB RSC	

02-4F58U4	AKA Environmental	
	6650 Montresor Place, Alta Loma, CA 91737	
	Phone: 323-547-9605	Fax Number: 323-589-2430
	Disadvantaged status: SBE	
	Services offered: We are the SWPPP Specialists in business since 2005, an SBE Company. We proudly serve the Golden State from San Diego County to Del Norte County and everywhere in between. We specialize in Storm Water Pollution Prevention Plans, SWPPP, Water Pollution Control Plan, WPCP, WQMP, SUSMP, Dust Control Plans with PM-10, Erosion Control Plan, ESCP, Erosion Sediment Control Plan, Lead Compliance plan. QSP/QSD training, BMP Training, please call for prices.	

02-4F58U4	Austin Enterprise	
	P O Box 81926, Bakersfield California 93380	
	Phone: 661-589-1001	Fax Number: 661-589-9509
	Disadvantaged status: DBE SBE	
	Services offered: Bridge joints, Approach slabs, Soffit openings, Carbon fiber strips.	

02-4F58U4	Direct Project Inc.	
	1527 W Rialto Ave. Fontana, CA 92335	
	Phone: 760-995-2966	Fax Number: 760-281-5567
	Disadvantaged status: DVBE SBE	
	Services offered: DVBE/SBE, Grading, Excavation, Bridgework, Full Service General Contractor	

02-4F58U4	Dan Palmer Trucking Inc	
	4710 Locust Road Anderson,ca 96007	
	Phone: 530 365-6355	Fax Number: 530 365-6337
	Disadvantaged status: SBE	
	Services offered: All types construction trucking and a over the road flat bed fleet.	

02-4F58U4	RNR Construction, Inc.	
	8589 Thys Court Sacramento, CA 95828	
	Phone: 916-379-0957	Fax Number: 916-379-0960
	Disadvantaged status: DBE SBE	
	Services offered: Concrete Structure , Bridge Work	

02-4F58U4	Dees Burke Engineering Constructors, LLC	
	4518 Winters St. McClellan, CA, 95652	
	Phone: 626-228-3670	Fax Number:

	Disadvantaged status: SBE
	Services offered: Concrete Barrier, Polyester Concrete Overlay
02-4F58U4	5 Feathers
	PO BOX 20274 Bakersfield, California 93390
	Phone: 661-709-3087 Fax Number:
	Disadvantaged status: DBE SBE
	Services offered: Women, Native American owned SBE Certified....DBE is pending Erosion Control Material Supplier; SWPPP, SWCP Preparation, Implementation Services
02-4F58U4	Stinger Bridge & Iron
	4248 N Hwy 87 Coolidge, AZ, 85128
	Phone: 520-723-5383 Fax Number: 520-723-7084
	Disadvantaged status:
	Services offered:
02-4F58U4	Northern Industrial Electric
	2435 Radio Lane Redding, CA 96001
	Phone: 530-246-2366 Fax Number: 530-246-2368
	Disadvantaged status: DBE SBE
	Services offered: Electrical

42

43

Attachment D

Item of work available and selected firm
breakdown

Attachment D

Item of Work	Name of Selected Firm	DBE or Non - DBE	Name of Rejected Firm	Accepted Quote (\$)	Rejected Quote (\$)	Price Difference	Remarks/Reason
1 Lead Compliance Plan							
2 Construction Area Signs	T and S DVBE Inc.	DBE					
3 Traffic Control System	T and S DVBE Inc.	DBE					
4 Temp. Pavement Marking (Paint)	Apply-a-Line Inc.	Non-DBE					
5 Temp. Traffic Stripe (Paint)	Apply-a-Line Inc.	Non-DBE					
6 Channelizer (Surface Mounted)							
7 Portable Changeable Message Sign			Flash Traffic Inc.				
8 Temp. Railing (Type K)							
9 Temp. Crash Cushion System							
11 Prepare Water Pollution Control Program	Tully Consulting Group	DBE	Alfred Civil Engineering Inc. APPIAN UDBE SWPPP La Firma Inc.		\$ 650.00 \$ 800.00 \$ 650.00		Selected Alternate DBE Selected Alternate DBE Selected Alternate DBE
12 Temp. Drainage Inlet Protection							
13 Temp. Fiber Roll							
14 Temp. Concrete Washout							
15 Asbestos Compliance Plan	Adanta, Inc.	DBE					
16 Asbestos Removal							
17 Treated Wood Waste	Dirt and Aggregate Interchange Inc.	DBE					
18 Bird Exclusion							
19 Rumble Strip Patch (Concrete)							
20 Remove Guardrail	Dirt and Aggregate Interchange Inc.	DBE					
21 Remove Painted Traffic Stripe	Apply-a-Line Inc.	Non-DBE					
22 Remove Painted Pavement Marking	Apply-a-Line Inc.	Non-DBE					
23 Remove Thermoplastic Traffic Stripe	Apply-a-Line Inc.	Non-DBE					
24 Remove Pavement Marker	Apply-a-Line Inc.	Non-DBE					
25 Salvage Metal Bridge Railing							
26 Reconstruct Guardrail	Dirt and Aggregate Interchange Inc.	DBE					
27 Reconstruct Guardrail (9' Post)	Dirt and Aggregate Interchange Inc.	DBE					
28 Reconstruct Terminal System	Dirt and Aggregate Interchange Inc.	DBE					
29 Reconstruct Transition Railing	Dirt and Aggregate Interchange Inc.	DBE					
30 Reconstruct End Anchor (Type SFT)	Dirt and Aggregate Interchange Inc.	DBE					
31 Cold Plane Asphalt Concrete Pavement	Anrak Corporation	Non-DBE					
32 Remove Concrete Barrier							
33 Prepare Concrete Bridge Deck Surface	Dees Burke Engineering Constructors	Non-DBE					
34 Furnish Polyester Concrete Overlay	Dees Burke Engineering Constructors	Non-DBE					
35 Place Polyester Concrete Overlay	Dees Burke Engineering Constructors	Non-DBE					
36 Carbon Fiber Reinforced Polymer Strip (Deck)	FD Thomas Inc.	Non-DBE					
37 Carbon Fiber Reinforced Polymer Sheet (Exterior & Interior)	FD Thomas Inc.	Non-DBE					
38 Access Opening: Soffit	FD Thomas Inc.	Non-DBE					
40 Bridge Removal (Portion)Location A							
41 Bridge Removal (Portion)Location B							
42 Develop Water Supply							
43 Class 2 Aggregate Base							
44 Hot Mix Asphalt (Type A)	Stewart Engineering Inc.	Non-DBE	S.T. Rhoades Construction Inc.				Contractor is performing with own forces
45 Minor Hot Mix Asphalt							
46 Shoulder Rumble Strip (HMA, Ground-In Indentations)	Apply-a-Line Inc.	Non-DBE					
47 Place Hot Mix Asphalt Dike (Type F)	A.C. Dike Co	Non-DBE					
48 Place Hot Mix Asphalt (Misc. Area)	A.C. Dike Co	Non-DBE	S.T. Rhoades Construction Inc.	\$ 750.00	\$ 3,950.00	\$ (3,200.00)	Alternate Subcontractor for less
49 Shoulder Rumble Strip (Concrete Pavement, Ground-In Inde	Apply-a-Line Inc.	Non-DBE					
50 Rail Element Wall	Dirt and Aggregate Interchange Inc.	DBE					
51 Structural Concrete							
52 Bridge, Structural Concrete Bridge (Polymer Fiber)							
53 Structural Concrete, Barrier Slab	Camblin Steel Service	Non-DBE					

Attachment D

Item of Work	Name of Selected Firm	DBE or Non - DBE	Name of Rejected Firm	Accepted Quote (\$)	Rejected Quote (\$)	Price Difference	Remarks/Reason
54 Aggregate Base (Approach Slab)							
55 Structural Concrete Approach Slab (Type R)	Camblin Steel Service	Non-DBE					
56 Drill and Bond Dowel							
57 Clean Expansion Joint							
58 Neoprene Gland (Wabo Strip Seal SE-400)							
59 Neoprene Gland (Wabo Strip Seal SE-500)							
60 Fabricated Strip Seal (Wabo Type M)							
61 Fabricated Strip Seal (Wabo Type R)							
62 Joint Seal (MR 1/2")							
63 Joint Seal (MR 2")							
64 Bar Reinforcing Steel (Epoxy Coated) (Bridge)	Camblin Steel Service	Non-DBE					
65 Bar Reinforcing Steel (Stainless Steel)	Camblin Steel Service	Non-DBE					
66 8" Corrugated Steel Pipe Downdrain (.079" Thick)							
67 8" Entrance Taper							
68 8" Anchor Assembly							
69 Minor Concrete (Misc. Construction)							
70 Object Marker (Type P)							
71 Midwest Guardrail System (7" Post)	Dirt and Aggregate Interchange Inc.	DBE					
72 End Anchor Assembly (Type SFT)	Dirt and Aggregate Interchange Inc.	DBE					
73 Concrete Barrier (Type 60)	Camblin Steel Service	Non-DBE					
74 Concrete Barrier (Type 736)	Camblin Steel Service	Non-DBE					
75 Thermoplastic Traffic Stripe (Sprayable)	Apply-a-Line Inc.	Non-DBE					
76 Pavement Marker (Retroreflective)	Apply-a-Line Inc.	Non-DBE					
77 Maintaining Existing Traffic Mgmt. System Elements During	Northern Industrial Electric	DBE					
78 Modifying Existing Electrical System	Northern Industrial Electric	DBE					

Selected Firms Quote Backup

- Fax Transmission

To: **From:** Dees Burke Engineering Constructors
Fax: 15302448462 **Date:** 11/1/2016
RE: **Pages:** 5

Comments:

Dees Burke Engineering Constructors, LLC
 1703 E. Calaveras Street
 Altadena, CA 91001
 www.dbeconstructors.com

Proposal



Phone: (626) 228-3670

Fax: (626) 228-3521

CA License # 1012305

DIR # 1000036375

SBE CERT ID: 2001615

Proposal: 161101B

Date: 11/1/2016

To:	Project:
Stewart Engineering Attn: ESTIMATOR 5323 Eastside Road Redding, CA 96001	02-4F58U4 Klamath Poly


Estimator	Email	Phone
Todd Wingo	shane@dbeconstructors.com	(916) 870-7278

Bid Item	Description	Quantity	UOM	Unit Price	Extended Price
33	Prepare Concrete Bridge Deck Surface	5,245.00	SF	3.50	18,357.50
34	Furnish Polyester Concrete Overlay	437.00	CF	83.00	36,271.00
35	Place Polyester Concrete Overlay (F)	5,245.00	SF	6.00	31,470.00
79	Mobilization	1.00	LS	9,000.00	9,000.00

Proposal Total:	\$ 95,098.50
------------------------	---------------------

Dees Burke Engineering Constructors, LLC
1703 E. Calaveras Street
Altadena, CA 91001
www.dbeconstructors.com

Proposal



Scope of Work

Addendums noted: 1

Price is based on 2 (two) mobilizations. Additional mobilizations will be \$10,000 each.

Our pricing is based on completion of DBE's work by July 1, 2018. Add \$0.10 per SF for bid item 33, \$10 per CF for bid item 34, and \$1 per SF for bid item 35 every 6 months for any work remaining on July 1, 2018.

DBE Excludes:

- 1) Removal of existing striping and markers.
- 2) Installation and maintenance of temporary striping or markers.
- 3) Traffic Control. DBE requires 0 shifts of traffic control to be provided by Prime Contractor. (All work to be performed behind K-rail).

DBE Qualifications:

- 1) Contractor to provide staging yard for polyester materials and equipment.
- 2) All work to be performed in accordance with DBE Constructors, LLC general terms and conditions.

Dees Burke Engineering Constructors, LLC
1703 E. Calaveras Street
Altadena, CA 91001
www.dbeconstructors.com

Proposal



General Terms and Conditions

DBE INCLUDES:

1. DBE's prices include all labor, equipment and material to complete the items of work listed above unless otherwise specified. DBE has based its pricing and this proposal on all of the items listed above being awarded to DBE. Items may be added or deleted only with the approval of DBE. DBE shall have the right to modify and increase its unit prices if not all of the items listed above are awarded to DBE.
2. All quoted work shall be constructed in accordance with the Standard Specifications for Public Works Construction, Caltrans Standard Plans and Specifications dated 2010, Contract/Design documents provided to DBE at the time of this proposal.

PRIME CONTRACTOR MUST PROVIDE AT NO COST TO DBE:

1. Line & grade furnished, installed & maintained;
2. Working access, the entire area to be overlaid shall be cleaned and cleared of all debris;
3. Adequate lights furnished, installed & maintained at all work locations when night work is required;
4. CAL-OSHA safety rail or equivalent to include, protective cover over environmentally sensitive areas, waterways or traffic;
5. On-site construction water;
6. All weather access to all work areas;
7. Staging area for polyester materials and equipment.

DBE EXCLUDES:

1. Weekend or night work, unless specifically included;
2. All inspection and quality control costs;
3. Traffic control, notifications and traffic control signage.
4. Test panels, unless specifically included;
5. Performance and Payment Bonds and Bond premiums.
6. Permits and fees.
7. Builders Risk Insurance.
8. Utility relocation, protection of utilities and service interrupt fees. Prime Contractor to be responsible for providing a minimum of 20 feet clearance for DBE's boom equipment from any energized overhead utility.
9. Installation, maintenance and removal, or any responsibility for, Storm Water Pollution Prevention measures. All storm water run-off to be directed away from DBE work area. Any damage caused by DBE will be repaired by DBE.
10. Security measures, watchmen, grading, dewatering and/or dust control.
11. Sanitary facilities in accordance with OSHA regulations.
12. Engineering, testing, surveying, staking and as-built drawings. Prime Contractor to supply survey for line and grade.
13. Temporary K-Rail, crash cushions, temporary delineation and removal of existing metal beam guard rail.
14. Excavation, Backfill and Shoring.
15. Installation, maintenance and removal of pedestrian access.
16. Street sweeping.
17. Partnering and DRB costs.
18. Temporary concrete washouts.
19. All other work/items not specifically included.

DELAYS: DBE IS NOT RESPONSIBLE FOR DELAYS DUE TO THE FOLLOWING:

1. Lack thereof, or incorrect Prime Contractor or other subcontractor-furnished materials;
2. Lack thereof, or inadequate access;
3. Structure not ready.
4. Time lost due to the above or other delays out of the control of DBE including, without limitation, changed work, acts of God, inclement weather, acts of any government agency or third party, acts of terror, unsuitable ground conditions, differing site conditions or delays caused by or & in the control of the Contractor or its other Subcontractors or the Owner will be charged at Caltrans rates and markups and DBE will receive an extension of time to complete its work as is necessary as a result of such causes.

PAYMENT SCHEDULE:

Monthly progress payments will be due thirty (30) days from the date of DBE's invoice or seven (7) days after receipt from the Owner, whichever is earlier. Prime Contractor shall pay prompt payment penalties at 2% per month per state statute and interest on all amounts due and unpaid. If Prime Contractor fails to make payment when due, DBE shall have the right to stop work on forty-eight (48) hours' notice without any liability for project delay. Retention rate is not to exceed that withheld by the Owner. All retention will be released thirty-five (35) days after completion of DBE's work. DBE will be allowed to furnish securities in an escrow account in lieu of retention being withheld.

FORCE ACCOUNT WORK:

DBE is to receive all mark up with the exception of the percentage allowed to the Prime Contractor in the Prime Contract.

WORK SCHEDULE:

1. DBE requires 60 day preliminary written notice of move-in date, with final written notice given three weeks in advance.
2. This proposal is based on a standard 8-hour shift, 5 days per week, with DBE's work to be performed in continuous operations, or as the job staging allows, in accordance with a mutually agreeable schedule, without delay by others. Prime Contractor shall furnish to DBE electronic copies of CPM baseline schedule and monthly updates.
3. If the baseline or any subsequent schedule dictates work being performed after the completion date set forth above, DBE shall have the right to receive increased payments from Prime Contractor and/or Owner to account for labor, equipment, and/or material price escalation and Prime Contractor shall also grant time extension(s) to DBE.

INDEMNIFICATION:

DBE and Prime Contractor (the "Indemnitor") will indemnify and defend the other (the "Indemnitee") for the Indemnitor's proportionate share of

Dees Burke Engineering Constructors, LLC
1703 E. Calaveras Street
Altadena, CA 91001
www.dbeconstructors.com

Proposal



responsibility for the cause of any claims for injury or damages except to the extent arising out of the Indemnitee's negligence, whether in whole or in part. Additionally, DBE will not provide a waiver of subrogation unless it is required by the Prime Contract.

CHANGES:

DBE reserves the right to review and approve all Contract Change Orders relating to DBE work items prior to submittal and acceptance. Additional or changed work will be performed upon the completion of an executed Change Order, but Prime Contractor shall pay DBE for extra or changed work if DBE is given written or oral direction by Prime Contractor or Owner to proceed with such work.

Camblin Steel

SERVICE, INC. SINCE 1954

Reinforcing Service ~ Contractor License CA#218839 NV#0042078 OR#191866 DIR Reg #1000003852
 4175 Cincinnati ~ Rocklin, California 95765 Ph (916) 644-1300 Fax (916) 408-6999

JOB PROPOSAL

TO: _____

DATE: 11/1/16

JOB & LOCATION: 02-4F58U4 Klamath River Road

ADDENDUMS:

PLANS:

ITEM	INCLUDE	EXCLUDE	FURNISH	INSTALL	PRICE (tax inc.) U.N.O.
REBAR (Epoxy Coated)	X		X	X	
MASONRY REBAR		X			
MASONRY REBAR LAYOUT		X			
POST TENSION MATERIAL, LABOR		X			
CONSTRUCTION JOINT DOWELS		X			
GROUT DOWELS	X		X	FOB	
WELDED WIRE FABRIC		X			
LIFTING OR CHAIRING W.W.F.		X			
TIED & STOCKPILED ITEMS/ CAISSONS		X			
WELDING & REBAR WELDED TO MISC.		X			
ANCHOR BOLT TIES & ADDED REINF		X			
INSPECTION/TESTING/ENGINEERING		X			
HOISTING		X			
REBAR PROTECTION CAPS		X			
SITE REINFORCING		X			
LINES, GRADES & TEMPLATES		X			
TOTAL PRICE:					\$351,925.00
	ADD ALTERNATES		ADDS	DEDUCT	
* See Bid Breakdown					

THIS PROPOSAL IS SUBJECT TO REVISION OR WITHDRAWAL IF NOT ACCEPTED IN WRITING OR BY FACSIMILE TRANSMISSION WITHIN THIRTY (30) DAYS. THIS PROPOSAL IS CONDITIONED UPON OUR APPROVAL OF FINAL QUANTITIES, CONTRACT DOCUMENTS, INSURANCE AND BONDING REQUIREMENTS, AND CONSTRUCTION SCHEDULES. CAMBLIN STEEL SERVICE, INC. SHALL BE ENTITLED TO RECOVER ITS COLLECTION COSTS AND ATTORNEY'S FEES IF PAYMENT IS NOT MADE AS REQUIRED UNDER THE BUSINESS & PROFESSIONS CODE. CHANGE ORDER NUMBER/WITTEN AUTHORIZATION IS REQUIRED PRIOR TO ANY EXTRA WORK BEING PERFORMED. UPON AWARDED JOB PLEASE PROVIDE ONE SET OF CONTRACT PLANS AND SPECS.

Price is subject to change if Material
is not shipped within (90) days

Very Truly Yours,
Camblin Steel Service, Inc.

By: _____

THE UNDERSIGNED ACCEPTS THIS PROPOSAL AND AGREES TO PROVIDE THE NAME, ADDRESS AND PHONE NUMBER OF THE PROJECT OWNER, PROJECT LENDER AND GENERAL CONTRACTOR. THE UNDERSIGNED ALSO AGREES TO PROVIDE A COPY OF THE GENERAL CONTRACTOR'S PAYMENT BOND AND REQUIREMENTS ON INSURANCE, BONDING AND INDEMNITY BEFORE FINAL CONTRACT DOCUMENTS ARE SUBMITTED.

Dated: _____ ACCEPTED BY: _____ DATE: _____

Camblin Steel Service, Inc.

4175 Cincinnati Ave *Rocklin, CA 95765*(916) 644-1300*fax (916) 408-6999*contractor's lic. no. 218839

BID BREAKDOWN

02-4F58U4 Klamath River Road - All Items Epoxy Coated

BI	Description	UOM	Est. Quantity	Unit Price	Item Total
53	Struct Conc Barrier Slab - Final Pay	CY	53	\$ 184.00	\$ 9,752.00
55	Struct Conc Approach Slab (Type R)	CY	258	\$ 306.00	\$ 78,948.00
64	Bar Reinf Steel (Bridge) - Final Pay	LBS	100,448	\$ 1.35	\$ 135,605.00
65	Bar Reinf Steel (Stainless Steel) - Final Pay	LBS	1,859	\$ 5.00	\$ 9,295.00
74	Conc Barrier (Type 736) - Final Pay	LF	4,733	\$ 25.00	\$ 118,325.00
				Total	\$ 351,925.00

A. C. DIKE CO.
Specialty Paving Inc.
SPECIALTY PAVING CONTRACTOR

QUOTATION: CDOT 02-4F58U4 SISKIYOU CO. RT 5

BIDS: 11/1/16

**PLACE ONLY * 240 LF ASPHALT DIKE TYPE "F" @ \$33.35 LF
PLACE 10 SQYDS ASPHALT MISC AREAS @ \$75.00 SQYD**

**PRICE INCLUDES TACK AND ONE MOBILIZATION.
ASPHALT AND TRUCKING BY PRIME CONTRACTOR
TRAFFIC CONTROL BY PRIME CONTRACTOR**

*** PLACE ONLY ASPHALT DIKE, SPECIFICALLY EXCLUDES SURFACE
PREPARATION, BACKFILL, OR FOGSEAL.**

CAL. LIC. # 407417 NEV. LIC. #24188
2788 VENTURE DR. LINCOLN, CA. 95648
(916) 652-0159 FAX (916) 645-9618
WWW.ACDIKE.COM
DIR# 1000005929



**ANRAK
CORPORATION**

Covering Your Asphalt Grinding Needs Since 1976

ANRAK CORPORATION,
5820 Mayhew Road Sacramento, CA 95827
Phone 916-383-5030 Fax 916-383-8090
CA #256390 NV#16211 OR #206159
DIR# 1000002952

Anrak Corporation is a California Certified Small Business NO. 18781

Project Name: CDOT 02-4F58U4 Siskiyou Co. – Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, Approach Slabs
Project Bid Date: November 1, 2016
Project Location: 02-SIS-5-R57.8/R58.5 – Near Hornbrook from 0.3 Miles South of Klamath River Road Undercrossing to 0.5 Miles North of Klamath River Road Undercrossing

ITEM NO.	Description	Quantity U/M	Unit Price
Item #31:	200 SQYD Cold Plane Asphalt Concrete Pavement		
	2', 3', 4' Milling Machine	1.0 DY	3,200
	Overtime Per Hour	HR	435
	6'-7' 600 H.P. Milling Machine	1.0 DY	4,200
	Overtime Per Hour	HR	560
Item #81:	Mobilization – In and Out	EACH WAY	3,000

NITE DIFFERENTIAL \$100 (4') & \$175 (6') PER SHIFT
SATURDAY ADDITIONAL \$500 PER SHIFT
SUNDAY ADDITIONAL \$750 (4') & \$1,000 (6') PER SHIFT
ADDITIONAL \$500 CHARGE FOR OCIP PROJECTS
ANY COST INCURRED FOR PERMITS OR PILOT CARS WILL BE BILLED IN ADDITION TO ABOVE DAILY RATE

SPECIAL PROJECT PROVISIONS


- **Includes:** CUT and LOAD Only (Daily Rental) PER 8 HOUR Shift
- **Excludes:** Water Source, Traffic Control, PCC Mill, Any and All Hand Work, Ramping, Areas Not Accessible to Milling Machine, Dust/Debris Plan and Maintenance and/or Protection of Work
- **Includes:** One set of teeth per shift
- **Production:** Shifts as directed, O/T charged over 8 hour shift
- **Require:** All Utilities within mill grade are to be located and marked by customer. **Excludes:** Underground Alert Notification
- **Anrak Corporation will NOT accept Back Charges of lost time**

If you have any questions regarding this quote please call our office directly 916-383-5030.
Anrak Corporation greatly appreciates the opportunity to bid & fulfill your asphalt milling needs!

Estimated by: Tom Schmidt

Email: tom@anrak.com

ACCEPTED BY _____ DATE _____



ANRAK CORPORATION,
 5820 Mayhew Road Sacramento, CA 95827
 Phone 916-383-5030 Fax 916-383-8090
 CA #256390 NV#16211 OR #206159
 DIR# 1000002952

Anrak Corporation is a California Certified Small Business NO. 18781

GENERAL PROVISIONS

- Anrak Corporation will COLD PLANE asphalt concrete as directed by contractor, and LOAD grindings into trucks provided by Contractor
- Anrak Corporation will cold plane as closely as possible to existing manholes, water valves or other obstructions in cutting plane.
- No hand work or placing temporary asphalt tapers by Anrak Corporation around these objects or at pavement edge due to safety concerns
- Anrak Corporation will not remove asphalt concrete off gutter pan.
- Contractor to provide water into milling machine
- Contractor must provide a skip loader to assist with clean up
- Contractor to post streets with "No Parking" signs prior to Anrak Corporation's phase of work and provide traffic control during cold planing operation.
- Areas to be milled must be cleared of all obstructions and accessible to milling machine size
- Anrak Corporation takes no responsibility for dust control due to site conditions.
- Anrak Corporation cannot accept responsibility for any claims due to unraveling material after initial sweep and cones/traffic control are lifted.
- Anrak Corporation cannot guarantee planed surface will meet the surface smoothness specification 15-2.023.
- These prices are for asphalt concrete only
- Modifications to any work may require a change in price
- Anrak Corporation cannot guarantee that all asphalt concrete over PCC will be removed, nor that underlying PCC will be untouched.
- Anrak Corporation cannot grind native cobble rock that may damage milling machine.
- Contractor responsible for any cost that arise due to unsuitables or petromat in material.
- Contractor responsible for all tree trimming and refuse pick up and any other above grade obstacles, Anrak will not grind through any tree limbs
- Contractor to provide any required permits, notifications, or plans.
- Anrak Corporation will not accept back charges of lost time, it's contractor responsibility to manage project
- Any damages to Anrak equipment due to unmarked obstacles, manhole lids, metal boxes, or poles, contractor will be billed for damages
- Special shift projects that begin on Sunday must contain five (5) consecutive shifts to qualify, otherwise Sunday differential charge will apply.
- Anrak Corporation does not accept withholding of retention.
- Contractor responsible for clearing USA prior to cold planing operation
- By accepting this Bid the customer accepts sole responsibility for, and all subsequent liabilities coincident with following the requirements of the California regional notification center law pursuant to Article 2 (commencing with Section 4216) of Chapter 3.1 of Division 5 of Title 1 of the Government Code
- Contractor to pay for bond cost if required
- All items not specifically included are excluded
- The provisions of this quote prevail over any subcontract or purchase order stipulations.
- These prices are good for 30 days after bid date

**If you have any questions regarding this quote please call our office directly 916-383-5030.
 Anrak Corporation greatly appreciates the opportunity to bid & fulfill your asphalt milling needs!**

ACCEPTED BY _____ DATE _____

APPLY-A-LINE, INC.



SAFER ROADS SAVE LIVES

19652 N. Hirsch Court • Anderson, CA 96007
 Phone (530) 365-4000 • Fax (530) 365-4060
 mail@applyaline.com • LIC. #562762

DIR: 1000003300 C-32 LIC. # 562762
 DIR EXP. 6-30-17 LIC EXP 3-31-17



To: **General Contractors**
 02-SIS-5-R57.8 / R8.5

Project: **02-4F58U4**
 County: **SIS**
 City: **HORNBROOK**
 Bid Date: **11/1/2016**

The Following is our proposal for the above referenced project:

revised
er
→

Item #:	Description	Quantity:	Unit	Price:	Total:
1	LEAD PLAN-REM STRIPE-COL	1	LS	1350.00	1350.00
4	TEMP PM (PAINT)	510	SF	6.00	3060.00
5	TEMP STRIPE (PAINT)	16000	LF	1.10	17600.00
6	CHANNEL-(NO MAINT)	260	EA	32.00	8320.00
21	REM PAINT STRIPE	1600	LF	1.20	1920.00
22	REM PAINTED PM	504	SF	7.50	3780.00
23	REM THERMO STRIPE	7650	LF	2.00	15300.00
24	REM PAVE MARKER	61	EA	5.00	305.00
46	SHDR RUMBLE HMA	9	STA	240.00	2160.00
49	SHDR RUMBLE CONCRETE	12	STA	300.00	3600.00
75	SPRAYABLE THERMO	14600	LF	0.65	9490.00
76	PAVE MARKER RETRO REF	230	EA	14.00	3220.00
81	MOB	1	LS	4200.00	4200.00
					\$74,305.00

Apply-A-Line, INC. proposes to furnish all labor, equipment, and materials necessary to complete the bid items on referenced project.

CONDITIONS OF PROPOSAL:

- 1 Offerer reserves the right to withdraw proposal if not accepted within 30 days.
- 2 Prices quoted above do NOT include performance bond.
- 3 If a formal subcontract is required a complete copy of this quote must be included.
- 4 4-Trip included.. 3 TEMP AND 1 PERM TRIP INCLUDED.
- 5 T.C. not included for detours or temp items.
- 6 T.C. not included for perm work.
- 7 Message Board NOT included.
- 8 12 Working days required for scheduling.
- 9 Re Rumbles Fog seal included.
- 10 Gen. to provide dump site on job or cement plant/recycle pile. Gen. to dispose of these millings.
- 11 Channelizer maint. not included.
- 12 Waterblast removal included. 3 trips

PLEASE NOTIFY US RIGHT AWAY IF WE GET THIS JOB SO WE CAN PROCESS AND CREATE FILE.

Thank you for the opportunity to quote this project with your company.

Sincerely,

Steve Puderbaugh
 Project Manager
steve@applyaline.com

FAX COVER SHEET

TO	
COMPANY	
FAXNUMBER	15302448462
FROM	FD Thomas
DATE	2016-11-01 18:34:42 GMT
RE	Caltrans 02-4F58U4 - CFRP Proposal

COVER MESSAGE

Good Morning,

Please find attached proposal for the CFRP Strips and CFRP Sheets at the Caltrans District 2 project, Contract No.02-4F58U4.

If you have any questions feel free to give me a call.

Thanks,

Marco Fernandez
Estimating/PM
F.D. Thomas, Inc.
5301 Adeline St.
Oakland, CA 94608
(415) 242-1164 - Office
(415) 720-3880 - Cell

Please visit our website at www.fidthomas.com

"EEO Employer/Protected Veteran/Disabled"

CONFIDENTIALITY NOTICE: This e-mail message, including any attachments, is for the sole use of the intended recipient(s) and may contain confidential and privileged information. Any unauthorized review, use, disclosure or distribution is prohibited. If you are not the intended recipient, please contact the sender by reply e-mail and destroy all copies of the original message.



PROPOSAL # 161102-01

To:	Bidding Contractor		Proposal Expiration Date	
Attention:			Friday, December 30, 2016	
Project	Klamath River Bridge & Separation Contract No.02-4F58U4		FDT License #	CA 610403
FDT Contact:	Marco Fernandez		D.I.R # - 1000000093	
FDT Contact Phone:	415-242-1164	FDT Contact Email:	Marco.Fernandez@fdthomas.com	

Proposal:
 We propose to furnish all labor and material per the specifications below for the prices as listed. In addition the scope clarifications and exclusions are a part of the proposal and must be considered as part of any contract entered into at a later date pertaining to this proposal. This bid is subject to and conditioned upon the use of the American Institute of Architects contract Form A401 (ed. 2007) or such other terms and conditions acceptable to F.D. Thomas, Inc.

Scope Overview:
 Sawcutting and installation of NSM Rectangular bars in the Klamath River Bridge & separation as well as installation of CFRP strips at the Klamath River Road undercrossing per details No.1 & No.2

Specification:
 15 Carbon Fiber Reinforced Polymer Strips and Sheets

BASE CONTRACT PRICING					
Bid Item #	Description	Unit Price	Quantity	UOM	Amount
36	CFRP Strip (Deck) NSM Bars	\$ 275,335.00	1	LS	\$ 275,335.00
37	CFRP Sheet (Exterior)	\$ 86,616.00	1	LS	\$ 86,616.00
38	CFRP Sheet (Interior)	\$ 38,419.00	1	LS	\$ 38,419.00
TOTAL					\$ 400,370.00

We thank you for the opportunity to provide this quote. If you have any questions please feel free to contact us.

Sincerely,

Marco Fernandez
 415-242-1164
FD Thomas, Inc.
 5301 Adeline St
 Oakland, CA 94608

FD Thomas, Inc.

CLARIFICATIONS & EXCLUSIONS

Klamath River Bridge & Separation Contract No.02-4F58U4

Proposal is Subject to Conditions Below

F.D. Thomas, Inc. (FDT)

Item	Description of Clarification or Exclusion
CLARIFICATIONS:	
1	FD Thomas proposes using materials per specification and installed per manufacturer recommendations. Our proposal includes Engineering Calculation and Shop Drawings, surface preparation to provide a CSP 2-3 profile per manufacturer recommendation, Furnishing and installing a compliant ICC-ES FRP System to meet all requirements and specified forces.
2	1 mobilization included. Additional mobilizations @ \$3,000/ea.
3	Sufficient dry storage space appropriate to our material storage requirements are to be proved at no cost to FDT. Storage areas are to be located in areas convenient to our work and from which we will not be required to remove our materials except as needed for the completion of our work .
4	Suitable laydown area for parking, storage of materials, and equipment to be provided by Owner/GC.
5	Bond costs are not included in this proposal. If a bond is required it will be subject to the standard terms of our surety and will cost approximately 1.5% of total contract value.
6	All applicable permits are to be obtained and provided by Owner/GC at no cost to FDT.
7	FDT is a union signatory contractor.
8	We will need to receive a notice-to-proceed a minimum of 4 week prior to the commencement of our on-site work, in order to secure materials and reserve time in FDT's production schedule.
9	Our proposal is based on working 40-Hour work week. In the event that overtime is required, FDT will receive reimbursement of its additional cost of overtime.
10	Third-party testing, if required, will be provided at no cost to FDT. Third-party testing will be conducted during FDT's application schedule as to keep the work in sequence. FDT will be reimbursed costs for downtime due to inefficient third-party inspections.
11	All electrical power services necessary for the operation of FDT's site needs and equipment, to be provided at no cost to FDT. Power source will be located no more than 100 feet from FDT's work locations.
12	Restroom facilities will be provided by Owner/GC at no cost to FDT.
13	FDT will receive full access to areas required for its work.
14	Areas released to FDT for our work will be free of other trades.
15	We will receive sufficient areas to complete our work in an orderly and productive sequence.
16	FDT would need access to both ends of bridge to install FRP Strips at interior locations.
EXCLUSIONS:	
1	Rigging and safe span for accessing work areas.
2	Abatement, existing Coating, mastics, and wall covering removal.
3	Field and Lab testing.
4	Traffic Control, road closure, signage for lane closures.
5	FDT will not be liable for liquidated damages or other costs for delays in the sequencing of our work, work stoppages, or other production impacts caused by others.
6	Overtime, holiday, or weekend work.
7	Providing any type of enclosures for inclement weather and dust control.
8	Concrete repair, resurfacing, crack repair.
9	Removing and replacement of any elements obstructing the working surfaces. Such elements include but aren't limited to plumbing, mechanical, electrical, structural.
10	Trade damage, touch up, or rework of surfaces completed by FDT due to actions of others.
11	Scaffolding and staging to reach working areas (If needed)
12	Removal and replacement of any elements that would interfere with accessing the working surfaces. This includes but is not limited to: structural, plumbing, hvac, electrical.



Contractor License #291649
 DBE/SWBE Certification #34396
 SBE Certification #9083
 PW Contractor Registration #1000008129

2435 Radio Lane, Redding, CA 96001 • Phone: (530) 246-2366 • Fax: (530) 246-2368 • nie01@sbcglobal.net

November 1, 2016

REVISED

To Bidding Contractors

Re: Caltrans Contract 02-4F58U4 – Construction on State Highway in Siskiyou County near Hornbrook
 From Klamath River Road Undercrossing to 0.4 Mile North of Klamath River Road Undercrossing
 02-Sis-5-R57.8/R58.5

Bid Date: November 1, 2016 @ 2:00 p.m.

Northern Industrial Electric is pleased to quote the above referenced project per plans and specifications as follows:

Bid Item 77: Maintaining Existing TMS Elements During Construction	L.S.	\$ 2,000.00
• Verification of system's operational capability.		
Bid Item 78: Modifying Existing Electrical System	L.S.	**\$56,596.00**
	TOTAL	\$58,596.00

We acknowledge Addendum No. 1

We are signatory to the following unions:

- Laborers Local 185
- Operating Engineers Local 3

Exclusions:

1. Traffic control and portable changeable message signs;
2. Pull box paving; any paving;
3. Removal of existing foundations;
4. Removal of excess spoils;
5. Light towers;
6. SWPP/WPCP and implementation;
7. Fees, permits or bonds;
8. Worker's comp waivers of subrogation;
9. Excess (umbrella) liability insurance;
10. Weekend and holiday shift;
11. Staking.

Our quote is firm for 30 days unless otherwise stated. This proposal must be attached and incorporated into our subcontract agreement. If you have any questions, please do not hesitate to call.

Sincerely,

A handwritten signature in black ink, appearing to read "Harry P. Cramer".

Harry P. Cramer
 Project Manager / Estimator

CALIFORNIA UNIFIED CERTIFICATION PROGRAM DISADVANTAGED BUSINESS ENTERPRISE CERTIFICATE

NORTHERN INDUSTRIAL ELECTRIC

2435 RADIO LANE
REDDING, CA 96001 3810

Owner :DORI CRAMER

Business Structure : CORPORATION

This certificate acknowledges that said firm is approved by the California Unified Certification Program (CUCP) as a Disadvantaged Business Enterprise (DBE) as defined by the U.S. Department of Transportation (DOT) CFR 49 Part 26, as may be amended, for the following NAICS codes:

NAICS Code(s) * Indicates primary NAICS code

* 238210 Electrical Contractors

Work Category Code(s)

C0686 ELECTRICAL & SIGNALS
E4910 ELECTRIC SERVICES

C9858 RESIDENTIAL ELECTRICAL

Licenses

A General Engineering Contractor

B General Building Contractor

C10 Electrical Contractor

CERTIFYING AGENCY:

DEPARTMENT OF TRANSPORTATION
1823 14TH STREET, MS 79
SACRAMENTO, CA 95814 0000
(916) 324-1700

UCP Firm Number : 34396


CUCP OFFICER

July 18, 2007

It is CUCP's policy and objective to promote and maintain a level playing field for DBEs in California on Federal-aid contracts. We ensure nondiscrimination in the award and administration of U.S. DOT assisted contracts based on the requirements of 49 CFR Parts 21 and 26.

5/5/2015

Unified Certification Program

[Back To Query Form](#)

Search Returned 1 Records

Tue May 05 09:21:38 PDT 2015

Query Criteria

Firm ID: 34396

Firm Type: DBE

Firm ID	34396
Firm/DBA Name	NORTHERN INDUSTRIAL ELECTRIC
Address Line1	2435 RADIO LANE
Address Line2	
City	REDDING
State	CA
Zip Code1	96001
Zip Code2	3810
Mailing Address Line1	2435 RADIO LANE
Mailing Address Line2	
Mailing City	REDDING
Mailing State	CA
Mailing Zip Code1	96001
Mailing Zip Code2	3810
Certification Type	DBE
EMail	nie01@sbcglobal.net
Contact Name	DORI CRAMER
Area Code	(530)
Phone Number	246-2368
Fax Area Code	(530)
Fax Phone Number	246-2368
Agency Name	DEPARTMENT OF TRANSPORTATION
Counties	04; 06; 08; 11; 12; 18; 23; 25; 32; 45; 46; 47; 52; 53;
Districts	01; 02; 03;
DBE NAICS	238210;

ACDBE NAICS

Work Codes

C0686 ELECTRICAL & SIGNALS SUPPLIER; C8602 SIGNAL & LIGHTING; C8603 SIGNAL; C8604 LIGHTING; C8605 MESSAGE SIGNS, LIGHTING & SIGN ILLUMINATION; C8608 DETECTOR; C8609 TRAFFIC COUNT STATION; C8610 SPEED MONITORING STATION; C8611 RAMP METERING SYSTEM;

Licenses

A General Engineering Contractor; B General Building Contractor; C10 Electrical Contractor;

Trucks

Gender

F

Ethnicity

CAUCASIAN

Firm Type

DBE

[Back To Query Form](#)

BUSINESS ENTERPRISE CERTIFICATE

NORTHERN INDUSTRIAL ELECTRIC

2435 RADIO LANE
REDDING, CA 96001 3810
Owner: DORI CRAMER

Business Structure: CORPORATION

STATE WOMEN BUSINESS ENTERPRISE

This Certification Not Valid For Federal Aid Contracts


This certificate acknowledges that said firm is approved by the California Department of Transportation as a State Minority Business Enterprise or State Women Business Enterprise (or in some cases both) in accordance with Assembly Bill Number 486, Chapter 1329 and the California Public Code, Chapter 2.5 (commencing with Section 2050), for the following NAICS codes:

* 238210 Electrical Contractors and Other Wiring Installation Contractors

* Indicates primary NAICS code

CERTIFYING AGENCY:
DEPARTMENT OF TRANSPORTATION
1823 14TH STREET, MS 79
SACRAMENTO, CA 95814 0000
(916) 324-1700

Firm Number: 34396
Renewal Date: February 1, 2017



January 30, 2015

Janice Salais, CERTIFYING AGENCY REPRESENTATIVE



Department of
General Services

BUILDING GREEN BUYING GREEN WORKING GREEN

NORTHERN INDUSTRIAL ELECTRIC - #9083

SUPPLIER PROFILE

Legal Business Name	NORTHERN INDUSTRIAL ELECTRIC		
Doing Business As	NORTHERN INDUSTRIAL ELECTRIC		
Address	2435 RADIO LN REDDING, CA 96001-3810	Phone	(530) 246-2366
		FAX	(530) 246-2368
Email	nie01@sbcglobal.net		
Business Types	Construction		
Service Areas	Butte, Colusa, Del Norte, El Dorado, Glenn, Humboldt, Lake, Lassen, Mendocino, Modoc, Nevada, Placer, Plumas, Sacramento, Shasta, Sierra, Siskiyou, Sutter, Tehama, Trinity, Yolo, Yuba,		
Keywords	electrical industrial and highway services		
Construction License Types	A - General Engineering B - General Building Contractor C-10 - Electrical (general)		
Classifications	721410 - Highway and road construction services 721515 - Electrical system services		

Active Certifications

TYPE	STATUS	FROM	TO
SB (Micro)	Approved	Oct 31, 2013	Nov 30, 2017

Certification History

TYPE	STATUS	FROM	TO
SB (Micro)	Expired	Nov 18, 2011	Nov 30, 2013
SB (Micro)	Expired	Nov 2, 2009	Nov 30, 2011
SB (Micro)	Expired	Mar 14, 2006	Aug 31, 2009
SB	Expired	Jan 23, 2004	Apr 30, 2006
SB	Expired	Dec 18, 2000	Nov 30, 2003
SB	Expired	Jan 9, 1998	Dec 31, 2000

8/18/2016

California Department of Industrial Relations - Contact DIR

Press Room | Contact DIR | CA.gov

Go to Search



Home Labor Law Cal/OSHA Safety & Health Workers' Comp Self Insurance Apprenticeship Director's Office Boards

Public Works

Public Works Contractor (PWC) Registration Search

This is a listing of current and active PWC registrations pursuant to Division 2, Part 7, Chapter 1 (commencing with section 1720 of the California Labor Code.)

Enter at least one search criteria to display active registered public works contractor(s) matching your selections.

Registration Year:

PWC Registration Number:

Contractor Legal Name: Contractor License Lookup

License Number:

County:

Export as: Excel | PDF

Search Results

One registered contractor found, 1

Details	Legal Name	Registration Number	County	City	Registration Date	Expiration Date
View	NORTHERN INDUSTRIAL ELECTRIC	1000008129	SHASTA	REDDING	06/22/2016	06/30/2017 v2.20160101

About DIR

Who we are

DIR Divisions, Boards & Commissions

Contact DIR

Work with Us

Licensing, registrations, certifications & permits

Notification of activities

Public Records Act

Learn More

Site Map

Frequently Asked Questions


Jobs at DIR

Conditions of Use Privacy Policy Disclaimer Disability accommodation Site Help

Copyright © 2015 State of California

Adanta, Inc.

828 School Street
 Napa, California 94559
 Tel. (707) 709-8894
 Fax (707) 736-8368



A d a n t a

B(a), DBE, MBE, WBE
 CSLB #961132
 DBE Certificate #37357
 DIR Registration #1000029442

October 31, 2016

Attn: Estimator

Subject: Caltrans Contract 02-4F58U4

<u>Description</u>	<u>Qty</u>	<u>Unit Cost</u>	<u>Total Cost</u>
LEAD COMPLIANCE PLAN	1	LS	\$1,300
ASBESTOS COMPLIANCE PLAN	1	LS	\$1,300
		TOTAL	\$2,600

Dear Estimator:

Adanta, Inc. is pleased to present this bid to provide environmental services for the above referenced project. This quote includes up to two revisions per plan without additional cost and all plans are delivered in PDF electronic format only. Quotes for air monitoring and lead/asbestos training are available upon request.

Please send DBE Confirmation forms to Operations Manager, Cheryl Moore at cheryl.moore@adanta-inc.com and feel free to contact us at (707) 709-8894 if you have any questions.

Sincerely,

Kimberly Patz, President



Civil Engineering and Stormwater Solutions

October 26, 2016

RE: Proposal for WPCP for Caltrans 02-4F58U4, bidding 11/01/16

Dear Prime Contractor,

Thank you for the opportunity to provide a proposal for this project. We provide civil engineering and stormwater management services.

Scope of Work:

A. Prepare Water Pollution Control Program (WPCP)

Prepare a Water Pollution Control Program (WPCP). The document will be prepared in accordance with Caltrans requirements. Water Pollution Control Drawings will be included.

Exclusions: Installation and implementation of water pollution practices, providing a WPC Manager, conducting training, and monitoring, inspection and correcting water pollution control practices are excluded. A WPC Manager, training, monitoring and inspection are available as an additional service upon request.

Fee:

The WPCP will be prepared for a Fixed Fee of the following, with fees billed monthly based upon percent completion:

A. Prepare WPCP (Part of Bid Item No. 11) \$ 625

Fees will be due within 30 days of client's receipt of invoice. Late payments beyond 30 days past due can be subject to a 1.5% per month interest charge. Payment arrangements can be made to coincide with any owner to contractor payment installments.

Timing and deliverables:

Submittals will be provided in a timely manner; please contact us for scheduling so we can meet your deadline. The document will be provided in hard copy (4 copies) and electronic PDF format.

We appreciate the opportunity to present this proposal. Please feel free to contact me if you have any questions via cell at (707) 628-4219 or at our office number below.

Sincerely,

AUTHORIZATION TO PROCEED

Robin Tully, PE, QSD, President
License #: C64354

Name:

Date:

DBE/WBE/UDBE #38300, Exp. 2/4/2018, SBE (Micro) #60919, Exp. 1/31/2018
Annual Revenue Under \$1 Million, In Business Since 2005
Taxpayer Identification Number (TIN) 83-0499875; DIR Registration Number: 1000024960,
Exp. 06/30/2017; Full legal name is Tully Inc., DBA Tully Consulting Group

TULLY CONSULTING GROUP
1650 N. LINCOLN ST, SUITE A • DIXON, CA • 95620
PHONE: 707-693-1926 • FAX 707-471-0318 • ROBIN@TULLYGROUP.COM OR
KATELYN@TULLYGROUP.COM



DIRT & AGGREGATE INTERCHANGE, INC.

QUOTATION

Revised

DATE: 11/1/2016

TO: STEWART ENGINEERING INC. Attn: ESTIMATOR FAX: 530-244-8462

Project Name: **02-4F58U4 BRIDGE STRENGTHENING**
 Owner: CALTRANS
 Bid Date & Time: 11/1/16 2:00PM

Item	Description	Qty	U/M	Unit Price	Extended
17	Treated Wood Waste	2580	LBS	\$0.75	\$1,935.00
20	Remove Guardrail	220	LF	\$10.00	\$2,200.00
26	Reconstruct Guardrail	510	LF	\$22.00	\$11,220.00
27	Reconstruct Guardrail (9' Post)	75	LF	\$75.00	\$5,625.00
28	Reconstruct Terminal System	2	EA	\$2,500.00	\$5,000.00
29	Reconstruct Transition Railing	7	EA	\$3,400.00	\$23,800.00
30	Reconstruct End Anchor (Type SFT)	2	EA	\$750.00	\$1,500.00
50	Rail Element Wall	100	SQFT	\$50.00	\$5,000.00
71	Midwest Guardrail System (7' Post)	220	LF	\$35.00	\$7,700.00
72	End Anchor Assembly (Type SFT)	2	EA	\$1,250.00	\$2,500.00
81 76	Mobilization	1	LS	\$7,000.00	\$7,000.00
				TOTAL:	\$73,480.00

Stipulations:

- EXCLUDES ALL EXCAVATION / FABRIC / BACKFILL FOR ITEM# 50 - D&A TO INSTALL STEEL GUARDRAIL POSTS & RAIL ONLY.
- Bond not included.
- No traffic control. No Survey Work. No Engineering or Testing.
- Excludes all dirt work and concrete work on guardrail items.
- Excludes erosion control.
- Price based on 2 mobilization to project.
- Extra mobilization = \$3,500.00 per mobilization.
- 8 Working days.
- CA Contractor # 507828
- CA DBE # CT-000020
- CA DIR# 1000010905

Due to continued and unpredictable increases in material costs and resulting delays in delivery of such materials, the prices and delivery dates quoted herein will automatically expire thirty (30) days from the above date, unless accepted in writing prior to that date.

Thank you for your consideration.


DIRT and AGGREGATE INTERCHANGE, INC.

Signed: William Smith

We are a Minority Business Enterprise

OR DBE #493, OR CCB# 26599, WA CCB# DIRTAI192NP, WA DBE# D4 M0700 781
 20905 NE Sandy Blvd, Fairview, OR 97024 Phone: 503-661-5093 Fax: 503-669-1192

4952 S. Barney Rd.
 Anderson, CA 96007
 (530)864-8105
 Fax(530)466-2613



License Number: 983087 A, C31
 DVBE Supplier #1753009
 DBE Firm #38721
 DIR REG #1000007688
 Union Contractor

SHEET 1 OF 2

ATTENTION ESTIMATOR:

PROJECT: Br strengthening, Barrier Rail, HMA, Polyester Conc, Approach Slabs
 CONTRACT: 02-4F58U4

BID DATE: November 1, 2016

ITEM NUMBER		UNIT OF MEASURE	ESTIMATED QUANTITY	UNIT PRICE	TOTAL PRICE
2	CONSTRUCTION AREA SIGNS	LS	1	\$6,900.00	\$6,900.00
TRAFFIC CONTROL SYSTEM					
3	LANE/SHOULDER CLOSURE: 1 TRUCK, 1 ARROW BOARD, CONES, 1 PERSON 8 HR MINIMUM	DAY		\$950.00	
	EACH ADDITIONAL L/C PERSON 8 HR MINIMUM	DAY		\$580.00	
	ADDITIONAL LANE CLOSURE: (1 ARROW BOARD, CONES AND SIGNAGE)	EA		\$100.00	
	OVERTIME FOR LANE CLOSURE: PER PERSON	HOUR		\$100.00	
		MONTH		\$3,000.00	
		WEEK		\$1,500.00	
	TRUCK MOUNTED ATTENUATOR***	DAY		\$500.00	
		MONTH		\$800.00	
		WEEK		\$400.00	
	7	PORTABLE CHANGEABLE MESSAGE BOARD SIGN	DAY		\$200.00
MONTH				\$750.00	
9	TEMPORARY CRASH CUSHION SYSTEM (RENTAL OF INLINE CRASH CUSHION)	WEEK		\$400.00	
		MONTH		\$300.00	
		WEEK		\$150.00	
		DAY		\$100.00	
DELIVERY AND SET UP OF RENTAL EQUIPMENT CHARGE (\$100.00 PER HOUR)				INCLUDED W/TC	
SUBSISTENCE (IF SUB. AREA) PER PERSON, PER DAY				BOOK RATE	

***F.O.B. ANDERSON, first 100 miles per week is free, beyond 100 miles is \$0.55 per mile...Driver optional - \$500.00 per 8 hour shift \$75.00 per hour overtime. IF T and S is doing the traffic control, delivery, fuel and mileage charges do not apply.

ADDITIONAL SERVICES	ASPHALT OIL HAULING (trucks and tanks owned by T&S), OPERATED WATER TRUCKS, ROADSIDE SIGNS, CONSTRUCTION AREA SIGNS, TRAFFIC SAFETY PRODUCT SALES/RENTALS, END-DUMPS, FLAT-BEDS, TRAFFIC CONTROL
---------------------	--

T AND S DVBE, Inc.

License Number: 983087 A, C31
4952 S. Barney Rd. Anderson, CA 96007 Phone: (530)864-8105 Fax: (530)466-2613
DVBE Supplier #1753009, DBE Firm #38721, DIR REG #1000007688, Union Contractor

sheet 2 of 2

Traffic Control and Sign Quote Provisions

CONTRACT# 02-4F58U4

BID DATE: 11/1/2016

Acknowledgement & Agreement: By appointing or listing T AND S DVBE, INC. as a subcontractor on this project, the Prime Contractor acknowledges and agrees to all applicable terms and conditions as stated above and in the descriptions below.

Radios: Our pilot car(s) and flaggers will be equipped with VHF and UHF 2-way radios. Our pilot cars and flaggers will be equipped with CB radios for communication with your truckers and other CB-equipped equipment.

Rental Equipment: For this project, the Portable Changeable Message Signs are covered herein under. The Prime Contractor shall be responsible for any damage or loss to/of the equipment due to traffic conflicts, vandalism, theft, acts of nature or mishandling by Prime Contractor's staff, this includes batteries. The Prime Contractor will NOT be responsible for maintenance of the operational capabilities, except for operational difficulties and repairs brought about by such traffic conflicts, vandalism, acts of nature or mishandling by Prime Contractor's staff. Prime contractor is responsible for all lost stolen or damaged equipment on job site. (Includes all non-powered equipment) A daily record of items used will be provided by T and S DVBE Inc. for the prime contractor to sign off on.

Insurance: T AND S DVBE, INC. maintains insurance coverage's as required by USDOT-FHWA, Caltrans (Commercial General Liability, Commercial Auto, and Workers Comp); any additional coverage's required by the Prime Contractor can be acquired by us at the Prime Contractor's sole expense (e.g., Workers' Comp Waiver of Subrogation, Excess Liability umbrella).

Mobilization: For this project our initial advance notice requirements are 10 calendar days for mobilization of CMS boards, flaggers, pilot car, etc.

Inclusion of these entire quotations in Subcontract or Work Order is required either within the body of the Subcontracts/Work Orders or appendixes to and referenced within the Subcontract/Work Order. Such inclusion and /or referencing in no way obligates the Prime Contractor to use any of the optional quotations above.

Working Time:

All pricing is based on consistent working weeks/days. Prices are subject to change if prime contractor contracts T AND S DVBE Inc. less than full 40 hr. Week and/or 8 hr. days. Additional Mob and or increased hourly rates will be applied.

All Payments (There will be no payment retention on traffic control)

T AND S DVBE INC. will bill every two weeks. Invoice due and payable 30 days from date of invoice. Customer agrees to pay a finance charge of 1.5% per month on all past due balances. Customer further agrees to pay reasonable attorney's fees and cost if collection is required. Venue for the purpose of this obligation shall be Lassen County, CA. T AND S DVBE Inc. will be paid within 30 days of invoicing or work shall stop until payment is made.

Should you have any questions regarding these quotations, please call our office @ 530-639-9987. Call for additional prices such as cones, barricades, barricaded follow pilot car signs, or signs/stands as needed

Acceptance of this quote is acceptance of these provisions, which shall prevail if in conflict with any other contract documents. This quote must become a binding part of any contract written in reference to it.

Quote excludes any and all electrical and water pollution control work.

No retention is to be held on Traffic Control and Equipment Rental.

John Bailey
Estimator
530-949-0270

Reject Firms Quote Backup

Alfred Civil Engineering, Inc.7604 Soquel Way
Citrus Heights, CA 95610

Bid Date: 11/01/2016

DBE Certification # 41902
License # C 48604
QSD/P Certification # 25398
DIR Registration # 1000024191

Subject: 02-4F58U4:- Br strengthening, Barrier Rail, HMA, Polyester Conc, Approach Slabs

Attn: Estimator

We submit for your consideration the following services:


BID ITEM	ITEM CODE	ITEM DESCRIPTION	UNIT	QUANTITY	UNIT PRICE	AMOUNT
11	130200	PREPARE WATER POLLUTION CONTROL PROGRAM	LS	1	\$650	\$650
		IMPLEMENT WPCP	Weekly	68	\$650	\$44,200
TOTAL						\$44,850

NOTE: Number of weeks is based on Engineer's estimate and may change

Scope includes the following:
Provide WPCP in pdf format.

Scope does not include provision, transportation, or installation of BMP materials.

Sincerely,



Bori A. Touray PE, QSD/QSP

touray@alfredce.com

Alfred Civil Engineering

(916) 241-5309

[Back To Query Form](#)**Search Returned 1 Records**

Sun Oct 09 14:08:00 PDT 2016

Query Criteria

Firm ID: 41902

Firm Type: DBE

Firm ID	41902
Firm/DBA Name	ALFRED CIVIL ENGINEERING, INC
Address Line1	7604 SOQUEL WAY
Address Line2	
City	CITRUS HEIGHTS
State	CA
Zip Code1	95610
Zip Code2	
Mailing Address Line1	
Mailing Address Line2	
Mailing City	
Mailing State	
Mailing Zip Code1	
Mailing Zip Code2	
Certification Type	DBE
EMAIL	touray@alfredce.com
Contact Name	BORI A. TOURAY
Area Code	(916)
Phone Number	235-3967
Alt Area Code	(916)
Alt Phone Number	241-5309
Fax Area Code	(916)
Fax Phone Number	
Agency Name	DEPARTMENT OF TRANSPORTATION
Counties	01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 29; 30; 32; 33; 34; 35; 36; 37; 38; 39; 40; 41; 42; 43; 44; 45; 46; 47; 48; 49; 50; 51; 52; 53; 54; 55; 56; 57; 58;
Districts	01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12;
DBE NAICS	541330; 541340; 541620; 541690;
ACDBE NAICS	
Work Codes	C8705 DESIGN; C8710 ENGINEERING; C8713 CONSULTANT, ENVIRONMENTAL; C8715 CONSULTANT, ENGINEERING; C8720 CIVIL ENGINEERING; C8722 ENVIRONMENTAL ENGINEER; C8765 DRAFTING; C8766 Computer-aided Design & DRAFTING (CADD); C8767 GIS Modeling; C8781 Engineering - Hydrology; C8794 Environmental - Water Quality; C8852 SWPPP Planning;
Licenses	EC Civil Engineer,
Trucks	
Gender	M
Ethnicity	BLACK
Firm Type	DBE

[Back To Query Form](#)



APPIAN UDBE SWPPP

Storm Water Pollution Prevention Plans
Water Pollution Control Programs
Lead Compliance Plans

Certified DBE, WBE, MBE & SBE:

BART - No. 38334
DIR # 1000005242

Business License Number 024765

5780 Olinda Road
El Sobrante, CA 94803

Phone: (510) 854-9402
Fax: (510) 256-0103

Friday, October 28, 2016

ATTN: Estimator

RE: Contract : **Caltrans – 02-4F58U4**
Br strengthening, Barrier Rail, HMA, Polyester Conc, Approach Slabs.

Bid Date: **November 1, 2016**

Please find below the APPIAN SWPPP quote for the referenced project. Price includes three draft copies of the plan, additional copies of the approved plan if required by the Special Provisions, amendments and corrections. Plan preparation is in compliance with State, Regional and Local Storm Water Discharge Regulations and as required by the Special Provisions.

Item #	Item Code	<u>Items bid individually</u>	Bid Price
11	130200	Prepare Water Pollution Control Program (WPCP)	\$800.00

Good luck,

A handwritten signature in black ink, appearing to read 'Thomas Koprek'.

Thomas Koprek
Estimator
(510) 854-9402

FLASH TRAFFIC INC.
CERTIFIED DBE-WBE
#39950

Bid

PO Box 801360
Santa Clarita, CA 91380-1360
Office# 661-262-6003
Estimating 661-733-2053
Fax 661-262-6099
Flashwbe@outlook.com
State contractor license: 963168
DIR# 1000015697

Attention: Estimating Department

10-31-16

Dear Estimator,

Thank you for the opportunity to bid on the Caltrans project 02-4F58U4 . That bids on 11-01-16. After looking at the plans and specials the following is a bid for item #7 PCMS:

Item# 7 PCMS boards: **2 PCMS Boards:**

Monthly PCMS price is **\$850.00** per 30 days, per board

\$150.00 delivery per board

\$150.00 Pick up per board

Flash Traffic, Inc. is a Union Company, and a DBE-WBE.

Sincerely,

Rick Vasquez
Estimator
Flash Traffic, Inc.
661 733 2053



LA FIRMA

CSLB 904563, DIR 1000005131, DBE 39322

P.O. Box 1095, Nipomo,
CA. 93444
Phone: 805-748-8576
Fax: 805-929-0501
E-Mail:
vb@lafirmainc.com

11/01/2016

Project:

02-4F58U4

Br strengthening, Barrier Rail, HMA, Polyester Conc, Approach Slabs


02-Sis-5-R57.8/R58.5 We are pleased to provide you with a bid for the items listed below based on plans and specifications and (1) addendum

Item	Code	Description	Unit	Quantity	Unit Price	Total
11	130200	Prepare Water Pollution Control Program Plan	LS	1x	\$650.00	=\$650.00

Exclusions and qualifications.

1. Special testing and permits not in contract.
2. Price includes (1) electronic copy and (5) printed copies.
3. BMP materials and supplies not in contract.
4. Final Hard Copies delivered when we receive final payment.
5. Price Good for 60 Days Only

THANK YOU FOR YOUR TIME AND CONSIDERATION,


VICENTE BRAVO.

S.T. RHOADES CONSTRUCTION INC.

8585 COMMERCIAL WAY, REDDING, CA 96002

P.O. BOX 494520, REDDING, CA., 96049

530-223-9322, Fax 530-223-9222, License # 930684

MBE/SBE- 1247344,U/DBE-37693, UNIONS-OPERATORS, LABORERS

DIR # 1000008025

**PROPOSAL**

To: General Contractors

Attn: ****REVISED****

Project: CT 02-4F58U4

Date: 11/1/2016

Bid date: 11/1/2016

Item	Description	Quantity	UM	Unit Price	Amount
44	HMA (TYPE A)	68	TON	\$ 779.00	\$ 52,972.00
48	PLACE HMA (MISC. AREA)	10	SY	\$ 395.00	\$ 3,950.00
81	MOBILIZATION (PARTIAL)	1	LS	\$ 12,800.00	\$ 12,800.00
				Total:	\$ 69,722.00

- Notes
- Proposal valid for 30 days, Allow 10 days for scheduling
 - Payment to be made 15 days after work is completed
 - All Work to be available upon mobilization to site and performed consecutively
 - 3 Mobilizations included. Additional Mob's to be billed at \$3,500.00 ea.
 - Quote is non separable.

- Exc.
- Bonds
 - Permits
 - Raising/Lowering Iron
 - Fees
 - Striping
 - Staking
 - Engineering
 - Surveying
 - **All Quality Control**
 - **Profile Grinding**

Respectively Submitted,
Tyler Rhoades
 Estimator

Attachment E

Publication Backup

From: Compliance News Publishing Company

<http://www.compliancencenews.com>

info@compliancencenews.com

Tel: 562-439-2788 Fax: 562-439-1398

11 S. Termino, Suite 214, Long Beach, CA 90803

TO: Stewart Engineering, Inc.

P.O. Box 990010

Redding, CA, 96099

Phone: (530) 244-8464

Fax: (530) 244-8462

RECEIPT for Ad: 58429

Published on 10/18/2016

For Project:

State of California, Department of Transportation - Bridge Strengthening,
Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou
County

Total Amount PAID: \$90.00

From: Compliance News Publishing Company

<http://www.compliancencenews.com>

info@compliancencenews.com

Tel: 562-439-2788 Fax: 562-439-1398

11 S. Termino, Suite 214, Long Beach, CA 90803

TO: Stewart Engineering, Inc.

P.O. Box 990010

Redding, CA, 96099

Phone: (530) 244-8464

Fax: (530) 244-8462

RECEIPT for Ad: 58429

Published on 10/18/2016

For Project:

State of California, Department of Transportation - Bridge Strengthening,
Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou
County

Total Amount PAID: \$90.00

Compliance News Monthly Trade Journal
Publication Affidavit-Declaration of Publication -- State of California

Stewart Engineering, Inc. is seeking certified and qualified DBE (9% Goal) subs and/or suppliers to provide the following items of work, including but not limited to: Lead Compliance Plan, Construction Area Signs, Traffic Control System, Temp. Pavement Marking (Paint), Temp. Traffic Stripe (Paint), Channelizer (Surface Mounted), Portable Changeable Message Sign, Temp. Railing (Type K), Temp. Crash Cushion System, Prepare Water Pollution Control Program, Temp. Drainage Inlet Protection, Temp. Fiber Roll, Temp. Concrete Washout, Asbestos Compliance Plan, Asbestos Removal, Treated Wood Waste, Bird Exclusion, Rumble Strip Patch (Concrete), Remove Guardrail, Remove Painted Traffic Stripe, Remove Painted Pavement Marking, Remove Thermoplastic Traffic Stripe, Remove Pavement Marker, Salvage Metal Bridge Railing, Reconstruct Guardrail, Reconstruct Guardrail (9' Post), Reconstruct Terminal System, Reconstruct Transition Railing, Reconstruct End Anchor (Type SFT), Cold Plane Asphalt Concrete Pavement, Remove Concrete Barrier, Prepare Concrete Bridge Deck Surface, Furnish and Place Polyester Concrete Overlay, Carbon Fiber Reinforced Polymer Strip (Deck), Carbon Fiber Reinforced Polymer Sheet (Exterior & Interior), Access Opening; Soffit, Bridge Removal (Portion), Location A and B, Develop Water Supply, Class 2 Aggregate Base, Hot Mix Asphalt (Type A), Minor Hot Mix Asphalt, Shoulder Rumble Strip (HMA, Ground-In Indentations), Place Hot Mix Asphalt Dike (Type F), Place Hot Mix Asphalt (Misc. Area), Shoulder Rumble Strip (Concrete Pavement, Ground-In Indentation), Rail Element Wall, Structural Concrete; Bridge, Structural Concrete; Bridge (Polymer Fiber), Structural Concrete; Barrier Slab, Aggregate Base (Approach Slab), Structural Concrete; Approach Slab (Type R), Drill and Bond Dowel, Clean Expansion Joint, Neoprene Gland (Wabo Strip Seal SE-400), Neoprene Gland (Wabo Strip Seal SE-500), Fabricated Strip Seal (Wabo Type M), Fabricated Strip Seal (Wabo Type R), Joint Seal (MR 1/2"), Joint Seal (MR 2"), Bar Reinforcing Steel (Epoxy Coated) (Bridge), Bar Reinforcing Steel (Epoxy Coated) Bridge, Bar Reinforcing Steel (Stainless Steel), 8" Corrugated Steel Pipe Down drain (.079" Thick), 8" Entrance Taper, 8" Anchor Assembly, Minor Concrete (Misc. Construction), Object Marker (Type P), Midwest Guardrail System (7' Post), End Anchor Assembly (Type SFT), Concrete Barrier (Type 60 and Type 736), Thermoplastic Traffic Stripe (Sprayable), Pavement Marker (Retroreflective), Maintaining Existing Traffic Mgmt. System Elements During Construction, Modifying Existing Electrical System. for State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County in Near Hornbrook, CA

Stewart Engineering Inc. is an EEO Employer. We encourage and actively solicit proposals from DBE subcontractors and suppliers on all our projects. All

Contact: Renee Thomas
P.O. Box 990010
Redding, CA, 96099
Phone: (530) 244-8464
Fax: (530) 244-8462
Email: rthomas@sebinc.net

Bid Due on: 11/01/2016 at 01:00 PM
Solicitation Number: 02-4F58U4

qualified DBE subcontractors must be registered and certified by the California Department of Transportation. Plans & Specifications may be obtained from the Department of Transportation's website:
http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_adv_advertised.php. Prior to the bid, upon request, you can contact our office if you require assistance in bonding, lines of credit, insurance, obtaining necessary equipment, supplies, materials or services etc., which may be required by the Owner. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing prior to bid opening. All Subcontractors will be required to sign our standard Subcontract Agreement. You must be registered and provide your Department of Industrial Relations number.

The Stewart Engineering, Inc. Good Faith Effort ad has been published in both the Compliance News Internet and Hard-Copy publications.
Located Online at: http://www.compliancencenews.com/classified_monthly

The undersigned declares:

I am over the age of 18 years and a citizen of the United States. I am the principal publisher of the Compliance News Monthly Trade Journal in the City of Long Beach, County of Los Angeles, and the State of California. The notice, a true copy of which is attached was published on Tue Oct 18 19:13:39 +0000 2016

I declare under penalty of perjury that the foregoing is true and correct. Executed at Long Beach, California

Henry Sprague III

Copyright 2005 Compliance News DVBE #0018455 All Rights Reserved

Compliance News Daily Focus Journal
Publication Affidavit-Declaration of Publication -- State of California

Stewart Engineering, Inc. is seeking certified and qualified DBE (9% Goal) subs and/or suppliers to provide the following items of work, including but not limited to: Lead Compliance Plan, Construction Area Signs, Traffic Control System, Temp. Pavement Marking (Paint), Temp. Traffic Stripe (Paint), Channelizer (Surface Mounted), Portable Changeable Message Sign, Temp. Railing (Type K), Temp. Crash Cushion System, Prepare Water Pollution Control Program, Temp. Drainage Inlet Protection, Temp. Fiber Roll, Temp. Concrete Washout, Asbestos Compliance Plan, Asbestos Removal, Treated Wood Waste, Bird Exclusion, Rumble Strip Patch (Concrete), Remove Guardrail, Remove Painted Traffic Stripe, Remove Painted Pavement Marking, Remove Thermoplastic Traffic Stripe, Remove Pavement Marker, Salvage Metal Bridge Railing, Reconstruct Guardrail, Reconstruct Guardrail (9' Post), Reconstruct Terminal System, Reconstruct Transition Railing, Reconstruct End Anchor (Type SFT), Cold Plane Asphalt Concrete Pavement, Remove Concrete Barrier, Prepare Concrete Bridge Deck Surface, Furnish and Place Polyester Concrete Overlay, Carbon Fiber Reinforced Polymer Strip (Deck), Carbon Fiber Reinforced Polymer Sheet (Exterior & Interior), Access Opening; Soffit, Bridge Removal (Portion), Location A and B, Develop Water Supply, Class 2 Aggregate Base, Hot Mix Asphalt (Type A), Minor Hot Mix Asphalt, Shoulder Rumble Strip (HMA, Ground-In Indentations), Place Hot Mix Asphalt Dike (Type F), Place Hot Mix Asphalt (Misc. Area), Shoulder Rumble Strip (Concrete Pavement, Ground-In Indentation), Rail Element Wall, Structural Concrete; Bridge, Structural Concrete; Bridge (Polymer Fiber), Structural Concrete; Barrier Slab, Aggregate Base (Approach Slab), Structural Concrete; Approach Slab (Type R), Drill and Bond Dowel, Clean Expansion Joint, Neoprene Gland (Wabo Strip Seal SE-400), Neoprene Gland (Wabo Strip Seal SE-500), Fabricated Strip Seal (Wabo Type M), Fabricated Strip Seal (Wabo Type R), Joint Seal (MR 1/2"), Joint Seal (MR 2"), Bar Reinforcing Steel (Epoxy Coated) (Bridge), Bar Reinforcing Steel (Epoxy Coated) Bridge, Bar Reinforcing Steel (Stainless Steel), 8" Corrugated Steel Pipe Down drain (.079" Thick), 8" Entrance Taper, 8" Anchor Assembly, Minor Concrete (Misc. Construction), Object Marker (Type P), Midwest Guardrail System (7' Post), End Anchor Assembly (Type SFT), Concrete Barrier (Type 60 and Type 736), Thermoplastic Traffic Stripe (Sprayable), Pavement Marker (Retroreflective), Maintaining Existing Traffic Mgmt. System Elements During Construction, Modifying Existing Electrical System. for State of California, Department of Transportation - Bridge Strengthening, Barrier Rail, HMA, Polyester Concrete, and Approach Slabs in Siskiyou County in Near Hornbrook, CA

Stewart Engineering Inc. is an EEO Employer. We encourage and actively solicit proposals from DBE subcontractors and suppliers on all our projects. All

Contact: Renee Thomas
P.O. Box 990010
Redding, CA, 96099
Phone: (530) 244-8464
Fax: (530) 244-8462
Email: rthomas@sebinc.net

Bid Due on: 11/01/2016 at 01:00 PM
Solicitation Number: 02-4F58U4

qualified DBE subcontractors must be registered and certified by the California Department of Transportation. Plans & Specifications may be obtained from the Department of Transportation's website:
http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_adv_ertised.php. Prior to the bid, upon request, you can contact our office if you require assistance in bonding, lines of credit, insurance, obtaining necessary equipment, supplies, materials or services etc., which may be required by the Owner. Subcontractors must possess a current contractor's license, worker's compensation and insurance coverage during the entire length of the prime contract. Conditions or exceptions in Subcontractor's quote are expressly rejected unless accepted in writing prior to bid opening. All Subcontractors will be required to sign our standard Subcontract Agreement. You must be registered and provide your Department of Industrial Relations number.

The Stewart Engineering, Inc. Good Faith Effort ad has been published in both the Compliance News Internet and Hard-Copy publications.
Located Online at: http://www.compliancencenews.com/classified_daily

The undersigned declares:

I am over the age of 18 years and a citizen of the United States. I am the principal publisher of the Compliance News Monthly Trade Journal in the City of Long Beach, County of Los Angeles, and the State of California. The notice, a true copy of which is attached was published on Tue Oct 18 19:13:39 +0000 2016

I declare under penalty of perjury that the foregoing is true and correct. Executed at Long Beach, California

Henry Sprague III

Copyright 2005 Compliance News DVBE #0018455 All Rights Reserved



November 4, 2016

MSC 43
Office Engineer
Department of Transportation
1727 30th Street
Sacramento, Ca 95816-7005

RE: DBE Commitment/Good Faith Efforts

Construction in Siskiyou County
Contract No 02-4F58U4

To Whom It May Concern,

Please find the enclosed completed Caltrans Bidder-DBE- Commitment form as well as the Good Faith Effort Backup for Contract No 02-4F58U4 for Stewart Engineering Inc. Please feel free to contact me if you have any questions or need any further information.

Sincerely,
Renee Thomas

A handwritten signature in cursive script that reads 'Renee Thomas'.