

Second Bidder

44A11:01 RQVD

This information may be submitted with your bid proposal. If it is not, and you are the apparent low bidder or the second or third low bidder, it must be submitted and received as specified in section 2 of the specifications. Failure to submit the required DBE information will be grounds for finding the bid nonresponsive.

CONTRACT NO:
03-3E1204

BID AMOUNT:
\$ 1,750,246.27

BID OPENING DATE:
9-10-14

BIDDER'S NAME:
WEST COAST STRUCTURES, INC. dba WESTERN STRUCTURES

DBE GDAL FROM CONTRACT, %:
12

DBE PRIME CONTRACTOR CERTIFICATION¹:

BID ITEM NO.	ITEM OF WORK AND DESCRIPTION OF SERVICES TO BE SUBCONTRACTED OR MATERIALS TO BE PROVIDED ²	FOR CALTRANS USE ONLY	NAME OF DBEs (Must be certified on the date bids are opened - include Caltrans certification #, DBE address and phone number) (Indicate 2nd and lower tier subcontractors)	DOLLAR AMOUNT DBE ³
3	TC (P)		T & S DYBE INC. # 38721 PO BOX 270936 SUSANVILLE, CA 96127 530-864-8105	16,500
24, 42, 46, 82	COLD PLANT ASPHALT CONCRETE PAVEMENT, HOT MIX ASPHALT-TYPE A, TACK, MOB (P)		VINTAGE PAVING #27011 119 MAIN ST. WATERS, CA 95694 530-795-0132	192,625.00
1	LCP		ADANTA, INC. # 37357 828 SCHOOL ST. NAPPA, CA 94559	1,275.00


IMPORTANT: Identify all DBE firms being claimed for credit, regardless of tier. Names of the First Tier DBE Subcontractors and their respective item(s) of work listed above must be consistent, where applicable, with the names and items of work in the "Subcontractor List" submitted with your bid. Copies of the DBE quotes are required.

- DBE prime contractors must enter their certification number and indicate all work to be performed by DBEs including work performed by its own forces.
- If 100% of item is not to be performed or furnished by DBE, describe exact portion of item to be performed or furnished.
- See section 2-1.12 of the specifications to determine the credit allowed for DBE firms.

Total Claimed Participation

\$ 210,400.00

12.02 %



Signature of Bidder

9-12-14
Date

951-352-4300
(Area Code) Tel. No.

BRIAN SKATEM
Person to Contact

(Please Type or Print)

Submit to:

MSC 43
OFFICE ENGINEER
DEPARTMENT OF TRANSPORTATION
1727 30TH STREET
SACRAMENTO, CA 95816-7005

T AND S DVBE Inc.

General Contractor CA. Lic # 983087 A-C31
 DVBE Supplier #1753009
 DBE Firm#38721

16.500
 Email - tandsdvbe@yahoo.com

Phone 530-864-8105
 P.O. Box 270936
 Susanville Ca, 96127

JOB # 03-3E1204 Bid Date 9/10/14**Job Name - Bridge Seismic Retrofit, Structural Concrete and Hot Mix Asphalt****1. Flagging T 13 Closure. Signs/stands, Cones, Radios (Item #3)**

- 8 Hour straight time shift \$1175.00 (Two Flaggers)
- Additional Flagger (Each) per 8 hr. straight time rate \$587.00
- Overtime, each flagger \$85.00 per hr.
- Sunday/Holidays time each flagger \$97.00 per hr.

All typical signs (8) stands (8) flagging equipment, 1 time set up per day, cones (30) included, and highly qualified personal will be included. When and if additional equipment is needed see rates below.

Exclusions

The prime contractor will provide all light towers (Unless rented from T AND S DVBE Inc.) and placement of light towers if needed. If prime would like T AND S DVBE Inc. to provide light towers, additional cost will apply. (See rates below)

Rumble Strips if required. Call for additional cost.

Pilot car (Item #3)

- Pilot car and driver @ 752.00 per 8 hr. straight time shift
- Overtime @ \$109.00 per hr.
- Sundays/Holidays @ \$125.00 per hr.

2. Typical lane Closure Rates T-10/T-14/T-11 (Truck and Traffic Control Supervisor) Item # 3

- 8 Hour straight time shift \$850.00 (Traffic control supervisor, traffic truck)
- 8 Hour straight time shift \$1296.00 (Traffic control supervisor, Traffic control tech. and traffic truck.)
- Overtime Rate \$126.00 (Traffic control supervisor, traffic truck)
- Overtime Rate \$200.00 (Traffic control supervisor, Traffic control tech. and traffic truck.)
- Sundays/Holidays time rate \$150.00 (Traffic control supervisor, traffic truck)
- Sundays/Holidays time rate \$235.00 (Traffic control supervisor, Traffic control tech. and traffic truck.)

Traffic control cone truck will include all needed cones, temp signs and stands, and fully trained and very experienced traffic control supervisor. If cones are to be placed in multi-lane road or at high speed traffic a traffic control technician must be included in price. Rates include typical 3 advance signs, 3 Lance closed signs, and enough cones for a 2 mile closure. If additional delineation is needed, please see rates below and/or call with additional needs and discuss pricing. For multi-line closures or closures in 2 directions please call for additional pricing.

Prices and items below only apply if T AND S DVBE Inc. is contracted to provide traffic control

3. Traffic control technician labor (Includes truck)

\$750.00 per 8 hour straight-time;

\$99.00 per hour overtime & Saturdays;

\$118.00 per hour Sundays/Holidays;

While available on a full-time basis at these same rates, this work is generally performed pre- or post-shift, and resetting of safety delineations, relocations of CMS boards and auxiliary signs, and any additional assistance requested by the Prime Contractor.

Traffic control technician hours are billed when placing additional cones, signs/stands, CMS boards, when directed by Prime Contractor. This rate does not include the original sign, CMS board, & cone placement included in #1.

INCLUSIONS: ATSSA-certified Traffic Control Technician(s) and well-equipped truck.

4. Construction Area Signs

Call or email if you would like pricing.

T AND S DVBE Inc.

General Contractor CA. Lic # 983087 A-C31
 DVBE Supplier #1753009
 DBE Firm#38721

Email - tandsdvbe@yahoo.com

Phone 530-864-8105
 P.o. Box 270936
 Susanville Ca, 96127

5. Arrow Board Rental

\$275.00 per day
 \$400.00 per week
 \$900.00 per month

6. Portable Changeable message boards

\$900.00 per month
 \$500.00 per week
 \$300.00 per day

Inclusion

CMS prices include a onetime set up and tear down if used for a minimum of 3 months.

Exclusions

Relocation of PCMS boards, Light towers, and Arrow boards will be charged at an hourly rate listed in item number 3.

7. Light Towers

\$200.00 per day
 \$400.00 per week
 \$800.00 per month

There will be a \$250.00 delivery and pick up fee per light tower if rented for less than three months.

Prime contractor is responsible for fuel and or additional fuel cost if T AND S DVBE Inc. is directed to fuel light towers. The price will be \$5.00 per gallon for light towers.

8. Additional Delineation/ Hourly/ Daily Rates if Needed

1. Cones \$0.30/Day \$6.00/Month
2. Type 1 Barricades (With Signs i.e. Wait For Pilot)
 - \$1.50 per day \$18. Per month
3. Extra Signs and Stands not included in normal closures stated above
 - \$3.00 per day \$36.00 per month
4. Type 3 Barricade (With Sign I.E. Road Closed)
 - \$2.00 per day \$20.00 Per month
5. Night pay \$3.25/Hr./Man
6. Night R.W.A. Beacons \$4.00/Day
7. Call for rates on additional sign or barricade rates.

GENERAL NOTES, TERMS, & CONDITIONS -- Please read carefully

- Acknowledgement & Agreement: By appointing or listing T AND S DVBE, INC. as a subcontractor on this project, the Prime Contractor acknowledges and agrees to all applicable terms and conditions as stated above and in the descriptions below.
 - Radios: Our pilot car(s) and flaggers will be equipped with VHF and UHF 2-way radios. Our pilot cars and flaggers will be equipped with CB radios for communication with your truckers and other CB-equipped equipment.
 - Rental Equipment: For this project, the Portable Changeable Message Signs are covered herein under. The Prime Contractor shall be responsible for any damage or loss to/of the equipment due to traffic conflicts, vandalism, theft, acts of nature or mishandling by Prime Contractor's staff, this includes batteries. The Prime Contractor will NOT be responsible for maintenance of the operational capabilities, except for operational difficulties and repairs brought about by such traffic conflicts, vandalism, acts of nature or mishandling by Prime Contractor's staff.
- Prime contractor is responsible for all lost stolen or damaged equipment on job site. (Includes all non-powered equipment) A daily record of items used will be provided by T and S DVBE Inc. for the prime contractor to sign off on.

T AND S DVBE Inc.

General Contractor CA. Lic # 983087 A-C31
DVBE Supplier #1753009
DBE Firm#38721

Email - tandsdvbe@yahoo.com

Phone 530-864-8105
P.o. Box 270936
Susanville Ca, 96127

- **Insurance:** T AND S DVBE, INC. maintains insurance coverage's as required by USDOT-FHWA, Caltrans (Commercial General Liability, Commercial Auto, and Workers Comp); any additional coverage's required by the Prime Contractor can be acquired by us at the Prime Contractor's sole expense (e.g., Workers' Comp Waiver of Subrogation, Excess Liability umbrella).
- **Mobilization:** For this project our initial advance notice requirements are 10 calendar days for mobilization of CMS boards, flaggers, pilot car, etc.
- **Inclusion of these entire quotations in Subcontract or Work Order is required either within the body of the Subcontracts/Work Orders or appendixes to and referenced within the Subcontract/Work Order. Such inclusion and /or referencing in no way obligates the Prime Contractor to use any of the optional quotations above.**

- **Working Time**

All pricing is based on consistent working weeks/days. Prices are subject to change if prime contractor contracts T AND S DVBE Inc. less than full 40 hr. Week and/or 8 hr. days. Additional Mob and or increased hourly rates will be applied.

- **All Payments**

T AND S DVBE INC. will bill every two weeks. Invoice due and payable 30 days from date of invoice. Customer agrees to pay a finance charge of 1.5% per month on all past due balances. Customer further agrees to pay reasonable attorney's fees and cost if collection is required. Venue for the purpose of this obligation shall be Lassen County, CA. T AND S DVBE Inc. will be paid within 30 days of invoicing or work shall stop until payment is made.

Should you have any questions regarding these quotations, please call Taren Forde at 530-864-8105 or Steve at 530-921-8044. Call for additional prices such as cones, barricades, barricaded follow pilot car signs, or signs/stands as needed

- This quote is valid for 30 days.

T AND S DVBE Inc.

Email - tandsdvbe@yahoo.com

General Contractor CA. Lic # 983087 A-C31
DVBE Supplier #1753009
DBE Firm#38721

Phone 530-864-8105
P.o. Box 270936
Susanville Ca, 96127

JOB #03-3E1204

Bid Date 9/10/2014

JOB NAME –Bridge Seismic Retrofit, Structural Concrete And Hot Mix Asphalt

Water Truck will only be quoted if prime contractor uses T AND S DVBE Inc. for traffic control. Please see attached traffic control quote.

Thank you for allowing TAND S DVBE WATER TRUCKS, the opportunity to provide a proposal for the above referenced project.

Proposal Qualifications:

1. Water Truck 2000+- Gal water truck @

- \$105.00 per Hr. Straight Time
- \$120.00 per Hr. Over Time/Saturdays
- \$136.00 per Hr. Double Time (Sundays)

T AND S DVBE Inc.
P.O. Box 270936
Susanville Ca, 96127
Supplier # 1753009
DBE FIRM #38721

Thank you again for this opportunity. If you have any questions, or need any additional information please don't hesitate to call.

Sincerely,

T AND S DVBE Inc.
Taren Forde
Owner

• **Working Time**

All pricing is based on consistent working weeks. Prices are subject to change if prime contractor contracts T AND S DVBE Inc. less than full 40 Hr. weeks. Additional Mob and or increased hourly rates may be applied.

• **All Payments**

T AND S DVBE INC. will bill every two weeks. Invoice due and payable 30 days from date of invoice. Customer agrees to pay a finance charge of 1.5% per month on all past due balances. Customer further agrees to pay reasonable attorney's fees and cost if collection is required. Venue for the purpose of this obligation shall be Lassen County, CA. T AND S DVBE Inc. will be paid within 30 days of invoicing or work shall stop until payment is made.

We accept the prices above for the specific job stated for which the undersigned agrees to pay the amounts specified according to the terms and other conditions stated above.

Date: _____ By: _____ Title: _____

Unified Certification Program

Page 1 of 1

[Back To Query Form](#)**Search Returned 1 Records**

Mon Jul 07 14:58:30 PDT 2014

Query Criteria

Firm ID: 38721

Firm Type: DBE

Firm ID	38721
Firm/DBA Name	T AND S DVBE, INC.
Address Line1	704-505 INDIANS RD.
Address Line2	
City	JANESVILLE
State	CA
Zip Code1	96114
Zip Code2	
Mailing Address Line1	P.O. BOX 270936
Mailing Address Line2	
Mailing City	SUSANVILLE
Mailing State	CA
Mailing Zip Code1	96127
Mailing Zip Code2	
Certification Type	DBE
Email	tandsdvbewatertrucks@yahoo.com
Contact Name	TAREN FORDE
Area Code	(530)
Phone Number	864-8105
Fax Area Code	(530)
Fax Phone Number	864-8105
Agency Name	DEPARTMENT OF TRANSPORTATION
Counties	04; 18; 25; 32; 52;
Districts	02; 03;
DBE NAICS	484110; 488490; 561990;

ACDBE NAICS

Work Codes	C1200 CONSTRUCTION AREA SIGNS; C1201 TRAFFIC CONTROL SYSTEM; C1211 TRAFFIC FLAGGERS; C1212 PILOT CAR SERVICES; C9806 WATER TRUCK
Licenses	
Trucks	WATER TRUCKS - 1;
Gender	F
Ethnicity	CALCASIAN
Firm Type	DBE

[Back To Query Form](#)



Department of
General Services
BUILDING GREEN · BUYING GREEN · WORKING GREEN

T AND S DVBE INC - #1753009

SUPPLIER PROFILE			
Legal Business Name	T AND S DVBE INC		
Doing Business As	T AND S DVBE INC		
Address	PO BOX 270936 SUSANVILLE, CA 96127	Phone	(530) 864-8105
		FAX	
Email	tandsdvbe@yahoo.com		
Business Types	Service Non-Manufacturer		
Service Areas	Alameda, Alpine, Amador, Butte, Calaveras, Colusa, Contra Costa, Del Norte, El Dorado, Fresno, Glenn, Humboldt, Imperial, Inyo, Kern, Kings, Lake, Lassen, Los Angeles, Madera, Marin, Mariposa, Mendocino, Merced, Modoc, Mono, Monterey, Napa, Nevada, Orange, Placer, Plumas, Riverside, Sacramento, San Benito, San Bernardino, San Diego, San Francisco, San Joaquin, San Luis Obispo, San Mateo, Santa Barbara, Santa Clara, Santa Cruz, Shasta, Sierra, Siskiyou, Solano, Sonoma, Stanislaus, Sutter, Tehama, Trinity, Tulare, Tuolumne, Ventura, Yolo, Yuba,		
Keywords	FIRE FIGHTING EQUIPMENT FIRE PREVENTION FIRE MANAGEMENT WATER TRUCK DUST CONTROL HIGHWAY AND ROAD CONSTRUCTION SERVICES TRAFFIC CONTROL PILOT CAR ASPHAL PAVING MIXTURE BLOCK		
Classifications	301216 - Asphalts 461615 - Traffic control 461915 - Fire prevention 461916 - Fire fighting equipment 701516 - Forestry industry 701519 - Forestry resources 721410 - Highway and road construction services		

Active Certifications

TYPE	STATUS	FROM	TO
SB (Micro)	Approved	Apr 24, 2013	Jul 31, 2016
DVBE	Approved	Jul 29, 2013	Jul 31, 2016

Certification History

TYPE	STATUS	FROM	TO
------	--------	------	----

FAX COVER SHEET

TO	Wolf Delgado
COMPANY	19515099390
FAX NUMBER	19515099390
FROM	T AND S DVBE Inc. T AND S DVBE Inc.
DATE	2014-09-10 01:41:35 GMT
RE	DBE Traffic Quote 03-3E1204

COVER MESSAGE

Please find attached quote for job 03-3E1204



VINTAGE PAVING COMPANY, INC.

General Engineering Contractors

Lic. #709237

119 Main Street • P.O. Box 461 • Winters, CA 95694
 Business Phone: (530) 795-0132 • Fax: (530) 795-5734

To: Bidding Contractors	Contact:
Address: Anytown CA	Phone:
	Fax:
Project Name: 03-3E1204	Bid Number:
Project Location:	Bid Date:

Item #	Item Description	Estimated Quantity	Unit	Unit Price	Total Price
24	Cold Plane Asphalt Concrete Pavement	2,700.00	SY	\$9.00	\$24,300.00
42	Hot Mix Asphalt Type A	1,020.00	TON	\$135.00	\$137,700.00
46	Tack	3.80	TON	\$1,875.00	\$7,125.00
82	Mobilization (For VPC Work)	1.00	LS	\$23,500.00	\$23,500.00
Total Bid Price:					<u>\$192,625.00</u>

Notes:

- We hereby submit the following proposal to Furnish and Place A.C. Paving on the above referenced Project. Please note we exclude Traffic Control and will require 5-day to complete our work. This proposal is based on three move-ins, using Cal-Trans AC and the following stipulations. **THIS QUOTE IS GOOD FOR 30-DAYS FROM ABOVE DATE OF PROPOSAL!**

Special Conditions:

- Final invoicing and payment shall be based on actual quantities placed.
- See "Oil Escalation Clause" @ next page for possible price increases due to fluctuating Oil Prices.
- All work to be performed during normal working hours - 6:00 A.M. to 6:00 P.M., Mon. through Fri.
- Two-week notice required prior to mobilization (four-weeks in September & October).
- General Contractor / Owner to supply on-site water source at no cost to VPC.
- Price to be re-negotiated for A.C. Paving performed after October 31, 2014 or for "Winter-Paving" conditions if weather prohibits a full 8-hours of Paving (typically between Nov. 1st and April 1st).
- All work included in this proposal is to be performed with conventional paving and hauling equipment and clear access to the work. All job-delay costs resulting from revisions, plan errors, specialized work or phasing required when abnormal site conditions, access limitations or other unknown conditions exist, shall be paid on a time and materials basis.

The Following Items Are Excluded:

- Testing, Bonds (add 1%), Fees, Permits, Engineering, Staking/Surveying or Waiver of Subrogation.
- Prime Oil, Soil Sterilizer Weed Killer, Crack clear/seal, Paving Fabric, Seal Coat, Striping, Sawcutting Grinding, staking and header board.
- Tack Oil between lifts to accommodate "staged construction" by Owner or General Contractor.
- Raising Iron / Adjusting of Utilities (to be left below grade and adjusted by others after paving).
- Paving failures caused by faulty Subgrade, Baserock or pipe trench settlement done by others.
- Placing and/or finishing of Baserock or Subgrade (to be by others to +/- 0.05 Ft.).
- Handicap Ramps, A.C. Dikes, Speed Bumps, Headers, Paving around poles or other obstructions.
- Traffic Controls, Barricades, Lane Closures or Temporary Lane Markers.
- Any Night Work
- Profile Grinding adjacent to bridge deck to be performed by general contractor if required

Weather / Temperature Clause (A.C. Paving):

This price is based on placing the asphalt concrete during normal working shifts of 8 hours or more and with continuous operation. Should the Inspecting Agency, Owners Agent or General Contractor cause delays in paving because of insufficient ground temperatures, excessive moisture or atmospheric conditions, the Owner / General Contractor shall reimburse Vintage Paving Co. for all stand-by, re-mobilization and/or other associated delay charges.

Minimum Tonnage Clause (A.C. Paving):

This price is based on Vintage Paving Co. having sufficient grade in one location available to permit the placing of a minimum of **ALL-Tonnage** in a continuous operation. For any day's production less than the minimum, payment shall be renegotiated. This is exclusive of plant and equipment breakdowns or trucking delays, which are the responsibility of Vintage Paving Co., Inc.

Oil Escalation Clause (A.C. Paving):

The above noted price is guaranteed for **30-DAYS** from the above date of proposal. After that date, Asphalt material and Trucking of Asphalt material is subject to price escalation as based on increased costs for paving asphalt "Rack-Oil" F.O.B. the plant (currently \$600/Tn). Any cost adjustments will be based on the "Rack-Oil" price at the Asphalt Plant and associated trucking rates adjustments.

Back To Query Form

Search Returned 1 Records

Fri Sep 12 09:53:05 PDT 2014

Query Criteria

Firm/DBA Name: vintage paving

Firm Type: DBE

Firm ID	27011
Firm/DBA Name	VINTAGE PAVING COMPANY, INC.
Address Line1	119 MAIN STREET
Address Line2	
City	WINTERS
State	CA
Zip Code1	95694
Zip Code2	
Mailing Address Line1	P O BOX 461
Mailing Address Line2	
Mailing City	WINTERS
Mailing State	CA
Mailing Zip Code1	95694
Mailing Zip Code2	
Certification Type	DBE
EMail	edc@vintagepavingco.com
Contact Name	EDWARD CARBAHAL
Area Code	(530)
Phone Number	795-0132
Fax Area Code	(530)
Fax Phone Number	795-5734
Agency Name	DEPARTMENT OF TRANSPORTATION
Counties	01; 02; 03; 04; 05; 06; 07; 09; 10; 11; 17; 21; 24; 28; 29; 31; 32; 34; 39; 45; 46; 48; 49; 50; 51; 52; 57; 58;
Districts	01; 02; 03; 04; 06; 10;
DBE NAICS	237310;


ACDBE NAICS

Work Codes	C1531 PLANE ASPHALT CONCRETE; C1601 CLEARING & GRUBBING; C1901 ROADWAY EXCAVATION; C1910 GRADING; C1920 STRUCTURE EXCAVATION; C1930 STRUCTURE BACKFILL; C1940 DITCHES EXCAVATION; C3910 PAVING ASPHALT (ASPHALT CONCRETE); C7218 AIR-BLOWN MORTAR (SLOPE PAVING); C9980 DEMOLITION;
Licenses	A General Engineering Contractor;
Trucks	
Gender	M
Ethnicity	HISPANIC
Firm Type	DBE

Back To Query Form

Adanta, Inc.

828 School Street
Napa, California 94559
Tel. (707) 709-8894
Fax (707) 736-8368



A d a n t a

Native American woman-owned
California DOT-Certified DBE
DBE Certificate #37357

September 10, 2014

DBE QUOTE

Attn: Estimator

Subject: Caltrans Contract 08-383504

PROPOSAL FOR BID ITEM:
LEAD COMPLIANCE PLAN

QUOTE
\$1,275.00

Dear Estimator:

Adanta Inc. is pleased to present this bid to provide environmental services for the above referenced project. The Lead Compliance Plan will be prepared in accordance with Caltrans' Notice to Bidders and Special Provisions for this project. The LCP will address these concerns to protect workers and ensure proper handling of lead-containing materials, and will contain the elements listed in Title 8, California Code of Regulations, Section 1532.1(e)(2)(B). The LCP will be prepared, signed and stamped by an Industrial Hygienist certified in Comprehensive Practice by the American Board of Industrial Hygiene. Quotes for air monitoring and lead awareness training provided upon request.

If you have any questions, please feel free to contact us at (707) 709-8894.

Sincerely,

Kimberly Patz, President
kimberlypatz@adanta-inc.com

[Back To Query Form](#)

Search Returned 1 Records

Fri Sep 12 10:03:03 PDT 2014

Query Criteria

Firm ID: 37357

Firm Type: DBE

Firm ID	37357
Firm/DBA Name	ADANTA, INC
Address Line1	828 SCHOOL STREET
Address Line2	
City	NAPA
State	CA
Zip Code1	94559
Zip Code2	
Mailing Address Line1	828 SCHOOL STREET
Mailing Address Line2	
Mailing City	NAPA
Mailing State	CA
Mailing Zip Code1	94559
Mailing Zip Code2	
Certification Type	DBE
EMail	kimberlypatz@adanta-inc.com
Contact Name	KIMBERLY PATZ
Area Code	(707)
Phone Number	709-8894
Fax Area Code	(707)
Fax Phone Number	736-8368
Agency Name	DEPARTMENT OF TRANSPORTATION
Counties	01; 06; 07; 08; 09; 10; 11; 15; 17; 19; 23; 24; 25; 27; 28; 29; 30; 31; 33; 34; 36; 37; 38; 39; 40; 41; 42; 43; 44; 48; 49; 50; 56; 57; 58;
Districts	01; 02; 03; 04; 05; 06; 07; 08; 10; 11; 12;
DBE NAICS	541620; 562910;

ACDBE NAICS

Work Codes C8713 CONSULTANT, ENVIRONMENTAL; C8792 Environmental - Biological Studies; C8793 Environmental - Environmental Impact Assessment; C8795 Environmental-Regulatory; C8851 Lead Compliance; C8852 SWPPP Planning;

Licenses

Trucks

Gender

Ethnicity

Firm Type

F
NATIVE AMERICAN
DBE

[Back To Query Form](#)

GOOD FAITH EFFORTS DOCUMENTATION - DBE

DES-OE-0102.11A (NEW 06/2012)

Second Bidder

09-15-14A11:52 RCVD

1. List items of work the Bidder made available to DBE firms. Identify those items of work the Bidder might otherwise perform with its own forces and those items that have been broken down into economically feasible units to facilitate DBE participation. For each item listed, show the dollar value and percentage of the total contract. The Bidder must demonstrate that sufficient work to meet the goal was made available to DBE firms.

Item of Work Offered	Bidder Normally Performs Item (Y/N)		Item Broken Down to Facilitate Participation (Y/N)		Amount (\$)	Percentage of Contract
LCP	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	1,402.50	.08
CONST. AREA SIGNS	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	3894.-	.22
TRAFFIC CONTROL SYS.	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	44,462.-	2.54
TEMP. TRAFFIC STRIPE (TAPE)	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	673.20	.04
TEMP. PAVEMENT MARKING (TAPE)	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	471.10	.03
TEMP. TRAFFIC STRIPE (PAINT)	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	9,450.00	.54
TRAFFIC PLASTIC DRUM	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	852.72	.05
PORTABLE CMS	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	32,313.60	1.85
TEMP RAILING (TYPE K)	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	129,591.00	7.40
ALTERNATIVE TEMP. CRASH CUSHION	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	31,416.00	1.79
JOB SITE MANAGEMENT	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	8,140.00	.47
PREPARE WPCP	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	4,785.00	.27
TEMP CONCRETE WASHOUT	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	2,679.60	.15
TREATED WOOD WASTE	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	2,398.00	.14
PUBLIC SAFETY PLAN	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	448.80	.03
RAPID SETTING CONCRETE (PATCH)	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	8,407.36	.48
REMOVE GUARDRAIL	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	11,817.90	.68
REMOVE THERMOPLASTIC PAVEMENT MARKING (WATER-BLASTING)	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	682.00	.04
REMOVE ROADSIDE SIGN	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	561.00	.03
REMOVE CULVERT	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	2,805.00	.16

GOOD FAITH EFFORTS DOCUMENTATION - DBE

09-15-14A11:32 RCVD

DES-OE-0102.11A (NEW 06/2012)

1. List items of work the Bidder made available to DBE firms. Identify those items of work the Bidder might otherwise perform with its own forces and those items that have been broken down into economically feasible units to facilitate DBE participation. For each item listed, show the dollar value and percentage of the total contract. The Bidder must demonstrate that sufficient work to meet the goal was made available to DBE firms.

Item of Work Offered	Bidder Normally Performs Item (Y/N)		Item Broken Down to Facilitate Participation (Y/N)		Amount (\$)	Percentage of Contract
REMOVE DOWNDRAIN	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	2,805.00	.16
REMOVE ASPHALT CONCRETE SURFACING	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	26,970.65	1.54
RESET ROADSIDE SIGN	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	336.60	.02
COLD PLANE ASPHALT CONCRETE PAVEMENT	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	30,591.00	1.75
REMOVE UNSOUND CONCRETE	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	18,215.66	1.04
PREPARE CONCRETE BRIDGE DECK SURFACE	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	6,216.24	.36
FURNISH POLYESTER CONCRETE OVERLAY	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	87,920.00	5.02
PLACE POLYESTER CONCRETE OVERLAY	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	18,438.00	1.05
BRIDGE REMOVAL (PORTION), LOC A	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	47,343.45	2.70
BRIDGE REMOVAL (PORTION), LOC B	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	47,343.45	2.70
CLEARING & GRUBBING	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	15,100.80	.86
DEVELOP WATER SUPPLY	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	5,500.00	.31
ROADWAY EXCAVATION	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	32,670.00	1.87
SHOULDER BACKING	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	6,732.00	.38
STRUCTURE EXCAVATION (BRIDGE)	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	25,344.00	1.45
STRUCTURE BACKFILL (BRIDGE)	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	25,695.90	1.47
DITCH EXCAVATION	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	6,296.43	.36
COMPOST	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	5,500.00	.03
INCORPORATE MATERIALS	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	1,250.00	.07
CLASS 2 AGGREGATE BASE	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	8,578.80	.49

1. List items of work the Bidder made available to DBE firms. Identify those items of work the Bidder might otherwise perform with its own forces and those items that have been broken down into economically feasible units to facilitate DBE participation. For each item listed, show the dollar value and percentage of the total contract. The Bidder must demonstrate that sufficient work to meet the goal was made available to DBE firms.

Item of Work Offered	Bidder Normally Performs Item (Y/N)	Item Broken Down to Facilitate Participation (Y/N)	Amount (\$)	Percentage of Contract
CRACK TREATMENT	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	112.20	.01
HOT MIX ASPHALT (TYPE A)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	151,470.00	8.65
PLACE HOT MIX ASPHALT DIKE (TYPE C)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5,796.00	.33
PLACE HOT MIX ASPHALT DIKE (TYPE F)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	3,726.00	.21
PLACE HOT MIX ASPHALT (MISC. AREA)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2,524.00	.14
TACK COAT	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	7,837.50	.45
STRUCTURAL CONCRETE, BRIDGE	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	74,326.40	4.36
DRILL & BOND DWEL	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	25,723.80	1.47
CLEAN EXPANSION JOINT	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5,009.10	.29
JOINT SEAL (MR 1")	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	7,673.40	.44
BAR REINFORCING STEEL (BRIDGE)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	54,638.05	3.24
BAR REINFORCING STEEL (EPOXY COATED BRIDGE)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8,376.06	.48
STRUCTURAL STEEL (BRIDGE)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	21,530.53	1.23
FURNISH SINGLE SHEET ALUM. SIGN (D.0631)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	406.80	.02
FURNISH SINGLE SHEET ALUM. SIGN (D.080")	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	497.00	.03
ROADSIDE SIGN - ONE POST	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1,823.25	.10
ABUTMENT LUMBER BLOCKING	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	17,105.00	.98
CLEAN STRUCTURAL STEEL (EXISTING BRIDGE)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	23,695.00	1.35
CLEAN & PAINT STRUCTURAL STEEL	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	23,184.70	1.32
12" CORRUGATED STEEL PIPE (1.079" THICK)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5,309.60	.30

GOOD FAITH EFFORTS DOCUMENTATION - DBE

DES-OE-0102.11A (NEW 06/2012)

09-15-14A11:52 RCVD

1. List items of work the Bidder made available to DBE firms. Identify those items of work the Bidder might otherwise perform with its own forces and those items that have been broken down into economically feasible units to facilitate DBE participation. For each item listed, show the dollar value and percentage of the total contract. The Bidder must demonstrate that sufficient work to meet the goal was made available to DBE firms.

Item of Work Offered	Bidder Normally Performs Item (Y/N)		Item Broken Down to Facilitate Participation (Y/N)		Amount (\$)	Percentage of Contract
12" STEEL FLARED END SECTION ROCK SLOPE PROTECTION (NO. 2, METHOD B)	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	2,244.00	.13
ROCK SLOPE PROTECTION FABRIC (CLASS 8)	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	6,931.72	.40
TEMP. FENCES DELINEATOR (CLASS 1)	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	7,180.00	.41
HIGHWAY POST MARKER MARKER (CULVERT)	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	288.75	.02
OBJECT MARKER (TYPE L-1)	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	264.00	.02
MIDWEST GUARDRAIL SYS. (STEEL POST)	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	110.00	.01
VEGETATION CONTROL (MINOR CONCRETE)	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	55.00	0
CHAIN LINK RAILING (TYPE 7 MODIFIED)	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	11,220.00	.64
TRANSITION RAILING (TYPE WB-31)	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	44,923.70	2.57
ENDCAP (TYPE TC)	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	58,562.70	3.35
ALTERNATIVE FLARED TERMINAL SYS. (TYPE 31)	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	37,294.32	2.13
ALTERNATIVE IN-LINE TERMINAL SYS. (TYPE 31)	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	1,760.00	.10
CONCRETE BARRIER (TYPE 736 MODIFIED)	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	4,400.00	.25
THERMOPLASTIC PAVEMENT MARKING	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	20,790.00	1.19
4" THERMOPLASTIC TRAFFIC SHAPE	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	140,477.60	8.03
4" THERMOPLASTIC TRAFFIC SHAPE (BROKEN 12-3)	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	204.60	.01
4" THERMOPLASTIC TRAFFIC SHAPE (BROKEN 86-12)	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	8,745.00	.50
					145.00	.01
					503.25	.03

Exhibit A

Recipient List (Fax/Email)

Set No 1			
Company Name/Specialty	Fax Date	Email Date	Log Page#
A CONE ZONE, INC Address - 1128 QUARRY STREET Phone - 9517349535, Fax - 9517342887, Email - estimator@aconezone.com	08/28/2014	08/28/2014	
A.B. HASHMI, INC. Address - 13066 DEER CANYON CT. Phone - 7606728059, Fax - 8584337215, Email - info@abhashmi.com	08/28/2014	08/28/2014	
ADVANTEC CONSULTING ENGINEERS INC Address - 21700 COPLEY DRIVE, SUITE 350 Phone - 9098606222, Fax - 9098606722, Email - leolee@advantec-usa.com	08/28/2014	08/28/2014	
ALERT-O-LITE, INC Address - 2379 S "G" STREET Phone - 5594532474, Fax - 5592654549, Email - debbieh@alertolite.com	08/28/2014	08/28/2014	
AUSTIN ENTERPRISE Address - 13421 SNOW ROAD Phone - 6615891001, Fax - 6615899509, Email - paustin@austin-enterprise.com	08/28/2014	08/28/2014	
AVIS CONSTRUCTION Address - PO BOX 401 Phone - 3107197038, Fax - 3106791040, Email - avisconstruction@msn.com	08/28/2014	08/28/2014	
CALCON STEEL CONSTRUCTION, INC. Address - 1226 W. 196TH STREET Phone - 3107688094, Fax - 3107688096, Email - benn@calconsteel.com	08/28/2014	08/28/2014	
CMC TRAFFIC CONTROL SPECIALIST Address - 375 ILLINOIS STREET Phone - 4152061700, Fax - 4152061711, Email - crystaln.cmc@gmail.com	08/28/2014	08/28/2014	
CONSTRUCTION AREA SIGNS, INCORPORATED Address - 9093 OLD STATE HWY Phone - 9166639097, Fax - 9166631858, Email - elisa@cas-tc.com	08/28/2014	08/28/2014	
D&R TRAFFIC CONTROL SERVICES Address - 421 S BELLA VISTA ST Phone - 7145884326, Fax - 7145841046, Email - dandrtcs@gmail.com	08/28/2014	08/28/2014	
E D SAFETY SERVICE, INC Address - 1428 MADISON AVE. Phone - 2093330807, Fax - 2093335213, Email - bistor@att.net	08/28/2014	08/28/2014	
EAGLE ENGINEERING AND CONSTRUCTION, INC Address - 1175 PALOMAR DRIVE Phone - 6503678000, Fax - 6503678282, Email - brooks.curtis@att.net	08/28/2014	08/28/2014	
EMPIRE STEEL, INC. Address - 1058 RAIN LILY WAY Phone - 9095095926, Fax - 9095095927, Email - saru@empiresteelinc.com	08/28/2014	08/28/2014	
FAR EAST LANDSCAPE & MAINTENANACE, INC. Address - 27118 COLEBROOK PLACE Phone - 6612970918, Fax - 6612976282, Email - fareastmoon1@yahoo.com	08/28/2014	08/28/2014	
FORCE TRAFFIC CONTROL, INC. Address - 1478-B NORTH BELMONT RD Phone - 5595941062, Fax - 5595941056, Email - forcetraffic@earthlink.net	08/28/2014	08/28/2014	
FULLER ELECTRIC Address - 1018 CUDAHY PLACE, SUITE B Phone - 6192765411, Fax - 6192763547, Email - earlr@fullerelectric.com	08/28/2014	08/28/2014	
G & F CONCRETE CUTTING, INC. Address - 1006 E. CHESTNUT AVENUE Phone - 7146480397, Fax - 7145500624, Email - r.ferguson@gfconcretecutting.com	08/28/2014	08/28/2014	
HABITAT WEST, INC. Address - 2067 WNERIDGE PLACE, SUITE B Phone - 7607359378, Fax - 7607359351, Email - habitatgal@habitatwest.com	08/28/2014	08/28/2014	
K R C SAFETY CO. INC. Address - 6084 WEST HURLEY Phone - 5597320393, Fax - 5597322684, Email - garyc@krcsafety.com	08/28/2014	08/28/2014	

K2 TRAFFIC ENGINEERING, INC Address - 1442 IRVINE BLVD., SUITE 235 Phone - 7148322116, Fax - 9492665875, Email - khsu@k2traffic.com	08/28/2014 08/28/2014
MOOR ELECTRIC, INC Address - 4626 HARTLEY ST., # 11 Phone - 6192500380, Fax - 6199555381, Email - info@moorelectric-sd.com	08/28/2014 08/28/2014
NITTA EROSION CONTROL Address - 3778 DEL MAR AVENUE Phone - 9166527459, Fax - 9166524376, Email - nittaec@gmail.com	08/28/2014 08/28/2014
R. E. SERRANO INC. Address - 3430 PACHECO BLVD. Phone - 9259578184, Fax - 9259578121, Email - ricky@reserrano.com	08/28/2014 08/28/2014
SEQUOIA TRAFFIC SERVICE Address - 716-450 BINKLEY LANE Phone - 5302546129, Fax - 5302546121, Email - papa_bear@citolink.com	08/28/2014 08/28/2014
STATEWIDE CONCRETE PUMPING, INC. Address - 159 VALMAR TERRACE Phone - 4152409686, Fax - 4158595851, Email - tyroneanthonyevans@yahoo.com	08/28/2014 08/28/2014

Recipients Phone Log 1 Set 1 Date: 09/03/2014

Company Details	Spoke to	Date/Time	Y/M/N
A CONE ZONE, INC Maybe, resent fax on request.	Jason	09/03/2014 03:10 P.M	M
A.B. HASHMI, INC. May be interested, left a voicemail with all the project details.	Voicemail	09/03/2014 03:12 P.M	M
ADVANTEC CONSULTING ENGINEERS INC No, not bidding. Not interested in this project.	Receptionist	09/03/2014 03:12 P.M	N
ALERT-O-LITE, INC No, not bidding. Not interested in this project.	Katie	09/03/2014 02:18 P.M	N
AUSTIN ENTERPRISE Maybe, not sure yet. They will fax a quote before bid date if interested.	Rene	09/03/2014 02:22 P.M	M
AVIS CONSTRUCTION Disconnected, called a second time to ensure the number was dialed correctly. The line was in fact disconnected.	Disconnected	09/03/2014 03:13 P.M	M
CALCON STEEL CONSTRUCTION, INC. No, not bidding. Not interested in this project.	Receptionist	09/03/2014 03:13 P.M	N
CMC TRAFFIC CONTROL SPECIALIST Maybe, not sure yet. They will fax a quote before bid date if interested.	Sue	09/03/2014 03:14 P.M	M
CONSTRUCTION AREA SIGNS, INCORPORATED Yes, will bid. Will fax a quote before bid date.	Heather	09/03/2014 03:15 P.M	Y
D&R TRAFFIC CONTROL SERVICES May be interested, left a voicemail with all the project details.	Voicemail	09/03/2014 03:15 P.M	M
E D SAFETY SERVICE, INC Yes, will bid. Will fax a quote before bid date.	Sharon	09/03/2014 03:17 P.M	Y
EAGLE ENGINEERING AND CONSTRUCTION, INC May be interested, left a voicemail with all the project details.	Voicemail	09/03/2014 03:19 P.M	M
EMPIRE STEEL, INC. No, not bidding. Not interested in this project.	Receptionist	09/03/2014 03:20 P.M	N
FAR EAST LANDSCAPE & MAINTENANACE, INC. No, not bidding. Not interested in this project.	Receptionist	09/03/2014 03:26 P.M	N
FORCE TRAFFIC CONTROL, INC. May be interested, left a voicemail with all the project details.	Voicemail	09/03/2014 03:33 P.M	M
FULLER ELECTRIC No, not bidding this project. Too far.	Receptionist	09/03/2014 03:37 P.M	N
G & F CONCRETE CUTTING, INC. May be interested, left a voicemail with all the project details.	Voicemail	09/03/2014 03:40 P.M	M
HABITAT WEST, INC. No, not bidding. Not interested in this project.	Receptionist	09/03/2014 03:45 P.M	N
K R C SAFETY CO. INC. May be interested, left a voicemail with all the project details.	Voicemail	09/03/2014 03:47 P.M	M

K2 TRAFFIC ENGINEERING, INC

May be interested, left a voicemail with all the project details.

Voicemail 03:55 P.M M

MOOR ELECTRIC, INC

May be interested, left a voicemail with all the project details.

Voicemail 09/03/2014
04:24 P.M M

NITTA EROSION CONTROL

Maybe, not sure yet. They will fax a quote before bid date if interested.

Laura 09/03/2014
04:11 P.M M

R. E. SERRANO INC.

No, not bidding. Not interested in this project.

Receptionist 09/03/2014
04:15 P.M N

SEQUOIA TRAFFIC SERVICE

Maybe, however, we were unable to leave a message. No answer to call.

Not available 09/03/2014
03:12 P.M M

STATEWIDE CONCRETE PUMPING, INC.

No, not bidding. Not interested in this project.

Receptionist 09/03/2014
03:57 P.M N

Recipients Phone Log 2 set 1 Date: 09/09/2014

Company Details	Spoke to	Date/Time	Y/M/N
A CONE ZONE, INC May be interested, left a voicemail message with all the project details.	Voicemail	09/09/2014 01:12 P.M	M
A.B. HASHMI, INC. May be interested, left a voicemail message with all the project details.	Voicemail	09/09/2014 01:13 P.M	M
AUSTIN ENTERPRISE Yes, will bid. They have already sent their quote.	Ty	09/09/2014 01:15 P.M	Y
AVIS CONSTRUCTION Disconnected, called a second time to ensure number was dialed correctly. In fact, line is disconnected.	Disconnected	09/09/2014 01:14 P.M	N
CMC TRAFFIC CONTROL SPECIALIST Maybe, they have already responded to the fax.	Sue	09/09/2014 01:16 P.M	M
CONSTRUCTION AREA SIGNS, INCORPORATED Yes, will be bidding. They will fax a quote before bid date.	Heather	09/09/2014 01:17 P.M	Y
D&R TRAFFIC CONTROL SERVICES May be interested, left a voicemail message with all the project details.	Voicemail	09/09/2014 01:19 P.M	M
E D SAFETY SERVICE, INC Yes, will be bidding. They will fax a quote before bid date.	Sharon	09/09/2014 01:22 P.M	Y
EAGLE ENGINEERING AND CONSTRUCTION, INC May be interested, left a voicemail with all the project details.	Voicemail	09/09/2014 01:20 P.M	M
FORCE TRAFFIC CONTROL, INC. No, not interested in bidding on this project.	Burn	09/09/2014 01:22 P.M	N
G & F CONCRETE CUTTING, INC. May be interested, left a voicemail message with all the project details.	Voicemail	09/09/2014 03:55 P.M	M
K R C SAFETY CO. INC. Yes, will be bidding. They will fax a quote before bid date.	Cache	09/09/2014 03:56 P.M	Y
K2 TRAFFIC ENGINEERING, INC No, not bidding. Not interested in this project.	Estimator	09/09/2014 03:59 P.M	N
MOOR ELECTRIC, INC May be interested, left a voicemail message with all the project details.	Voicemail	09/09/2014 04:00 P.M	M
NITTA EROSION CONTROL Yes, will be bidding. They will fax a quote before bid date.	Val	09/09/2014 04:00 P.M	M
SEQUOIA TRAFFIC SERVICE Maybe, however, we were unable to leave message. Number cannot be reached.	Not available	09/09/2014 01:24 P.M	M

**DBE Goodfaith Inc. Fax Confirmation Report for West Coast Structures Inc. dba Western
Structures Bid Number:03-3E1204**

No.	Company Name	Type	Ph. Number	Fax Number	Status	Date/Time
1	A.B. HASHMI, INC.	DBE	7606728059	8584337215	Success	08/28/2014 15:08
2	FULLER ELECTRIC	DBE	6192765411	6192763547	Success	08/28/2014 14:40
3	K2 TRAFFIC ENGINEERING, INC	DBE	7148322116	9492665875	Failed	08/28/2014 14:36
4	MOOR ELECTRIC, INC	DBE	6192500380	6199555381	Success	08/28/2014 14:33
5	NITTA EROSION CONTROL	DBE	9166527459	9166524376	Success	08/28/2014 14:28
6	ADVANTEC CONSULTING ENGINEERS INC	MBE	9098606222	9098606722	Success	08/28/2014 15:07
7	K R C SAFETY CO. INC.	MBE	5597320393	5597322684	Success	08/28/2014 14:34
8	R. E. SERRANO INC.	MBE	9259578184	9259578121	Success	08/28/2014 14:26
9	SEQUOIA TRAFFIC SERVICE	MBE	5302546129	5302546121	Failed	08/28/2014 14:35
10	A CONE ZONE, INC	UDBE	9517349535	9517342887	Success	08/28/2014 15:10
11	AUSTIN ENTERPRISE	UDBE	6615891001	6615899509	Success	08/28/2014 15:02
12	AVIS CONSTRUCTION	UDBE	3107197038	3106791040	Failed	08/28/2014 15:19
13	CALCON STEEL CONSTRUCTION, INC.	UDBE	3107688094	3107688096	Failed	08/28/2014 15:14
14	CONSTRUCTION AREA SIGNS, INCORPORATED	UDBE	9166639097	9166631858	Success	08/28/2014 14:54
15	D&R TRAFFIC CONTROL SERVICES	UDBE	7145884326	7145841046	Failed	08/28/2014 15:02
16	E D SAFETY SERVICE, INC	UDBE	2093330807	2093335213	Success	08/28/2014 14:50
17	EAGLE ENGINEERING AND CONSTRUCTION, INC	UDBE	6503678000	6503678282	Success	08/28/2014 14:48
18	EMPIRE STEEL, INC.	UDBE	9095095926	9095095927	Success	08/28/2014 14:46
19	FAR EAST LANDSCAPE & MAINTENANCE, INC.	UDBE	6612970918	6612976282	Success	08/28/2014 14:44
20	FORCE TRAFFIC CONTROL, INC.	UDBE	5595941062	5595941056	Success	08/28/2014 14:42

No.	Company Name	Type	PA Number	EA Number	Status	Date/Time
21	G & F CONCRETE CUTTING, INC.	UDBE	7146480397	7145500624	Success	08/28/2014 14:39
22	HABITAT WEST, INC.	UDBE	7607359378	7607359351	Success	08/28/2014 14:37
23	STATEWIDE CONCRETE PUMPING, INC.	UDBE	4152409686	4158595851	Success	08/28/2014 14:23
24	ALERT-O-LITE, INC	WBE	5594532474	5592654549	Success	08/28/2014 15:04
25	CMC TRAFFIC CONTROL SPECIALIST	WBE	4152061700	4152061711	Success	08/28/2014 14:57

INVITATION TO BID

Good Faith Solicitation Fax

From	West Coast Structures Inc. dba Western Structures	TO:STATEWIDE CONCRETE PUMPING, INC.
CONTACT NAME	Wolf Delgado	Phone Number :4152409686
ADDRESS	6005 Tyler st Riverside, California, 92503	Fax Number :4158595851 Date :08/28/2014 2:23PM
Phone	951-352-4300	
Fax	951-352-4301	

**This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
West Coast Structures Inc. dba Western Structures**
For additional information about minority participation projects,
visit <http://www.dbegoodfaith.com>

Focus Ad

West Coast Structures Inc. dba Western Structures is Seeking Qualified DBE, UDBE, WBE, MBE, SBE

BID DUE DATE : 09/10/2014 at 2:00 P.M
BID No : 03-3E1204
PROJECT NAME : Bridge Seismic Retrofit, Structural Concrete And Hot Mix Asphalt
AGENCY NAME : CALTRANS
PROJECT CITY/COUNTY : Butte County
PROJECT STATE : California

PROJECT DETAILS :

WESTERN STRUCTURES IS REQUESTING QUOTES FROM ALL QUALIFIED SUBCONTRACTORS AND SUPPLIERS INCLUDING CERTIFIED DBE FIRMS FOR THE FOLLOWING ITEMS OF WORK, INCLUDING BUT NOT LIMITED TO: LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TEMPORARY TRAFFIC STRIPE (TAPE), TEMPORARY PAVEMENT MARKING (TAPE), TEMPORARY TRAFFIC STRIPE (PAINT), TRAFFIC PLASTIC DRUM, PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, PUBLIC SAFETY PLAN, RAPID SETTING CONCRETE (PATCH), REMOVE GUARDRAIL, REMOVE THERMOPLASTIC PAVEMENT MARKING (WATER BLASTING), REMOVE ROADSIDE SIGN, REMOVE CULVERT, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE SURFACING, RESET ROADSIDE SIGN, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE UNSOUND CONCRETE, PREPARE CONCRETE BRIDGE DECK SURFACE, FURNISH POLYESTER CONCRETE OVERLAY, PLACE POLYESTER CONCRETE OVERLAY, BRIDGE REMOVAL (PORTION), REMOVAL (PORTION), LOCATION B, CLEARING AND GRUBBING, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), DITCH EXCAVATION, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, CRACK TREATMENT, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, STRUCTURAL CONCRETE, BRIDGE, DRILL AND BOND DOWEL, CLEAN EXPANSION JOINT, JOINT SEAL (MR 1"), BAR REINFORCING STEEL (BRIDGE), BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE), STRUCTURAL STEEL (BRIDGE), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), ROADSIDE SIGN - ONE POST, ABUTMENT LUMBER BLOCKING, STRUCTURAL STEEL (EXISTING BRIDGE), CLEAN AND PAINT STRUCTURAL STEEL, 12" CORRUGATED STEEL PIPE (.079" THICK), 12" STEEL FLARED END SECTION, ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION FABRIC (CLASS 8), TEMPORARY FENCE, DELINEATOR (CLASS 1), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), MIDWEST GUARDRAIL SYSTEM (STEEL POST), VEGETATION CONTROL (MINOR CONCRETE), CHAIN LINK RAILING (TYPE 7 MODIFIED), TRANSITION RAILING (TYPE WB-31), END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM (TYPE 31), ALTERNATIVE IN-LINE TERMINAL SYSTEM (TYPE 31), CONCRETE BARRIER (TYPE 736 MODIFIED), THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MOBILIZATION

Requirements: Western Structures is a union signatory contractor. Subcontractors must have a current contractors license and insurance coverage that meets Western Structures requirements. Plans and Specifications are available for viewing at Western Structures office located at 6005 Tyler Street, Riverside CA 92503 or by viewing at http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_adv_projects.php. Western Structures is an equal opportunity employer. Assistance such as bonding, insurance and/or necessary supplies and materials is available. DBE contractors are encouraged to submit quotations.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 951-352-4301

[] Yes, we will contact you again by email.

[] No, we are not interested.

[] Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	West Coast Structures Inc. dba Western Structures	TO:R. E. SERRANO INC.
CONTACT NAME	Wolf Delgado	Phone Number :9259578184
ADDRESS	6005 Tyler st Riverside, California, 92503	Fax Number :9259578121 Date :08/28/2014 2:26PM
Phone	951-352-4300	
Fax	951-352-4301	

**This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
West Coast Structures Inc. dba Western Structures**

For additional information about minority participation projects,
visit <http://www.dbegoodfaith.com>

Focus Ad

West Coast Structures Inc. dba Western Structures is Seeking Qualified DBE,UDBE,WBE,MBE,SBE

BID DUE DATE : 09/10/2014 at 2:00 P.M
BID No : 03-3E1204
PROJECT NAME : Bridge Seismic Retrofit, Structural Concrete And Hot Mix Asphalt
AGENCY NAME : CALTRANS
PROJECT CITY/COUNTY : Butte County
PROJECT STATE : California

PROJECT DETAILS :

WESTERN STRUCTURES IS REQUESTING QUOTES FROM ALL QUALIFIED SUBCONTRACTORS AND SUPPLIERS INCLUDING CERTIFIED DBE FIRMS FOR THE FOLLOWING ITEMS OF WORK, INCLUDING BUT NOT LIMITED TO: LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TEMPORARY TRAFFIC STRIPE (TAPE), TEMPORARY PAVEMENT MARKING (TAPE), TEMPORARY TRAFFIC STRIPE (PAINT), TRAFFIC PLASTIC DRUM, PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, PUBLIC SAFETY PLAN, RAPID SETTING CONCRETE (PATCH), REMOVE GUARDRAIL, REMOVE THERMOPLASTIC PAVEMENT MARKING (WATER BLASTING), REMOVE ROADSIDE SIGN, REMOVE CULVERT, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE SURFACING, RESET ROADSIDE SIGN, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE UNSOUND CONCRETE, PREPARE CONCRETE BRIDGE DECK SURFACE, FURNISH POLYESTER CONCRETE OVERLAY, PLACE POLYESTER CONCRETE OVERLAY, BRIDGE REMOVAL (PORTION), REMOVAL (PORTION), LOCATION B, CLEARING AND GRUBBING, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), DITCH EXCAVATION, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, CRACK TREATMENT, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, STRUCTURAL CONCRETE, BRIDGE, DRILL AND BOND DOWEL, CLEAN EXPANSION JOINT, JOINT SEAL (MR 1"), BAR REINFORCING STEEL (BRIDGE), BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE), STRUCTURAL STEEL (BRIDGE), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), ROADSIDE SIGN - ONE POST, ABUTMENT LUMBER BLOCKING, STRUCTURAL STEEL (EXISTING BRIDGE), CLEAN AND PAINT STRUCTURAL STEEL, 12" CORRUGATED STEEL PIPE (.079" THICK), 12" STEEL FLARED END SECTION, ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION FABRIC (CLASS 8), TEMPORARY FENCE, DELINEATOR (CLASS 1), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), MIDWEST GUARDRAIL SYSTEM (STEEL POST), VEGETATION CONTROL (MINOR CONCRETE), CHAIN LINK RAILING (TYPE 7 MODIFIED), TRANSITION RAILING (TYPE WB-31), END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM (TYPE 31), ALTERNATIVE IN-LINE TERMINAL SYSTEM (TYPE 31), CONCRETE BARRIER (TYPE 736 MODIFIED), THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MOBILIZATION

Requirements: Western Structures is a union signatory contractor. Subcontractors must have a current contractors license and insurance coverage that meets Western Structures requirements. Plans and Specifications are available for viewing at Western Structures office located at 6005 Tyler Street, Riverside CA 92503 or by viewing at http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_adv_projects.php. Western Structures is an equal opportunity employer. Assistance such as bonding, insurance and/or necessary supplies and materials is available. DBE contractors are encouraged to submit quotations.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 951-352-4301

Yes, we will send a test quote by air water.

No, we are not interested.

Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	West Coast Structures Inc. dba Western Structures	TO:NITTA EROSION CONTROL
CONTACT NAME	Wolf Delgado	Phone Number :9166527459
ADDRESS	6005 Tyler st Riverside, California, 92503	Fax Number :9166524376 Date :08/28/2014 2:28PM
Phone	951-352-4300	
Fax	951-352-4301	

**This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
West Coast Structures Inc. dba Western Structures**

For additional information about minority participation projects,
visit <http://www.dbegoodfaith.com>

Focus Ad

West Coast Structures Inc. dba Western Structures is Seeking Qualified DBE,UDBE,WBE,MBE,SBE

BID DUE DATE : 09/10/2014 at 2:00 P.M

BID No : 03-3E1204

PROJECT NAME : Bridge Seismic Retrofit, Structural Concrete And Hot Mix Asphalt

AGENCY NAME : CALTRANS

PROJECT CITY/COUNTY : Butte County

PROJECT STATE : California

PROJECT DETAILS :

WESTERN STRUCTURES IS REQUESTING QUOTES FROM ALL QUALIFIED SUBCONTRACTORS AND SUPPLIERS INCLUDING CERTIFIED DBE FIRMS FOR THE FOLLOWING ITEMS OF WORK, INCLUDING BUT NOT LIMITED TO:LEAD COMPLIANCE PLAN,CONSTRUCTION AREA SIGNS,TRAFFIC CONTROL SYSTEM,TEMPORARY TRAFFIC STRIPE (TAPE),TEMPORARY PAVEMENT MARKING (TAPE),TEMPORARY TRAFFIC STRIPE (PAINT),TRAFFIC PLASTIC DRUM,PORTABLE CHANGEABLE MESSAGE SIGN,TEMPORARY RAILING (TYPE K),ALTERNATIVE TEMPORARY CRASH CUSHION,JOB SITE MANAGEMENT,PREPARE WATER POLLUTION CONTROL PROGRAM,TEMPORARY CONCRETE WASHOUT,TREATED WOOD WASTE,PUBLIC SAFETY PLAN,RAPID SETTING CONCRETE (PATCH),REMOVE GUARDRAIL,REMOVE THERMOPLASTIC PAVEMENT MARKING (WATER BLASTING),REMOVE ROADSIDE SIGN,REMOVE CULVERT,REMOVE DOWNDRAIN,REMOVE ASPHALT CONCRETE SURFACING,RESET ROADSIDE SIGN,COLD PLANE ASPHALT CONCRETE PAVEMENT,REMOVE UNSOUND CONCRETE,PREPARE CONCRETE BRIDGE DECK SURFACE,FURNISH POLYESTER CONCRETE OVERLAY,PLACE POLYESTER CONCRETE OVERLAY,BRIDGE REMOVAL (PORTION),REMOVAL (PORTION), LOCATION B,CLEARING AND GRUBBING,DEVELOP WATER SUPPLY,ROADWAY EXCAVATION,SHOULDER BACKING,STRUCTURE EXCAVATION (BRIDGE),STRUCTURE BACKFILL (BRIDGE),DITCH EXCAVATION,COMPOST,INCORPORATE MATERIALS,CLASS 2 AGGREGATE BASE,CRACK TREATMENT,HOT MIX ASPHALT (TYPE A),PLACE HOT MIX ASPHALT DIKE (TYPE C),PLACE HOT MIX ASPHALT DIKE (TYPE F),PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA),TACK COAT,STRUCTURAL CONCRETE, BRIDGE,DRILL AND BOND DOWEL,CLEAN EXPANSION JOINT,JOINT SEAL (MR 1"),BAR REINFORCING STEEL (BRIDGE),BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE),STRUCTURAL STEEL (BRIDGE),FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED),FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED),ROADSIDE SIGN - ONE POST,ABUTMENT LUMBER BLOCKING,STRUCTURAL STEEL (EXISTING BRIDGE),CLEAN AND PAINT STRUCTURAL STEEL,12" CORRUGATED STEEL PIPE (.079" THICK),12" STEEL FLARED END SECTION,ROCK SLOPE PROTECTION (NO. 2, METHOD B),ROCK SLOPE PROTECTION FABRIC (CLASS 8),TEMPORARY FENCE,DELINEATOR (CLASS 1),HIGHWAY POST MARKER,MARKER (CULVERT),OBJECT MARKER (TYPE L-1),MIDWEST GUARDRAIL SYSTEM (STEEL POST),VEGETATION CONTROL (MINOR CONCRETE),CHAIN LINK RAILING (TYPE 7 MODIFIED),TRANSITION RAILING (TYPE WB-31),END CAP (TYPE TC),ALTERNATIVE FLARED TERMINAL SYSTEM (TYPE 31),ALTERNATIVE IN-LINE TERMINAL SYSTEM (TYPE 31),CONCRETE BARRIER (TYPE 736 MODIFIED),THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12),PAVEMENT MARKER (RETROREFLECTIVE),MOBILIZATION

Requirements: Western Structures is a union signatory contractor. Subcontractors must have a current contractors license and insurance coverage that meets Western Structures requirements. Plans and Specifications are available for viewing at Western Structures office located at 6005 Tyler Street, Riverside CA 92503 or by viewing at http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_adv_projects.php. Western Structures is an equal opportunity employer. Assistance such as bonding, insurance and/or necessary supplies and materials is available. DBE contractors are encouraged to submit quotations.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 951-352-4301

If yes, we will send a request by email.

No, we are not interested.

Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	West Coast Structures Inc. dba Western Structures	TO: MOOR ELECTRIC, INC
CONTACT NAME	Wolf Delgado	Phone Number :6192500380
ADDRESS	6005 Tyler st Riverside, California, 92503	Fax Number :6199555381 Date :08/28/2014 2:33PM
Phone	951-352-4300	
Fax	951-352-4301	

**This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
West Coast Structures Inc. dba Western Structures**
For additional information about minority participation projects,
visit <http://www.dbegoodfaith.com>

Focus Ad

West Coast Structures Inc. dba Western Structures is Seeking Qualified DBE, UD BE, WBE, MBE, SBE
BID DUE DATE : 09/10/2014 at 2:00 P.M
BID No : 03-3E1204
PROJECT NAME : Bridge Seismic Retrofit, Structural Concrete And Hot Mix Asphalt
AGENCY NAME : CALTRANS
PROJECT CITY/COUNTY : Butte County
PROJECT STATE : California

PROJECT DETAILS :

WESTERN STRUCTURES IS REQUESTING QUOTES FROM ALL QUALIFIED SUBCONTRACTORS AND SUPPLIERS INCLUDING CERTIFIED DBE FIRMS FOR THE FOLLOWING ITEMS OF WORK, INCLUDING BUT NOT LIMITED TO: LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TEMPORARY TRAFFIC STRIPE (TAPE), TEMPORARY PAVEMENT MARKING (TAPE), TEMPORARY TRAFFIC STRIPE (PAINT), TRAFFIC PLASTIC DRUM, PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, PUBLIC SAFETY PLAN, RAPID SETTING CONCRETE (PATCH), REMOVE GUARDRAIL, REMOVE THERMOPLASTIC PAVEMENT MARKING (WATER BLASTING), REMOVE ROADSIDE SIGN, REMOVE CULVERT, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE SURFACING, RESET ROADSIDE SIGN, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE UNSOUND CONCRETE, PREPARE CONCRETE BRIDGE DECK SURFACE, FURNISH POLYESTER CONCRETE OVERLAY, PLACE POLYESTER CONCRETE OVERLAY, BRIDGE REMOVAL (PORTION), REMOVAL (PORTION), LOCATION B, CLEARING AND GRUBBING, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), DITCH EXCAVATION, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, CRACK TREATMENT, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, STRUCTURAL CONCRETE, BRIDGE, DRILL AND BOND DOWEL, CLEAN EXPANSION JOINT, JOINT SEAL (MR 1"), BAR REINFORCING STEEL (BRIDGE), BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE), STRUCTURAL STEEL (BRIDGE), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063" UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080" UNFRAMED), ROADSIDE SIGN - ONE POST, ABUTMENT LUMBER BLOCKING, STRUCTURAL STEEL (EXISTING BRIDGE), CLEAN AND PAINT STRUCTURAL STEEL, 12" CORRUGATED STEEL PIPE (.079" THICK), 12" STEEL FLARED END SECTION, ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION FABRIC (CLASS 8), TEMPORARY FENCE, DELINEATOR (CLASS 1), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), MIDWEST GUARDRAIL SYSTEM (STEEL POST), VEGETATION CONTROL (MINOR CONCRETE), CHAIN LINK RAILING (TYPE 7 MODIFIED), TRANSITION RAILING (TYPE WB-31), END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM (TYPE 31), ALTERNATIVE IN-LINE TERMINAL SYSTEM (TYPE 31), CONCRETE BARRIER (TYPE 736 MODIFIED), THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MOBILIZATION

Requirements: Western Structures is a union signatory contractor. Subcontractors must have a current contractors license and insurance coverage that meets Western Structures requirements. Plans and Specifications are available for viewing at Western Structures office located at 6005 Tyler Street, Riverside CA 92503 or by viewing at http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_adv_projects.php. Western Structures is an equal opportunity employer. Assistance such as bonding, insurance and/or necessary supplies and materials is available. DBE contractors are encouraged to submit quotations.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 951-352-4301

No, we are not interested.

Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	West Coast Structures Inc. dba Western Structures	TO:K R C SAFETY CO. INC.
CONTACT NAME	Wolf Delgado	Phone Number :5597320393
ADDRESS	6005 Tyler st Riverside, California, 92503	Fax Number :5597322684 Date :08/28/2014 2:34PM
Phone	951-352-4300	
Fax	951-352-4301	

**This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
West Coast Structures Inc. dba Western Structures**

For additional information about minority participation projects,
visit <http://www.dbegoodfaith.com>

Focus Ad

West Coast Structures Inc. dba Western Structures is Seeking Qualified DBE,UDBE,WBE,MBE,SBE

BID DUE DATE : 09/10/2014 at 2:00 P.M

BID No : 03-3E1204

PROJECT NAME : Bridge Seismic Retrofit, Structural Concrete And Hot Mix Asphalt

AGENCY NAME : CALTRANS

PROJECT CITY/COUNTY : Butte County

PROJECT STATE : California

PROJECT DETAILS :

WESTERN STRUCTURES IS REQUESTING QUOTES FROM ALL QUALIFIED SUBCONTRACTORS AND SUPPLIERS INCLUDING CERTIFIED DBE FIRMS FOR THE FOLLOWING ITEMS OF WORK, INCLUDING BUT NOT LIMITED TO:LEAD COMPLIANCE PLAN,CONSTRUCTION AREA SIGNS,TRAFFIC CONTROL SYSTEM,TEMPORARY TRAFFIC STRIPE (TAPE),TEMPORARY PAVEMENT MARKING (TAPE),TEMPORARY TRAFFIC STRIPE (PAINT),TRAFFIC PLASTIC DRUM,PORTABLE CHANGEABLE MESSAGE SIGN,TEMPORARY RAILING (TYPE K),ALTERNATIVE TEMPORARY CRASH CUSHION,JOB SITE MANAGEMENT,PREPARE WATER POLLUTION CONTROL PROGRAM,TEMPORARY CONCRETE WASHOUT,TREATED WOOD WASTE,PUBLIC SAFETY PLAN,RAPID SETTING CONCRETE (PATCH),REMOVE GUARDRAIL,REMOVE THERMOPLASTIC PAVEMENT MARKING (WATER BLASTING),REMOVE ROADSIDE SIGN,REMOVE CULVERT,REMOVE DOWNDRAIN,REMOVE ASPHALT CONCRETE SURFACING,RESET ROADSIDE SIGN,COLD PLANE ASPHALT CONCRETE PAVEMENT,REMOVE UNSOUND CONCRETE,PREPARE CONCRETE BRIDGE DECK SURFACE,FURNISH POLYESTER CONCRETE OVERLAY,PLACE POLYESTER CONCRETE OVERLAY,BRIDGE REMOVAL (PORTION),REMOVAL (PORTION), LOCATION B,CLEARING AND GRUBBING,DEVELOP WATER SUPPLY,ROADWAY EXCAVATION,SHOULDER BACKING,STRUCTURE EXCAVATION (BRIDGE),STRUCTURE BACKFILL (BRIDGE),DITCH EXCAVATION,COMPOST,INCORPORATE MATERIALS,CLASS 2 AGGREGATE BASE,CRACK TREATMENT,HOT MIX ASPHALT (TYPE A),PLACE HOT MIX ASPHALT DIKE (TYPE C),PLACE HOT MIX ASPHALT DIKE (TYPE F),PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA),TACK COAT,STRUCTURAL CONCRETE, BRIDGE,DRILL AND BOND DOWEL,CLEAN EXPANSION JOINT,JOINT SEAL (MR 1"),BAR REINFORCING STEEL (BRIDGE),BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE),STRUCTURAL STEEL (BRIDGE),FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED),FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED),ROADSIDE SIGN - ONE POST,ABUTMENT LUMBER BLOCKING,STRUCTURAL STEEL (EXISTING BRIDGE),CLEAN AND PAINT STRUCTURAL STEEL,12" CORRUGATED STEEL PIPE (.079" THICK),12" STEEL FLARED END SECTION, ROCK SLOPE PROTECTION (NO. 2, METHOD B),ROCK SLOPE PROTECTION FABRIC (CLASS 8),TEMPORARY FENCE,DELINEATOR (CLASS 1),HIGHWAY POST MARKER,MARKER (CULVERT),OBJECT MARKER (TYPE L-1),MIDWEST GUARDRAIL SYSTEM (STEEL POST),VEGETATION CONTROL (MINOR CONCRETE),CHAIN LINK RAILING (TYPE 7 MODIFIED),TRANSITION RAILING (TYPE WB-31),END CAP (TYPE TC),ALTERNATIVE FLARED TERMINAL SYSTEM (TYPE 31),ALTERNATIVE IN-LINE TERMINAL SYSTEM (TYPE 31),CONCRETE BARRIER (TYPE 736 MODIFIED),THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12),PAVEMENT MARKER (RETROREFLECTIVE),MOBILIZATION

Requirements: Western Structures is a union signatory contractor. Subcontractors must have a current contractors license and insurance coverage that meets Western Structures requirements. Plans and Specifications are available for viewing at Western Structures office located at 6005 Tyler Street, Riverside CA 92503 or by viewing at http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_adv_projects.php. Western Structures is an equal opportunity employer. Assistance such as bonding, insurance and/or necessary supplies and materials is available. DBE contractors are encouraged to submit quotations.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 951-352-4301

Yes, we will send a test quote by air mail.

No, we are not interested.

Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	West Coast Structures Inc. dba Western Structures	TO: SEQUOIA TRAFFIC SERVICE
CONTACT NAME	Wolf Delgado	Phone Number :5302546129
ADDRESS	6005 Tyler st Riverside, California, 92503	Fax Number :5302546121 Date :08/28/2014 2:35PM
Phone	951-352-4300	
Fax	951-352-4301	

**This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
West Coast Structures Inc. dba Western Structures**
For additional information about minority participation projects,
visit <http://www.dbegoodfaith.com>

Focus Ad

West Coast Structures Inc. dba Western Structures is Seeking Qualified DBE, UDBE, WBE, MBE, SBE
BID DUE DATE : 09/10/2014 at 2:00 P.M.
BID No : 03-3E1204
PROJECT NAME : Bridge Seismic Retrofit, Structural Concrete And Hot Mix Asphalt
AGENCY NAME : CALTRANS
PROJECT CITY/COUNTY : Butte County
PROJECT STATE : California

PROJECT DETAILS :

WESTERN STRUCTURES IS REQUESTING QUOTES FROM ALL QUALIFIED SUBCONTRACTORS AND SUPPLIERS INCLUDING CERTIFIED DBE FIRMS FOR THE FOLLOWING ITEMS OF WORK, INCLUDING BUT NOT LIMITED TO: LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TEMPORARY TRAFFIC STRIPE (TAPE), TEMPORARY PAVEMENT MARKING (TAPE), TEMPORARY TRAFFIC STRIPE (PAINT), TRAFFIC PLASTIC DRUM, PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, PUBLIC SAFETY PLAN, RAPID SETTING CONCRETE (PATCH), REMOVE GUARDRAIL, REMOVE THERMOPLASTIC PAVEMENT MARKING (WATER BLASTING), REMOVE ROADSIDE SIGN, REMOVE CULVERT, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE SURFACING, RESET ROADSIDE SIGN, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE UNSOUND CONCRETE, PREPARE CONCRETE BRIDGE DECK SURFACE, FURNISH POLYESTER CONCRETE OVERLAY, PLACE POLYESTER CONCRETE OVERLAY, BRIDGE REMOVAL (PORTION), REMOVAL (PORTION), LOCATION B, CLEARING AND GRUBBING, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), DITCH EXCAVATION, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, CRACK TREATMENT, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, STRUCTURAL CONCRETE, BRIDGE, DRILL AND BOND DOWEL, CLEAN EXPANSION JOINT, JOINT SEAL (MR 1"), BAR REINFORCING STEEL (BRIDGE), BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE), STRUCTURAL STEEL (BRIDGE), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), ROADSIDE SIGN - ONE POST, ABUTMENT LUMBER BLOCKING, STRUCTURAL STEEL (EXISTING BRIDGE), CLEAN AND PAINT STRUCTURAL STEEL, 12" CORRUGATED STEEL PIPE (.079" THICK), 12" STEEL FLARED END SECTION, ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION FABRIC (CLASS 8), TEMPORARY FENCE, DELINEATOR (CLASS 1), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), MIDWEST GUARDRAIL SYSTEM (STEEL POST), VEGETATION CONTROL (MINOR CONCRETE), CHAIN LINK RAILING (TYPE 7 MODIFIED), TRANSITION RAILING (TYPE WB-31), END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM (TYPE 31), ALTERNATIVE IN-LINE TERMINAL SYSTEM (TYPE 31), CONCRETE BARRIER (TYPE 736 MODIFIED), THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MOBILIZATION

Requirements: Western Structures is a union signatory contractor. Subcontractors must have a current contractors license and insurance coverage that meets Western Structures requirements. Plans and Specifications are available for viewing at Western Structures office located at 6005 Tyler Street, Riverside CA 92503 or by viewing at http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_adv_projects.php. Western Structures is an equal opportunity employer. Assistance such as bonding, insurance and/or necessary supplies and materials is available. DBE contractors are encouraged to submit quotations.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 951-352-4301

1. If so, we will send a request by air mail.

No, we are not interested.

Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	West Coast Structures Inc. dba Western Structures	TO:K2 TRAFFIC ENGINEERING, INC
CONTACT NAME	Wolf Delgado	Phone Number :7148322116
ADDRESS	6005 Tyler st Riverside, California, 92503	Fax Number :9492665875 Date :08/28/2014 2:36PM
Phone	951-352-4300	
Fax	951-352-4301	

**This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
West Coast Structures Inc. dba Western Structures**
For additional information about minority participation projects,
visit <http://www.dbegoodfaith.com>

Focus Ad

West Coast Structures Inc. dba Western Structures is Seeking Qualified DBE,UDBE,WBE,MBE,SBE
BID DUE DATE : 09/10/2014 at 2:00 P.M
BID No : 03-3E1204
PROJECT NAME : Bridge Seismic Retrofit, Structural Concrete And Hot Mix Asphalt
AGENCY NAME : CALTRANS
PROJECT CITY/COUNTY : Butte County
PROJECT STATE : California

PROJECT DETAILS :

WESTERN STRUCTURES IS REQUESTING QUOTES FROM ALL QUALIFIED SUBCONTRACTORS AND SUPPLIERS INCLUDING CERTIFIED DBE FIRMS FOR THE FOLLOWING ITEMS OF WORK, INCLUDING BUT NOT LIMITED TO:LEAD COMPLIANCE PLAN,CONSTRUCTION AREA SIGNS,TRAFFIC CONTROL SYSTEM,TEMPORARY TRAFFIC STRIPE (TAPE),TEMPORARY PAVEMENT MARKING (TAPE),TEMPORARY TRAFFIC STRIPE (PAINT),TRAFFIC PLASTIC DRUM,PORTABLE CHANGEABLE MESSAGE SIGN,TEMPORARY RAILING (TYPE K),ALTERNATIVE TEMPORARY CRASH CUSHION,JOB SITE MANAGEMENT,PREPARE WATER POLLUTION CONTROL PROGRAM,TEMPORARY CONCRETE WASHOUT,TREATED WOOD WASTE,PUBLIC SAFETY PLAN,RAPID SETTING CONCRETE (PATCH),REMOVE GUARDRAIL,REMOVE THERMOPLASTIC PAVEMENT MARKING (WATER BLASTING),REMOVE ROADSIDE SIGN,REMOVE CULVERT,REMOVE DOWNDRAIN,REMOVE ASPHALT CONCRETE SURFACING,RESET ROADSIDE SIGN,COLD PLANE ASPHALT CONCRETE PAVEMENT,REMOVE UNSOUND CONCRETE,PREPARE CONCRETE BRIDGE DECK SURFACE,FURNISH POLYESTER CONCRETE OVERLAY,PLACE POLYESTER CONCRETE OVERLAY,BRIDGE REMOVAL (PORTION),REMOVAL (PORTION), LOCATION B,CLEARING AND GRUBBING,DEVELOP WATER SUPPLY,ROADWAY EXCAVATION,SHOULDER BACKING,STRUCTURE EXCAVATION (BRIDGE),STRUCTURE BACKFILL (BRIDGE),DITCH EXCAVATION,COMPOST,INCORPORATE MATERIALS,CLASS 2 AGGREGATE BASE,CRACK TREATMENT,HOT MIX ASPHALT (TYPE A),PLACE HOT MIX ASPHALT DIKE (TYPE C),PLACE HOT MIX ASPHALT DIKE (TYPE F),PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA),TACK COAT,STRUCTURAL CONCRETE, BRIDGE,DRILL AND BOND DOWEL,CLEAN EXPANSION JOINT,JOINT SEAL (MR 1"),BAR REINFORCING STEEL (BRIDGE),BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE),STRUCTURAL STEEL (BRIDGE),FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED),FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED),ROADSIDE SIGN - ONE POST,ABUTMENT LUMBER BLOCKING,STRUCTURAL STEEL (EXISTING BRIDGE),CLEAN AND PAINT STRUCTURAL STEEL,12" CORRUGATED STEEL PIPE (.079" THICK),12" STEEL FLARED END SECTION, ROCK SLOPE PROTECTION (NO. 2, METHOD B),ROCK SLOPE PROTECTION FABRIC (CLASS 8),TEMPORARY FENCE,DELINEATOR (CLASS 1),HIGHWAY POST MARKER,MARKER (CULVERT),OBJECT MARKER (TYPE L-1),MIDWEST GUARDRAIL SYSTEM (STEEL POST),VEGETATION CONTROL (MINOR CONCRETE),CHAIN LINK RAILING (TYPE 7 MODIFIED),TRANSITION RAILING (TYPE WB-31),END CAP (TYPE TC),ALTERNATIVE FLARED TERMINAL SYSTEM (TYPE 31),ALTERNATIVE IN-LINE TERMINAL SYSTEM (TYPE 31),CONCRETE BARRIER (TYPE 736 MODIFIED),THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12),PAVEMENT MARKER (RETROREFLECTIVE),MOBILIZATION

Requirements: Western Structures is a union signatory contractor. Subcontractors must have a current contractors license and insurance coverage that meets Western Structures requirements. Plans and Specifications are available for viewing at Western Structures office located at 6005 Tyler Street, Riverside CA 92503 or by viewing at http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_adv_projects.php. Western Structures is an equal opportunity employer. Assistance such as bonding, insurance and/or necessary supplies and materials is available. DBE contractors are encouraged to submit quotations.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 951-352-4301

Yes, we will send a quote by the date.

No, we are not interested.

Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	West Coast Structures Inc. dba Western Structures	TO:HABITAT WEST, INC.
CONTACT NAME	Wolf Delgado	Phone Number :7607359378
ADDRESS	6005 Tyler st Riverside, California, 92503	Fax Number :7607359351 Date :08/28/2014 2:37PM
Phone	951-352-4300	
Fax	951-352-4301	

**This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
West Coast Structures Inc. dba Western Structures**

For additional information about minority participation projects,
visit <http://www.dbegoodfaith.com>

Focus Ad

West Coast Structures Inc. dba Western Structures is Seeking Qualified DBE,UDBE,WBE,MBE,SBE

BID DUE DATE : 09/10/2014 at 2:00 P.M
BID No : 03-3E1204
PROJECT NAME : Bridge Seismic Retrofit, Structural Concrete And Hot Mix Asphalt
AGENCY NAME : CALTRANS
PROJECT CITY/COUNTY : Butte County
PROJECT STATE : California

PROJECT DETAILS :

WESTERN STRUCTURES IS REQUESTING QUOTES FROM ALL QUALIFIED SUBCONTRACTORS AND SUPPLIERS INCLUDING CERTIFIED DBE FIRMS FOR THE FOLLOWING ITEMS OF WORK, INCLUDING BUT NOT LIMITED TO:LEAD COMPLIANCE PLAN,CONSTRUCTION AREA SIGNS,TRAFFIC CONTROL SYSTEM,TEMPORARY TRAFFIC STRIPE (TAPE),TEMPORARY PAVEMENT MARKING (TAPE),TEMPORARY TRAFFIC STRIPE (PAINT),TRAFFIC PLASTIC DRUM,PORTABLE CHANGEABLE MESSAGE SIGN,TEMPORARY RAILING (TYPE K),ALTERNATIVE TEMPORARY CRASH CUSHION,JOB SITE MANAGEMENT,PREPARE WATER POLLUTION CONTROL PROGRAM,TEMPORARY CONCRETE WASHOUT,TREATED WOOD WASTE,PUBLIC SAFETY PLAN,RAPID SETTING CONCRETE (PATCH),REMOVE GUARDRAIL,REMOVE THERMOPLASTIC PAVEMENT MARKING (WATER BLASTING),REMOVE ROADSIDE SIGN,REMOVE CULVERT,REMOVE DOWNDRAIN,REMOVE ASPHALT CONCRETE SURFACING,RESET ROADSIDE SIGN,COLD PLANE ASPHALT CONCRETE PAVEMENT,REMOVE UNSOUND CONCRETE,PREPARE CONCRETE BRIDGE DECK SURFACE,FURNISH POLYESTER CONCRETE OVERLAY,PLACE POLYESTER CONCRETE OVERLAY,BRIDGE REMOVAL (PORTION),REMOVAL (PORTION), LOCATION B,CLEARING AND GRUBBING,DEVELOP WATER SUPPLY,ROADWAY EXCAVATION,SHOULDER BACKING,STRUCTURE EXCAVATION (BRIDGE),STRUCTURE BACKFILL (BRIDGE),DITCH EXCAVATION,COMPOST,INCORPORATE MATERIALS,CLASS 2 AGGREGATE BASE,CRACK TREATMENT,HOT MIX ASPHALT (TYPE A),PLACE HOT MIX ASPHALT DIKE (TYPE C),PLACE HOT MIX ASPHALT DIKE (TYPE F),PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA),TACK COAT,STRUCTURAL CONCRETE, BRIDGE,DRILL AND BOND DOWEL,CLEAN EXPANSION JOINT,JOINT SEAL (MR 1"),BAR REINFORCING STEEL (BRIDGE),BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE),STRUCTURAL STEEL (BRIDGE),FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED),FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED),ROADSIDE SIGN - ONE POST,ABUTMENT LUMBER BLOCKING,STRUCTURAL STEEL (EXISTING BRIDGE),CLEAN AND PAINT STRUCTURAL STEEL,12" CORRUGATED STEEL PIPE (.079" THICK),12" STEEL FLARED END SECTION, ROCK SLOPE PROTECTION (NO. 2, METHOD B),ROCK SLOPE PROTECTION FABRIC (CLASS 8),TEMPORARY FENCE,DELINEATOR (CLASS 1),HIGHWAY POST MARKER,MARKER (CULVERT),OBJECT MARKER (TYPE L-1),MIDWEST GUARDRAIL SYSTEM (STEEL POST),VEGETATION CONTROL (MINOR CONCRETE),CHAIN LINK RAILING (TYPE 7 MODIFIED),TRANSITION RAILING (TYPE WB-31),END CAP (TYPE TC),ALTERNATIVE FLARED TERMINAL SYSTEM (TYPE 31),ALTERNATIVE IN-LINE TERMINAL SYSTEM (TYPE 31),CONCRETE BARRIER (TYPE 736 MODIFIED),THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12),PAVEMENT MARKER (RETROREFLECTIVE),MOBILIZATION

Requirements: Western Structures is a union signatory contractor. Subcontractors must have a current contractors license and insurance coverage that meets Western Structures requirements. Plans and Specifications are available for viewing at Western Structures office located at 6005 Tyler Street, Riverside CA 92503 or by viewing at http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_adv_projects.php. Western Structures is an equal opportunity employer. Assistance such as bonding, insurance and/or necessary supplies and materials is available. DBE contractors are encouraged to submit quotations.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 951-352-4301

If you are not interested, please contact us at _____.

No, we are not interested.

Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	West Coast Structures Inc. dba Western Structures	TO:G & F CONCRETE CUTTING, INC.
CONTACT NAME	Wolf Delgado	Phone Number :7146480397
ADDRESS	6005 Tyler st Riverside, California, 92503	Fax Number :7145500624 Date :08/28/2014 2:39PM
Phone	951-352-4300	
Fax	951-352-4301	

**This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
West Coast Structures Inc. dba Western Structures**
For additional information about minority participation projects,
visit <http://www.dbegoodfaith.com>

Focus Ad

West Coast Structures Inc. dba Western Structures is Seeking Qualified DBE,UDBE,WBE,MBE,SBE
BID DUE DATE : 09/10/2014 at 2:00 P.M
BID No : 03-3E1204
PROJECT NAME : Bridge Seismic Retrofit, Structural Concrete And Hot Mix Asphalt
AGENCY NAME : CALTRANS
PROJECT CITY/COUNTY : Butte County
PROJECT STATE : California

PROJECT DETAILS :

WESTERN STRUCTURES IS REQUESTING QUOTES FROM ALL QUALIFIED SUBCONTRACTORS AND SUPPLIERS INCLUDING CERTIFIED DBE FIRMS FOR THE FOLLOWING ITEMS OF WORK, INCLUDING BUT NOT LIMITED TO:LEAD COMPLIANCE PLAN,CONSTRUCTION AREA SIGNS,TRAFFIC CONTROL SYSTEM,TEMPORARY TRAFFIC STRIPE (TAPE), TEMPORARY PAVEMENT MARKING (TAPE),TEMPORARY TRAFFIC STRIPE (PAINT),TRAFFIC PLASTIC DRUM,PORTABLE CHANGEABLE MESSAGE SIGN,TEMPORARY RAILING (TYPE K),ALTERNATIVE TEMPORARY CRASH CUSHION,JOB SITE MANAGEMENT,PREPARE WATER POLLUTION CONTROL PROGRAM,TEMPORARY CONCRETE WASHOUT,TREATED WOOD WASTE,PUBLIC SAFETY PLAN,RAPID SETTING CONCRETE (PATCH),REMOVE GUARDRAIL,REMOVE THERMOPLASTIC PAVEMENT MARKING (WATER BLASTING),REMOVE ROADSIDE SIGN,REMOVE CULVERT,REMOVE DOWNDRAIN,REMOVE ASPHALT CONCRETE SURFACING,RESET ROADSIDE SIGN,COLD PLANE ASPHALT CONCRETE PAVEMENT,REMOVE UNSOUND CONCRETE,PREPARE CONCRETE BRIDGE DECK SURFACE,FURNISH POLYESTER CONCRETE OVERLAY,PLACE POLYESTER CONCRETE OVERLAY,BRIDGE REMOVAL (PORTION),REMOVAL (PORTION), LOCATION B,CLEARING AND GRUBBING,DEVELOP WATER SUPPLY,ROADWAY EXCAVATION,SHOULDER BACKING,STRUCTURE EXCAVATION (BRIDGE),STRUCTURE BACKFILL (BRIDGE),DITCH EXCAVATION,COMPOST,INCORPORATE MATERIALS,CLASS 2 AGGREGATE BASE,CRACK TREATMENT,HOT MIX ASPHALT (TYPE A),PLACE HOT MIX ASPHALT DIKE (TYPE C),PLACE HOT MIX ASPHALT DIKE (TYPE F),PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA),TACK COAT,STRUCTURAL CONCRETE, BRIDGE,DRILL AND BOND DOWEL,CLEAN EXPANSION JOINT,JOINT SEAL (MR 1"),BAR REINFORCING STEEL (BRIDGE),BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE),STRUCTURAL STEEL (BRIDGE),FURNISH SINGLE SHEET ALUMINUM SIGN (0.083"-UNFRAMED),FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED),ROADSIDE SIGN - ONE POST,ABUTMENT LUMBER BLOCKING,STRUCTURAL STEEL (EXISTING BRIDGE),CLEAN AND PAINT STRUCTURAL STEEL,12" CORRUGATED STEEL PIPE (.079" THICK),12" STEEL FLARED END SECTION,ROCK SLOPE PROTECTION (NO. 2, METHOD B),ROCK SLOPE PROTECTION FABRIC (CLASS 8),TEMPORARY FENCE,DELINEATOR (CLASS 1),HIGHWAY POST MARKER,MARKER (CULVERT),OBJECT MARKER (TYPE L-1),MIDWEST GUARDRAIL SYSTEM (STEEL POST),VEGETATION CONTROL (MINOR CONCRETE),CHAIN LINK RAILING (TYPE 7 MODIFIED),TRANSITION RAILING (TYPE WB-31),END CAP (TYPE TC),ALTERNATIVE FLARED TERMINAL SYSTEM (TYPE 31),ALTERNATIVE IN-LINE TERMINAL SYSTEM (TYPE 31),CONCRETE BARRIER (TYPE 736 MODIFIED),THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12),PAVEMENT MARKER (RETROREFLECTIVE),MOBILIZATION

Requirements: Western Structures is a union signatory contractor. Subcontractors must have a current contractors license and insurance coverage that meets Western Structures requirements. Plans and Specifications are available for viewing at Western Structures office located at 6005 Tyler Street, Riverside CA 92503 or by viewing at http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_adv_projects.php. Western Structures is an equal opportunity employer. Assistance such as bonding, insurance and/or necessary supplies and materials is available. DBE contractors are encouraged to submit quotations.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 951-352-4301

11/10/2010 10:10:10 AM

No, we are not interested.

Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	West Coast Structures Inc. dba Western Structures	TO:FULLER ELECTRIC
CONTACT NAME	Wolf Delgado	Phone Number :6192765411
ADDRESS	6005 Tyler st Riverside, California, 92503	Fax Number :6192763547 Date :08/28/2014 2:40PM
Phone	951-352-4300	
Fax	951-352-4301	

**This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
West Coast Structures Inc. dba Western Structures**
For additional information about minority participation projects,
visit <http://www.dbegoodfaith.com>

Focus Ad

West Coast Structures Inc. dba Western Structures is Seeking Qualified DBE,UDBE,WBE,MBE,SBE

BID DUE DATE : 09/10/2014 at 2:00 P.M
BID No : 03-3E1204
PROJECT NAME : Bridge Seismic Retrofit, Structural Concrete And Hot Mix Asphalt
AGENCY NAME : CALTRANS
PROJECT CITY/COUNTY : Butte County
PROJECT STATE : California

PROJECT DETAILS :

WESTERN STRUCTURES IS REQUESTING QUOTES FROM ALL QUALIFIED SUBCONTRACTORS AND SUPPLIERS INCLUDING CERTIFIED DBE FIRMS FOR THE FOLLOWING ITEMS OF WORK, INCLUDING BUT NOT LIMITED TO:LEAD COMPLIANCE PLAN,CONSTRUCTION AREA SIGNS,TRAFFIC CONTROL SYSTEM,TEMPORARY TRAFFIC STRIPE (TAPE),TEMPORARY PAVEMENT MARKING (TAPE),TEMPORARY TRAFFIC STRIPE (PAINT),TRAFFIC PLASTIC DRUM,PORTABLE CHANGEABLE MESSAGE SIGN,TEMPORARY RAILING (TYPE K),ALTERNATIVE TEMPORARY CRASH CUSHION,JOB SITE MANAGEMENT,PREPARE WATER POLLUTION CONTROL PROGRAM,TEMPORARY CONCRETE WASHOUT,TREATED WOOD WASTE,PUBLIC SAFETY PLAN,RAPID SETTING CONCRETE (PATCH),REMOVE GUARDRAIL,REMOVE THERMOPLASTIC PAVEMENT MARKING (WATER BLASTING),REMOVE ROADSIDE SIGN,REMOVE CULVERT,REMOVE DOWNDRAIN,REMOVE ASPHALT CONCRETE SURFACING,RESET ROADSIDE SIGN,COLD PLANE ASPHALT CONCRETE PAVEMENT,REMOVE UNSOUND CONCRETE,PREPARE CONCRETE BRIDGE DECK SURFACE,FURNISH POLYESTER CONCRETE OVERLAY,PLACE POLYESTER CONCRETE OVERLAY,BRIDGE REMOVAL (PORTION),REMOVAL (PORTION), LOCATION B,CLEARING AND GRUBBING,DEVELOP WATER SUPPLY,ROADWAY EXCAVATION,SHOULDER BACKING,STRUCTURE EXCAVATION (BRIDGE),STRUCTURE BACKFILL (BRIDGE),DITCH EXCAVATION,COMPOST,INCORPORATE MATERIALS,CLASS 2 AGGREGATE BASE,CRACK TREATMENT,HOT MIX ASPHALT (TYPE A),PLACE HOT MIX ASPHALT DIKE (TYPE C),PLACE HOT MIX ASPHALT DIKE (TYPE F),PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA),TACK COAT,STRUCTURAL CONCRETE, BRIDGE,DRILL AND BOND DOWEL,CLEAN EXPANSION JOINT,JOINT SEAL (MR 1"),BAR REINFORCING STEEL (BRIDGE),BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE),STRUCTURAL STEEL (BRIDGE),FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED),FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED),ROADSIDE SIGN - ONE POST,ABUTMENT LUMBER BLOCKING,STRUCTURAL STEEL (EXISTING BRIDGE),CLEAN AND PAINT STRUCTURAL STEEL,12" CORRUGATED STEEL PIPE (.079" THICK),12" STEEL FLARED END SECTION, ROCK SLOPE PROTECTION (NO. 2, METHOD B),ROCK SLOPE PROTECTION FABRIC (CLASS 8),TEMPORARY FENCE,DELINEATOR (CLASS 1),HIGHWAY POST MARKER,MARKER (CULVERT),OBJECT MARKER (TYPE L-1),MIDWEST GUARDRAIL SYSTEM (STEEL POST),VEGETATION CONTROL (MINOR CONCRETE),CHAIN LINK RAILING (TYPE 7 MODIFIED),TRANSITION RAILING (TYPE WB-31),END CAP (TYPE TC),ALTERNATIVE FLARED TERMINAL SYSTEM (TYPE 31),ALTERNATIVE IN-LINE TERMINAL SYSTEM (TYPE 31),CONCRETE BARRIER (TYPE 736 MODIFIED),THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12),PAVEMENT MARKER (RETROREFLECTIVE),MOBILIZATION

Requirements: Western Structures is a union signatory contractor. Subcontractors must have a current contractors license and insurance coverage that meets Western Structures requirements. Plans and Specifications are available for viewing at Western Structures office located at 6005 Tyler Street, Riverside CA 92503 or by viewing at http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_adv_projects.php. Western Structures is an equal opportunity employer. Assistance such as bonding, insurance and/or necessary supplies and materials is available. DBE contractors are encouraged to submit quotations.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 951-352-4301

[] Yes, we will contact you again by email.

[] No, we are not interested.

[] Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	West Coast Structures Inc. dba Western Structures	TO:FORCE TRAFFIC CONTROL, INC.
CONTACT NAME	Wolf Delgado	Phone Number :5595941062
ADDRESS	6005 Tyler st Riverside, California, 92503	Fax Number :5595941056 Date :08/28/2014 2:42PM
Phone	951-352-4300	
Fax	951-352-4301	

**This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
West Coast Structures Inc. dba Western Structures**
For additional information about minority participation projects,
visit <http://www.dbegoodfaith.com>

Focus Ad

West Coast Structures Inc. dba Western Structures is Seeking Qualified DBE,UDBE,WBE,MBE,SBE
BID DUE DATE : 09/10/2014 at 2:00 P.M
BID No : 03-3E1204
PROJECT NAME : Bridge Seismic Retrofit, Structural Concrete And Hot Mix Asphalt
AGENCY NAME : CALTRANS
PROJECT CITY/COUNTY : Butte County
PROJECT STATE : California

PROJECT DETAILS :

WESTERN STRUCTURES IS REQUESTING QUOTES FROM ALL QUALIFIED SUBCONTRACTORS AND SUPPLIERS INCLUDING CERTIFIED DBE FIRMS FOR THE FOLLOWING ITEMS OF WORK, INCLUDING BUT NOT LIMITED TO:LEAD COMPLIANCE PLAN,CONSTRUCTION AREA SIGNS,TRAFFIC CONTROL SYSTEM,TEMPORARY TRAFFIC STRIPE (TAPE),TEMPORARY PAVEMENT MARKING (TAPE),TEMPORARY TRAFFIC STRIPE (PAINT),TRAFFIC PLASTIC DRUM,PORTABLE CHANGEABLE MESSAGE SIGN,TEMPORARY RAILING (TYPE K),ALTERNATIVE TEMPORARY CRASH CUSHION,JOB SITE MANAGEMENT,PREPARE WATER POLLUTION CONTROL PROGRAM,TEMPORARY CONCRETE WASHOUT,TREATED WOOD WASTE,PUBLIC SAFETY PLAN,RAPID SETTING CONCRETE (PATCH),REMOVE GUARDRAIL,REMOVE THERMOPLASTIC PAVEMENT MARKING (WATER BLASTING),REMOVE ROADSIDE SIGN,REMOVE CULVERT,REMOVE DOWNDRAIN,REMOVE ASPHALT CONCRETE SURFACING,RESET ROADSIDE SIGN,COLD PLANE ASPHALT CONCRETE PAVEMENT,REMOVE UNSOUND CONCRETE,PREPARE CONCRETE BRIDGE DECK SURFACE,FURNISH POLYESTER CONCRETE OVERLAY,PLACE POLYESTER CONCRETE OVERLAY,BRIDGE REMOVAL (PORTION),REMOVAL (PORTION), LOCATION B,CLEARING AND GRUBBING,DEVELOP WATER SUPPLY,ROADWAY EXCAVATION,SHOULDER BACKING,STRUCTURE EXCAVATION (BRIDGE),STRUCTURE BACKFILL (BRIDGE),DITCH EXCAVATION,COMPOST,INCORPORATE MATERIALS,CLASS 2 AGGREGATE BASE,CRACK TREATMENT,HOT MIX ASPHALT (TYPE A),PLACE HOT MIX ASPHALT DIKE (TYPE C),PLACE HOT MIX ASPHALT DIKE (TYPE F),PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA),TACK COAT,STRUCTURAL CONCRETE, BRIDGE,DRILL AND BOND DOWEL, CLEAN EXPANSION JOINT,JOINT SEAL (MR 1"),BAR REINFORCING STEEL (BRIDGE),BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE),STRUCTURAL STEEL (BRIDGE),FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED),FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED),ROADSIDE SIGN - ONE POST,ABUTMENT LUMBER BLOCKING,STRUCTURAL STEEL (EXISTING BRIDGE),CLEAN AND PAINT STRUCTURAL STEEL,12" CORRUGATED STEEL PIPE (.079" THICK),12" STEEL FLARED END SECTION, ROCK SLOPE PROTECTION (NO. 2, METHOD B),ROCK SLOPE PROTECTION FABRIC (CLASS 8),TEMPORARY FENCE,DELINEATOR (CLASS 1),HIGHWAY POST MARKER,MARKER (CULVERT),OBJECT MARKER (TYPE L-1),MIDWEST GUARDRAIL SYSTEM (STEEL POST),VEGETATION CONTROL (MINOR CONCRETE),CHAIN LINK RAILING (TYPE 7 MODIFIED),TRANSITION RAILING (TYPE WB-31),END CAP (TYPE TC),ALTERNATIVE FLARED TERMINAL SYSTEM (TYPE 31),ALTERNATIVE IN-LINE TERMINAL SYSTEM (TYPE 31),CONCRETE BARRIER (TYPE 736 MODIFIED),THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12),PAVEMENT MARKER (RETROREFLECTIVE),MOBILIZATION

Requirements: Western Structures is a union signatory contractor. Subcontractors must have a current contractors license and insurance coverage that meets Western Structures requirements. Plans and Specifications are available for viewing at Western Structures office located at 6005 Tyler Street, Riverside CA 92503 or by viewing at http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_adv_projects.php. Western Structures is an equal opportunity employer. Assistance such as bonding, insurance and/or necessary supplies and materials is available. DBE contractors are encouraged to submit quotations.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 951-352-4301

By clicking the button below, you agree to the terms and conditions.

No, we are not interested.

Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	West Coast Structures Inc. dba Western Structures	TO:FAR EAST LANDSCAPE & MAINTENANACE, INC.
CONTACT NAME	Wolf Delgado	Phone Number :6612970916
ADDRESS	6005 Tyler st Riverside, California, 92503	Fax Number :6612976282 Date :08/28/2014 2:44PM
Phone	951-352-4300	
Fax	951-352-4301	

**This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
West Coast Structures Inc. dba Western Structures**

For additional information about minority participation projects,
visit <http://www.dbegoodfaith.com>

Focus Ad

West Coast Structures Inc. dba Western Structures is Seeking Qualified DBE,UDBE,WBE,MBE,SBE

BID DUE DATE : 09/10/2014 at 2:00 P.M

BID No : 03-3E1204

PROJECT NAME : Bridge Seismic Retrofit, Structural Concrete And Hot Mix Asphalt

AGENCY NAME : CALTRANS

PROJECT CITY/COUNTY : Butte County

PROJECT STATE : California

PROJECT DETAILS :

WESTERN STRUCTURES IS REQUESTING QUOTES FROM ALL QUALIFIED SUBCONTRACTORS AND SUPPLIERS INCLUDING CERTIFIED DBE FIRMS FOR THE FOLLOWING ITEMS OF WORK, INCLUDING BUT NOT LIMITED TO:LEAD COMPLIANCE PLAN,CONSTRUCTION AREA SIGNS,TRAFFIC CONTROL SYSTEM,TEMPORARY TRAFFIC STRIPE (TAPE),TEMPORARY PAVEMENT MARKING (TAPE),TEMPORARY TRAFFIC STRIPE (PAINT),TRAFFIC PLASTIC DRUM,PORTABLE CHANGEABLE MESSAGE SIGN,TEMPORARY RAILING (TYPE K),ALTERNATIVE TEMPORARY CRASH CUSHION,JOB SITE MANAGEMENT,PREPARE WATER POLLUTION CONTROL PROGRAM,TEMPORARY CONCRETE WASHOUT,TREATED WOOD WASTE,PUBLIC SAFETY PLAN,RAPID SETTING CONCRETE (PATCH),REMOVE GUARDRAIL,REMOVE THERMOPLASTIC PAVEMENT MARKING (WATER BLASTING),REMOVE ROADSIDE SIGN,REMOVE CULVERT,REMOVE DOWNDRAIN,REMOVE ASPHALT CONCRETE SURFACING,RESET ROADSIDE SIGN,COLD PLANE ASPHALT CONCRETE PAVEMENT,REMOVE UNSOUND CONCRETE,PREPARE CONCRETE BRIDGE DECK SURFACE,FURNISH POLYESTER CONCRETE OVERLAY,PLACE POLYESTER CONCRETE OVERLAY,BRIDGE REMOVAL (PORTION),REMOVAL (PORTION), LOCATION B,CLEARING AND GRUBBING,DEVELOP WATER SUPPLY,ROADWAY EXCAVATION,SHOULDER BACKING,STRUCTURE EXCAVATION (BRIDGE),STRUCTURE BACKFILL (BRIDGE),DITCH EXCAVATION,COMPOST,INCORPORATE MATERIALS,CLASS 2 AGGREGATE BASE,CRACK TREATMENT,HOT MIX ASPHALT (TYPE A),PLACE HOT MIX ASPHALT DIKE (TYPE C),PLACE HOT MIX ASPHALT DIKE (TYPE F),PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA),TACK COAT,STRUCTURAL CONCRETE, BRIDGE,DRILL AND BOND DOWEL,CLEAN EXPANSION JOINT,JOINT SEAL (MR 1"),BAR REINFORCING STEEL (BRIDGE),BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE),STRUCTURAL STEEL (BRIDGE),FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED),FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED),ROADSIDE SIGN - ONE POST,ABUTMENT LUMBER BLOCKING,STRUCTURAL STEEL (EXISTING BRIDGE),CLEAN AND PAINT STRUCTURAL STEEL,12" CORRUGATED STEEL PIPE (.079" THICK),12" STEEL FLARED END SECTION, ROCK SLOPE PROTECTION (NO. 2, METHOD B),ROCK SLOPE PROTECTION FABRIC (CLASS 8),TEMPORARY FENCE,DELINEATOR (CLASS 1),HIGHWAY POST MARKER,MARKER (CULVERT),OBJECT MARKER (TYPE L-1),MIDWEST GUARDRAIL SYSTEM (STEEL POST),VEGETATION CONTROL (MINOR CONCRETE),CHAIN LINK RAILING (TYPE 7 MODIFIED),TRANSITION RAILING (TYPE WB-31),END CAP (TYPE TC),ALTERNATIVE FLARED TERMINAL SYSTEM (TYPE 31),ALTERNATIVE IN-LINE TERMINAL SYSTEM (TYPE 31),CONCRETE BARRIER (TYPE 736 MODIFIED),THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12),PAVEMENT MARKER (RETROREFLECTIVE),MOBILIZATION

Requirements: Western Structures is a union signatory contractor. Subcontractors must have a current contractors license and insurance coverage that meets Western Structures requirements. Plans and Specifications are available for viewing at Western Structures office located at 6005 Tyler Street, Riverside CA 92503 or by viewing at http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_adv_projects.php. Western Structures is an equal opportunity employer. Assistance such as bonding, insurance and/or necessary supplies and materials is available. DBE contractors are encouraged to submit quotations.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 951-352-4301

Yes, we will come to the queue by the end.

No, we are not interested.

Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	West Coast Structures Inc. dba Western Structures	TO:EMPIRE STEEL, INC.
CONTACT NAME	Wolf Delgado	Phone Number :9095095926
ADDRESS	6005 Tyler st Riverside, California, 92503	Fax Number :9095095927 Date :08/28/2014 2:46PM
Phone	951-352-4300	
Fax	951-352-4301	

**This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
West Coast Structures Inc. dba Western Structures**

For additional information about minority participation projects,
visit <http://www.dbegoodfaith.com>

Focus Ad

West Coast Structures Inc. dba Western Structures is Seeking Qualified DBE,UDBE,WBE,MBE,SBE

BID DUE DATE : 09/10/2014 at 2:00 P.M
BID No : 03-3E1204
PROJECT NAME : Bridge Seismic Retrofit, Structural Concrete And Hot Mix Asphalt
AGENCY NAME : CALTRANS
PROJECT CITY/COUNTY : Butte County
PROJECT STATE : California

PROJECT DETAILS :

WESTERN STRUCTURES IS REQUESTING QUOTES FROM ALL QUALIFIED SUBCONTRACTORS AND SUPPLIERS INCLUDING CERTIFIED DBE FIRMS FOR THE FOLLOWING ITEMS OF WORK, INCLUDING BUT NOT LIMITED TO:LEAD COMPLIANCE PLAN,CONSTRUCTION AREA SIGNS,TRAFFIC CONTROL SYSTEM,TEMPORARY TRAFFIC STRIPE (TAPE),TEMPORARY PAVEMENT MARKING (TAPE),TEMPORARY TRAFFIC STRIPE (PAINT),TRAFFIC PLASTIC DRUM,PORTABLE CHANGEABLE MESSAGE SIGN,TEMPORARY RAILING (TYPE K),ALTERNATIVE TEMPORARY CRASH CUSHION,JOB SITE MANAGEMENT,PREPARE WATER POLLUTION CONTROL PROGRAM,TEMPORARY CONCRETE WASHOUT,TREATED WOOD WASTE,PUBLIC SAFETY PLAN,RAPID SETTING CONCRETE (PATCH),REMOVE GUARDRAIL,REMOVE THERMOPLASTIC PAVEMENT MARKING (WATER BLASTING),REMOVE ROADSIDE SIGN,REMOVE CULVERT,REMOVE DOWNDRAIN,REMOVE ASPHALT CONCRETE SURFACING,RESET ROADSIDE SIGN,COLD PLANE ASPHALT CONCRETE PAVEMENT,REMOVE UNSOUND CONCRETE,PREPARE CONCRETE BRIDGE DECK SURFACE,FURNISH POLYESTER CONCRETE OVERLAY,PLACE POLYESTER CONCRETE OVERLAY,BRIDGE REMOVAL (PORTION),REMOVAL (PORTION), LOCATION B,CLEARING AND GRUBBING,DEVELOP WATER SUPPLY,ROADWAY EXCAVATION,SHOULDER BACKING,STRUCTURE EXCAVATION (BRIDGE),STRUCTURE BACKFILL (BRIDGE),DITCH EXCAVATION,COMPOST,INCORPORATE MATERIALS,CLASS 2 AGGREGATE BASE,CRACK TREATMENT,HOT MIX ASPHALT (TYPE A),PLACE HOT MIX ASPHALT DIKE (TYPE C),PLACE HOT MIX ASPHALT DIKE (TYPE F),PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA),TACK COAT,STRUCTURAL CONCRETE, BRIDGE,DRILL AND BOND DOWEL,CLEAN EXPANSION JOINT,JOINT SEAL (MR 1"),BAR REINFORCING STEEL (BRIDGE),BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE),STRUCTURAL STEEL (BRIDGE),FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED),FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED),ROADSIDE SIGN - ONE POST,ABUTMENT LUMBER BLOCKING,STRUCTURAL STEEL (EXISTING BRIDGE),CLEAN AND PAINT STRUCTURAL STEEL,12" CORRUGATED STEEL PIPE (.079" THICK),12" STEEL FLARED END SECTION, ROCK SLOPE PROTECTION (NO. 2, METHOD B),ROCK SLOPE PROTECTION FABRIC (CLASS 8),TEMPORARY FENCE,DELINEATOR (CLASS 1),HIGHWAY POST MARKER,MARKER (CULVERT),OBJECT MARKER (TYPE L-1),MIDWEST GUARDRAIL SYSTEM (STEEL POST),VEGETATION CONTROL (MINOR CONCRETE),CHAIN LINK RAILING (TYPE 7 MODIFIED),TRANSITION RAILING (TYPE WB-31),END CAP (TYPE TC),ALTERNATIVE FLARED TERMINAL SYSTEM (TYPE 31),ALTERNATIVE IN-LINE TERMINAL SYSTEM (TYPE 31),CONCRETE BARRIER (TYPE 736 MODIFIED),THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12),PAVEMENT MARKER (RETROREFLECTIVE),MOBILIZATION

Requirements: Western Structures is a union signatory contractor. Subcontractors must have a current contractors license and insurance coverage that meets Western Structures requirements. Plans and Specifications are available for viewing at Western Structures office located at 6005 Tyler Street, Riverside CA 92503 or by viewing at http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_adv_projects.php. Western Structures is an equal opportunity employer. Assistance such as bonding, insurance and/or necessary supplies and materials is available. DBE contractors are encouraged to submit quotations.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 951-352-4301

1. If you are not interested, please check the box below.

No, we are not interested.

Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	West Coast Structures Inc. dba Western Structures	TO:EAGLE ENGINEERING AND CONSTRUCTION, INC
CONTACT NAME	Wolf Delgado	Phone Number :6503678000
ADDRESS	6005 Tyler st Riverside, California, 92503	Fax Number :6503678282 Date :08/28/2014 2:48PM
Phone	951-352-4300	
Fax	951-352-4301	

**This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
West Coast Structures Inc. dba Western Structures**

For additional information about minority participation projects,
visit <http://www.dbegoodfaith.com>

Focus Ad

West Coast Structures Inc. dba Western Structures is Seeking Qualified DBE,UDBE,WBE,MBE,SBE

BID DUE DATE : 09/10/2014 at 2:00 P.M
BID No : 03-3E1204
PROJECT NAME : Bridge Seismic Retrofit, Structural Concrete And Hot Mix Asphalt
AGENCY NAME : CALTRANS
PROJECT CITY/COUNTY : Butte County
PROJECT STATE : California

PROJECT DETAILS :

WESTERN STRUCTURES IS REQUESTING QUOTES FROM ALL QUALIFIED SUBCONTRACTORS AND SUPPLIERS INCLUDING CERTIFIED DBE FIRMS FOR THE FOLLOWING ITEMS OF WORK, INCLUDING BUT NOT LIMITED TO:LEAD COMPLIANCE PLAN,CONSTRUCTION AREA SIGNS,TRAFFIC CONTROL SYSTEM,TEMPORARY TRAFFIC STRIPE (TAPE),TEMPORARY PAVEMENT MARKING (TAPE),TEMPORARY TRAFFIC STRIPE (PAINT),TRAFFIC PLASTIC DRUM,PORTABLE CHANGEABLE MESSAGE SIGN,TEMPORARY RAILING (TYPE K),ALTERNATIVE TEMPORARY CRASH CUSHION,JOB SITE MANAGEMENT,PREPARE WATER POLLUTION CONTROL PROGRAM,TEMPORARY CONCRETE WASHOUT,TREATED WOOD WASTE,PUBLIC SAFETY PLAN,RAPID SETTING CONCRETE (PATCH),REMOVE GUARDRAIL,REMOVE THERMOPLASTIC PAVEMENT MARKING (WATER BLASTING),REMOVE ROADSIDE SIGN,REMOVE CULVERT,REMOVE DOWNDRAIN,REMOVE ASPHALT CONCRETE SURFACING,RESET ROADSIDE SIGN,COLD PLANE ASPHALT CONCRETE PAVEMENT,REMOVE UNSOUND CONCRETE,PREPARE CONCRETE BRIDGE DECK SURFACE,FURNISH POLYESTER CONCRETE OVERLAY,PLACE POLYESTER CONCRETE OVERLAY,BRIDGE REMOVAL (PORTION),REMOVAL (PORTION), LOCATION B,CLEARING AND GRUBBING,DEVELOP WATER SUPPLY,ROADWAY EXCAVATION,SHOULDER BACKING,STRUCTURE EXCAVATION (BRIDGE),STRUCTURE BACKFILL (BRIDGE),DITCH EXCAVATION,COMPOST,INCORPORATE MATERIALS,CLASS 2 AGGREGATE BASE,CRACK TREATMENT,HOT MIX ASPHALT (TYPE A),PLACE HOT MIX ASPHALT DIKE (TYPE C),PLACE HOT MIX ASPHALT DIKE (TYPE F),PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA),TACK COAT,STRUCTURAL CONCRETE, BRIDGE,DRILL AND BOND DOWEL,CLEAN EXPANSION JOINT,JOINT SEAL (MR 1"),BAR REINFORCING STEEL (BRIDGE),BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE),STRUCTURAL STEEL (BRIDGE),FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED),FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED),ROADSIDE SIGN - ONE POST,ABUTMENT LUMBER BLOCKING,STRUCTURAL STEEL (EXISTING BRIDGE),CLEAN AND PAINT STRUCTURAL STEEL,12" CORRUGATED STEEL PIPE (.079" THICK),12" STEEL FLARED END SECTION, ROCK SLOPE PROTECTION (NO. 2, METHOD B),ROCK SLOPE PROTECTION FABRIC (CLASS 8),TEMPORARY FENCE,DELINEATOR (CLASS 1),HIGHWAY POST MARKER,MARKER (CULVERT),OBJECT MARKER (TYPE L-1),MIDWEST GUARDRAIL SYSTEM (STEEL POST),VEGETATION CONTROL (MINOR CONCRETE),CHAIN LINK RAILING (TYPE 7 MODIFIED),TRANSITION RAILING (TYPE WB-31),END CAP (TYPE TC),ALTERNATIVE FLARED TERMINAL SYSTEM (TYPE 31),ALTERNATIVE IN-LINE TERMINAL SYSTEM (TYPE 31),CONCRETE BARRIER (TYPE 736 MODIFIED),THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12),PAVEMENT MARKER (RETROREFLECTIVE),MOBILIZATION

Requirements: Western Structures is a union signatory contractor. Subcontractors must have a current contractors license and insurance coverage that meets Western Structures requirements. Plans and Specifications are available for viewing at Western Structures office located at 6005 Tyler Street, Riverside CA 92503 or by viewing at http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_adv_projects.php. Western Structures is an equal opportunity employer. Assistance such as bonding, insurance and/or necessary supplies and materials is available. DBE contractors are encouraged to submit quotations.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 951-352-4301

Yes, we will come to the quote by the date:

No, we are not interested.

Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	West Coast Structures Inc. dba Western Structures	TO: E D SAFETY SERVICE, INC
CONTACT NAME	Wolf Delgado	Phone Number :2093330807
ADDRESS	6005 Tyler st Riverside, California, 92503	Fax Number :2093335213 Date :08/28/2014 2:50PM
Phone	951-352-4300	
Fax	951-352-4301	

**This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
West Coast Structures Inc. dba Western Structures**
For additional information about minority participation projects,
visit <http://www.dbegoodfaith.com>

Focus Ad

West Coast Structures Inc. dba Western Structures is Seeking Qualified DBE, UDBE, WBE, MBE, SBE

BID DUE DATE : 09/10/2014 at 2:00 P.M

BID No : 03-3E1204

PROJECT NAME : Bridge Seismic Retrofit, Structural Concrete And Hot Mix Asphalt

AGENCY NAME : CALTRANS

PROJECT CITY/COUNTY : Butte County

PROJECT STATE : California

PROJECT DETAILS :

WESTERN STRUCTURES IS REQUESTING QUOTES FROM ALL QUALIFIED SUBCONTRACTORS AND SUPPLIERS INCLUDING CERTIFIED DBE FIRMS FOR THE FOLLOWING ITEMS OF WORK, INCLUDING BUT NOT LIMITED TO: LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TEMPORARY TRAFFIC STRIPE (TAPE), TEMPORARY PAVEMENT MARKING (TAPE), TEMPORARY TRAFFIC STRIPE (PAINT), TRAFFIC PLASTIC DRUM, PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, PUBLIC SAFETY PLAN, RAPID SETTING CONCRETE (PATCH), REMOVE GUARDRAIL, REMOVE THERMOPLASTIC PAVEMENT MARKING (WATER BLASTING), REMOVE ROADSIDE SIGN, REMOVE CULVERT, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE SURFACING, RESET ROADSIDE SIGN, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE UNSOUND CONCRETE, PREPARE CONCRETE BRIDGE DECK SURFACE, FURNISH POLYESTER CONCRETE OVERLAY, PLACE POLYESTER CONCRETE OVERLAY, BRIDGE REMOVAL (PORTION), REMOVAL (PORTION), LOCATION B, CLEARING AND GRUBBING, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), DITCH EXCAVATION, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, CRACK TREATMENT, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, STRUCTURAL CONCRETE, BRIDGE, DRILL AND BOND DOWEL, CLEAN EXPANSION JOINT, JOINT SEAL (MR 1"), BAR REINFORCING STEEL (BRIDGE), BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE), STRUCTURAL STEEL (BRIDGE), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), ROADSIDE SIGN - ONE POST, ABUTMENT LUMBER BLOCKING, STRUCTURAL STEEL (EXISTING BRIDGE), CLEAN AND PAINT STRUCTURAL STEEL, 12" CORRUGATED STEEL PIPE (.079" THICK), 12" STEEL FLARED END SECTION, ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION FABRIC (CLASS 8), TEMPORARY FENCE, DELINEATOR (CLASS 1), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), MIDWEST GUARDRAIL SYSTEM (STEEL POST), VEGETATION CONTROL (MINOR CONCRETE), CHAIN LINK RAILING (TYPE 7 MODIFIED), TRANSITION RAILING (TYPE WB-31), END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM (TYPE 31), ALTERNATIVE IN-LINE TERMINAL SYSTEM (TYPE 31), CONCRETE BARRIER (TYPE 736 MODIFIED), THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MOBILIZATION

Requirements: Western Structures is a union signatory contractor. Subcontractors must have a current contractors license and insurance coverage that meets Western Structures requirements. Plans and Specifications are available for viewing at Western Structures office located at 6005 Tyler Street, Riverside CA 92503 or by viewing at http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_adv_projects.php. Western Structures is an equal opportunity employer. Assistance such as bonding, insurance and/or necessary supplies and materials is available. DBE contractors are encouraged to submit quotations.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 951-352-4301

If yes, we will send a test quote by the end of

No, we are not interested.

Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	West Coast Structures Inc. dba Western Structures	TO:CONSTRUCTION AREA SIGNS, INCORPORATED
CONTACT NAME	Wolf Delgado	Phone Number :9166639097
ADDRESS	6005 Tyler st Riverside, California, 92503	Fax Number :9166631858 Date :08/28/2014 2:54PM
Phone	951-352-4300	
Fax	951-352-4301	

**This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
West Coast Structures Inc. dba Western Structures**
For additional information about minority participation projects,
visit <http://www.dbegoodfaith.com>

Focus Ad

West Coast Structures Inc. dba Western Structures is Seeking Qualified DBE,UDBE,WBE,MBE,SBE
BID DUE DATE : 09/10/2014 at 2:00 P.M
BID No : 03-3E1204
PROJECT NAME : Bridge Seismic Retrofit, Structural Concrete And Hot Mix Asphalt
AGENCY NAME : CALTRANS
PROJECT CITY/COUNTY : Butte County
PROJECT STATE : California

PROJECT DETAILS :

WESTERN STRUCTURES IS REQUESTING QUOTES FROM ALL QUALIFIED SUBCONTRACTORS AND SUPPLIERS INCLUDING CERTIFIED DBE FIRMS FOR THE FOLLOWING ITEMS OF WORK, INCLUDING BUT NOT LIMITED TO:LEAD COMPLIANCE PLAN,CONSTRUCTION AREA SIGNS,TRAFFIC CONTROL SYSTEM,TEMPORARY TRAFFIC STRIPE (TAPE),TEMPORARY PAVEMENT MARKING (TAPE),TEMPORARY TRAFFIC STRIPE (PAINT),TRAFFIC PLASTIC DRUM,PORTABLE CHANGEABLE MESSAGE SIGN,TEMPORARY RAILING (TYPE K),ALTERNATIVE TEMPORARY CRASH CUSHION,JOB SITE MANAGEMENT,PREPARE WATER POLLUTION CONTROL PROGRAM,TEMPORARY CONCRETE WASHOUT,TREATED WOOD WASTE,PUBLIC SAFETY PLAN,RAPID SETTING CONCRETE (PATCH),REMOVE GUARDRAIL,REMOVE THERMOPLASTIC PAVEMENT MARKING (WATER BLASTING),REMOVE ROADSIDE SIGN,REMOVE CULVERT,REMOVE DOWNDRAIN,REMOVE ASPHALT CONCRETE SURFACING,RESET ROADSIDE SIGN,COLD PLANE ASPHALT CONCRETE PAVEMENT,REMOVE UNSOUND CONCRETE,PREPARE CONCRETE BRIDGE DECK SURFACE,FURNISH POLYESTER CONCRETE OVERLAY,PLACE POLYESTER CONCRETE OVERLAY,BRIDGE REMOVAL (PORTION),REMOVAL (PORTION), LOCATION B,CLEARING AND GRUBBING,DEVELOP WATER SUPPLY,ROADWAY EXCAVATION,SHOULDER BACKING,STRUCTURE EXCAVATION (BRIDGE),STRUCTURE BACKFILL (BRIDGE),DITCH EXCAVATION,COMPOST,INCORPORATE MATERIALS,CLASS 2 AGGREGATE BASE,CRACK TREATMENT,HOT MIX ASPHALT (TYPE A),PLACE HOT MIX ASPHALT DIKE (TYPE C),PLACE HOT MIX ASPHALT DIKE (TYPE F),PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA),TACK COAT,STRUCTURAL CONCRETE, BRIDGE,DRILL AND BOND DOWEL,CLEAN EXPANSION JOINT,JOINT SEAL (MR 1"),BAR REINFORCING STEEL (BRIDGE),BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE),STRUCTURAL STEEL (BRIDGE),FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED),FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED),ROADSIDE SIGN - ONE POST,ABUTMENT LUMBER BLOCKING,STRUCTURAL STEEL (EXISTING BRIDGE),CLEAN AND PAINT STRUCTURAL STEEL,12" CORRUGATED STEEL PIPE (.079" THICK),12" STEEL FLARED END SECTION, ROCK SLOPE PROTECTION (NO. 2, METHOD B),ROCK SLOPE PROTECTION FABRIC (CLASS 8),TEMPORARY FENCE,DELINEATOR (CLASS 1),HIGHWAY POST MARKER,MARKER (CULVERT),OBJECT MARKER (TYPE L-1),MIDWEST GUARDRAIL SYSTEM (STEEL POST),VEGETATION CONTROL (MINOR CONCRETE),CHAIN LINK RAILING (TYPE 7 MODIFIED),TRANSITION RAILING (TYPE WB-31),END CAP (TYPE TC),ALTERNATIVE FLARED TERMINAL SYSTEM (TYPE 31),ALTERNATIVE IN-LINE TERMINAL SYSTEM (TYPE 31),CONCRETE BARRIER (TYPE 736 MODIFIED),THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12),PAVEMENT MARKER (RETROREFLECTIVE),MOBILIZATION

Requirements: Western Structures is a union signatory contractor. Subcontractors must have a current contractors license and insurance coverage that meets Western Structures requirements. Plans and Specifications are available for viewing at Western Structures office located at 6005 Tyler Street, Riverside CA 92503 or by viewing at http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_adv_projects.php. Western Structures is an equal opportunity employer. Assistance such as bonding, insurance and/or necessary supplies and materials is available. DBE contractors are encouraged to submit quotations.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 951-352-4301

Yes, we will contact you again by email.

No, we are not interested.

Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	West Coast Structures Inc. dba Western Structures	TO:CMC TRAFFIC CONTROL SPECIALIST
CONTACT NAME	Wolf Delgado	Phone Number :4152061700
ADDRESS	6005 Tyler st Riverside, California, 92503	Fax Number :4152061711 Date :08/28/2014 2:57PM
Phone	951-352-4300	
Fax	951-352-4301	

**This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
West Coast Structures Inc. dba Western Structures**
For additional information about minority participation projects,
visit <http://www.dbegoodfaith.com>

Focus Ad

West Coast Structures Inc. dba Western Structures is Seeking Qualified DBE,UDBE,WBE,MBE,SBE
BID DUE DATE : 09/10/2014 at 2:00 P.M
BID No : 03-3E1204
PROJECT NAME : Bridge Seismic Retrofit, Structural Concrete And Hot Mix Asphalt
AGENCY NAME : CALTRANS
PROJECT CITY/COUNTY : Butte County
PROJECT STATE : California

PROJECT DETAILS :

WESTERN STRUCTURES IS REQUESTING QUOTES FROM ALL QUALIFIED SUBCONTRACTORS AND SUPPLIERS INCLUDING CERTIFIED DBE FIRMS FOR THE FOLLOWING ITEMS OF WORK, INCLUDING BUT NOT LIMITED TO:LEAD COMPLIANCE PLAN,CONSTRUCTION AREA SIGNS,TRAFFIC CONTROL SYSTEM,TEMPORARY TRAFFIC STRIPE (TAPE),TEMPORARY PAVEMENT MARKING (TAPE),TEMPORARY TRAFFIC STRIPE (PAINT),TRAFFIC PLASTIC DRUM,PORTABLE CHANGEABLE MESSAGE SIGN,TEMPORARY RAILING (TYPE K),ALTERNATIVE TEMPORARY CRASH CUSHION,JOB SITE MANAGEMENT,PREPARE WATER POLLUTION CONTROL PROGRAM,TEMPORARY CONCRETE WASHOUT,TREATED WOOD WASTE,PUBLIC SAFETY PLAN,RAPID SETTING CONCRETE (PATCH),REMOVE GUARDRAIL,REMOVE THERMOPLASTIC PAVEMENT MARKING (WATER BLASTING),REMOVE ROADSIDE SIGN,REMOVE CULVERT,REMOVE DOWNDRAIN,REMOVE ASPHALT CONCRETE SURFACING,RESET ROADSIDE SIGN,COLD PLANE ASPHALT CONCRETE PAVEMENT,REMOVE UNSOUND CONCRETE,PREPARE CONCRETE BRIDGE DECK SURFACE,FURNISH POLYESTER CONCRETE OVERLAY,PLACE POLYESTER CONCRETE OVERLAY,BRIDGE REMOVAL (PORTION),REMOVAL (PORTION), LOCATION B,CLEARING AND GRUBBING,DEVELOP WATER SUPPLY,ROADWAY EXCAVATION,SHOULDER BACKING,STRUCTURE EXCAVATION (BRIDGE),STRUCTURE BACKFILL (BRIDGE),DITCH EXCAVATION,COMPOST,INCORPORATE MATERIALS,CLASS 2 AGGREGATE BASE,CRACK TREATMENT,HOT MIX ASPHALT (TYPE A),PLACE HOT MIX ASPHALT DIKE (TYPE C),PLACE HOT MIX ASPHALT DIKE (TYPE F),PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA),TACK COAT,STRUCTURAL CONCRETE, BRIDGE,DRILL AND BOND DOWEL,CLEAN EXPANSION JOINT,JOINT SEAL (MR 1"),BAR REINFORCING STEEL (BRIDGE),BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE),STRUCTURAL STEEL (BRIDGE),FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED),FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED),ROADSIDE SIGN - ONE POST,ABUTMENT LUMBER BLOCKING,STRUCTURAL STEEL (EXISTING BRIDGE),CLEAN AND PAINT STRUCTURAL STEEL,12" CORRUGATED STEEL PIPE (.079" THICK),12" STEEL FLARED END SECTION, ROCK SLOPE PROTECTION (NO. 2, METHOD B),ROCK SLOPE PROTECTION FABRIC (CLASS 8),TEMPORARY FENCE,DELINEATOR (CLASS 1),HIGHWAY POST MARKER,MARKER (CULVERT),OBJECT MARKER (TYPE L-1),MIDWEST GUARDRAIL SYSTEM (STEEL POST),VEGETATION CONTROL (MINOR CONCRETE),CHAIN LINK RAILING (TYPE 7 MODIFIED),TRANSITION RAILING (TYPE WB-31),END CAP (TYPE TC),ALTERNATIVE FLARED TERMINAL SYSTEM (TYPE 31),ALTERNATIVE IN-LINE TERMINAL SYSTEM (TYPE 31),CONCRETE BARRIER (TYPE 736 MODIFIED),THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12),PAVEMENT MARKER (RETROREFLECTIVE),MOBILIZATION

Requirements: Western Structures is a union signatory contractor. Subcontractors must have a current contractors license and insurance coverage that meets Western Structures requirements. Plans and Specifications are available for viewing at Western Structures office located at 6005 Tyler Street, Riverside CA 92503 or by viewing at http://www.dot.ca.gov/hq/esc/oa/weekly_ads/all_adv_projects.php. Western Structures is an equal opportunity employer. Assistance such as bonding, insurance and/or necessary supplies and materials is available. DBE contractors are encouraged to submit quotations.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 951-352-4301

Would you like to receive more information about this service?

No, we are not interested.

Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	West Coast Structures Inc. dba Western Structures	TO:D&R TRAFFIC CONTROL SERVICES
CONTACT NAME	Wolf Delgado	Phone Number :7145884326
ADDRESS	6005 Tyler st Riverside, California, 92503	Fax Number :7145841046 Date :08/28/2014 3:02PM
Phone	951-352-4300	
Fax	951-352-4301	

**This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
West Coast Structures Inc. dba Western Structures**

For additional information about minority participation projects,
visit <http://www.dbegoodfaith.com>

Focus Ad

West Coast Structures Inc. dba Western Structures is Seeking Qualified DBE,UDBE,WBE,MBE,SBE

BID DUE DATE : 09/10/2014 at 2:00 P.M
BID No : 03-3E1204
PROJECT NAME : Bridge Seismic Retrofit, Structural Concrete And Hot Mix Asphalt
AGENCY NAME : CALTRANS
PROJECT CITY/COUNTY : Butte County
PROJECT STATE : California

PROJECT DETAILS :

WESTERN STRUCTURES IS REQUESTING QUOTES FROM ALL QUALIFIED SUBCONTRACTORS AND SUPPLIERS INCLUDING CERTIFIED DBE FIRMS FOR THE FOLLOWING ITEMS OF WORK, INCLUDING BUT NOT LIMITED TO:LEAD COMPLIANCE PLAN,CONSTRUCTION AREA SIGNS,TRAFFIC CONTROL SYSTEM,TEMPORARY TRAFFIC STRIPE (TAPE),TEMPORARY PAVEMENT MARKING (TAPE),TEMPORARY TRAFFIC STRIPE (PAINT),TRAFFIC PLASTIC DRUM,PORTABLE CHANGEABLE MESSAGE SIGN,TEMPORARY RAILING (TYPE K),ALTERNATIVE TEMPORARY CRASH CUSHION,JOB SITE MANAGEMENT,PREPARE WATER POLLUTION CONTROL PROGRAM,TEMPORARY CONCRETE WASHOUT,TREATED WOOD WASTE,PUBLIC SAFETY PLAN,RAPID SETTING CONCRETE (PATCH),REMOVE GUARDRAIL,REMOVE THERMOPLASTIC PAVEMENT MARKING (WATER BLASTING),REMOVE ROADSIDE SIGN,REMOVE CULVERT,REMOVE DOWNDRAIN,REMOVE ASPHALT CONCRETE SURFACING,RESET ROADSIDE SIGN,COLD PLANE ASPHALT CONCRETE PAVEMENT,REMOVE UNSOUND CONCRETE,PREPARE CONCRETE BRIDGE DECK SURFACE,FURNISH POLYESTER CONCRETE OVERLAY,PLACE POLYESTER CONCRETE OVERLAY,BRIDGE REMOVAL (PORTION),REMOVAL (PORTION), LOCATION B,CLEARING AND GRUBBING,DEVELOP WATER SUPPLY,ROADWAY EXCAVATION,SHOULDER BACKING,STRUCTURE EXCAVATION (BRIDGE),STRUCTURE BACKFILL (BRIDGE),DITCH EXCAVATION,COMPOST,INCORPORATE MATERIALS,CLASS 2 AGGREGATE BASE,CRACK TREATMENT,HOT MIX ASPHALT (TYPE A),PLACE HOT MIX ASPHALT DIKE (TYPE C),PLACE HOT MIX ASPHALT DIKE (TYPE F),PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA),TACK COAT,STRUCTURAL CONCRETE, BRIDGE,DRILL AND BOND DOWEL,CLEAN EXPANSION JOINT,JOINT SEAL (MR 1"),BAR REINFORCING STEEL (BRIDGE),BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE),STRUCTURAL STEEL (BRIDGE),FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED),FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED),ROADSIDE SIGN - ONE POST,ABUTMENT LUMBER BLOCKING,STRUCTURAL STEEL (EXISTING BRIDGE),CLEAN AND PAINT STRUCTURAL STEEL,12" CORRUGATED STEEL PIPE (.079" THICK),12" STEEL FLARED END SECTION, ROCK SLOPE PROTECTION (NO. 2, METHOD B),ROCK SLOPE PROTECTION FABRIC (CLASS 8),TEMPORARY FENCE,DELINEATOR (CLASS 1),HIGHWAY POST MARKER,MARKER (CULVERT),OBJECT MARKER (TYPE L-1),MIDWEST GUARDRAIL SYSTEM (STEEL POST),VEGETATION CONTROL (MINOR CONCRETE),CHAIN LINK RAILING (TYPE 7 MODIFIED),TRANSITION RAILING (TYPE WB-31),END CAP (TYPE TC),ALTERNATIVE FLARED TERMINAL SYSTEM (TYPE 31),ALTERNATIVE IN-LINE TERMINAL SYSTEM (TYPE 31),CONCRETE BARRIER (TYPE 736 MODIFIED),THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12),PAVEMENT MARKER (RETROREFLECTIVE),MOBILIZATION

Requirements: Western Structures is a union signatory contractor. Subcontractors must have a current contractors license and insurance coverage that meets Western Structures requirements. Plans and Specifications are available for viewing at Western Structures office located at 6005 Tyler Street, Riverside CA 92503 or by viewing at http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_adv_projects.php. Western Structures is an equal opportunity employer. Assistance such as bonding, insurance and/or necessary supplies and materials is available. DBE contractors are encouraged to submit quotations.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 951-352-4301

If yes, we will send a request by the end of

No, we are not interested.

Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	West Coast Structures Inc. dba Western Structures	TO:AUSTIN ENTERPRISE
CONTACT NAME	Wolf Delgado	Phone Number :6615891001
ADDRESS	6005 Tyler st Riverside, California, 92503	Fax Number :6615899509 Date :08/28/2014 3:02PM
Phone	951-352-4300	
Fax	951-352-4301	

**This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
West Coast Structures Inc. dba Western Structures**
For additional information about minority participation projects,
visit <http://www.dbegoodfaith.com>

Focus Ad

West Coast Structures Inc. dba Western Structures is Seeking Qualified DBE,UDBE,WBE,MBE,SBE
BID DUE DATE : 09/10/2014 at 2:00 P.M
BID No : 03-3E1204
PROJECT NAME : Bridge Seismic Retrofit, Structural Concrete And Hot Mix Asphalt
AGENCY NAME : CALTRANS
PROJECT CITY/COUNTY : Butte County
PROJECT STATE : California

PROJECT DETAILS :

WESTERN STRUCTURES IS REQUESTING QUOTES FROM ALL QUALIFIED SUBCONTRACTORS AND SUPPLIERS INCLUDING CERTIFIED DBE FIRMS FOR THE FOLLOWING ITEMS OF WORK, INCLUDING BUT NOT LIMITED TO:LEAD COMPLIANCE PLAN,CONSTRUCTION AREA SIGNS,TRAFFIC CONTROL SYSTEM,TEMPDRARY TRAFFIC STRIPE (TAPE),TEMPORARY PAVEMENT MARKING (TAPE),TEMPORARY TRAFFIC STRIPE (PAINT),TRAFFIC PLASTIC DRUM,PORTABLE CHANGEABLE MESSAGE SIGN,TEMPORARY RAILING (TYPE K),ALTERNATIVE TEMPORARY CRASH CUSHION,JOB SITE MANAGEMENT,PREPARE WATER POLLUTION CONTROL PROGRAM,TEMPORARY CONCRETE WASHOUT,TREATED WOOD WASTE,PUBLIC SAFETY PLAN,RAPID SETTING CONCRETE (PATCH),REMOVE GUARDRAIL,REMOVE THERMOPLASTIC PAVEMENT MARKING (WATER BLASTING),REMOVE ROADSIDE SIGN,REMOVE CULVERT,REMOVE DOWNDRAIN,REMOVE ASPHALT CONCRETE SURFACING,RESET ROADSIDE SIGN,COLD PLANE ASPHALT CONCRETE PAVEMENT,REMOVE UNSOUND CONCRETE,PREPARE CONCRETE BRIDGE DECK SURFACE,FURNISH POLYESTER CONCRETE OVERLAY,PLACE POLYESTER CONCRETE OVERLAY,BRIDGE REMOVAL (PORTION),REMOVAL (PORTION), LOCATION B,CLEARING AND GRUBBING,DEVELOP WATER SUPPLY,ROADWAY EXCAVATION,SHOULDER BACKING,STRUCTURE EXCAVATION (BRIDGE),STRUCTURE BACKFILL (BRIDGE),DITCH EXCAVATION,COMPOST,INCORPORATE MATERIALS,CLASS 2 AGGREGATE BASE,CRACK TREATMENT,HOT MIX ASPHALT (TYPE A),PLACE HOT MIX ASPHALT DIKE (TYPE C),PLACE HOT MIX ASPHALT DIKE (TYPE F),PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA),TACK COAT,STRUCTURAL CONCRETE, BRIDGE,DRILL AND BOND DOWEL,CLEAN EXPANSION JOINT,JOINT SEAL (MR 1"),BAR REINFORCING STEEL (BRIDGE),BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE),STRUCTURAL STEEL (BRIDGE),FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED),FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED),ROADSIDE SIGN - ONE POST,ABUTMENT LUMBER BLOCKING,STRUCTURAL STEEL (EXISTING BRIDGE),CLEAN AND PAINT STRUCTURAL STEEL,12" CORRUGATED STEEL PIPE (.079" THICK),12" STEEL FLARED END SECTION, ROCK SLOPE PROTECTION (NO. 2, METHOD B),ROCK SLOPE PROTECTION FABRIC (CLASS 8),TEMPORARY FENCE,DELINEATOR (CLASS 1),HIGHWAY POST MARKER,MARKER (CULVERT),OBJECT MARKER (TYPE L-1),MIDWEST GUARDRAIL SYSTEM (STEEL POST),VEGETATION CONTROL (MINOR CONCRETE),CHAIN LINK RAILING (TYPE 7 MODIFIED),TRANSITION RAILING (TYPE WB-31),END CAP (TYPE TC),ALTERNATIVE FLARED TERMINAL SYSTEM (TYPE 31),ALTERNATIVE IN-LINE TERMINAL SYSTEM (TYPE 31),CONCRETE BARRIER (TYPE 736 MODIFIED),THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12),PAVEMENT MARKER (RETROREFLECTIVE),MOBILIZATION

Requirements: Western Structures is a union signatory contractor. Subcontractors must have a current contractors license and insurance coverage that meets Western Structures requirements. Plans and Specifications are available for viewing at Western Structures office located at 6005 Tyler Street, Riverside CA 92503 or by viewing at http://www/dot.ca.gov/hq/esc/oe/weekly_ads/fall_adv_projects.php. Western Structures is an equal opportunity employer. Assistance such as bonding, insurance and/or necessary supplies and materials is available. DBE contractors are encouraged to submit quotations.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 951-352-4301

[] Yes, we will send a request by this date.

[] No, we are not interested.

[] Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	West Coast Structures Inc. dba Western Structures	TO:ALERT-O-LITE, INC
CONTACT NAME	Wolf Delgado	Phone Number :5594532474
ADDRESS	6005 Tyler st Riverside, California, 92503	Fax Number :5592654549 Date :08/28/2014 3:04PM
Phone	951-352-4300	
Fax	951-352-4301	

**This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
West Coast Structures Inc. dba Western Structures**
For additional information about minority participation projects,
visit <http://www.dbegoodfaith.com>

Focus Ad

West Coast Structures Inc. dba Western Structures is Seeking Qualified DBE,UDBE,WBE,MBE,SBE
BID DUE DATE : 09/10/2014 at 2:00 P.M
BID No : 03-3E1204
PROJECT NAME : Bridge Seisrnic Retrofit, Structural Concrete And Hot Mix Asphalt
AGENCY NAME : CALTRANS
PROJECT CITY/COUNTY : Butte County
PROJECT STATE : California

PROJECT DETAILS :

WESTERN STRUCTURES IS REQUESTING QUOTES FROM ALL QUALIFIED SUBCDNTRACTORS AND SUPPLIERS INCLUDING CERTIFIED DBE FIRMS FDR THE FOLLOWING ITEMS DF WORK, INCLUDING BUT NOT LIMITED TO:LEAD COMPLIANCE PLAN,CONSTRUCTION AREA SIGNS,TRAFFIC CONTROL SYSTEM,TEMPORARY TRAFFIC STRIPE (TAPE),TEMPDRARY PAVEMENT MARKING (TAPE),TEMPORARY TRAFFIC STRIPE (PAINT),TRAFFIC PLASTIC DRUM,PORTABLE CHANGEABLE MESSAGE SIGN,TEMPORARY RAILING (TYPE K),ALTERNATIVE TEMPORARY CRASH CUSHION,JOB SITE MANAGEMENT,PREPARE WATER POLLUTION CONTROL PROGRAM,TEMPORARY CONCRETE WASHOUT,TREATED WOOD WASTE,PUBLIC SAFETY PLAN,RAPID SETTING CONCRETE (PATCH),REMOVE GUARDRAIL,REMOVE THERMOPLASTIC PAVEMENT MARKING (WATER BLASTING),REMOVE ROADSIDE SIGN,REMOVE CULVERT,REMOVE DOWNDRAIN,REMOVE ASPHALT CONCRETE SURFACING,RESET ROADSIDE SIGN,COLD PLANE ASPHALT CONCRETE PAVEMENT,REMOVE UNSOUND CONCRETE,PREPARE CONCRETE BRIDGE DECK SURFACE,FURNISH POLYESTER CONCRETE OVERLAY,PLACE POLYESTER CONCRETE OVERLAY,BRIDGE REMOVAL (PORTION),REMOVAL (PORTION), LOCATION B,CLEARING AND GRUBBING,DEVELOP WATER SUPPLY,ROADWAY EXCAVATION,SHOULDER BACKING,STRUCTURE EXCAVATION (BRIDGE),STRUCTURE BACKFILL (BRIDGE),DITCH EXCAVATION,COMPOST,INCORPORATE MATERIALS,CLASS 2 AGGREGATE BASE,CRACK TREATMENT,HOT MIX ASPHALT (TYPE A),PLACE HOT MIX ASPHALT DIKE (TYPE C),PLACE HOT MIX ASPHALT DIKE (TYPE F),PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA),TACK COAT,STRUCTURAL CONCRETE, BRIDGE,DRILL AND BOND DOWEL,CLEAN EXPANSION JOINT,JOINT SEAL (MR 1"),BAR REINFORCING STEEL (BRIDGE),BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE),STRUCTURAL STEEL (BRIDGE),FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED),FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED),ROADSIDE SIGN - ONE POST,ABUTMENT LUMBER BLOCKING,STRUCTURAL STEEL (EXISTING BRIDGE),CLEAN AND PAINT STRUCTURAL STEEL,12" CORRUGATED STEEL PIPE (.079" THICK),12" STEEL FLARED END SECTION, ROCK SLOPE PROTECTION (NO. 2, METHOD B),ROCK SLOPE PROTECTION FABRIC (CLASS 8),TEMPORARY FENCE,DELINEATOR (CLASS 1),HIGHWAY POST MARKER,MARKER (CULVERT),OBJECT MARKER (TYPE L-1),MIDWEST GUARDRAIL SYSTEM (STEEL POST),VEGETATION CONTROL (MINOR CONCRETE),CHAIN LINK RAILING (TYPE 7 MODIFIED),TRANSITION RAILING (TYPE WB-31),END CAP (TYPE TC),ALTERNATIVE FLARED TERMINAL SYSTEM (TYPE 31),ALTERNATIVE IN-LINE TERMINAL SYSTEM (TYPE 31),CONCRETE BARRIER (TYPE 736 MODIFIED),THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12),PAVEMENT MARKER (RETROREFLECTIVE),MOBILIZATION

Requirements: Western Structures is a union signatory contractor. Subcontractors must have a current contractors license and insurance coverage that meets Western Structures requirements. Plans and Specifications are available for viewing at Western Structures office located at 6005 Tyler Street, Riverside CA 92503 or by viewing at http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_adv_projects.php. Western Structures is an equal opportunity employer. Assistance such as bonding, insurance and/or necessary supplies and materials is available. DBE contractors are encouraged to submit quotations.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 951-352-4301

1. If you are not interested, please check the box below.

No, we are not interested.

Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	West Coast Structures Inc. dba Western Structures	TO:ADVANTEC CONSULTING ENGINEERS INC
CONTACT NAME	Wolf Delgado	Phone Number :9098606222
ADDRESS	6005 Tyler st Riverside, California, 92503	Fax Number :9098606722 Date :08/28/2014 3:07PM
Phone	951-352-4300	
Fax	951-352-4301	

**This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
West Coast Structures Inc. dba Western Structures**

For additional information about minority participation projects,
visit <http://www.dbegoodfaith.com>

Focus Ad

West Coast Structures Inc. dba Western Structures is Seeking Qualified DBE,UDBE,WBE,MBE,SBE

BID DUE DATE : 09/10/2014 at 2:00 P.M
BID No : 03-3E1204
PROJECT NAME : Bridge Seismic Retrofit, Structural Concrete And Hot Mix Asphalt
AGENCY NAME : CALTRANS
PROJECT CITY/COUNTY : Butte County
PROJECT STATE : California

PROJECT DETAILS :

WESTERN STRUCTURES IS REQUESTING QUOTES FROM ALL QUALIFIED SUBCONTRACTORS AND SUPPLIERS INCLUDING CERTIFIED DBE FIRMS FOR THE FOLLOWING ITEMS OF WORK, INCLUDING BUT NOT LIMITED TO:LEAD COMPLIANCE PLAN,CONSTRUCTION AREA SIGNS,TRAFFIC CONTROL SYSTEM,TEMPORARY TRAFFIC STRIPE (TAPE),TEMPORARY PAVEMENT MARKING (TAPE),TEMPORARY TRAFFIC STRIPE (PAINT),TRAFFIC PLASTIC DRUM,PORTABLE CHANGEABLE MESSAGE SIGN,TEMPORARY RAILING (TYPE K),ALTERNATIVE TEMPORARY CRASH CUSHION,JOB SITE MANAGEMENT,PREPARE WATER POLLUTION CONTROL PROGRAM,TEMPORARY CONCRETE WASHOUT,TREATED WOOD WASTE,PUBLIC SAFETY PLAN,RAPID SETTING CONCRETE (PATCH),REMOVE GUARDRAIL,REMOVE THERMOPLASTIC PAVEMENT MARKING (WATER BLASTING),REMOVE ROADSIDE SIGN,REMOVE CULVERT,REMOVE DOWNDRAIN,REMOVE ASPHALT CONCRETE SURFACING,RESET ROADSIDE SIGN,COLD PLANE ASPHALT CONCRETE PAVEMENT,REMOVE UNSOUND CONCRETE,PREPARE CONCRETE BRIDGE DECK SURFACE,FURNISH POLYESTER CONCRETE OVERLAY,PLACE POLYESTER CONCRETE OVERLAY,BRIDGE REMOVAL (PORTION),REMOVAL (PORTION), LOCATION B,CLEARING AND GRUBBING,DEVELOP WATER SUPPLY,ROADWAY EXCAVATION,SHOULDER BACKING,STRUCTURE EXCAVATION (BRIDGE),STRUCTURE BACKFILL (BRIDGE),DITCH EXCAVATION,COMPOST,INCORPORATE MATERIALS,CLASS 2 AGGREGATE BASE,CRACK TREATMENT,HOT MIX ASPHALT (TYPE A),PLACE HOT MIX ASPHALT DIKE (TYPE C),PLACE HOT MIX ASPHALT DIKE (TYPE F),PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA),TACK COAT,STRUCTURAL CONCRETE, BRIDGE,DRILL AND BOND DOWEL,CLEAN EXPANSION JOINT,JOINT SEAL (MR 1"),BAR REINFORCING STEEL (BRIDGE),BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE),STRUCTURAL STEEL (BRIDGE),FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED),FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED),ROADSIDE SIGN - ONE POST,ABUTMENT LUMBER BLOCKING,STRUCTURAL STEEL (EXISTING BRIDGE),CLEAN AND PAINT STRUCTURAL STEEL,12" CORRUGATED STEEL PIPE (.079" THICK),12" STEEL FLARED END SECTION, ROCK SLOPE PROTECTION (NO. 2, METHOD B),ROCK SLOPE PROTECTION FABRIC (CLASS 8),TEMPORARY FENCE,DELINEATOR (CLASS 1),HIGHWAY POST MARKER,MARKER (CULVERT),OBJECT MARKER (TYPE L-1),MIDWEST GUARDRAIL SYSTEM (STEEL POST),VEGETATION CONTROL (MINOR CONCRETE),CHAIN LINK RAILING (TYPE 7 MODIFIED),TRANSITION RAILING (TYPE WB-31),END CAP (TYPE TC),ALTERNATIVE FLARED TERMINAL SYSTEM (TYPE 31),ALTERNATIVE IN-LINE TERMINAL SYSTEM (TYPE 31),CONCRETE BARRIER (TYPE 736 MODIFIED),THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12),PAVEMENT MARKER (RETROREFLECTIVE),MOBILIZATION

Requirements: Western Structures is a union signatory contractor. Subcontractors must have a current contractors license and insurance coverage that meets Western Structures requirements. Plans and Specifications are available for viewing at Western Structures office located at 6005 Tyler Street, Riverside CA 92503 or by viewing at http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_adv_projects.php. Western Structures is an equal opportunity employer. Assistance such as bonding, insurance and/or necessary supplies and materials is available. DBE contractors are encouraged to submit quotations.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 951-352-4301

Yes, we will contact you again by the date:

No, we are not interested.

Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	West Coast Structures Inc. dba Western Structures	TO:A.B. HASHMI, INC.
CONTACT NAME	Wolf Delgado	Phone Number :7606728059
ADDRESS	6005 Tyler st Riverside, California, 92503	Fax Number :8584337215 Date :08/28/2014 3:08PM
Phone	951-352-4300	
Fax	951-352-4301	

**This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
West Coast Structures Inc. dba Western Structures**
For additional information about minority participation projects,
visit <http://www.dbegoodfaith.com>

Focus Ad

West Coast Structures Inc. dba Western Structures is Seeking Qualified DBE,UDBE,WBE,MBE,SBE

BID DUE DATE : 09/10/2014 at 2:00 P.M
BID No : 03-3E1204
PROJECT NAME : Bridge Seismic Retrofit, Structural Concrete And Hot Mix Asphalt
AGENCY NAME : CALTRANS
PROJECT CITY/COUNTY : Butte County
PROJECT STATE : California

PROJECT DETAILS :

WESTERN STRUCTURES IS REQUESTING QUOTES FROM ALL QUALIFIED SUBCONTRACTORS AND SUPPLIERS INCLUDING CERTIFIED DBE FIRMS FOR THE FOLLOWING ITEMS OF WORK, INCLUDING BUT NOT LIMITED TO: LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TEMPORARY TRAFFIC STRIPE (TAPE), TEMPORARY PAVEMENT MARKING (TAPE), TEMPORARY TRAFFIC STRIPE (PAINT), TRAFFIC PLASTIC DRUM, PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, PUBLIC SAFETY PLAN, RAPID SETTING CONCRETE (PATCH), REMOVE GUARDRAIL, REMOVE THERMOPLASTIC PAVEMENT MARKING (WATER BLASTING), REMOVE ROADSIDE SIGN, REMOVE CULVERT, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE SURFACING, RESET ROADSIDE SIGN, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE UNSOUND CONCRETE, PREPARE CONCRETE BRIDGE DECK SURFACE, FURNISH POLYESTER CONCRETE OVERLAY, PLACE POLYESTER CONCRETE OVERLAY, BRIDGE REMOVAL (PORTION), REMOVAL (PORTION), LOCATION B, CLEARING AND GRUBBING, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), DITCH EXCAVATION, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, CRACK TREATMENT, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, STRUCTURAL CONCRETE, BRIDGE, DRILL AND BOND DOWEL, CLEAN EXPANSION JOINT, JOINT SEAL (MR 1"), BAR REINFORCING STEEL (BRIDGE), BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE), STRUCTURAL STEEL (BRIDGE), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), ROADSIDE SIGN - ONE POST, ABUTMENT LUMBER BLOCKING, STRUCTURAL STEEL (EXISTING BRIDGE), CLEAN AND PAINT STRUCTURAL STEEL, 12" CORRUGATED STEEL PIPE (.079" THICK), 12" STEEL FLARED END SECTION, ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION FABRIC (CLASS 8), TEMPORARY FENCE, DELINEATOR (CLASS 1), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), MIDWEST GUARDRAIL SYSTEM (STEEL POST), VEGETATION CONTROL (MINOR CONCRETE), CHAIN LINK RAILING (TYPE 7 MODIFIED), TRANSITION RAILING (TYPE WB-31), END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM (TYPE 31), ALTERNATIVE IN-LINE TERMINAL SYSTEM (TYPE 31), CONCRETE BARRIER (TYPE 736 MODIFIED), THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MOBILIZATION

Requirements: Western Structures is a union signatory contractor. Subcontractors must have a current contractors license and insurance coverage that meets Western Structures requirements. Plans and Specifications are available for viewing at Western Structures office located at 6005 Tyler Street, Riverside CA 92503 or by viewing at http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_adv_projects.php. Western Structures is an equal opportunity employer. Assistance such as bonding, insurance and/or necessary supplies and materials is available. DBE contractors are encouraged to submit quotations.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 951-352-4301

Yes, we will contact you again by email.

No, we are not interested.

Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	West Coast Structures inc. dba Western Structures	TO:A CONE ZONE, INC
CONTACT NAME	Wolf Deigado	Phone Number :9517349535
ADDRESS	6005 Tyier st Riverside, California, 92503	Fax Number :9517342887 Date :08/28/2014 3:10PM
Phone	951-352-4300	
Fax	951-352-4301	

**This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
West Coast Structures Inc. dba Western Structures**

For additional information about minority participation projects,
visit <http://www.dbegoodfaith.com>

Focus Ad

West Coast Structures inc. dba Western Structures is Seeking Quaified DBE,UDBE,WBE,MBE,SBE

BID DUE DATE : 09/10/2014 at 2:00 P.M
BID No : 03-3E1204
PROJECT NAME : Bridge Seismic Retrofit, Structural Concrete And Hot Mix Asphalt
AGENCY NAME : CALTRANS
PROJECT CITY/COUNTY : Butte County
PROJECT STATE : California

PROJECT DETAILS :

WESTERN STRUCTURES IS REQUESTING QUOTES FROM ALL QUALIFIED SUBCONTRACTORS AND SUPPLIERS INCLUDING CERTIFIED DBE FIRMS FOR THE FOLLOWING ITEMS OF WORK, INCLUDING BUT NOT LIMITED TO:LEAD COMPLIANCE PLAN,CONSTRUCTION AREA SIGNS,TRAFFIC CONTROL SYSTEM,TEMPORARY TRAFFIC STRIPE (TAPE),TEMPORARY PAVEMENT MARKING (TAPE),TEMPORARY TRAFFIC STRIPE (PAINT),TRAFFIC PLASTIC DRUM,PORTABLE CHANGEABLE MESSAGE SIGN,TEMPORARY RAILING (TYPE K),ALTERNATIVE TEMPORARY CRASH CUSHION,JOB SITE MANAGEMENT,PREPARE WATER POLLUTION CONTROL PROGRAM,TEMPORARY CONCRETE WASHOUT,TREATED WOOD WASTE,PUBLIC SAFETY PLAN,RAPID SETTING CONCRETE (PATCH),REMOVE GUARDRAIL,REMOVE THERMOPLASTIC PAVEMENT MARKING (WATER BLASTING),REMOVE ROADSIDE SIGN,REMOVE CULVERT,REMOVE DOWNDRAIN,REMOVE ASPHALT CONCRETE SURFACING,RESET ROADSIDE SIGN,COLD PLANE ASPHALT CONCRETE PAVEMENT,REMOVE UNSOUND CONCRETE,PREPARE CONCRETE BRIDGE DECK SURFACE,FURNISH POLYESTER CONCRETE OVERLAY,PLACE POLYESTER CONCRETE OVERLAY,BRIDGE REMOVAL (PORTION),REMOVAL (PORTION), LOCATION B,CLEARING AND GRUBBING,DEVELOP WATER SUPPLY,ROADWAY EXCAVATION,SHOULDER BACKING,STRUCTURE EXCAVATION (BRIDGE),STRUCTURE BACKFILL (BRIDGE),DITCH EXCAVATION,COMPOST,INCORPORATE MATERIALS,CLASS 2 AGGREGATE BASE,CRACK TREATMENT,HOT MIX ASPHALT (TYPE A),PLACE HOT MIX ASPHALT DIKE (TYPE C),PLACE HOT MIX ASPHALT DIKE (TYPE F),PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA),TACK COAT,STRUCTURAL CONCRETE, BRIDGE,DRILL AND BOND DOWEL,CLEAN EXPANSION JOINT,JOINT SEAL (MR 1"),BAR REINFORCING STEEL (BRIDGE),BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE),STRUCTURAL STEEL (BRIDGE),FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED),FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED),ROADSIDE SIGN - ONE POST,ABUTMENT LUMBER BLOCKING,STRUCTURAL STEEL (EXISTING BRIDGE),CLEAN AND PAINT STRUCTURAL STEEL,12" CORRUGATED STEEL PIPE (.079" THICK),12" STEEL FLARED END SECTION, ROCK SLOPE PROTECTION (NO. 2, METHOD B),ROCK SLOPE PROTECTION FABRIC (CLASS 8),TEMPORARY FENCE,DELINEATOR (CLASS 1),HIGHWAY POST MARKER,MARKER (CULVERT),OBJECT MARKER (TYPE L-1),MIDWEST GUARDRAIL SYSTEM (STEEL POST),VEGETATION CONTROL (MINOR CONCRETE),CHAIN LINK RAILING (TYPE 7 MODIFIED),TRANSITION RAILING (TYPE WB-31),END CAP (TYPE TC),ALTERNATIVE FLARED TERMINAL SYSTEM (TYPE 31),ALTERNATIVE IN-LINE TERMINAL SYSTEM (TYPE 31),CONCRETE BARRIER (TYPE 736 MODIFIED),THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12),PAVEMENT MARKER (RETROREFLECTIVE),MOBILIZATION

Requirements: Western Structures is a union signatory contractor. Subcontractors must have a current contractors license and insurance coverage that meets Western Structures requirements. Plans and Specifications are available for viewing at Western Structures office located at 6005 Tyier Street, Riverside CA 92503 or by viewing at http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_adv_projects.php. Western Structures is an equal opportunity employer. Assistance such as bonding, insurance and/or necessary supplies and materials is available. DBE contractors are encouraged to submit quotations.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 951-352-4301

If you are not interested, please contact us at _____.

No, we are not interested.

Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	West Coast Structures Inc. dba Western Structures	TO:CALCON STEEL CONSTRUCTION, INC.
CONTACT NAME	Wolf Delgado	Phone Number :3107688094
ADDRESS	6005 Tyler st Riverside, California, 92503	Fax Number :3107688096 Date :08/28/2014 3:14PM
Phone	951-352-4300	
Fax	951-352-4301	

**This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
West Coast Structures Inc. dba Western Structures**
For additional information about minority participation projects,
visit <http://www.dbegoodfaith.com>

Focus Ad

West Coast Structures Inc. dba Western Structures is Seeking Qualified DBE,UDBE,WBE,MBE,SBE

BID DUE DATE : 09/10/2014 at 2:00 P.M
BID No : 03-3E1204
PROJECT NAME : Bridge Seismic Retrofit, Structural Concrete And Hot Mix Asphalt
AGENCY NAME : CALTRANS
PROJECT CITY/COUNTY : Butte County
PROJECT STATE : California

PROJECT DETAILS :

WESTERN STRUCTURES IS REQUESTING QUOTES FROM ALL QUALIFIED SUBCONTRACTORS AND SUPPLIERS INCLUDING CERTIFIED DBE FIRMS FOR THE FOLLOWING ITEMS OF WORK, INCLUDING BUT NOT LIMITED TO:LEAD COMPLIANCE PLAN,CONSTRUCTION AREA SIGNS,TRAFFIC CONTROL SYSTEM,TEMPORARY TRAFFIC STRIPE (TAPE),TEMPORARY PAVEMENT MARKING (TAPE),TEMPORARY TRAFFIC STRIPE (PAINT),TRAFFIC PLASTIC DRUM,PORTABLE CHANGEABLE MESSAGE SIGN,TEMPORARY RAILING (TYPE K),ALTERNATIVE TEMPORARY CRASH CUSHION,JOB SITE MANAGEMENT,PREPARE WATER POLLUTION CONTROL PROGRAM,TEMPORARY CONCRETE WASHOUT,TREATED WOOD WASTE,PUBLIC SAFETY PLAN,RAPID SETTING CONCRETE (PATCH),REMOVE GUARDRAIL,REMOVE THERMOPLASTIC PAVEMENT MARKING (WATER BLASTING),REMOVE ROADSIDE SIGN,REMOVE CULVERT,REMOVE DOWNDRAIN,REMOVE ASPHALT CONCRETE SURFACING,RESET ROADSIDE SIGN,COLD PLANE ASPHALT CONCRETE PAVEMENT,REMOVE UNSOUND CONCRETE,PREPARE CONCRETE BRIDGE DECK SURFACE,FURNISH POLYESTER CONCRETE OVERLAY,PLACE POLYESTER CONCRETE OVERLAY,BRIDGE REMOVAL (PORTION),REMOVAL (PORTION), LOCATION B,CLEARING AND GRUBBING,DEVELOP WATER SUPPLY,ROADWAY EXCAVATION,SHOULDER BACKING,STRUCTURE EXCAVATION (BRIDGE),STRUCTURE BACKFILL (BRIDGE),DITCH EXCAVATION,COMPOST,INCORPORATE MATERIALS,CLASS 2 AGGREGATE BASE,CRACK TREATMENT,HOT MIX ASPHALT (TYPE A),PLACE HOT MIX ASPHALT DIKE (TYPE C),PLACE HOT MIX ASPHALT DIKE (TYPE F),PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA),TACK COAT,STRUCTURAL CONCRETE, BRIDGE,DRILL AND BOND DOWEL,CLEAN EXPANSION JOINT,JOINT SEAL (MR 1"),BAR REINFORCING STEEL (BRIDGE),BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE),STRUCTURAL STEEL (BRIDGE),FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED),FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED),ROADSIDE SIGN - ONE POST,ABUTMENT LUMBER BLOCKING,STRUCTURAL STEEL (EXISTING BRIDGE),CLEAN AND PAINT STRUCTURAL STEEL,12" CORRUGATED STEEL PIPE (.079" THICK),12" STEEL FLARED END SECTION, ROCK SLOPE PROTECTION (NO. 2, METHOD B),ROCK SLOPE PROTECTION FABRIC (CLASS 8),TEMPORARY FENCE,DELINEATOR (CLASS 1),HIGHWAY POST MARKER,MARKER (CULVERT),OBJECT MARKER (TYPE L-1),MIDWEST GUARDRAIL SYSTEM (STEEL POST),VEGETATION CONTROL (MINOR CONCRETE),CHAIN LINK RAILING (TYPE 7 MODIFIED),TRANSITION RAILING (TYPE WB-31),END CAP (TYPE TC),ALTERNATIVE FLARED TERMINAL SYSTEM (TYPE 31),ALTERNATIVE IN-LINE TERMINAL SYSTEM (TYPE 31),CONCRETE BARRIER (TYPE 736 MODIFIED),THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12),PAVEMENT MARKER (RETROREFLECTIVE),MOBILIZATION

Requirements: Western Structures is a union signatory contractor. Subcontractors must have a current contractors license and insurance coverage that meets Western Structures requirements. Plans and Specifications are available for viewing at Western Structures office located at 6005 Tyler Street, Riverside CA 92503 or by viewing at http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_adv_projects.php. Western Structures is an equal opportunity employer. Assistance such as bonding, insurance and/or necessary supplies and materials is available. DBE contractors are encouraged to submit quotations.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 951-352-4301

Yes, we will come in for quotes by the state.

No, we are not interested.

Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	West Coast Structures Inc. dba Western Structures	TO:AVIS CONSTRUCTION
CONTACT NAME	Wolf Delgado	Phone Number :3107197038
ADDRESS	6005 Tyler st Riverside, California, 92503	Fax Number :3106791040 Date :08/28/2014 3:19PM
Phone	951-352-4300	
Fax	951-352-4301	

**This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
West Coast Structures Inc. dba Western Structures**

For additional information about minority participation projects,
visit <http://www.dbegoodfaith.com>

Focus Ad

West Coast Structures Inc. dba Western Structures is Seeking Qualified DBE,UDBE,WBE,MBE,SBE

BID DUE DATE : 09/10/2014 at 2:00 P.M
BID No : 03-3E1204
PROJECT NAME : Bridge Seismic Retrofit, Structural Concrete And Hot Mix Asphalt
AGENCY NAME : CALTRANS
PROJECT CITY/COUNTY : Butte County
PROJECT STATE : California

PROJECT DETAILS :

WESTERN STRUCTURES IS REQUESTING QUOTES FROM ALL QUALIFIED SUBCONTRACTORS AND SUPPLIERS INCLUDING CERTIFIED DBE FIRMS FOR THE FOLLOWING ITEMS OF WORK, INCLUDING BUT NOT LIMITED TO:LEAD COMPLIANCE PLAN,CONSTRUCTION AREA SIGNS,TRAFFIC CONTROL SYSTEM,TEMPORARY TRAFFIC STRIPE (TAPE),TEMPORARY PAVEMENT MARKING (TAPE),TEMPORARY TRAFFIC STRIPE (PAINT),TRAFFIC PLASTIC DRUM,PORTABLE CHANGEABLE MESSAGE SIGN,TEMPORARY RAILING (TYPE K),ALTERNATIVE TEMPORARY CRASH CUSHION,JOB SITE MANAGEMENT,PREPARE WATER POLLUTION CONTROL PROGRAM,TEMPORARY CONCRETE WASHOUT,TREATED WOOD WASTE,PUBLIC SAFETY PLAN,RAPID SETTING CONCRETE (PATCH),REMOVE GUARDRAIL,REMOVE THERMOPLASTIC PAVEMENT MARKING (WATER BLASTING),REMOVE ROADSIDE SIGN,REMOVE CULVERT,REMOVE DOWNDRAIN,REMOVE ASPHALT CONCRETE SURFACING,RESET ROADSIDE SIGN,COLD PLANE ASPHALT CONCRETE PAVEMENT,REMOVE UNSOUND CONCRETE,PREPARE CONCRETE BRIDGE DECK SURFACE,FURNISH POLYESTER CONCRETE OVERLAY,PLACE POLYESTER CONCRETE OVERLAY,BRIDGE REMOVAL (PORTION),REMOVAL (PORTION), LOCATION B,CLEARING AND GRUBBING,DEVELOP WATER SUPPLY,ROADWAY EXCAVATION,SHOULDER BACKING,STRUCTURE EXCAVATION (BRIDGE),STRUCTURE BACKFILL (BRIDGE),DITCH EXCAVATION,COMPOST,INCORPORATE MATERIALS,CLASS 2 AGGREGATE BASE,CRACK TREATMENT,HOT MIX ASPHALT (TYPE A),PLACE HOT MIX ASPHALT DIKE (TYPE C),PLACE HOT MIX ASPHALT DIKE (TYPE F),PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA),TACK COAT,STRUCTURAL CONCRETE, BRIDGE,DRILL AND BOND DOWEL,CLEAN EXPANSION JOINT,JOINT SEAL (MR 1"),BAR REINFORCING STEEL (BRIDGE),BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE),STRUCTURAL STEEL (BRIDGE),FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED),FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED),ROADSIDE SIGN - ONE PDST,ABUTMENT LUMBER BLOCKING,STRUCTURAL STEEL (EXISTING BRIDGE),CLEAN AND PAINT STRUCTURAL STEEL,12" CORRUGATED STEEL PIPE (.079" THICK),12" STEEL FLARED END SECTION, ROCK SLOPE PROTECTION (NO. 2, METHOD B),ROCK SLOPE PROTECTION FABRIC (CLASS 8),TEMPORARY FENCE,DELINEATOR (CLASS 1),HIGHWAY POST MARKER,MARKER (CULVERT),OBJECT MARKER (TYPE L-1),MIDWEST GUARDRAIL SYSTEM (STEEL POST),VEGETATION CONTROL (MINOR CONCRETE),CHAIN LINK RAILING (TYPE 7 MODIFIED),TRANSITION RAILING (TYPE WB-31),END CAP (TYPE TC),ALTERNATIVE FLARED TERMINAL SYSTEM (TYPE 31),ALTERNATIVE IN-LINE TERMINAL SYSTEM (TYPE 31),CONCRETE BARRIER (TYPE 736 MODIFIED),THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12),PAVEMENT MARKER (RETROREFLECTIVE),MOBILIZATION

Requirements: Western Structures is a union signatory contractor. Subcontractors must have a current contractors license and insurance coverage that meets Western Structures requirements. Plans and Specifications are available for viewing at Western Structures office located at 6005 Tyler Street, Riverside CA 92503 or by viewing at http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_adv_projects.php. Western Structures is an equal opportunity employer. Assistance such as bonding, insurance and/or necessary supplies and materials is available. DBE contractors are encouraged to submit quotations.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 951-352-4301

No, we are not interested.

Interested. Would like more information. Please contact us at _____.

Exhibit B

KRC SAFETY CO., INC.

BARRICADE RENTAL ~ TRAFFIC CONTROL

P.O. Box 6356 Visalia, California 93290-6356

Phone (559) 732-0393 • Fax (559) 732-2684

Estimating Fax (559) 802-1749

WWW.KRCSAFETY.COM

To: Estimator

UN:382 / D:415

Job # 03-3E1204

03-But-70

KRC BID #M14-908

Bid Date: 9-10-2014

UNION, LICENSE #507950 (A,C31), MBE(CERT. # 91S0014), DBE(CERT. #000447), SBE(CERT. #0006897)

ITEM	DESCRIPTION	UNIT	QTY	\$/UNIT	TOTAL
2	Construction Area Signs - Price above includes signs from CS-1, THQ-1 and (2) construction project funding signs only; furnished, installed and removed. - All Signs will be installed at once. Traffic handling signs will be covered at installation if needed. Contractor will be responsible for uncovering and recovering signs as needed. - Signs specifically not included above are to be considered excluded from item 2. - KRC SAFETY will notify U.S.A for its work only at no extra charge to the prime contractor	Ls	Ls	Ls	\$7,500.00
	Traffic Control System - See 2nd page for manned traffic control rates				
	Portable Changeable Message Sign (PCMS) - per each, rental only - \$150.00/day : \$400.00/week : \$1,000.00/month (month rate based on 30 calendar days) - \$400.00 delivery fee will apply : \$400.00 pick up fee will apply				
	Alternative Temporary Crash Cushion - Rental Only - Contractor to set/maintain/remove - \$85.00/day : \$400.00/week : \$900.00/month (month rate based on 30 calendar days) - \$400.00 delivery fee will apply : \$400.00 pick up fee will apply				
19	Remove Roadside Sign - Treated wood waste plan not included	ea	5	\$100.00	\$500.00
23	Reset Roadside Sign	ea	2	\$200.00	\$400.00
54	Furnish Sign - 0.063" unframed	sqft	20	\$20.00	\$400.00
55	Furnish Sign - 0.080" unframed	sqft	20	\$20.00	\$400.00
56	Roadside Sign - One Post	ea	5	\$500.00	\$2,500.00
65	Delineator (Class 1)	ea	5	\$55.00	\$275.00
66	Highway Post Mile Marker	ea	4	\$75.00	\$300.00
67	Marker (Culvert)	ea	2	\$65.00	\$130.00
68	Object Marker (Type L-1)	ea	1	\$65.00	\$65.00

\$12,470.00

Note: (1) addendum(s) acknowledged.

Note: If items are not tied together within these notes items may be split.

Note: Item 19, 23, 54, 55, 56, 65, 66, 67 and 68 must bid together and if used must bid with item 2.

Note: Permanent sign, delineator and marker removal, resetting and installation include (1) move in.

Additional move-ins will be charged at \$1,200.00 per occurrence.

Note: **Prior to accepting this quote all stipulations listed on quote and on the Attachment A must be understood and accepted.**



KRC SAFETY CO., INC.

BARRICADE RENTAL ~ TRAFFIC CONTROL

P.O. Box 6356 Visalia, California 93290-6356

Phone (559) 732-0393 • Fax (559) 732-2684

Estimating Fax (559) 802-1749

WWW.KRCSAFETY.COM

Traffic Control System - Day or Night - Job # 03-3E1204

- 1 pilot car and driver \$720.00 per 8 hour shift
- 2 flaggers \$1,435.00 per 8 hour shift
- 2 flaggers with light towers \$1,535.00 per 8 hour shift
- 2 additional advanced flaggers \$1,395.00 per 8 hour shift
- 2 additional advanced flaggers with light towers \$1,495.00 per 8 hour shift

Traffic Control Notes:

- If less than 4 consecutive shifts are performed please add 8% to quoted traffic control rates
- Cancellations made less than 8 hours notice of requested show up time will be charged at 40% of quoted rates, all cancellations **MUST** be received in written form, via fax or e-mail.
- Impact attenuator vehicle (IAV) not included in quoted prices.
- Portable transverse rumble strips not included in quoted price, please inquire.
- TC crews **subject to availability**
- Time starts when first piece of equip. is placed and ends when last piece of equip. is picked up.
- Please allow up to 30 minutes on each side of shift for placing and removing equipment.
- If light towers will be needed notice must be given to KRC prior to mobilizing from Visalia to job site. Additional delivery/pick up fee may apply if not given this notice.
- All overtime will be charged at \$95.00 per hour per man
- All Saturday traffic control rates multiply by 1.3
- All Sunday traffic control rates multiply by 1.7
- ***KRC does not charge additional fees for additional closures within the shift. We will set up and take down as needed within the work shift for the price you see quoted with the equipment mentioned above.***



KRC SAFETY CO., INC.

ATTACHMENT A

Job # 03-3E1204 Bid Date: 9-10-2014

- 1 KRC SAFETY CO., INC. is signatory to the Laborers of Northern California, Construction Laborers of Southern California and the Operating Engineers.
- 2 Unless otherwise noted on quote, all subsistence and travel pay is included in all prices.
- 3 KRC SAFETY CO., INC. is recognized by the Department of Transportation as a Certified Disadvantaged Business Enterprise (DBE) ~ (Certificate # 000447) Expires 11/23/2014, SBE (Certificate # 0006897), MBE (Certificate # 91S00114)
- 4 Concrete or asphalt coring / patching is **NOT** included in any quoted items.
- 5 Unless noted on bid, traffic control is **NOT** included in the installation, removal, or repair of any items.
- 6 KRC SAFETY CO., INC. requires a, **12 WORKING DAY WRITTEN NOTICE IN ADVANCE**, prior to commencement of work, including installation and removal of signs. Additionally, an Executed subcontract or purchase order must be on file with this office prior to the start of work.
- 7 This quote shall remain valid for a period of 45 days from actual bid opening unless otherwise agreed upon in writing.
- 8 Contractor agrees to provide personnel for up to 5 to 10 minutes per KRC employee for relief break periods as needed due to weather and heat conditions to meet CAL OSHA heat illness prevention requirements.
- 9 Lump Sum price for Construction Area Signs includes: **USA Notification**, installation, removal and **INITIAL** dating of any ramp signs. Contractor will be responsible for maintenance, changing dates on signs as required and removal of USA markings. All construction area signs are considered rental and shall remain property of KRC SAFETY CO., INC. at the conclusion of project. Per KRC standard rental agreement prime contractor will be charged replacement cost for any signs, lumber or barricades missing and or damaged at conclusion of project. This amount must be paid in full within 30 days by the contractor, retention shall not be held on this amount.
- 10 Prior to KRC SAFETY CO., INC. installing any signs contractor must have proper agency (i.e. Caltrans, County, City, etc.) mark out all sign locations. Proper agency must also mark out their underground utilities and or pipes that are not located by USA. Agency will be responsible for lines hit that are not marked out by their forces. Therefore KRC SAFETY CO., INC. will not be responsible for any damage done to agencies utilities and this will become the responsibilities of the contractor and or the representing agency.
- 11 Bid item 2 includes (2) mobilizations. Additional mobilizations will be charged at \$1,200.00 each.
- 12 KRC SAFETY CO., INC. will not provide performance or payment bonds to the contractor.
- 13 Retention will not be held on traffic control work.
- 14 Compliance with Section 7108.5 of the Business & Professions code and any other statutes pertaining to prompt payment must be complied with and are and MANDATORY.
- 15 KRC SAFETY CO., INC. requests an invitation to all pre-job conferences.
- 16 Notification must be given to KRC SAFETY CO., INC. prior to any work performed as EXTRA-WORK or Force Account. If notification is not received, KRC will bill at usual rates and full payment will be the responsibility of the contractor.
- 17 Contractors State License #507950 Expires 03/31/2015 (Class A & C31)
- 18 *Portable changeable message signs and alternative temporary crash cushions are strictly rental. These items will not be incorporated into any subcontract. Contractor must issue a PO that accepts KRC SAFETY'S standard rental agreement prior to any delivery. KRC's standard rental agreement is available upon request.*
- 19 KRC SAFETY CO., INC. maintains Commercial General Liability Insurance with limits of \$1,000,000 each occurrence \$2,000,000 aggregate. Additional Insured and Hold Harmless are given only in respects to KRC SAFETY CO., INC. work. KRC SAFETY CO., INC. carries \$5,000,000 excess liability. Any additional liability limits or additional endorsement requested by Prime Contractor and not provided by KRC SAFETY CO., INC. will be charged to and will be the responsibility of the Prime Contractor. Railroad insurance requirements excluded from this quote.
- 20 Sign panels for permanent items supplied by KRC SAFETY must be given 45 days advanced notice prior to being needed.
- 21 Force account rates will be charged to the contractor for any onsite training or meetings required.
- 22 **Should this quote be accepted by the contractor, Attachment A in its entirety shall become part of any and all subcontract agreements and/or Purchase Orders relating to this project. This quote shall be deemed accepted if a contractor lists KRC in its bid or if this quote is used by a subcontractor in its bid to a prime contractor.**

Submitted by: Michael Castro
MICHAEL CASTRO-ESTIMATOR

Date: 9-10-2014

Company: _____

Accepted by: _____





Proposal/Quote
Statewide - Sacramento
 License # 975518
 7920 Cucamonga Avenue
 Sacramento, CA 95826
 Ph (916) 452-4855
 Fax (916) 452-9322

BID DATE: 09/10/14
 CONTRACT INFO
 03-3E1204
 PROPOSAL: 104524
 ESTIMATOR
 Jay Corsby

CLIENT: EST
 ATTN ESTIMATING DEPARTMENT

PROJECT:
 03-3E1204
 BUTTE COUNTY, CA

ITEM #	DESCRIPTION	QUANTITY	PRICE	AMOUNT
002	CONSTRUCTION AREA SIGNS			3,540.00
006	TRAFFIC CONTROL SYSTEM (SEE ATTACHMENT FOR RATES)			
007	TRAFFIC PLASTIC DRUM	19 EA	40.000/EA	760.00
008	PORTABLE CHANGEABLE MESSAGE SIGN (SEE ATTACHMENT FOR RATES)			
010	ALTERNATIVE TEMPORARY CRASH CUSHION (SEE ATTACHMENT FOR RENTAL RATES)	7 EA	0.000/EA	
019	REMOVE ROADSIDE SIGN	5 EA	100.000/EA	500.00
023	RESET ROADSIDE SIGN	2 EA	150.000/EA	300.00
054	FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED)	20 SF	17.000/SF	340.00
055	FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED)	20 SF	20.770/SF	415.40
056	ROADSIDE SIGN - ONE POST	5 EA	325.000/EA	1,625.00
065	DELINEATOR (CLASS 1)	5 EA	50.000/EA	250.00
066	HIGHWAY POST MARKER	4 EA	60.000/EA	240.00
067	MARKER (CULVERT)	2 EA	50.000/EA	100.00
068	OBJECT MARKER (TYPE L-1)	1 EA	50.000/EA	50.00

TOTAL BID: 8,120.40

Signed: _____

Dated: _____

Title: _____

\$7,360.40



Proposal/Quote

Page

Statewide Traffic Safety & Signs
 License # 975518
 7920 Cucamonga Ave.
 Sacramento, Calif. 95828

Bid Date: 9/10/2014
 Contract Info:
 03-3E1204

Ph (916) 452-4855
 Fax (916) 452-9322

Proposal : 104524
 Estimator : : Jay Corsby

TO: Estimating Dept.

PHONE: _____

FAX/EMAIL: _____

SIGNED: _____

DATE: _____

TRAFFIC CONTROL SYSTEM IS A FOUR (4) HOUR MINIMUM CHARGE AT 70% OF RATES. FULL RATE CHARGED AFTER FOUR (4) HOURS. THE MINIMUM CHARGE WILL BE APPLIED ON CANCELLATIONS WITH LESS THAN EIGHT (8) HOURS NOTICE. APPLY 30 - 60 MINUTES FOR SET UP AND PICK UP.

TRAFFIC CONTROL -- LANE CLOSURES

DAY OR NIGHT

1 LANE, 1 DIRECTION, 1 MILE, 1 T.C. TRUCK, 2 MEN	*\$1,350.00/8hr
- includes two (2) standard ramp closures -	
1 LANE, 1 DIRECTION, 1 MILE, 1 T.C. TRUCK, 1 MAN **	*\$900.00/8hr
Connector/Ramp closure with Detour during lane closure	*\$150.00/each
Additional lanes, ramps and/or miles	*\$50.00/each
Additional TC Truck (no equipment)	*\$225.00/shift
Additional TC Tech	*\$575.00/8hr
IMPACT ATTENUATOR VEHICLE, WITH DRIVER	\$850.00/8hr
FLAGGING - 2 MEN / DAY (T-13) / NO Rumble Strips	*\$1,200.00/8hr
FLAGGING - 2 MEN / NIGHT (T-13) / NO Rumble Strips	*\$1,280.00/8hr
FLAGGING - 2 MEN / DAY (T-13) / INCLUDES Rumble Strips	*\$1,500.00/8hr
FLAGGING - 2 MEN / NIGHT (T-13) / INCLUDES Rumble Strips	*\$1,580.00/8hr
NIGHT flagging includes two light sources	

Overtime is \$95.00/8 - 12hr/man; Doubletime \$115.00/over 12 hr/man
 SATURDAY CLOSURES MULTIPLY ABOVE RATES BY 1.4; SUNDAY CLOSURES BY 1.7
 * DOES NOT INCLUDE CHANGEABLE MESSAGE SIGN OR 'IMPACT ATTENUATOR VEHICLE'
 Time begins upon arrival at job site. Rates include travel time up to one (1) hour from any STSSI branch location. Additional travel time will be charged at \$30.00 per 1/2 hour/man, each direction.
 ** Contractor to supply "qualified" help if needed for set up and pick up.

NO RETENTION HELD FOR TRAFFIC CONTROL OR RENTAL EQUIPMENT

IMPACT ATTENUATOR VEHICLE RENTAL RATES; - 20 miles included per day - No Driver
 \$350.00/day, \$1,200.00/1 week, \$3,000.00/4 weeks; \$150.00 delivery & \$150.00 pickup each.
 (Surcharge \$0.75 per mile, portal to portal)

CHANGEABLE MESSAGE SIGN RENTAL RATES - CALL FOR PURCHASE PRICES
 \$150.00/day, \$400.00/1 week, \$1,000.00/4 weeks; \$100.00 delivery & \$100.00 pickup each.
 NO delivery or pick up charge if STSSI performs traffic control .

"DAY" rate is applied if STSSI tech maintains PCMS boards

ALTERNATIVE TEMPORARY CRASH CUSHIONS

\$85.00 P/DAY, \$320.00 P/WEEK, \$800.00 P/MONTH (Absorb 350 9 element system)



Proposal/Provisions

Page

Statewide Traffic Safety & Signs

License # 975518

7920 Cucamonga Ave.

Sacramento, Calif. 95828

Ph (916) 452-4855

Fax (916) 452-9322

Bid Date:

Contract Info:

03-3E1204

Proposal : 104524

Estimator : Jay Corsby

A contract and 10 working days notice must be given prior to any move in. This quote shall remain valid for 30 days from date of actual bid opening, unless otherwise agreed upon. **PAYMENT TERMS ARE - 100%, NET 30.**

Lump sum items are based on "working days" listed in the Special Provisions or working days bid for this project. Additional compensation (standard rental rates) will be applied if working days are exceeded.

All Construction Area Signs to be installed at one time or in stages, covered if needed at installation. Contractor to uncover and recover if needed

Construction area signs include one mobilization per stage, additional mobilizations \$1,500.00 each. Additional signs required due to damage, theft, or plan inadequacies will be billed as extra work.

Traffic Control not included in installation, removal, or repair of any item. Stand-by time charged at \$175.00/hr.

Portable equipment will be delivered and picked up from one location. Contractor to maintain. Contractor is liable for loss and or damaged equipment. Barricades do not include flashing lights or sign panels unless otherwise noted. Pallets are not included with crash cushions.

Contractor is liable for lost or damaged equipment removed or relocated by contractor's forces.

Statewide Safety & Signs, Inc. does not accept charges or back charges of any kind unless agreed to in writing prior to work beginning.

Statewide Safety & Signs, Inc. shall fully indemnify Contractor for any liability arising out of Statewide Safety & Signs, Inc. work or products, but only to the extent of Statewide Safety & Signs, Inc. liability and not that of anyone else. Statewide Safety & Signs, Inc. maintains insurance coverage for their work hereunder, including \$2,000,000.00 Products - Comp/OP Agg and a 10/93 Additional Insured Endorsement.

If there are any issues or concerns regarding Statewide Safety & Signs, Inc. products or work, Contractor shall promptly notify and give Statewide Safety & Signs, Inc. first opportunity to correct any such problems.

All sign and marker location / mark-out to be done by others and must be completed prior to Statewide Safety & Signs, Inc. starting work. Statewide Safety & Signs Inc. is not responsible for damage to underground facilities, not shown on plans or, not marked out by other agencies. (i.e. Caltrans)

Sign panels for roadside sign items are supplied by others unless purchased through bid items of this quotation. Roadside sign panels will not be received by Statewide Safety & Signs, Inc. earlier than 15 working days prior to scheduled installation. No storage. 45 working days advance notice for sign panel orders. All sign plan discrepancies are to be resolved before any sign panel orders are placed.

Permanent sign and marker installation: maximum move-ins: ONE (1) . Additional move-ins \$1,500.00 each. 45 working days notice for metal post orders. Mounting hardware supplied to, and installed by contractor.

Removal, relocate, and reset items are to be completed in whole per the Special Provisions for the project, and completed in, ONE (1) move-in. Additional move-ins \$1,500.00 each.

Sign installation does not include coring or breaking

All change order work must be approved by agency / owner prior to work being performed by Statewide Safety & Signs, Inc.

No retention is to be held on Traffic Control and Equipment Rental.

ABSL Construction

8435 24th Ave, Sacramento, Ca. 95826
TE: (916) 379-0442 Fax: (916) 379-0443

Contractor's License A 521781
SMBE & DBE Certification CT-005270

Bid Quotation AC Grinding

Project Name: CAVDOT
Project Number: 03-3E1204
Location: Butte County, California

Cold Mill with Fine Drum

UNIT PRICE:		
Remove AC Surfacing	10,255SF @ \$2.00SF	TOTAL: \$20,510
Mobilization:		\$3500 Mobilization.

Price includes cut, load, initial sweep and haul
Any changes to quantities changes price.
Contractor to provide water and skip loader for support
Mobilization cost includes 1 mob in and 1 mob out.

ABSL Construction to cold plane asphalt concrete and load cuttings into trucks provided by ABSL on a unit price or contractor as a daily price.

ABSL Construction will cold plane as close as possible to existing manholes, water valves, and other obstructions in cutting plane. Handwork and placing temporary asphalt tapers around these objects or at pavement edge for safety requirements are excluded.

Contractor to provide water or water meter and provide traffic control during cold planing operation. All areas to be ground shall be clearly marked by the general or the job inspector.

Anything not specifically included in this price should be considered excluded.

ABSL Construction does not accept backcharges due to machine breakdown during operation above the machine's daily rental fee.

Back charges will only be based on the time the machine is broken and will reflect the cost of the equipment for that time. All others costs due to the equipment breakdown will not be charged to ABSL Construction.

ABSL does not accept force account rates or retention.

This quotation will be part of our contract or purchase order agreement and is valid for one month after the bid date.

ABSL Construction

8435 24th Ave, Sacramento, Ca. 95826
TE: (916) 379-0442 Fax: (916) 379-0443

Contractors License A 621781
SBME & DBE Certification CT-005270

GRINDING JOB AGREEMENT

The prices set forth above are based on the following assumptions and are subject to change under conditions set forth below.

- 1) All areas to be ground shall be clearly marked by the General Contractor or Inspector before grinding operation starts.
- 2) A minimum daily rate is any part of an 8 hour day and overtime will be charged for work done other than a regular weekday shift.
- 3) A minimum of two weeks' notice is requested to schedule move in. Machines are on a first come first served basis subject to availability. A 72 hours notice of change in schedule is requested.
- 4) Modification to the work may require a change in the quote.
- 5) Unless otherwise indicated the unit prices are based on ABSL performing all the work included on the proposal. If ABSL does not receive a contract for all the work, the unit prices are subject to adjustment.
- 6) The unit prices are based on the estimated quantities in the bid proposal. If the quantity of the item changes by 25% or more the unit price is subject to equitable adjustment.
- 7) Prices are good for 30 days of the date of this proposal, after that date the prices are subject to adjustment.
- 8) Downtime for equipment becoming stuck in wet or muddy sub-grade conditions will be charged at a stand-by time rate until removed. Additional equipment required for removal will be charged at a time and materials basis.
- 9) This proposal to be attached and made part of any and all resulting contracts.
- 10) The above price does not include permits, fees, bonding, state or local taxes.
- 11) This is a proposal only for the purpose of establishing a price for work as outlined. In the event ABSL is the low bidder a formal contract or PO suitable to both parties shall be prepared and fully executed.
- 12) Repairs of damage to ABSL equipment due to unmarked or buried obstructions; i.e. valve boxes, manholes covers, concrete, steel fence posts, steel pipe or excessive depth asphalt will be billed at time and material for repairs
- 13) Backcharges to ABSL must be communicated by contractor in a written notice within 72 hours from the time of occurrence for backcharges.
- 14) Items not specifically included are considered to be excluded. If you have any questions please call.

Thank You,

Todd Wheeler
916-284-3598

ANRAK CORPORATION

5820 Mayhew Road
Sacramento, CA 95827
Phone: (916) 383-5030 Fax: (916) 383-8090
CA License #256390
NV License #16211

Anrak is a certified State of California Small Business No. 18781

ATTN: Estimating Department
BID: CDOT 03-3E1204 Butte Co. – Bridge Seismic Retrofit, Structural Concrete and Hot Mix Asphalt
03-BUT-70-26.7/27.1
About 10.9 Miles North of Oroville from 0.2 Miles East of Pentz Road to 0.2 Mile East of Cherokee Road
DATE: September 10, 2014, 2:00 P.M.

.....
UNIT PRICE CUT, LOAD, SWEEP & HAUL:

* PARTIAL ITEM #22: 10,255 SQFT Remove Asphalt Concrete Surfacing (Specialty Drum Specification)
PRICE: \$1.25 PER SQUARE FOOT.

\$12,818.75

NOTE: PRICE IS FOR A GRINDING MACHINE WITH THE FOLLOWING SPECIFICATIONS: RX-500 (6'3") – THREE TRACK FRONT LOAD; TOPCON SAS (SONIC AVERAGE SYSTEM) GRADE CONTROL. THREE TRACKERS ON EACH SIDE; 3 MM SPACING MICRO DRUM; MAX. WEIGHT = 25,718 KG. PRICE INCLUDES THREE OPERATORS. DOES NOT MEET 42.3 SPECIFICATION.

PARTIAL ITEM #24: 2,700 SQYD Cold Plane Asphalt Concrete Pavement
PRICE: \$8.25 PER SQUARE YARD.

NOTE: PRICE IS FOR A STANDARD DRUM GRINDER.

PROVISIONS: ANRAK CORPORATION to REMOVE asphalt concrete surfacing, and asphalt concrete as directed by Contractor, LOAD, INITIAL SWEEP and HAUL grindings. Subcontractor will cold plane as closely as possible to existing manholes, water valves or other obstructions in cutting plane. No hand work or placing temporary asphalt tapers by Subcontractor around these objects or at pavement edge due to safety concerns. Subcontractor will not remove asphalt concrete off of gutter pan. Contractor to provide water into cold planing machine. Contractor must provide an operated skip loader to assist with clean up. Contractor to post streets with "No Parking" signs prior to subcontractor's phase of work and provide traffic control during cold planing operation. Areas to be milled must be clear of all obstructions, and accessible to milling machine size. Anrak Corporation takes no responsibility for dust control due to site conditions. Anrak Corporation cannot accept responsibility for any claims due to unraveling material after the initial sweep and cones/traffic control are lifted. Anrak cannot guarantee planed surface will meet the surface smoothness specification 15-2.023. Anrak cannot guarantee that all asphalt concrete surfacing will be removed from bridge deck. Anrak Corp. cannot guarantee not to hit bridge deck while milling. Anrak Corp. cannot grind if any steel is present, and Contractor takes responsibility for any damage to drum due to hitting any steel that is present. These prices are for AC and asphalt concrete surfacing only. Subcontractor cannot grind native cobble rock that may damage machine. Contractor responsible for any costs that arise due to unsuitables or petromat in material. Contractor responsible for all tree trimming and refuse pickup. Contractor to provide any required permits, notifications, or plans. Anrak Corp. must be notified within 72 hours of any potential back charges, and these must be negotiated with managerial personnel. Anrak must be compensated for the actual time worked. Anrak Corp does not accept withholding of retention. Contractor responsible for clearing USA prior to cold planing operation. Contractor to pay for bond cost if required. All items not specifically included are excluded. The provisions of this quote prevail over any subcontract or purchase order stipulations. These prices are good for 30 days after the bid date.

PARTIAL ITEM #22: 10,255 SQFT Remove Asphalt Concrete Surfacing (Specialty Drum Specification)
PARTIAL ITEM #24: 2,700 SQYD Cold Plane Asphalt Concrete Pavement
PARTIAL ITEM #33: 100 CY Roadway Excavation

SPECIALTY DRUM GRINDER RENTAL RATES:

PRICE: For a DAILY (M.-F.) minimum charge of \$6,500.00.
Overtime rate @ \$1,500.00 per hour.
NIGHTLY additional charge \$175.00.

CONTINUED

ANRAK CORPORATION

5820 Mayhew Road
Sacramento, CA 95827
Phone: (916) 383-5030 Fax: (916) 383-8098
CA License #256390
NV License #16211

Anrak is a certified State of California Small Business No. 18781

BID: CDOT 03-3E1204 Butte Co. – Bridge Seismic Retrofit, Structural Concrete and Hot Mix Asphalt
03-BUT-70-26.7/27.1
About 10.9 Miles North of Oroville from 0.2 Miles East of Pentz Road to 0.2 Mile East of Cherokee Road
DATE: September 10, 2014, 2:00 P.M.
.....

CONTINUED

NOTE: PRICE IS FOR A GRINDING MACHINE WITH THE FOLLOWING SPECIFICATIONS: RX-500 (6'3") – THREE TRACK FRONT LOAD; TOPCON SAS (SONIC AVERAGE SYSTEM) GRADE CONTROL. THREE TRACKERS ON EACH SIDE; 3 MM SPACING MICRO DRUM; MAX. WEIGHT = 25,718 KG. PRICE INCLUDES THREE OPERATORS. DOES NOT MEET 42.3 SPECIFICATION.

STANDARD GRINDER RENTAL RATE OPTIONS:

- PRICE:** For a Two-Foot (2'0"), Three-Foot (3'0"), or Four-Foot (4'0") Milling Machine.
For a DAILY (M.-F.) minimum charge of \$3,000.00.
Overtime rate @ \$410.00 per hour.
NIGHTLY additional charge \$100.00.
- PRICE:** For Up to a 600 H.P. Six-Foot (6'0") – Seven-Foot (7'0") Milling Machine.
For a DAILY (M.-F.) minimum charge of \$4,000.00.
Overtime rate @ \$535.00 per hour.
NIGHTLY additional charge \$175.00.
- PRICE:** For a High H.P. (> 600 H.P.) Six-Foot Six-Inch (6'6") – Seven-Foot (7'0") Milling Machine.
For a DAILY (M.-F.) minimum charge of \$4,500.00.
Overtime rate @ \$600.00 per hour.
NIGHTLY additional charge \$175.00.

NOTES: NO MOBILIZATION CHARGE.
ADDITIONAL \$500.00 PER SHIFT FOR SATURDAYS.
ADDITIONAL \$750.00 ONE OPERATOR, \$1,000.00 TWO OPERATORS PER SHIFT FOR SUNDAYS.
DAILY RENTAL RATES INCLUDE ONE SET OF TEETH PER SHIFT.
ANY COSTS INCURRED FOR PERMITS OR PILOT CARS WILL BE BILLED IN ADDITION TO THE ABOVE DAILY RATES.

GRINDING PROVISIONS:

Anrak Corporation to cold plane asphalt concrete surfacing and asphalt concrete as directed by Contractor, and load cuttings into trucks provided by Contractor. Subcontractor will cold plane as closely as possible to existing manholes, water valves or other obstructions in cutting plane. No hand work or placing temporary asphalt tapers by Subcontractor around these objects or at pavement edge due to safety concerns. Subcontractor will not remove asphalt concrete off of gutter pan. Contractor to provide water into cold planing machine and broom to sweep cuttings. Contractor to post streets with "NO PARKING" signs prior to Subcontractor's phase of work and provide traffic control during cold planing operation. Areas to be milled must be clear of all obstructions, and accessible to milling machine size. These prices are for AC and asphalt concrete surfacing only. Anrak cannot guarantee planed surface will meet the proposed surface smoothness specification. Anrak cannot guarantee that all asphalt concrete surfacing will be removed from bridge deck. Anrak Corp. cannot guarantee not to hit bridge deck while milling. Anrak Corp. cannot grind if any steel is present, and Contractor takes responsibility for any damage to drum due to hitting any steel that is present. Anrak Corp. takes no responsibility for dust control due to site conditions.

CONTINUED

ANRAK CORPORATION

5820 Mayhew Road
Sacramento, CA 95827
Phone: (916) 383-5030 Fax: (916) 383-8090
CA License #256390
NV License #16211

Anrak is a certified State of California Small Business No. 18781

BID: CDOT 03-3E1204 Butte Co. – Bridge Seismic Retrofit, Structural Concrete and Hot Mix Asphalt
03-BUT-70-26.7/27.1
About 10.9 Miles North of Oroville from 0.2 Miles East of Pentz Road to 0.2 Mile East of Cherokee Road
DATE: September 10, 2014, 2:00 P.M.

.....

CONTINUED

Subcontractor cannot grind native cobble rock that may damage machine. Contractor responsible for all tree trimming and refuse pickup. Contractor to provide any required permits, notifications, or plans. Anrak Corp. must be notified within 72 hours of any potential back charges, and these must be negotiated with managerial personnel. Anrak must be compensated for the actual time worked. Anrak Corp. does not accept withholding of retention. Contractor responsible for clearing USA prior to cold planing operation. Contractor to pay for bond cost if required. All items not specifically included are excluded. The provisions of this quote prevail over any subcontract or purchase order stipulations. These prices are good for 30 days after the bid.

If you should have any questions regarding this quotation, please call our office at the above listed number.

Very truly yours,

Estimated by: Corey Wilson

Prepared by: Donna Johnson

ANRAK CORPORATION

Certified Coatings Company
Member of the Muehlhan Group



16# 887267

September 10, 2014

Attention: General Contractors

Regarding: For Construction On State Highway in Butte County About 10.9 Miles North of Oroville from 0.2 Mile East of Pentz Road to 0.2 Mile East of Cherokee Road Contract No. 03-3E1204

BID LETTER

Gentlemen:

Certified Coatings Company is pleased to provide our bid for the field cleaning and painting of surfaces on the above referenced project. We hold current SSPC QP1 certifications as required by Caltrans.

For shop abrasive blasting and priming, we recommend that you contact R&B Protective Coatings in Linden, CA (Tel 209-887-2030), who is SSPC QP3 certified.

We are a non-union contractor and will provide non-union painters at prevailing wages. If this is a problem, please let us know immediately. We will provide a paint quality work plan to cover our work.

We will be bidding on the following items:

Bid Item #	Description	Unit of Measure	Est. Qty.	Unit Price	Extension
58	Clean Structural Steel (Existing Bridge)	LS	LS	LS	\$15,000.00
59	Clean and Paint Structural Steel	LS	LS	LS	\$14,627.00
Total Lump Sum Bid					\$29,627.00

Bonding can be provided upon request at 1.2% of our subcontract price.

Item 58: Clean Structural Steel (Existing Bridge) – we will clean the structural steel and the interiors of bolt holes within the foot print of the existing restrainer plates per SSPC SP1 solvent cleaning.

Item 59: Clean and Paint Structural Steel – our bid assumes the new restrainer plates are abrasive blasted and primed with zinc primer in the shop by others. Our scope of work includes painting the inside of bolt holes and performing SSPC SP2/3 hand & power tool spot cleaning and touchup of any damage to the shop applied coatings on the restrainer plates with a coat of Carboline Carbozinc 859 VOC organic zinc primer.

Exclusions:

- Preparing a lead work compliance plan – no lead paint removal is required for our work.
- Repair of deficient shop-applied coatings.
- Railroad Protective Liability insurance or RR flagging. CCC to be named as additional insured on General Contractor's RR Protective Liability policy if necessary.
- Access platforms or bridge snoopers for access to the work areas to be provided by GC.
- Repair of damaged coatings caused by GC or others outside of the new restrainer plates. Our bid assumes that any erection damage to the shop primer is minimal enough that it will be repairable by spot hand/power tool cleaning and spot application of organic zinc as described above. If damage is so much that Caltrans requires surface preparation beyond SP2/3 (i.e. abrasive blasting), additional charges will apply.
- Removal of any material that would affect the adhesion of the top coats or as directed by the GC/Caltrans that cannot be removed by the specified pressure washing, including concrete splatter/residue.
- Our bid is based on doing the work in no more than two mobilizations.
- Traffic control to allow us to access our work is to be provided by GC at no cost to Certified Coatings.
- GC to provide periodic use of a forklift at no cost to Certified Coatings if needed.
- GC to provide portable toilets.
- Provision of enclosures to paint during inclement weather. Paint will not be applied during inclement weather.
- GC agrees not to negotiate change orders affecting our work with Owner without first getting our input as to affect on our work.

This bid is valid for 45 days.

If there are any other bid items you feel should include field painting, or if you require further clarification or modifications to this bid proposal, please call us at (707) 639-4414.

Sincerely,



David Brockman
Estimator



ALL STEEL FENCE, INC. - License No. 710512
 P. O. Box 1309, Lathrop, CA 95330
 (800) 752-3282 -- (209) 983-8409 -- FAX: (209) 982-4325

*Submitted by: All Steel Fence, Inc. (209) 983-8409

Date: September 10, 2014

BID PROPOSAL

Project: Cal-Trans #03-3E1204 (Bridge Seismic Retrofit, Structural Concrete & Hot Mix Asphalt)
 Bid date: 9/10/2014 @ 2:00 p.m.

The following addendums are acknowledged: #1

*All Steel Fence, Inc. is a State of California, Certified Small Business - Certification #20325

*All Steel Fence, Inc. is a San Francisco Public Utilities Commission Certified PUC-LBE/Micro LBE - Cert. #HRC061315033

SCOPE OF WORK:

Bid Item	Item Code	Item Description	Unit	Qty.	Unit Price	Total Price
64	800100	Temporary Fence (with driven posts)	LF	1,000	\$6.00	\$6,000.00
71F	833033	Chain Link Railing (Type 7 Modified)	LF	706	\$73.93	\$52,194.58
SEE EXCLUSIONS & MOBILIZATIONS BELOW						
						TOTAL BID \$58,194.58**

Mobilizations (Move-ins):

The price on this proposal includes the following mobilizations (move-ins): One (1) move-in total for Bid Item #64; and one (1) move-in total for Bid Item #71F. If additional mobilizations (move-ins) are performed for this project there will be additional charges as follows: (**These mobilization charges must be included on any contract or purchase order issued for this project to All Steel Fence, Inc.) In addition, if there are multiple bid items on this proposal and all bid items are not awarded to All Steel Fence, Inc., the number of mobilizations (move-ins) included on this bid proposal will change accordingly: **\$1,400.00 per additional mobilization.**

Bonds:

**NOTE: If All Steel Fence, Inc. will be required to provide payment/performance/maintenance or other bonds for the above work, please add 2.5% to the total bid amount for the bond costs. We request that the Bond Costs shall be paid by the Prime Contractor or Owner directly to our bonding agent within 30 days of receipt of invoice. (Bonds must be requested at time of award of contract.)

EXCLUSIONS:

- NOTE: This price for Bid Item #64 includes an approximate six month rental period.
- NOTE: If the temporary fence is needed beyond the six month rental period, additional fees will be incurred.
- NOTE: Repair or replacement of temporary fencing during the rental period will be an additional charge at time and material costs. Any temporary fence that is missing or damaged at the end of the rental period will be an additional charge.
- NOTE: All u-bolt materials and setting/embedment of u-bolts for the any fences, railings or other barriers installed on concrete barriers (if required) shall be provided and installed by others.
- NOTE: Core drilling for post holes, all cans and post pockets and installation, clean-out, and removal of all cans/post pockets for all fences, railings or other barriers (if required) shall be provided, installed, removed, and cleaned out by others.
- NOTE: All rebar and other materials required to be set in concrete wall, concrete barriers or other barriers (if required) shall be provided and installed by others.
- NOTE: Any required safety netting under the overpasses or related items to be furnished and installed by others.
- NOTE: This price does not include any costs for night work, overtime, premium time, or special shift work. All Work to be performed Monday through Friday during normal business hours. If night work, overtime, premium time, or special shift work is required, there will be additional costs added to this proposal.
- NOTE: Preparation of and procurement of any required fence and/or gate permits and permit costs and fees to be provided and paid for by others.
- NOTE: Concrete mow bands (if required) and other concrete flatwork to be provided and installed by others.
- NOTE: Grounding and/or bonding of fence and gates (if required) to be provided and installed by others.
- Please see all exclusions listed below and/or on subsequent pages of this proposal.

ADDITIONAL EXCLUSIONS (AS INDICATED):

Buy America/Buy American Material Requirements Surveying. staking. clearing/grubbing. back filling. grading. compacting. core drilling. off-haul of dirt/spoil and related materials. dust control any and all dewatering of site Any required site security including securing site at end of each day and/or temporary fence or other security measure required to secure site after fence removal special training of employees (unless specifically listed in scope of work section of this proposal) monitoring of air, soil or other items for lead, hazardous waste, or any other chemical or substance (including related costs & fees) removal and clean up of any lead, hazardous waste, chemicals, or other contaminants or substances from the project site removal, off-haul and disposal of fences and gates; exclude furnishing of cans and post pocket materials - exclude installation, removal, and clean-out of cans and post pockets rebar or other materials required to be set in concrete wall, concrete barriers or

CONTINUED ON PAGE 2:



ALL STEEL FENCE, INC. - License No. 710512

P. O. Box 1309, Lathrop, CA 95330

(800) 752-3282 -- (209) 983-8409 -- FAX: (209) 982-4325

Re: Cal-Trans #03-3E1204

September 10, 2014

EXCLUSIONS (Continued):

other barriers (if required) grounding and/or bonding of fence and/or gates (if required) all traffic control, for items to be flanged, we exclude x-raying and locating of in-slab or in-wall items (all x-raying or other locating by others) any and all pollution control plans, dust control plans, storm water pollution plans, asbestos abatement plans, lead compliance plans, environmental or hazardous waste plans, soil and groundwater management plans, debris containment plans, and animal, mammal or migratory bird plans pot holing for underground lines/pipes; engineering, design calculations, stamped/certified designs, and any other engineering and engineering costs and fees (if needed) Any required As-Built Drawings and details or any required project close-out drawings; Drawings in CADD format or formats that require special software Temporary Fence slit fencing, ESA fence, or other environmental or erosion control fences Gate automation equipment and accessories Electricity, conduit, and/or communication lines to all gate operator equipment and accessories other: Private locating including any associated costs of underground pipes, lines, fiber optic cables, and other appurtenances; Repair and/or replacement of any underground pipes, lines, fiber optic cables, or other appurtenances, including associated costs that are not properly marked by Owner, Owner's agent, or other private locating companies; Determination of property boundaries and/or easements; procurement of any required fence/gate permits & any and all permit costs and fees (permits and fees by others); concrete mow strips; concrete flatwork; signage; lock boxes & locks/locksets; panic hardware, ADA gate equipment (unless specifically listed in the scope of work section of this proposal); saw cutting/coring of concrete; Knox Fire Department Access Boxes and Knox Key switches; multiple move-ins (see mobilization section of this proposal); bid, payment, performance or maintenance bond costs and fees (if required); specialty insurance endorsement requirements (NOTE: We can provide additional insured endorsement CG 20 10 11/85 except as follows: General Liability endorsement CG 20 10 11/85 is excluded on all residential and multi-housing unit projects); course of construction insurance policy costs and fees (if required); exclude all work on projects involving new construction of multi-housing units, town homes, and/or condominiums (unless a wrap-up or OCIP policy is in place); exclude all insurance liability limits over \$5,000,000.00; In addition, the following insurance policies/endorsements/coverage and associated costs are not included with this bid price: pollution liability insurance, mold liability insurance, subsidence insurance, U.S. Harborworker's & Longshoreman's coverage for workers' compensation; fidelity (crime) insurance, professional liability (design-build and errors & omissions) insurance.

NOTE: The scope of work listed above and all exclusions contained in this proposal must be included in any contract/subcontract agreement issued to All Steel Fence or a copy of this proposal must be attached as an exhibit to the contract/subcontract.

TRADE ASSOCIATIONS, CERTIFICATIONS & LABOR AFFILIATIONS: All Steel Fence is signatory to the Northern California Laborers Union Local 1130. All Steel Fence, Inc. holds the following certifications: State of California Certified Small Business (certification # 20325 - exp. 9/30/2015); San Francisco Public Utilities Commission (PUC) Regional Local Business Enterprise and PUC Micro Local Business Enterprise (Certification # HRC031015033 - exp. 6/30/2016). In addition, All Steel Fence is a member of the Mid-Cal Better Business Bureau, California Fence Contractor's Association, American Fence Association, Sacramento Builders Exchange, Valley Builders Exchange and Builder's Exchange of Stockton.

GENERAL CONDITIONS: Acceptance of this bid proposal means acceptance of all exclusions and scope of work notes contained on this bid proposal. All Steel Fence, Inc. reserves the right to request changes to any contract, subcontract, or purchase order issued for our scope of work and any such contract, subcontract, or purchase order shall be negotiated and mutually agreed to between the parties. All material is guaranteed to be as specified. All work to be completed in a professional manner according to standard practices. All Steel Fence is not responsible for determining legal property lines, boundaries, and/or easements of customer's property. If a permit is required, all permits are to be obtained by customer and all permit fees are to be paid by customer (unless otherwise noted above). Jobs cannot be ordered and material prices locked in until customer has completed and signed the acceptance of proposal and returned to our office. In addition, if customer fails to make payment in full to All Steel Fence, Inc., for all completed work and materials provided to customer, and customer has not given written notice to All Steel Fence regarding the reason for non-payment, customer agrees that All Steel Fence shall retain ownership of all materials installed and/or provided to customer until they have been paid for in their entirety by customer. All Steel Fence, Inc. shall have the right to remove any materials not paid for within 20 days of written request for payment and customer has no legal entitlement or ownership of any materials provided or installed on customer's property until said materials have been paid for in full by customer.

BID EXPIRATION: We have been advised by our suppliers that at the present time there is extreme volatility in the steel market and prices are fluctuating on a weekly and sometimes daily basis. The price on this proposal is good through 10/10/2014 and pricing is subject to change after this date. NOTE: If the expiration date has passed, please call our office to confirm if the price of your proposal has changed. Thank you for your understanding and if you have any questions, please give us a call.

ORDER CANCELLATION POLICY: By signing any page of this acceptance of proposal, customer is authorizing All Steel Fence to proceed with ordering of materials for this project. If this order is cancelled by customer after materials have been ordered by All Steel Fence, customer agrees to pay all charges for materials that cannot be returned to the supplier or manufacturer. Customer also agrees to pay All Steel Fence a material handling fee in addition to all restocking charges incurred by All Steel Fence.


PAYMENT TERMS: All amounts are due and payable within 5 days of completion of project (or as listed in a mutually agreeable contract/subcontract agreement). Payments should be mailed to: All Steel Fence, Inc., P. O. Box 1309, Lathrop, CA 95330.

NOTE REGARDING INSURANCE CLAIMS: It is customer's responsibility to notify All Steel Fence, Inc. in advance of work being performed if customer intends to have an insurance company or another third party pay for the work to be performed by All Steel Fence, Inc. All Steel Fence, Inc. does not bill insurance companies or third parties for work performed unless arrangements are made with customer in advance of work being performed by All Steel Fence, Inc. Customer is responsible for payment to All Steel Fence, Inc., for all work completed (and customer is responsible for seeking reimbursement from the insurance company or other third party).

SERVICE CHARGES: There will be a 1.5% per month (18% per annum) service charge on all outstanding balances that are 30 days or more past due (unless otherwise agreed to in a mutually agreeable contract/subcontract agreement).

UNDERGROUND UTILITIES: All Steel Fence is not responsible for costs or labor to repair or replace any underground utilities, sprinklers, or other pipes that are not properly marked by Underground Service Alert, Owner, Prime Contractor, or Owner or Prime Contractor's Agents.

INSURANCE: All Steel Fence carries commercial general liability insurance written by CNA Insurance Company. All Steel Fence will provide a certificate of insurance showing proof of coverage upon request. All Steel Fence, Inc. carries workers' compensation insurance for all employees with Oak River Insurance Company a subsidiary of Berkshire Hathaway Homestate Companies. All Steel Fence, Inc. will provide a certificate of insurance showing proof of coverage upon request.



ALL STEEL FENCE, INC. - License No. 710512
P. O. Box 1309, Lathrop, CA 95330
(800) 752-3282 -- (209) 983-8409 -- FAX: (209) 982-4325

Re: Cal-Trans #03-3E1204
September 10, 2014

EXTRA WORK: Any alteration or deviation from above specifications involving extra costs will be executed only upon written orders, and will become an extra charge over and above this estimate. If job site conditions, accessibility, or job layout changes or deviates from the attached drawing, there may be additional charges over and above this estimate.

PROPOSAL PRICE: \$58,194.58 (Fifty eight thousand one hundred ninety four and 58/100). **For payment/performance/maintenance or other bonds add 2.5% to bid amount. See also mobilization information.

ACCEPTANCE OF PROPOSAL: The prices, specifications and conditions on all pages of this proposal are satisfactory and are hereby accepted. By signing below, I understand that All Steel Fence, Inc. is not responsible for costs, repair or replacement of any existing underground utilities, sprinklers, or other utilities. All Steel Fence, Inc. is authorized to do the work as specified on all pages of this proposal. I have read the proposal conditions in their entirety and have reviewed the attached project layout and agree to all conditions set forth on all pages of this proposal.

Date: _____

Date: 9/10/2014

Company Name (if applicable) _____

for ALL STEEL FENCE, INC.

Authorized Signature _____

T-C-III
TOM CORNELL, III

Print Name: _____ Title: _____

ALL STEEL FENCE, INC.
146 Klo Road - P. O. Box 1309, Lathrop, CA 95330
CA Contractor's License #: 710512 Class: C-13

Purchase Order # (if required): _____

Customer billing address: _____



CENTERLINE

STRIPING COMPANY, INC.
9847 DINO DRIVE
ELK GROVE, CA 95624
CENTERLINESTRIPING.COM

PHONE: (916) 686-8860
ADMIN. FAX: (916) 686-8869
ESTIM. FAX: (916) 686-8876
CA LIC. # 499346 A, C32
NV LIC. # 39727 A8, A21

QUOTATION

TERMS AND CONDITIONS

PAGE 2 OF 2

JOB NAME: 03-BUT-70-26.7/27.1 CONTRACT # 03-3E1204
LOCATION: _____

CENTERLINE CARRIES THE FOLLOWING INSURANCE LIMITS: GENERAL LIABILITY - EACH OCCURANCE \$ 1 MILLION / GENERAL AGGREGATE \$2 MILLION. COMPLETED OPERATIONS AGGREGATE \$ 2 MILLION. EXCESS LIMITS - EACH OCCURANCE / GENERAL AGGREGATE LIMITS OF \$5 MILLION

THE BELOW TERMS AND CONDITIONS TO BE INCORPORATED AS A INTEGRAL PART OF THE SUBCONTRACT AGREEMENT.

- ** WAIVER OF SUBROGATION IS INCLUDED FOR UP TO 2 (TWO) ENDORSEMENTS. ADDITIONAL COSTS CHARGED FOR MULTIPLE ENDORSEMENTS
- ** CONTRACTOR SHALL FURNISH SUBCONTRACTOR WITH ONE SET OF CONTRACT PLANS AND SPECIFICATIONS, INCLUDING ALL ADDENDUMS
- ** PERMITS, BONDS, OR ANY FORM OF ENGINEERING (STAKING, TESTING, INSPECTION, ETC.) UNLESS OTHERWISE SPECIFIED ARE EXCLUDED
- ** CENTERLINE STRIPING COMPANY IS NOT RESPONSIBLE FOR DESIGN ERRORS/OMISSIONS IN PLANS OR SPECIFICATIONS
- ** GENERAL CONTRACTOR TO PROVIDE CLEAN AND CLEAR ACCESS TO PROJECT FOR ALL LABOR PERSONNEL AND EQUIPMENT
- ** ALL ITEMS NOT SPECIFICALLY MENTIONED IN THIS QUOTATION ARE EXCLUDED
- ** NO WORK WILL BE PERFORMED IN ADDITION TO OUR BASE BID UNLESS A WRITTEN "CHANGE ORDER" OR "EXTRA WORK AUTHORIZATION" IS SIGNED BY AN AUTHORIZED REPRESENTATIVE OF THE GENERAL CONTRACTOR. ALL EXTRA WORK IS SUBJECT TO THE SAME TERMS AND CONDITIONS AS THE ORIGINAL CONTRACT
- ** ANY MODIFICATIONS, FIELD INSTRUCTIONS OR CHANGES ORDERS THAT CHANGE THE SCOPE OF THE ORIGINAL BID WORK ARE SUBJECT TO ADDITIONAL COSTS
- ** THIS QUOTATION IS BASED ON A STANDARD MONDAY THROUGH FRIDAY WORK WEEK. ADDITIONAL COSTS MAY OCCUR FOR WORK PERFORMED ON WEEKENDS
- ** MAINTENANCE / PROTECTION OF EXISTING STORM DRAIN SYSTEM IS EXCLUDED
- ** CENTERLINE STRIPING COMPANY IS SIGNATORY TO THE LABORERS LOCAL 185 AND THE PAINTERS LOCAL 1176
- > TAX INCLUDED / FURNISHED AND INSTALLED
- > ONE MOVE IN INCLUDED FOR PERMANENT DELINEATION
- > TWO MOVE INS INCLUDED IF NEEDED FOR STAGE CONSTRUCTION
- > ADDITIONAL MOVES AT - \$1500.00
- > 12 DAYS ADVANCED NOTICE FOR SCHEDULING IS REQUIRED
- > WRITTEN AUTHORIZATION IS REQUIRED PRIOR TO PROCEEDING WITH WORK
- > TRAFFIC CONTROL FOR TRAFFIC STRIPING OPERATIONS IS INCLUDED
- > TEMPORARY PAVEMENT DELINEATION EXCLUDED FOR POST RESURFACING OPERATIONS
- > POWERWASH OF ASPHALT / CONCRETE EXCLUDED
- > ADVANCED POSTING OF WORK ZONE FOR DETOURS / NO PARKING AREAS DURING WORK IS EXCLUDED
- > SUPPLY AND STAGING OF PORTABLE CHANGEABLE MESSAGE SIGN IS EXCLUDED

We Propose hereby to furnish material and labor - complete in accordance with the above stipulations and quotation for the sum of: 23998.50

Payment to be made upon completion of work and receipt of invoice.

All material is guaranteed to be as specified. All work to be completed in a substantial workmanlike manner according to specifications submitted per standard practices. Any alteration or deviation from the above specifications involving extra costs will be executed only upon written orders, and will become an extra charge over and above this estimate. All agreements contingent upon strikes, accidents or delays beyond our control. Owner to carry fire, tornado and other necessary insurance. Our workers are fully covered by Workman's Compensation Insurance.

Authorized Signature: _____
CENTERLINE STRIPING COMPANY, INC.

Note: this proposal may be withdrawn by us if not accepted within 90 days.

Acceptance of Proposal - The above prices, specifications and conditions are satisfactory and are hereby accepted. You are authorized to do the work as specified. Payment will be made as outlined above.

Company Name: _____

Invoices are due and payable 30 days from date of invoice. All overdue amounts will be charged an interest charge of 18% per annum.

Authorized Signature: _____

Date of Acceptance: _____

Printed Name: _____

GOOD FAITH EFFORTS DOCUMENTATION - DBE

DES-OE-0102.11A (NEW 06/2012)

4. List the names and dates of each publication in which a request for DBE participation for this project was placed by the bidder. Attach copies of published advertisements or proofs of publication:

Publications	Dates of Advertisement
DBEGOODFAITH.COM FOCUS JOURNAL AD	SEE ATTACHMENT
DBEGOODFAITH.COM TRADE JOURNAL AD	SEE ATTACHMENT
CA DEPT OF TRANS DOT.CA.GOV	SEE ATTACHMENT

5. List the names of agencies and the dates on which they were contacted to provide assistance in contacting, recruiting and using DBE firms. If the agencies were contacted in writing, provide copies of supporting documents.

Name of Agency	Date of Contact	Method of Contact	Results
CA DEPT OF TRANS		WEBSITE QUERY	OBTAIN DBE'S

6. List efforts made to provide interested DBEs with adequate information about the plans, specifications, and requirements of the contract to assist them in responding to a solicitation. Identify the DBE assisted, the information provided, and the date of contact. Provide copies of supporting documents.

FAVORS REQ TO ALL PARTIES (ATTACHED LIST)

7. List efforts made to assist interested DBEs in obtaining bonding, lines of credit, insurance, necessary equipment, supplies, materials, or related assistance or services, excluding supplies and equipment the DBE subcontractor purchases or leases from the prime contractor or its affiliate. Identify the DBE assisted, the assistance offered, and the date. Provide copies of supporting documents.

N/A

8. Include additional data to support a demonstration of good faith efforts.

MULTIPLE CONVERSATIONS WITH DBE'S REGARDING QUOTES/PRICES.

NOTE: USE ADDITIONAL SHEETS OF PAPER IF NECESSARY.

ADA Notice

For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 654-6410 or TDD (916) 854-3880 or write Records and Forms Management, 1120 N Street, MS-69, Sacramento, CA 95814.

Receipt - Transaction # 1560-21823

We thank West Coast Structures Inc. dba Western Structures for choosing DBE GoodFaith Inc. to assist in the recruitment of socially and economically disadvantaged businesses (DBE, MBE, WBE, DVBEs, UDBEs, & SBEs, etc.) for your contract. All solicitations are conducted in good faith. We declare under penalty of perjury that all documentation is true and correct.

Transaction Date & Time: 8/28/2014 2:19:58 PM

Estimator Name:

Awarding Agency: CALTRANS

Project Name: Bridge Seismic Retrofit, Structural Concrete And Hot Mix Asphalt

Bid Date & Time: 09/10/2014 2:00 P.M

Service Chosen: Gold Service (Ad, Email, Fax and Phone services)

Amount Paid: \$145

PLEASE NOTE:

- All outreach performed by DBE GoodFaith Inc. can be tracked and downloaded from the customers' account homepages.
- All advertisements are published immediately after submission in our online Minority Focus & Trade Journals and run until the bid date listed on the advertisement.
- For Silver and Gold Package transactions, faxes are sent within 3 business-hours after the submission of the advertisement.
- Documentation for Gold Package transactions will not be completed until the completion of the final call on the second call date. DBE GoodFaith Inc. requires a minimum of three (3) business days to process a Gold Package transaction. On Day One (1), DBE GoodFaith Inc. publishes and faxes invitations to bid to the selected recipients. On Day Two (2), DBE GoodFaith Inc. performs the initial calls. On Day Three (3), DBE GoodFaith Inc. performs follow-up calls. If the transaction is submitted less than three (3) business days prior to the bid date, DBE GoodFaith Inc. reserves the right to change the 2nd call date.
- Review the contract's bid documents to ensure that your outreach is in compliance with any and all additional requirements and guidelines established by the awarding agency. Regardless of the service package selected, DBE GoodFaith Inc. customers may be required to perform outreach steps beyond what the services we provide. DBE GoodFaith Inc. strongly recommends that its customers advertise in other local minority focus outlets and make additional contact with selected and other minority firms to ensure compliance with good faith effort requirements.
- The Terms of Agreement between your company and DBE GoodFaith Inc. can be viewed at www.dbegoodfaith.com.
- If you have any questions or if we can be of further assistance please feel free to contact us via email at info@dbegoodfaith.com.

Thanks again,

DBE GoodFaith Inc.

Focus Journal Ad

Published on www.dbegoodfaith.com, 08/28/2014 at 2:19PM

The advertisement published in DBE GoodFaith's Focus Journal runs from the publication date until the bid date listed on the advertisement.

Estimator

Project Coordinator
Wolf Delgado

Contact Information
6005 Tyler st
Riverside, CA
92503
Tel: 951-352-4300
Fax: 951-352-4301

West Coast Structures Inc. dba Western Structures

is seeking qualified DBE,UDBE,WBE,MBE,SBES

Project Name

Bridge Seismic Retrofit, Structural Concrete And Hot Mix Asphalt

Awarding Agency

CALTRANS

Project Location

Butte County , 03, CA

Bid Date & Time

09/10/2014 at 2:00 P.M

Bid/Contract

03-3E1204

Project Details

WESTERN STRUCTURES IS REQUESTING QUOTES FROM ALL QUALIFIED SUBCONTRACTORS AND SUPPLIERS INCLUDING CERTIFIED DBE FIRMS FOR THE FOLLOWING ITEMS OF WORK, INCLUDING BUT NOT LIMITED TO: LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TEMPORARY TRAFFIC STRIPE (TAPE), TEMPORARY PAVEMENT MARKING (TAPE), TEMPORARY TRAFFIC STRIPE (PAINT), TRAFFIC PLASTIC DRUM, PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, PUBLIC SAFETY PLAN, RAPID SETTING CONCRETE (PATCH), REMOVE GUARDRAIL, REMOVE THERMOPLASTIC PAVEMENT MARKING (WATER BLASTING), REMOVE ROADSIDE SIGN, REMOVE CULVERT, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE SURFACING, RESET ROADSIDE SIGN, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE UNSOUND CONCRETE, PREPARE CONCRETE BRIDGE DECK SURFACE, FURNISH POLYESTER CONCRETE OVERLAY, PLACE POLYESTER CONCRETE OVERLAY, BRIDGE REMOVAL (PORTION), REMOVAL (PORTION), LOCATION B, CLEARING AND GRUBBING, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), DITCH EXCAVATION, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, CRACK TREATMENT, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, STRUCTURAL CONCRETE, BRIDGE, DRILL AND BOND DOWEL, CLEAN EXPANSION JOINT, JOINT SEAL (MR 1"), BAR REINFORCING STEEL (BRIDGE), BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE), STRUCTURAL STEEL (BRIDGE), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063" - UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080" - UNFRAMED), ROADSIDE SIGN - ONE POST, ABUTMENT LUMBER BLOCKING, STRUCTURAL STEEL (EXISTING BRIDGE), CLEAN AND PAINT STRUCTURAL STEEL, 12" CORRUGATED STEEL PIPE (.079" THICK), 12" STEEL FLARED END SECTION, ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION FABRIC (CLASS 8), TEMPORARY FENCE, DELINEATOR (CLASS 1), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), MIDWEST GUARDRAIL SYSTEM (STEEL POST), VEGETATION

MODIFIED),TRANSITION RAILING (TYPE WB-31),END CAP (TYPE TC),ALTERNATIVE FLARED TERMINAL SYSTEM (TYPE 31),ALTERNATIVE IN-LINE TERMINAL SYSTEM (TYPE 31),CONCRETE BARRIER (TYPE 736 MODIFIED),THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3),4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12),PAVEMENT MARKER (RETROREFLECTIVE),MOBILIZATION

Requirements: Western Structures is a union signatory contractor. Subcontractors must have a current contractors license and insurance coverage that meets Western Structures requirements. Plans and Specifications are available for viewing at Western Structures office located at 6005 Tyler Street, Riverside CA 92503 or by viewing at http://www/dot.ca.gov/hq/esc/oe/weekly_ads/all_adv_projects.php. Western Structures is an equal opportunity employer. Assistance such as bonding, insurance and/or necessary supplies and materials is available. DBE contractors are encouraged to submit quotations.

Trade Journal Ad

Published on www.trade.dbegoodfaith.com, 08/28/2014 at 2:19PM

The advertisement published in DBE GoodFaith's Trade Journal runs from the publication date until the bid date listed on the advertisement.

Trade Journal Ad

West Coast Structures Inc. dba Western Structures is Seeking Qualified

DBE,UDBE,WBE,MBE,SBE

Bid Due Date : 09/10/2014 at 2:00 P.M Bid No : 03-3E1204

Contact Estimator :

Project Name : Bridge Seismic Retrofit, Structural Concrete And Hot Mix Asphalt
Agency Name : CALTRANS
Project City : Butte County
Project County : 03
Project State : CA
Project Details :

WESTERN STRUCTURES IS REQUESTING QUOTES FROM ALL QUALIFIED SUBCONTRACTORS AND SUPPLIERS INCLUDING CERTIFIED DBE FIRMS FOR THE FOLLOWING ITEMS OF WORK, INCLUDING BUT NOT LIMITED TO: LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TEMPORARY TRAFFIC STRIPE (TAPE), TEMPORARY PAVEMENT MARKING (TAPE), TEMPORARY TRAFFIC STRIPE (PAINT), TRAFFIC PLASTIC DRUM, PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, PUBLIC SAFETY PLAN, RAPID SETTING CONCRETE (PATCH), REMOVE GUARDRAIL, REMOVE THERMOPLASTIC PAVEMENT MARKING (WATER BLASTING), REMOVE ROADSIDE SIGN, REMOVE CULVERT, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE SURFACING, RESET ROADSIDE SIGN, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE UNSOUND CONCRETE, PREPARE CONCRETE BRIDGE DECK SURFACE, FURNISH POLYESTER CONCRETE OVERLAY, PLACE POLYESTER CONCRETE OVERLAY, BRIDGE REMOVAL (PORTION), REMOVAL (PORTION), LOCATION B, CLEARING AND GRUBBING, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), DITCH EXCAVATION, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, CRACK TREATMENT, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, STRUCTURAL CONCRETE, BRIDGE, DRILL AND BOND DOWEL, CLEAN EXPANSION JOINT, JOINT SEAL (MR 1"), BAR REINFORCING STEEL (BRIDGE), BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE), STRUCTURAL STEEL (BRIDGE), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), ROADSIDE SIGN - ONE POST, ABUTMENT LUMBER BLOCKING, STRUCTURAL STEEL (EXISTING BRIDGE), CLEAN AND PAINT STRUCTURAL STEEL, 12" CORRUGATED STEEL PIPE (.079" THICK), 12" STEEL FLARED END SECTION, ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION FABRIC (CLASS 8), TEMPORARY FENCE, DELINEATOR (CLASS 1), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), MIDWEST GUARDRAIL SYSTEM (STEEL POST), VEGETATION CONTROL (MINOR CONCRETE), CHAIN LINK RAILING (TYPE 7 MODIFIED), TRANSITION RAILING (TYPE WB-31), END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM (TYPE 31), ALTERNATIVE IN-LINE TERMINAL SYSTEM (TYPE 31), CONCRETE BARRIER (TYPE 736 MODIFIED), THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MOBILIZATION

Contact Details : Wolf Delgado
6005 Tyler st
Riverside, CA 92503
Tel: 951-352-4300
Fax: 951-352-4301

Requirements: Western Structures is a union signatory contractor. Subcontractors must have a current contractors license and insurance coverage that meets Western Structures requirements. Plans and Specifications are available for viewing at Western Structures office located at 6005 Tyler Street, Riverside CA 92503 or by viewing at http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_adv_projects.php. Western Structures is an equal opportunity employer. Assistance such as bonding, insurance and/or necessary supplies and materials is available. DBE contractors are encouraged to submit quotations.

Company Details

Company Name : West Coast Structures Inc. dba Western Structures
 Department : Estimating
 Address : 6005 Tyler st
 Suite # :
 City : Riverside
 State : California
 Zip : 92503
 Phone # : Tel : 951-352-4300
 Fax # : Fax : 951-352-4301
 Email # : haydeews4300@sbcglobal.net

Solicitation Transaction Log (STL)

Bid # : 03-3E1204
 Bid Date : 09/10/2014
 Bid Description : WESTERN STRUCTURES IS REQUESTING QUOTES FROM ALL QUALIFIED SUBCONTRACTORS AND SUPPLIERS INCLUDING CERTIFIED DBE FIRMS FOR THE FOLLOWING ITEMS OF WORK, INCLUDING BUT NOT LIMITED TO: LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TEMPORARY TRAFFIC STRIPE (TAPE), TEMPORARY PAVEMENT MARKING (TAPE), TEMPORARY TRAFFIC STRIPE (PAINT), TRAFFIC PLASTIC DRUM, PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, PUBLIC SAFETY PLAN, RAPID SETTING CONCRETE (PATCH), REMOVE GUARDRAIL, REMOVE THERMOPLASTIC PAVEMENT MARKING (WATER BLASTING), REMOVE ROADSIDE SIGN, REMOVE CULVERT, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE SURFACING, RESET ROADSIDE SIGN, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE UNSOUND CONCRETE, PREPARE CONCRETE BRIDGE DECK SURFACE, FURNISH POLYESTER CONCRETE OVERLAY, PLACE POLYESTER CONCRETE OVERLAY, BRIDGE REMOVAL (PORTION), REMOVAL (PORTION), LOCATION B, CLEARING AND GRUBBING, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), DITCH EXCAVATION, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, CRACK TREATMENT, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, STRUCTURAL CONCRETE, BRIDGE, DRILL AND BOND DOWEL, CLEAN EXPANSION JOINT, JOINT SEAL (MR 1"), BAR REINFORCING STEEL (BRIDGE), BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE), STRUCTURAL STEEL (BRIDGE), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), ROADSIDE SIGN - ONE POST, ABUTMENT LUMBER BLOCKING, STRUCTURAL STEEL (EXISTING BRIDGE), CLEAN AND PAINT STRUCTURAL

THICK), 12" STEEL FLARED END SECTION, ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION FABRIC (CLASS 8), TEMPORARY FENCE, DELINEATOR (CLASS 1), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), MIDWEST GUARDRAIL SYSTEM (STEEL POST), VEGETATION CONTROL (MINOR CONCRETE), CHAIN LINK RAILING (TYPE 7 MODIFIED), TRANSITION RAILING (TYPE WB-31), END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM (TYPE 31), ALTERNATIVE IN-LINE TERMINAL SYSTEM (TYPE 31), CONCRETE BARRIER (TYPE 736 MODIFIED), THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MOBILIZATION

This document contains all information pertaining with solicitations made on behalf of/for West Coast Structures Inc. dba Western Structures of Riverside, California by DBE Goodfaith Inc. (a California-based Corporation).

These solicitations have been done in good faith. DBE Goodfaith has participated with West Coast Structures Inc. dba Western Structures in communicating with selected DBE, UDBE, WBE, MBE, SBE firms.

DBE Goodfaith has contacted the California Department of General Services (Office of Small Business and DVBE Services) and California Department of Transportation (Office of Civil Rights) on 08/28/2014 on your behalf. Please write this information on the appropriate forms if required.

Advertisements published in DBE GoodFaith's Minority Focus and Trade Journals run from the publication date until the bid date listed on the advertisements.

Total Companies Solicited

The following information is a summary of the different types of Business that have been solicited by DBE Good Faith Inc. on behalf of West Coast Structures Inc. dba Western Structures

DVBE (Disadvantaged Veteran Business Enterprises)	- 0
DBE (Disadvantaged Business Enterprises)	- 5
UDBE (Underutilized Disadvantaged Business Enterprise)	- 14
MBE (Minority Owned Business Enterprises)	- 4
WBE (Women Owned Business Enterprises)	- 2
SBE (Small Business Enterprises)	- 0
Total	- 25

**Focus Journal Ad posted to website www.dbegoodfaith.net on
08/28/2014 at 2:19PM**

The advertisement published in DBE GoodFaith's Focus Journal runs from the publication date until the bid date listed on the advertisement.

Estimator

Project Coordinator
Wolf Delgado

Contact Information
6005 Tyler st
Riverside, California
92503
Tel : 951-352-4300
Fax : 951-352-4301

West Coast Structures Inc. dba Western Structures

is seeking qualified DBE, UDBE, WBE, MBE, SBES

Project Name

Bridge Seismic Retrofit, Structural Concrete And Hot Mix Asphalt

Awarding Agency

CALTRANS

Project Location

Butte County , 03, California

Bid Date & Time

09/10/2014 at 2:00 P.M

Bid/Contract #

03-3E1204

Project Details

WESTERN STRUCTURES IS REQUESTING QUOTES FROM ALL QUALIFIED SUBCONTRACTORS AND SUPPLIERS INCLUDING CERTIFIED DBE FIRMS FOR THE FOLLOWING ITEMS OF WORK, INCLUDING BUT NOT LIMITED TO: LEAD CDMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTRDL SYSTEM, TEMPORARY TRAFFIC STRIPE (TAPE), TEMPORARY PAVEMENT MARKING (TAPE), TEMPDRARY TRAFFIC STRIPE (PAINT), TRAFFIC PLASTIC DRUM, PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTRDL PROGRAM, TEMPDRARY CDNCRETE WASHDUT, TREATED WWOOD WASTE, PUBLIC SAFETY PLAN, RAPID SETTING CONCRETE (PATCH), REMOVE GUARDRAIL, REMOVE THERMOPLASTIC PAVEMENT MARKING (WATER BLASTING), REMOVE ROADSIDE SIGN, REMOVE CULVERT, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE SURFACING, RESET ROAOSIDE SIGN, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE UNSOUND CONCRETE, PREPARE CONCRETE BRIDGE DECK SURFACE, FURNISH POLYESTER CONCRETE OVERLAY, PLACE POLYESTER CONCRETE OVERLAY, BRIDGE REMOVAL (PORTION), REMOVAL (PORTION), LOCATION B, CLEARING AND GRUBBING, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHDULDER BACKING, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), DITCH EXCAVATION, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, CRACK TREATMENT, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, STRUCTURAL CONCRETE, BRIDGE, DRILL AND BOND DOWEL, CLEAN EXPANSION JOINT, JOINT SEAL (MR 1"), BAR REINFORCING STEEL (BRIDGE), BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE), STRUCTURAL STEEL (BRIOGE), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"- UNFRAMED), ROADSIDE SIGN - ONE POST, ABUTMENT LUMBER BLOCKING, STRUCTURAL STEEL (EXISTING BRIDGE), CLEAN AND PAINT STRUCTURAL STEEL, 12" CORRUGATED STEEL PIPE (.079" THICK), 12" STEEL FLARED END SECTION, ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION FABRIC (CLASS 8), TEMPORARY FENCE, DELINEATOR (CLASS 1), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), MIDWEST GUARDRAIL SYSTEM (STEEL POST), VEGETATION CONTROL (MINOR CONCRETE), CHAIN LINK RAILING (TYPE 7 MODIFIED), TRANSITION RAILING (TYPE WB-31), END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM (TYPE 31), ALTERNATIVE IN-LINE TERMINAL SYSTEM (TYPE 31), CONCRETE BARRIER (TYPE 736 MODIFIED), THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC

TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MOBILIZATION

Requirements: Western Structures is a union signatory contractor. Subcontractors must have a current contractors license and insurance coverage that meets Western Structures requirements. Plans and Specifications are available for viewing at Western Structures office located at 6005 Tyler Street, Riverside CA 92503 or by viewing at http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_adv_projects.php. Western Structures is an equal opportunity employer. Assistance such as bonding, insurance and/or necessary supplies and materials is available. DBE contractors are encouraged to submit quotations.

**Trade Journal Ad posted to website trade.dbegoodfaith.net on
08/28/2014 at 2:19PM**

The advertisement published in DBE GoodFaith's Trade Journal runs from the publication date until the bid date listed on the advertisement.

Trade Journal Ad

West Coast Structures Inc. dba Western Structures is Seeking Qualified

DBE,UDBE,WBE,MBE,SBE

Bid Due Date : 09/10/2014 at 2:00 P.M Bid No : 03-3E1204

Contact Estimator :

Project Name : Bridge Seismic Retrofit, Structural Concrete And Hot Mix Asphalt
Agency Name : CALTRANS
Project City : Butte County
Project County : 03
Project State : California
Project Details :

WESTERN STRUCTURES IS REQUESTING QUOTES FROM ALL QUALIFIED SUBCONTRACTORS AND SUPPLIERS INCLUDING CERTIFIED DBE FIRMS FOR THE FOLLOWING ITEMS OF WORK, INCLUDING BUT NOT LIMITED TO: LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TEMPORARY TRAFFIC STRIPE (TAPE), TEMPORARY PAVEMENT MARKING (TAPE), TEMPORARY TRAFFIC STRIPE (PAINT), TRAFFIC PLASTIC DRUM, PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, PUBLIC SAFETY PLAN, RAPID SETTING CONCRETE (PATCH), REMOVE GUARDRAIL, REMOVE THERMOPLASTIC PAVEMENT MARKING (WATER BLASTING), REMOVE ROADSIDE SIGN, REMOVE CULVERT, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE SURFACING, RESET ROADSIDE SIGN, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE UNSOUND CONCRETE, PREPARE CONCRETE BRIDGE DECK SURFACE, FURNISH POLYESTER CONCRETE OVERLAY, PLACE POLYESTER CONCRETE OVERLAY, BRIDGE REMOVAL (PORTION), REMOVAL (PORTION), LOCATION B, CLEARING AND GRUBBING, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), DITCH EXCAVATION, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, CRACK TREATMENT, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, STRUCTURAL CONCRETE, BRIDGE, DRILL AND BOND DOWEL, CLEAN EXPANSION JOINT, JOINT SEAL (MR 1"), BAR REINFORCING STEEL (BRIDGE), BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE), STRUCTURAL STEEL (BRIDGE), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), ROADSIDE SIGN - ONE POST, ABUTMENT LUMBER BLOCKING, STRUCTURAL STEEL (EXISTING BRIDGE), CLEAN AND PAINT STRUCTURAL STEEL, 12" CORRUGATED STEEL PIPE (.079" THICK), 12" STEEL FLARED END SECTION, ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION FABRIC (CLASS 8), TEMPORARY FENCE, DELINEATOR (CLASS 1), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), MIDWEST GUARDRAIL SYSTEM (STEEL POST), VEGETATION CONTROL (MINOR CONCRETE), CHAIN LINK RAILING (TYPE 7 MODIFIED), TRANSITION RAILING (TYPE WB-31), END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM (TYPE 31), ALTERNATIVE IN-LINE TERMINAL SYSTEM (TYPE 31), CONCRETE BARRIER (TYPE 736 MODIFIED), THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MOBILIZATION

Contact Details : Wolf Delgado
6005 Tyler st
Riverside, California 92503
Tel : 951-352-4300
Fax : 951-352-4301

Requirements: Western Structures is a union signatory contractor. Subcontractors must have a current contractors license and insurance coverage that meets Western Structures requirements. Plans and Specifications are available for viewing at Western Structures office located at 6005 Tyler Street, Riverside CA 92503 or by viewing at http://www/dot.ca.gov/hq/esc/oe/weekly_ads/all_adv_projects.php. Western Structures is an equal opportunity employer. Assistance such as bonding, insurance and/or necessary supplies and materials is available. DBE contractors are encouraged to submit quotations.

including one and one-half percent (1-1/2%) of your bonding cost. Certification assistance is available, as well as viewing plans and specs.

Date posted: 08/26/2014

Contractor: West Coast Structures, Inc. dba Western Structures **Contact:** Wolf Delgado

Address: 6005 Tyler St. Riverside, CA 92503

Phone: 951-352-4300 **Fax:** 951-509-9390 **Email:** wdelgado4300@sbcglobal.net

Services needed: WESTERN STRUCTURES IS REQUESTING QUOTES FROM ALL QUALIFIED SUBCONTRACTORS AND SUPPLIERS INCLUDING CERTIFIED DBE FIRMS FOR THE FOLLOWING ITEMS OF WORK, INCLUDING BUT NOT LIMITED TO: LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TEMPORARY TRAFFIC STRIPE (TAPE), TEMPORARY PAVEMENT MARKING (TAPE), TEMPORARY TRAFFIC STRIPE (PAINT), TRAFFIC PLASTIC DRUM, PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, PUBLIC SAFETY PLAN, RAPID SETTING CONCRETE (PATCH), REMOVE GUARDRAIL, REMOVE THERMOPLASTIC PAVEMENT MARKING (WATER BLASTING), REMOVE ROADSIDE SIGN, REMOVE CULVERT, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE SURFACING, RESET ROADSIDE SIGN, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE UNSOUND CONCRETE, PREPARE CONCRETE BRIDGE DECK SURFACE, FURNISH POLYESTER CONCRETE OVERLAY, PLACE POLYESTER CONCRETE OVERLAY, BRIDGE REMOVAL (PORTION), REMOVAL (PORTION), LOCATION B, CLEARING AND GRUBBING, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), DITCH EXCAVATION, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, CRACK TREATMENT, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, STRUCTURAL CONCRETE, BRIDGE, DRILL AND BOND DOWEL, CLEAN EXPANSION JOINT, JOINT SEAL (MR 1"), BAR REINFORCING STEEL (BRIDGE), BAR REINFORCING STEEL (EPOXY COATED) (BRIDGE), STRUCTURAL STEEL (BRIDGE), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), ROADSIDE SIGN - ONE POST, ABUTMENT LUMBER BLOCKING, STRUCTURAL STEEL (EXISTING BRIDGE), CLEAN AND PAINT STRUCTURAL STEEL, 12" CORRUGATED STEEL PIPE (.079" THICK), 12" STEEL FLARED END SECTION, ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION FABRIC (CLASS 8), TEMPORARY FENCE, DELINEATOR (CLASS 1), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), MIDWEST GUARDRAIL SYSTEM (STEEL POST), VEGETATION CONTROL (MINOR CONCRETE), CHAIN LINK RAILING (TYPE 7 MODIFIED), TRANSITION RAILING (TYPE WB-31), END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM (TYPE 31), ALTERNATIVE IN-LINE TERMINAL SYSTEM (TYPE 31), CONCRETE BARRIER (TYPE 736 MODIFIED), THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MOBILIZATION

Requirements: Western Structures is a union signatory contractor. Subcontractors must have a current contractors license and insurance coverage that meets Western Structures requirements. Plans and Specifications are available for viewing at Western Structures office located at 6005 Tyler Street, Riverside CA 92503 or by viewing at

http://www.dot.ca.gov/hq/esc/oe/weekly_ads/all_adv_projects.php. Western Structures is an equal opportunity employer. Assistance such as bonding, insurance and/or necessary supplies and materials is available. DBE contractors are encouraged to submit quotations.

Date posted: 08/28/2014