

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION  
**CALTRANS BIDDER - DBE - COMMITMENT**  
 DES-OE-1102.10C (NEW 06/2012)

# Low Bidder

This information may be submitted with your bid proposal. If it is not, and you are the apparent low bidder or the second or third low bidder, it must be submitted and received as specified in section 2 of the specifications. Failure to submit the required DBE information will be grounds for finding the bid nonresponsive.

CONTRACT NO: 05-330754

BID AMOUNT: \$ 3,815,797.17

BID OPENING DATE: 2/5/13

BIDDER'S NAME: Souza Engineering Contracting Inc. c/o Souza Construction Inc.

DBE GOAL FROM CONTRACT, %: 4%

DBE PRIME CONTRACTOR CERTIFICATION:

BID ITEM N.O.	ITEM OF WORK AND DESCRIPTION OF SERVICES TO BE SUBCONTRACTED OR MATERIALS TO BE PROVIDED	FOR CALTRANS USE ONLY	NAME OF DBEs (Must be certified on the date bids are opened - include Caltrans certification #, DBE address and phone number) (Indicate 2nd and lower tier subcontractors)	DOLLAR AMOUNT DBE
4	Construction Area Signs		KPC SAFETY CO. Full PO Box 6356 Visalia, CA 93280 559-732-0393 #447	\$ 9,700.00
5, 8, 89 90	Traffic Control Work, Signs, Markings, Mobilization.		Super Seal & Sign Co. PO Box 755, Fullerton CA, 92706 714-529-2345 #2003	\$ 7,979.00
26	Color Paint Asphalt		Cindy Trump Full. 625 W. Main Street LA Habra, CA 90831 714-697-2286 #40089	\$ 4,300.00

IMPORTANT: Identify all DBE firms being claimed for credit, regardless of tier. Names of the First Tier DBE Subcontractors and their respective item(s) of work listed above must be consistent, where applicable, with the names and items of work in the "Subcontractor List" submitted with your bid. Copies of the DBE quotes are required.

- DBE prime contractors must enter their certification number and indicate all work to be performed by DBEs including work performed by its own forces.
- If 100% of item is not to be performed or furnished by DBE, describe exact portion of item to be performed or furnished.
- See section 2-1.12 of the specifications to determine the credit allowed for DBE firms.

Total Claimed Participation

Signature of Bidder: Steve A. Souza, President

Date: 2/5/13 (Area Code) Tel. No. (805) 546-8288

Person to Contact: Steve A. Souza (Please Type or Print)

Submit to:

MSC 43  
 OFFICE ENGINEER  
 DEPARTMENT OF TRANSPORTATION  
 1727 30TH STREET  
 SACRAMENTO, CA 95816-7005

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 854-8410 or TDD (916) 854-8880 or write Records and Forms Management, 1120 N Street, MS-80, Sacramento, CA 95814.

02-11-13P01:30 RCVD

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION  
**CALTRANS BIDDER - DBE - COMMITMENT**  
 DES-OE-0102.10C (NEW 06/2012)

This information may be submitted with your bid proposal. If it is not, and you are the apparent low bidder or the second or third low bidder, it must be submitted and received as specified in section 2 of the specifications. Failure to submit the required DBE information will be grounds for finding the bid nonresponsive.

CONTRACT NO: 05-330754

BID AMOUNT: \$ 3,865,792.17

BID OPENING DATE: 2/5/13

BIDDER'S NAME: Souza Engineering Contracting Inc. cba Souza Construction Inc.

DBE GOAL FROM CONTRACT, %: 4%

DBE PRIME CONTRACTOR CERTIFICATION:

BID ITEM NO.	ITEM OF WORK AND DESCRIPTION OF SERVICES TO BE SUBCONTRACTED OR MATERIALS TO BE PROVIDED <sup>2</sup>	FOR CALTRANS USE ONLY	NAME OF DBEs (Must be certified on the date bids are opened - include Caltrans certification #, DBE address and phone number) (Indicate 2nd and lower tier subcontractors)	DOLLAR AMOUNT DBE <sup>3</sup>
44, 45, 46	Place ASPHALT DIKE		A. L. DIKE CO. 2788 URBANA DR LINDHURST, CA 95678 916-652-0159 #219	\$ 3,456.00
59	Joint Seal.		AUSTIN ENTERPRISES PO Box 81926 Daly City, CA 94014 661-587-1001 #13602	\$ 12,495.00
32, 62, 63, 70 15, 36, 16, 20 34, 74, 56	Supply Paving Materials SPECIAL STRUCTURAL TILES Lock Blends, Fabric Geosynthetic Membrane (GOM) Pave		TRIUMPH ENTERPRISES 1235 N. BLAKE ST. SACRAMENTO, CA 95806 888-775-2545 #9076	\$ 20,105.44

IMPORTANT: Identify all DBE firms being claimed for credit, regardless of tier. Names of the First Tier DBE Subcontractors and their respective name(s) of work listed above must be consistent, where applicable, with the names and items of work in the "Subcontractor List" submitted with your bid. Copies of the DBE quotes are required.

- DBE prime contractors must enter their certification number and indicate all work to be performed by DBEs including work performed by its own forces.
- If 100% of item is not to be performed or furnished by DBE, describe exact portion of item to be performed or furnished.
- See section 2-1.12 of the specifications to determine the credit allowed for DBE firms.

Submit to:

MSC 43  
 OFFICE ENGINEER  
 DEPARTMENT OF TRANSPORTATION  
 1727 30TH STREET  
 SACRAMENTO, CA 95816-7005

Total Claimed Participation  
 \$ \_\_\_\_\_  
 % \_\_\_\_\_

Signature of Bidder Steve A. Souza, President

Date 2/5/13 (805) 646-8288  
 (Area Code) Tel. No.

Person to Contact Steve A. Souza  
 (Please Type or Print)

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (816) 654-6410 or TDD (816) 654-3880 or write Records and Forms Management, 1120 N Street, MS-80, Sacramento, CA 95814.

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION  
**CALTRANS BIDDER - DBE - COMMITMENT**  
 DES-OE-0102.10C (NEW 06/2012)

This information may be submitted with your bid proposal. If it is not, and you are the apparent low bidder or the second or third low bidder, it must be submitted and received as specified in section 2 of the specifications. Failure to submit the required DBE information will be grounds for finding the bid nonresponsive.

CONTRACT NO: 05-330754

BID AMOUNT: \$ 3,865,797.12

BID OPENING DATE: 2/5/13

BIDDER'S NAME: Souza Engineering Contracting Inc. c/o Souza Construction Inc.

DBE GOAL FROM CONTRACT, %: 4%

DBE PRIME CONTRACTOR CERTIFICATION:

BID ITEM NO.	ITEM OF WORK AND DESCRIPTION OF SERVICES TO BE SUBCONTRACTED OR MATERIALS TO BE PROVIDED <sup>2</sup>	FOR CALTRANS USE ONLY	NAME OF DBEs (Must be certified on the date bids are opened - include Caltrans certification %, DBE address and phone number) (Indicate 2nd and lower tier subcontractors)	DOLLAR AMOUNT DBE <sup>2</sup>
<u>27, 28, 29 42</u>	<u>TRUCKING</u>		<u>KATZ ELEVATING &amp; TRUCKING INC. 445 VALLE VERDE PO BOX 1004 CA 93406 805-279-2636 * 39134</u>	<u>71,165.00</u>
<u>51, 55, 77 78</u>	<u>SUPPLY MATERIALS DRAINING PADS, DRAIN SYSTEM MISC. MATERIALS</u>		<u>RUPERT CONSTRUCTION SUITE 3941 HANCOCK 8100 SANDHILL RD CA 95762 925-229-5577 # 32785</u>	<u>70,196.95</u>

IMPORTANT: Identify all DBE firms being claimed for credit, regardless of tier. Names of the First Tier DBE Subcontractors and their respective item(s) of work listed above must be consistent, where applicable, with the names and items of work in the "Subcontractor List" submitted with your bid. Copies of the DBE quotes are required.

1. DBE prime contractors must enter their certification number and indicate all work to be performed by DBEs including work performed by its own forces.
2. If 100% of item is not to be performed or furnished by DBE, describe exact portion of item to be performed or furnished.
3. See section 2-1.12 of the specifications to determine the credit allowed for DBE firms.

Total Claimed Participation: \$1,994,063.99

5.1 %

Signature of Bidder: Steve A. Souza, President

Date: 2/5/13 (805) 546-8288 (Area Code) Tel. No.

Person to Contact: Steve A. Souza (Please Type or Print)

Submit to:

MSC 43  
 OFFICE ENGINEER  
 DEPARTMENT OF TRANSPORTATION  
 1727 30TH STREET  
 SACRAMENTO, CA 95818-7005

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 654-6310 or TDD (916) 654-3880 or write Records and Forms Management, 1120 N Street, MS-89, Sacramento, CA 95814.

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION  
**CALTRANS BIDDER - DBE - COMMITMENT**  
 DES-OE-0102.10C (NEW 06/20/12)

# Low Bidder

This information may be submitted with your bid proposal. If it is not, and you are the apparent low bidder or the second or third low bidder, it must be submitted and received as specified in section 2 of the specifications. Failure to submit the required DBE information will be grounds for finding the bid nonresponsive.

CONTRACT NO: 05-330754

BID AMOUNT: \$ 3,815,797.17

BID OPENING DATE: 2/5/13

BIDDER'S NAME: Souza Engineering Contracting Inc. cba Souza Construction Inc.

DBE GOAL FROM CONTRACT, %: 4%

DBE PRIME CONTRACTOR CERTIFICATION<sup>1</sup>:

BID ITEM NO.	ITEM OF WORK AND DESCRIPTION OF SERVICES TO BE SUBCONTRACTED OR MATERIALS TO BE PROVIDED <sup>2</sup>	FOR CALTRANS USE ONLY	NAME OF DBEs (Must be certified on the date bids are opened - include Caltrans certification #, DBE address and phone number) (Indicate 2nd and lower tier subcontractors)	DOLLAR AMOUNT DBE <sup>3</sup>
4	CONSTRUCTION AREA SIGNS		KPC SAFETY CO. INC. PO BOX 6356 VISALIA, CA 93280 559-732-0397 #447	\$ 9,700.00
5, 88, 89 90	TRAFFIC CONTROL WORK WORK, STRIKE, MARKING MODIFICATION		Super Seal & STRIKE PO BOX 755, FILLMORE CA, 93016 805-524-7345 #2003	\$ 7,979.00
26	COLOPLANE ASPHALT		CINDY TRUMP INC. 625 W. MONTANA RD LA HABRA, CA 90631 714-697-2286 #40089	\$ 4,300.00

IMPORTANT: Identify all DBE firms being claimed for credit, regardless of tier. Names of the First Tier DBE Subcontractors and their respective items(s) of work listed above must be consistent, where applicable, with the names and items of work in the "Subcontractor List" submitted with your bid. Copies of the DBE quotes are required.

1. DBE prime contractors must enter their certification number and indicate all work to be performed by DBEs including work performed by its own forces.
2. If 100% of item is not to be performed or furnished by DBE, describe exact portion of item to be performed or furnished.
3. See section 2-1.12 of the specifications to determine the credit allowed for DBE firms.

Total Claimed Participation

*[Signature]*  
 Signature of Bidder Steve A. Souza, President

Date 2/5/13 (805) 546-8288  
 (Area Code) Tel. No.

Steve A. Souza  
 Person to Contact (Please Type or Print)

Submit to:

MSC 43  
 OFFICE ENGINEER  
 DEPARTMENT OF TRANSPORTATION  
 1727 30TH STREET  
 SACRAMENTO, CA 95816-7005

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 654-8410 or TDD (916) 354-3880 or write Records and Forms Management, 1120 N Street, M8-89, Sacramento, CA 95814.

02-11-13P01:30 RCVD

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION  
**CALTRANS BIDDER - DBE - COMMITMENT**  
 DES-OE-0102.10C (NEW 06/2012)

This information may be submitted with your bid proposal. If it is not, and you are the apparent low bidder or the second or third low bidder, it must be submitted and received as specified in section 2 of the specifications. Failure to submit the required DBE information will be grounds for finding the bid nonresponsive.

CONTRACT NO: 05-330754

BID AMOUNT: \$ 3,865,797.47

BID OPENING DATE: 2/5/13

BIDDER'S NAME: Souza Engineering Contracting Inc. dba Souza Construction Inc.

DBE GOAL FROM CONTRACT, %: 4%

DBE PRIME CONTRACTOR CERTIFICATION<sup>1</sup>:

BID ITEM NO.	ITEM OF WORK AND DESCRIPTION OF SERVICES TO BE SUBCONTRACTED OR MATERIALS TO BE PROVIDED <sup>2</sup>	FOR CALTRANS USE ONLY	NAME OF DBEs (Must be certified on the date bids are opened - include Caltrans certification #, DBE address and phone number) (Indicate 2nd and lower tier subcontractors)	DOLLAR AMOUNT DBE <sup>3</sup>
44, 45, 46	Place ASPHALT DIKE		A. C. DIKE CO. 2788 VENTURE DR. WINDYBUSH, CA 95678 916-652-0159 #219	\$ 3,456.00
59	Joint Seal.		AUSTIN ENTERPRISE PO Box 81926 Daly City, CA 94014 661-587-1001 #13602	\$ 12,495.00
32, 62, 63, 70 15, 36, 16, 20 34, 74, 56	SMALL PILES, FIBERGLASS SAND, STRUCTURAL TIE Cork Blends, FADN-2 600MM DIA AND SLOTTED PILE		TRIUMPH 6-05 SYNTHETICS 1235 N. WALK ST. MARTINEZ, CA 94554 888-775-2545 #9076	\$ 20,105.44

IMPORTANT: Identify all DBE firms being claimed for credit, regardless of tier. Names of the First Tier DBE Subcontractors and their respective item(s) of work listed above must be consistent, where applicable, with the names and items of work in the "Subcontractor List" submitted with your bid. Copies of the DBE quotes are required.

- DBE prime contractors must enter their certification number and indicate all work to be performed by DBEs including work performed by its own forces.
- If 100% of item is not to be performed or furnished by DBE, describe exact portion of item to be performed or furnished.
- See section 2-1.12 of the specifications to determine the credit allowed for DBE firms.

Submit to:

MSC 43  
 OFFICE ENGINEER  
 DEPARTMENT OF TRANSPORTATION  
 1727 30TH STREET  
 SACRAMENTO, CA 95818-7005

Total Claimed Participation

\$ CONTRACTED

%

Signature of Bidder Steve A. Souza, President

Date 2/5/13 (805) 546-8288 (Area Code) Tel. No.

Person to Contact Steve A. Souza (Please Type or Print)

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 654-6410 or TDD (916) 654-3880 or write Records and Forms Management, 1120 N Street, MS-89, Sacramento, CA 95914.

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION  
**CALTRANS BIDDER - DBE - COMMITMENT**  
 DES-OE-0102.10C (NEW 06/2012)

This information may be submitted with your bid proposal. If it is not, and you are the apparent low bidder or the second or third low bidder, it must be submitted and received as specified in section 2 of the specifications. Failure to submit the required DBE information will be grounds for finding the bid nonresponsive.

CONTRACT NO: 05-330754

BID AMOUNT: \$ 3,865,797.17

BID OPENING DATE: 2/5/13

BIDDER'S NAME: Souza Engineering Contracting Inc. c/o Souza Construction Inc.

DBE GOAL FROM CONTRACT, %: 4%

DBE PRIME CONTRACTOR CERTIFICATION<sup>1</sup>:

BID ITEM NO.	ITEM OF WORK AND DESCRIPTION OF SERVICES TO BE SUBCONTRACTED OR MATERIALS TO BE PROVIDED <sup>2</sup>	FDR CALTRANS USE ONLY	NAME OF DBEs (Must be certified on the date bids are opened - include Caltrans certification #, DBE address and phone number) (Indicate 2nd and lower tier subcontractors)	DOLLAR AMOUNT DBE <sup>3</sup>
<u>27, 28, 29, 42</u>	<u>TRUCKING</u>		<u>KRIZ EXCAVATING &amp; TRUCKING INC. 415 YEL B. V. ROAD, P.O. BOX 93406, 805-239-2636 # 39134</u>	<u>71,165.00</u>
<u>51, 55, 77, 78</u>	<u>SUPPLY MATERIALS, DESIGN PADS, DRAIN SYSTEM, MISC. MATERIAL BRIDGE</u>		<u>RUPERT CONSTRUCTION SUPPLY 3941 FARM ROAD, EL DORADO HILLS CA 95762 925-229-5577 # 32785</u>	<u>70,196.95</u>

IMPORTANT: Identify all DBE firms being claimed for credit, regardless of tier. Names of the First Tier DBE Subcontractors and their respective items(s) of work listed above must be consistent, where applicable, with the names and items of work in the "Subcontractor List" submitted with your bid. Copies of the DBE quotes are required.

1. DBE prime contractors must enter their certification number and indicate all work to be performed by DBEs including work performed by its own forces.
2. If 100% of item is not to be performed or furnished by DBE, describe exact portion of item to be performed or furnished.
3. See section 2-1.12 of the specifications to determine the credit allowed for DBE firms.

Total Claimed Participation: \$ 199,406.39

5.1 %

Signature of Bidder: Steve A. Souza, President

Date: 2/5/13 (805) 546-8288 (Area Code) Tel. No.

Person to Contact: Steve A. Souza (Please Type or Print)

Submit to:

MSC 43  
 OFFICE ENGINEER  
 DEPARTMENT OF TRANSPORTATION  
 1727 30TH STREET  
 SACRAMENTO, CA 95816-7005

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 654-6410 or TDD (916) 654-3880 or write Records and Forms Management, 112R N Street, MS-89, Sacramento, CA 95814.

## Ken Johnston

---

**From:** Ryan Jeske  
**Sent:** Friday, February 08, 2013 9:21 AM  
**To:** kjohnston@souzaconstructioninc.com  
**Subject:** Sales tax

Hi Ken,

As we discussed, the factor of sales tax is factored on the supply item prior to the supply credit deduction. For example, \$10,000 item is taxed at a rate of 7% equalling \$10,700 \* 60% supplier credit. \$6,420 total amount to be calculated towards DBE goal.

hope this helps

Ryan Jeske  
California Dept. of Transportation  
Contract Evaluation Unit  
Office of Business & Economic Opportunity  
Phone: (916)324-0462  
Email: [ryan\\_jeske@dot.ca.gov](mailto:ryan_jeske@dot.ca.gov)  
OBEO Website: <http://www.dot.ca.gov/hq/bep/>



**TRIUMPH GEO-SYNTHETICS, INC.**

1235 N. GROVE ST. ANAHEIM, CA 92806

PHONE (888) 775-7545 FAX (714) 237-1549

Certified DBE/WBE/SBE/UDBE Sales@TriumphGeo.com

Quote Number

**60501**

PLEASE REFERENCE THIS QUOTE #

To: **Ken Johnston**  
 Souza Construction  
 PO Box 3810  
 San Luis Obispo, CA 93403-3810  
 805-610-7186

Bid/Project Date: Tuesday, 02/05/2013  
 Project Name: ROUTE 46 AT ESTRELLA RIVER BRIDGE  
 Project Location: PASO ROBLES, CA  
 Project Zip: 93446  
 Bid/Project #: 05-330754

*Sales Tax e 8%*

Fax: 805-546-8287

Email: [kjohnston@souzaconstructioninc.com](mailto:kjohnston@souzaconstructioninc.com)

FOR QUESTIONS ABOUT THIS QUOTE, PLEASE CALL TRIUMPH AT (888) 775-7545 OR EMAIL SALES@TRIUMPHGEO.COM

Est. Qty	Units	Item #	Description	Price	Units	
80	LF	8" HDPE Solid	8"x20' Dual Wall HWY HDPE Solid WT Pipe Bid Item # 32	\$2.460	LF	196.80 Tax 15.74
40	LF	18" HDPE Solid	18"x20' Dual Wall HWY HDPE Solid WT Pipe Bid item # 62	\$10.080	LF	403.20 Tax 32.26
160	LF	24" HDPE Solid	24"x20' Dual Wall HWY HDPE Solid WT Pipe Bid Item # 63	\$17.080	LF	2,732.80 Tax 218.62
3	Ea	24" HDPE Flared End Section	24" HDPE Flared End Section Bid Item # 70	\$192.190	Ea	576.57 Tax 46.12
1			Freight to job site. Single delivery only.	\$84.910		84.91
7,150	LF	Fiber Roll Bio-9	CalTrans Fiber Roll Biodegradable Net 200mmx25' BURLAP COVER	\$0.956 \$23.906	LF Roll	6,835.40 Tax 546.23
36	Bund	Wood Stakes 24"	1"x2"x24" Wood Stakes 50/bundie	\$18.000	Bund LFTax	648.00 51.24
2,000	LF	Silt Fence Dot/CalTrans 3/100/8'	DOT/CalTrans Spec. SILT FENCE 3'X100' Stakes 8' Centers Posts 2'X2' Nominal	\$0.276 \$27.563	LF Roll	552.00 Tax 44.16
1,600	LF	ESA Fence	Orange ESA Fence 4' X 100'	\$0.315 \$31.500	LF roll	504.00 Tax 40.32
200	each	T-Posts 60	60" T-Posts, .85 lb/ft, no paint, no spade	\$3.450	each each	690.00 Tax 55.20
36	Bund	Wood Stakes 24"	1"x2"x24" Wood Stakes 50/bundle, notched for Type 1 installation	\$23.000	Bund LF	828.00 Tax 66.24
7	Roll	Manila Rope 1/4" Sm Roll	Sisal Fiber Rope 1/4" Diameter 1200LF ROLL	\$73.000 \$73.000	Roll Roll	511.00 Tax 40.88
DELIVERY INCLUDED FOR FULL ESTIMATED QUANTITY, SINGLE DELIVERY ONLY.						
38,664	SF	99-Coir Blanket 400 - Inventory	Coir Blanket 400gm/m2 13.1' X 164'	\$0.165 \$354.128	SF roll	6,379.56 Tax 510.36
1			Estimated Freight to Jobsite Note: Fuel surcharges may apply.	\$1,130.000		1,130.00

WBE / DBE / UDBE SUPPLY 60% CREDIT. Price Quote Firm 30 Days from Bid. Subject to escalation thereafter. Orders less than bid quantity subject to Unit Price Increase. Quotes are for standard roll sizes unless noted otherwise. Quantities based upon customer provided data or engineers estimate. Determination of all quantities required for completion of project is sole responsibility of contractor.

**Sales Tax NOT INCLUDED in prices.**

RETURNS: Returns within 30 days of sale subject to a 25% restocking charge plus freight in and out. Must be in original packing & in good condition. No returns accepted on nonstandard or custom fabrication. Materials manufactured for a specific project are NOT returnable. All returns must have a Return Authorization Number.

FUEL SURCHARGES may apply due to volatile market conditions differing from time of quote.

TERMS: Accounts due 30 days of Invoice Date. Finance Charge 1.5% per month Past 30 Days. Customer agrees to pay all legal, interest and collection fees incurred by company in collection of payment.

Quote Number  
**60501**

**TRIUMPH GEO-SYNTHETICS, INC.**  
PHONE (888) 775-7545 FAX (714) 237-1549

Bid/Project #: 05-330754

Page 2

Est.Qty	Units	Item #	Description	Price	Units	
5,000	SY	99-S800-15	Mirafi S800 Nonwoven Geotextile, 15'x300', 500 SY/roll	\$0.937 \$468.609	SY roll	4685.00 Tax. 374.80
1			Estimated Freight to Jobsite Note: Fuel surcharges may apply.	\$510.000		510.00
2,400	SF	99-G100NC Calif	CALTRANS Compliant Geocomposite single sided 6oz/sy NWoven w/drainboard 4'x50' 200sf/roll	\$0.974 \$194.855	SF Roll	2327.60 Tax. 187.01
1			Estimated Freight to Jobsite Note: Fuel surcharges may apply.	\$245.000		245.00
400	LF	3" PVC Sch40 Slotted	3"x20" PVC Schedule 40 Slotted Pipe, Belled End. Slots per Caltrans Edgedrain 68-3	\$2.860	LF	1,144.00
1			Estimated Freight to Jobsite Note: Fuel surcharges may apply.	\$193.540		Tax. 91.50 193.50

**33,509.<sup>08</sup>**

$$33,509.08 \times .6 = 20,105.44$$

**WBE / DBE / UDBE SUPPLY 60% CREDIT.** Price Quote Firm 30 Days from Bid. Subject to escalation thereafter. Orders less than bid quantity subject to Unit Price Increase. Quotes are for standard roll sizes unless noted otherwise. Quantities based upon customer provided data or engineers estimate. Determination of all quantities required for completion of project is sole responsibility of contractor.

**Sales Tax  
NOT INCLUDED  
in prices.**

**RETURNS:** Returns within 30 days of sale subject to a 25% restocking charge plus freight in and out. Must be in original packing & in good condition. No returns accepted on nonstandard or custom fabrication. Materials manufactured for a specific project are NOT returnable. All returns must have a Return Authorization Number.

**FUEL SURCHARGES** may apply due to volatile market conditions differing from time of quote.

**TERMS:** Accounts due 30 days of Invoice Date. Finance Charge 1.5% per month Past 30 Days. Customer agrees to pay all legal, interest and collection fees incurred by company in collection of payment.

[Back To Query Form](#)

**Search Returned 1 Records**

Tue Feb 05 09:45:22 PST 2013

**Query Criteria**

Firm/DBA Name: Triumph

Firm Type: DBE

---

<b>Firm ID</b>	9076
<b>Firm/DBA Name</b>	TRIUMPH GEO-SYNTHETICS, INC.
<b>Address Line1</b>	1235 NORTH GROVE ST
<b>Address Line2</b>	
<b>City</b>	ANAHEIM
<b>State</b>	CA
<b>Zip Code1</b>	92806
<b>Zip Code2</b>	
<b>Mailing Address Line1</b>	1235 NORTH GROVE ST
<b>Mailing Address Line2</b>	
<b>Mailing City</b>	ANAHEIM
<b>Mailing State</b>	CA
<b>Mailing Zip Code1</b>	92806
<b>Mailing Zip Code2</b>	
<b>Certification Type</b>	DBE
<b>EMail</b>	mccaa@triumphgeo.com, sales@triumphgeo.com
<b>Contact Name</b>	CISSY MCCA
<b>Area Code</b>	( 714 )
<b>Phone Number</b>	237-1550
<b>Fax Area Code</b>	( 714 )
<b>Fax Phone Number</b>	237-1549
<b>Agency Name</b>	DEPARTMENT OF TRANSPORTATION
<b>Counties</b>	00;
<b>Districts</b>	00;
<b>DBE NAICS</b>	423390; 444190; 454390;

**ACDBE NAICS**

**Work Codes** C0620 LANDSCAPING & NURSERY SUPPLIER; C0870 PIPE SUPPLIER; C0680 FENCING SUPPLIER; C0698 BUILDING MATERIAL SUPPLIER; F5088 TRANSPORTATION EQUIPMENT & SUPPLIES;

**Licenses**

**Trucks**

**Gender**

**Ethnicity**

**Firm Type**

F  
CAUCASIAN  
DBE

---

[Back To Query Form](#)

# KRITZ EXCAVATING & TRUCKING, INC.

415 VOLPI YSABEL ROAD  
PASO ROBLES, CA 93446  
(805) 239-2686

JANUARY 2013

TO :  
SOUZA  
REF: CONTRACT # 05-330754

Item	Truck Hours	Rate	Total
27	202	@ \$97.00	\$ 19,594.00
28	10	@ 120.00	= 1,200.00
29	468	@ 92.00	= 43,056.00
42	77	@ 95.00	= 7,315.00
			<hr/>
			\$ 71,165.00

### HOURLY RATES:

#### MONDAY - FRIDAY

TRANSFER TRAILER	\$ 95.00
10 WHEEL DUMP	\$ 92.00
END DUMP	\$ 97.00
HIGH SIDE ED	\$120.00
FLAT BED (48')	\$100.00
BOTTOMS	\$ 95.00

SEE ATTACHED  
Trucking work sheet

#### SATURDAY \ NIGHT

TRANSFER TRAILER	\$103.00
10 WHEEL DUMP	\$100.00
END DUMP	\$105.00
BOTTOMS	\$103.00

PLEASE CALL IF YOU HAVE ANY QUESTIONS.

"THANK-YOU" -

### KRITZ TRUCKING, INC.

DIANE KRITZ  
MIRANDA CARRIER  
DENIELLE KAISER

(PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE)

# Trucking Worksheet

ITEMS.

27. Haul off Concrete

$$900 \text{ CY} \times 2.25 = 2025 \text{ TONS}$$

$$2025 \text{ TN} / 20 \text{ TN LOAD} = 101 \text{ LOADS}$$

$$101 \text{ LOADS} @ 2 \text{ HR} / \text{CYCLE} = 202 \text{ HRS.}$$

28. Clean & Grub

$$5 \text{ LOADS} @ 2 \text{ HRS PER LOAD} = 10 \text{ HRS.}$$

29. Roadway Excavation

MATERIAL TO BE TRUCKED DUE TO INSUFFICIENT AREA  
ADJACENT TO WORK.

$$15,000 \text{ CY} / 2 = 7,500 \text{ CY}$$

ASSUME 10 WHEELER @ 15 MIN CYCLE = 4 LOADS PER HR

@ 8 BANK CY PER LOAD = 32 CY PER HR.

$$7,500 \text{ CY} / 32 = 234 \text{ TRK HRS TO STOCK PILE}$$

$$\text{ASSUME SAME RATE TO RETURN } 234 \text{ HRS} \times 2 = 468 \text{ HRS}$$

42. CLASS II BASE

$$730 \text{ CY} \times 1.9 = 1387 \text{ TONS}$$

$$1,387 \text{ TN} / 24 \text{ TN LOAD} = 58 \text{ LOADS}$$

$$\text{ASSUME } 1 \text{ HR} + 19 \text{ MIN PER LOAD} \times 58 \text{ LOADS} = 77 \text{ HRS.}$$

[Back To Query Form](#)

**Search Returned 1 Records**

Tue Feb 05 10:08:05 PST 2013

**Query Criteria**

Firm/DBA Name: Kritz

Firm Type: DBE

---

<b>Firm ID</b>	39134
<b>Firm/DBA Name</b>	KRITZ EXCAVATING & TRUCKING, INC.
<b>Address Line1</b>	415 VOLPI YSABEL ROAD
<b>Address Line2</b>	
<b>City</b>	PASO ROBLES
<b>State</b>	CA
<b>Zip Code1</b>	93446
<b>Zip Code2</b>	
<b>Mailing Address Line1</b>	
<b>Mailing Address Line2</b>	
<b>Mailing City</b>	
<b>Mailing State</b>	
<b>Mailing Zip Code1</b>	
<b>Mailing Zip Code2</b>	
<b>Certification Type</b>	DBE
<b>EMail</b>	kritztruckng@gmail.com
<b>Contact Name</b>	DIANE KRITZ
<b>Area Code</b>	( 805 )
<b>Phone Number</b>	239-2686
<b>Fax Area Code</b>	( 805 )
<b>Fax Phone Number</b>	239-2772
<b>Agency Name</b>	DEPARTMENT OF TRANSPORTATION
<b>Counties</b>	15; 27; 40; 42;
<b>Districts</b>	05; 06;
<b>DBE NAICS</b>	237110; 237130; 237310; 484110;

**ACDBE NAICS**

**Work Codes**

C8773 Construction Management - Highway, Street and Bridge Construction; C8777 Construction Management - Power and Communication Line and Related Structure Construction; C8778 Construction Management - Water and Sewer Line and Related Structure Construction; C9774 TRUCKER;  
 A General Engineering Contractor; C12 Earthwork and Paving Contractor;  
 FOR HIRE - 16;  
 F  
 CAUCASIAN  
 DBE

**Licenses**

**Trucks**

**Gender**

**Ethnicity**

**Firm Type**

---

[Back To Query Form](#)



**Construction Supply**

UDBE Certified, #CT-032785  
CA SBE Certified, #28807

Quotation

TO: Estimator

Fax:

Bid Date: 2-5-13

Attn.:

Ph:

JOB: 05-330754

Date: 2-4-13

JOB #: Caltrans

Quantity	Details	Unit	Total
----------	---------	------	-------

77	2299 lbs. BI 77: Misc. Metals Bridge: sidewalk expansion joint armor Plates w/hardware (2ea.) 24" U-45 manhole (3 ea.)	\$2.15	\$4,942.85
		<i>Sales Tax at 8%</i>	<i>395.42</i>

78	7986 lbs. BI 78: Bridge Deck Drainage system: D3 Drains (5ea.), D1 Drains (3ea.), 8" pipe, 6" pipe, 6" elbows, 6" to 8" wye Elbow, 8" expansion coupler, 6" & 8" band coupler, 8" clevis hanger w/hardware	\$3.31	\$26,433.66
		<i>Sales Tax at 8%</i>	<i>2,114.69</i>

*TOTAL 33,886.62*

*\$ 33,886.62 + 60% = \$ 20,331.97 DBE Credit*

**Notes:**

- excludes 3rd party inspection fees.
- includes shop drawings
- contractor to verify field measurements
- partial orders are subject to price change.

**Total: \$31,376.51**

**Sales Tax Not Included**

Delivery:

Terms: Net 30 days

F.O.B.: job site

Valid for: 90 days

3941 Park Dr., Ste. 20-487, El Dorado Hills, CA 95762 - Yard: 865 Teal Dr., Benicia, CA 94510

925-229-5577 ph.

[karen@rupertsupply.com](mailto:karen@rupertsupply.com)

Sincerely, Karen Wonnenberg





**Construction Supply**

*Plugged  
2-5-13  
10:15*

UDBE Certified, #CT-032785  
CA SBE Certified, #28807

Quotation

TO: Estimator

Fax:

Bid Date: 2-5-13

Attn.:

Ph:

JOB: 05-330754

Date: 2-4-13

JOB #: Caltrans

Quantity	Details	Unit	Total
----------	---------	------	-------

51 1872 lf. BI 51: 14" OD x 0.438" wall ASTM A252, Gr. 3 pipe pile (Cl. 140/Ait. W), 47 ft. - 51.7 ft. lengths melted and manufactured Domestic \$30.36 \$56,833.92  
*Subtotal 8% 4,546.71*

1872 lf. Rail/Truck Frt. to job site closed caps, end plates can be provided and installed upon request for an additional cost. Specification will be required to provide a quote. \$7.20 \$13,478.40

*TOTAL: \$ 74,859.03*

**additional item:**

~~2160 lf. 12" OD x .375" wall ASTM A252 Gr. 3 pipe for falsework includes frt. 45' lengths \$28.55~~

*\$ 74,859.03 x 60% = \$ 44,915.42 DRE CREDIT*

**Notes:**

1. Price subject to market conditions, availability of steel and mill acceptance at time of order.
2. Actual quantities are the responsibility of the contractor.
3. Pricing based on today's current fuel rates and is subject to any fuel sur-charges, or changes in the fuel market at time of shipment.

**Total: \$70,312.32**

**Sales Tax Not Included**

Delivery:

Terms: Net 30 days

F.O.B.: ship point

Valid for: see above

3941 Park Dr., Ste. 20-487, El Dorado Hills, CA 95762 - Yard: 865 Teal Dr., Benicia, CA 94510

925-229-5577 ph.

[karen@rupertsupply.com](mailto:karen@rupertsupply.com)

Sincerely, Karen Wonnemberg



## THIS CERTIFIES THAT

<u>Rupert Construction Supply, LLC</u>	<u>32785</u>	<u>December 9, 2008</u>	<u>January 1, 2014</u>
<i>Firm Name</i>	<i>File No.</i>	<i>Renewed Date</i>	<i>Review/Renewal Date</i>

IS APPROVED BY  
THE CALIFORNIA UNIFIED CERTIFICATION PROGRAM (UCP)  
AS A DISADVANTAGED BUSINESS ENTERPRISE (DBE)  
AS DEFINED BY THE U.S. DEPARTMENT OF TRANSPORTATION (DOT)  
49 CFR, PART 26, AS MAY BE AMENDED,  
FOR THE FOLLOWING WORK CATEGORY CODES:

*444190 - Other Building Material Dealers*

*Janet Madrigal*  
*Janet Madrigal, Civil Rights Administrator*

*Central Contra Costa Transit Authority*  
*Certifying Agency*

[Back To Query Form](#)**Search Returned 1 Records**

Tue Feb 05 10:12:52 PST 2013

**Query Criteria**

Firm/DBA Name: Rupert Construction Supply

Firm Type: DBE

---

<b>Firm ID</b>	32785
<b>Firm/DBA Name</b>	RUPERT CONSTRUCTION SUPPLY, LLC
<b>Address Line1</b>	865 TEAL DR.
<b>Address Line2</b>	
<b>City</b>	BENICIA
<b>State</b>	CA
<b>Zip Code1</b>	94510
<b>Zip Code2</b>	
<b>Mailing Address Line1</b>	3941 PARK DR., STE. 20-487
<b>Mailing Address Line2</b>	
<b>Mailing City</b>	EL DORADO HILLS
<b>Mailing State</b>	CA
<b>Mailing Zip Code1</b>	95762
<b>Mailing Zip Code2</b>	4549
<b>Certification Type</b>	DBE
<b>E-Mail</b>	karen@rupertsupply.com
<b>Contact Name</b>	KAREN WONNENBERG
<b>Area Code</b>	( 925 )
<b>Phone Number</b>	229-5577
<b>Fax Area Code</b>	( 916 )
<b>Fax Phone Number</b>	673-9737
<b>Agency Name</b>	DEPARTMENT OF TRANSPORTATION
<b>Counties</b>	00;
<b>Districts</b>	00;
<b>DBE NAICS</b>	444190; "other Building Material Dealers"

**ACDBE NAICS**

<b>Work Codes</b>	C0698 BUILDING MATERIAL SUPPLIER; C0900 BRIDGE DECK MATERIALS SUPPLIERS;
<b>Licenses</b>	
<b>Trucks</b>	
<b>Gender</b>	F
<b>Ethnicity</b>	CAUCASIAN
<b>Firm Type</b>	DBE

---

[Back To Query Form](#)

**KRC SAFETY CO., INC.****BARRICADE RENTAL ~ TRAFFIC CONTROL**

P.O. Box 6356 Visalia, California 93290-6356

Phone (559) 732-0393 • Fax (559) 732-2684

Estimating Fax (559) 802-1749

WWW.KRCSAFETY.COM

*Approved  
2-4-13  
16:10*

To: Estimator

Job # 05-330754

05-Slo-46

KRC BID #M13-204

Bid Date: 2-5-2013

**\*UNION, LICENSE #507950 (A,C31), MBE(CERT. # 91S0014), DBE(CERT. #000447), SBE(CERT. #0006897)\***

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>UNIT</u>	<u>QTY</u>	<u>\$/UNIT</u>	<u>TOTAL</u>
4	Construction Area Signs - Price above includes signs from CS-1, MIQ-1 and (2) construction project information signs only; furnished, installed and removed. - Motorist Information signs when installed will be covered at installation if needed. Contractor will be responsible for uncovering or recovering as needed. - Signs specifically not included above are to be considered excluded from item 4. - KRC SAFETY will notify U.S.A for its work only at no extra charge to the prime contractor	Ls	Ls	Ls	\$9,700.00
5	Traffic Control System - See next page for traffic control rates				
6	Type 3 Barricade - Contractor to maintain after initial placement	ea	10	\$65.00	\$650.00
7	Portable Changeable Message Sign (PCMS) - per each, rental only - \$150.00/day : \$400.00/week : \$1,200.00/month (month rate based on 30 calendar days) - \$200.00 delivery fee per pcms : \$200.00 pick up fee per pcms				

Note: 1 addendum has been acknowledged.

Note: Item 6 if used must bid with item 4 and will be implemented when installing/removing item 4.

Note: **Prior to accepting this quote everything on Attachment A must be understood and accepted.**

# KRC SAFETY CO., INC.

BARRICADE RENTAL ~ TRAFFIC CONTROL

P.O. Box 6356 Visalia, California 93290-6356

Phone (559) 732-0393 • Fax (559) 732-2684

Estimating Fax (559) 802-1749

WWW.KRCSAFETY.COM

## Traffic Control System - Day or Night - Job # 05-330754

1 Impact attenuator vehicle with driver \$900.00 per 8 hour shift

1 man lane closures \$885.00 per 8 hour shift

2 man lane closures or flaggers \$1,395.00 per 8 hour shift

3 man lane closures \$2,260.00 per 8 hour shift - *IAV included*

## All KRC SAFETY traffic control trucks consist of the following:

- Up to 300 cones, (2) arrow boards, (6) W20-1's, (8) C20's, (10) C30's (2) beacons with batteries & (18) flag stands. All traffic control trucks are also equipped with (1) T13 setup.

## Please add the following amount to any shift price above:

- \$50.00 per additional arrow board per shift

## Traffic Control Notes:

- If less than 2 consecutive shifts are performed please add 10% to quoted traffic control rates
- Cancellations made less than 6 hours notice of requested show up time will be charged at 40% of quoted rates, all cancellations MUST be received in written form, via fax or e-mail.
- Impact attenuator vehicle (IAV) & TC crews **subject to availability**
- Illumination of flaggers will be the responsibility of the contractor if applicable.
- All overtime (8-12 hours) will be charged at \$95.00 per hour per man
- All double time (over 12 hours) will be charged at \$105.00 per hour per man
- All Saturday traffic control rates multiply by 1.45
- All Sunday traffic control rates multiply by 1.85
- ***KRC does not charge additional fees for additional lane, ramp or connector closures within the shift. We will set up, take down and close as many ramp/connectors as needed within the work shift for the price you see quoted with the equipment mentioned above.***
- We at KRC understand that every traffic control situation is different in its own way, we pride our selves in keeping the customer happy. If additional equipment is needed that is not shown above and ample time is given we will give it our best to provide you with what you need. Keep in mind that a 1,2 or 3 man crew can only do so much. In that being said, understand that there may be times where additional crews may be needed to handle the work load that is expected from the prime contractor.

## Impact Attenuator Vehicle (IAV) - Rental Only - Subject to Availability

- \$350.00/day : \$1,500.00/week : \$3,500.00/month (month rate based on 30 calendar days)
- \$200.00 delivery fee per pcms : \$200.00 pick up fee per pcms
- proper insurance certificate must be on file with KRC prior to delivery



**KRC SAFETY CO., INC.**

REV 10-16-12

**BARRICADE RENTAL ~ TRAFFIC CONTROL**

P.O. Box 6356 Visalia, California 93290-6356

Phone (559) 732-0393 • Fax (559) 732-2684

**ATTACHMENT A**Job # 05-330754Bid Date: 2-5-2013

- 1 KRC SAFETY CO., INC. is signatory to the Laborers of Northern California, Construction Laborers of Southern California and the Operating Engineers.
- 2 Unless otherwise noted on quote, all subsistence and travel pay is included in all prices.
- 3 KRC SAFETY CO., INC. is recognized by the Department of Transportation as a Certified Disadvantaged Business Enterprise (DBE) ~ (Certificate # 000447) Expires 11/23/2014, SBE (Certificate # 0006897), MBE (Certificate # 9IS00114)
- 4 Concrete or asphalt coring / patching is **NOT** included in any quoted items.
- 5 Unless noted on bid, traffic control is **NOT** included in the installation, removal, or repair of any items.
- 6 KRC SAFETY CO., INC. requires a **12 WORKING DAY WRITTEN NOTICE IN ADVANCE**, prior to commencement of work, including installation and removal of signs. Additionally, an Executed subcontract or purchase order must be on file with this office prior to the start of work.
- 7 This quote shall remain valid for a period of 45 days from actual bid opening unless otherwise agreed upon in writing.
- 8 Contractor agrees to provide personnel for up to 5 to 10 minutes per KRC employee for relief break periods as needed due to weather and heat conditions to meet CAL OSHA heat illness prevention requirements.
- 9 Lump Sum price for Construction Area Signs includes: **USA Notification**, installation, removal and **INITIAL** dating of any ramp signs. Contractor will be responsible for maintenance and changing dates on signs as required. All construction area signs are considered rental and shall remain property of KRC SAFETY CO., INC. at the conclusion of project. Per KRC standard rental agreement prime contractor will be charged replacement cost for any signs, lumber or barricades missing and or damaged at conclusion of project. This amount must be paid in full within 30 days by the contractor, retention shall not be held on this amount.
- 10 Prior to KRC SAFETY CO., INC. installing any signs contractor must have proper agency (i.e. Caltrans, County, City, etc.) mark out all sign locations. Proper agency must also mark out their underground utilities and or pipes that are not located by USA. Agency will be responsible for lines hit that are not marked out by their forces. Therefore KRC SAFETY CO., INC. will not be responsible for any damage done to agencies utilities and this will become the responsibilities of the contractor and or the representing agency.
- 11 Bid item 4 includes (3) mobilizations. Additional mobilizations will be charged at \$1,200.00 each.
- 12 KRC SAFETY CO., INC. will not provide performance or payment bonds to the contractor.
- 13 Retention will not be held on traffic control work.
- 14 Compliance with Section 7108.5 of the Business & Professions code and any other statutes pertaining to prompt payment must be complied with and are **MANDATORY**.
- 15 KRC SAFETY CO., INC. requests an invitation to all pre-job conferences.
- 16 Notification must be given to KRC SAFETY CO., INC. prior to any work performed as EXTRA-WORK or Force Account. If notification is not received, KRC will bill at usual rates and full payment will be the responsibility of the contractor.
- 17 Contractors State License #507950 Expires 03/31/2013 (Class A & C31)
- 18 Portable Changeable Message Signs are strictly **RENTAL**, retention will not be held on rental equipment.
- 19 KRC SAFETY CO., INC. maintains Commercial General Liability Insurance with limits of \$1,000,000 each occurrence \$2,000,000 aggregate. Additional Insured and Hold Harmless are given only in respects to KRC SAFETY CO., INC. work. KRC SAFETY CO., INC. carries \$5,000,000 excess liability. Any additional liability limits or additional endorsement, including Waiver of Subrogation (add \$50.00 per policy period) requested by Prime Contractor and not provided by KRC SAFETY CO., INC. will be charged to and will be the responsibility of the Prime Contractor. Railroad insurance requirements excluded from this quote.
- 20 Sign panels for permanent items supplied by KRC SAFETY must be given 45 days advanced notice prior to being needed.
- 21 Force account rates will be charged to the contractor for any onsite training or meetings required.
- 22 **Should this quote be accepted by the contractor, Attachment A in its entirety shall become part of any and all subcontract agreements and/or Purchase Orders relating to this project. This quote shall be deemed accepted if a contractor lists KRC in its bid or if this quote is used by a subcontractor in its bid to a prime contractor.**

Submitted by: Michael Castro  
**MICHAEL CASTRO-ESTIMATOR**Date: 2-5-2013

Company: \_\_\_\_\_

Accepted by: \_\_\_\_\_



[Back To Query Form](#)**Search Returned 1 Records**

Tue Feb 05 09:59:50 PST 2013

**Query Criteria**

Firm/DBA Name: K R C

Firm Type: DBE

<b>Firm ID</b>	447
<b>Firm/DBA Name</b>	K R C SAFETY CO. INC.
<b>Address Line1</b>	6084 WEST HURLEY
<b>Address Line2</b>	
<b>City</b>	VISALIA
<b>State</b>	CA
<b>Zip Code1</b>	93291
<b>Zip Code2</b>	
<b>Mailing Address Line1</b>	
<b>Mailing Address Line2</b>	
<b>Mailing City</b>	
<b>Mailing State</b>	
<b>Mailing Zip Code1</b>	
<b>Mailing Zip Code2</b>	
<b>Certification Type</b>	DBE
<b>E-Mail</b>	garyc@krccsafety.com
<b>Contact Name</b>	GARY CASTRO
<b>Area Code</b>	( 559 )
<b>Phone Number</b>	732-0393
<b>Fax Area Code</b>	( 559 )
<b>Fax Phone Number</b>	732-2684
<b>Agency Name</b>	CITY OF FRESNO
<b>Counties</b>	00;
<b>Districts</b>	00;
<b>DBE NAICS</b>	237310; 238110; 238990; 339950; 423390; 423810; 423830; 423990; 484110; 532412;

**ACDBE NAICS**

C0612 SAFETY SUPPLIER; C0683 GUARD RAILINGS & BARRIERS SUPPLIER; C1200 CONSTRUCTION AREA SIGNS; C1201 TRAFFIC CONTROL SYSTEM; C1522 RESET, ADJUST ROADWAY ITEMS; C4906 CAST-IN-DRILLED-HOLE CONCRETE PILING; C5601 SIGN STRUCTURE; C5620 ROADSIDE SIGN; C8101 SURVEY OR HISTORICAL MONUMENT; C8201 OBJECT MARKER; C8320 METAL BEAM GUARD RAILING; C8405 THERMOPLASTIC TRAFFIC STRIPING & MARKING; C8406 PAINTED TRAFFIC STRIPING & MARKING; C8501 PAVEMENT MARKING; C9605 FLAT BED TRUCKING; C9774 TRUCKER; C9907 CONSTRUCTION EQUIPMENT RENTAL;

**Work Codes**

**Licenses** A General Engineering Contractor; C31 Construction Zone Traffic Control Contractor;

**Trucks****Gender**

M

**Ethnicity**

NATIVE AMERICAN

**Firm Type**

DBE

[Back To Query Form](#)



Airport \* Highway \* Street \* Parking Lot  
 Striping \* Markers \* Thermoplastic  
 Signs \* Sealcoat \* Crackfill  
 LIC. # 396627 \*MBE/SBE/ UDBE #2003

**ESTIMATE**

COMPANY:

ATTN:

PHONE:

FAX:

CITY:

ZIP:

JOB NAME: CALTRANS 05-330754 - CONSTRUCTION ON STATE HIGHWAY IN SAN LUIS OBISPO COUNTY

ADDRESS: ESTRELLA RIVER BRIDGE

CITY : PASO ROBLES, CA

PLANS: YES

SPECS: YES

ESTIMATOR : TREVOR

EMAIL: trevor@supersealandstripe.com

BID DATE	ACCEPTANCE	START DATE	COMPLETION DATE		
2/5/13					
ITEM #	DESCRIPTION	QTY	U/M	U.C.	TOTAL
	<b>INSTALL IN SPRAYABLE THERMOPLASTIC MATERIAL</b>				
5	TRAFFIC CONTROL SYSTEM (PARTIAL - FOR OUR WORK ONLY)	1	LS	\$1,250.00	\$1,250.00
88	THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE)	2220	LF	\$0.80	\$1,776.00
89	PAVEMENT MARKER (RETROREFLECTIVE)	34	EA	\$4.50	\$153.00
90	MOBILIZATION	1	LS	\$4,800.00	\$4,800.00
<p><b>THIS PROPOSAL EXCLUDES THE FOLLOWING:</b>                      REMOVAL OF EXISTING STRIPING/PAVEMENT MARKINGS                      REMOVAL OF TEMP TAGS                      TEMPORARY STRIPING                      CONSTRUCTION AREA SIGNAGE                      DETOUR SIGNAGE / RAMP CLOSURE ADVANCED NOTICE SIGNS                      SIGNAGE                      MESSAGE BOARDS                      SURFACE PREP PRIOR TO STRIPING                      REMOVAL OF CURING COMPOUND</p> <p>BASED ON ONE MOVE-IN. ADDITIONAL MOVE-INS @ \$4,800/EA</p> <p>PRICE COVERS LISTED ITEMS ONLY.</p> <p>DOWN TIME CAUSED BY ANYTHING BEYOND THE CONTROL OF SUPER SEAL AND STRIPE WILL BE BILLED AT \$125/MAN HOUR</p> <p>TEMPORARY PAINTED TRAFFIC STRIPES WILL BE DONE IN CONSECUTIVE SHIFTS OF WORK. IF THERE IS A BREAK IN THE WORK, A MOBILIZATION CHARGE WILL BE BILLED.                      COST FOR TEMP STRIPING WILL BE \$1500/SHIFT (2 MAN CREW)                      COST FOR MATERIALS FOR TEMP STRIPING WILL BE \$250/SHIFT                      TEMP STRIPING DRIVE TIME WILL BE \$1,680/SHIFT</p> <p>PRICE DOES NOT INCLUDE PREMIUM FOR SATURDAY OR SUNDAY WORK HOURS</p>					
CALL TIM TANNER FOR SCHEDULING - (805) 432-3620			PAGE 1 OF 2	TOTAL	\$7,979.00

A CONTRACT AND FIFTEEN (15) WORKING DAYS NOTICE MUST BE GIVEN PRIOR TO STARTING WORK.  
 UPON ACCEPTANCE PLEASE SIGN AND RETURN. ABOVE PRICE NOT VALID AFTER 30 DAYS.

P.O. BOX 755, FILLMORE, CA 93016-0755  
 (805) 524-7345 - FAX (805) 524-7428  
 LIC. # 396627 SBE/DBE/WBE CCA-8087

+ 2850



Airport \* Highway \* Street \* Parking Lot  
 Striping \* Markers \* Thermoplastic  
 Signs \* Sealcoat \* Crackfill  
**LIC. # 396627 \*MBE/SBE/ UDBE #2003**  
**CERTIFIED UDBE**

**ESTIMATE**

PAGE 2 OF 2

GENERAL LIABILITY INSURANCE IS INCLUDED WITH LIMITS OF \$1,000,000 PER OCCURRENCE/\$2,000,000 GENERAL AGGREGATE/  
 \$2,000,000 COMPLETED OPERATIONS AGGREGATE AND BLANKET ADDITIONAL INSURED ENDORSEMENT WITH WORDING  
 EQUIVALENT TO GC2010 11-85 WHEN REQUIRED BY WRITTEN CONTRACT. TYPE 3 INDEMNITY AGREEMENT APPLIES. EXCLUDES  
 ANY WAIVER SUBROGATIONS ON WORKERS COMP.

**CLARIFICATIONS:**

1. Contractor to provide monthly progress payments for all completed work in accordance with the bid pricing schedule. Monthly progress payments must be received in full by Super Seal & Stripe no later than 10 calendar days after the Contractor receives payment from Owner for our completed work. Delinquent payments will be subject to the highest interest rate allowed by law.
2. Retainage percentage on monthly progress payments to be no greater than the percentage retained by the Owner on its payment to the Contractor. If Owner reduces the retainage percentages on payments to the Contractor, the Contractor shall likewise reduce the retainage percentage on payment to Super Seal & Stripe. Full retention to be released no later than thirty, (30) days after completion of Super Seal & Stripe's work. Excessive or delinquent retainage will be subject to the highest interest rate allowed by law.
3. Any required Testing, Engineering, Design, Permits, Licenses or Applications, and the like, to be provided by others.
4. Prices are based on Plans & Specifications available at bid time, including all addenda. Any request for work (post bid) under conditions differing from those represented by the Prime Contract Documents, including but not limited to; altered phasing or staging, design changes, modified layout, resulting from plan errors or inaccurate designs, will require payment for additional work to be made to Super Seal & Stripe at an amount agreed upon prior to performing this work. If an amount cannot be agreed upon prior to performing the additional work the amount will be determined using Caltrans Force Account Rates or unit prices established in the bid pricing schedule, or a combination thereof; established in the bid pricing schedule, or a combination thereof; whichever method results in a higher overall payment.
5. Super Seal & Stripe is not responsible for delays caused by and or resulting from activities or non activities of others, including but not limited to, Owner, Contractor, Vendors, Suppliers, other subcontractors and other factors not in direct control of Super Seal & Stripe. For the delays caused by the aforementioned, Super Seal & Stripe will be reimbursed for all direct and indirect costs plus a mark up of forty percent, (40%) or as specified and allowed by the Prime Contract if the delays are caused by the Owner. Super Seal & Stripe will be granted an extension of time to perform its work tantamount to the delays.
6. Super Seal & Stripe requires (15) days notice prior to commencement of any production activity. If any of Super Seal & Stripe's work will be a controlling operation on the critical path of this project, Super Seal & Stripe must be notified in writing prior to execution of the Subcontract Agreement and provided with a CPM schedule which details this work. Failure to provide this information will waive the Contractor's right to recover liquidated damages from Super Seal & Stripe for this work.
7. All changes to the original scope of work proposed extra work must be directed by the Contractor in writing prior to Super Seal & Stripe performing this work.
8. For the purpose of this Subcontract Quotation one (1) move-in is considered to be: a period of consecutive eight (8) hour days of continuous work, not including weekends and holidays. Any discontinuities in this period, other than weekends and holidays, or for our own convenience, will be charged as an additional move-in at the Additional Move-in Charge as quoted herein.
9. Super Seal & Stripe must receive a letter of intent to award us the subcontract no later than (20) calendar days after bid date or this Subcontract Quotation becomes null and void.
10. Super Seal & Stripe is an Equal Opportunity and Affirmative Action employer, that adheres to laws & regulations of Executive order 11246 Sec. 503 as amended of Rehabilitation action 1973 as amended and 4211 (USC) Vietnam Veterans readjustment as amended.
11. If General Contractor or any of its sub-contractors work within Super Seal & Stripes traffic control, the expense will be shared accordingly at Super Seal & Stripe discretion. No advance posting, signing, or Portable CMS is included for Super Seal & Stripe Traffic Control.
12. Pre-Striping pavement preparation, including sweeping & curing compound removals, to be provided by others.
13. Any additional work in excess of the quantities price will be billed at the units. No discounts given for under-runs without prior approval of Super Seal & Stripe.

**NO BONDING.**

[Back To Query Form](#)**Search Returned 1 Records**

Tue Feb 05 11:09:17 PST 2013

**Query Criteria**

Firm/DBA Name: Super Seal &amp; Stripe

Firm Type: DBE

<b>Firm ID</b>	2003
<b>Firm/DBA Name</b>	SUPER SEAL & STRIPE, INC
<b>Address Line1</b>	310 A STREET
<b>Address Line2</b>	
<b>City</b>	FILLMORE
<b>State</b>	CA
<b>Zip Code1</b>	93015
<b>Zip Code2</b>	
<b>Mailing Address Line1</b>	PO BOS 755
<b>Mailing Address Line2</b>	
<b>Mailing City</b>	FILLMORE
<b>Mailing State</b>	CA
<b>Mailing Zip Code1</b>	93016
<b>Mailing Zip Code2</b>	
<b>Certification Type</b>	DBE
<b>E-Mail</b>	brenda@supersealandstripe.com
<b>Contact Name</b>	BRENDA HAMPTON-ORTIZ
<b>Area Code</b>	( 805 )
<b>Phone Number</b>	524-7345
<b>Fax Area Code</b>	( 805 )
<b>Fax Phone Number</b>	524-7428
<b>Agency Name</b>	CITY OF LOS ANGELES
<b>Counties</b>	19; 30; 33; 36; 37; 40; 42; 56;
<b>Districts</b>	05; 07; 08; 11; 12;
<b>DBE NAICS</b>	237310; 238110; 238120; 238990;

**ACDBE NAICS****Work Codes**

C3701 SEAL COAT; C5601 SIGN STRUCTURE; C5620 ROADSIDE SIGN; C8201 OBJECT MARKER;  
C8406 PAINTED TRAFFIC STRIPING & MARKING; C8501 PAVEMENT MARKING; C9906  
SANDBLASTING;

**Licenses**

C32 Parking and Highway Improvement Contractor;

**Trucks****Gender**

F

**Ethnicity**

CAUCASIAN

**Firm Type**

DBE

[Back To Query Form](#)

**CINDY TRUMP INC.**  
**LINDY'S COLD PLANING**  
**DBE ~ WBE ~ SBE ~ UDBE ~ CERTIFIED File #40089**  
**625 W. MOUNTAIN VIEW**  
**LA HABRA, CA 90631**  
**PHONE 562.697.2286 FAX 562.697.2039**  
**LIC # A 754500**  
**BID PROPOSAL**

<b>CONTRACTOR:</b> Various
<b>JOB NAME:</b> Cal Trans 05-330754
<b>BID DATE:</b> <del>01/31/2013</del> 2/5/2013 2 pm
<b>CONTACT:</b> Estimating
<b>PHONE:</b>
<b>FAX:</b>
<b>Coldmilling Rental of Grinders</b> <b>Wirtgen 1200 4'</b> Daily Minimum Rental: (8) Hr. Min \$2800.00 OT. Hours \$390.00 Per Hr. Machine Includes (1) Operator Overtime Rate: Add \$50.00 Per Hr. Mobilization: \$1500.00
<b>**All Operators are Signatory to Operating Engineers.</b>
<b><u>Special Conditions</u></b>

- A) All prices are based on Rental by the day. A (8) Hour Minimum is required on all equipment Ordered. Additional hours are listed above by the hour per machine operated. Rental is based On continuous operation until job is complete.
- B) All work based on straight shift (Monday thru Friday) unless otherwise stated. O.T. Rates Would apply to any shift over (8) hours, holidays or weekend work.
- C.) Operators will be paid in increments of (8) hour min per /shift
- D.) Excludes any handwork or areas grinder cannot access. A mini grinder may be rented Operated if necessary. We offer mini grinders at additional charges.

**GRINDING JOB TERMS AND CONDITIONS**

**PRICES ARE SUBJECT TO VARY UPON CHANGE OF SCOPE IN WORK.**

1. All grinded areas need to be clearly marked by general contractors or inspector before grinding operations start.
2. Contractor to provide water for milling operations.
3. All operations exclude petromat unless otherwise stated on this proposal.
4. Contractor agrees to notify all utility contractors or companies in which involve underground utilities and take all responsibility for damaged utilities caused by grinder.
5. Areas in and around corners, overhangs, parking bays, valves, manholes and unreachable areas for the milling machine or mini grinder become contractors responsibility.
6. Contractor is responsible for all damages to machine for any items buried in ground or not marked out and will be billed at union time and material rate.

[Back To Query Form](#)**Search Returned 2 Records**

Tue Feb 05 11:53:01 PST 2013

**Query Criteria**

Firm/DBA Name: Lindy

Firm Type: DBE

---

<b>Firm ID</b>	40089
<b>Firm/DBA Name</b>	CINDY TRUMP INC DBA LINDY'S COLD PLANING
<b>Address Line1</b>	625 S. MOUNTAIN VIEW
<b>Address Line2</b>	
<b>City</b>	LA HABRA
<b>State</b>	CA
<b>Zip Code1</b>	90631
<b>Zip Code2</b>	
<b>Mailing Address Line1</b>	
<b>Mailing Address Line2</b>	
<b>Mailing City</b>	
<b>Mailing State</b>	
<b>Mailing Zip Code1</b>	
<b>Mailing Zip Code2</b>	
<b>Certification Type</b>	DBE
<b>E-Mail</b>	
<b>Contact Name</b>	null null
<b>Area Code</b>	( )
<b>Phone Number</b>	
<b>Fax Area Code</b>	( )
<b>Fax Phone Number</b>	
<b>Agency Name</b>	LOS ANGELES COUNTY METRO TRANSPORTATION AUTHORITY (MTA)
<b>Counties</b>	10; 13; 14; 15; 19; 27; 29; 30; 33; 34; 35; 36; 37; 40; 42; 50; 53; 54; 55;
<b>Districts</b>	02; 03; 05; 06; 07; 08; 09; 10; 11; 12;
<b>DBE NAICS</b>	237310; 237990; 238910;

**ACDBE NAICS**

**Work Codes** C1531 PLANE ASPHALT CONCRETE; C1901 ROADWAY EXCAVATION; C2201 FINISHING ROADWAY; C2401 LIME TREATMENT; C3910 PAVING ASPHALT (ASPHALT CONCRETE); C3990 RECYCLE, RECLAIM ASPHALT CONCRETE; C4201 GROOVE & GRIND PAVEMENT; C9903 CONSTRUCTION CLEAN UP; C9905 CUTTING;

**Licenses** A General Engineering Contractor;**Trucks****Gender** F**Ethnicity** CAUCASIAN**Firm Type** DBE

---

<b>Firm ID</b>	35088
<b>Firm/DBA Name</b>	LINDY'S COLD PLANING
<b>Address Line1</b>	625 S. MOUNTAIN VIEW
<b>Address Line2</b>	
<b>City</b>	LA HABRA
<b>State</b>	CA
<b>Zip Code1</b>	90631
<b>Zip Code2</b>	
<b>Mailing Address Line1</b>	
<b>Mailing Address Line2</b>	
<b>Mailing City</b>	
<b>Mailing State</b>	

**Mailing Zip Code1**  
**Mailing Zip Code2**  
**Certification Type** DBE  
**E-Mail** wegrindasphalt@aol.com  
**Contact Name** CINDY D. TRUMP  
**Area Code** ( 714 )  
**Phone Number** 720-8289  
**Fax Area Code** ( 562 )  
**Fax Phone Number** 697-2039  
**Agency Name** LOS ANGELES COUNTY METRO TRANSPORTATION AUTHORITY (MTA)  
**Counties** 00;  
**Districts** 00;  
**DBE NAICS** 237310; 237990;

**ACDBE NAICS**

**Work Codes** C4201 GROOVE & GRIND PAVEMENT;  
**Licenses** A General Engineering Contractor;  
**Trucks**  
**Gender** F  
**Ethnicity** CAUCASIAN  
**Firm Type** DBE

[Back To Query Form](#)

Physson  
2-4-13  
14:05

**A. C. DIKE CO.**  
*Specialty Paving Inc.*  
**SPECIALTY PAVING CONTRACTOR**

**REVISED QUOTE 2:**

**QUOTATION: CDOT SLO CO RT 46 05-330754**

**BIDS : 2/5/13**

From	44	210	=	1,512.00
	45	110	=	792.00
	46	160	=	1,152.00
				<hr/>
				3,456.00

**"PLACE ONLY"\* 480 LF ASPHALT DIKE (TYPES C,E,F) @ \$7.20 LF.**  
**PLACE 39 SQ YDS ASPHALT MISC. AREAS @ \$54.00 SQ YD.**

**PRICE INCLUDES TACK AND ONE MOBILIZATION .**  
**ASPHALT MATERIAL AND HAULING BY PRIME CONTRACTOR.**  
**TRAFFIC CONTROL BY PRIME CONTRACTOR.**

**\* PLACE ONLY ASPHALT DIKE. SPECIFICALLY EXCLUDES SURFACE PREPARATION, BACKFILL, OR FOGSEAL**

**QUALIFIED MINORITY CONTRACTOR, DBE/WBE/UDBE # CT 000219**  
CAL. LIC.# 407417 NEV. LIC.#24188  
**2788 VENTURE DR. LINCOLN, CA. 95648**  
**(916) 652-0159 FAX (916) 645-9618**  
**WWW.ACDIKE.COM**

[Back To Query Form](#)**Search Returned 1 Records**

Tue Feb 05 09:59:27 PST 2013

**Query Criteria**

Firm/DBA Name: A C Dike Co

Firm Type: DBE

---

<b>Firm ID</b>	219
<b>Firm/DBA Name</b>	A C DIKE CO
<b>Address Line1</b>	2788 VENTURE DR.
<b>Address Line2</b>	
<b>City</b>	LINCOLN
<b>State</b>	CA
<b>Zip Code1</b>	95648
<b>Zip Code2</b>	
<b>Mailing Address Line1</b>	
<b>Mailing Address Line2</b>	
<b>Mailing City</b>	
<b>Mailing State</b>	
<b>Mailing Zip Code1</b>	
<b>Mailing Zip Code2</b>	
<b>Certification Type</b>	DBE
<b>EEmail</b>	paul@acdike.com
<b>Contact Name</b>	GEORGETTE MC CLAIN
<b>Area Code</b>	( 916 )
<b>Phone Number</b>	652-0159
<b>Fax Area Code</b>	( 916 )
<b>Fax Phone Number</b>	645-9618
<b>Agency Name</b>	DEPARTMENT OF TRANSPORTATION
<b>Counties</b>	00;
<b>Districts</b>	00;
<b>DBE NAICS</b>	237990; 238110; 238120; 238910;

**ACDBE NAICS**

<b>Work Codes</b>	C1920 STRUCTURE EXCAVATION; C1930 STRUCTURE BACKFILL; C1940 DITCHES EXCAVATION; C2602 AGGREGATE BASE; C3901 ASPHALT CONCRETE; C3910 PAVING ASPHALT (ASPHALT CONCRETE); C3940 PLACE ASPHALT CONCRETE DIKE & MISC;
<b>Licenses</b>	A General Engineering Contractor;
<b>Trucks</b>	
<b>Gender</b>	F
<b>Ethnicity</b>	CAUCASIAN
<b>Firm Type</b>	DBE

---

[Back To Query Form](#)

# AUSTIN ENTERPRISE

License #764893

P O B ox 81926

Bakersfield, CA, 93380

661-589-1001 FAX 589-9509

Certified DBE/MBE/WBE CT-013602

Certified UDBE CT-013602

*Pherson  
2-14-13  
13:43-*

## **BID PROPOSAL**

**Contract: CDOT # 05-330754**  
Rt 46 near Paso Robles

**Bid Date: February 5, 2013**

### **BID ITEM # 59 / Joint Seal (MR 2") (portion):**

85 lf Furnish and install joint seal.....147.00 / lf.....\$12,495.00

#### **Conditions:**

1. Contractor to provide traffic control as needed. **2 shifts required**
2. Contractor to provide layout and clear access to work area
3. One move in included. Additional moves at \$1,200.00 each

Note\*Union signatory  
Insurance: \$5,000,000.00 Liability  
No Bonding

[Back To Query Form](#)

**Search Returned 1 Records**

Tue Feb 05 09:56:28 PST 2013

**Query Criteria**

Firm/DBA Name: Austin Enterprise

Firm Type: DBE

<b>Firm ID</b>	13602
<b>Firm/DBA Name</b>	AUSTIN ENTERPRISE
<b>Address Line1</b>	13421 SNOW ROAD
<b>Address Line2</b>	
<b>City</b>	BAKERSFIELD
<b>State</b>	CA
<b>Zip Code1</b>	93314
<b>Zip Code2</b>	
<b>Mailing Address Line1</b>	PO BOX 81926
<b>Mailing Address Line2</b>	
<b>Mailing City</b>	BAKERSFIELD
<b>Mailing State</b>	CA
<b>Mailing Zip Code1</b>	93380
<b>Mailing Zip Code2</b>	
<b>Certification Type</b>	DBE
<b>E-Mail</b>	paustin@austin-enterprise.com
<b>Contact Name</b>	null PATTI AUSTIN
<b>Area Code</b>	( 661 )
<b>Phone Number</b>	589-1001
<b>Fax Area Code</b>	( 881 )
<b>Fax Phone Number</b>	589-9509
<b>Agency Name</b>	CITY OF LOS ANGELES
<b>Counties</b>	00;
<b>Districts</b>	00;
<b>DBE NAICS</b>	238110; 532412;

**ACDBE NAICS**

<b>Work Codes</b>	C1200 CONSTRUCTION AREA SIGNS; C4201 GROOVE & GRIND PAVEMENT; C5111 CONCRETE OVERLAY, DRILL & BOND; C9905 CUTTING; C9907 CONSTRUCTION EQUIPMENT RENTAL;
<b>Licenses</b>	C61 Limited Specialty Contractor; D06 Concrete Related Services;
<b>Trucks</b>	
<b>Gender</b>	F
<b>Ethnicity</b>	HISPANIC
<b>Firm Type</b>	DBE

[Back To Query Form](#)

**GOOD FAITH EFFORTS DOCUMENTATION - DBE**

DES-OE-0102.11A (NEW 06/2012)

1. List items of work the Bidder made available to DBE firms. Identify those items of work the Bidder might otherwise perform with its own forces and those items that have been broken down into economically feasible units to facilitate DBE participation. For each item listed, show the dollar value and percentage of the total contract. The Bidder must demonstrate that sufficient work to meet the goal was made available to DBE firms.

Item of Work Offered	Bidder Normally Performs Item (Y/N)	Item Broken Down to Facilitate Participation (Y/N)	Amount (\$)	Percentage of Contract
	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No		
	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No		
	<input type="checkbox"/> Yes <input type="checkbox"/> Na	<input type="checkbox"/> Yes <input type="checkbox"/> No		
	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No		
	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No		
	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No		
	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No		
	<input type="checkbox"/> Yes <input type="checkbox"/> Na	<input type="checkbox"/> Yes <input type="checkbox"/> Na		
	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No		
	<input type="checkbox"/> Yes <input type="checkbox"/> Na	<input type="checkbox"/> Yes <input type="checkbox"/> No		
	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No		
	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> Na		
	<input type="checkbox"/> Yes <input type="checkbox"/> Na	<input type="checkbox"/> Yes <input type="checkbox"/> Na		
	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No		
	<input type="checkbox"/> Yes <input type="checkbox"/> Na	<input type="checkbox"/> Yes <input type="checkbox"/> No		
	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No		
	<input type="checkbox"/> Yes <input type="checkbox"/> Na	<input type="checkbox"/> Yes <input type="checkbox"/> No		
	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No		
	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No		
	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No		
	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No		
	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No		
	<input type="checkbox"/> Yes <input type="checkbox"/> Na	<input type="checkbox"/> Yes <input type="checkbox"/> No		

*SEE ATTACHED*

Bid Item	Bid Description	Items Broken Down		Bid Total	Percentage Of Contract
		Bidder Normally Performs Work	to Facilitate Participation		
1	BAT HABITAT	YES	YES	\$ 16,200.00	0.42%
2	LEAD COMPLIANCE PLAN	ND	NO	\$ 2,160.00	0.06%
3	PRDGRESS SCHEDULE [CRITICAL PATH METHOD]	YES	NO	\$ 4,000.00	0.10%
4	CDNSTRUCTIDN AREA SIGNS	NO	YES	\$ 11,000.00	0.28%
5	TRAFFIC CONTROL SYSTEM	YES	YES	\$ 7,000.00	0.18%
6	TYPE III BARRICADE	YES	YES	\$ 1,500.00	0.04%
7	PORTABLE CHANGEABLE MESSAGE SIGNS	YES	YES	\$ 3,000.00	0.08%
8	JOB SITE MANAGEMENT	YES	YES	\$ 4,000.00	0.10%
9	PREPARE STORM WATER POLLUTION PREVENTIDN PLAN	NO	NO	\$ 8,000.00	0.21%
10	STORM WATER ANNUAL REPORT	NO	NO	\$ 4,000.00	0.10%
11	MOVE-IN/DUT [TEMPORARY ERDSIDN CONTROL]	NO	ND	\$ 2,500.00	0.06%
12	TEMPORARY HYDROLIC MULCH [BONDED FIBER MATRIX]	NO	ND	\$ 17,404.00	0.45%
13	TEMPORARY CHECK DAM	YES	YES	\$ 1,089.00	0.03%
14	TEMPORARY DRAINAGE INLET PROTECTIDN	YES	YES	\$ 850.00	0.02%
15	TEMPORARY FIBER ROLL	YES	YES	\$ 13,066.00	0.34%
16	TEMPDRARY SILT FENCE	YES	YES	\$ 7,880.00	0.20%
17	TEMPORARY CDNSTRUCTION ENTRANCE	YES	YES	\$ 4,800.00	0.12%
18	STREET SWEEPING	ND	NO	\$ 6,000.00	0.16%
19	TEMPORARY CONCRETE WASHOUT	YES	YES	\$ 4,400.00	0.11%
20	TEMPORARY FENCE [TYOE ESA]	YES	YES	\$ 5,251.40	0.14%
21	TREATED WODD WASTE	YES	YES	\$ 481.20	0.01%
22	CONTRACTOR SUPPLIED BIOLOGIST [LS]	ND	NO	\$ 43,000.00	1.11%
23	NATURAL RESOURCE PROTECTION PLAN	ND	NO	\$ 4,500.00	0.12%
24	REMOVE FENCE	YES	YES	\$ 740.00	0.02%
25	REMDVE METAL BEAM GUARD RAILING	YES	YES	\$ 1,440.00	0.04%
26	COLD PLANE ASPHALT CONCRETE PAVEMENT	ND	YES	\$ 5,750.00	0.15%
27	BRIDGE REMOVAL	YES	YES	\$ 108,000.00	2.79%
28	CLEARING & GRUBBING	YES	YES	\$ 12,700.00	0.33%
29	RDADWAY EXCAVATION	YES	YES	\$ 162,140.00	4.19%
30	[F] STRUCTURE EXCAVATION [BRIDGE]	YES	YES	\$ 13,980.00	0.36%
31	[F] STRUCTURE BACKFILL [BRIDGE]	YES	YES	\$ 15,080.00	0.39%
32	8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDU	YES	YES	\$ 1,426.00	0.04%
33	MOVE-IN/OUT[EROSION CONTROL]	ND	NO	\$ 1,080.00	0.03%
34	ROLLED EROSIDN CONTROL PRODUCT [NETTING]	YES	YES	\$ 17,250.00	0.45%
35	HYDROMULCH	NO	NO	\$ 5,286.00	0.14%
36	FIBER ROLLS	YES	YES	\$ 9,555.00	0.25%
37	STRAW	YES	YES	\$ 1,302.00	0.03%
38	HYDROSEED-SEED MIX 1	NO	NO	\$ 4,616.00	0.12%
39	HYDROSEED-SEED MIX 2	NO	NO	\$ 2,432.00	0.06%
40	COMPOST	NO	NO	\$ 20,772.00	0.54%
41	INCORPORATE MATERIALS	NO	NO	\$ 1,485.00	0.04%
42	CLASS 2 AGGREGATE BASE	YES	YES	\$ 36,500.00	0.94%
43	HOT MIX ASPHALT [TYPE A]	YES	YES	\$ 52,030.00	1.35%
44	PLACE HOT MIX ASPHALT DIKE [TYPE C]	YES	YES	\$ 1,680.00	0.04%
45	PLACE HOT MIX ASPHALT [TYPE E]	YES	YES	\$ 880.00	0.02%
46	PLACE HOT MIX ASPHALT [TYPE F]	YES	YES	\$ 1,280.00	0.03%
47	PLACE HOT MIX ASPHALT [MISC AREAS]	YES	YES	\$ 1,053.00	0.03%
48	TACK COAT	YES	YES	\$ 952.00	0.02%
49	16" CAST IN DRILLED HOLE CONCRETE PILING	NO	NO	\$ 20,017.36	0.52%
50	96" CAST IN DRILLED HDLE CONCRETE PILING	NO	NO	\$ 500,488.38	12.95%
51	FURNISH PILING [CLASS 140] [ALTERNATIVE W]	YES	YES	\$ 82,960.14	2.15%
52	DRIVE PILE [CLASS 140] [ALTERNATIVE W]	NO	NO	\$ 112,366.00	2.91%
53	PRESRTESSING CAST-IN-PLACE CONCRETE	NO	NO	\$ 108,298.71	2.80%
54	[F] STRUCTURAL CONCRETE, BRIDGE FOOTING	YES	YES	\$ 29,055.00	0.75%
55	[F] STRUCTURAL CONCRETE BRIDGE	YES	YES	\$ 845,910.00	21.88%
56	[F] STRUCTURAL CONCRETE, APPROACH SLAB [TYPE N]	YES	YES	\$ 82,992.00	2.15%
57	[F] MINOR CONCRETE [MINOR STRUCTRE]	YES	YES	\$ 23,970.00	0.62%
58	[F] RANDOM FIELDSTONE TEXTURE	YES	YES	\$ 17,520.00	0.45%
59	JDINT SEAL [MR 2"]	YES	YES	\$ 13,770.00	0.36%
60	[F] BAR REINFORCING STEEL [BRIDGE]	NO	YES	\$ 395,291.68	10.23%

Bid Item	Bid Description	Items Broken Down		Bid Total	Percentage Of Contract
		Bidder Normally Performs Work	to Facilitate Participation		
61	PREPARE & PAINT CONCRETE	YES	ND	\$ 9,460.80	0.24%
62	18" ALTERNATIVE PIPE CULVERT	YES	YES	\$ 2,414.00	0.06%
63	24" ALTERNATIVE PIPE CULVERT	YES	YES	\$ 7,350.00	0.19%
64	3" PLASTIC PIPE	YES	YES	\$ 3,480.00	0.09%
65	24" CORRUGATED STEEL PIPE DOWNDRAIN [.13B" THICK]	YES	YES	\$ 1,944.00	0.05%
66	DRAINAGE INLET MARKER	NO	YES	\$ 112.00	0.00%
67	10" WELDED STEEL PIPE CASING [BRIDGE]	YES	YES	\$ 3,724.00	0.10%
68	12" WELDED STEEL PIPE CASING [BRIDGE]	YES	YES	\$ 8,550.00	0.22%
69	8" WELDED STEEL PIPE [.134" THICK]	YES	YES	\$ 1,540.00	0.04%
70	24" ALTERNATIVE FLARED END SECTION	YES	YES	\$ 1,833.00	0.05%
71	[F] ROCK SLOPE PROTECTION [LIGHT METHOD B] [CY]	YES	YES	\$ 189,840.00	4.91%
72	ROCK SLOPE PROTECTION [1/2T, METHOD B] [CY]	YES	YES	\$ 240,994.00	6.23%
73	[F] ROCK SLOPE PROTECTION [NO. 2, METHOD B] [CY]	YES	YES	\$ 5,508.00	0.14%
74	ROCK SLOPE PROTECTION FABRIC [CLASS 8]	YES	YES	\$ 14,640.00	0.38%
75	MINOR CONCRETE[GUTTER] [CY]	YES	YES	\$ 4,956.50	0.13%
76	[F] MISCELLANEOUS IRON & STEEL	YES	YES	\$ 2,714.00	0.07%
77	[F] MISCELLANEOUS METAL [BRIDGE]	YES	YES	\$ 4,598.00	0.12%
78	BRIDGE DECK DRAINAGE SYSTEM	YES	YES	\$ 39,930.00	1.03%
79	FENCE [TYPE BW, 5 STRAND, METAL PDST]	YES	YES	\$ 3,795.00	0.10%
80	8' WIRE MESH GATE	NO	NO	\$ 1,300.00	0.03%
81	METAL BEAM GUARD RAILING [STEEL POST]	NO	NO	\$ 4,680.00	0.12%
82	[F] TUBULAR HANDRAILING	YES	NO	\$ 20,130.00	0.52%
83	[F] TUBULAR BICYCLE RAILING	YES	NO	\$ 32,208.00	0.83%
84	TRANSITION RAILING [TYPE WB]	NO	NO	\$ 14,900.00	0.39%
85	ALTERNATIVE FLARED TERMINAL SYSTEM	NO	NO	\$ 12,440.00	0.32%
86	[F] CONCRETE BARRIER [TYPE 80 MOD]	YES	YES	\$ 61,854.00	1.60%
87	[F] CONCRETE BARRIER [TYPE 80SW]	YES	YES	\$ 90,219.00	2.33%
88	TREMOPLASTIC TRAFFIC STRIPE [SPRAYABLE]	NO	NO	\$ 5,106.00	0.13%
89	PAVEMENT MARKER [RETROREFLECTIVE]	NO	NO	\$ 442.00	0.01%
90	MOBILIZATION	YES	YES	\$ 191,000.00	4.94%
				\$ 3,865,792.17	

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION  
**GOOD FAITH EFFORTS DOCUMENTATION - DBE**  
 DES-OE-0102.11A (NEW 06/2012)

2. List the names of certified DBEs and the dates on which they were solicited to bid on this project. Include the items of work offered and the dates and methods used for following up initial solicitations to determine with certainty whether the DBEs were interested. Attach copies of solicitations, telephone records, fax confirmations, etc.

Name of DBEs Solicited	Date of Initial Solicitation	Item(s) of Work	Follow Up Methods and Dates
Please see attachment 'B' for complete listing & documentation			

3. For each item of work made available, list the selected firm and its status as a DBE, the DBEs that provided quotes, the price quote for each firm, and the price difference for each DBE if the selected firm is not a DBE.

Item(s) of Work	Name of Selected Firm	DBE or non-DBE	Name of Rejected Firm	Quote (\$)	Price Difference (\$)
79, 80, 81, 84 85	Leadwell Const Fence 34,290	Non DBE	ACE Fence Co	\$53,410.00	\$19,120.00 note
82 & 83	Interstate Sds 31,787.10	Non DBE	ACE Fence Co	96,990.00	\$65,202.90 note
20 21 24 25	SOLZA Construction	Non DBE	ACE Fence	23,685.00	Self Perform.
82 & 83	Interstate Sds 31,787.10	Non DBE	Ohivora Fence	60,613.26	28,826.26
9 & 10	QSO Construction 15,400	Non DBE	SKWGH Engr.	6,000.00	600.00
11-12, 22, 34, 35, 36 37, 38, 39, 40, 41	KCI Environmental 665,024.90	Non DBE	JTmc HARD Restoration	\$121,964.00	\$56,929.10
4	KDC SAFETY	DBE			
5, 8, 8990	Super Seal & Sds	DBE			
26	Cindy Trumbull Inc	DBE			

If the firm selected for the item is not a DBE, provide the reasons for the selection on a separate sheet and attach names, addresses, and phone numbers for the firms listed above.

2. List the names of certified DBEs and the dates on which they were solicited to bid on this project. Include the items of work offered and the dates and methods used for following up initial solicitations to determine with certainty whether the DBEs were interested. Attach copies of solicitations, telephone records, fax confirmations, etc.

Name of DBEs Solicited	Date of Initial Solicitation	Item(s) of Work	Follow Up Methods and Dates
Please see Attachment 'B' for complete listing + documentation			

3. For each item of work made available, list the selected firm and its status as a DBE, the DBEs that provided quotes, the price quote for each firm, and the price difference for each DBE if the selected firm is not a DBE.

Item(s) of Work	Name of Selected Firm	DBE or non-DBE	Name of Rejected Firm	Quote (\$)	Price Difference (\$)
44, 45, 46	AC Dike	DBE			
59	Austin Enterprises	DBE			

If the firm selected for the item is not a DBE, provide the reasons for the selection on a separate sheet and attach names, addresses, and phone numbers for the firms listed above.

KCI Environmental, Inc.  
P.O. Box 3307  
San Luis Obispo, CA 93403  
(805) 543-3311

Cost was less than J&M Land  
Restoration by \$56,939.10

QSD Contractors, Inc.  
10600 W. Front Road  
Atascadero, CA 93422  
(855) 22-SWPPP

Cost was less than S Kwok by  
\$600.00

Central Coast Fence  
540 S. 4<sup>th</sup> Street  
Grover Beach, CA 93433  
(805) 481-1460

Cost was less than Ace Fence  
Co. by \$19,120.00

Interstate Sales  
12600 Locksley Lane, Ste 200  
Auburn, CA 95602  
(530) 823-6070

Cost was less than Ace Fence  
Co. by \$65,202.90

Interstate Sales  
12600 Locksley Lane, Ste 200  
Auburn, CA 95602  
(530) 823-6070

Cost was less than Olivera  
Fence by \$28,826.26

4. List the names and dates of each publication in which a request for DBE participation for this project was placed by the bidder. Attach copies of published advertisements or proofs of publication:

Publications	Dates of Advertisement
Compliance News monthly Trade Journal	January 4, 2012
Compliance News Daily Focus Journal	January 4, 2012
(Please see Attachment A For Documentation)	

5. List the names of agencies and the dates on which they were contacted to provide assistance in contacting, recruiting and using DBE firms. If the agencies were contacted in writing, provide copies of supporting documents.

Name of Agency	Date of Contact	Method of Contact	Results
Caltrans	1/3/2013	Website	Please see Attachment 'C'
www.dot.ca.gov/hq/esc/oe/weekly-ads/assist.php?id=05-330754			

6. List efforts made to provide interested DBEs with adequate information about the plans, specifications, and requirements of the contract to assist them in responding to a solicitation. Identify the DBE assisted, the information provided, and the date of contact. Provide copies of supporting documents.

NO such assistance required

7. List efforts made to assist interested DBEs in obtaining bonding, lines of credit, insurance, necessary equipment, supplies, materials, or related assistance or services, excluding supplies and equipment the DBE subcontractor purchases or leases from the prime contractor or its affiliate. Identify the DBE assisted, the assistance offered, and the date. Provide copies of supporting documents.

NO such assistance required

8. Include additional data to support a demonstration of good faith efforts.

N/A

NOTE: USE ADDITIONAL SHEETS OF PAPER IF NECESSARY.

**ADA Notice** For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 654-641D or TDD (916) 654-388D or write Records and Forms Management, 112D N Street, MS-68, Sacramento, CA 95814.

**Compliance News Monthly Trade Journal**  
Publication Affidavit-Declaration of Publication -- State of California

---

Souza Construction, Inc. (San Luis Obispo) is seeking certified and qualified DBE subs and/or suppliers to provide  
BAT HABITAT, LEAD COMPLIANCE PLAN, PROGRESS SCHEDULE (CRITICAL PATH METHOD) CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, PORTABLE CHANGEABLE MESSAGE SIGN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, STORM WATER ANNUAL REPORT, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYD TEMPORARY DRAINAGE INLET PROTECTION RAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY CHECK DAM, TEMPORARY FIBER ROLL, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST, NATURAL RESOURCE PROTECTION PLAN, REMOVE FENCE, REMOVE METAL BEAM GUARD RAILING, COLD PLANE ASPHALT CONCRETE PAVEMENT, BRIDGE REMOVAL, CLEARING AND GRUBBING, ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT, MOVE-IN/MOVE-OUT (EROSION CONTROL), ROLLED EROSION CONTROL PRODUCT (NETTING), HYDROMULCH, FIBER ROLLS, STRAW, HYDROSEED-SEED MIX 1, HYDROSEED-SEED MIX 2, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, 16" CAST-IN-DRILLED-HOLE CONCRETE PILING, 96" CAST-IN-DRILLED-HOLE CONCRETE PILING, FURNISH PILING (CLASS 140) (ALTERNATIVE W), DRIVE PILE (CLASS 140) (ALTERNATIVE W), PRESTRESSING CAST-IN-PLACE CONCRETE, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), RANDOM FIELDSTONE, TEXTURE, JOINT SEAL (MR 2"), BAR REINFORCING STEEL (BRIDGE), PREPARE AND PAINT CONCRETE, 18" ALTERNATIVE PIPE CULVERT, 24" ALTERNATIVE PIPE CULVERT, 3" PLASTIC PIPE, 24" CORRUGATED STEEL, PIPE DOWNDRAIN (.138" THICK), DRAINAGE INLET MARKER, 10" WELDED STEEL PIPE CASING (BRIDGE), 12" WELDED STEEL PIPE CASING (BRIDGE), 8" WELDED STEEL PIPE (.134" THICK), 24" ALTERNATIVE FLARED

Contact: Ken / Steve  
P.O. Box 3810  
San Luis Obispo, CA, 93403-3810  
Phone: (805) 546-8288  
Fax: (805) 546-8287  
Email: [ablanchard@souzaconstructioninc.com](mailto:ablanchard@souzaconstructioninc.com)

Bid Due on: 02/05/2013 at 02:00 PM  
Solicitation Number: 05-330754

END SECTION, ROCK SLOPE PROTECTION (LIGHT, METHOD B), ROCK SLOPE PROTECTION (1/2T, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), MINOR CONCRETE (GUTTER), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), BRIDGE DECK DRAINAGE SYSTEM, FENCE (TYPE BW, 5 STRAND, METAL POST), 8' WIRE MESH GATE, METAL BEAM GUARD RAILING (STEEL POST), TUBULAR HANDRAILING, TUBULAR BICYCLE RAILING, TRANSITION RAILING (TYPE WB), ALTERNATIVE FLARED TERMINAL SYSTEM, CONCRETE BARRIER (TYPE 80 MOD), CONCRETE BARRIER (TYPE 80SW), THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE), PAVEMENT MARKER (RETROREFLECTIVE)

for CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge 05-330754 in Paso Robles, CA

We are an Equal Opportunity Employer. We will require that all participating companies carry Workers' Compensation & Liability Insurance and be bonded. We will assist with obtaining insurance, bonds or lines of credit. Plans & specifications are available for viewing at our offices.

The Souza Construction, Inc. (San Luis Obispo) Good Faith Effort ad has been published in both the Compliance News Internet and Hard-Copy publications.

Located Online at: [http://www.compliancencenews.com/classified\\_monthly](http://www.compliancencenews.com/classified_monthly)

The undersigned declares:

I am over the age of 18 years and a citizen of the United States. I am the principal publisher of the Compliance News Monthly Trade Journal in the City of Long Beach, County of Los Angeles, and the State of California. The notice, a true copy of which is attached was published on Fri Jan 04 14:21:30 -0800 2013

I declare under penalty of perjury that the foregoing is true and correct. Executed at Long Beach, California

Henry Sprague III

Copyright 2005 Compliance News DVBE #0018455 All Rights Reserved

**Compliance News Daily Focus Journal**  
Publication Affidavit-Declaration of Publication -- State of California

---

Souza Construction, Inc. (San Luis Obispo) is seeking certified and qualified DBE subs and/or suppliers to provide

BAT HABITAT, LEAD COMPLIANCE PLAN, PROGRESS SCHEDULE (CRITICAL PATH METHOD) CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, PORTABLE CHANGEABLE MESSAGE SIGN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, STORM WATER ANNUAL REPORT, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYD TEMPORARY DRAINAGE INLET PROTECTION RAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY CHECK DAM, TEMPORARY FIBER ROLL, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST, NATURAL RESOURCE PROTECTION PLAN, REMOVE FENCE, REMOVE METAL BEAM GUARD RAILING, COLD PLANE ASPHALT CONCRETE PAVEMENT, BRIDGE REMOVAL, CLEARING AND GRUBBING, ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT, MOVE-IN/MOVE-OUT (EROSION CONTROL), ROLLED EROSION CONTROL PRODUCT (NETTING), HYDROMULCH, FIBER ROLLS, STRAW, HYDROSEED-SEED MIX 1, HYDROSEED-SEED MIX 2, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, 16" CAST-IN-DRILLED-HOLE CONCRETE PILING, 96" CAST-IN-DRILLED-HOLE CONCRETE PILING, FURNISH PILING (CLASS 140) (ALTERNATIVE W), DRIVE PILE (CLASS 140) (ALTERNATIVE W), PRESTRESSING CAST-IN-PLACE CONCRETE, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), RANDOM FIELDSTONE, TEXTURE, JOINT SEAL (MR 2"), BAR REINFORCING STEEL (BRIDGE), PREPARE AND PAINT CONCRETE, 18" ALTERNATIVE PIPE CULVERT, 24" ALTERNATIVE PIPE CULVERT, 3" PLASTIC PIPE, 24" CORRUGATED STEEL, PIPE DOWNDRAIN (.138" THICK), DRAINAGE INLET MARKER, 10" WELDED STEEL PIPE CASING (BRIDGE), 12" WELDED STEEL PIPE CASING (BRIDGE), 8" WELDED STEEL PIPE (.134" THICK), 24" ALTERNATIVE FLARED

Contact: Ken / Steve

P.O. Box 3810

San Luis Obispo, CA, 93403-3810

Phone: (805) 546-8288

Fax: (805) 546-8287

Email: [ablanchard@souzaconstructioninc.com](mailto:ablanchard@souzaconstructioninc.com)

Bid Due on: 02/05/2013 at 02:00 PM

Solicitation Number: 05-330754

END SECTION, ROCK SLOPE PROTECTION (LIGHT, METHOD B), ROCK SLOPE PROTECTION (1/2T, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), MINOR CONCRETE (GUTTER), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), BRIDGE DECK DRAINAGE SYSTEM, FENCE (TYPE BW, 5 STRAND, METAL POST), 8' WIRE MESH GATE, METAL BEAM GUARD RAILING (STEEL POST), TUBULAR HANDRAILING, TUBULAR BICYCLE RAILING, TRANSITION RAILING (TYPE WB), ALTERNATIVE FLARED TERMINAL SYSTEM, CONCRETE BARRIER (TYPE 80 MOD), CONCRETE BARRIER (TYPE 80SW), THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE), PAVEMENT MARKER (RETROREFLECTIVE)  
for CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754 in Paso Robles,CA

We are an Equal Opportunity Employer. We will require that all participating companies carry Workers' Compensation & Liability Insurance and be bonded. We will assist with obtaining insurance, bonds or lines of credit. Plans & specifications are available for viewing at our offices.

The Souza Construction, Inc. (San Luis Obispo) Good Faith Effort ad has been published in both the Compliance News Internet and Hard-Copy publications.  
Located Online at: [http://www.compliancencenews.com/classified\\_daily](http://www.compliancencenews.com/classified_daily)

The undersigned declares:

I am over the age of 18 years and a citizen of the United States. I am the principal publisher of the Compliance News Monthly Trade Journal in the City of Long Beach, County of Los Angeles, and the State of California. The notice, a true copy of which is attached was published on Fri Jan 04 14:21:30 -0800 2013

I declare under penalty of perjury that the foregoing is true and correct. Executed at Long Beach, California

Henry Sprague III

Copyright 2005 Compliance News DVBE #0018455 All Rights Reserved

See Next Page for Firms

**From: Compliance News Publishing Company**

<http://www.compliancencenews.com>

[info@compliancencenews.com](mailto:info@compliancencenews.com)

Tel: 562-439-2788 Fax: 562-439-1398

11 S. Termino, Suite 214, Long Beach, CA 90803

---

TO: Souza Construction, Inc. (San Luis Obispo)

P.O. Box 3810

San Luis Obispo, CA, 93403-3810

Phone: (805) 546-8288

Fax: (805) 546-8287

**RECEIPT for Ad: 48125**

Published on 01/04/2013

For Project:

CALTRANS - San Luis Obispo County Near Paso Robles at Estrella  
River Bridge

05-330754

**Total Amount PAID: \$90.00**

# Souza Construction, Inc. (San Luis Obispo)

## LOG

Good Faith Effort for Bid Solicitation 05-330754

Project: CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

### Important Instructions

NOTE: If your bid-package includes form STD-840, you MUST write "See attached Log sections A, B, & C" on STD-840 and include STD-840 with your GFE documents.

- 1.) Read and complete Section A.
  - 2.) We have completed Section B for you.
  - 3.) Complete Section C by making follow-up phone calls to the firms listed below.
- >For DVBE firms, call at least 3 firms. ->For DBE, MBE, & WBE firms, call all of them.

As of June 1, 2010 Caltrans now requires primes that do not meet their UDBE & DBE goal to do the following:

1.
  - A. Go to the CalTrans project calendar webpage at <http://dap1.dot.ca.gov/hq/esc/oe/calendar> and log-in using your bid package registration and password.
  - B. Hit on the project number your bidding.
  - C. Hit "See Opt-in records".
  - D. Print this page. You must now contact these Opt-in DBE's as part of your search for participation.
2. Now hit your browser back-button and hit "Primes: Advertise for help" Be sure your listed in the CalTrans "Primes Seeking Assistance".

As of Sept. 2010, Caltrans suggests the following further steps to support Good Faith Effort (GFE).

1. Attend networking opportunity events at mandatory Caltrans pre-bids & district meetings. Include with your GFE, information that you attended the meeting along with the event brochure.
2. As you reach the bid opening date, ask yourself how likely you are to meeting the goal. If its apparent you may not, then do another GFE. This should be done 5 days of bid opening.

---

### A. Awarding Department Contact Instructions

Many California Good-Faith Efforts may require the bidding contractor to CALL the awarding department or owner and talk with their Good-Faith representative. SEE YOUR CONTRACT DOCUMENTS FOR THIS TELEPHONE NO. Call it and record the result below.

#### Awarding Department Contact Action

Souza Construction, Inc. (San Luis Obispo) contacted the awarding department issuing this contract at (tel number) \_\_\_\_\_ at (time) \_\_\_\_\_ on (date) \_\_\_\_\_ and discussed Good-Faith Effort with (Awarding Department Contact) \_\_\_\_\_.

Remarks:(left message, etc.) \_\_\_\_\_.

Phone call was made by (Prime Rep's do signature) \_\_\_\_\_.

---

### B. Federal, State, & Local Agencies Contacted

On 01/04/13, Souza Construction, Inc. (San Luis Obispo) contacted:

1. Federal Agency: Central Contractor Registration (CCR) / PRO-Net at <http://www.bpn.gov/CCRSearch/Search.aspx> at 02:21PM on 01/04/2013
  2. State Agency: Office of Small Business & DVBE Certification (OSDC) <http://www.pd.dgs.ca.gov/smbus> at 02:21PM on 01/04/2013
  3. California Unified Certification Program (CUCP) at <http://www.dot.ca.gov/ucp/GetLicenseForm.do> at 02:21PM on 01/04/2013
  4. Local referral organization: DBE/DVBE Resource Center ([www.dvbe.net](http://www.dvbe.net)) at 02:21PM on 01/04/2013
-

CALIFORNIA DEPARTMENT OF  
**TRANSPORTATION**



Caltrans > Engineering > Office Engineer

**Search Results: Opt-in's on 05-330754**

28 Opt-in records found.

05-330754	E.P. Jarrett Foundation
	1100 South river road west sacramento,ca
	Phone: 916-371-8760   Fax Number: 916-371-8765
	Disadvantaged status: SBE
	Services offered: Foudation Piling CIDH
05-330754	NLS TRUCKING
	13284 Hubbard St. Sylmar, CA 91342
	Phone: 818-627-8987   Fax Number: 818-698-4581
	Disadvantaged status: DBE SBE
	Services offered: NLS TRUCKING is a Truck Brokerage Firm fully licensed by the USDOT, CUCP CERTIFIED and BONDED. We offer all type of DUMP TRUCKS for HAULING. We have a vast Database of Owner/Operators ready to work. Long distance is NO PROBLEM. *FROM HOT ASPHALT TO WET CEMENT AND EVERYTHING IN BETWEEN!!*
05-330754	Interstate Sales
	12600 Locksley Lane Ste. 200 Auburn, CA 95602
	Phone: 530-823-6070   Fax Number: 530-823-6214
	Disadvantaged status:
	Services offered:
05-330754	LOGANS MARKETING
	121 BROADWAY # 220 SAN DIEGO , CA 92101
	Phone: 619-233-3766   Fax Number: 619-233-3768
	Disadvantaged status: DBE SBE UDBE
	Services offered: ASPHALT , READY-MIX , AGGREGATES , PIPE , IRRIGATION SUPPLIES , BRICK & BLOCK
05-330754	anderson drilling
	26335 goiada chino hills, ca, 91709
	Phone: 909-393-9300   Fax Number: 909-393-0036
	Disadvantaged status:
	Services offered:
05-330754	Harris Salinas Rebar Inc.
	355 So. Vasco Rd. Livermore, CA, 94550
	Phone: 925-373-0733   Fax Number: 925-373-0136
	Disadvantaged status:
	Services offered:
	AC Dike Co.
	2788 Venture Dr. Lincoln, CA 95648

05-330754	Phone: 916-645-7747	Fax Number: 916-645-9618
	Disadvantaged status: DBE UDBE	
	Services offered: Place Asphalt Dike	
05-330754	Austin Enterprise	
	13421 Bakersfield, CA 93314	
	Phone: 6615691001	Fax Number: 6615899509
	Disadvantaged status: DBE SBE UDBE	
	Services offered: Bridge Joint Seal	
05-330754	Foundation Constructors, inc	
	Phone: 925-754-6633	Fax Number: 925-625-5783
	Disadvantaged status:	
	Services offered:	
05-330754	Mass X Inc	
	55 Shaw Ave. #105 Clovis, Ca. 93612	
	Phone: 559-472-3274	Fax Number: 559-472-3275
	Disadvantaged status: DBE SBE UDBE	
	Services offered: Earthwork, grading, underground & paving	
05-330754	ACL Construction Co., Inc	
	207 W. State Street Ontario, CA 91761	
	Phone: 909-391-4477	Fax Number: 909-391-4472
	Disadvantaged status:	
	Services offered: Concrete Barrier Rail	
05-330754	Souza Construction, inc.	
	4027 Santa Fe Road San Luis Obispo, CA 93401	
	Phone: (805) 546-8288	Fax Number: (805) 546-8287
	Disadvantaged status:	
	Services offered: Engineering Contracting	
05-330754	Case Pacific Company	
	2121 Ardmore Road Paso Robles, CA 93446-7199	
	Phone: 805-237-8851	Fax Number: 805-237-8854
	Disadvantaged status: SBE	
	Services offered:	
05-330754	Triumph Geosynthetics	
	1140 N. Armando Anaheim, CA 92806	
	Phone: 714-237-1550	Fax Number: 714-237-1549
	Disadvantaged status: DBE SBE UDBE	
	Services offered: Geotextiles, Geogrids, Paving Products, Erosion Control Materials, Hydromulch, Cellular Confinement, Geomembranes & Liners, Specialty Products, PVC, CMP/CSP, HDPE Pipe & Fittings. ***SWPPP Packages*** WE ARE UDBE/DBE/SBE/WBE CERTIFIED.	
	Creative Planning Solutions - CPM SCHEDULING AND TRAINING	
	1177 Branham Lane #278 San Jose, CA 95118	
	Phone: (408)202-3244	Fax Number:

05-330754	Disadvantaged status: SBE UDBE	
	Services offered: ***Certified UDBE/WBE/SBE in CA*** Creative Planning Solutions provides quality CPM Scheduling and CALTRANS Schedule On-Site Training Services anywhere in California. Expertise in the areas of schedule development, monitoring/analysis, project updating, claims, time impact analysis, claims prevention and analysis. Over 20 years of experience. Will provide quick, competitive quotes to suit your project needs.	
05-330754	KRC SAFETY CO., INC	
	6084 W. Hurley Visalia, Ca. 93291	
	Phone: 559-732-0393	Fax Number: 559-732-2684
	Disadvantaged status: DBE SBE UDBE	
05-330754	Services offered: Construction area signs, traffic control, k rail, crash cushions, permanent signs, delineators, channelizers, trucking services, flatbed and lowbed, pcms, attenuator trucks, light towers, pilot car, full rental company and much more. E-mail michaelc@krcsafety.com or caiebh@krcsafety.com if you have any questions. KRC SAFETY is certified DBE,SBE and MBE, we look forward to working with you on your next project.	
05-330754	WESTCO industries, Inc.	
	2625 S. Willow Ave. Bloomington, CA 92316	
	Phone: (909) 574-9139	Fax Number: (909) 574-9135
	Disadvantaged status:	
05-330754	Services offered: Steel Forms for Concrete Construction. Custom Columns and Flares, Standard HD Panels, Standard Columns, Steel Casing, Caltrans Barrier Rail Forms and Special Fabrication. All steel forms and accessories are build to order. Design and Engineering included. Contact Erick M. at 909-574-9139 or erickm@westcoind.com	
05-330754	RNR Construction, inc.	
	8589 Thys Court Sacramento, CA 95828	
	Phone: (916) 379-0957	Fax Number: (916) 379-0960
	Disadvantaged status: DBE SBE	
05-330754	Services offered:	
05-330754	CMC REBAR	
	120 W. Larch Road Tracy, CA 95304	
	Phone: 209-834-9330	Fax Number: 209-836-1457
	Disadvantaged status:	
05-330754	Services offered:	
05-330754	AKA Environmental	
	6650 Montresor Place, Alta Loma, CA 91737	
	Phone: 323-547-9605	Fax Number: 323-589-2430
	Disadvantaged status: SBE	
05-330754	Services offered: My name is Rey, from AKA Environmental. We are providers of the Storm Water Pollution Prevention Plan (SWPPP), Water Pollution Control Plan (WPCP), Dust Management Plan, Erosion Control Plan, Lead Plan, Water Quality Management Plan and QSP inspection Service. We provide these services statewide from San Diego County to Del Norte County. So, the next time you need a SWPPP or any of the other plans we provide, give me a call (323) 547-9605. Ask me, about QSP/QSD Training.	
05-330754	Cook Concrete Products, Inc.	
	5461 Eastside Road Redding, CA 96001	
	Phone: 530-243-2562	Fax Number: 530-243-6881

	Disadvantaged status: SBE
	Services offered: Minor Concrete (Minor Structures) PRECAST and Misc. Iron and Steel.
05-330754	Papich Construction Company 800 Farroll Ave Grover Beach Ca 93433 Phone: 805-473-3016 Fax Number: 805-473-2217 Disadvantaged status: Services offered: CLEARING AND GRUBBING (LS) ROADWAY EXCAVATION CLASS 2 AGGREGATE BASE (CY)(Furnished & Installed) HOT MIX ASPHALT (TYPE A)(Furnished & Installed)
05-330754	Sapphos Environmental 430 North Halstead Street Pasadena, CA 91107 Phone: 626-683-3547 Fax Number: 628-683-3548 Disadvantaged status: DBE SBE UDBE Services offered: Environmental Permitting, Stormwater Compliance, Archeo, Bio, and Cultural Monitoring and reporting. www.sapphosenvironmental.com
05-330754	KCI Environmental, Inc. 207 Suburban Road, Suite 6 San Luis Obispo, Ca. 93401 Phone: 805-543-3311 Fax Number: 805-543-3827 Disadvantaged status: SBE Services offered:
05-330754	Mid State Concrete Products PO BOX 219 Santa Maria, CA Phone: 805-928-2855 Fax Number: 805-928-2114 Disadvantaged status: Services offered: Minor concrete (precast drainage boxes) and Misc. Iron & Steel
05-330754	Bradlay Tanks, Inc. 402 Hartz Avenue, Bldg C Danville, CA 94528 Phone: (925) 980-0942 Fax Number: (925) 553-2616 Disadvantaged status: DBE SBE UDBE Services offered: Bradley Tanks, Inc (BTI) offers rental services of 21K frac tanks, 10K mini tanks, phase separators, mix tanks and accessories. BTI also provides environmental management of hazardous and non-hazardous waste evaluation, characterization, transportation and disposal.
05-330754	Stroer & Graff, Inc. 1830 Phillips Lane Antioch, CA 94509 Phone: 925-778-0200 Fax Number: 925-778-6766 Disadvantaged status: Services offered: Piladiving
05-330754	West Coast Under Bridge Platforms P.o Box 2837 Rohnert Park, Ca 94927 Phone: 866-984-9528 Fax Number: 707-208-0774 Disadvantaged status: SBE Services offered: We rent truck and trailer mounted under bridge access platforms bare or operated. We also can provide negative reach or below grade

man lifts See us on the web at [www.westcoastunderbridgeplatform.com](http://www.westcoastunderbridgeplatform.com)

[Conditions of Use](#) | [Privacy Policy](#)  
Copyright © 2007 State of California

**C. Summary of Firms Sent Bid Invitations**

32 total firms were sent invitations.

---

**Company Name:** Sm Sales

**Address:** 17524 W. Sierra Highway

Santa Clarita, CA, 91351

**Phone:** (661) 252-4735, **Fax:** (661) 299-1547

**Work Categories:**

Pilings

**Phone Solicitation Information**

**Date/s-Time/s Solicited by Phone:** 1/29/13 10:59 AM 4/m A/m

Person Contacted and Comments for Solicitation: 05-330754 CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge

05-330754

---

**Company Name:** G Sosa Construction, Inc

**Address:** 2880 Santa Maria Way, Suite D3

Santa Maria, CA, 93455

**Phone:** (805) 934-3606, **Fax:** (805) 934-3609

**Work Categories:**

Clearing & Grubbing

**Phone Solicitation Information**

**Date/s-Time/s Solicited by Phone:** 1/29/13 11:00 AM Christina NOT Bidding

Person Contacted and Comments for Solicitation: 05-330754 CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge

05-330754

---

**Company Name:** Force Traffic Control, Inc.

**Address:** Po Box 1107

Exeter, CA, 93221

**Phone:** (559) 594-1062, **Fax:** (559) 594-1056

**Work Categories:**

Traffic Control System

**Phone Solicitation Information**

**Date/s-Time/s Solicited by Phone:** 1/29/13 11:02 AM Rosemary 4/m A/m

Person Contacted and Comments for Solicitation: 05-330754 CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge

05-330754

---

**Company Name:** Turner Manufacturing Co Inc

**Address:** 4565 E. Floradora Ave

Fresno,CA, 93703

Phone: (559) 251-1918, Fax: (559) 251-6860

Work Categories:

Fencing

**Phone Solicitation Information**

Date/s-Time/s Solicited by Phone: 1/29/13 11:04 Am Karen Not Bidding

Person Contacted and Comments for Solicitation: 05-330754 CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge

05-330754

---

**Company Name:** Paragon Industrial Coatings, Inc. Dba Pi

**Address:** 7450 Santa Cruz Road

Atascadero,CA, 93422

**Phone:** (805) 462-1355, **Fax:** (805) 462-1144

**Work Categories:**

Joint Seal - Water Stop

**Phone Solicitation Information**

Date/s-Time/s Solicited by Phone: 1/29/13 11:05 Am James Not Bidding

Person Contacted and Comments for Solicitation: 05-330754 CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge

05-330754

---

**Company Name:** A C Dike Co

**Address:** 2788 Venture Dr.

Lincoln,CA, 95648

**Phone:** (916) 652-0159, **Fax:** (916) 645-9618

**Work Categories:**

Paving Asphalt (asphalt Concrete)

**Phone Solicitation Information**

Date/s-Time/s Solicited by Phone: 1/29/13 11:06 am yes Paul

Person Contacted and Comments for Solicitation: 05-330754 CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge

05-330754

---

**Company Name:** Hard Hat Sweeping Inc

**Address:** 13328 Hadley Street

Whittier,CA, 90601

**Phone:** (562) 298-7956, **Fax:** (562) 945-8399

**Work Categories:**

Misc Business Services

**Phone Solicitation Information**

**Date/s-Time/s Solicited by Phone:** 1/29/13 11:22am Nancy NOT Bidding.

**Person Contacted and Comments for Solicitation:** 05-330754 CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

---

**Company Name:** C & L Drilling Co

**Address:** 600 E. Lambert Road

La Habra, CA, 90631

**Phone:** (562) 691-3533, **Fax:** (562) 690-0264

**Work Categories:**

Modify Bridge Item

**Phone Solicitation Information**

**Date/s-Time/s Solicited by Phone:** 1/29/13 11:27am NOT Bidding Carla

**Person Contacted and Comments for Solicitation:** 05-330754 CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

---

**Company Name:** Construction Area Signs, Incorporated

**Address:** 9093 Old State Hwy

Newcastle, CA, 95658

**Phone:** (916) 663-9097, **Fax:** (916) 663-1858

**Work Categories:**

Misc Business Services

**Phone Solicitation Information**

**Date/s-Time/s Solicited by Phone:** 1/29/13 11:28am Heather maybe

**Person Contacted and Comments for Solicitation:** 05-330754 CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

---

**Company Name:** L & B Electric, Incorporated

**Address:** 8219 Garfield Avenue

Bell Gardens, CA, 90201

**Phone:** (562) 928-9792, **Fax:** (562) 928-8146

**Work Categories:**

Traffic Control System

**Phone Solicitation Information**

**Date/s-Time/s Solicited by Phone:** 1/29/13 11:30AM L/M A/M

**Person Contacted and Comments for Solicitation:** 05-330754 CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

---

**Company Name:** Alert-o-lite, Inc  
**Address:** P.o. Box 12224  
Fresno,CA, 93777  
**Phone:** (559) 486-4570, **Fax:** (559) 453-3250  
**Work Categories:**  
Roadside Sign

**Phone Solicitation Information**

**Date/s-Time/s Solicited by Phone:** *1/29/13 11:35Am NOT Accepting calls at this time*  
**Person Contacted and Comments for Solicitation:** 05-330754 CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

---

**Company Name:** A.j. Vasconi Gereal Engineering  
**Address:** 1820 Galindo Street, Suite 275  
Concord,CA, 94520  
**Phone:** (925) 691-9400, **Fax:** (925) 691-9919  
**Work Categories:**  
Structure Excavation

**Phone Solicitation Information**

**Date/s-Time/s Solicited by Phone:** *1/29/13 11:36Am Jessica Not Bidding.*  
**Person Contacted and Comments for Solicitation:** 05-330754 CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

---

**Company Name:** Cem Builders, Inc  
**Address:** 37 West 4th Street  
Campbell,CA, 95008  
**Phone:** (408) 395-0802, **Fax:** (408) 395-0808  
**Work Categories:**  
Structure Excavation

**Phone Solicitation Information**

**Date/s-Time/s Solicited by Phone:** *1/29/13 11:38Am Spencer Not Bidding.*  
**Person Contacted and Comments for Solicitation:** 05-330754 CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

---

**Company Name:** Pvf Sales

**Address:** 13707 Borate St.  
Santa Fe Springs, CA, 90670  
**Phone:** (562) 623-9999, **Fax:** (562) 623-0909  
**Work Categories:**  
Pipe

**Phone Solicitation Information**

**Date/s-Time/s Solicited by Phone:** 1/29/13 11:40AM Ashulin Not Bidding  
**Person Contacted and Comments for Solicitation:** 05-330754 CALTRANS - San Luis Obispo County Near  
Paso Robles at Estrella River Bridge  
05-330754

---

**Company Name:** Sam's Equipment & Supplies  
**Address:** 5656 Columbia Dr S.  
Fresno, CA, 93727  
**Phone:** (559) 252-0354, **Fax:** (559) 251-1119  
**Work Categories:**  
Guard Railings & Barriers

**Phone Solicitation Information**

**Date/s-Time/s Solicited by Phone:** 1/29/13 - 11:45AM yes Ebery  
**Person Contacted and Comments for Solicitation:** 05-330754 CALTRANS - San Luis Obispo County Near  
Paso Robles at Estrella River Bridge  
05-330754

---

**Company Name:** Rudy's Landscape & Irrigation Design  
**Address:** 607 Vineland  
Bakersfield, CA, 93313  
**Phone:** (661) 325-3596, **Fax:** (661) 322-7854  
**Work Categories:**  
Hydroseeding

**Phone Solicitation Information**

**Date/s-Time/s Solicited by Phone:** 1/29/13 11:46AM Disconnected  
**Person Contacted and Comments for Solicitation:** 05-330754 CALTRANS - San Luis Obispo County Near  
Paso Robles at Estrella River Bridge  
05-330754

---

**Company Name:** Lindy's Cold Planing  
**Address:** 625 S. Mountain View  
La Habra, CA, 90631  
**Phone:** (562) 697-2286, **Fax:** (562) 697-2039  
**Work Categories:**  
Groove & Grind Pavement

**Phone Solicitation Information**

**Date/s-Time/s Solicited by Phone:** 1/29/13 11:48AM Bone yes

Person Contacted and Comments for Solicitation: 05-330754 CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

---

**Company Name:** Mad Steel Inc.

**Address:** 277 West Allen Avenue

San Dimas, CA, 91773

**Phone:** (909) 592-3443, **Fax:** (909) 394-0724

**Work Categories:**

Retainer Walls

---

**Phone Solicitation Information**

**Date/s-Time/s Solicited by Phone:** 1/29/13 11:50AM Deonna Not Bidding

Person Contacted and Comments for Solicitation: 05-330754 CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

---

**Company Name:** Eswppp Consultants

**Address:** 902 Cortina Court

Walnut Creek, CA, 94598

**Phone:** (925) 451-1337, **Fax:** (925) 956-7191

**Work Categories:**

Civil Engineering

---

**Phone Solicitation Information**

**Date/s-Time/s Solicited by Phone:** 1/29/13 12:37pm L/m A/m

Person Contacted and Comments for Solicitation: 05-330754 CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

---

**Company Name:** V Lopez Jr & Sons General Engineering

**Address:** 200 E. Fesler #101

Santa Maria, CA, 93454

**Phone:** (805) 928-1198, **Fax:** (805) 928-8262

**Work Categories:**

Clearing & Grubbing

---

**Phone Solicitation Information**

**Date/s-Time/s Solicited by Phone:** 1/29/13 12:38pm An Ivy Bidding as a General

Person Contacted and Comments for Solicitation: 05-330754 CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

---

**Company Name:** Contech Concrete Techniques, Inc

**Address:** 4687 E. Cortland Avenue

Fresno, CA, 93726

**Phone:** (559) 251-8818, **Fax:** (559) 351-8821

**Work Categories:**

Concrete Structure

**Phone Solicitation Information**

**Date/s-Time/s Solicited by Phone:** 1/29/13 12:41pm Busy

Person Contacted and Comments for Solicitation: 05-330754 CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

---

**Company Name:** First Fuel, Inc.

**Address:** 14 Bolivar Street,

Newport Beach, CA, 92663

**Phone:** (949) 861-0284, **Fax:** (949) 270-6257

**Work Categories:**

Misc. Petroleum & Coal Products

*1:30 PM NOT BIDDING  
TOE JANICE*

**Phone Solicitation Information**

**Date/s-Time/s Solicited by Phone:** 1/29/13 12:42pm Janice 4/m v/m

Person Contacted and Comments for Solicitation: 05-330754 CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

---

**Company Name:** Derrickson Pike Construction

**Address:** 861 Lorenzo Street

Hickman, CA, 95323

**Phone:** (209) 874-4400, **Fax:** (209) 874-4404

**Work Categories:**

Construction Scheduling

**Phone Solicitation Information**

**Date/s-Time/s Solicited by Phone:** 1/29/13 12:43pm Disconnected

Person Contacted and Comments for Solicitation: 05-330754 CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

---

**Company Name:** Pc&n Construction, Inc  
**Address:** 5301-f Byron Hot Springs Road  
Byron,CA, 94514  
**Phone:** (925) 634-4567, **Fax:** (925) 634-4339  
**Work Categories:**  
Guard Railings & Barriers

**Phone Solicitation Information**

**Date/s-Time/s Solicited by Phone:** 1/29/13 12:44pm 4/m A/m  
**Person Contacted and Comments for Solicitation:** 05-330754 CALTRANS - San Luis Obispo County Near  
Paso Robles at Estrella River Bridge  
05-330754

---

**Company Name:** White Cap Ready Mix, Inc.  
**Address:** 73880 Highway 70  
Portola,CA, 96122  
**Phone:** (530) 832-4225, **Fax:** (530) 832-5847  
**Work Categories:**  
Metals & Minerals, Except Petroleum

**Phone Solicitation Information**

**Date/s-Time/s Solicited by Phone:** 1/29/13 12:47pm Fax machine  
**Person Contacted and Comments for Solicitation:** 05-330754 CALTRANS - San Luis Obispo County Near  
Paso Robles at Estrella River Bridge  
05-330754

---

**Company Name:** Sjd Construction Inc.  
**Address:** 775 Wakefield Ct, Ste B  
Oakdale,CA, 95361  
**Phone:** (209) 847-8939, **Fax:** (209) 847-0169  
**Work Categories:**  
Ditches Excavation

**Phone Solicitation Information**

**Date/s-Time/s Solicited by Phone:** 1/29/13 12:49pm Sandra NOT Bidding  
**Person Contacted and Comments for Solicitation:** 05-330754 CALTRANS - San Luis Obispo County Near  
Paso Robles at Estrella River Bridge  
05-330754

---

**Company Name:** Sol Construction, Inc.  
**Address:** 1600 Chicago Ave., Suite R #2  
Riverside,CA, 92507  
**Phone:** (951) 784-5209, **Fax:** (951) 653-1116  
**Work Categories:**

Core Concrete - Repair Bridge Deck

**Phone Solicitation Information**

**Date/s-Time/s Solicited by Phone:** 1/29/13 12:50 pm Disconnected.

Person Contacted and Comments for Solicitation: 05-330754 CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

---

**Company Name:** Superior Hydro-seeding

**Address:** 250 W. Riverside Drive

Watsonville, CA, 95076

**Phone:** (831) 763-1811, **Fax:** (831) 763-2023

**Work Categories:**

Highway Planting

**Phone Solicitation Information**

**Date/s-Time/s Solicited by Phone:** 1/29/13 12:50 pm Josh H/M V/M

Person Contacted and Comments for Solicitation: 05-330754 CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

---

**Company Name:** Nielson Construction

**Address:** 147 Camino Oruga

Napa, CA, 94558

**Phone:** (707) 253-8774, **Fax:** (707) 253-0131

**Work Categories:**

Structure Backfill

*Bailey not Bidding*

**Phone Solicitation Information**

**Date/s-Time/s Solicited by Phone:** 1/29/13 12:53 pm ~~Tom A/M~~ Ext. 103

Person Contacted and Comments for Solicitation: 05-330754 CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

---

**Company Name:** Swaim Biological Consulting, Inc.

**Address:** 4435 First Street Pmb #312

Livermore, CA, 94551

**Phone:** (925) 455-8770, **Fax:** (925) 455-6106

**Work Categories:**

Environmental Quality

**Phone Solicitation Information**

**Date/s-Time/s Solicited by Phone:** 1/29/13 12:55 pm Karen NOT Bidding

Person Contacted and Comments for Solicitation: 05-330754 CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge

05-330754

---

**Company Name:** Ernie Martinez Concrete, Inc.

**Address:** 5108 Woodmere Drive

Bakersfield, CA, 93313

**Phone:** (661) 837-4095, **Fax:** (661) 837-4099

**Work Categories:**

Concrete Structure

**Phone Solicitation Information**

**Date/s-Time/s Solicited by Phone:** 1/29/13 12:56pm 2/m.A/m

Person Contacted and Comments for Solicitation: 05-330754 CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge

05-330754

---

**Company Name:** Chapman's Welding

**Address:** 4623 Quarter Horse Trl

Santa Maria, CA, 93455

**Phone:** (702) 278-9408, **Fax:** (702) 272-0462

**Work Categories:**

Welded Steel Pipe

**Phone Solicitation Information**

**Date/s-Time/s Solicited by Phone:** 1/29/13 1:00pm Kevin NOT Bidding

Person Contacted and Comments for Solicitation: 05-330754 CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge

05-330754

---

**Affidavit of Fax Solicitation**

The undersigned employee of Compliance News Publishing, located in the City of Long Beach, County of Los Angeles, and the State of California, declares that bid solicitation letters have been faxed to the following 32 firms listed below at 02:21PM on 01/04/2013. I am over the age of 18 years and a citizen of the United States. I declare under penalty of perjury that the foregoing is true and correct. Executed at Long Beach, California.

**Henry Sprague III**

**Souza Construction, Inc. (San Luis Obispo)**

P.O. Box 3810  
 San Luis Obispo, CA 93403-3810  
 Telephone: (805) 546-8288  
 Fax: (805) 546-8287

**INVITATION TO BID**

January 04, 2013  
 Sam's Equipment & Supplies  
 5656 Columbia Dr S.  
 Fresno, CA, 93727

We are seeking certified and qualified DBE subcontractors and/or suppliers for:

**Project:** CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
 05-330754

**Location:** Paso Robles, CA

**Bid Due Date:** 02/05/13 at 02:00 PM PST

**Solicitation Number:** 05-330754

**Contact:** Ken / Steve

Quotes are needed for:

**BAT HABITAT, LEAD COMPLIANCE PLAN, PROGRESS SCHEDULE (CRITICAL PATH METHOD) CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, PORTABLE CHANGEABLE MESSAGE SIGN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, STORM WATER ANNUAL REPORT, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYD TEMPORARY DRAINAGE INLET PROTECTION RAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY CHECK DAM, TEMPORARY FIBER ROLL, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST, NATURAL RESOURCE PROTECTION PLAN, REMOVE FENCE, REMOVE METAL BEAM GUARD RAILING, COLD PLANE ASPHALT CONCRETE PAVEMENT, BRIDGE REMOVAL, CLEARING AND GRUBBING, ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT, MOVE-IN/MOVE-OUT (EROSION CONTROL), ROLLED EROSION CONTROL PRODUCT (NETTING), HYDROMULCH, FIBER ROLLS, STRAW, HYDROSEED-SEED MIX 1, HYDROSEED-SEED MIX 2, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, 16" CAST-IN-DRILLED-HOLE CONCRETE PILING, 96" CAST-IN-DRILLED-HOLE CONCRETE PILING, FURNISH PILING (CLASS 140) (ALTERNATIVE W), DRIVE PILE (CLASS 140) (ALTERNATIVE W), PRESTRESSING CAST-IN-PLACE CONCRETE, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), RANDOM FIELDSTONE, TEXTURE, JOINT SEAL (MR 2"), BAR REINFORCING STEEL (BRIDGE), PREPARE AND PAINT CONCRETE, 18" ALTERNATIVE PIPE CULVERT, 24" ALTERNATIVE PIPE CULVERT, 3" PLASTIC PIPE, 24" CORRUGATED STEEL, PIPE DOWNDRAIN (.138" THICK), DRAINAGE INLET MARKER, 10" WELDED STEEL PIPE CASING (BRIDGE), 12" WELDED STEEL PIPE CASING (BRIDGE), 8" WELDED STEEL PIPE (.134"**

THICK), 24" ALTERNATIVE FLARED END SECTION, ROCK SLOPE PROTECTION (LIGHT, METHOD B), ROCK SLOPE PROTECTION (1/2T, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), MINOR CONCRETE (GUTTER), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), BRIDGE DECK DRAINAGE SYSTEM, FENCE (TYPE BW, 5 STRAND, METAL POST), 8' WIRE MESH GATE, METAL BEAM GUARD RAILING (STEEL POST), TUBULAR HANDRAILING, TUBULAR BICYCLE RAILING, TRANSITION RAILING (TYPE WB), ALTERNATIVE FLARED TERMINAL SYSTEM, CONCRETE BARRIER (TYPE 80 MOD), CONCRETE BARRIER (TYPE 80SW), THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE), PAVEMENT MARKER (RETROREFLECTIVE).

We are an Equal Opportunity Employer. We will require that all participating companies carry Workers' Compensation & Liability Insurance and be bonded. We will assist with obtaining insurance, bonds or lines of credit. Plans & specifications are available for viewing at our offices.

Plans and specifications are available by appointment for review/takeoff at above address. If you have any questions please do not hesitate to contact us.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: \_\_\_\_\_

We cannot participate in the contract

Sam Callison  
Print Name of Business Owner

So  
Signature

Date: 1-4-2013

Please fax return this form by Feb 04, 2013  
with a copy of your certification to Ken / Steve at (805) 546-8287

## **Souza Construction, Inc. (San Luis Obispo)**

P.O. Box 3810

San Luis Obispo, CA 93403-3810

Telephone: (805) 546-8288

Fax: (805) 546-8287

### **INVITATION TO BID**

January 04, 2013

Sm Sales

17524 W. Sierra Highway

Santa Clarita, CA, 91351

We are seeking certified and qualified DBE subcontractors and/or suppliers for:

**Project:** CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

**Location:** Paso Robles, CA

**Bid Due Date:** 02/05/13 at 02:00 PM PST

**Solicitation Number:** 05-330754

**Contact:** Ken / Steve

---

Quotes are needed for:

**BAT HABITAT, LEAD COMPLIANCE PLAN, PROGRESS SCHEDULE (CRITICAL PATH METHOD) CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, PORTABLE CHANGEABLE MESSAGE SIGN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, STORM WATER ANNUAL REPORT, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYD TEMPORARY DRAINAGE INLET PROTECTION RAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY CHECK DAM, TEMPORARY FIBER ROLL, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST, NATURAL RESOURCE PROTECTION PLAN, REMOVE FENCE, REMOVE METAL BEAM GUARD RAILING, COLD PLANE ASPHALT CONCRETE PAVEMENT, BRIDGE REMOVAL, CLEARING AND GRUBBING, ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT, MOVE-IN/MOVE-OUT (EROSION CONTROL), ROLLED EROSION CONTROL PRODUCT (NETTING), HYDROMULCH, FIBER ROLLS, STRAW, HYDROSEED-SEED MIX 1, HYDROSEED-SEED MIX 2, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, 16" CAST-IN-DRILLED-HOLE CONCRETE PILING, 96" CAST-IN-DRILLED-HOLE CONCRETE PILING, FURNISH PILING (CLASS 140) (ALTERNATIVE W), DRIVE PILE (CLASS 140) (ALTERNATIVE W), PRESTRESSING CAST-IN-PLACE CONCRETE, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), RANDOM FIELDSTONE, TEXTURE, JOINT SEAL (MR 2"), BAR REINFORCING STEEL (BRIDGE), PREPARE AND PAINT CONCRETE, 18" ALTERNATIVE PIPE CULVERT, 24" ALTERNATIVE PIPE CULVERT, 3" PLASTIC PIPE, 24" CORRUGATED STEEL, PIPE DOWNDRAIN (.138" THICK), DRAINAGE INLET MARKER, 10" WELDED STEEL PIPE CASING (BRIDGE), 12" WELDED STEEL PIPE CASING (BRIDGE), 8" WELDED STEEL PIPE (.134"**

**THICK), 24" ALTERNATIVE FLARED END SECTION, ROCK SLOPE PROTECTION (LIGHT, METHOD B), ROCK SLOPE PROTECTION (1/2T, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), MINOR CONCRETE (GUTTER), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), BRIDGE DECK DRAINAGE SYSTEM, FENCE (TYPE BW, 5 STRAND, METAL POST), 8' WIRE MESH GATE, METAL BEAM GUARD RAILING (STEEL POST), TUBULAR HANDRAILING, TUBULAR BICYCLE RAILING, TRANSITION RAILING (TYPE WB), ALTERNATIVE FLARED TERMINAL SYSTEM, CONCRETE BARRIER (TYPE 80 MOD), CONCRETE BARRIER (TYPE 80SW), THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE), PAVEMENT MARKER (RETROREFLECTIVE).**

---

We are an Equal Opportunity Employer. We will require that all participating companies carry Workers' Compensation & Liability Insurance and be bonded. We will assist with obtaining insurance, bonds or lines of credit. Plans & specifications are available for viewing at our offices.

Plans and specifications are available by appointment for review/takeoff at above address. If you have any questions please do not hesitate to contact us.

---

**Participation Response Form**

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: \_\_\_\_\_

We cannot participate in the contract

\_\_\_\_\_  
Print Name of Business Owner

\_\_\_\_\_  
Signature

Date: \_\_\_\_\_

Please fax return this form by Feb 04, 2013  
with a copy of your certification to Ken / Steve at (805) 546-8287

## **Souza Construction, Inc. (San Luis Obispo)**

P.O. Box 3810

San Luis Obispo, CA 93403-3810

Telephone: (805) 546-8288

Fax: (805) 546-8287

### **INVITATION TO BID**

January 04, 2013

G Sosa Construction, Inc

2880 Santa Maria Way, Suite D3

Santa Maria, CA, 93455

We are seeking certified and qualified DBE subcontractors and/or suppliers for:

**Project:** CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

**Location:** Paso Robles, CA

**Bid Due Date:** 02/05/13 at 02:00 PM PST

**Solicitation Number:** 05-330754

**Contact:** Ken / Steve

---

Quotes are needed for:

**BAT HABITAT, LEAD COMPLIANCE PLAN, PROGRESS SCHEDULE (CRITICAL PATH METHOD) CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, PORTABLE CHANGEABLE MESSAGE SIGN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, STORM WATER ANNUAL REPORT, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYD TEMPORARY DRAINAGE INLET PROTECTION RAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY CHECK DAM, TEMPORARY FIBER ROLL, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST, NATURAL RESOURCE PROTECTION PLAN, REMOVE FENCE, REMOVE METAL BEAM GUARD RAILING, COLD PLANE ASPHALT CONCRETE PAVEMENT, BRIDGE REMOVAL, CLEARING AND GRUBBING, ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT, MOVE-IN/MOVE-OUT (EROSION CONTROL), ROLLED EROSION CONTROL PRODUCT (NETTING), HYDROMULCH, FIBER ROLLS, STRAW, HYDROSEED-SEED MIX 1, HYDROSEED-SEED MIX 2, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, 16" CAST-IN-DRILLED-HOLE CONCRETE PILING, 96" CAST-IN-DRILLED-HOLE CONCRETE PILING, FURNISH PILING (CLASS 140) (ALTERNATIVE W), DRIVE PILE (CLASS 140) (ALTERNATIVE W), PRESTRESSING CAST-IN-PLACE CONCRETE, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), RANDOM FIELDSTONE, TEXTURE, JOINT SEAL (MR 2"), BAR REINFORCING STEEL (BRIDGE), PREPARE AND PAINT CONCRETE, 18" ALTERNATIVE PIPE CULVERT, 24" ALTERNATIVE PIPE CULVERT, 3" PLASTIC PIPE, 24" CORRUGATED STEEL, PIPE DOWNDRAIN (.138" THICK), DRAINAGE INLET MARKER, 10" WELDED STEEL PIPE CASING (BRIDGE), 12" WELDED STEEL PIPE CASING (BRIDGE), 8" WELDED STEEL PIPE (.134"**

**THICK), 24" ALTERNATIVE FLARED END SECTION, ROCK SLOPE PROTECTION (LIGHT, METHOD B), ROCK SLOPE PROTECTION (1/2T, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), MINOR CONCRETE (GUTTER), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), BRIDGE DECK DRAINAGE SYSTEM, FENCE (TYPE BW, 5 STRAND, METAL POST), 8' WIRE MESH GATE, METAL BEAM GUARD RAILING (STEEL POST), TUBULAR HANDRAILING, TUBULAR BICYCLE RAILING, TRANSITION RAILING (TYPE WB), ALTERNATIVE FLARED TERMINAL SYSTEM, CONCRETE BARRIER (TYPE 80 MOD), CONCRETE BARRIER (TYPE 80SW), THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE), PAVEMENT MARKER (RETROREFLECTIVE).**

---

We are an Equal Opportunity Employer. We will require that all participating companies carry Workers' Compensation & Liability Insurance and be bonded. We will assist with obtaining insurance, bonds or lines of credit. Plans & specifications are available for viewing at our offices.

Plans and specifications are available by appointment for review/takeoff at above address. If you have any questions please do not hesitate to contact us.

---

**Participation Response Form**

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: \_\_\_\_\_

We cannot participate in the contract

\_\_\_\_\_  
Print Name of Business Owner

\_\_\_\_\_  
Signature

Date: \_\_\_\_\_

Please fax return this form by Feb 04, 2013  
with a copy of your certification to Ken / Steve at (805) 546-8287

## **Souza Construction, Inc. (San Luis Obispo)**

P.O. Box 3810

San Luis Obispo, CA 93403-3810

Telephone: (805) 546-8288

Fax: (805) 546-8287

### **INVITATION TO BID**

January 04, 2013

Force Traffic Control, Inc.

Po Box 1107

Exeter, CA, 93221

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

**Project:** CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

**Location:** Paso Robles, CA

**Bid Due Date:** 02/05/13 at 02:00 PM PST

**Solicitation Number:** 05-330754

**Contact:** Ken / Steve

---

Quotes are needed for:

**BAT HABITAT, LEAD COMPLIANCE PLAN, PROGRESS SCHEDULE (CRITICAL PATH METHOD) CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, PORTABLE CHANGEABLE MESSAGE SIGN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, STORM WATER ANNUAL REPORT, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYD TEMPORARY DRAINAGE INLET PROTECTION RAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY CHECK DAM, TEMPORARY FIBER ROLL, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST, NATURAL RESOURCE PROTECTION PLAN, REMOVE FENCE, REMOVE METAL BEAM GUARD RAILING, COLD PLANE ASPHALT CONCRETE PAVEMENT, BRIDGE REMOVAL, CLEARING AND GRUBBING, ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT, MOVE-IN/MOVE-OUT (EROSION CONTROL), ROLLED EROSION CONTROL PRODUCT (NETTING), HYDROMULCH, FIBER ROLLS, STRAW, HYDROSEED-SEED MIX 1, HYDROSEED-SEED MIX 2, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, 16" CAST-IN-DRILLED-HOLE CONCRETE PILING, 96" CAST-IN-DRILLED-HOLE CONCRETE PILING, FURNISH PILING (CLASS 140) (ALTERNATIVE W), DRIVE PILE (CLASS 140) (ALTERNATIVE W), PRESTRESSING CAST-IN-PLACE CONCRETE, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), RANDOM FIELDSTONE, TEXTURE, JOINT SEAL (MR 2"), BAR REINFORCING STEEL (BRIDGE), PREPARE AND PAINT CONCRETE, 18" ALTERNATIVE PIPE CULVERT, 24" ALTERNATIVE PIPE CULVERT, 3" PLASTIC PIPE, 24" CORRUGATED STEEL, PIPE DOWNDRAIN (.138" THICK), DRAINAGE INLET MARKER, 10" WELDED STEEL PIPE CASING (BRIDGE), 12" WELDED STEEL PIPE CASING (BRIDGE), 8" WELDED STEEL PIPE (.134"**

**THICK), 24" ALTERNATIVE FLARED END SECTION, ROCK SLOPE PROTECTION (LIGHT, METHOD B), ROCK SLOPE PROTECTION (1/2T, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), MINOR CONCRETE (GUTTER), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), BRIDGE DECK DRAINAGE SYSTEM, FENCE (TYPE BW, 5 STRAND, METAL POST), 8' WIRE MESH GATE, METAL BEAM GUARD RAILING (STEEL POST), TUBULAR HANDRAILING, TUBULAR BICYCLE RAILING, TRANSITION RAILING (TYPE WB), ALTERNATIVE FLARED TERMINAL SYSTEM, CONCRETE BARRIER (TYPE 80 MOD), CONCRETE BARRIER (TYPE 80SW), THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE), PAVEMENT MARKER (RETROREFLECTIVE).**

---

We are an Equal Opportunity Employer. We will require that all participating companies carry Workers' Compensation & Liability Insurance and be bonded. We will assist with obtaining insurance, bonds or lines of credit. Plans & specifications are available for viewing at our offices.

Plans and specifications are available by appointment for review/takeoff at above address. If you have any questions please do not hesitate to contact us.

---

**Participation Response Form**

- We can participate in this contract  
TYPE OF SERVICE OR SUPPLIES: \_\_\_\_\_
- We cannot participate in the contract

\_\_\_\_\_  
Print Name of Business Owner

\_\_\_\_\_  
Signature

Date: \_\_\_\_\_

Please fax return this form by Feb 04, 2013  
with a copy of your certification to Ken / Steve at (805) 546-8287

## **Souza Construction, Inc. (San Luis Obispo)**

P.O. Box 3810

San Luis Obispo, CA 93403-3810

Telephone: (805) 546-8288

Fax: (805) 546-8287

### **INVITATION TO BID**

January 04, 2013

Turner Manufacturing Co Inc

4565 E. Floradora Ave

Fresno, CA, 93703

We are seeking certified and qualified DBE subcontractors and/or suppliers for:

**Project:** CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

**Location:** Paso Robles, CA

**Bid Due Date:** 02/05/13 at 02:00 PM PST

**Solicitation Number:** 05-330754

**Contact:** Ken / Steve

---

Quotes are needed for:

**BAT HABITAT, LEAD COMPLIANCE PLAN, PROGRESS SCHEDULE (CRITICAL PATH METHOD) CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, PORTABLE CHANGEABLE MESSAGE SIGN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, STORM WATER ANNUAL REPORT, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYD TEMPORARY DRAINAGE INLET PROTECTION RAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY CHECK DAM, TEMPORARY FIBER ROLL, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST, NATURAL RESOURCE PROTECTION PLAN, REMOVE FENCE, REMOVE METAL BEAM GUARD RAILING, COLD PLANE ASPHALT CONCRETE PAVEMENT, BRIDGE REMOVAL, CLEARING AND GRUBBING, ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT, MOVE-IN/MOVE-OUT (EROSION CONTROL), ROLLED EROSION CONTROL PRODUCT (NETTING), HYDROMULCH, FIBER ROLLS, STRAW, HYDROSEED-SEED MIX 1, HYDROSEED-SEED MIX 2, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, 16" CAST-IN-DRILLED-HOLE CONCRETE PILING, 96" CAST-IN-DRILLED-HOLE CONCRETE PILING, FURNISH PILING (CLASS 140) (ALTERNATIVE W), DRIVE PILE (CLASS 140) (ALTERNATIVE W), PRESTRESSING CAST-IN-PLACE CONCRETE, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), RANDOM FIELDSTONE, TEXTURE, JOINT SEAL (MR 2"), BAR REINFORCING STEEL (BRIDGE), PREPARE AND PAINT CONCRETE, 18" ALTERNATIVE PIPE CULVERT, 24" ALTERNATIVE PIPE CULVERT, 3" PLASTIC PIPE, 24" CORRUGATED STEEL, PIPE DOWNDRAIN (.138" THICK), DRAINAGE INLET MARKER, 10" WELDED STEEL PIPE CASING (BRIDGE), 12" WELDED STEEL PIPE CASING (BRIDGE), 8" WELDED STEEL PIPE (.134"**

**THICK), 24" ALTERNATIVE FLARED END SECTION, ROCK SLOPE PROTECTION (LIGHT, METHOD B), ROCK SLOPE PROTECTION (1/2T, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), MINOR CONCRETE (GUTTER), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), BRIDGE DECK DRAINAGE SYSTEM, FENCE (TYPE BW, 5 STRAND, METAL POST), 8' WIRE MESH GATE, METAL BEAM GUARD RAILING (STEEL POST), TUBULAR HANDRAILING, TUBULAR BICYCLE RAILING, TRANSITION RAILING (TYPE WB), ALTERNATIVE FLARED TERMINAL SYSTEM, CONCRETE BARRIER (TYPE 80 MOD), CONCRETE BARRIER (TYPE 80SW), THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE), PAVEMENT MARKER (RETROREFLECTIVE).**

---

We are an Equal Opportunity Employer. We will require that all participating companies carry Workers' Compensation & Liability Insurance and be bonded. We will assist with obtaining insurance, bonds or lines of credit. Plans & specifications are available for viewing at our offices.

Plans and specifications are available by appointment for review/takeoff at above address. If you have any questions please do not hesitate to contact us.

---

**Participation Response Form**

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: \_\_\_\_\_

We cannot participate in the contract

\_\_\_\_\_  
Print Name of Business Owner

\_\_\_\_\_  
Signature

Date: \_\_\_\_\_

Please fax return this form by Feb 04, 2013  
with a copy of your certification to Ken / Steve at (805) 546-8287

## **Souza Construction, Inc. (San Luis Obispo)**

P.O. Box 3810

San Luis Obispo, CA 93403-3810

Telephone: (805) 546-8288

Fax: (805) 546-8287

### **INVITATION TO BID**

January 04, 2013

Paragon Industrial Coatings, Inc. DBA Pi

7450 Santa Cruz Road

Atascadero, CA, 93422

We are seeking certified and qualified DBE subcontractors and/or suppliers for:

**Project:** CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

**Location:** Paso Robles, CA

**Bid Due Date:** 02/05/13 at 02:00 PM PST

**Solicitation Number:** 05-330754

**Contact:** Ken / Steve

---

Quotes are needed for:

**BAT HABITAT, LEAD COMPLIANCE PLAN, PROGRESS SCHEDULE (CRITICAL PATH METHOD) CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, PORTABLE CHANGEABLE MESSAGE SIGN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, STORM WATER ANNUAL REPORT, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYD TEMPORARY DRAINAGE INLET PROTECTION RAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY CHECK DAM, TEMPORARY FIBER ROLL, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST, NATURAL RESOURCE PROTECTION PLAN, REMOVE FENCE, REMOVE METAL BEAM GUARD RAILING, COLD PLANE ASPHALT CONCRETE PAVEMENT, BRIDGE REMOVAL, CLEARING AND GRUBBING, ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT, MOVE-IN/MOVE-OUT (EROSION CONTROL), ROLLED EROSION CONTROL PRODUCT (NETTING), HYDROMULCH, FIBER ROLLS, STRAW, HYDROSEED-SEED MIX 1, HYDROSEED-SEED MIX 2, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, 16" CAST-IN-DRILLED-HOLE CONCRETE PILING, 96" CAST-IN-DRILLED-HOLE CONCRETE PILING, FURNISH PILING (CLASS 140) (ALTERNATIVE W), DRIVE PILE (CLASS 140) (ALTERNATIVE W), PRESTRESSING CAST-IN-PLACE CONCRETE, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), RANDOM FIELDSTONE, TEXTURE, JOINT SEAL (MR 2"), BAR REINFORCING STEEL (BRIDGE), PREPARE AND PAINT CONCRETE, 18" ALTERNATIVE PIPE CULVERT, 24" ALTERNATIVE PIPE CULVERT, 3" PLASTIC PIPE, 24" CORRUGATED STEEL, PIPE DOWNDRAIN (.138" THICK), DRAINAGE INLET MARKER, 10" WELDED STEEL PIPE CASING (BRIDGE), 12" WELDED STEEL PIPE CASING (BRIDGE), 8" WELDED STEEL PIPE (.134"**

**THICK), 24" ALTERNATIVE FLARED END SECTION, ROCK SLOPE PROTECTION (LIGHT, METHOD B), ROCK SLOPE PROTECTION (1/2T, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), MINOR CONCRETE (GUTTER), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), BRIDGE DECK DRAINAGE SYSTEM, FENCE (TYPE BW, 5 STRAND, METAL POST), 8' WIRE MESH GATE, METAL BEAM GUARD RAILING (STEEL POST), TUBULAR HANDRAILING, TUBULAR BICYCLE RAILING, TRANSITION RAILING (TYPE WB), ALTERNATIVE FLARED TERMINAL SYSTEM, CONCRETE BARRIER (TYPE 80 MOD), CONCRETE BARRIER (TYPE 80SW), THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE), PAVEMENT MARKER (RETROREFLECTIVE).**

---

We are an Equal Opportunity Employer. We will require that all participating companies carry Workers' Compensation & Liability Insurance and be bonded. We will assist with obtaining insurance, bonds or lines of credit. Plans & specifications are available for viewing at our offices.

Plans and specifications are available by appointment for review/takeoff at above address. If you have any questions please do not hesitate to contact us.

---

**Participation Response Form**

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: \_\_\_\_\_

We cannot participate in the contract

\_\_\_\_\_  
Print Name of Business Owner

\_\_\_\_\_  
Signature

Date: \_\_\_\_\_

Please fax return this form by Feb 04, 2013  
with a copy of your certification to Ken / Steve at (805) 546-8287

**Souza Construction, Inc. (San Luis Obispo)**

P.O. Box 3810

San Luis Obispo, CA 93403-3810

Telephone: (805) 546-8288

Fax: (805) 546-8287

**INVITATION TO BID**

January 04, 2013

A C Dike Co

2788 Venture Dr.

Lincoln, CA, 95648

We are seeking certified and qualified DBE subcontractors and/or suppliers for:

**Project:** CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754**Location:** Paso Robles, CA**Bid Due Date:** 02/05/13 at 02:00 PM PST**Solicitation Number:** 05-330754**Contact:** Ken / Steve

---

**Quotes are needed for:**

**BAT HABITAT, LEAD COMPLIANCE PLAN, PROGRESS SCHEDULE (CRITICAL PATH METHOD) CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, PORTABLE CHANGEABLE MESSAGE SIGN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, STORM WATER ANNUAL REPORT, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYD TEMPORARY DRAINAGE INLET PROTECTION RAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY CHECK DAM, TEMPORARY FIBER ROLL, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST, NATURAL RESOURCE PROTECTION PLAN, REMOVE FENCE, REMOVE METAL BEAM GUARD RAILING, COLD PLANE ASPHALT CONCRETE PAVEMENT, BRIDGE REMOVAL, CLEARING AND GRUBBING, ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT, MOVE-IN/MOVE-OUT (EROSION CONTROL), ROLLED EROSION CONTROL PRODUCT (NETTING), HYDROMULCH, FIBER ROLLS, STRAW, HYDROSEED-SEED MIX 1, HYDROSEED-SEED MIX 2, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, 16" CAST-IN-DRILLED-HOLE CONCRETE PILING, 96" CAST-IN-DRILLED-HOLE CONCRETE PILING, FURNISH PILING (CLASS 140) (ALTERNATIVE W), DRIVE PILE (CLASS 140) (ALTERNATIVE W), PRESTRESSING CAST-IN-PLACE CONCRETE, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), RANDOM FIELDSTONE, TEXTURE, JOINT SEAL (MR 2"), BAR REINFORCING STEEL (BRIDGE), PREPARE AND PAINT CONCRETE, 18" ALTERNATIVE PIPE CULVERT, 24" ALTERNATIVE PIPE CULVERT, 3" PLASTIC PIPE, 24" CORRUGATED STEEL, PIPE DOWNDRAIN (.138" THICK), DRAINAGE INLET MARKER, 10" WELDED STEEL PIPE CASING (BRIDGE), 12" WELDED STEEL PIPE CASING (BRIDGE), 8" WELDED STEEL PIPE (.134"**

**THICK), 24" ALTERNATIVE FLARED END SECTION, ROCK SLOPE PROTECTION (LIGHT, METHOD B), ROCK SLOPE PROTECTION (1/2T, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), MINOR CONCRETE (GUTTER), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), BRIDGE DECK DRAINAGE SYSTEM, FENCE (TYPE BW, 5 STRAND, METAL POST), 8' WIRE MESH GATE, METAL BEAM GUARD RAILING (STEEL POST), TUBULAR HANDRAILING, TUBULAR BICYCLE RAILING, TRANSITION RAILING (TYPE WB), ALTERNATIVE FLARED TERMINAL SYSTEM, CONCRETE BARRIER (TYPE 80 MOD), CONCRETE BARRIER (TYPE 80SW), THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE), PAVEMENT MARKER (RETROREFLECTIVE).**

We are an Equal Opportunity Employer. We will require that all participating companies carry Workers' Compensation & Liability Insurance and be bonded. We will assist with obtaining insurance, bonds or lines of credit. Plans & specifications are available for viewing at our offices.

Plans and specifications are available by appointment for review/takeoff at above address. If you have any questions please do not hesitate to contact us.

**Participation Response Form**

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: Place Ac. Dike & Misc

We cannot participate in the contract

Dave McClain  
Print Name of Business Owner

[Signature]  
Signature

Date: 1/4/13

Please fax return this form by Feb 04, 2013  
with a copy of your certification to Ken / Steve at (805) 546-8287

## **Souza Construction, Inc. (San Luis Obispo)**

P.O. Box 3810

San Luis Obispo, CA 93403-3810

Telephone: (805) 546-8288

Fax: (805) 546-8287

### **INVITATION TO BID**

January 04, 2013

A C Dike Co

2788 Venture Dr.

Lincoln, CA, 95648

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

**Project:** CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

**Location:** Paso Robles, CA

**Bid Due Date:** 02/05/13 at 02:00 PM PST

**Solicitation Number:** 05-330754

**Contact:** Ken / Steve

---

Quotes are needed for:

**BAT HABITAT, LEAD COMPLIANCE PLAN, PROGRESS SCHEDULE (CRITICAL PATH METHOD) CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, PORTABLE CHANGEABLE MESSAGE SIGN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, STORM WATER ANNUAL REPORT, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYD TEMPORARY DRAINAGE INLET PROTECTION RAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY CHECK DAM, TEMPORARY FIBER ROLL, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST, NATURAL RESOURCE PROTECTION PLAN, REMOVE FENCE, REMOVE METAL BEAM GUARD RAILING, COLD PLANE ASPHALT CONCRETE PAVEMENT, BRIDGE REMOVAL, CLEARING AND GRUBBING, ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT, MOVE-IN/MOVE-OUT (EROSION CONTROL), ROLLED EROSION CONTROL PRODUCT (NETTING), HYDROMULCH, FIBER ROLLS, STRAW, HYDROSEED-SEED MIX 1, HYDROSEED-SEED MIX 2, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, 16" CAST-IN-DRILLED-HOLE CONCRETE PILING, 96" CAST-IN-DRILLED-HOLE CONCRETE PILING, FURNISH PILING (CLASS 140) (ALTERNATIVE W), DRIVE PILE (CLASS 140) (ALTERNATIVE W), PRESTRESSING CAST-IN-PLACE CONCRETE, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), RANDOM FIELDSTONE, TEXTURE, JOINT SEAL (MR 2"), BAR REINFORCING STEEL (BRIDGE), PREPARE AND PAINT CONCRETE, 18" ALTERNATIVE PIPE CULVERT, 24" ALTERNATIVE PIPE CULVERT, 3" PLASTIC PIPE, 24" CORRUGATED STEEL, PIPE DOWNDRAIN (.138" THICK), DRAINAGE INLET MARKER, 10" WELDED STEEL PIPE CASING (BRIDGE), 12" WELDED STEEL PIPE CASING (BRIDGE), 8" WELDED STEEL PIPE (.134"**

**THICK), 24" ALTERNATIVE FLARED END SECTION, ROCK SLOPE PROTECTION (LIGHT, METHOD B), ROCK SLOPE PROTECTION (1/2T, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), MINOR CONCRETE (GUTTER), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), BRIDGE DECK DRAINAGE SYSTEM, FENCE (TYPE BW, 5 STRAND, METAL POST), 8' WIRE MESH GATE, METAL BEAM GUARD RAILING (STEEL POST), TUBULAR HANDRAILING, TUBULAR BICYCLE RAILING, TRANSITION RAILING (TYPE WB), ALTERNATIVE FLARED TERMINAL SYSTEM, CONCRETE BARRIER (TYPE 80 MOD), CONCRETE BARRIER (TYPE 80SW), THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE), PAVEMENT MARKER (RETROREFLECTIVE).**

---

We are an Equal Opportunity Employer. We will require that all participating companies carry Workers' Compensation & Liability Insurance and be bonded. We will assist with obtaining insurance, bonds or lines of credit. Plans & specifications are available for viewing at our offices.

Plans and specifications are available by appointment for review/takeoff at above address. If you have any questions please do not hesitate to contact us.

---

**Participation Response Form**

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: \_\_\_\_\_

We cannot participate in the contract

\_\_\_\_\_  
Print Name of Business Owner

\_\_\_\_\_  
Signature

Date: \_\_\_\_\_

Please fax return this form by Feb 04, 2013  
with a copy of your certification to Ken / Steve at (805) 546-8287

**Souza Construction, Inc. (San Luis Obispo)**

P.O. Box 3810

San Luis Obispo, CA 93403-3810

Telephone: (805) 546-8288

Fax: (805) 546-8287

**INVITATION TO BID**

January 04, 2013

Hard Hat Sweeping Inc

13328 Hadley Street

Whittier, CA, 90601

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

**Project:** CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

**Location:** Paso Robles, CA

**Bid Due Date:** 02/05/13 at 02:00 PM PST

**Solicitation Number:** 05-330754

**Contact:** Ken / Steve

---

Quotes are needed for:

**BAT HABITAT, LEAD COMPLIANCE PLAN, PROGRESS SCHEDULE (CRITICAL PATH METHOD) CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, PORTABLE CHANGEABLE MESSAGE SIGN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, STORM WATER ANNUAL REPORT, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYD TEMPORARY DRAINAGE INLET PROTECTION RAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY CHECK DAM, TEMPORARY FIBER ROLL, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST, NATURAL RESOURCE PROTECTION PLAN, REMOVE FENCE, REMOVE METAL BEAM GUARD RAILING, COLD PLANE ASPHALT CONCRETE PAVEMENT, BRIDGE REMOVAL, CLEARING AND GRUBBING, ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT, MOVE-IN/MOVE-OUT (EROSION CONTROL), ROLLED EROSION CONTROL PRODUCT (NETTING), HYDROMULCH, FIBER ROLLS, STRAW, HYDROSEED-SEED MIX 1, HYDROSEED-SEED MIX 2, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, 16" CAST-IN-DRILLED-HOLE CONCRETE PILING, 96" CAST-IN-DRILLED-HOLE CONCRETE PILING, FURNISH PILING (CLASS 140) (ALTERNATIVE W), DRIVE PILE (CLASS 140) (ALTERNATIVE W), PRESTRESSING CAST-IN-PLACE CONCRETE, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), RANDOM FIELDSTONE, TEXTURE, JOINT SEAL (MR 2"), BAR REINFORCING STEEL (BRIDGE), PREPARE AND PAINT CONCRETE, 18" ALTERNATIVE PIPE CULVERT, 24" ALTERNATIVE PIPE CULVERT, 3" PLASTIC PIPE, 24" CORRUGATED STEEL, PIPE DOWNDRAIN (.138" THICK), DRAINAGE INLET MARKER, 10" WELDED STEEL PIPE CASING (BRIDGE), 12" WELDED STEEL PIPE CASING (BRIDGE), 8" WELDED STEEL PIPE (.134"**

**THICK), 24" ALTERNATIVE FLARED END SECTION, ROCK SLOPE PROTECTION (LIGHT, METHOD B), ROCK SLOPE PROTECTION (1/2T, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), MINOR CONCRETE (GUTTER), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), BRIDGE DECK DRAINAGE SYSTEM, FENCE (TYPE BW, 5 STRAND, METAL POST), 8' WIRE MESH GATE, METAL BEAM GUARD RAILING (STEEL POST), TUBULAR HANDRAILING, TUBULAR BICYCLE RAILING, TRANSITION RAILING (TYPE WB), ALTERNATIVE FLARED TERMINAL SYSTEM, CONCRETE BARRIER (TYPE 80 MOD), CONCRETE BARRIER (TYPE 80SW), THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE), PAVEMENT MARKER (RETROREFLECTIVE).**

---

We are an Equal Opportunity Employer. We will require that all participating companies carry Workers' Compensation & Liability Insurance and be bonded. We will assist with obtaining insurance, bonds or lines of credit. Plans & specifications are available for viewing at our offices.

Plans and specifications are available by appointment for review/takeoff at above address. If you have any questions please do not hesitate to contact us.

---

**Participation Response Form**

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: \_\_\_\_\_

We cannot participate in the contract

\_\_\_\_\_  
Print Name of Business Owner

\_\_\_\_\_  
Signature

Date: \_\_\_\_\_

Please fax return this form by Feb 04, 2013  
with a copy of your certification to Ken / Steve at (805) 546-8287

**Souza Construction, Inc. (San Luis Obispo)**

P.O. Box 3810

San Luis Obispo, CA 93403-3810

Telephone: (805) 546-8288

Fax: (805) 546-8287

**INVITATION TO BID**

January 04, 2013

C & L Drilling Co

600 E. Lambert Road

La Habra, CA, 90631

We are seeking certified and qualified DBE subcontractors and/or suppliers for:

**Project:** CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

**Location:** Paso Robles, CA

**Bid Due Date:** 02/05/13 at 02:00 PM PST

**Solicitation Number:** 05-330754

**Contact:** Ken / Steve

---

Quotes are needed for:

**BAT HABITAT, LEAD COMPLIANCE PLAN, PROGRESS SCHEDULE (CRITICAL PATH METHOD) CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, PORTABLE CHANGEABLE MESSAGE SIGN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, STORM WATER ANNUAL REPORT, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYD TEMPORARY DRAINAGE INLET PROTECTION RAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY CHECK DAM, TEMPORARY FIBER ROLL, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST, NATURAL RESOURCE PROTECTION PLAN, REMOVE FENCE, REMOVE METAL BEAM GUARD RAILING, COLD PLANE ASPHALT CONCRETE PAVEMENT, BRIDGE REMOVAL, CLEARING AND GRUBBING, ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT, MOVE-IN/MOVE-OUT (EROSION CONTROL), ROLLED EROSION CONTROL PRODUCT (NETTING), HYDROMULCH, FIBER ROLLS, STRAW, HYDROSEED-SEED MIX 1, HYDROSEED-SEED MIX 2, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, 16" CAST-IN-DRILLED-HOLE CONCRETE PILING, 96" CAST-IN-DRILLED-HOLE CONCRETE PILING, FURNISH PILING (CLASS 140) (ALTERNATIVE W), DRIVE PILE (CLASS 140) (ALTERNATIVE W), PRESTRESSING CAST-IN-PLACE CONCRETE, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), RANDOM FIELDSTONE, TEXTURE, JOINT SEAL (MR 2"), BAR REINFORCING STEEL (BRIDGE), PREPARE AND PAINT CONCRETE, 18" ALTERNATIVE PIPE CULVERT, 24" ALTERNATIVE PIPE CULVERT, 3" PLASTIC PIPE, 24" CORRUGATED STEEL, PIPE DOWNDRAIN (.138" THICK), DRAINAGE INLET MARKER, 10" WELDED STEEL PIPE CASING (BRIDGE), 12" WELDED STEEL PIPE CASING (BRIDGE), 8" WELDED STEEL PIPE (.134"**

**THICK), 24" ALTERNATIVE FLARED END SECTION, ROCK SLOPE PROTECTION (LIGHT, METHOD B), ROCK SLOPE PROTECTION (1/2T, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), MINOR CONCRETE (GUTTER), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), BRIDGE DECK DRAINAGE SYSTEM, FENCE (TYPE BW, 5 STRAND, METAL POST), 8' WIRE MESH GATE, METAL BEAM GUARD RAILING (STEEL POST), TUBULAR HANDRAILING, TUBULAR BICYCLE RAILING, TRANSITION RAILING (TYPE WB), ALTERNATIVE FLARED TERMINAL SYSTEM, CONCRETE BARRIER (TYPE 80 MOD), CONCRETE BARRIER (TYPE 80SW), THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE), PAVEMENT MARKER (RETROREFLECTIVE).**

---

We are an Equal Opportunity Employer. We will require that all participating companies carry Workers' Compensation & Liability Insurance and be bonded. We will assist with obtaining insurance, bonds or lines of credit. Plans & specifications are available for viewing at our offices.

Plans and specifications are available by appointment for review/takeoff at above address. If you have any questions please do not hesitate to contact us.

---

**Participation Response Form**

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: \_\_\_\_\_

We cannot participate in the contract

\_\_\_\_\_  
Print Name of Business Owner

\_\_\_\_\_  
Signature

Date: \_\_\_\_\_

Please fax return this form by Feb 04, 2013  
with a copy of your certification to Ken / Steve at (805) 546-8287

## **Souza Construction, Inc. (San Luis Obispo)**

P.O. Box 3810

San Luis Obispo, CA 93403-3810

Telephone: (805) 546-8288

Fax: (805) 546-8287

### **INVITATION TO BID**

January 04, 2013

Construction Area Signs, Incorporated

9093 Old State Hwy

Newcastle, CA, 95658

We are seeking certified and qualified DBE subcontractors and/or suppliers for:

**Project:** CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

**Location:** Paso Robles, CA

**Bid Due Date:** 02/05/13 at 02:00 PM PST

**Solicitation Number:** 05-330754

**Contact:** Ken / Steve

---

Quotes are needed for:

**BAT HABITAT, LEAD COMPLIANCE PLAN, PROGRESS SCHEDULE (CRITICAL PATH METHOD) CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, PORTABLE CHANGEABLE MESSAGE SIGN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, STORM WATER ANNUAL REPORT, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYD TEMPORARY DRAINAGE INLET PROTECTION RAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY CHECK DAM, TEMPORARY FIBER ROLL, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST, NATURAL RESOURCE PROTECTION PLAN, REMOVE FENCE, REMOVE METAL BEAM GUARD RAILING, COLD PLANE ASPHALT CONCRETE PAVEMENT, BRIDGE REMOVAL, CLEARING AND GRUBBING, ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT, MOVE-IN/MOVE-OUT (EROSION CONTROL), ROLLED EROSION CONTROL PRODUCT (NETTING), HYDROMULCH, FIBER ROLLS, STRAW, HYDROSEED-SEED MIX 1, HYDROSEED-SEED MIX 2, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, 16" CAST-IN-DRILLED-HOLE CONCRETE PILING, 96" CAST-IN-DRILLED-HOLE CONCRETE PILING, FURNISH PILING (CLASS 140) (ALTERNATIVE W), DRIVE PILE (CLASS 140) (ALTERNATIVE W), PRESTRESSING CAST-IN-PLACE CONCRETE, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), RANDOM FIELDSTONE, TEXTURE, JOINT SEAL (MR 2"), BAR REINFORCING STEEL (BRIDGE), PREPARE AND PAINT CONCRETE, 18" ALTERNATIVE PIPE CULVERT, 24" ALTERNATIVE PIPE CULVERT, 3" PLASTIC PIPE, 24" CORRUGATED STEEL, PIPE DOWNDRAIN (.138" THICK), DRAINAGE INLET MARKER, 10" WELDED STEEL PIPE CASING (BRIDGE), 12" WELDED STEEL PIPE CASING (BRIDGE), 8" WELDED STEEL PIPE (.134"**

**THICK), 24" ALTERNATIVE FLARED END SECTION, ROCK SLOPE PROTECTION (LIGHT, METHOD B), ROCK SLOPE PROTECTION (1/2T, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), MINOR CONCRETE (GUTTER), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), BRIDGE DECK DRAINAGE SYSTEM, FENCE (TYPE BW, 5 STRAND, METAL POST), 8' WIRE MESH GATE, METAL BEAM GUARD RAILING (STEEL POST), TUBULAR HANDRAILING, TUBULAR BICYCLE RAILING, TRANSITION RAILING (TYPE WB), ALTERNATIVE FLARED TERMINAL SYSTEM, CONCRETE BARRIER (TYPE 80 MOD), CONCRETE BARRIER (TYPE 80SW), THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE), PAVEMENT MARKER (RETROREFLECTIVE).**

---

We are an Equal Opportunity Employer. We will require that all participating companies carry Workers' Compensation & Liability Insurance and be bonded. We will assist with obtaining insurance, bonds or lines of credit. Plans & specifications are available for viewing at our offices.

Plans and specifications are available by appointment for review/takeoff at above address. If you have any questions please do not hesitate to contact us.

---

**Participation Response Form**

- We can participate in this contract  
TYPE OF SERVICE OR SUPPLIES: \_\_\_\_\_
- We cannot participate in the contract

\_\_\_\_\_  
Print Name of Business Owner

\_\_\_\_\_  
Signature

Date: \_\_\_\_\_

Please fax return this form by Feb 04, 2013  
with a copy of your certification to Ken / Steve at (805) 546-8287

## **Souza Construction, Inc. (San Luis Obispo)**

P.O. Box 3810

San Luis Obispo, CA 93403-3810

Telephone: (805) 546-8288

Fax: (805) 546-8287

### **INVITATION TO BID**

January 04, 2013

L & B Electric, Incorporated

8219 Garfield Avenue

Bell Gardens, CA, 90201

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

**Project:** CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

**Location:** Paso Robles, CA

**Bid Due Date:** 02/05/13 at 02:00 PM PST

**Solicitation Number:** 05-330754

**Contact:** Ken / Steve

---

Quotes are needed for:

**BAT HABITAT, LEAD COMPLIANCE PLAN, PROGRESS SCHEDULE (CRITICAL PATH METHOD) CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, PORTABLE CHANGEABLE MESSAGE SIGN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, STORM WATER ANNUAL REPORT, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYD TEMPORARY DRAINAGE INLET PROTECTION RAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY CHECK DAM, TEMPORARY FIBER ROLL, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST, NATURAL RESOURCE PROTECTION PLAN, REMOVE FENCE, REMOVE METAL BEAM GUARD RAILING, COLD PLANE ASPHALT CONCRETE PAVEMENT, BRIDGE REMOVAL, CLEARING AND GRUBBING, ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT, MOVE-IN/MOVE-OUT (EROSION CONTROL), ROLLED EROSION CONTROL PRODUCT (NETTING), HYDROMULCH, FIBER ROLLS, STRAW, HYDROSEED-SEED MIX 1, HYDROSEED-SEED MIX 2, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, 16" CAST-IN-DRILLED-HOLE CONCRETE PILING, 96" CAST-IN-DRILLED-HOLE CONCRETE PILING, FURNISH PILING (CLASS 140) (ALTERNATIVE W), DRIVE PILE (CLASS 140) (ALTERNATIVE W), PRESTRESSING CAST-IN-PLACE CONCRETE, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), RANDOM FIELDSTONE, TEXTURE, JOINT SEAL (MR 2"), BAR REINFORCING STEEL (BRIDGE), PREPARE AND PAINT CONCRETE, 18" ALTERNATIVE PIPE CULVERT, 24" ALTERNATIVE PIPE CULVERT, 3" PLASTIC PIPE, 24" CORRUGATED STEEL, PIPE DOWNDRAIN (.138" THICK), DRAINAGE INLET MARKER, 10" WELDED STEEL PIPE CASING (BRIDGE), 12" WELDED STEEL PIPE CASING (BRIDGE), 8" WELDED STEEL PIPE (.134"**

**THICK), 24" ALTERNATIVE FLARED END SECTION, ROCK SLOPE PROTECTION (LIGHT, METHOD B), ROCK SLOPE PROTECTION (1/2T, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), MINOR CONCRETE (GUTTER), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), BRIDGE DECK DRAINAGE SYSTEM, FENCE (TYPE BW, 5 STRAND, METAL POST), 8' WIRE MESH GATE, METAL BEAM GUARD RAILING (STEEL POST), TUBULAR HANDRAILING, TUBULAR BICYCLE RAILING, TRANSITION RAILING (TYPE WB), ALTERNATIVE FLARED TERMINAL SYSTEM, CONCRETE BARRIER (TYPE 80 MOD), CONCRETE BARRIER (TYPE 80SW), THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE), PAVEMENT MARKER (RETROREFLECTIVE).**

---

We are an Equal Opportunity Employer. We will require that all participating companies carry Workers' Compensation & Liability Insurance and be bonded. We will assist with obtaining insurance, bonds or lines of credit. Plans & specifications are available for viewing at our offices.

Plans and specifications are available by appointment for review/takeoff at above address. If you have any questions please do not hesitate to contact us.

---

**Participation Response Form**

- We can participate in this contract  
TYPE OF SERVICE OR SUPPLIES: \_\_\_\_\_
- We cannot participate in the contract

\_\_\_\_\_  
Print Name of Business Owner

\_\_\_\_\_  
Signature

Date: \_\_\_\_\_

Please fax return this form by Feb 04, 2013  
with a copy of your certification to Ken / Steve at (805) 546-8287

**Souza Construction, Inc. (San Luis Obispo)**

P.O. Box 3810

San Luis Obispo, CA 93403-3810

Telephone: (805) 546-8288

Fax: (805) 546-8287

**INVITATION TO BID**

January 04, 2013

Alert-o-lite, Inc

P.o. Box 12224

Fresno, CA, 93777

We are seeking certified and qualified DBE subcontractors and/or suppliers for:

**Project:** CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

**Location:** Paso Robles, CA

**Bid Due Date:** 02/05/13 at 02:00 PM PST

**Solicitation Number:** 05-330754

**Contact:** Ken / Steve

---

Quotes are needed for:

**BAT HABITAT, LEAD COMPLIANCE PLAN, PROGRESS SCHEDULE (CRITICAL PATH METHOD) CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, PORTABLE CHANGEABLE MESSAGE SIGN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, STORM WATER ANNUAL REPORT, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYD TEMPORARY DRAINAGE INLET PROTECTION RAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY CHECK DAM, TEMPORARY FIBER ROLL, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST, NATURAL RESOURCE PROTECTION PLAN, REMOVE FENCE, REMOVE METAL BEAM GUARD RAILING, COLD PLANE ASPHALT CONCRETE PAVEMENT, BRIDGE REMOVAL, CLEARING AND GRUBBING, ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT, MOVE-IN/MOVE-OUT (EROSION CONTROL), ROLLED EROSION CONTROL PRODUCT (NETTING), HYDROMULCH, FIBER ROLLS, STRAW, HYDROSEED-SEED MIX 1, HYDROSEED-SEED MIX 2, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, 16" CAST-IN-DRILLED-HOLE CONCRETE PILING, 96" CAST-IN-DRILLED-HOLE CONCRETE PILING, FURNISH PILING (CLASS 140) (ALTERNATIVE W), DRIVE PILE (CLASS 140) (ALTERNATIVE W), PRESTRESSING CAST-IN-PLACE CONCRETE, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), RANDOM FIELDSTONE, TEXTURE, JOINT SEAL (MR 2"), BAR REINFORCING STEEL (BRIDGE), PREPARE AND PAINT CONCRETE, 18" ALTERNATIVE PIPE CULVERT, 24" ALTERNATIVE PIPE CULVERT, 3" PLASTIC PIPE, 24" CORRUGATED STEEL, PIPE DOWNDRAIN (.138" THICK), DRAINAGE INLET MARKER, 10" WELDED STEEL PIPE CASING (BRIDGE), 12" WELDED STEEL PIPE CASING (BRIDGE), 8" WELDED STEEL PIPE (.134"**

**THICK), 24" ALTERNATIVE FLARED END SECTION, ROCK SLOPE PROTECTION (LIGHT, METHOD B), ROCK SLOPE PROTECTION (1/2T, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), MINOR CONCRETE (GUTTER), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), BRIDGE DECK DRAINAGE SYSTEM, FENCE (TYPE BW, 5 STRAND, METAL POST), 8' WIRE MESH GATE, METAL BEAM GUARD RAILING (STEEL POST), TUBULAR HANDRAILING, TUBULAR BICYCLE RAILING, TRANSITION RAILING (TYPE WB), ALTERNATIVE FLARED TERMINAL SYSTEM, CONCRETE BARRIER (TYPE 80 MOD), CONCRETE BARRIER (TYPE 80SW), THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE), PAVEMENT MARKER (RETROREFLECTIVE).**

---

We are an Equal Opportunity Employer. We will require that all participating companies carry Workers' Compensation & Liability Insurance and be bonded. We will assist with obtaining insurance, bonds or lines of credit. Plans & specifications are available for viewing at our offices.

Plans and specifications are available by appointment for review/takeoff at above address. If you have any questions please do not hesitate to contact us.

---

**Participation Response Form**

- We can participate in this contract  
TYPE OF SERVICE OR SUPPLIES: \_\_\_\_\_
- We cannot participate in the contract

\_\_\_\_\_  
Print Name of Business Owner

\_\_\_\_\_  
Signature

Date: \_\_\_\_\_

Please fax return this form by Feb 04, 2013  
with a copy of your certification to Ken / Steve at (805) 546-8287

**Souza Construction, Inc. (San Luis Obispo)**

P.O. Box 3810

San Luis Obispo, CA 93403-3810

Telephone: (805) 546-8288

Fax: (805) 546-8287

**INVITATION TO BID**

January 04, 2013

A.j. Vasconi Gereal Engineering

1820 Galindo Street, Suite 275

Concord, CA, 94520

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

**Project:** CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

**Location:** Paso Robles, CA

**Bid Due Date:** 02/05/13 at 02:00 PM PST

**Solicitation Number:** 05-330754

**Contact:** Ken / Steve

---

Quotes are needed for:

**BAT HABITAT, LEAD COMPLIANCE PLAN, PROGRESS SCHEDULE (CRITICAL PATH METHOD) CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, PORTABLE CHANGEABLE MESSAGE SIGN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, STORM WATER ANNUAL REPORT, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYD TEMPORARY DRAINAGE INLET PROTECTION RAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY CHECK DAM, TEMPORARY FIBER ROLL, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST, NATURAL RESOURCE PROTECTION PLAN, REMOVE FENCE, REMOVE METAL BEAM GUARD RAILING, COLD PLANE ASPHALT CONCRETE PAVEMENT, BRIDGE REMOVAL, CLEARING AND GRUBBING, ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT, MOVE-IN/MOVE-OUT (EROSION CONTROL), ROLLED EROSION CONTROL PRODUCT (NETTING), HYDROMULCH, FIBER ROLLS, STRAW, HYDROSEED-SEED MIX 1, HYDROSEED-SEED MIX 2, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, 16" CAST-IN-DRILLED-HOLE CONCRETE PILING, 96" CAST-IN-DRILLED-HOLE CONCRETE PILING, FURNISH PILING (CLASS 140) (ALTERNATIVE W), DRIVE PILE (CLASS 140) (ALTERNATIVE W), PRESTRESSING CAST-IN-PLACE CONCRETE, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), RANDOM FIELDSTONE, TEXTURE, JOINT SEAL (MR 2"), BAR REINFORCING STEEL (BRIDGE), PREPARE AND PAINT CONCRETE, 18" ALTERNATIVE PIPE CULVERT, 24" ALTERNATIVE PIPE CULVERT, 3" PLASTIC PIPE, 24" CORRUGATED STEEL, PIPE DOWNDRAIN (.138" THICK), DRAINAGE INLET MARKER, 10" WELDED STEEL PIPE CASING (BRIDGE), 12" WELDED STEEL PIPE CASING (BRIDGE), 8" WELDED STEEL PIPE (.134"**

**THICK), 24" ALTERNATIVE FLARED END SECTION, ROCK SLOPE PROTECTION (LIGHT, METHOD B), ROCK SLOPE PROTECTION (1/2T, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), MINOR CONCRETE (GUTTER), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), BRIDGE DECK DRAINAGE SYSTEM, FENCE (TYPE BW, 5 STRAND, METAL POST), 8' WIRE MESH GATE, METAL BEAM GUARD RAILING (STEEL POST), TUBULAR HANDRAILING, TUBULAR BICYCLE RAILING, TRANSITION RAILING (TYPE WB), ALTERNATIVE FLARED TERMINAL SYSTEM, CONCRETE BARRIER (TYPE 80 MOD), CONCRETE BARRIER (TYPE 80SW), THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE), PAVEMENT MARKER (RETROREFLECTIVE).**

---

We are an Equal Opportunity Employer. We will require that all participating companies carry Workers' Compensation & Liability Insurance and be bonded. We will assist with obtaining insurance, bonds or lines of credit. Plans & specifications are available for viewing at our offices.

Plans and specifications are available by appointment for review/takeoff at above address. If you have any questions please do not hesitate to contact us.

---

**Participation Response Form**

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: \_\_\_\_\_

We cannot participate in the contract

\_\_\_\_\_  
Print Name of Business Owner

\_\_\_\_\_  
Signature

Date: \_\_\_\_\_

Please fax return this form by Feb 04, 2013  
with a copy of your certification to Ken / Steve at (805) 546-8287

**Souza Construction, Inc. (San Luis Obispo)**

P.O. Box 3810

San Luis Obispo, CA 93403-3810

Telephone: (805) 546-8288

Fax: (805) 546-8287

**INVITATION TO BID**

January 04, 2013

Cem Builders, Inc

37 West 4th Street

Campbell, CA, 95008

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

**Project:** CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

**Location:** Paso Robles, CA

**Bid Due Date:** 02/05/13 at 02:00 PM PST

**Solicitation Number:** 05-330754

**Contact:** Ken / Steve

---

Quotes are needed for:

**BAT HABITAT, LEAD COMPLIANCE PLAN, PROGRESS SCHEDULE (CRITICAL PATH METHOD) CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, PORTABLE CHANGEABLE MESSAGE SIGN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, STORM WATER ANNUAL REPORT, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYD TEMPORARY DRAINAGE INLET PROTECTION RAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY CHECK DAM, TEMPORARY FIBER ROLL, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST, NATURAL RESOURCE PROTECTION PLAN, REMOVE FENCE, REMOVE METAL BEAM GUARD RAILING, COLD PLANE ASPHALT CONCRETE PAVEMENT, BRIDGE REMOVAL, CLEARING AND GRUBBING, ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT, MOVE-IN/MOVE-OUT (EROSION CONTROL), ROLLED EROSION CONTROL PRODUCT (NETTING), HYDROMULCH, FIBER ROLLS, STRAW, HYDROSEED-SEED MIX 1, HYDROSEED-SEED MIX 2, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, 16" CAST-IN-DRILLED-HOLE CONCRETE PILING, 96" CAST-IN-DRILLED-HOLE CONCRETE PILING, FURNISH PILING (CLASS 140) (ALTERNATIVE W), DRIVE PILE (CLASS 140) (ALTERNATIVE W), PRESTRESSING CAST-IN-PLACE CONCRETE, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), RANDOM FIELDSTONE, TEXTURE, JOINT SEAL (MR 2"), BAR REINFORCING STEEL (BRIDGE), PREPARE AND PAINT CONCRETE, 18" ALTERNATIVE PIPE CULVERT, 24" ALTERNATIVE PIPE CULVERT, 3" PLASTIC PIPE, 24" CORRUGATED STEEL, PIPE DOWNDRAIN (.138" THICK), DRAINAGE INLET MARKER, 10" WELDED STEEL PIPE CASING (BRIDGE), 12" WELDED STEEL PIPE CASING (BRIDGE), 8" WELDED STEEL PIPE (.134"**

**THICK), 24" ALTERNATIVE FLARED END SECTION, ROCK SLOPE PROTECTION (LIGHT, METHOD B), ROCK SLOPE PROTECTION (1/2T, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), MINOR CONCRETE (GUTTER), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), BRIDGE DECK DRAINAGE SYSTEM, FENCE (TYPE BW, 5 STRAND, METAL POST), 8' WIRE MESH GATE, METAL BEAM GUARD RAILING (STEEL POST), TUBULAR HANDRAILING, TUBULAR BICYCLE RAILING, TRANSITION RAILING (TYPE WB), ALTERNATIVE FLARED TERMINAL SYSTEM, CONCRETE BARRIER (TYPE 80 MOD), CONCRETE BARRIER (TYPE 80SW), THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE), PAVEMENT MARKER (RETROREFLECTIVE).**

---

We are an Equal Opportunity Employer. We will require that all participating companies carry Workers' Compensation & Liability Insurance and be bonded. We will assist with obtaining insurance, bonds or lines of credit. Plans & specifications are available for viewing at our offices.

Plans and specifications are available by appointment for review/takeoff at above address. If you have any questions please do not hesitate to contact us.

---

**Participation Response Form**

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: \_\_\_\_\_

We cannot participate in the contract

\_\_\_\_\_  
Print Name of Business Owner

\_\_\_\_\_  
Signature

Date: \_\_\_\_\_

Please fax return this form by Feb 04, 2013  
with a copy of your certification to Ken / Steve at (805) 546-8287

## **Souza Construction, Inc. (San Luis Obispo)**

P.O. Box 3810

San Luis Obispo, CA 93403-3810

Telephone: (805) 546-8288

Fax: (805) 546-8287

### **INVITATION TO BID**

January 04, 2013

Pvf Sales

13707 Borate St.

Santa Fe Springs, CA, 90670

We are seeking certified and qualified DBE subcontractors and/or suppliers for:

**Project:** CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

**Location:** Paso Robles, CA

**Bid Due Date:** 02/05/13 at 02:00 PM PST

**Solicitation Number:** 05-330754

**Contact:** Ken / Steve

---

Quotes are needed for:

**BAT HABITAT, LEAD COMPLIANCE PLAN, PROGRESS SCHEDULE (CRITICAL PATH METHOD) CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, PORTABLE CHANGEABLE MESSAGE SIGN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, STORM WATER ANNUAL REPORT, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYD TEMPORARY DRAINAGE INLET PROTECTION RAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY CHECK DAM, TEMPORARY FIBER ROLL, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST, NATURAL RESOURCE PROTECTION PLAN, REMOVE FENCE, REMOVE METAL BEAM GUARD RAILING, COLD PLANE ASPHALT CONCRETE PAVEMENT, BRIDGE REMOVAL, CLEARING AND GRUBBING, ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT, MOVE-IN/MOVE-OUT (EROSION CONTROL), ROLLED EROSION CONTROL PRODUCT (NETTING), HYDROMULCH, FIBER ROLLS, STRAW, HYDROSEED-SEED MIX 1, HYDROSEED-SEED MIX 2, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, 16" CAST-IN-DRILLED-HOLE CONCRETE PILING, 96" CAST-IN-DRILLED-HOLE CONCRETE PILING, FURNISH PILING (CLASS 140) (ALTERNATIVE W), DRIVE PILE (CLASS 140) (ALTERNATIVE W), PRESTRESSING CAST-IN-PLACE CONCRETE, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), RANDOM FIELDSTONE, TEXTURE, JOINT SEAL (MR 2"), BAR REINFORCING STEEL (BRIDGE), PREPARE AND PAINT CONCRETE, 18" ALTERNATIVE PIPE CULVERT, 24" ALTERNATIVE PIPE CULVERT, 3" PLASTIC PIPE, 24" CORRUGATED STEEL, PIPE DOWNDRAIN (.138" THICK), DRAINAGE INLET MARKER, 10" WELDED STEEL PIPE CASING (BRIDGE), 12" WELDED STEEL PIPE CASING (BRIDGE), 8" WELDED STEEL PIPE (.134"**

**THICK), 24" ALTERNATIVE FLARED END SECTION, ROCK SLOPE PROTECTION (LIGHT, METHOD B), ROCK SLOPE PROTECTION (1/2T, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), MINOR CONCRETE (GUTTER), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), BRIDGE DECK DRAINAGE SYSTEM, FENCE (TYPE BW, 5 STRAND, METAL POST), 8' WIRE MESH GATE, METAL BEAM GUARD RAILING (STEEL POST), TUBULAR HANDRAILING, TUBULAR BICYCLE RAILING, TRANSITION RAILING (TYPE WB), ALTERNATIVE FLARED TERMINAL SYSTEM, CONCRETE BARRIER (TYPE 80 MOD), CONCRETE BARRIER (TYPE 80SW), THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE), PAVEMENT MARKER (RETROREFLECTIVE).**

---

We are an Equal Opportunity Employer. We will require that all participating companies carry Workers' Compensation & Liability Insurance and be bonded. We will assist with obtaining insurance, bonds or lines of credit. Plans & specifications are available for viewing at our offices.

Plans and specifications are available by appointment for review/takeoff at above address. If you have any questions please do not hesitate to contact us.

---

**Participation Response Form**

- We can participate in this contract  
TYPE OF SERVICE OR SUPPLIES: \_\_\_\_\_
- We cannot participate in the contract

\_\_\_\_\_  
Print Name of Business Owner

\_\_\_\_\_  
Signature

Date: \_\_\_\_\_

Please fax return this form by Feb 04, 2013  
with a copy of your certification to Ken / Steve at (805) 546-8287

## **Souza Construction, Inc. (San Luis Obispo)**

P.O. Box 3810

San Luis Obispo, CA 93403-3810

Telephone: (805) 546-8288

Fax: (805) 546-8287

### **INVITATION TO BID**

January 04, 2013

Sam's Equipment & Supplies

5656 Columbia Dr S.

Fresno, CA, 93727

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

**Project:** CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

**Location:** Paso Robles, CA

**Bid Due Date:** 02/05/13 at 02:00 PM PST

**Solicitation Number:** 05-330754

**Contact:** Ken / Steve

---

Quotes are needed for:

**BAT HABITAT, LEAD COMPLIANCE PLAN, PROGRESS SCHEDULE (CRITICAL PATH METHOD) CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, PORTABLE CHANGEABLE MESSAGE SIGN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, STORM WATER ANNUAL REPORT, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYD TEMPORARY DRAINAGE INLET PROTECTION RAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY CHECK DAM, TEMPORARY FIBER ROLL, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST, NATURAL RESOURCE PROTECTION PLAN, REMOVE FENCE, REMOVE METAL BEAM GUARD RAILING, COLD PLANE ASPHALT CONCRETE PAVEMENT, BRIDGE REMOVAL, CLEARING AND GRUBBING, ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT, MOVE-IN/MOVE-OUT (EROSION CONTROL), ROLLED EROSION CONTROL PRODUCT (NETTING), HYDROMULCH, FIBER ROLLS, STRAW, HYDROSEED-SEED MIX 1, HYDROSEED-SEED MIX 2, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, 16" CAST-IN-DRILLED-HOLE CONCRETE PILING, 96" CAST-IN-DRILLED-HOLE CONCRETE PILING, FURNISH PILING (CLASS 140) (ALTERNATIVE W), DRIVE PILE (CLASS 140) (ALTERNATIVE W), PRESTRESSING CAST-IN-PLACE CONCRETE, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), RANDOM FIELDSTONE, TEXTURE, JOINT SEAL (MR 2"), BAR REINFORCING STEEL (BRIDGE), PREPARE AND PAINT CONCRETE, 18" ALTERNATIVE PIPE CULVERT, 24" ALTERNATIVE PIPE CULVERT, 3" PLASTIC PIPE, 24" CORRUGATED STEEL, PIPE DOWNDRAIN (.138" THICK), DRAINAGE INLET MARKER, 10" WELDED STEEL PIPE CASING (BRIDGE), 12" WELDED STEEL PIPE CASING (BRIDGE), 8" WELDED STEEL PIPE (.134"**

**THICK), 24" ALTERNATIVE FLARED END SECTION, ROCK SLOPE PROTECTION (LIGHT, METHOD B), ROCK SLOPE PROTECTION (1/2T, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), MINOR CONCRETE (GUTTER), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), BRIDGE DECK DRAINAGE SYSTEM, FENCE (TYPE BW, 5 STRAND, METAL POST), 8' WIRE MESH GATE, METAL BEAM GUARD RAILING (STEEL POST), TUBULAR HANDRAILING, TUBULAR BICYCLE RAILING, TRANSITION RAILING (TYPE WB), ALTERNATIVE FLARED TERMINAL SYSTEM, CONCRETE BARRIER (TYPE 80 MOD), CONCRETE BARRIER (TYPE 80SW), THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE), PAVEMENT MARKER (RETROREFLECTIVE).**

---

We are an Equal Opportunity Employer. We will require that all participating companies carry Workers' Compensation & Liability Insurance and be bonded. We will assist with obtaining insurance, bonds or lines of credit. Plans & specifications are available for viewing at our offices.

Plans and specifications are available by appointment for review/takeoff at above address. If you have any questions please do not hesitate to contact us.

---

**Participation Response Form**

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: \_\_\_\_\_

We cannot participate in the contract

\_\_\_\_\_  
Print Name of Business Owner

\_\_\_\_\_  
Signature

Date: \_\_\_\_\_

Please fax return this form by Feb 04, 2013  
with a copy of your certification to Ken / Steve at (805) 546-8287

## **Souza Construction, Inc. (San Luis Obispo)**

P.O. Box 3810

San Luis Obispo, CA 93403-3810

Telephone: (805) 546-8288

Fax: (805) 546-8287

### **INVITATION TO BID**

January 04, 2013

Rudy's Landscape & Irrigation Design

607 Vineland

Bakersfield, CA, 93313

We are seeking certified and qualified DBE subcontractors and/or suppliers for:

**Project:** CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

**Location:** Paso Robles, CA

**Bid Due Date:** 02/05/13 at 02:00 PM PST

**Solicitation Number:** 05-330754

**Contact:** Ken / Steve

---

Quotes are needed for:

**BAT HABITAT, LEAD COMPLIANCE PLAN, PROGRESS SCHEDULE (CRITICAL PATH METHOD) CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, PORTABLE CHANGEABLE MESSAGE SIGN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, STORM WATER ANNUAL REPORT, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYD TEMPORARY DRAINAGE INLET PROTECTION RAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY CHECK DAM, TEMPORARY FIBER ROLL, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST, NATURAL RESOURCE PROTECTION PLAN, REMOVE FENCE, REMOVE METAL BEAM GUARD RAILING, COLD PLANE ASPHALT CONCRETE PAVEMENT, BRIDGE REMOVAL, CLEARING AND GRUBBING, ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT, MOVE-IN/MOVE-OUT (EROSION CONTROL), ROLLED EROSION CONTROL PRODUCT (NETTING), HYDROMULCH, FIBER ROLLS, STRAW, HYDROSEED-SEED MIX 1, HYDROSEED-SEED MIX 2, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, 16" CAST-IN-DRILLED-HOLE CONCRETE PILING, 96" CAST-IN-DRILLED-HOLE CONCRETE PILING, FURNISH PILING (CLASS 140) (ALTERNATIVE W), DRIVE PILE (CLASS 140) (ALTERNATIVE W), PRESTRESSING CAST-IN-PLACE CONCRETE, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), RANDOM FIELDSTONE, TEXTURE, JOINT SEAL (MR 2"), BAR REINFORCING STEEL (BRIDGE), PREPARE AND PAINT CONCRETE, 18" ALTERNATIVE PIPE CULVERT, 24" ALTERNATIVE PIPE CULVERT, 3" PLASTIC PIPE, 24" CORRUGATED STEEL, PIPE DOWNDRAIN (.138" THICK), DRAINAGE INLET MARKER, 10" WELDED STEEL PIPE CASING (BRIDGE), 12" WELDED STEEL PIPE CASING (BRIDGE), 8" WELDED STEEL PIPE (.134"**

**THICK), 24" ALTERNATIVE FLARED END SECTION, ROCK SLOPE PROTECTION (LIGHT, METHOD B), ROCK SLOPE PROTECTION (1/2T, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), MINOR CONCRETE (GUTTER), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), BRIDGE DECK DRAINAGE SYSTEM, FENCE (TYPE BW, 5 STRAND, METAL POST), 8' WIRE MESH GATE, METAL BEAM GUARD RAILING (STEEL POST), TUBULAR HANDRAILING, TUBULAR BICYCLE RAILING, TRANSITION RAILING (TYPE WB), ALTERNATIVE FLARED TERMINAL SYSTEM, CONCRETE BARRIER (TYPE 80 MOD), CONCRETE BARRIER (TYPE 80SW), THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE), PAVEMENT MARKER (RETROREFLECTIVE).**

---

We are an Equal Opportunity Employer. We will require that all participating companies carry Workers' Compensation & Liability Insurance and be bonded. We will assist with obtaining insurance, bonds or lines of credit. Plans & specifications are available for viewing at our offices.

Plans and specifications are available by appointment for review/takeoff at above address. If you have any questions please do not hesitate to contact us.

---

**Participation Response Form**

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: \_\_\_\_\_

We cannot participate in the contract

\_\_\_\_\_  
Print Name of Business Owner

\_\_\_\_\_  
Signature

Date: \_\_\_\_\_

Please fax return this form by Feb 04, 2013  
with a copy of your certification to Ken / Steve at (805) 546-8287

## **Souza Construction, Inc. (San Luis Obispo)**

P.O. Box 3810

San Luis Obispo, CA 93403-3810

Telephone: (805) 546-8288

Fax: (805) 546-8287

### **INVITATION TO BID**

January 04, 2013

Lindy's Cold Planing

625 S. Mountain View

La Habra, CA, 90631

We are seeking certified and qualified DBE subcontractors and/or suppliers for:

**Project:** CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

**Location:** Paso Robles, CA

**Bid Due Date:** 02/05/13 at 02:00 PM PST

**Solicitation Number:** 05-330754

**Contact:** Ken / Steve

---

Quotes are needed for:

**BAT HABITAT, LEAD COMPLIANCE PLAN, PROGRESS SCHEDULE (CRITICAL PATH METHOD) CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, PORTABLE CHANGEABLE MESSAGE SIGN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, STORM WATER ANNUAL REPORT, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYD TEMPORARY DRAINAGE INLET PROTECTION RAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY CHECK DAM, TEMPORARY FIBER ROLL, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST, NATURAL RESOURCE PROTECTION PLAN, REMOVE FENCE, REMOVE METAL BEAM GUARD RAILING, COLD PLANE ASPHALT CONCRETE PAVEMENT, BRIDGE REMOVAL, CLEARING AND GRUBBING, ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT, MOVE-IN/MOVE-OUT (EROSION CONTROL), ROLLED EROSION CONTROL PRODUCT (NETTING), HYDROMULCH, FIBER ROLLS, STRAW, HYDROSEED-SEED MIX 1, HYDROSEED-SEED MIX 2, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, 16" CAST-IN-DRILLED-HOLE CONCRETE PILING, 96" CAST-IN-DRILLED-HOLE CONCRETE PILING, FURNISH PILING (CLASS 140) (ALTERNATIVE W), DRIVE PILE (CLASS 140) (ALTERNATIVE W), PRESTRESSING CAST-IN-PLACE CONCRETE, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), RANDOM FIELDSTONE, TEXTURE, JOINT SEAL (MR 2"), BAR REINFORCING STEEL (BRIDGE), PREPARE AND PAINT CONCRETE, 18" ALTERNATIVE PIPE CULVERT, 24" ALTERNATIVE PIPE CULVERT, 3" PLASTIC PIPE, 24" CORRUGATED STEEL, PIPE DOWNDRAIN (.138" THICK), DRAINAGE INLET MARKER, 10" WELDED STEEL PIPE CASING (BRIDGE), 12" WELDED STEEL PIPE CASING (BRIDGE), 8" WELDED STEEL PIPE (.134"**

**THICK), 24" ALTERNATIVE FLARED END SECTION, ROCK SLOPE PROTECTION (LIGHT, METHOD B), ROCK SLOPE PROTECTION (1/2T, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), MINOR CONCRETE (GUTTER), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), BRIDGE DECK DRAINAGE SYSTEM, FENCE (TYPE BW, 5 STRAND, METAL POST), 8' WIRE MESH GATE, METAL BEAM GUARD RAILING (STEEL POST), TUBULAR HANDRAILING, TUBULAR BICYCLE RAILING, TRANSITION RAILING (TYPE WB), ALTERNATIVE FLARED TERMINAL SYSTEM, CONCRETE BARRIER (TYPE 80 MOD), CONCRETE BARRIER (TYPE 80SW), THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE), PAVEMENT MARKER (RETROREFLECTIVE).**

---

We are an Equal Opportunity Employer. We will require that all participating companies carry Workers' Compensation & Liability Insurance and be bonded. We will assist with obtaining insurance, bonds or lines of credit. Plans & specifications are available for viewing at our offices.

Plans and specifications are available by appointment for review/takeoff at above address. If you have any questions please do not hesitate to contact us.

---

**Participation Response Form**

- We can participate in this contract  
TYPE OF SERVICE OR SUPPLIES: \_\_\_\_\_
- We cannot participate in the contract

\_\_\_\_\_  
Print Name of Business Owner

\_\_\_\_\_  
Signature

Date: \_\_\_\_\_

Please fax return this form by Feb 04, 2013  
with a copy of your certification to Ken / Steve at (805) 546-8287

**Souza Construction, Inc. (San Luis Obispo)**

P.O. Box 3810

San Luis Obispo, CA 93403-3810

Telephone: (805) 546-8288

Fax: (805) 546-8287

**INVITATION TO BID**

January 04, 2013

Mad Steel Inc.

277 West Allen Avenue

San Dimas, CA, 91773

We are seeking certified and qualified DBE subcontractors and/or suppliers for:

**Project:** CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

**Location:** Paso Robles, CA

**Bid Due Date:** 02/05/13 at 02:00 PM PST

**Solicitation Number:** 05-330754

**Contact:** Ken / Steve

---

Quotes are needed for:

**BAT HABITAT, LEAD COMPLIANCE PLAN, PROGRESS SCHEDULE (CRITICAL PATH METHOD) CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, PORTABLE CHANGEABLE MESSAGE SIGN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, STORM WATER ANNUAL REPORT, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYD TEMPORARY DRAINAGE INLET PROTECTION RAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY CHECK DAM, TEMPORARY FIBER ROLL, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST, NATURAL RESOURCE PROTECTION PLAN, REMOVE FENCE, REMOVE METAL BEAM GUARD RAILING, COLD PLANE ASPHALT CONCRETE PAVEMENT, BRIDGE REMOVAL, CLEARING AND GRUBBING, ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT, MOVE-IN/MOVE-OUT (EROSION CONTROL), ROLLED EROSION CONTROL PRODUCT (NETTING), HYDROMULCH, FIBER ROLLS, STRAW, HYDROSEED-SEED MIX 1, HYDROSEED-SEED MIX 2, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, 16" CAST-IN-DRILLED-HOLE CONCRETE PILING, 96" CAST-IN-DRILLED-HOLE CONCRETE PILING, FURNISH PILING (CLASS 140) (ALTERNATIVE W), DRIVE PILE (CLASS 140) (ALTERNATIVE W), PRESTRESSING CAST-IN-PLACE CONCRETE, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), RANDOM FIELDSTONE, TEXTURE, JOINT SEAL (MR 2"), BAR REINFORCING STEEL (BRIDGE), PREPARE AND PAINT CONCRETE, 18" ALTERNATIVE PIPE CULVERT, 24" ALTERNATIVE PIPE CULVERT, 3" PLASTIC PIPE, 24" CORRUGATED STEEL, PIPE DOWNDRAIN (.138" THICK), DRAINAGE INLET MARKER, 10" WELDED STEEL PIPE CASING (BRIDGE), 12" WELDED STEEL PIPE CASING (BRIDGE), 8" WELDED STEEL PIPE (.134"**

**THICK), 24" ALTERNATIVE FLARED END SECTION, ROCK SLOPE PROTECTION (LIGHT, METHOD B), ROCK SLOPE PROTECTION (1/2T, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), MINOR CONCRETE (GUTTER), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), BRIDGE DECK DRAINAGE SYSTEM, FENCE (TYPE BW, 5 STRAND, METAL POST), 8' WIRE MESH GATE, METAL BEAM GUARD RAILING (STEEL POST), TUBULAR HANDRAILING, TUBULAR BICYCLE RAILING, TRANSITION RAILING (TYPE WB), ALTERNATIVE FLARED TERMINAL SYSTEM, CONCRETE BARRIER (TYPE 80 MOD), CONCRETE BARRIER (TYPE 80SW), THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE), PAVEMENT MARKER (RETROREFLECTIVE).**

---

We are an Equal Opportunity Employer. We will require that all participating companies carry Workers' Compensation & Liability Insurance and be bonded. We will assist with obtaining insurance, bonds or lines of credit. Plans & specifications are available for viewing at our offices.

Plans and specifications are available by appointment for review/takeoff at above address. If you have any questions please do not hesitate to contact us.

---

**Participation Response Form**

- We can participate in this contract  
TYPE OF SERVICE OR SUPPLIES: \_\_\_\_\_
- We cannot participate in the contract

\_\_\_\_\_  
Print Name of Business Owner

\_\_\_\_\_  
Signature

Date: \_\_\_\_\_

Please fax return this form by Feb 04, 2013  
with a copy of your certification to Ken / Steve at (805) 546-8287

**Souza Construction, Inc. (San Luis Obispo)**

P.O. Box 3810

San Luis Obispo, CA 93403-3810

Telephone: (805) 546-8288

Fax: (805) 546-8287

**INVITATION TO BID**

January 04, 2013

Eswppp Consultants

902 Cortina Court

Walnut Creek, CA, 94598

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

**Project:** CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

**Location:** Paso Robles, CA

**Bid Due Date:** 02/05/13 at 02:00 PM PST

**Solicitation Number:** 05-330754

**Contact:** Ken / Steve

---

Quotes are needed for:

**BAT HABITAT, LEAD COMPLIANCE PLAN, PROGRESS SCHEDULE (CRITICAL PATH METHOD) CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, PORTABLE CHANGEABLE MESSAGE SIGN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, STORM WATER ANNUAL REPORT, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYD TEMPORARY DRAINAGE INLET PROTECTION RAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY CHECK DAM, TEMPORARY FIBER ROLL, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST, NATURAL RESOURCE PROTECTION PLAN, REMOVE FENCE, REMOVE METAL BEAM GUARD RAILING, COLD PLANE ASPHALT CONCRETE PAVEMENT, BRIDGE REMOVAL, CLEARING AND GRUBBING, ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT, MOVE-IN/MOVE-OUT (EROSION CONTROL), ROLLED EROSION CONTROL PRODUCT (NETTING), HYDROMULCH, FIBER ROLLS, STRAW, HYDROSEED-SEED MIX 1, HYDROSEED-SEED MIX 2, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, 16" CAST-IN-DRILLED-HOLE CONCRETE PILING, 96" CAST-IN-DRILLED-HOLE CONCRETE PILING, FURNISH PILING (CLASS 140) (ALTERNATIVE W), DRIVE PILE (CLASS 140) (ALTERNATIVE W), PRESTRESSING CAST-IN-PLACE CONCRETE, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), RANDOM FIELDSTONE, TEXTURE, JOINT SEAL (MR 2"), BAR REINFORCING STEEL (BRIDGE), PREPARE AND PAINT CONCRETE, 18" ALTERNATIVE PIPE CULVERT, 24" ALTERNATIVE PIPE CULVERT, 3" PLASTIC PIPE, 24" CORRUGATED STEEL, PIPE DOWNDRAIN (.138" THICK), DRAINAGE INLET MARKER, 10" WELDED STEEL PIPE CASING (BRIDGE), 12" WELDED STEEL PIPE CASING (BRIDGE), 8" WELDED STEEL PIPE (.134"**

**THICK), 24" ALTERNATIVE FLARED END SECTION, ROCK SLOPE PROTECTION (LIGHT, METHOD B), ROCK SLOPE PROTECTION (1/2T, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), MINOR CONCRETE (GUTTER), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), BRIDGE DECK DRAINAGE SYSTEM, FENCE (TYPE BW, 5 STRAND, METAL POST), 8' WIRE MESH GATE, METAL BEAM GUARD RAILING (STEEL POST), TUBULAR HANDRAILING, TUBULAR BICYCLE RAILING, TRANSITION RAILING (TYPE WB), ALTERNATIVE FLARED TERMINAL SYSTEM, CONCRETE BARRIER (TYPE 80 MOD), CONCRETE BARRIER (TYPE 80SW), THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE), PAVEMENT MARKER (RETROREFLECTIVE).**

---

We are an Equal Opportunity Employer. We will require that all participating companies carry Workers' Compensation & Liability Insurance and be bonded. We will assist with obtaining insurance, bonds or lines of credit. Plans & specifications are available for viewing at our offices.

Plans and specifications are available by appointment for review/takeoff at above address. If you have any questions please do not hesitate to contact us.

---

**Participation Response Form**

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: \_\_\_\_\_

We cannot participate in the contract

\_\_\_\_\_  
Print Name of Business Owner

\_\_\_\_\_  
Signature

Date: \_\_\_\_\_

Please fax return this form by Feb 04, 2013  
with a copy of your certification to Ken / Steve at (805) 546-8287

## **Souza Construction, Inc. (San Luis Obispo)**

P.O. Box 3810

San Luis Obispo, CA 93403-3810

Telephone: (805) 546-8288

Fax: (805) 546-8287

### **INVITATION TO BID**

January 04, 2013

V Lopez Jr & Sons General Engineering

200 E. Fesler #101

Santa Maria, CA, 93454

We are seeking certified and qualified DBE subcontractors and/or suppliers for:

**Project:** CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

**Location:** Paso Robles, CA

**Bid Due Date:** 02/05/13 at 02:00 PM PST

**Solicitation Number:** 05-330754

**Contact:** Ken / Steve

---

Quotes are needed for:

**BAT HABITAT, LEAD COMPLIANCE PLAN, PROGRESS SCHEDULE (CRITICAL PATH METHOD) CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, PORTABLE CHANGEABLE MESSAGE SIGN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, STORM WATER ANNUAL REPORT, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYD TEMPORARY DRAINAGE INLET PROTECTION RAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY CHECK DAM, TEMPORARY FIBER ROLL, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST, NATURAL RESOURCE PROTECTION PLAN, REMOVE FENCE, REMOVE METAL BEAM GUARD RAILING, COLD PLANE ASPHALT CONCRETE PAVEMENT, BRIDGE REMOVAL, CLEARING AND GRUBBING, ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT, MOVE-IN/MOVE-OUT (EROSION CONTROL), ROLLED EROSION CONTROL PRODUCT (NETTING), HYDROMULCH, FIBER ROLLS, STRAW, HYDROSEED-SEED MIX 1, HYDROSEED-SEED MIX 2, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, 16" CAST-IN-DRILLED-HOLE CONCRETE PILING, 96" CAST-IN-DRILLED-HOLE CONCRETE PILING, FURNISH PILING (CLASS 140) (ALTERNATIVE W), DRIVE PILE (CLASS 140) (ALTERNATIVE W), PRESTRESSING CAST-IN-PLACE CONCRETE, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), RANDOM FIELDSTONE, TEXTURE, JOINT SEAL (MR 2"), BAR REINFORCING STEEL (BRIDGE), PREPARE AND PAINT CONCRETE, 18" ALTERNATIVE PIPE CULVERT, 24" ALTERNATIVE PIPE CULVERT, 3" PLASTIC PIPE, 24" CORRUGATED STEEL, PIPE DOWNDRAIN (.138" THICK), DRAINAGE INLET MARKER, 10" WELDED STEEL PIPE CASING (BRIDGE), 12" WELDED STEEL PIPE CASING (BRIDGE), 8" WELDED STEEL PIPE (.134"**

**THICK), 24" ALTERNATIVE FLARED END SECTION, ROCK SLOPE PROTECTION (LIGHT, METHOD B), ROCK SLOPE PROTECTION (1/2T, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), MINOR CONCRETE (GUTTER), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), BRIDGE DECK DRAINAGE SYSTEM, FENCE (TYPE BW, 5 STRAND, METAL POST), 8' WIRE MESH GATE, METAL BEAM GUARD RAILING (STEEL POST), TUBULAR HANDRAILING, TUBULAR BICYCLE RAILING, TRANSITION RAILING (TYPE WB), ALTERNATIVE FLARED TERMINAL SYSTEM, CONCRETE BARRIER (TYPE 80 MOD), CONCRETE BARRIER (TYPE 80SW), THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE), PAVEMENT MARKER (RETROREFLECTIVE).**

---

We are an Equal Opportunity Employer. We will require that all participating companies carry Workers' Compensation & Liability Insurance and be bonded. We will assist with obtaining insurance, bonds or lines of credit. Plans & specifications are available for viewing at our offices.

Plans and specifications are available by appointment for review/takeoff at above address. If you have any questions please do not hesitate to contact us.

---

**Participation Response Form**

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: \_\_\_\_\_

We cannot participate in the contract

\_\_\_\_\_  
Print Name of Business Owner

\_\_\_\_\_  
Signature

Date: \_\_\_\_\_

Please fax return this form by Feb 04, 2013  
with a copy of your certification to Ken / Steve at (805) 546-8287

**Souza Construction, Inc. (San Luis Obispo)**

P.O. Box 3810

San Luis Obispo, CA 93403-3810

Telephone: (805) 546-8288

Fax: (805) 546-8287

**INVITATION TO BID**

January 04, 2013

Contech Concrete Techniques, Inc

4687 E. Cortland Avenue

Fresno, CA, 93726

We are seeking certified and qualified DBE subcontractors and/or suppliers for:

**Project:** CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

**Location:** Paso Robles, CA

**Bid Due Date:** 02/05/13 at 02:00 PM PST

**Solicitation Number:** 05-330754

**Contact:** Ken / Steve

---

Quotes are needed for:

**BAT HABITAT, LEAD COMPLIANCE PLAN, PROGRESS SCHEDULE (CRITICAL PATH METHOD) CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, PORTABLE CHANGEABLE MESSAGE SIGN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, STORM WATER ANNUAL REPORT, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYD TEMPORARY DRAINAGE INLET PROTECTION RAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY CHECK DAM, TEMPORARY FIBER ROLL, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST, NATURAL RESOURCE PROTECTION PLAN, REMOVE FENCE, REMOVE METAL BEAM GUARD RAILING, COLD PLANE ASPHALT CONCRETE PAVEMENT, BRIDGE REMOVAL, CLEARING AND GRUBBING, ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT, MOVE-IN/MOVE-OUT (EROSION CONTROL), ROLLED EROSION CONTROL PRODUCT (NETTING), HYDROMULCH, FIBER ROLLS, STRAW, HYDROSEED-SEED MIX 1, HYDROSEED-SEED MIX 2, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, 16" CAST-IN-DRILLED-HOLE CONCRETE PILING, 96" CAST-IN-DRILLED-HOLE CONCRETE PILING, FURNISH PILING (CLASS 140) (ALTERNATIVE W), DRIVE PILE (CLASS 140) (ALTERNATIVE W), PRESTRESSING CAST-IN-PLACE CONCRETE, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), RANDOM FIELDSTONE, TEXTURE, JOINT SEAL (MR 2"), BAR REINFORCING STEEL (BRIDGE), PREPARE AND PAINT CONCRETE, 18" ALTERNATIVE PIPE CULVERT, 24" ALTERNATIVE PIPE CULVERT, 3" PLASTIC PIPE, 24" CORRUGATED STEEL, PIPE DOWNDRAIN (.138" THICK), DRAINAGE INLET MARKER, 10" WELDED STEEL PIPE CASING (BRIDGE), 12" WELDED STEEL PIPE CASING (BRIDGE), 8" WELDED STEEL PIPE (.134"**

**THICK), 24" ALTERNATIVE FLARED END SECTION, ROCK SLOPE PROTECTION (LIGHT, METHOD B), ROCK SLOPE PROTECTION (1/2T, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), MINOR CONCRETE (GUTTER), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), BRIDGE DECK DRAINAGE SYSTEM, FENCE (TYPE BW, 5 STRAND, METAL POST), 8' WIRE MESH GATE, METAL BEAM GUARD RAILING (STEEL POST), TUBULAR HANDRAILING, TUBULAR BICYCLE RAILING, TRANSITION RAILING (TYPE WB), ALTERNATIVE FLARED TERMINAL SYSTEM, CONCRETE BARRIER (TYPE 80 MOD), CONCRETE BARRIER (TYPE 80SW), THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE), PAVEMENT MARKER (RETROREFLECTIVE).**

---

We are an Equal Opportunity Employer. We will require that all participating companies carry Workers' Compensation & Liability Insurance and be bonded. We will assist with obtaining insurance, bonds or lines of credit. Plans & specifications are available for viewing at our offices.

Plans and specifications are available by appointment for review/takeoff at above address. If you have any questions please do not hesitate to contact us.

---

**Participation Response Form**

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: \_\_\_\_\_

We cannot participate in the contract

\_\_\_\_\_  
Print Name of Business Owner

\_\_\_\_\_  
Signature

Date: \_\_\_\_\_

Please fax return this form by Feb 04, 2013  
with a copy of your certification to Ken / Steve at (805) 546-8287

## **Souza Construction, Inc. (San Luis Obispo)**

P.O. Box 3810

San Luis Obispo, CA 93403-3810

Telephone: (805) 546-8288

Fax: (805) 546-8287

### **INVITATION TO BID**

January 04, 2013

First Fuel, Inc.

14 Bolivar Street,

Newport Beach, CA, 92663

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

**Project:** CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

**Location:** Paso Robles, CA

**Bid Due Date:** 02/05/13 at 02:00 PM PST

**Solicitation Number:** 05-330754

**Contact:** Ken / Steve

---

Quotes are needed for:

**BAT HABITAT, LEAD COMPLIANCE PLAN, PROGRESS SCHEDULE (CRITICAL PATH METHOD) CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, PORTABLE CHANGEABLE MESSAGE SIGN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, STORM WATER ANNUAL REPORT, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYD TEMPORARY DRAINAGE INLET PROTECTION RAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY CHECK DAM, TEMPORARY FIBER ROLL, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST, NATURAL RESOURCE PROTECTION PLAN, REMOVE FENCE, REMOVE METAL BEAM GUARD RAILING, COLD PLANE ASPHALT CONCRETE PAVEMENT, BRIDGE REMOVAL, CLEARING AND GRUBBING, ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT, MOVE-IN/MOVE-OUT (EROSION CONTROL), ROLLED EROSION CONTROL PRODUCT (NETTING), HYDROMULCH, FIBER ROLLS, STRAW, HYDROSEED-SEED MIX 1, HYDROSEED-SEED MIX 2, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, 16" CAST-IN-DRILLED-HOLE CONCRETE PILING, 96" CAST-IN-DRILLED-HOLE CONCRETE PILING, FURNISH PILING (CLASS 140) (ALTERNATIVE W), DRIVE PILE (CLASS 140) (ALTERNATIVE W), PRESTRESSING CAST-IN-PLACE CONCRETE, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), RANDOM FIELDSTONE, TEXTURE, JOINT SEAL (MR 2"), BAR REINFORCING STEEL (BRIDGE), PREPARE AND PAINT CONCRETE, 18" ALTERNATIVE PIPE CULVERT, 24" ALTERNATIVE PIPE CULVERT, 3" PLASTIC PIPE, 24" CORRUGATED STEEL, PIPE DOWNDRAIN (.138" THICK), DRAINAGE INLET MARKER, 10" WELDED STEEL PIPE CASING (BRIDGE), 12" WELDED STEEL PIPE CASING (BRIDGE), 8" WELDED STEEL PIPE (.134"**

**THICK), 24" ALTERNATIVE FLARED END SECTION, ROCK SLOPE PROTECTION (LIGHT, METHOD B), ROCK SLOPE PROTECTION (1/2T, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), MINOR CONCRETE (GUTTER), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), BRIDGE DECK DRAINAGE SYSTEM, FENCE (TYPE BW, 5 STRAND, METAL POST), 8' WIRE MESH GATE, METAL BEAM GUARD RAILING (STEEL POST), TUBULAR HANDRAILING, TUBULAR BICYCLE RAILING, TRANSITION RAILING (TYPE WB), ALTERNATIVE FLARED TERMINAL SYSTEM, CONCRETE BARRIER (TYPE 80 MOD), CONCRETE BARRIER (TYPE 80SW), THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE), PAVEMENT MARKER (RETROREFLECTIVE).**

---

We are an Equal Opportunity Employer. We will require that all participating companies carry Workers' Compensation & Liability Insurance and be bonded. We will assist with obtaining insurance, bonds or lines of credit. Plans & specifications are available for viewing at our offices.

Plans and specifications are available by appointment for review/takeoff at above address. If you have any questions please do not hesitate to contact us.

---

**Participation Response Form**

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: \_\_\_\_\_

We cannot participate in the contract

\_\_\_\_\_  
Print Name of Business Owner

\_\_\_\_\_  
Signature

Date: \_\_\_\_\_

Please fax return this form by Feb 04, 2013  
with a copy of your certification to Ken / Steve at (805) 546-8287

**Souza Construction, Inc. (San Luis Obispo)**

P.O. Box 3810

San Luis Obispo, CA 93403-3810

Telephone: (805) 546-8288

Fax: (805) 546-8287

**INVITATION TO BID**

January 04, 2013

Derrickson Pike Construction

861 Lorenzo Street

Hickman, CA, 95323

We are seeking certified and qualified DBE subcontractors and/or suppliers for:

**Project:** CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

**Location:** Paso Robles, CA

**Bid Due Date:** 02/05/13 at 02:00 PM PST

**Solicitation Number:** 05-330754

**Contact:** Ken / Steve

---

Quotes are needed for:

**BAT HABITAT, LEAD COMPLIANCE PLAN, PROGRESS SCHEDULE (CRITICAL PATH METHOD) CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, PORTABLE CHANGEABLE MESSAGE SIGN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, STORM WATER ANNUAL REPORT, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYD TEMPORARY DRAINAGE INLET PROTECTION RAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY CHECK DAM, TEMPORARY FIBER ROLL, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST, NATURAL RESOURCE PROTECTION PLAN, REMOVE FENCE, REMOVE METAL BEAM GUARD RAILING, COLD PLANE ASPHALT CONCRETE PAVEMENT, BRIDGE REMOVAL, CLEARING AND GRUBBING, ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT, MOVE-IN/MOVE-OUT (EROSION CONTROL), ROLLED EROSION CONTROL PRODUCT (NETTING), HYDROMULCH, FIBER ROLLS, STRAW, HYDROSEED-SEED MIX 1, HYDROSEED-SEED MIX 2, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, 16" CAST-IN-DRILLED-HOLE CONCRETE PILING, 96" CAST-IN-DRILLED-HOLE CONCRETE PILING, FURNISH PILING (CLASS 140) (ALTERNATIVE W), DRIVE PILE (CLASS 140) (ALTERNATIVE W), PRESTRESSING CAST-IN-PLACE CONCRETE, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), RANDOM FIELDSTONE, TEXTURE, JOINT SEAL (MR 2"), BAR REINFORCING STEEL (BRIDGE), PREPARE AND PAINT CONCRETE, 18" ALTERNATIVE PIPE CULVERT, 24" ALTERNATIVE PIPE CULVERT, 3" PLASTIC PIPE, 24" CORRUGATED STEEL, PIPE DOWNDRAIN (.138" THICK), DRAINAGE INLET MARKER, 10" WELDED STEEL PIPE CASING (BRIDGE), 12" WELDED STEEL PIPE CASING (BRIDGE), 8" WELDED STEEL PIPE (.134"**

**THICK), 24" ALTERNATIVE FLARED END SECTION, ROCK SLOPE PROTECTION (LIGHT, METHOD B), ROCK SLOPE PROTECTION (1/2T, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), MINOR CONCRETE (GUTTER), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), BRIDGE DECK DRAINAGE SYSTEM, FENCE (TYPE BW, 5 STRAND, METAL POST), 8' WIRE MESH GATE, METAL BEAM GUARD RAILING (STEEL POST), TUBULAR HANDRAILING, TUBULAR BICYCLE RAILING, TRANSITION RAILING (TYPE WB), ALTERNATIVE FLARED TERMINAL SYSTEM, CONCRETE BARRIER (TYPE 80 MOD), CONCRETE BARRIER (TYPE 80SW), THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE), PAVEMENT MARKER (RETROREFLECTIVE).**

---

We are an Equal Opportunity Employer. We will require that all participating companies carry Workers' Compensation & Liability Insurance and be bonded. We will assist with obtaining insurance, bonds or lines of credit. Plans & specifications are available for viewing at our offices.

Plans and specifications are available by appointment for review/takeoff at above address. If you have any questions please do not hesitate to contact us.

---

**Participation Response Form**

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: \_\_\_\_\_

We cannot participate in the contract

\_\_\_\_\_  
Print Name of Business Owner

\_\_\_\_\_  
Signature

Date: \_\_\_\_\_

Please fax return this form by Feb 04, 2013  
with a copy of your certification to Ken / Steve at (805) 546-8287

## **Souza Construction, Inc. (San Luis Obispo)**

P.O. Box 3810

San Luis Obispo, CA 93403-3810

Telephone: (805) 546-8288

Fax: (805) 546-8287

### **INVITATION TO BID**

January 04, 2013

Pc&n Construction, Inc

5301-f Byron Hot Springs Road

Byron, CA, 94514

We are seeking certified and qualified DBE subcontractors and/or suppliers for:

**Project:** CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

**Location:** Paso Robles, CA

**Bid Due Date:** 02/05/13 at 02:00 PM PST

**Solicitation Number:** 05-330754

**Contact:** Ken / Steve

---

Quotes are needed for:

**BAT HABITAT, LEAD COMPLIANCE PLAN, PROGRESS SCHEDULE (CRITICAL PATH METHOD) CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, PORTABLE CHANGEABLE MESSAGE SIGN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, STORM WATER ANNUAL REPORT, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYD TEMPORARY DRAINAGE INLET PROTECTION RAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY CHECK DAM, TEMPORARY FIBER ROLL, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST, NATURAL RESOURCE PROTECTION PLAN, REMOVE FENCE, REMOVE METAL BEAM GUARD RAILING, COLD PLANE ASPHALT CONCRETE PAVEMENT, BRIDGE REMOVAL, CLEARING AND GRUBBING, ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT, MOVE-IN/MOVE-OUT (EROSION CONTROL), ROLLED EROSION CONTROL PRODUCT (NETTING), HYDROMULCH, FIBER ROLLS, STRAW, HYDROSEED-SEED MIX 1, HYDROSEED-SEED MIX 2, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, 16" CAST-IN-DRILLED-HOLE CONCRETE PILING, 96" CAST-IN-DRILLED-HOLE CONCRETE PILING, FURNISH PILING (CLASS 140) (ALTERNATIVE W), DRIVE PILE (CLASS 140) (ALTERNATIVE W), PRESTRESSING CAST-IN-PLACE CONCRETE, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), RANDOM FIELDSTONE, TEXTURE, JOINT SEAL (MR 2"), BAR REINFORCING STEEL (BRIDGE), PREPARE AND PAINT CONCRETE, 18" ALTERNATIVE PIPE CULVERT, 24" ALTERNATIVE PIPE CULVERT, 3" PLASTIC PIPE, 24" CORRUGATED STEEL, PIPE DOWNDRAIN (.138" THICK), DRAINAGE INLET MARKER, 10" WELDED STEEL PIPE CASING (BRIDGE), 12" WELDED STEEL PIPE CASING (BRIDGE), 8" WELDED STEEL PIPE (.134"**

**THICK), 24" ALTERNATIVE FLARED END SECTION, ROCK SLOPE PROTECTION (LIGHT, METHOD B), ROCK SLOPE PROTECTION (1/2T, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), MINOR CONCRETE (GUTTER), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), BRIDGE DECK DRAINAGE SYSTEM, FENCE (TYPE BW, 5 STRAND, METAL POST), 8' WIRE MESH GATE, METAL BEAM GUARD RAILING (STEEL POST), TUBULAR HANDRAILING, TUBULAR BICYCLE RAILING, TRANSITION RAILING (TYPE WB), ALTERNATIVE FLARED TERMINAL SYSTEM, CONCRETE BARRIER (TYPE 80 MOD), CONCRETE BARRIER (TYPE 80SW), THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE), PAVEMENT MARKER (RETROREFLECTIVE).**

---

We are an Equal Opportunity Employer. We will require that all participating companies carry Workers' Compensation & Liability Insurance and be bonded. We will assist with obtaining insurance, bonds or lines of credit. Plans & specifications are available for viewing at our offices.

Plans and specifications are available by appointment for review/takeoff at above address. If you have any questions please do not hesitate to contact us.

---

**Participation Response Form**

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: \_\_\_\_\_

We cannot participate in the contract

\_\_\_\_\_  
Print Name of Business Owner

\_\_\_\_\_  
Signature

Date: \_\_\_\_\_

Please fax return this form by Feb 04, 2013  
with a copy of your certification to Ken / Steve at (805) 546-8287

## **Souza Construction, Inc. (San Luis Obispo)**

P.O. Box 3810

San Luis Obispo, CA 93403-3810

Telephone: (805) 546-8288

Fax: (805) 546-8287

### **INVITATION TO BID**

January 04, 2013

White Cap Ready Mix, Inc.

73880 Highway 70

Portola, CA, 96122

We are seeking certified and qualified DBE subcontractors and/or suppliers for:

**Project:** CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

**Location:** Paso Robles, CA

**Bid Due Date:** 02/05/13 at 02:00 PM PST

**Solicitation Number:** 05-330754

**Contact:** Ken / Steve

---

Quotes are needed for:

**BAT HABITAT, LEAD COMPLIANCE PLAN, PROGRESS SCHEDULE (CRITICAL PATH METHOD) CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, PORTABLE CHANGEABLE MESSAGE SIGN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, STORM WATER ANNUAL REPORT, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYD TEMPORARY DRAINAGE INLET PROTECTION RAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY CHECK DAM, TEMPORARY FIBER ROLL, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST, NATURAL RESOURCE PROTECTION PLAN, REMOVE FENCE, REMOVE METAL BEAM GUARD RAILING, COLD PLANE ASPHALT CONCRETE PAVEMENT, BRIDGE REMOVAL, CLEARING AND GRUBBING, ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT, MOVE-IN/MOVE-OUT (EROSION CONTROL), ROLLED EROSION CONTROL PRODUCT (NETTING), HYDROMULCH, FIBER ROLLS, STRAW, HYDROSEED-SEED MIX 1, HYDROSEED-SEED MIX 2, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, 16" CAST-IN-DRILLED-HOLE CONCRETE PILING, 96" CAST-IN-DRILLED-HOLE CONCRETE PILING, FURNISH PILING (CLASS 140) (ALTERNATIVE W), DRIVE PILE (CLASS 140) (ALTERNATIVE W), PRESTRESSING CAST-IN-PLACE CONCRETE, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), RANDOM FIELDSTONE, TEXTURE, JOINT SEAL (MR 2"), BAR REINFORCING STEEL (BRIDGE), PREPARE AND PAINT CONCRETE, 18" ALTERNATIVE PIPE CULVERT, 24" ALTERNATIVE PIPE CULVERT, 3" PLASTIC PIPE, 24" CORRUGATED STEEL, PIPE DOWNDRAIN (.138" THICK), DRAINAGE INLET MARKER, 10" WELDED STEEL PIPE CASING (BRIDGE), 12" WELDED STEEL PIPE CASING (BRIDGE), 8" WELDED STEEL PIPE (.134"**

**THICK), 24" ALTERNATIVE FLARED END SECTION, ROCK SLOPE PROTECTION (LIGHT, METHOD B), ROCK SLOPE PROTECTION (1/2T, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), MINOR CONCRETE (GUTTER), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), BRIDGE DECK DRAINAGE SYSTEM, FENCE (TYPE BW, 5 STRAND, METAL POST), 8' WIRE MESH GATE, METAL BEAM GUARD RAILING (STEEL POST), TUBULAR HANDRAILING, TUBULAR BICYCLE RAILING, TRANSITION RAILING (TYPE WB), ALTERNATIVE FLARED TERMINAL SYSTEM, CONCRETE BARRIER (TYPE 80 MOD), CONCRETE BARRIER (TYPE 80SW), THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE), PAVEMENT MARKER (RETROREFLECTIVE).**

---

We are an Equal Opportunity Employer. We will require that all participating companies carry Workers' Compensation & Liability Insurance and be bonded. We will assist with obtaining insurance, bonds or lines of credit. Plans & specifications are available for viewing at our offices.

Plans and specifications are available by appointment for review/takeoff at above address. If you have any questions please do not hesitate to contact us.

---

**Participation Response Form**

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: \_\_\_\_\_

We cannot participate in the contract

\_\_\_\_\_  
Print Name of Business Owner

\_\_\_\_\_  
Signature

Date: \_\_\_\_\_

Please fax return this form by Feb 04, 2013  
with a copy of your certification to Ken / Steve at (805) 546-8287

## **Souza Construction, Inc. (San Luis Obispo)**

P.O. Box 3810

San Luis Obispo, CA 93403-3810

Telephone: (805) 546-8288

Fax: (805) 546-8287

### **INVITATION TO BID**

January 04, 2013

Sjd Construction Inc.

775 Wakefield Ct, Ste B

Oakdale, CA, 95361

We are seeking certified and qualified DBE subcontractors and/or suppliers for:

**Project:** CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

**Location:** Paso Robles, CA

**Bid Due Date:** 02/05/13 at 02:00 PM PST

**Solicitation Number:** 05-330754

**Contact:** Ken / Steve

---

Quotes are needed for:

**BAT HABITAT, LEAD COMPLIANCE PLAN, PROGRESS SCHEDULE (CRITICAL PATH METHOD) CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, PORTABLE CHANGEABLE MESSAGE SIGN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, STORM WATER ANNUAL REPORT, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYD TEMPORARY DRAINAGE INLET PROTECTION RAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY CHECK DAM, TEMPORARY FIBER ROLL, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST, NATURAL RESOURCE PROTECTION PLAN, REMOVE FENCE, REMOVE METAL BEAM GUARD RAILING, COLD PLANE ASPHALT CONCRETE PAVEMENT, BRIDGE REMOVAL, CLEARING AND GRUBBING, ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT, MOVE-IN/MOVE-OUT (EROSION CONTROL), ROLLED EROSION CONTROL PRODUCT (NETTING), HYDROMULCH, FIBER ROLLS, STRAW, HYDROSEED-SEED MIX 1, HYDROSEED-SEED MIX 2, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, 16" CAST-IN-DRILLED-HOLE CONCRETE PILING, 96" CAST-IN-DRILLED-HOLE CONCRETE PILING, FURNISH PILING (CLASS 140) (ALTERNATIVE W), DRIVE PILE (CLASS 140) (ALTERNATIVE W), PRESTRESSING CAST-IN-PLACE CONCRETE, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), RANDOM FIELDSTONE, TEXTURE, JOINT SEAL (MR 2"), BAR REINFORCING STEEL (BRIDGE), PREPARE AND PAINT CONCRETE, 18" ALTERNATIVE PIPE CULVERT, 24" ALTERNATIVE PIPE CULVERT, 3" PLASTIC PIPE, 24" CORRUGATED STEEL, PIPE DOWNDRAIN (.138" THICK), DRAINAGE INLET MARKER, 10" WELDED STEEL PIPE CASING (BRIDGE), 12" WELDED STEEL PIPE CASING (BRIDGE), 8" WELDED STEEL PIPE (.134"**

**THICK), 24" ALTERNATIVE FLARED END SECTION, ROCK SLOPE PROTECTION (LIGHT, METHOD B), ROCK SLOPE PROTECTION (1/2T, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), MINOR CONCRETE (GUTTER), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), BRIDGE DECK DRAINAGE SYSTEM, FENCE (TYPE BW, 5 STRAND, METAL POST), 8' WIRE MESH GATE, METAL BEAM GUARD RAILING (STEEL POST), TUBULAR HANDRAILING, TUBULAR BICYCLE RAILING, TRANSITION RAILING (TYPE WB), ALTERNATIVE FLARED TERMINAL SYSTEM, CONCRETE BARRIER (TYPE 80 MOD), CONCRETE BARRIER (TYPE 80SW), THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE), PAVEMENT MARKER (RETROREFLECTIVE).**

---

We are an Equal Opportunity Employer. We will require that all participating companies carry Workers' Compensation & Liability Insurance and be bonded. We will assist with obtaining insurance, bonds or lines of credit. Plans & specifications are available for viewing at our offices.

Plans and specifications are available by appointment for review/takeoff at above address. If you have any questions please do not hesitate to contact us.

---

**Participation Response Form**

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: \_\_\_\_\_

We cannot participate in the contract

\_\_\_\_\_  
Print Name of Business Owner

\_\_\_\_\_  
Signature

Date: \_\_\_\_\_

Please fax return this form by Feb 04, 2013  
with a copy of your certification to Ken / Steve at (805) 546-8287

## **Souza Construction, Inc. (San Luis Obispo)**

P.O. Box 3810

San Luis Obispo, CA 93403-3810

Telephone: (805) 546-8288

Fax: (805) 546-8287

### **INVITATION TO BID**

January 04, 2013

Sol Construction, Inc.

1600 Chicago Ave., Suite R #2

Riverside, CA, 92507

We are seeking certified and qualified DBE subcontractors and/or suppliers for:

**Project:** CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

**Location:** Paso Robles, CA

**Bid Due Date:** 02/05/13 at 02:00 PM PST

**Solicitation Number:** 05-330754

**Contact:** Ken / Steve

---

Quotes are needed for:

**BAT HABITAT, LEAD COMPLIANCE PLAN, PROGRESS SCHEDULE (CRITICAL PATH METHOD) CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, PORTABLE CHANGEABLE MESSAGE SIGN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, STORM WATER ANNUAL REPORT, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYD TEMPORARY DRAINAGE INLET PROTECTION RAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY CHECK DAM, TEMPORARY FIBER ROLL, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST, NATURAL RESOURCE PROTECTION PLAN, REMOVE FENCE, REMOVE METAL BEAM GUARD RAILING, COLD PLANE ASPHALT CONCRETE PAVEMENT, BRIDGE REMOVAL, CLEARING AND GRUBBING, ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT, MOVE-IN/MOVE-OUT (EROSION CONTROL), ROLLED EROSION CONTROL PRODUCT (NETTING), HYDROMULCH, FIBER ROLLS, STRAW, HYDROSEED-SEED MIX 1, HYDROSEED-SEED MIX 2, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, 16" CAST-IN-DRILLED-HOLE CONCRETE PILING, 96" CAST-IN-DRILLED-HOLE CONCRETE PILING, FURNISH PILING (CLASS 140) (ALTERNATIVE W), DRIVE PILE (CLASS 140) (ALTERNATIVE W), PRESTRESSING CAST-IN-PLACE CONCRETE, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), RANDOM FIELDSTONE, TEXTURE, JOINT SEAL (MR 2"), BAR REINFORCING STEEL (BRIDGE), PREPARE AND PAINT CONCRETE, 18" ALTERNATIVE PIPE CULVERT, 24" ALTERNATIVE PIPE CULVERT, 3" PLASTIC PIPE, 24" CORRUGATED STEEL, PIPE DOWNDRAIN (.138" THICK), DRAINAGE INLET MARKER, 10" WELDED STEEL PIPE CASING (BRIDGE), 12" WELDED STEEL PIPE CASING (BRIDGE), 8" WELDED STEEL PIPE (.134"**

**THICK), 24" ALTERNATIVE FLARED END SECTION, ROCK SLOPE PROTECTION (LIGHT, METHOD B), ROCK SLOPE PROTECTION (1/2T, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), MINOR CONCRETE (GUTTER), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), BRIDGE DECK DRAINAGE SYSTEM, FENCE (TYPE BW, 5 STRAND, METAL POST), 8' WIRE MESH GATE, METAL BEAM GUARD RAILING (STEEL POST), TUBULAR HANDRAILING, TUBULAR BICYCLE RAILING, TRANSITION RAILING (TYPE WB), ALTERNATIVE FLARED TERMINAL SYSTEM, CONCRETE BARRIER (TYPE 80 MOD), CONCRETE BARRIER (TYPE 80SW), THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE), PAVEMENT MARKER (RETROREFLECTIVE).**

---

We are an Equal Opportunity Employer. We will require that all participating companies carry Workers' Compensation & Liability Insurance and be bonded. We will assist with obtaining insurance, bonds or lines of credit. Plans & specifications are available for viewing at our offices.

Plans and specifications are available by appointment for review/takeoff at above address. If you have any questions please do not hesitate to contact us.

---

**Participation Response Form**

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: \_\_\_\_\_

We cannot participate in the contract

\_\_\_\_\_  
Print Name of Business Owner

\_\_\_\_\_  
Signature

Date: \_\_\_\_\_

Please fax return this form by Feb 04, 2013  
with a copy of your certification to Ken / Steve at (805) 546-8287

**Souza Construction, Inc. (San Luis Obispo)**

P.O. Box 3810

San Luis Obispo, CA 93403-3810

Telephone: (805) 546-8288

Fax: (805) 546-8287

**INVITATION TO BID**

January 04, 2013

Superior Hydroseeding  
[REDACTED]

We are seeking certified and qualified DBE subcontractors and/or suppliers for:

Location: Paso Robles, CA

Bid Due Date: 02/05/13 at 02:00 PM PST

Solicitation Number: 05-330754

Contact: Ken / Steve

Quotes are needed for:

**BAT HABITAT, LEAD COMPLIANCE PLAN, PROGRESS SCHEDULE (CRITICAL PATH METHOD) CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, PORTABLE CHANGEABLE MESSAGE SIGN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, STORM WATER ANNUAL REPORT, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYD TEMPORARY DRAINAGE INLET PROTECTION RAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY CHECK DAM, TEMPORARY FIBER ROLL, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST, NATURAL RESOURCE PROTECTION PLAN, REMOVE FENCE, REMOVE METAL BEAM GUARD RAILING, COLD PLANE ASPHALT CONCRETE PAVEMENT, BRIDGE REMOVAL, CLEARING AND GRUBBING, ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT, MOVE-IN/MOVE-OUT (EROSION CONTROL), ROLLED EROSION CONTROL PRODUCT (NETTING), HYDROMULCH, FIBER ROLLS, STRAW, HYDROSEED-SEED MIX 1, HYDROSEED-SEED MIX 2, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, 16" CAST-IN-DRILLED-HOLE CONCRETE PILING, 96" CAST-IN-DRILLED-HOLE CONCRETE PILING, FURNISH PILING (CLASS 140) (ALTERNATIVE W), DRIVE FILE (CLASS 140) (ALTERNATIVE W), PRESTRESSING CAST-IN-PLACE CONCRETE, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), RANDOM FIELDSTONE, TEXTURE, JOINT SEAL (MR 2"), BAR REINFORCING STEEL (BRIDGE), PREPARE AND PAINT CONCRETE, 18" ALTERNATIVE PIPE CULVERT, 24" ALTERNATIVE PIPE CULVERT, 3" PLASTIC PIPE, 24" CORRUGATED STEEL, PIPE DOWNDRAIN (.138" THICK), DRAINAGE INLET MARKER, 10" WELDED STEEL PIPE CASING (BRIDGE), 12" WELDED STEEL PIPE CASING (BRIDGE), 8" WELDED STEEL PIPE (.134"**

[REDACTED] we will be bidding on this one.

Josh Freeman, Estimator  
(831) 763-1811

**Souza Construction, Inc. (San Luis Obispo)**

P.O. Box 3810

San Luis Obispo, CA 93403-3810

Telephone: (805) 546-8288

Fax: (805) 546-8287

**INVITATION TO BID**

January 04, 2013

Superior Hydro-seeding

250 W. Riverside Drive

Watsonville, CA, 95076

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

**Project:** CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

**Location:** Paso Robles, CA

**Bid Due Date:** 02/05/13 at 02:00 PM PST

**Solicitation Number:** 05-330754

**Contact:** Ken / Steve

---

Quotes are needed for:

**BAT HABITAT, LEAD COMPLIANCE PLAN, PROGRESS SCHEDULE (CRITICAL PATH METHOD) CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, PORTABLE CHANGEABLE MESSAGE SIGN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, STORM WATER ANNUAL REPORT, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYD TEMPORARY DRAINAGE INLET PROTECTION RAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY CHECK DAM, TEMPORARY FIBER ROLL, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST, NATURAL RESOURCE PROTECTION PLAN, REMOVE FENCE, REMOVE METAL BEAM GUARD RAILING, COLD PLANE ASPHALT CONCRETE PAVEMENT, BRIDGE REMOVAL, CLEARING AND GRUBBING, ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT, MOVE-IN/MOVE-OUT (EROSION CONTROL), ROLLED EROSION CONTROL PRODUCT (NETTING), HYDROMULCH, FIBER ROLLS, STRAW, HYDROSEED-SEED MIX 1, HYDROSEED-SEED MIX 2, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, 16" CAST-IN-DRILLED-HOLE CONCRETE PILING, 96" CAST-IN-DRILLED-HOLE CONCRETE PILING, FURNISH PILING (CLASS 140) (ALTERNATIVE W), DRIVE PILE (CLASS 140) (ALTERNATIVE W), PRESTRESSING CAST-IN-PLACE CONCRETE, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), RANDOM FIELDSTONE, TEXTURE, JOINT SEAL (MR 2"), BAR REINFORCING STEEL (BRIDGE), PREPARE AND PAINT CONCRETE, 18" ALTERNATIVE PIPE CULVERT, 24" ALTERNATIVE PIPE CULVERT, 3" PLASTIC PIPE, 24" CORRUGATED STEEL, PIPE DOWNDRAIN (.138" THICK), DRAINAGE INLET MARKER, 10" WELDED STEEL PIPE CASING (BRIDGE), 12" WELDED STEEL PIPE CASING (BRIDGE), 8" WELDED STEEL PIPE (.134"**

**THICK), 24" ALTERNATIVE FLARED END SECTION, ROCK SLOPE PROTECTION (LIGHT, METHOD B), ROCK SLOPE PROTECTION (1/2T, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), MINOR CONCRETE (GUTTER), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), BRIDGE DECK DRAINAGE SYSTEM, FENCE (TYPE BW, 5 STRAND, METAL POST), 8' WIRE MESH GATE, METAL BEAM GUARD RAILING (STEEL POST), TUBULAR HANDRAILING, TUBULAR BICYCLE RAILING, TRANSITION RAILING (TYPE WB), ALTERNATIVE FLARED TERMINAL SYSTEM, CONCRETE BARRIER (TYPE 80 MOD), CONCRETE BARRIER (TYPE 80SW), THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE), PAVEMENT MARKER (RETROREFLECTIVE).**

---

We are an Equal Opportunity Employer. We will require that all participating companies carry Workers' Compensation & Liability Insurance and be bonded. We will assist with obtaining insurance, bonds or lines of credit. Plans & specifications are available for viewing at our offices.

Plans and specifications are available by appointment for review/takeoff at above address. If you have any questions please do not hesitate to contact us.

---

**Participation Response Form**

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: \_\_\_\_\_

We cannot participate in the contract

\_\_\_\_\_  
Print Name of Business Owner

\_\_\_\_\_  
Signature

Date: \_\_\_\_\_

Please fax return this form by Feb 04, 2013  
with a copy of your certification to Ken / Steve at (805) 546-8287

## **Souza Construction, Inc. (San Luis Obispo)**

P.O. Box 3810

San Luis Obispo, CA 93403-3810

Telephone: (805) 546-8288

Fax: (805) 546-8287

### **INVITATION TO BID**

January 04, 2013

Nielson Construction

147 Camino Oruga

Napa, CA, 94558

We are seeking certified and qualified DBE subcontractors and/or suppliers for:

**Project:** CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

**Location:** Paso Robles, CA

**Bid Due Date:** 02/05/13 at 02:00 PM PST

**Solicitation Number:** 05-330754

**Contact:** Ken / Steve

---

Quotes are needed for:

**BAT HABITAT, LEAD COMPLIANCE PLAN, PROGRESS SCHEDULE (CRITICAL PATH METHOD) CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, PORTABLE CHANGEABLE MESSAGE SIGN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, STORM WATER ANNUAL REPORT, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYD TEMPORARY DRAINAGE INLET PROTECTION RAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY CHECK DAM, TEMPORARY FIBER ROLL, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST, NATURAL RESOURCE PROTECTION PLAN, REMOVE FENCE, REMOVE METAL BEAM GUARD RAILING, COLD PLANE ASPHALT CONCRETE PAVEMENT, BRIDGE REMOVAL, CLEARING AND GRUBBING, ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT, MOVE-IN/MOVE-OUT (EROSION CONTROL), ROLLED EROSION CONTROL PRODUCT (NETTING), HYDROMULCH, FIBER ROLLS, STRAW, HYDROSEED-SEED MIX 1, HYDROSEED-SEED MIX 2, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, 16" CAST-IN-DRILLED-HOLE CONCRETE PILING, 96" CAST-IN-DRILLED-HOLE CONCRETE PILING, FURNISH PILING (CLASS 140) (ALTERNATIVE W), DRIVE PILE (CLASS 140) (ALTERNATIVE W), PRESTRESSING CAST-IN-PLACE CONCRETE, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), RANDOM FIELDSTONE, TEXTURE, JOINT SEAL (MR 2"), BAR REINFORCING STEEL (BRIDGE), PREPARE AND PAINT CONCRETE, 18" ALTERNATIVE PIPE CULVERT, 24" ALTERNATIVE PIPE CULVERT, 3" PLASTIC PIPE, 24" CORRUGATED STEEL, PIPE DOWNDRAIN (.138" THICK), DRAINAGE INLET MARKER, 10" WELDED STEEL PIPE CASING (BRIDGE), 12" WELDED STEEL PIPE CASING (BRIDGE), 8" WELDED STEEL PIPE (.134"**

**THICK), 24" ALTERNATIVE FLARED END SECTION, ROCK SLOPE PROTECTION (LIGHT, METHOD B), ROCK SLOPE PROTECTION (1/2T, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), MINOR CONCRETE (GUTTER), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), BRIDGE DECK DRAINAGE SYSTEM, FENCE (TYPE BW, 5 STRAND, METAL POST), 8' WIRE MESH GATE, METAL BEAM GUARD RAILING (STEEL POST), TUBULAR HANDRAILING, TUBULAR BICYCLE RAILING, TRANSITION RAILING (TYPE WB), ALTERNATIVE FLARED TERMINAL SYSTEM, CONCRETE BARRIER (TYPE 80 MOD), CONCRETE BARRIER (TYPE 80SW), THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE), PAVEMENT MARKER (RETROREFLECTIVE).**

---

We are an Equal Opportunity Employer. We will require that all participating companies carry Workers' Compensation & Liability Insurance and be bonded. We will assist with obtaining insurance, bonds or lines of credit. Plans & specifications are available for viewing at our offices.

Plans and specifications are available by appointment for review/takeoff at above address. If you have any questions please do not hesitate to contact us.

---

**Participation Response Form**

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: \_\_\_\_\_

We cannot participate in the contract

\_\_\_\_\_  
Print Name of Business Owner

\_\_\_\_\_  
Signature

Date: \_\_\_\_\_

Please fax return this form by Feb 04, 2013  
with a copy of your certification to Ken / Steve at (805) 546-8287

**Souza Construction, Inc. (San Luis Obispo)**

P.O. Box 3810

San Luis Obispo, CA 93403-3810

Telephone: (805) 546-8288

Fax: (805) 546-8287

**INVITATION TO BID**

January 04, 2013

Swaim Biological Consulting, Inc.

4435 First Street Pmb #312

Livermore, CA, 94551

We are seeking certified and qualified DBE subcontractors and/or suppliers for:

**Project:** CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

**Location:** Paso Robles, CA

**Bid Due Date:** 02/05/13 at 02:00 PM PST

**Solicitation Number:** 05-330754

**Contact:** Ken / Steve

---

Quotes are needed for:

**BAT HABITAT, LEAD COMPLIANCE PLAN, PROGRESS SCHEDULE (CRITICAL PATH METHOD) CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, PORTABLE CHANGEABLE MESSAGE SIGN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, STORM WATER ANNUAL REPORT, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYD TEMPORARY DRAINAGE INLET PROTECTION RAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY CHECK DAM, TEMPORARY FIBER ROLL, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST, NATURAL RESOURCE PROTECTION PLAN, REMOVE FENCE, REMOVE METAL BEAM GUARD RAILING, COLD PLANE ASPHALT CONCRETE PAVEMENT, BRIDGE REMOVAL, CLEARING AND GRUBBING, ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT, MOVE-IN/MOVE-OUT (EROSION CONTROL), ROLLED EROSION CONTROL PRODUCT (NETTING), HYDROMULCH, FIBER ROLLS, STRAW, HYDROSEED-SEED MIX 1, HYDROSEED-SEED MIX 2, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, 16" CAST-IN-DRILLED-HOLE CONCRETE PILING, 96" CAST-IN-DRILLED-HOLE CONCRETE PILING, FURNISH PILING (CLASS 140) (ALTERNATIVE W), DRIVE PILE (CLASS 140) (ALTERNATIVE W), PRESTRESSING CAST-IN-PLACE CONCRETE, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), RANDOM FIELDSTONE, TEXTURE, JOINT SEAL (MR 2"), BAR REINFORCING STEEL (BRIDGE), PREPARE AND PAINT CONCRETE, 18" ALTERNATIVE PIPE CULVERT, 24" ALTERNATIVE PIPE CULVERT, 3" PLASTIC PIPE, 24" CORRUGATED STEEL, PIPE DOWNDRAIN (.138" THICK), DRAINAGE INLET MARKER, 10" WELDED STEEL PIPE CASING (BRIDGE), 12" WELDED STEEL PIPE CASING (BRIDGE), 8" WELDED STEEL PIPE (.134"**

**THICK), 24" ALTERNATIVE FLARED END SECTION, ROCK SLOPE PROTECTION (LIGHT, METHOD B), ROCK SLOPE PROTECTION (1/2T, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), MINOR CONCRETE (GUTTER), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), BRIDGE DECK DRAINAGE SYSTEM, FENCE (TYPE BW, 5 STRAND, METAL POST), 8' WIRE MESH GATE, METAL BEAM GUARD RAILING (STEEL POST), TUBULAR HANDRAILING, TUBULAR BICYCLE RAILING, TRANSITION RAILING (TYPE WB), ALTERNATIVE FLARED TERMINAL SYSTEM, CONCRETE BARRIER (TYPE 80 MOD), CONCRETE BARRIER (TYPE 80SW), THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE), PAVEMENT MARKER (RETROREFLECTIVE).**

---

We are an Equal Opportunity Employer. We will require that all participating companies carry Workers' Compensation & Liability Insurance and be bonded. We will assist with obtaining insurance, bonds or lines of credit. Plans & specifications are available for viewing at our offices.

Plans and specifications are available by appointment for review/takeoff at above address. If you have any questions please do not hesitate to contact us.

---

**Participation Response Form**

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: \_\_\_\_\_

We cannot participate in the contract

\_\_\_\_\_  
Print Name of Business Owner

\_\_\_\_\_  
Signature

Date: \_\_\_\_\_

Please fax return this form by Feb 04, 2013  
with a copy of your certification to Ken / Steve at (805) 546-8287

**Souza Construction, Inc. (San Luis Obispo)**

P.O. Box 3810

San Luis Obispo, CA 93403-3810

Telephone: (805) 546-8288

Fax: (805) 546-8287

**INVITATION TO BID**

January 04, 2013

Ernie Martinez Concrete, Inc.

5108 Woodmere Drive

Bakersfield, CA, 93313

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

**Project:** CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

**Location:** Paso Robles, CA

**Bid Due Date:** 02/05/13 at 02:00 PM PST

**Solicitation Number:** 05-330754

**Contact:** Ken / Steve

---

Quotes are needed for:

**BAT HABITAT, LEAD COMPLIANCE PLAN, PROGRESS SCHEDULE (CRITICAL PATH METHOD) CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, PORTABLE CHANGEABLE MESSAGE SIGN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, STORM WATER ANNUAL REPORT, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYD TEMPORARY DRAINAGE INLET PROTECTION RAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY CHECK DAM, TEMPORARY FIBER ROLL, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST, NATURAL RESOURCE PROTECTION PLAN, REMOVE FENCE, REMOVE METAL BEAM GUARD RAILING, COLD PLANE ASPHALT CONCRETE PAVEMENT, BRIDGE REMOVAL, CLEARING AND GRUBBING, ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT, MOVE-IN/MOVE-OUT (EROSION CONTROL), ROLLED EROSION CONTROL PRODUCT (NETTING), HYDROMULCH, FIBER ROLLS, STRAW, HYDROSEED-SEED MIX 1, HYDROSEED-SEED MIX 2, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, 16" CAST-IN-DRILLED-HOLE CONCRETE PILING, 96" CAST-IN-DRILLED-HOLE CONCRETE PILING, FURNISH PILING (CLASS 140) (ALTERNATIVE W), DRIVE PILE (CLASS 140) (ALTERNATIVE W), PRESTRESSING CAST-IN-PLACE CONCRETE, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), RANDOM FIELDSTONE, TEXTURE, JOINT SEAL (MR 2"), BAR REINFORCING STEEL (BRIDGE), PREPARE AND PAINT CONCRETE, 18" ALTERNATIVE PIPE CULVERT, 24" ALTERNATIVE PIPE CULVERT, 3" PLASTIC PIPE, 24" CORRUGATED STEEL, PIPE DOWNDRAIN (.138" THICK), DRAINAGE INLET MARKER, 10" WELDED STEEL PIPE CASING (BRIDGE), 12" WELDED STEEL PIPE CASING (BRIDGE), 8" WELDED STEEL PIPE (.134"**

**THICK), 24" ALTERNATIVE FLARED END SECTION, ROCK SLOPE PROTECTION (LIGHT, METHOD B), ROCK SLOPE PROTECTION (1/2T, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), MINOR CONCRETE (GUTTER), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), BRIDGE DECK DRAINAGE SYSTEM, FENCE (TYPE BW, 5 STRAND, METAL POST), 8' WIRE MESH GATE, METAL BEAM GUARD RAILING (STEEL POST), TUBULAR HANDRAILING, TUBULAR BICYCLE RAILING, TRANSITION RAILING (TYPE WB), ALTERNATIVE FLARED TERMINAL SYSTEM, CONCRETE BARRIER (TYPE 80 MOD), CONCRETE BARRIER (TYPE 80SW), THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE), PAVEMENT MARKER (RETROREFLECTIVE).**

---

We are an Equal Opportunity Employer. We will require that all participating companies carry Workers' Compensation & Liability Insurance and be bonded. We will assist with obtaining insurance, bonds or lines of credit. Plans & specifications are available for viewing at our offices.

Plans and specifications are available by appointment for review/takeoff at above address. If you have any questions please do not hesitate to contact us.

---

**Participation Response Form**

- We can participate in this contract  
TYPE OF SERVICE OR SUPPLIES: \_\_\_\_\_
- We cannot participate in the contract

\_\_\_\_\_  
Print Name of Business Owner

\_\_\_\_\_  
Signature

Date: \_\_\_\_\_

Please fax return this form by Feb 04, 2013  
with a copy of your certification to Ken / Steve at (805) 546-8287

**Souza Construction, Inc. (San Luis Obispo)**

P.O. Box 3810

San Luis Obispo, CA 93403-3810

Telephone: (805) 546-8288

Fax: (805) 546-8287

**INVITATION TO BID**

January 04, 2013

Chapman's Welding

4623 Quarter Horse Trl

Santa Maria, CA, 93455

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

**Project:** CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge  
05-330754

**Location:** Paso Robles, CA

**Bid Due Date:** 02/05/13 at 02:00 PM PST

**Solicitation Number:** 05-330754

**Contact:** Ken / Steve

---

Quotes are needed for:

**BAT HABITAT, LEAD COMPLIANCE PLAN, PROGRESS SCHEDULE (CRITICAL PATH METHOD) CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, PORTABLE CHANGEABLE MESSAGE SIGN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, STORM WATER ANNUAL REPORT, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYD TEMPORARY DRAINAGE INLET PROTECTION RAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY CHECK DAM, TEMPORARY FIBER ROLL, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST, NATURAL RESOURCE PROTECTION PLAN, REMOVE FENCE, REMOVE METAL BEAM GUARD RAILING, COLD PLANE ASPHALT CONCRETE PAVEMENT, BRIDGE REMOVAL, CLEARING AND GRUBBING, ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT, MOVE-IN/MOVE-OUT (EROSION CONTROL), ROLLED EROSION CONTROL PRODUCT (NETTING), HYDROMULCH, FIBER ROLLS, STRAW, HYDROSEED-SEED MIX 1, HYDROSEED-SEED MIX 2, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, 16" CAST-IN-DRILLED-HOLE CONCRETE PILING, 96" CAST-IN-DRILLED-HOLE CONCRETE PILING, FURNISH PILING (CLASS 140) (ALTERNATIVE W), DRIVE PILE (CLASS 140) (ALTERNATIVE W), PRESTRESSING CAST-IN-PLACE CONCRETE, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), RANDOM FIELDSTONE, TEXTURE, JOINT SEAL (MR 2"), BAR REINFORCING STEEL (BRIDGE), PREPARE AND PAINT CONCRETE, 18" ALTERNATIVE PIPE CULVERT, 24" ALTERNATIVE PIPE CULVERT, 3" PLASTIC PIPE, 24" CORRUGATED STEEL, PIPE DOWNDRAIN (.138" THICK), DRAINAGE INLET MARKER, 10" WELDED STEEL PIPE CASING (BRIDGE), 12" WELDED STEEL PIPE CASING (BRIDGE), 8" WELDED STEEL PIPE (.134"**

**THICK), 24" ALTERNATIVE FLARED END SECTION, ROCK SLOPE PROTECTION (LIGHT, METHOD B), ROCK SLOPE PROTECTION (1/2T, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), MINOR CONCRETE (GUTTER), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), BRIDGE DECK DRAINAGE SYSTEM, FENCE (TYPE BW, 5 STRAND, METAL POST), 8' WIRE MESH GATE, METAL BEAM GUARD RAILING (STEEL POST), TUBULAR HANDRAILING, TUBULAR BICYCLE RAILING, TRANSITION RAILING (TYPE WB), ALTERNATIVE FLARED TERMINAL SYSTEM, CONCRETE BARRIER (TYPE 80 MOD), CONCRETE BARRIER (TYPE 80SW), THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE), PAVEMENT MARKER (RETROREFLECTIVE).**

---

We are an Equal Opportunity Employer. We will require that all participating companies carry Workers' Compensation & Liability Insurance and be bonded. We will assist with obtaining insurance, bonds or lines of credit. Plans & specifications are available for viewing at our offices.

Plans and specifications are available by appointment for review/takeoff at above address. If you have any questions please do not hesitate to contact us.

---

**Participation Response Form**

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: \_\_\_\_\_

We cannot participate in the contract

\_\_\_\_\_  
Print Name of Business Owner

\_\_\_\_\_  
Signature

Date: \_\_\_\_\_

Please fax return this form by Feb 04, 2013  
with a copy of your certification to Ken / Steve at (805) 546-8287

Fax Confirmations for CALTRANS - San Luis Obispo County Near Paso Robles at Estrella River Bridge 05-330754

Company Name	Fax	Status	Attempts	Time Sent
Sm Sales	(661) 299-1547	Success	1	01/04/2013 at 02:35 PM
G Sosa Construction, Inc	(805) 934-3609	Success	1	01/04/2013 at 02:35 PM
Force Traffic Control, Inc.	(559) 594-1056	Success	1	01/04/2013 at 02:35 PM
Turner Manufacturing Co Inc	(559) 251-6860	Success	1	01/04/2013 at 02:35 PM
Paragon Industrial Coatings, Inc. Db	(805) 462-1144	Success	1	01/04/2013 at 02:35 PM
A C Dike Co	(916) 645-9618	Success	1	01/04/2013 at 02:35 PM
Hard Hat Sweeping Inc	(562) 945-8399	Success	1	01/04/2013 at 02:35 PM
C & L Drilling Co	(562) 690-0264	Success	1	01/04/2013 at 02:35 PM
Construction Area Signs, Incorporated	(916) 663-1858	Success	1	01/04/2013 at 02:35 PM
L & B Electric, Incorporated	(562) 928-8146	Success	1	01/04/2013 at 02:35 PM
Alert-o-lite, Inc	(559) 453-3250	Success	1	01/04/2013 at 02:35 PM
A.j. Vasconi Gereal Engineering	(925) 691-9919	Failure	1	
Cem Builders, Inc	(408) 395-0808	Success	1	01/04/2013 at 02:35 PM
Pvf Sales	(562) 623-0909	Success	1	01/04/2013 at 02:46 PM
Sam's Equipment & Supplies	(559) 251-1119	Success	1	01/04/2013 at 02:35 PM
Rudy's Landscape & Irrigation Design	(661) 322-7854	Success	1	01/04/2013 at 02:35 PM
Lindy's Cold Planing	(562) 697-2039	Success	1	01/04/2013 at 02:35 PM
Mad Steel Inc.	(909) 394-0724	Success	1	01/04/2013 at 02:35 PM
Eswppp Consultants	(925) 956-7191	Success	1	01/04/2013 at 02:36 PM
V Lopez Jr & Sons General Engineering	(805) 928-8262	Success	1	01/04/2013 at 02:36 PM
Contech Concrete Techniques, Inc	(559) 351-8821	Failure	1	
First Fuel, Inc.	(949) 270-6257	Success	1	01/04/2013 at 02:36 PM
Derrickson Pike Construction	(209) 874-4404	Failure	1	
Pc&n Construction, Inc	(925) 634-4339	Success	1	01/04/2013 at 02:36 PM
White Cap Ready Mix, Inc.	(530) 832-5847	Success	1	01/04/2013 at 02:36 PM
Sjd Construction Inc.	(209) 847-0169	Success	1	01/04/2013 at 02:36 PM
Sol Construction, Inc.	(951) 653-1116	Success	1	01/04/2013 at 02:36 PM
Superior Hydro-seeding	(831) 763-2023	Success	1	01/04/2013 at 02:36 PM
Nielson Construction	(707) 253-0131	Success	1	01/04/2013 at 02:36 PM
Swaim Biological Consulting, Inc.	(925) 455-6106	Success	1	01/04/2013 at 02:36 PM
Ernie Martinez Concrete, Inc.	(661) 837-4099	Success	1	01/04/2013 at 02:36 PM
Chapman's Welding	(702) 272-0462	Success	1	01/04/2013 at 02:36 PM

Attachment 'C'

CALIFORNIA DEPARTMENT OF  
**TRANSPORTATION**



Caltrans > Engineering > Office Engineer > Ads for Bid > This Week

Listing for all primes seeking assistance with project 05-330754. 16 results found.

**Contractor:** MCM Construction, Inc. **Contact:** Marlena Pena

**Address:** 6413 32nd Street, P.O. Box 620, North Highlands CA 95660

**Phone:** (916) 334-1221 **Fax:** (916) 334-0562 **Email:** [mpena@mcmconstructioninc.com](mailto:mpena@mcmconstructioninc.com)

**Services needed:** SUB-QUOTES ARE BEING REQUESTED FOR VARIOUS ITEMS OF WORK INCLUDING, BUT NOT LIMITED TO: Fencing & Railing Hot Mix Asphalt & Asphalt Dike, Striping & Marking, Clearing & Grubbing, Class 2 AB, CIDH Concrete, Joint Seal, Furnish Rebar, Furnish Backfill Material, Furnish Drainage Material, Furnish Ready Mix, Rock Slope Protection, Construction Area Signs, Portable Message Signs, Erosion Control & Hydroseed, MBGR, SWPPP, CPAC Pave, Polyethylene Pipe Conduit, Tack Coat, Welded Steel Pipe, Misc. Metal, Misc. Iron & Steel, Paint Concrete, Prestress CIPC, etc.

**Requirements:** Subcontractors must be prepared to furnish payment and performance bonds issued by a California admitted surety that is acceptable to MCM. MCM will reimburse the Subcontractor for the premium costs of the bonds at standard premium rates not the exceed 1.5%. Subcontractor must possess current general commercial liability insurance and workers compensation insurance. Please contact MCM for assistance in responding to this solicitation. MCM's listing of a Subcontractor in its bid to the public agency is not to be construed as an acceptance of all of the Subcontractor's conditions or exceptions included with Subcontractor's price quotes. Quotations will be broken down into comparable packages as reasonably necessary.

**Date posted:** 12/31/2012

**Contractor:** Myers and Sons Construction, LP **Contact:** Mike Lewis

**Address:** 2554 Millcreek Dr. Sacramento, CA 95833

**Phone:** 916-649-4504 **Fax:** 916-920-2246 **Email:** [mlewis@myers-sons.com](mailto:mlewis@myers-sons.com)

**Services needed:** This is a heavy highway project with the typical items of work associated. Myers and Sons Construction is requesting quotes from all qualified subcontractors, trucking firms and suppliers including certified UDBE/DBE/SBE/DVBE firms for the following types of work, including but not limited to: BAT HABITAT, STRIPING AND MARKERS, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, PORTABLE CHANGEABLE MESSAGE SIGN (LS), PREPARE STORM WATER POLLUTION PREVENTION PLAN, STORM WATER ANNUAL REPORT, EROSION CONTROL, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, FENCING, CONTRACTOR SUPPLIED BIOLOGIST, NATURAL RESOURCE PROTECTION PLAN, MBGR, COLD PLANE ASPHALT CONCRETE PAVEMENT, BRIDGE REMOVAL, CLEARING AND GRUBBING, ROADWAY EXCAVATION, STRUCTURE EXCAVATION, STRUCTURE BACKFILL, UNDERGROUND, CLASS 2 AGGREGATE BASE, HOT MIX ASPHALT, PLACE HOT MIX ASPHALT DIKE, TACK COAT, CAST-IN-DRILLED-HOLE CONCRETE PILING, FURNISH PILING, PRESTRESSING CAST-IN-PLACE CONCRETE, MINOR CONCRETE, RANDOM FIELDSTONE TEXTURE, BAR REINFORCING STEEL, PREPARE AND PAINT CONCRETE, UNDERGROUND, ROCK SLOPE PROTECTION, MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), BRIDGE DECK DRAINAGE SYSTEM, TUBULAR RAILING, CONCRETE BARRIER

**Requirements:** 100% Performance and payment bonds may be required for the full amount of the subcontract price. Subcontractors must possess a valid contractor's license, current insurance and worker's compensation coverage meeting Myers and Sons Construction's requirements. Subcontractors will be required to sign the standard Myers and Sons Construction Subcontract Agreement. Quotations must be valid for the one hundred and twenty (120) days after the specified Contract Award Date by the Owner. Plans and Specifications are available for viewing at our Sacramento office. Please call if you need assistance in obtaining bonding, insurance, equipment, materials and/or supplies or visit our website at our website [www.myers-sons.com](http://www.myers-sons.com) for more information. Myers and Sons Construction intends to work cooperatively with all qualified firms seeking work on this project. Myers and Sons Construction is signatory to the Laborers, Carpenters, Cement Masons and Operating Engineers. Myers and Sons Construction is an equal opportunity employer.

**Date posted:** 01/02/2013

**Contractor:** Souza Construction, Inc. **Contact:** Venita Johnson

**Address:** 4027 Santa Fe Road San Luis Obispo, CA 93401

**Phone:** (805) 546-8288 **Fax:** (805) 546-8287 **Email:** [vjohnson@souzaconstructioninc.com](mailto:vjohnson@souzaconstructioninc.com)

**Services needed:** SUB-QUOTES ARE BEING REQUESTED FOR VARIOUS ITEMS OF WORK INCLUDING, BUT NOT LIMITED TO: BAT HABITAT, LEAD COMPLIANCE PLAN, PROGRESS SCHEDULE (CRITICAL PATH METHOD) CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, PORTABLE CHANGEABLE MESSAGE SIGN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, STORM WATER ANNUAL REPORT, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYD TEMPORARY DRAINAGE INLET PROTECTION RAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY CHECK DAM, TEMPORARY FIBER ROLL, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST, NATURAL RESOURCE PROTECTION PLAN, REMOVE FENCE, REMOVE METAL BEAM GUARD RAILING, COLD PLANE ASPHALT CONCRETE PAVEMENT, BRIDGE REMOVAL, CLEARING AND GRUBBING, ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT, MOVE-IN/MOVE-OUT (EROSION CONTROL), ROLLED EROSION CONTROL PRODUCT (NETTING), HYDROMULCH, FIBER ROLLS, STRAW, HYDROSEED-SEED MIX 1, HYDROSEED-SEED MIX 2, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, 16" CAST-IN-DRILLED-HOLE CONCRETE PILING, 96" CAST-IN-DRILLED-HOLE CONCRETE PILING, FURNISH PILING (CLASS 140) (ALTERNATIVE W), DRIVE PILE (CLASS 140) (ALTERNATIVE W), PRESTRESSING CAST-IN-PLACE CONCRETE, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), RANDOM FIELDSTONE, TEXTURE, JOINT SEAL (MR 2"), BAR REINFORCING STEEL (BRIDGE), PREPARE AND PAINT CONCRETE, 18" ALTERNATIVE PIPE CULVERT, 24" ALTERNATIVE PIPE

CULVERT, 3" PLASTIC PIPE, 24" CORRUGATED STEEL, PIPE DOWNDRAIN (.138" THICK), DRAINAGE INLET MARKER, 10" WELDED STEEL PIPE CASING (BRIDGE), 12" WELDED STEEL PIPE CASING (BRIDGE), 8" WELDED STEEL PIPE (.134" THICK), 24" ALTERNATIVE FLARED END SECTION, ROCK SLOPE PROTECTION (LIGHT, METHOD B), ROCK SLOPE PROTECTION (1/2T, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), MINOR CONCRETE (GUTTER), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), BRIDGE DECK DRAINAGE SYSTEM, FENCE (TYPE BW, 5 STRAND, METAL POST), 8' WIRE MESH GATE, METAL BEAM GUARD RAILING (STEEL POST), TUBULAR HANDRAILING, TUBULAR BICYCLE RAILING, TRANSITION RAILING (TYPE WB), ALTERNATIVE FLARED TERMINAL SYSTEM, CONCRETE BARRIER (TYPE 80 MOD), CONCRETE BARRIER (TYPE 80SW), THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE), PAVEMENT MARKER (RETROREFLECTIVE)

**Requirements:** 100% Performance and payment bonds may be required for the full amount of the subcontract price. Subcontractors must possess a valid contractor's license, current insurance and worker's compensation coverage meeting Souza Construction, Inc. requirements. Subcontractors will be required to sign the standard Souza Construction, Inc. Subcontract Agreement. Quotations must be valid for the one hundred and twenty (120) days after the specified Contract Award Date by the Owner. Plans and Specifications are available for viewing at our office. Please call if you need assistance in obtaining bonding, insurance, equipment, materials and/or supplies. Souza Construction, Inc. intends to work cooperatively with all qualified firms seeking work on this project. Souza Construction, Inc. is an equal opportunity employer. Souza Construction, Inc. listing of a Subcontractor in its bid to the public agency is not to be construed as an acceptance of all of the Subcontractor's conditions or exceptions included with Subcontractor's price quotes. Quotations will be broken down into comparable packages as reasonably necessary.

**Date posted:** 01/03/2013

**Contractor:** Agee Construction **Contact:** Alan Dirlam

**Address:** 1039 Hobiitt Clovis, CA 93612

**Phone:** 559-299-3290 **Fax:** 559-299-3503 **Email:** [aland@ageeconstruction.com](mailto:aland@ageeconstruction.com)

**Services needed:** Agee Construction is requesting bids from all qualified subcontractors and suppliers including certified UDBE, DBE, SBE, and WBE subcontractors for, but not limited to: Concrete Barrier Rail, Bridge Removal, Clearing & Grubbing, Selective Demolitions, Barbwire Fence, Lead Compliance Plan, SWPPP, SWPPP Materials, Temporary Concrete Washout, Erosion Control, Hydroseed & Hydromulching, Biologist, Misc. Iron & Steel, Misc. Metal, Tubular Handrail, Minor Concrete (Gutter), AC Dike, Cold Plane Asphalt, Street Sweeping, CIDH Piles, Concrete Pumping, Joint Seal, Pile Driving, Prestressing, Reinforcing Steel, Welded Steel Pipe Casing, Metal Beam Guard Rail, Portable Changeable Message Signs, Striping, Traffic Control, Type III Barricade, Storm Drainage, Schedule CPM, Prepare & Paint Concrete and any service or product you can provide to complete the bid requirements. For a complete bid schedule, call or email as noted above. Please contact our office if further assistance is needed or to view Plans and Specification and Drawings at our Clovis office.

**Requirements:** Subcontractors may be required to obtain 100% Payment and 100% Performance with bond premiums paid up to 1.5%. Appropriate license will be required as well as insurance, including workers compensation. Agee Construction will assist with obtaining bonds and reviewing other subcontractor requirements such as safety policies, insurance, certified payroll, prevailing wage requirements, and union requirements. Agee Construction is an Equal Opportunity Employer.

**Date posted:** 01/08/2013

**Contractor:** Specialty Construction, Inc. **Contact:** Sheri Shamblin

**Address:** 645 Clarion Ct., San Luis Obispo, CA 93401

**Phone:** (805) 543-1706 **Fax:** (805) 543-1722 **Email:** [sshamblin@specialtyconstruction.com](mailto:sshamblin@specialtyconstruction.com)

**Services needed:** REQUESTING SUBCONTRACTOR/SUPPLIER QUOTES FROM CERTIFIED DBE FIRMS FOR FOR: BAT HABITAT, LEAD COMPLIANCE PLAN, CPM SCHEDULES, CONSTRUCTION AREA SIGNS, PCMS BOARDS, PREPARE WPCP, STORM WATER ANNUAL REPORT, MONE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), SWPPP BMPS, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE, TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST, NATURAL RESOURCE PROTECTION PLAN, REMOVE FENCE, REMOVE METAL BEAM GUARD RAILING, COLD PLANE ASPHALT CONCRETE PAVEMENT, BRIDGE REMOVAL, CLEARING & GRUBBING, ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), 8" CORRUGATED HDPE CONDUIT, HYDROMULCH, FIBER ROLLS, STRAW, HYDROSEED MIX 1 & 2, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE (CY), PLACE HOT MIX ASPHALT DIKE (TYPE C, E, & F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, 18" CIDH PILING, 96" CIDH PILING, FURNISH PILING (CLASS 140) (ALTERNATIVE W), DRIVE PILE (CLASS 140) (ALTERNATIVE W), PRESTRESSING CAST-IN-PLACE CONCRETE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), RANDOM FIELDSTONE TEXTURE, JOINT SEAL (MR 2), BAR REINFORCING STEEL (BRIDGE), PREPARE & PAINT CONCRETE, 18" ALTERNATIVE PIPE CULVERT, 3" PLASTIC PIPE, 24" CORRUGATED STEEL PIPE DOWN DRAIN, DRAINAGE INLET MARKER, 10" & 12" WELDED STEEL PIPE CASING (BRIDGE), 24" ALTERNATIVE FLARED END SECTION, ROCK SLOPE PROTECTION (LIGHT, 1/2 TON, METHOD B), ROCK SLOPE PROTECTION FABRIC, MINOR CONCRETE (GUTTER), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), BRIDGE DECK DRAINAGE SYSTEM, FENCE (TYPE BW, 5-STRAND, METAL POST), 8" WIRE MESH GATE, METAL BEAM GUARD RAILING, TUBULAR HANDRAILING, TUBULAR BICYCLE RAILING, TRANSITION RAILING (TYPE WB), ALTERNATIVE FLARED TERMINAL SYSTEM, CONCRETE BARRIER (TYPE 80 MOD), CONCRETE BARRIER (TYPE 80SW), THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE), PAVEMENT MARKER (RETROREFLECTIVE), AND ALL SCHEDULED BID ITEMS OPEN FOR BID (INCLUDING ITEMS OF WORK NORMALLY PERFORMED BY SCI).

**Requirements:** 100% PERFORMANCE AND PAYMENT BONDS MAY BE REQUIRED FOR THE FULL AMOUNT OF SUBCONTRACT PRICE. SCI WILL PAY FOR BOND PREMIUMS UP TO 2%. SUBCONTRACTORS MUST POSSESS A CURRENT CONTRACTOR'S LICENSE, INSURANCE AND WORKER'S COMPENSATION COVERAGE MEETING SCI AND OWNER'S REQUIREMENTS. SUBCONTRACTORS WILL ALSO BE REQUIRED TO SIGN THE STANDARD SCI SUBCONTRACT AGREEMENT OR PURCHASE ORDER AS APPROPRIATE. FOR COPIES OF THE INSURANCE REQUIREMENTS, SUBCONTRACT AGREEMENT OR PURCHASE ORDER, PLEASE CONTACT SHERI SHAMBLIN. QUOTES WILL BE BROKEN DOWN INTO COMPARABLE PACKAGES AS REASONABLY NECESSARY. SCI WILL WORK WITH INTERESTED DBE SUBCONTRACTORS/SUPPLIERS TO IDENTIFY OPPORTUNITIES TO BREAK DOWN ITEMS INTO ECONOMICALLY FEASIBLE PACKAGES. PLEASE CONTACT SHERI SHAMBLIN IF YOU NEED ANY BIDDING ASSISTANCE INCLUDING; OBTAINING BONDING, INSURANCE, EQUIPMENT, MATERIALS AND/OR SUPPLIES. SCI INTENDS TO WORK COOPERATIVELY WITH ALL QUALIFIED FIRMS SEEKING WORK ON THIS PROJECT.

Date posted: 01/08/2013

**Contractor:** Golden State Bridge, Inc. **Contact:** David Riccitiello  
**Address:** 2990 Bay Vista Court Suite D Benicia, CA 94510  
**Phone:** 925-372-8000 **Fax:** 925-372-8001 **Email:** dave@gsbridge.com  
**Services needed:**  
**Requirements:**  
**Date posted:** 01/09/2013

**Contractor:** Flatiron West, inc. **Contact:** Jannette Carter  
**Address:** 1770 La Costa Meadows Drive, San Marcos, CA 92078  
**Phone:** 760-916-9100 **Fax:** 760-471-4860 **Email:** jcarter@flatironcorp.com  
**Services needed:** Request for Certified DBE Subcontractors & Suppliers. Quotes requested for, but not limited to: Aggregate Supply, Architectural Formliners, Asphalt Dike, Asphalt Paving, Biologist, Bridge Deck Drainage System, CIDH Pile, Clear & Grub, Cold Plane AC, Concrete Barrier, Concrete Supply, Construction Area Signs, Demolition, Driven Pile, Equipment Rental, Erosion Control, Fencing & Railing, Hydroseeding, Joint Seals, Materials Trucking, Minor Concrete, Misc. Metals, Pipe Supply, Prepare & Paint Concrete, Prestressing, Reinforcing Steel, Rip Rap, Striping and Street Sweeping.  
**Requirements:** Assistance in obtaining bonding, lines of credit, insurance, equipment, supplies and materials is available upon request. Flatiron analyzes and considers each DBE quote, including those that are broken down into economically feasible units to facilitate bidding. Quotations must be valid for same duration as specified by Owner for contract award. Performance & Payment bonds by an admitted surety, naming Flatiron West, Inc. as obligee, in the full amount of the subcontractor's bid, or comparable security or collateral in such amount, may be required at the request and expense of Flatiron. Non-DBE Subs/Suppliers: Indicate 2nd tier DBE participation offered on your quotation as it will be evaluated with your price. An Equal Opportunity Employer  
**Date posted:** 01/16/2013

**Contractor:** GRANITE CONSTRUCTION COMPANY **Contact:** DIANNE CARLISLE  
**Address:** 5335 DEBBIE LANE SANTA BARBARA CA 93111  
**Phone:** 805 964 9951 **Fax:** 805 967 1431 **Email:** DIANNE.CARLISLE@GCINC.COM  
**Services needed:** An Equal Opportunity Employer requests sub-bids for the referenced project from qualified DBE Subcontractors and Suppliers performing commercially useful function for the following items of work, including but not limited to: BAT HABITAT, LEAD COMPLIANCE PLAN, PROGRESS SCHEDULE (CRITICAL PATH METHOD) CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, PORTABLE CHANGEABLE MESSAGE SIGN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, STORM WATER ANNUAL REPORT, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYD TEMPORARY DRAINAGE INLET PROTECTION RAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY CHECK DAM, TEMPORARY FIBER ROLL, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST, NATURAL RESOURCE PROTECTION PLAN, REMOVE FENCE, REMOVE METAL BEAM GUARD RAILING, COLD PLANE ASPHALT CONCRETE PAVEMENT, BRIDGE REMOVAL, CLEARING AND GRUBBING, ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT, MOVE-IN/MOVE-OUT (EROSION CONTROL), ROLLED EROSION CONTROL PRODUCT (NETTING), HYDROMULCH, FIBER ROLLS, STRAW, HYDROSEED-SEED MIX 1, HYDROSEED-SEED MIX 2, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, 18" CAST-IN-DRILLED-HOLE CONCRETE PILING, 96" CAST-IN-DRILLED-HOLE CONCRETE PILING, FURNISH PILING (CLASS 140) (ALTERNATIVE W), DRIVE PILE (CLASS 140) (ALTERNATIVE W), PRESTRESSING CAST-IN-PLACE CONCRETE, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), RANDOM FIELDSTONE, TEXTURE, JOINT SEAL (MR 2"), BAR REINFORCING STEEL (BRIDGE), PREPARE AND PAINT CONCRETE, 18" ALTERNATIVE PIPE CULVERT, 24" ALTERNATIVE PIPE CULVERT, 3" PLASTIC PIPE, 24" CORRUGATED STEEL, PIPE DOWNDRAIN (.138" THICK), DRAINAGE INLET MARKER, 10" WELDED STEEL PIPE CASING (BRIDGE), 12" WELDED STEEL PIPE CASING (BRIDGE), 8" WELDED STEEL PIPE (.134" THICK), 24" ALTERNATIVE FLARED END SECTION, ROCK SLOPE PROTECTION (LIGHT, METHOD B), ROCK SLOPE PROTECTION (1/2T, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), MINOR CONCRETE (GUTTER), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), BRIDGE DECK DRAINAGE SYSTEM, FENCE (TYPE BW, 5 STRAND, METAL POST), 8" WIRE MESH GATE, METAL BEAM GUARD RAILING (STEEL POST), TUBULAR HANDRAILING, TUBULAR BICYCLE RAILING, TRANSITION RAILING (TYPE WB), ALTERNATIVE FLARED TERMINAL SYSTEM, CONCRETE BARRIER (TYPE 80 MOD), CONCRETE BARRIER (TYPE 80SW), THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE), PAVEMENT MARKER (RETROREFLECTIVE) AND TRUCKING. \*\* ALL SCHEDULE OF BID ITEMS OPEN FOR BID \*\*  
Including items of work normally performed by Granite. Quotations will be broken down into comparable packages as reasonably necessary. Granite will work with interested DBE subcontractors to identify opportunities to break down items into economically feasible packages.  
**Requirements:** Requirements: Granite Construction Company (Granite) is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons and Carpenters unions. 100% performance and payment bonds may be required for the full amount of subcontract price. Granite will pay for bond premium up to 1.5%. Subcontractors must possess a current contractor's license, insurance and worker's compensation coverage meeting Granite's requirements and will be required to sign the standard Granite Subcontract Agreement. A copy of the insurance requirements and agreement can be obtained by contacting the estimator. Plans and specifications are also available for viewing at discussion with estimator at our office located at: 5335 Debbie Lane Santa Barbara, CA 93111 Please call if you need any bidding assistance including but not limited to; obtaining bonding, insurance, equipment, materials and/or supplies. Granite intends to work cooperatively with all qualified DBE firms seeking work on this project. Granite Construction Company P.O. Box 8744 Santa Barbara, California 93160 Phone (805) 964-9951 Fax (805) 967-1431 Contact: MATTHEW GRIMM OR MATTHEW.GRIMM@GCINC.COM  
**Date posted:** 01/10/2013

**Contractor:** Granite Rock Company dba Pavex Construction Division **Contact:** Kevin Jones / Rob Snyder

**Address:** 120 Granite Rock Way San Jose, CA 95136

**Phone:** (408) 574-1400 **Fax:** (408) 365-9548 **Email:** [pavexestimating@graniterock.com](mailto:pavexestimating@graniterock.com)

**Services needed:** Certified DBE firms are encouraged to provide a quote to Pavex for all items of work listed on the bid list, particularly these: Laad Compliance Plan, Construction Area Signs, Traffic Control System, Type III Barricade, PCMS, SWPPP, Street Sweeping, Fencing, Biologist, Cold Plane AC, Clearing & Grubbing, Pipe Supplier, Erosion Control, Hydroseed, AC Dike, Tack Coat, Cast-In-Drilled-Hole Concrete Piling, Prestressing Cast-In-Place Concrete, Structural Concrete, Minor Concrete, Joint Seal, Reinforcing Steel, Misc. Iron & Steel, Rock Slope Protection, Misc. Bridge Work, MBGR, Concrete Barrier, Striping & Trucking.

**Requirements:** Granite Rock Company dba Pavex Construction Division 'Pavex' is signatory to Operating Engineers, Laborers, Teamsters, and Cement Masons unions. 100% performance and payments bonds will be required from a qualified surety company for the full amount of the subcontract price. Bonding assistance is available. Pavex will pay bond premium up to 1.5% Subcontractors must possess a current contractor's license, insurance and worker's compensation coverage. Subcontractors are encouraged to contact Pavex Estimating for insurance requirements, or if any other assistance is needed. Subcontractors will be required to enter into our standard contract. Pavex intends to work cooperatively with all qualified firms seeking work on this project. Granite Rock Company dba Pavex Construction Division is an equal opportunity employer.

**Date posted:** 01/14/2013

**Contractor:** Emmett's Excavation, Inc. **Contact:** Ryan Lanser & Tony Hernandez

**Address:** 1477 Menio Avenue, Clovis, CA 93611

**Phone:** 559-299-1256 **Fax:** 559-299-0281 **Email:** [mail@eei78.com](mailto:mail@eei78.com)

**Services needed:** Emmett's Excavation, Inc. is An Equal Opportunity Employer and is requesting sub-bids for the referenced project from qualified DBE Subcontractors and Suppliers performing commercially useful function for the following items of work, including but not limited to: BAT HABITAT, LEAD COMPLIANCE PLAN, PROGRESS SCHEDULE (CRITICAL PATH METHOD) CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, PORTABLE CHANGEABLE MESSAGE SIGN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, STORM WATER ANNUAL REPORT, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYD TEMPORARY DRAINAGE INLET PROTECTION RAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY CHECK DAM, TEMPORARY FIBER ROLL, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST, NATURAL RESOURCE PROTECTION PLAN, REMOVE FENCE, REMOVE METAL BEAM GUARD RAILING, COLD PLANE ASPHALT CONCRETE PAVEMENT, BRIDGE REMOVAL, CLEARING AND GRUBBING, ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), 6" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT, MOVE-IN/MOVE-OUT (EROSION CONTROL), ROLLED EROSION CONTROL PRODUCT (NETTING), HYDROMULCH, FIBER ROLLS, STRAW, HYDROSEED-SEED MIX 1, HYDROSEED-SEED MIX 2, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, 16" CAST-IN-DRILLED-HOLE CONCRETE PILING, 96" CAST-IN-DRILLED-HOLE CONCRETE PILING, FURNISH PILING (CLASS 140) (ALTERNATIVE W), DRIVE PILE (CLASS 140) (ALTERNATIVE W), PRESTRESSING CAST-IN-PLACE CONCRETE, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), RANDOM FIELDSTONE, TEXTURE, JOINT SEAL (MR 2"), BAR REINFORCING STEEL (BRIDGE), PREPARE AND PAINT CONCRETE, 18" ALTERNATIVE PIPE CULVERT, 24" ALTERNATIVE PIPE CULVERT, 3" PLASTIC PIPE, 24" CORRUGATED STEEL, PIPE DOWNDRAIN (.138" THICK), DRAINAGE INLET MARKER, 10" WELDED STEEL PIPE CASING (BRIDGE), 12" WELDED STEEL PIPE CASING (BRIDGE), 8" WELDED STEEL PIPE (.134" THICK), 24" ALTERNATIVE FLARED END SECTION, ROCK SLOPE PROTECTION (LIGHT, METHOD B), ROCK SLOPE PROTECTION (1/2T, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), ROCK SLOPE PROTECTION (NO. 2, METHOD B), MINOR CONCRETE (GUTTER), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), BRIDGE DECK DRAINAGE SYSTEM, FENCE (TYPE BW, 5 STRAND, METAL POST), 8" WIRE MESH GATE, METAL BEAM GUARD RAILING (STEEL POST), TUBULAR HANDRAILING, TUBULAR BICYCLE RAILING, TRANSITION RAILING (TYPE WB), ALTERNATIVE FLARED TERMINAL SYSTEM, CONCRETE BARRIER (TYPE 80 MOD), CONCRETE BARRIER (TYPE 80SW), THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE), PAVEMENT MARKER (RETROREFLECTIVE) AND TRUCKING. . \*\* ALL SCHEDULE OF BID ITEMS OPEN FOR BID \*\* Including items of work normally performed by Emmett's Excavation, Inc. Quotations will be broken down into comparable packages as reasonably necessary. Emmett's Excavation, Inc. will work with interested DBE subcontractors to identify opportunities to break down items into economically feasible packages.

**Requirements:** Emmett's Excavation, Inc. (EEI) is signatory to Operating Engineers, Laborers, Cement Masons and Carpenters unions. 100% performance and payment bonds may be required for the full amount of subcontract price. EEI will pay for bond premium up to 1.5%. Subcontractors must possess a current contractor's license, insurance and worker's compensation coverage meeting EEI's requirements and will be required to sign the standard EEI Subcontract Agreement. A copy of the insurance requirements and agreement can be obtained by contacting the estimator. Plans and specifications are also available for viewing at discussion with estimator at our office located at: 1477 Menio Ave, Clovis, CA 93611. Please call if you need any bidding assistance including but not limited to: obtaining bonding, insurance, equipment, materials and/or supplies. EEI intends to work cooperatively with all qualified DBE firms seeking work on this project. Emmett's Excavation, Inc. Phone (559) 299-1256 Fax (559) 299-0281 Contact: Tony Hernandez & Estimator, Email: [mail@eei78.com](mailto:mail@eei78.com)

**Date posted:** 01/15/2013

**Contractor:** American Paving Co. **Contact:** Steve Poindexter

**Address:** 315 N. Thome Ave. Fresno, CA 93706

**Phone:** 559 268-9886 **Fax:** 559 268-2908 **Email:** [APC-Estimating@americanpavingco.com](mailto:APC-Estimating@americanpavingco.com)

**Services needed:** American Paving Co., an Equal Opportunity Employer, is seeking bids, especially from certified DBE subcontractors/suppliers for, but not limited to: Bat Habitat, Lead Compliance Plan, Construction Area Signs, Traffic Control System, Type III Barricade, PCMS, SWPPP, Annual Report, Erosion Control items, Street Sweeping, Temporary Fence, Treated Wood Waste, Biologist, Natural Resource Protection Plan, Remove Fence, Remove MBGR, Cold Plane AC Pavement, Bridge Removal, Clearing and Grubbing, Structure Excavation, Structure Backfill, Hydroseed, Compost, Place HMA Dike, Tack Coat, Piliings, Prestressing Cast-In-Place Concrete, Structural Concrete, Random Fieldstone Texture, Prepare and Paint Concrete, Alternative Pipe Culvert, Pipe, Rock Slope Protection, Fence, MBGR, Railings, Concrete Barriers, Thermoplastic Traffic Stripe, Pavement Markers, Materials, Rental Equipment,

Trucking. Bid package available for review in our office: 315 N. Thorne Ave., Fresno, CA. Call for an appointment, 559 268-9886. Requirements: American Paving Co. is signatory to the Operating Engineers, Cement Masons, Carpenters and Laborers Unions. Qualified participants must be licensed for the work they are to perform. Bonds may be required. Insurance, including Workers Compensation, will be required. American Paving Co. may provide assistance in obtaining sufficient bonding and/or insurance or materials/supplies to enable qualified, certified DBE subcontractors to submit timely, competitive bids. Call for further information. Date posted: 01/16/2013

---

**Contractor:** Associated Pacific Constructors, Inc. **Contact:** Paul Gillen

**Address:** 495 Embarcadero Morro Bay, CA 93442

**Phone:** 805-772-7472 **Fax:** 805-772-5803 **Email:** paul@associatedpacific.com

**Services needed:** SUB-QUOTES ARE BEING REQUESTED FOR VARIOUS ITEMS OF WORK INCLUDING, BUT NOT LIMITED TO: BAT HABITAT, LEAD COMPLIANCE PLAN, PROGRESS SCHEDULE (CRITICAL PATH METHOD) CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, PORTABLE CHANGEABLE MESSAGE SIGN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL, TEMPORARY HYDROLOGICAL TEMPORARY DRAINAGE INLET PROTECTION RAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY CHECK DAM, TEMPORARY FIBER ROLL, TEMPORARY SILT FENCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST, NATURAL RESOURCE PROTECTION PLAN, REMOVE FENCE, REMOVE METAL BEAM GUARD RAILING, COLD PLANE ASPHALT CONCRETE PAVEMENT, BRIDGE REMOVAL, CLEARING AND GRUBBING, ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE BACKFILL (BRIDGE), 8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT, MOVE-IN/MOVE-OUT (EROSION CONTROL), ROLLED EROSION CONTROL PRODUCT (NETTING), HYDROMULCH, FIBER ROLLS, STRAW, HYDROSEED-SEED MIX 1, HYDROSEED-SEED MIX 2, COMPOST, INCORPORATE MATERIALS, CLASS 2 AGGREGATE BASE, HOT MIX ASPHALT (TYPE A), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, 16" CAST-IN-DRILLED-HOLE CONCRETE PILING, 96" CAST-IN-DRILLED-HOLE CONCRETE PILING, PRESTRESSING CAST-IN-PLACE CONCRETE, JOINT SEAL (MR 2"), BAR REINFORCING STEEL (BRIDGE), PREPARE AND PAINT CONCRETE, 18" ALTERNATIVE PIPE CULVERT, 24" ALTERNATIVE PIPE CULVERT, 3" PLASTIC PIPE, 24" CORRUGATED STEEL, PIPE DOWNDRAIN (.138" THICK), DRAINAGE INLET MARKER, 10" WELDED STEEL PIPE CASING (BRIDGE), 12" WELDED STEEL PIPE CASING (BRIDGE), 8" WELDED STEEL PIPE (.134" THICK), 24" ALTERNATIVE FLARED END SECTION, MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), BRIDGE DECK DRAINAGE SYSTEM, FENCE (TYPE BW, 5 STRAND, METAL POST), 8' WIRE MESH GATE, METAL BEAM GUARD RAILING (STEEL POST), TUBULAR HANDRAILING, TUBULAR BICYCLE RAILING, TRANSITION RAILING (TYPE WB), ALTERNATIVE FLARED TERMINAL SYSTEM, THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE), PAVEMENT MARKER (RETROREFLECTIVE)

**Requirements:** 100% Performance and payment bonds may be required for the full amount of the subcontract price. APC will pay up to 2% of bond cost. Subcontractors must possess a valid contractor's license for quoted work, current insurance, and workers compensation coverage meeting Owners Specifications. Subcontractors will be required to sign the standard Associated Pacific Constructors, Inc. Subcontract Agreement. Quotations must be valid for the one hundred and twenty (120) days after the specified Contract Award Date by the Owner. Plans and Specifications are available for viewing at APC's office or a link may be forwarded upon request. Please call if you need assistance in obtaining bonding, insurance, equipment, materials and/or supplies. Associated Pacific Constructors, Inc. is an equal opportunity employer. Listing of a Subcontractor in its bid to the public agency is not to be construed as an acceptance of all of the Subcontractor's conditions or exceptions included with Subcontractor's price quotes. Quotations will be broken down into comparable packages as reasonably necessary.

Date posted: 01/16/2013

---

**Contractor:** Whitaker Construction Group, Inc. **Contact:** Randy Waiters

**Address:** 2752 Concrete Court Paso Robles, CA 93446

**Phone:** (805) 226-4020 **Fax:** (805) 226-4028 **Email:** bids@wcgroupinc.com

**Services needed:** Whitaker Construction Group, Inc. is seeking certified and qualified DBE subs and/or suppliers to provide any service or product to complete the bid requirements including but not limited to: Construction Area Signs, Lead Compliance Plan, Traffic Control, Prepare Storm Water Pollution Plan, Storm Water Annual Report, Temporary Erosion Control Items, Street Sweeping, Temporary Fence, Treated Wood Waste, Biologist, Natural Resource Protection Plan, Remove Fence and Railings, Cold Plane Asphalt Concrete, Bridge Removal, Erosion Control Items, Place Asphalt and Asphalt Dike, Tack Coat, CIDH Piles, Furnish and Drive Piles, Prestressing, Joint Seal, Bar Reinforcing Steel, Prepare and Paint Concrete, Fence and Gates, Railings, Terminal Systems, Concrete Barrier, Traffic Stripe and Pavement Markers. Supply of Type III Barricades, Erosion Control Products, Piping, Steel Piling, Formliners, Steel Casing, Miscellaneous Iron Steel & Metal, Bridge Deck Drainage System, Concrete, Asphalt and Quarry Products. Trucking of Asphalt, Aggregate Base, Rip Rap and Soil. for Caltrans 05-330754, Replace Bridge in Paso Robles, CA

**Requirements:** Whitaker Construction Group Inc. is an Equal Opportunity Employer. Bids in excess of \$100,000.00 will require a Payment & Performance Bond in the amount of 100% of the Subcontract amount from a California Admitted Surety acceptable to WCGI and not less than AM Best A rating. WCGI will assist in obtaining Bonds, Insurance & Lines of Credit if needed. WCGI will assist in obtaining necessary equipment, supplies, materials or related assistance or services. See Specifications for individual owner requirements and or liability Insurance. All Subcontractors are required to sign WCGI's standard Subcontract Agreement and provide Waiver of Subrogation. All subcontractors must be certified by the bid/proposal due date and must provide our office with a copy of your UDBE/DBE certification with the bid/proposal.

Date posted: 01/21/2013

---

**Contractor:** R. Burka Corporation **Contact:** Rob Burke

**Address:** PO Box 957 San Luis Obispo, CA 93406-0957

**Phone:** 805/543-8568 **Fax:** 805/543-2521 **Email:** rbc@rburkecorporation.com

**Services needed:** Bat Habitat, Lead Compliance Plan, Progress Schedule (CPM), Construction Area Signs, Traffic Control, Barricades, QSP/QSD, Prepare SWPPP, Hydroseeding, Fiber Rolls, Silt Fence, Temp Construction Entrances, Street Sweeping, Temp Fence (ESA), Treated Wood Waste, Contractor Supplied Biologist, Natural Resource Protection Plan, MBGR, Bridge Removal, Cold Plane AC Pavement, Clearing & Grubbing, Roadway Excavation, Rolled E/C Product, Compost, Class 2 AB, HMA, HMA Dikes, Tack Coat, CIDH Piling, Furnish & Drive Piling, Prestressing CIP Concrete, Structural Concrete, Minor Concrete, Random Field Stone Texture, Joint Seal,

Rebar, Prepare & Paint Concrete, Alternate Pipe Culverts, 3" Plastic pipe, CSP, Welded Steel Pipe, Rock Slope Protection, RSP Fabric, Misc Iron & Steel, Misc Metal, Bridge Deck Drainage System, Fencing, Gates, Tubular Hand Railing, Tubular Bike Railing, Transition Railings, Concrete Barriers, Thermo Traffic Stripe and Pavement Markers

**Requirements:** R. Burke Corporation is Union Signatory with the Carpenter's, Cement Masons, Laborers, Operating Engineers and Teamsters Unions. Payment and performance bonds may be required. Insurance in accordance with the contract is required

**Date posted:** 01/24/2013

---

**Contractor:** Disney Construction, Inc. **Contact:** Rick Disney

**Address:** 875 Mahler Rd., Ste. 188 Burlingame

**Phone:** 650-259-9545 **Fax:** 650-259-9673 **Email:** [rdisney@disneyconstruction.com](mailto:rdisney@disneyconstruction.com)

**Services needed:**

**Requirements:**

**Date posted:** 01/30/2013

---

**Contractor:** Griffith Company Structure Division **Contact:** Brad Austin

**Address:** 3050 E Birch Street Brea, Ca, 92821

**Phone:** 714 984-5500 **Fax:** 714 854-0227 **Email:** [baustin@griffithcompany.net](mailto:baustin@griffithcompany.net)


**Services needed:** Griffith Company is requesting Sub-Bids on all trades from Qualified DBE Subcontractors & Suppliers for the following scope of work: Biologist, traffic control, erosion control, fencing, hydroseeding, asphalt paving, CIDH piling, driven piles, prestressing, structural concrete, rebar, concrete stain, rock slope protection, drainage, misc. metals, guardrail, concrete barrier, striping and contaminated disposal.

**Requirements:** Plans & Specs are available for review from 7:00 am to 5:00 pm Monday thru Friday at: Griffith Company (an equal opportunity employer). 100% Bonding may be required for all subcontractors. Assistance available in obtaining bonds, lines of credit, insurance, necessary equipment & technical assistance. Griffith Company intends to conduct itself in "good faith" with DBE firms regarding participation on this project.

**Date posted:** 01/31/2013

Send your comments and suggestions to: [QE Web Integration Architect](#)

[Conditions of Use](#) | [Privacy Policy](#)  
Copyright © 2007 State of California



**SOUZA CONSTRUCTION, INC.**

P.O. Box 3810  
 San Luis Obispo, CA 93403-3810  
 (805) 546-8288 Phone • (805) 546-8287 Fax  
 License No. 479476

**TRANSMITTAL**

Date: Friday, February 8, 2013

To: State of California  
 Department of Transportation  
 MS 43, Office Engineer  
 1727 30<sup>th</sup> Street  
 Sacramento, CA 95816

Phone: (916) 654-4490  
 Fax: (916) 227-6282

From: Venita Johnson  
 Contract Administrator

Phone: (805) 546-8288  
 Fax: (805) 546-8287  
 Email: [vjohnson@souzaconstructioninc.com](mailto:vjohnson@souzaconstructioninc.com)

Subject: Contract No. **05-330754**

Caltrans for Construction on State Highway in San Luis Obispo County Near Paso Robles  
 at Estrella River Bridge #05-SLO-46-40.0

	WE ARE TRANSMITTING:	THE FOLLOWING:	FOR:
	Client Pick Up	Subcontract	X Your Records
	By Hand Delivery	Request for Documentation	X Processing
X	Fed-Ex	Contract Change Order	Review & Approval
	Fax	Certificate of Compliance	Your Information & Use

**MESSAGE:**

To Whom It May Concern,

In reference to **Contract No. 05-330754 - Caltrans for Construction on State Highway in San Luis Obispo County Near Paso Robles at Estrella River Bridge**, enclosed please find our:

- Bidder DBE Commitment Form
- DBE Good Faith Effort Form
- DBE Supplemental Documentation

Please contact us if there are any questions.