

LOW BIDDER

Low Bidder

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION
CALTRANS BIDDER - DBE - COMMITMENT
DES-OE-0102.10C (NEW 06/2012)

This information may be submitted with your bid proposal. If it is not, and you are the apparent low bidder or the second or third low bidder, it must be submitted and received as specified in section 2 of the specifications. Failure to submit the required DBE information will be grounds for finding the bid nonresponsive.

CONTRACT NO:
06-0L3904

BID AMOUNT:
\$ 1,027,735.00

BID OPENING DATE:
05/29/13

BIDDER'S NAME:
Griffith Company

DBE GOV. FROM CONTRACT, %:
7%

DBE PRIME CONTRACTOR CERTIFICATION¹

BID ITEM NO	ITEM OF WORK AND DESCRIPTION OF SERVICES TO BE SUBCONTRACTED OR MATERIALS TO BE PROVIDED ²	FOR CALTRANS USE ONLY	NAME OF DBE Must be certified on the date bids are opened - include Caltrans certification #, DBE address and phone number (Indicate 2nd and lower tier subcontractors)	DOLLAR AMOUNT DBE ³
4,26,71,72	Channelizers & Roadside Signs		Austin Enterprises, P.O. Box 81926 Bakersfield, CA 93380 (661) 589-1000 Cert # CT-013602	\$ 3,665.00
61	HMA Type (A) Furnished Transport Liquid Asphalt PG 70-10 70 Tons @ \$545 @ 60% Oil 70 Tons @ \$16 @ 100% Transport		E.M. Oil Transport, 1145 S. Taylor St Montebello, CA 90640 (323) 722-9088 Cert # 10447	\$ 22,890.00 \$ 1,120.00
1,3,22,85 - 90	Striping		Super Seal & Stripe, P.O. Box 755 Fillmore, CA 93016 (805) 524-7345 Cert # 2003	\$ 18,587.50
9,10	SWPPP & SWPPP Annual Report		E-Sweep Consultants, 902 Corliss Ct. Walnut Creek, CA 94598 Cert # 35275 (925) 451-1337	\$ 2,750.00
19,20,83	Treated Wood Waste, Remove MBGR, Alt. Crash Cushion		Our Valley Fence Co., (760) 446-3100 2203 W. Inyokern, Ridgecrest, CA Cert # CT007535 93555	\$ 32,163.30
				\$ 81,145.80

IMPORTANT: Identify all DBE firms being claimed for credit regardless of tier. Names of the First Tier DBE Subcontractors and their respective portion of work listed above must be completed, where applicable, with the name and home of work in the "Subcontractor List" submitted with your bid. Copies of the DBE quotes are required.

- DBE prime contractors must enter their certification number and indicate all work to be performed by DBEs including work performed by its own forces.
- If 100% of item is to be performed or furnished by DBE, describe exact portion of item to be performed or furnished.
- See section 2-1.12 of the specifications to determine the credit allowed for DBE firms.

Submit to:
**MSC 43
OFFICE ENGINEER
DEPARTMENT OF TRANSPORTATION
1727 30TH STREET
SACRAMENTO, CA 95814-7006**

Total Claimed Participation: 7.90 %

Signature of Bidder: *Gary A. Hyles*
Gary A. Hyles, Assistant Secretary

Date: **5/30/13** (661) 392-6640 (Area Code) Tel. No.

Person to Contact: **Kent Amberg** (Please Type or Print)

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 654-6410 or TDD (916) 664-3880 or write Records and Forms Management, 1120 N Street, MS-84, Sacramento, CA 95814.

Contract No. 06-0L3904
12

05-31-13 P02:00 RCVD

1. List items of work the Bidder made available to DBE firms. Identify those items of work the Bidder might otherwise perform with its own force and those items that have been broken down into economically feasible units to facilitate DBE participation. For each item listed, show the dollar value and percentage of the total contract. The Bidder must demonstrate that sufficient work to meet the goal was made available to DBE firms.

Item of Work Offered	Bidder Normally Performs Item (Y/N)		Item Broken Down to Facilitate Participation (Y/N)		Amount (\$)	Percentage of Contract
	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> Yes	<input type="checkbox"/> No		
AC PILE	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3,230.00	.31%
CHANNELIZER	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	490.00	.04%
ROAD SIDE SIGNS	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3,175.00	.31%
SWPPP	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2,750.00 2,750.00	1.27% 1.27% KA
ELECTRICAL	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	243,624.00	23.7%
EROSION CONTROL	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2,617.00	.25%
ALT. CRASH CUSHION	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	24,555.55	2.39%
REMOVE MISGR	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3,084.25	.30%
COLD PLANE	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	4,212.60	.41%
C.A.S.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2,600.00	.25%
TEMP CRASH CUSHIONS	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2,090.00	.20%
STRIPPING	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	18,587.50	1.81%
QC/QA HMA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	15,880.00	1.55%
SEGIN STRUCTURE	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	23,502.00	2.28%
HMA OIL	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	38,150.00	3.71%
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

2. List the names of certified DBEs and the dates on which they were solicited to bid on this project. Include the items of work offered and the dates and methods used for following up initial solicitations to determine with certainty whether the DBEs were interested. Attach copies of solicitations, telephone records, fax confirmations, etc.

Name of DBEs Solicited	Date of Initial Solicitation	Item(s) of Work	Follow Up Methods and Dates
Please see attached phone fax, and email logs.			

3. For each item of work made available, list the selected firm and its status as a DBE, the DBEs that provided quotes, the price quote for each firm, and the price difference for each DBE if the selected firm is not a DBE.

Item(s) of Work	Name of Selected Firm	DBE or non-DBE	Name of Rejected Firm	Quote (\$)	Price Difference (\$)
Please see attached form titled Attachment "D"					

If the firm selected for the item is not a DBE, provide the reasons for the selection on a separate sheet and attach names, addresses, and phone numbers for the firms listed above

Attachment D

Items of Work	Name of selected firm	dbe or non-dbe	Name of Rejected firm	Quote \$	Price Difference \$
AC Dike	APCO	Non DBE	AC Dike Company	\$ 3,230.00	\$ 570.00
Channelizers	Austin Enterprise	DBE	N/A	N/A	
Roadside Signs	Austin Enterprise	DBE	N/A	N/A	
SWPPP	ESWPPP Consultants	DBE	N/A	N/A	
Electrical	Flat Iron Electrical Group	Non DBE	None received	N/A	
Erosion Control	KCI Environmental	Non DBE	None received	N/A	
Alt. Crash Cushion	Our Valley Fence Company	DBE	N/A	N/A	
Remove MBGR	Our Valley Fence Company	DBE	N/A	N/A	
Cold Plane AC	Pavement Recycling Systems Inc	Non DBE	Lindy's Cold Planing	\$ 4,212.60	\$ 6,437.40
Const. Area Signs	Statewide Safety and Signs	Non DBE	Austin Enterprises	\$ 2,600.00	\$ 900.00
Temp Crash Cushions	Statewide Safety and Signs	Non DBE	None received	N/A	
Striping	Super Seal & Stripe	DBE	N/A	N/A	
QC/QA for HMA	Twining Inc	Non DBE	None received	N/A	
Sign Structure	Coral Construction	Non DBE	None received	N/A	
HMA Oil	E M Oil Transport	DBE	N/A	N/A	

4. List the names and dates of each publication in which a request for DBE participation for this project was placed by the bidder. Attach copies of published advertisements or proofs of publication:

Publications	Dates of Advertisement
DBE Goodfaith Inc.	5/2/13 thru bid date

5. List the names of agencies and the dates on which they were contacted to provide assistance in contacting, recruiting and using DBE firms. If the agencies were contacted in writing, provide copies of supporting documents.

Name of Agency	Date of Contact	Method of Contact	Results
DBE Goodfaith Inc.	5/2/13	Web Registration	Success Ad Placed

6. List efforts made to provide interested DBEs with adequate information about the plans, specifications, and requirements of the contract to assist them in responding to a solicitation. Identify the DBE assisted, the information provided, and the date of contact. Provide copies of supporting documents.
 Fax, phone calls, emails and advertisements listed and offered all DBE's requesting help the assistance they needed to obtain the necessary plans, specifications and requirements of the contract that would assist the DBE with providing a bid.

7. List efforts made to assist interested DBEs in obtaining bonding, lines of credit, insurance, necessary equipment, supplies, materials, or related assistance or services, excluding supplies and equipment the DBE subcontractor purchases or leases from the prime contractor or its affiliate. Identify the DBE assisted, the assistance offered, and the date. Provide copies of supporting documents.
 Fax, phone calls, emails and advertisements listed and offered all DBE's requesting help the assistance they needed to obtain the necessary equipment, supplies, materials or other services that would assist the DBE with providing a bid.

8. Include additional data to support a demonstration of good faith efforts.

NOTE: USE ADDITIONAL SHEETS OF PAPER IF NECESSARY.

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 654-8410 or TDD (916) 654-3880 or write Records and Forms Management, 1120 N Street, MS-88, Sacramento, CA 95814.

Ezell, Wendy

From: Jones, Samantha
Sent: Thursday, May 02, 2013 8:55 AM
To: Ezell, Wendy
Subject: FW: Your Order - DBEGoodFaith.com

From: orders@dbegoodfaith.com [mailto:orders@dbegoodfaith.com]
Sent: Thursday, May 02, 2013 8:56 AM
To: Jones, Samantha
Subject: Your Order - DBEGoodFaith.com

We have received your order. If you need to make a change to your order, have any questions, or require any other assistance, please contact us at (877) 802-3394 or support@dbegoodfaith.com.

A copy of your order can be found below.

Company Name	Griffith Company
Address	1128 Carrier Parkway Ave.
City	Bakersfield
State	California
Zip Code	93308
Phone	661-392-6640
Fax	661-393-9525
Certifications Sought - Separate by commas	DBE
Project Name	California Avenue Undercrossing
Agency Name	California Department of Transportation
Project City	Bakersfield
Project County	Kern
Project State	California
Bid/Contract No.	06-0L3904
Contract Bid Date	05/29/2013
Contract Bid Time	02:00 PM
Second Call Date - Only complete field if selecting a Gold Package	
Project Details	Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site

management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow (CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer (packet). Slow release or controlled release fertilizer. Plant (group H, A, B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler (type B-5, B-6, C-2). 3" gate valve. 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3" plastic pipe (schedule 40) (supply line). 2" WYE Strainer. 6" welded steel pipe conduit (.250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt (type A). Place hot mix asphalt dike (type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure (bridge mounted with walkway). Furnish laminated panel sign (1" type A), single sheet aluminum sign (0.06 3", 0.080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe, corrugated steel pipe (.079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection (no. 1, method b) (CY), fabric (class 8). Minor concrete (brushed concrete, textured paving, curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier (type 60). 4", 8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4" thermoplastic traffic stripe (broken 36-12, 17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

Project Terms	Subcontractor must sign Griffith Company subcontract with no changes. Subcontractor must be signatory to a union.
Project Estimator	Walt Weishaar
Project Coordinator	Samantha Jones
Project Coordinator Email	sjones@griffithcompany.net
Project Coordinator Extension	6647
Package Type	Gold
Number of Firms to Solicit	25
Upload Spreadsheet	

Thank you for choosing DBEGoodFaith.com!

Frank copy to Kent 5/22

INVITATION TO BID

Good Faith Solicitation Fax

From	Griffith Company	TO:TAYLOR DRILLING
CONTACT NAME	Samantha Jones	Phone Number :6619795537
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :6615883964
		Date :5/21/2013 8:50 AM
Phone	661-392-6840	
Fax	661-393-9525	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client Griffith Company

For additional information about minority participation projects, visit <http://www.dbegoodfaith.com>

Focus Ad

Griffith Company is Seeking Qualified DBE

BID DUE DATE :	05/29/2013 at 02:00 P.M
BID No :	08-0L3904
PROJECT NAME :	California Avenue Undercrossing
AGENCY NAME :	California Department of Transportation
PROJECT CITY/COUNTY :	Bakersfield
PROJECT STATE :	California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow (CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer (packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler (type B-5,B-6,C-2). 3" gate valve. 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3" plastic pipe (schedule 40)(supply line). 2" WYE Strainer. 6" welded steel pipe conduit (. 250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt (type A). Place hot mix asphalt dike (type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure (bridge mounted with walkway). Furnish laminated panel sign (1 type A), single sheet aluminum sign (0.063", 0.080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe, corrugated steel pipe (. 079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection (no. 1, method b)(CY), fabric (class 8). Minor concrete (brushed concrete, textured paving, curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier (type 80). 4", 8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4" thermoplastic traffic stripe (broken 36-12, 17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

Yes, we will send a fax quote by bid date.

No, we are not interested.

Interested. Would like more information. Please contact us at 661 979-5537

Fax Header Information

GRIFFITH COMPANY ~ Central
 661-393-9525
 21-May-2013 06:13 PM

Fax Job	Date/Time	Type	Identification	Duration	Pgs	Result
55840	21-May-2013 06:11 PM	Receive	6615883964	1:10	1	Success

May 21 13 06:33p S.D. Taylor Equipment Co. 6615883964 p.1
 To: Page 1 of 1 2013-05-21 15:51:03 (GMT) 1-610-751-0780 From: DBE Goodfaith

INVITATION TO BID
 Good Faith Solicitation Fax

From	Griffith Company	TO:TAYLOR DRILLING
CONTACT NAME	Sarahtha Jones	Phone Number :6619785537
ADDRESS	1128 Carter Parkway Ave. Bakersfield, California, 93308	Fax Number :6615883964
		Date :5/21/2013 8:50 AM
Phone	661-393-9540	
Fax	661-393-9525	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client Griffith Company
 For additional information about minority participation projects, visit <http://www.dbe-goodfaith.com>

Focus Ad

Griffith Company is Seeking Qualified DBE
 BID DUE DATE : 05/29/2013 at 02:00 P.M.
 BID No : 08-01380e
 PROJECT NAME : California Avenue Undercrossing
 AGENCY NAME : California Department of Transportation
 PROJECT CITY/COUNTY : Bakersfield
 PROJECT STATE : California

PROJECT DETAILS :
 Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan, Construction area signs, Traffic Control system, Channelizer (surface mounted), Portable changeable message sign (L.S), Temporary railing (type K), crash cushion module, Job site management, Prepare storm water pollution prevention plan, Job site management, Storm water annual report, Move in/move out (temporary erosion control), Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance, Street sweeping, Temporary concrete washout, fence (type ESA), Treated wood waste, Remove metal beam guard railing, Irrigation facility, thermoplastic pavement marking, roadside sign, Inlet, asphalt concrete surfacing, Rest roadside sign, Cold plane asphalt concrete pavement, Remove concrete (CY), Clearing and grubbing (L.S), Roadway excavation, Imported borrow (CY), Roadside clearing, Cultivate, Soil amendment, Muck, Fertilizer(bales), Slow release or controlled release fertilizer, Plant (group H.A.S), Maintain existing planted areas, Plant establishment work, Check and test existing irrigation facilities, Control and neutral conductions, 2" electric remote control valve, Sprinkler(type B-5,B-6,C-2), 3" gate valve, 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3" plastic pipe (schedule 40)(supply line), 2" WYE Strainer, 6" welded steel pipe conduit (.250" INOD), Class 2 aggregate base (CY), Replace asphalt concrete surfacing, Hot mix asphalt(type A), Place hot mix asphalt (type E), Tack coat, Minor concrete (minor structure, backfill), Furnish B install sign structure(bridge mounted with walkway), Furnish illuminated panel sign (1 Type A), single sheet aluminum sign(0, 08 3", D, 080 unframed), Roadside sign one & two post, 18" reinforced concrete pipe, corrugated steel pipe (.070 thick), steel lined and section, 8" precast concrete pipe manhole, Rock slope protection(no. 1, method b)(CY), fabric(class 8), Minor concrete (brushed concrete, textured gaving, curb and curb ramp), Miscellaneous iron and steel, Alternative crash cushion system, Concrete barrier(type80), 4", 6" thermoplastic traffic stripe, Thermoplastic pavement marking, 6" thermoplastic pavement marking, 6" thermoplastic traffic stripe (broken 38-12,17-7), Pavement marker (retroreflective), Maintaining existing traffic management system elements during construction, Electric service (irrigation), Traffic count station, Modify signal and lighting, Modify lighting and sign illumination, Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontractors must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (with out any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

Yes, we will send a fax quote by bid date.
 No, we are not interested.
 Interested. Would like more information. Please contact us at 661 979-5537

INVITATION TO BID

Good Faith Solicitation Fax

Gave to Kent Copy Attachment 5/22

From	Griffith Company	TO TRAFFIC ENFORCEMENT SOLUTIONS
CONTACT NAME	Samantha Jones	Phone Number :5593926050
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :5593234269
		Date :5/2/2013 2:52 PM
Phone	651-392-6640	
Fax	651-393-9525	

This is a Fair Solicitation for projects by DBE Goodfaith Inc. on behalf of our client Griffith Company
 For additional information about minority participation projects, visit <http://www.dbegoodfaith.com>

FOCUS AD

Griffith Company is Seeking Qualified DBE

BID DUE DATE : 05/26/2013 at 05:00 P.M.
 BID No : 05-GL3904
 PROJECT NAME : California Avenue Undercrossing
 AGENCY NAME : California Department of Transportation
 PROJECT CITY/COUNTY : Bakersfield
 PROJECT STATE : California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan Construction area signs Traffic Control system Channelizer (curb and mounted), Portable changeable message sign (LS), Temporary railing (type K), crash cushion module, Job site management, Prepare storm water pollution prevention plan, Job site management, Storm water annual report, Move in/move out (temporary erosion control) Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance Street sweeping Temporary concrete roadbed, forms (type F94) Treated wood curbs Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete curbsiding, Roadside sign, Cold plane asphalt concrete pavement, Remove concrete (CY), Clearing and grubbing (I S) Roadway excavation Imported borrow(CY) Roadside clearing Cultivate Soil amendment Mutch, Fertilizer(pellet), Slow release or controlled release fertilizer, Plant (group H,A,B), Maintain existing planted areas, Plant establishment work, Check and test existing irrigation facilities, Control and neutral conductions, 2" minimum mainline mainline sprinkler (type B, B, B, C, D) 1" minimum 1/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3" plastic pipe (schedule 40) supply line, 2" WYE Strainer, 6" welded steel pipe conduit (.250" thick), Class 2 aggregate base (CY), Replace asphalt concrete surfacing, Hot mix asphalt (type A), Place hot mix asphalt dike (type C), Tack coat, Minor concrete (minor structure, backfill), Furnish & install sign structure (bridge mounted with walkway), Furnish laminated panel sign (1" type A), single sheet aluminum sign (0.063", 0.080" unframed), Roadside sign one & two post, 18" reinforced concrete pipe, corrugated steel pipe (.079" thick), steel flared end section, 48" precast concrete pipe manhole, Rock slope protection (no. 1, method b) (CY), fabric (class 8), Minor concrete (brushed concrete, textured paving, curb and curb ramp), Miscellaneous iron and steel, Alternative crash cushion system, Concrete barrier (type 60), 4", 8" thermoplastic traffic stripes, Thermoplastic pavement marking, 4" thermoplastic pavement marking, 4" thermoplastic traffic stripe (broken 36-12, 17-7), Pavement marker (retro-reflective), Maintaining existing traffic management system elements during construction, Electric service (irrigation), Traffic count station, Modify signal and lighting, Modify lighting and sign illumination, Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 651-393-9525

Yes, we will send a fax quote by bid date. *Attached*

No, we are not interested.

Interested. Would like more information. Please contact us at _____

RX Date/Time

05/09/2013 13:39 1 510 751 0780

P.001

TO: Page 1 of 1

2013-05-02 21:37:28 (GMT)

1-510-751-0780 FROM: DBE 05092013

INVITATION TO BID**Good Faith Solicitation Fax**

From	Griffith Company	TO:ALERT-O-LITE, INC
CONTACT NAME	Samantha Jones	Phone Number :5592654660
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :5592654549
		Date :5/2/2013 2:34 PM
Phone	881-392-8640	
Fax	861-393-9525	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
Griffith Company

For additional information about minority participation projects,
visit <http://www.dbegoodfaith.com>

Focus Ad

Griffith Company is seeking Qualified DBE

BID DUE DATE : 05/29/2013 at 02:00 P.M

BID No : 06-013904

PROJECT NAME : California Avenue Undercrossing

AGENCY NAME : California Department of Transportation

PROJECT CITY/COUNTY : Bakersfield

PROJECT STATE : California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, sber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inst, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation, imported borrow(CY). Roadside clearing. Cultivate. Soil amendment. Muleh. Fertilizer(pack). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler(type B-5,B-6,C-2). 3" gate valve, 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3" plastic pipe (schedule 40)(supply line). 2" WYE Strainer. 8" welded steel pipe conduit (.260" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt(type A). Place hot mix asphalt dike(type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure(bridge mounted with walkway). Furnish laminated panel sign (1" type A), single sheet aluminum sign(D. D6 3", D. D60" unframed). Roadside sign one & two post. 18" reinforced concrete pipe, corrugated steel pipe (.079" thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection(no. 1, method b)(CY), fabric(class 5). Minor concrete (brushed concrete, textured paving, curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier(type 90). 4", 8" thermoplastic traffic strips. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4" thermoplastic traffic stripe (broken 36-12, 17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 881-393-9525

Yes, we will send a fax quote by bid date.

No, we are not interested.

Interested. Would like more information. Please contact us at _____

Made Copy gave to Kent

INVITATION TO BID

Good Faith Solicitation Fax

From

From
CONTACT NAME
ADDRESS

Griffith Company
Samantha Jones
1128 Carrier Parkway Ave.
Bakersfield, California, 93308

TO: J & M LAND RESTORATION, INC.
Phone Number : 6618727039
Fax Number : 6613998882
Date : 5/2/2013 3:04 PM

Phone : 661-392-6940
Fax : 661-393-9525

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client Griffith Company

For additional information about minority participation projects, visit <http://www.dbegoodfaith.com>

Focus Ad

Griffith Company is Seeking Qualified DBE

BID DUE DATE : 05/29/2013 at 02:00 P.M.
BID No : 06-0L3904
PROJECT NAME : California Avenue Undercrossing
AGENCY NAME : California Department of Transportation
PROJECT CITY/COUNTY : Bakersfield
PROJECT STATE : California

PROJECT DETAILS:

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (L5). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (L5). Roadway excavation. Imported borrow (CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer (packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler (type B-5, B-6, C-2). 3" gate valve. 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3" plastic pipe (schedule 40) (supply line). 2" WYE Strainer. 8" welded steel pipe conduit (.250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt (type A). Place hot mix asphalt dike (type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure (bridge mounted with walkway). Furnish laminated panel sign (1" type A), single sheet aluminum sign (0.083", 0.080" unframed). Roadside sign one & two post. 16" reinforced concrete pipe, corrugated steel pipe (.079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection (no. 1, method b) (CY), fabric (class 8). Minor concrete (brushed concrete, textured paving, curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier (type 80). 4", 8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4" thermoplastic traffic stripe (broken 35-12, 17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

Yes, we will send a fax quote by bid date.

No, we are not interested.

Interested. Would like more information. Please contact us at _____

*Made Copy
given to Kent*

INVITATION TO BID

Good Faith Solicitation Fax

From	Griffith Company	TO: MASKELL PIPE & SUPPLY INC
CONTACT NAME	Samantha Jones	Phone Number : 9095748662
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number : 9095748663
		Date : 5/2/2013 3:42 PM
Phone	661-392-6640	
Fax	661-393-9525	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client Griffith Company

For additional information about minority participation projects, visit <http://www.dbegoodfaith.com>

Focus Ad

Griffith Company is Seeking Qualified DBE

BID DUE DATE :	05/29/2013 at 02:00 P.M
BID No :	06-0L3904
PROJECT NAME :	California Avenue Undercrossing
AGENCY NAME :	California Department of Transportation
PROJECT CITY/COUNTY :	Bakersfield
PROJECT STATE :	California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow (CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer (packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler (type B-5, B-6, C-2). 3" gate valve. 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3" plastic pipe (schedule 40) (supply line). 2" WYE Strainer. 6" welded steel pipe conduit (.250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt (type A). Place hot mix asphalt dike (type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure (bridge mounted with walkway). Furnish laminated panel sign (1" type A), single wheel aluminum sign (0.063", 0.080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe, corrugated steel pipe (.079" thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection (no. 1, method b) (CY), fabric (class 6). Minor concrete (brushed concrete, textured paving, curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier (type 80). 4", 8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4" thermoplastic traffic stripe (broken 36-12, 17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (Irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

- Yes, we will send a fax quote by bid date.
- No, we are not interested.
- Interested. Would like more information. Please contact us at _____

Company Details

Company Name : Griffith Company
 Department : Administration
 Address : 1128 Carrier Parkway Ave.
 Suite # :
 City : Bakersfield
 State : California
 Zip : 93308
 Phone # : Tel : 661-392-6640
 Fax # : Fax : 661-393-9525
 Email # : sjones@GriffithCompany.net

Solicitation Transaction Log (STL)

Bid # : 06-0L3904
 Bid Date : 05/29/2013
 Bid Description : Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Cleaning and grubbing (LS). Roadway excavation. Imported borrow (CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer (packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler (type B-5, B-6, C-2). 3" gate valve. 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3" plastic pipe (schedule 40) (supply line). 2" WYE Strainer. 6" welded steel pipe conduit (.250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt (type A). Place hot mix asphalt dike (type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure (bridge mounted with walkway). Furnish laminated panel sign (1" type A), single sheet aluminum sign (0.063", 0.080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe, corrugated steel pipe (.079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection (no. 1, method b) (CY), fabric (class 8). Minor concrete (brushed concrete, textured paving, curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier (type 60). 4", 8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4" thermoplastic traffic stripe (broken 36-12, 17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during

construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

This document contains all information pertaining with solicitations made on behalf of/for Griffith Company of Bakersfield, California by DBE Goodfaith Inc. (a California-based Corporation).

These solicitations have been done in good faith. DBE Goodfaith has participated with Griffith Company in communicating with selected DBE firms.

DBE Goodfaith has contacted the California Department of Transportation (Office of Civil Rights) on 05/02/2013 on your behalf. Please write this information on the appropriate forms if required.

Advertisements published in DBE GoodFaith's Minority Focus and Trade Journals run from the publication date until the bid date listed on the advertisements.

Total Companies Solicited

The following information is a summary of the different types of Business that have been solicited by DBE Good Faith Inc. on behalf of Griffith Company

DVBE (Disadvantaged Veteran Business Enterprises)	- 0
DBE (Disadvantaged Business Enterprises)	- 50
UDBE (Underutilized Disadvantaged Business Enterprise)	- 0
MBE (Minority Owned Business Enterprises)	- 0
WBE (Women Owned Business Enterprises)	- 0
SBE (Small Business Enterprises)	- 0
Total	- 50

**Minority Focus Journal Ad posted to website
www.dbegoodfaith.net on 05/02/2013 at 11:56AM**

The advertisement published in DBE GoodFaith's Focus Journal runs from the publication date until the bid date listed on the advertisement.

Estimator
Walt Weishaar

Project Coordinator
Samantha Jones

Contact Information
1128 Carrier Parkway
Ave.
Bakersfield, California
93308
Tel : 661-392-6640
Fax : 661-393-9525

Griffith Company

is seeking qualified DBEs

Project Name
California Avenue Undercrossing

Awarding Agency
California Department of Transportation

Project Location
Bakersfield, Kern County, California

Bid Date & Time
05/29/2013 at 02:00 P.M

Bid/Contract #
06-0L3904

Project Details

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow (CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer (packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler (type B-5,B-6,C-2). 3" gate valve. 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3" plastic pipe (schedule 40) (supply line). 2" WYE Strainer. 6" welded steel pipe conduit (. 250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt (type A). Place hot mix asphalt dike (type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure (bridge mounted with walkway). Furnish laminated panel sign (1" type A), single sheet aluminum sign (0.063", 0.080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe, corrugated steel pipe (.079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection (no. 1, method b) (CY), fabric (class 8). Minor concrete (brushed concrete, textured paving, curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier (type 60). 4", 8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4" thermoplastic traffic stripe (broken 36-12, 17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (Irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts

must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

**Minority Trade Journal Ad posted to website
trade.dbegoodfaith.net on 05/02/2013 at 11:56AM**

The advertisement published in DBE GoodFaith's Trade Journal runs from the publication date until the bid date listed on the advertisement.

Trade Journal Ad

Griffith Company is Seeking Qualified

DBE

Bid Due Date : 05/29/2013 at 02:00 P.M Bid No : 06-0L3904

Contact Estimator : Walt Weishaar

Project Name : California Avenue Undercrossing
 Agency Name : California Department of Transportation
 Project City : Bakersfield
 Project County : Kern County
 Project State : California
 Project Details :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow (CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer (packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler (type B-5,B-6,C-2). 3" gate valve. 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3" plastic pipe (schedule 40)(supply line). 2" WYE Strainer. 6" welded steel pipe conduit (. 250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt (type A). Place hot mix asphalt dike (type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure (bridge mounted with walkway). Furnish laminated panel sign (1" type A), single sheet aluminum sign (0.06 3", 0.080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe, corrugated steel pipe (. 079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection (no. 1, method b)(CY), fabric (class 8). Minor concrete (brushed concrete, textured paving, curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier (type 60). 4", 8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4" thermoplastic traffic stripe (broken 36-12, 17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

Contact Details : Samantha Jones
 1128 Carrier Parkway Ave.
 Bakersfield, California 93308
 Tel : 661-392-6640
 Fax : 661-393-9525

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

Recipient List (Fax/Email)

Set No 1		Fax Date	Email Date	Log Page#
Company Name/Specialty				
ALERT-O-LITE, INC Address - 2379 S "G" STREET Phone - 5592654550, Fax - 5592654549, Email - debbieh@alertolite.com		05/02/2013	05/02/2013	
APEX UNIVERSAL, INC Address - 11033 FOREST PLACE Phone - 5629448878, Fax - 5629442298, Email - janet@apexmarker.com		05/02/2013	05/02/2013	
ARGUELLO CONCRETE CONSTRUCTION Address - 5753 N. MARIPOSA Phone - 5597793068, Fax - 5592619885, Email - arguelloconcrete@sbcglobal.net		05/02/2013	05/02/2013	
ASAP GENERAL ENGINEERING Address - 1747 BENEDETTO POINT Phone - 9512295952, Fax - 9519431692, Email - asapgeneng@aol.com		05/02/2013	05/02/2013	
AUSTIN ENTERPRISES Address - 13421 SNOWROAD Phone - 6615891001, Fax - 6615899509, Email - paustin@austin-enterprise.com		05/02/2013	05/02/2013	
CAL FRAN ENGINEERING, INC. Address - 990 ENCHANTED WAY., SUITE 106 Phone - 8055799173, Fax - 8055798211, Email - sharon@calfran.net		05/02/2013	05/02/2013	
CAL VALLEY CONSTRUCTION, INC. Address - 6275 W. BULLARD Phone - 5592740300, Fax - 5592740311, Email - shelleya@calvalleyconstruction.com		05/02/2013	05/02/2013	
CALI CONCRETE Address - 117 MUGSY AVENUE Phone - 6613988143, Fax - 6613981382, Email - gusto@calconcrete.com		05/02/2013	05/02/2013	
CALIFORNIA PROFESSIONAL ELECTRICAL ENGINEERING Address - 929 OTTERBEIN AVENUE, UNIT E Phone - 6268101338, Fax - 6268101322, Email - van@cpengineeringinc.com		05/02/2013	05/02/2013	
COASTAL GARDENS LANDSCAPE Address - 444 E. MARIPOSA ST Phone - 6268182847, Fax - 6267984425, Email - markcglandscape@aol.com		05/02/2013	05/02/2013	
CODE PRECAST PRODUCTS, INC Address - 1050 E. LOS ANGELES AVE Phone - 6617460466, Fax - 6617463716, Email - abran@codeprecast.com		05/02/2013	05/02/2013	
CONTECH CONCRETE TECHNIQUES, INC Address - 4687 E. CORTLAND AVENUE Phone - 5592518818, Fax - 5593518821, Email - contechg@gmail.com		05/02/2013	05/02/2013	
CT CONCRETE CUTTING INC. Address - 26341 JEFFERSON AVE. UNIT B Phone - 9516987745, Fax - 9516980795, Email - ctandco@verizon.net		05/02/2013	05/02/2013	
D L CONSTRUCTION Address - 5460 W RAMONA Phone - 5592758339, Fax - 5592741579, Email - dlconstruction@hotmail.com		05/02/2013	05/02/2013	
DEANA'S EQUIPMENT RENTAL COMPANY Address - 6720 W. SYCAMORE LANE, Phone - 8057327575, Fax - 6619485588, Email - jagchic@aol.com		05/02/2013	05/02/2013	
E5, INC. Address - 11358 KNOTTS STREET Phone - 7143733800, Fax - 7143733828, Email - srwalters@e5.com		05/02/2013	05/02/2013	
EDISON CONSTRUCTION, INC. Address - 260 FAIRFAX ROAD Phone - 6613666311, Fax - 6613660204, Email - eci@lightspeed.net		05/02/2013	05/02/2013	
FALCON BUILDERS & DEVELOPERS INC Address - 5070 N. SIXTH STREET, SUITE 185 Phone - 5592261994, Fax - 5592261877, Email - johnf@falconbuildersanddevelopers.com		05/02/2013	05/02/2013	
FORCE TRAFFIC CONTROL, INC. Address - 1478-B NORTH BELMONT RD Phone - 5595941062, Fax - 5595941056, Email - forcetraffic@earthlink.net		05/02/2013	05/02/2013	

FRESNO CONCRETE CONSTRUCTION, INC. Address - 5450 S VLLA AVE Phone - 5598342031, Fax - 5598342064, Email - fresnoconcreteconst@yahoo.com	05/02/2013	05/02/2013
FRESNO LANDSCAPING, INC. Address - 1243 N. BACKER AVENUE Phone - 5592682600, Fax - 5592642640, Email - LMartinez@fresnoLandscape.net	05/02/2013	05/02/2013
HARD HAT SWEEPING INC Address - 13328 HADLEY STREETS Phone - 5622987956, Fax - 5629458399, Email - hardhatsweeping@gmail.com	05/02/2013	05/02/2013
J & M LAND RESTORATION, INC. Address - 1640 JAMES ROAD Phone - 6618727039, Fax - 6613998882, Email - jmiland2@aol.com	05/02/2013	05/02/2013
K R C SAFETY CO. INC. Address - 6064 WEST HURLEY Phone - 5597320393, Fax - 5597322684, Email - garyc@krksafety.com	05/02/2013	05/02/2013
KAYLEN ENGINEERING, INC. Address - 22140 FRONTIER ROAD Phone - 5592992899, Fax - 5593228204, Email - karen@imaginationmetals.com	05/02/2013	05/02/2013
KHALSA CONSTRUCTION Address - 7460 E. FLORAL Phone - 6617783216 , Fax - 0000000000, Email - amandip.gill@gmail.com	05/02/2013	05/02/2013
LASAR UNDERGROUND CONSTRUCTION Address - 2565 N. SUNNYSIDE Phone - 5592911024 , Fax - 5592910624 , Email - lorig@sbcglobal.net	05/02/2013	05/02/2013
LINDY'S COLD PLANING Address - 625 S. MOUNTAIN VIEW Phone - 7147208289, Fax - 5626972039, Email - wegrindasphalt@aol.com	05/02/2013	05/02/2013
M. S. LEE ENTERPRISES Address - 1908 COVENTRY Phone - 5592174851, Fax - 5593250760, Email - monslee@yahoo.com	05/02/2013	05/02/2013
MASKELL PIPE & SUPPLY INC Address - 6604 COTTONWOOD AVE Phone - 9095748662, Fax - 9095748663, Email - salmab@makellpipe.com	05/02/2013	05/02/2013
MASS X INC. Address - 55 SHAW AVENUE #105 Phone - 5594723274 , Fax - 5594723275 , Email - massx6@hotmail.com	05/02/2013	05/02/2013
MATTOS UNDERGROUND CONSTRUCTION, INC. Address - 819 E. WOOD Phone - 5599234615, Fax - 5599234651, Email - nanmattos@yahoo.com	05/02/2013	05/02/2013
MOJAM INCORPORATED Address - 9349 E. AVENUE S Phone - 6615267121, Fax - 6617942505, Email - mojam@roadrunner.com	05/02/2013	05/02/2013
NAVARRO ORNAMENTAL DESIGNS Address - 6636 W. BARSTOW AVENUE Phone - 5592751726, Fax - 5592751726, Email - navormdes1@aol.com	05/02/2013	05/02/2013
NISH-KO INC. Address - 713 NORTH VALENTINE AVE Phone - 5592756653, Fax - 5592765753, Email - nish-koinc@comcast.net	05/02/2013	05/02/2013
NUNO IRON & MFG, INC Address - 315 BITTERWATER RD. Phone - 8313860513, Fax - 8313869976, Email - JR@nunoiron.com	05/02/2013	05/02/2013
ORTIZ ASPHALT PAVING, INC Address - 382 EAST ORANGE SHOW ROAD Phone - 9093861200, Fax - 9093861288, Email - bruceortiz@aol.com	05/02/2013	05/02/2013
R & C CONSTRUCTION Address - 5069 E. HAMMOND Phone - 5592555655, Fax - 5592555600, Email - randcconstruction@sbcglobal.net	05/02/2013	05/02/2013
RAM CONSTRUCTION & CONCRETE, INC. Address - 6914 DOWNING AVE., SUITE A Phone - 6615894726, Fax - 6615894725, Email - rambakersfield@yahoo.com	05/02/2013	05/02/2013
RUDY'S LANDSCAPE & IRRIGATION DESIGN Address - 607 VINELAND	05/02/2013	No Mail

Phone - 6613253596, Fax - 6613227854, Email -	
SERNA CONSTRUCTION, INC. Address - 5019 E NEVADA AVE Phone - 5593042197, Fax - 5594785213, Email - sernaconstruction@sbcglobal.net	05/02/2013 05/02/2013
SOTO FENCE COMPANY Address - 3151 W. DAKOTA AVE Phone - 5592301444 , Fax - 0000000000, Email - info@sotofence.com	05/02/2013 05/02/2013
SOUZA CONSTRUCTION Address - 586 S. FARMERSVILLE BLVD Phone - 5597477100, Fax - 5597477101, Email - msouza61@aol.com	05/02/2013 05/02/2013
STRIVE CONCRETE CUTTING, INC Address - 13501 S. MALENA DRIVE Phone - 7146699860, Fax - 7146699864, Email - vchavez@sbcglobal.net	05/02/2013 05/02/2013
TAYLOR DRILLING Address - 254 NORD AVE Phone - 6619795537, Fax - 6615883964, Email - jtaylor514@earthlink.net	05/02/2013 05/02/2013
TRAFFIC ENFORCEMENT SOLUTIONS Address - 213 WARWICK Phone - 5593926050, Fax - 5593234269, Email - trafficenforcementsolutions@gmail.com	05/02/2013 05/02/2013
TULLY CONSULTING GROUP Address - 580 WEGAND WAY Phone - 7076931926 , Fax - 7074710318 , Email - robin@tullygroup.com	05/02/2013 05/02/2013
U.S. CONCRETE CONSTRUCTION, INC Address - 30634 HASLEY CYN. ROAD Phone - 6612593522, Fax - 6617991038, Email - les@us-concrete.net	05/02/2013 05/02/2013
V A P CONSTRUCTION INC Address - 16425 ILLUSION WAY Phone - 7142533270, Fax - 7145519420, Email - vapconstructioninc@gmail.com	05/02/2013 05/02/2013
VELIS ENGINEERING, INC Address - 1929 INDUSTRIAL WAY Phone - 5598760029, Fax - 5598763300, Email - cbenites@verizon.net	05/02/2013 05/02/2013

Recipients Phone Log 1 Set 1 Date: 05/21/2013

Company Details	Spoke to	Date/Time	Y/M/N
ALERT-O-LITE, INC No, not bidding. Not interested in this project.	Ken	05/21/2013 10:48 A.M	N
APEX UNIVERSAL, INC No, not bidding. Not interested in this project.	Receptionist	05/21/2013 10:50 A.M	N
ARGUELLO CONCRETE CONSTRUCTION May be interested, left a voicemail with all the project details.	Voicemail	05/21/2013 10:50 A.M	M
ASAP GENERAL ENGINEERING No, not bidding. Not interested in this project.	Estimator	05/21/2013 10:51 A.M	N
AUSTIN ENTERPRISES Yes, will be bidding. They will fax a quote before bid date.	Kelly	05/21/2013 10:47 A.M	Y
CAL FRAN ENGINEERING, INC. No, not bidding. Not interested in this project.	Estimator	05/21/2013 10:52 A.M	N
CAL VALLEY CONSTRUCTION, INC. No, not bidding. Not interested in this project.	Receptionist	05/21/2013 10:54 A.M	N
CALI CONCRETE No, not bidding. Not interested in this project.	Receptionist	05/21/2013 10:54 A.M	N
CALIFORNIA PROFESSIONAL ELECTRICAL ENGINEERING No, not bidding. Not interested in this project.	Receptionist	05/21/2013 10:56 A.M	N
COASTAL GARDENS LANDSCAPE No, not bidding. Not interested in this project.	Receptionist	05/21/2013 10:58 A.M	N
CODE PRECAST PRODUCTS, INC No, not bidding. Not interested in this project.	Ave	05/21/2013 10:58 A.M	N
CONTECH CONCRETE TECHNIQUES, INC May be interested, left a voicemail with all the project details.	Voicemail	05/21/2013 11:00 A.M	M
CT CONCRETE CUTTING INC. No, not bidding. Not interested in this project.	Estimator	05/21/2013 11:01 A.M	N
D L CONSTRUCTION Disconnected, line was disconnected.	Disconnected	05/21/2013 11:05 A.M	M
DEANA'S EQUIPMENT RENTAL COMPANY Yes, will bid. Will fax a quote before bid date.	Deana	05/21/2013 11:05 A.M	Y
E5, INC. No, not bidding. Not interested in this project.	Receptionist	05/21/2013 11:06 A.M	N
EDISON CONSTRUCTION, INC. No, not bidding. Not interested in this project.	Receptionist	05/21/2013 11:07 A.M	N
FALCON BUILDERS & DEVELOPERS INC No, not bidding. Not interested in this project.	Receptionist	05/21/2013 11:09 A.M	N
FORCE TRAFFIC CONTROL, INC. No, not bidding. Not interested in this project.	Bill	05/21/2013 11:09 A.M	N

FRESNO CONCRETE CONSTRUCTION, INC. No, not bidding. Not interested in this project.	Estimator	05/21/2013 11:12 A.M	N
FRESNO LANDSCAPING, INC. May be interested, left a voicemail with all the project details.	Voicemail	05/21/2013 11:12 A.M	M
HARD HAT SWEEPING INC May be interested, however, we were unable to leave a message. No answer.	No answer	05/21/2013 11:14 A.M	M
J & M LAND RESTORATION, INC. No, not bidding. Not interested in this project.	Receptionist	05/21/2013 11:24 A.M	N
K R C SAFETY CO. INC. May be interested, not sure at this time. They will fax a quote before bid date if interested.	Claudia	05/21/2013 11:25 A.M	M
KAYLEN ENGINEERING, INC. May be interested, left a voicemail with all the project details.	Voicemail	05/21/2013 11:25 A.M	M
KHALSA CONSTRUCTION No, not bidding. Not interested in this project.	Receptionist	05/21/2013 11:31 A.M	N
LASAR UNDERGROUND CONSTRUCTION No, not bidding. Not interested in this project.	Receptionist	05/21/2013 11:38 A.M	N
LINDY'S COLD PLANING May be interested, left a voicemail with all the project details.	Voicemail	05/21/2013 11:42 A.M	M
M. S. LEE ENTERPRISES May be interested, left a voicemail with all the project details.	Voicemail	05/21/2013 11:50 A.M	M
MASKELL PIPE & SUPPLY INC May be interested, left a voicemail with all the project details.	Voicemail	05/21/2013 11:51 A.M	M
MASS X INC. May be interested, left a voicemail with all the project details.	Voicemail	05/21/2013 11:51 A.M	M
MATTOS UNDERGROUND CONSTRUCTION, INC. May be interested, left a voicemail with all the project details.	Voicemail	05/21/2013 11:51 A.M	M
MOJAM INCORPORATED May be interested, left a voicemail with all the project details.	Voicemail	05/21/2013 11:53 A.M	M
NAVARRO ORNAMENTAL DESIGNS May be interested, left a voicemail with all the project details.	Voicemail	05/21/2013 11:54 A.M	M
NISH-KO INC. No, not bidding. Not interested in this project.	Estimator	05/21/2013 11:57 A.M	N
NUNO IRON & MFG, INC No, not bidding. Not interested in this project.	Receptionist	05/21/2013 11:57 A.M	N
ORTIZ ASPHALT PAVING, INC May be interested, however, we were unable to leave a message. No answer.	Not available	05/21/2013 11:58 A.M	M
R & C CONSTRUCTION No, not bidding. Not interested in this project.	Estimator	05/21/2013 11:58 A.M	N
RAM CONSTRUCTION & CONCRETE, INC. Disconnected, line was disconnected.	Disconnected	05/21/2013 11:59 A.M	M
RUDY'S LANDSCAPE & IRRIGATION DESIGN may be interested, however, we were unable to leave a message. Voicemail was full.	Voicemail full	05/21/2013 11:59 A.M	M

SERNA CONSTRUCTION, INC. May be interested, left a voicemail with all the project details.	Voicemail	05/21/2013 08:51 A.M	M
SOTO FENCE COMPANY May be interested, left a voicemail with all the project details.	Voicemail	05/21/2013 08:53 A.M	M
SOUZA CONSTRUCTION No, not interested in bidding on this project.	Receptionist	05/21/2013 08:54 A.M	N
STRIVE CONCRETE CUTTING, INC May be interested, left a voicemail with all the project details.	Voicemail	05/21/2013 08:56 A.M	M
TAYLOR DRILLING May be interested, resent fax upon request.	Receptionist	05/21/2013 08:50 A.M	M
TRAFFIC ENFORCEMENT SOLUTIONS May be interested, left a voicemail with all the project details.	Voicemail	05/21/2013 08:44 A.M	M
TULLY CONSULTING GROUP May be interested, left a voicemail with all the project details.	Voicemail	05/21/2013 08:45 A.M	M
U.S. CONCRETE CONSTRUCTION, INC No, not interested in bidding on this project.	Receptionist	05/21/2013 08:46 A.M	N
V A P CONSTRUCTION INC May be interested, left a voicemail with all the project details.	Voicemail	05/21/2013 08:47 A.M	M
VELIS ENGINEERING, INC No, not interested in bidding on this project.	Estimator	05/21/2013 08:48 A.M	N

Recipients Phone Log 2 set 1 Date: 05/23/2013

559 779 3068

559 251 8818

Company Details	Spoke to	Date/Time	Y/M/N
ARGUELLO CONCRETE CONSTRUCTION <i>5/29/13 6:56am L.M. J. Lewis</i> May be interested, left a voicemail with all the project details.	Voicemail	05/23/2013 11:14 A.M	M
AUSTIN ENTERPRISES Yes, will be bidding. They will fax a quote before bid date.	Dave	05/23/2013 11:15 A.M	Y
CONTECH CONCRETE TECHNIQUES, INC <i>5/29/13 7:00am L.M.</i> May be interested, left a voicemail with all the project details.	Voicemail	05/23/2013 11:19 A.M	M
D.L. CONSTRUCTION Disconnected, called a second time to ensure number was dialed correctly. In fact, line is disconnected.	Disconnected	05/23/2013 11:20 A.M	N
DEANA'S EQUIPMENT RENTAL COMPANY <i>5/29/13 7:02am L.M. Spoke to Deana</i> May be interested, not sure if they will bid. They will fax a quote before bid date if interested.	Deana	05/23/2013 11:20 A.M	<i>M N</i>
FRESNO LANDSCAPING, INC. No, not bidding. Not interested in this project.	Receptionist	05/23/2013 11:25 A.M	N
HARD HAT SWEEPING INC <i>5/29/13 7:04am L.M.</i> May be interested, however, we were unable to leave a message. Number can not be reached.	Not available	05/23/2013 11:26 A.M	M
K R C SAFETY CO. INC. Yes, will be bidding. They will fax a quote before bid date.	Sherry	05/23/2013 11:28 A.M	Y
KAYLEN ENGINEERING, INC. <i>5/29/13 7:06am L.M.</i> May be interested, left a voicemail with all the project details.	Voicemail	05/23/2013 11:28 A.M	M
LINDY'S COLD PLANING <i>5/29/13 7:09am L.M.</i> May be interested, not sure if they will bid. They will fax a quote before bid date if interested.	Marie	05/23/2013 11:29 A.M	M
M. S. LEE ENTERPRISES <i>5/29/13 7:11 am L.M.</i> May be interested, left a voicemail with all the project details.	Voicemail	05/23/2013 11:37 A.M	M
MASKELL PIPE & SUPPLY INC Yes, will be bidding. They will fax a quote before bid date.	Alex	05/23/2013 11:37 A.M	Y
MASS X INC. No, not bidding. Not interested in this project.	Estimator	05/23/2013 11:38 A.M	N
MATTOS UNDERGROUND CONSTRUCTION, INC. <i>5/29/13 7:12am L.M.</i> May be interested, left a voicemail with all the project details.	Voicemail	05/23/2013 11:44 A.M	M
MOJAM INCORPORATED No, not bidding. Not interested in this project.	Receptionist	05/23/2013 11:45 A.M	N
NAVARRO ORNAMENTAL DESIGNS <i>5/29/13 7:14am L.M.</i> May be interested, left a voicemail with all the project details.	Voicemail	05/23/2013 11:45 A.M	M
ORTIZ ASPHALT PAVING, INC May be interested, however, we were unable to leave a message. Number can not be reached.	Not available	05/23/2013 11:46 A.M	M
RAM CONSTRUCTION & CONCRETE, INC. Disconnected, called a second time to ensure number was dialed correctly. In fact, line is disconnected.	Disconnected	05/23/2013 11:46 A.M	N
RUDY'S LANDSCAPE & IRRIGATION DESIGN <i>5/29/13 7:16am Spoke to Rudy</i> May be interested, not sure if they will bid. They will fax a quote before bid date if interested.	Rudy	05/23/2013 11:48 A.M	<i>M N</i>

SERNA CONSTRUCTION, INC. 5/29/13 7:18 AM Voicemail full May be interested, however, we were unable to leave a message. Voicemail was full	Voicemail full	05/23/2013 11:50 A.M	M
SOTO FENCE COMPANY 5/29/13 7:21 AM Spoke to Erasmo May be interested, left a voicemail with all the project details.	Voicemail	05/23/2013 11:53 A.M	MY
STRIVE CONCRETE CUTTING, INC No, not bidding. Not interested in this project.	Receptionist	05/23/2013 11:54 A.M	N
TAYLOR DRILLING 5/29/13 7:22 AM L.M. May be interested, left a voicemail with all the project details.	Voicemail	05/23/2013 11:55 A.M	M
TRAFFIC ENFORCEMENT SOLUTIONS 5/29/13 7:24 AM L.M. May be interested, left a voicemail with all the project details.	Voicemail	05/23/2013 11:56 A.M	M
TULLY CONSULTING GROUP 5/29/13 7:26 AM L.M. May be interested, left a message with their answering service.	Answering service	05/23/2013 11:57 A.M	M
V A P CONSTRUCTION INC 5/29/13 7:28 AM L.M. May be interested, left a voicemail with all the project details.	Voicemail	05/23/2013 11:58 A.M	M

DBE Goodfaith Inc. Fax Confirmation Report for Griffith Company Bid Number:06-0L3904

No.	Company Name	Type	Ph. Number	Fax Number	Status	Date/Time
1	ALERT-O-LITE, INC	DBE	5592654550	5592654549	Success	05/02/2013 14:39
2	APEX UNIVERSAL, INC	DBE	5629448878	5629442298	Success	05/02/2013 14:34
3	ARGUELLO CONCRETE CONSTRUCTION	DBE	5597793068	5592619885	Success	05/02/2013 14:31
4	ASAP GENERAL ENGINEERING	DBE	9512295952	9519431692	Failed	05/02/2013 14:38
5	AUSTIN ENTERPRISES	DBE	6615891001	6615899509	Success	05/02/2013 15:11
6	CAL FRAN ENGINEERING, INC.	DBE	8055799173	8055798211	Success	05/02/2013 15:02
7	CAL VALLEY CONSTRUCTION, INC.	DBE	5592740300	5592740311	Success	05/02/2013 14:59
8	CALI CONCRETE	DBE	6613986143	6613981382	Success	05/02/2013 15:05
9	CALIFORNIA PROFESSIONAL ELECTRICAL ENGINEERING	DBE	6268101338	6268101322	Success	05/02/2013 14:55
10	COASTAL GARDENS LANDSCAPE	DBE	6268182847	6267984425	Success	05/02/2013 14:46
11	CODE PRECAST PRODUCTS, INC	DBE	6617460466	6617463716	Success	05/02/2013 15:42
12	CONTECH CONCRETE TECHNIQUES, INC	DBE	5592518818	5593518821	Failed	05/02/2013 15:47
13	CT CONCRETE CUTTING INC.	DBE	9516987745	9516980795	Success	05/02/2013 15:17
14	D L CONSTRUCTION	DBE	5592758339	5592741579	Failed	05/02/2013 15:49
15	DEANA'S EQUIPMENT RENTAL COMPANY	DBE	8057327575	6619485588	Success	05/02/2013 15:35
16	E5, INC.	DBE	7143733800	7143733828	Success	05/02/2013 15:13
17	EDISON CONSTRUCTION, INC.	DBE	6613666311	6613660204	Success	05/02/2013 15:34
18	FALCON BUILDERS & DEVELOPERS INC	DBE	5592261994	5592261877	Success	05/02/2013 15:31
19	FORCE TRAFFIC CONTROL, INC.	DBE	5595941062	5595941056	Success	05/02/2013 15:57
20	FRESNO CONCRETE CONSTRUCTION, INC.	DBE	5598342031	5598342064	Success	05/02/2013 15:30

No.	Company Name	Type	Ph. Number	Fax Number	Status	Date/Time
21	FRESNO LANDSCAPING, INC.	DBE	5592682600	5592642640	Success	05/02/2013 14:43
22	HARD HAT SWEEPING INC	DBE	5622987956	5629458399	Success	05/02/2013 14:48
23	J & M LAND RESTORATION, INC.	DBE	6618727039	6613998882	Success	05/02/2013 15:06
24	K R C SAFETY CO. INC.	DBE	5597320393	5597322684	Success	05/02/2013 15:28
25	KAYLEN ENGINEERING, INC.	DBE	5592992899	5593228204	Success	05/02/2013 14:26
26	KHALSA CONSTRUCTION	DBE	6617783216	0000000000	Failed	05/02/2013 14:47
27	LASAR UNDERGROUND CONSTRUCTION	DBE	5592911024	5592910624	Success	05/02/2013 14:24
28	LINDY'S COLD PLANING	DBE	7147208289	5626972039	Success	05/02/2013 15:55
29	M. S. LEE ENTERPRISES	DBE	5592174851	5593250760	Success	05/02/2013 15:53
30	MASKELL PIPE & SUPPLY INC	DBE	9095748662	9095748663	Success	05/02/2013 15:43
31	MASS X INC.	DBE	5594723274	5594723275	Success	05/02/2013 15:52
32	MATTOS UNDERGROUND CONSTRUCTION, INC.	DBE	5599234615	5599234651	Success	05/02/2013 15:50
33	MOJAM INCORPORATED	DBE	6615267121	6617942505	Success	05/02/2013 15:48
34	NAVARRO ORNAMENTAL DESIGNS	DBE	5592751726	5592751726	Success	05/02/2013 15:46
35	NISH-KO INC.	DBE	5592756653	5592765753	Success	05/02/2013 14:42
36	NUNO IRON & MFG, INC	DBE	8313860513	8313869976	Success	05/02/2013 15:25
37	ORTIZ ASPHALT PAVING, INC	DBE	9093861200	9093861288	Failed	05/02/2013 15:14
38	R & C CONSTRUCTION	DBE	5592555655	5592555600	Success	05/02/2013 15:24
39	RAM CONSTRUCTION & CONCRETE, INC.	DBE	6615894726	6615894725	Failed	05/02/2013 15:37
40	RUDY'S LANDSCAPE & IRRIGATION DESIGN	DBE	6613253596	6613227854	Failed	05/02/2013 14:55

No.	Company Name	Type	Ph. Number	Fax Number	Status	Date/Time
41	SERNA CONSTRUCTION, INC.	DBE	5593042197	5594785213	Success	05/02/2013 15:19
42	SOTO FENCE COMPANY	DBE	5592301444	0000000000	Failed	05/02/2013 15:21
43	SOUZA CONSTRUCTION	DBE	5597477100	5597477101	Success	05/02/2013 15:10
44	STRIVE CONCRETE CUTTING, INC	DBE	7146699860	7146699864	Success	05/02/2013 15:16
45	TAYLOR DRILLING	DBE	6619795537	6615883964	Success	05/02/2013 14:21
46	TRAFFIC ENFORCEMENT SOLUTIONS	DBE	5593926050	5593234269	Success	05/02/2013 14:53
47	TULLY CONSULTING GROUP	DBE	7076931926	7074710318	Success	05/02/2013 14:27
48	U.S. CONCRETE CONSTRUCTION, INC	DBE	6612593522	6617991038	Success	05/02/2013 14:52
49	V A P CONSTRUCTION INC	DBE	7142533270	7145519420	Success	05/02/2013 14:53
50	VELIS ENGINEERING, INC	DBE	5598760029	5598763300	Success	05/02/2013 14:19

INVITATION TO BID

Good Faith Solicitation Fax

From	Griffith Company	TO:VELIS ENGINEERING, INC
CONTACT NAME	Samantha Jones	Phone Number :5598760029
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :5598763300
		Date :05/02/2013 2:19PM
Phone	661-392-6640	
Fax	661-393-9525	

This is a Fax solicitation for projects by DBE Goodfaith inc. on behalf of our client Griffith Company

For additional information about minority participation projects, visit <http://www.dbegoodfaith.com>

Focus Ad

Griffith Company is Seeking Qualified DBE

BID DUE DATE : 05/29/2013 at 02:00 P.M.
 BID No : 06-0L3904
 PROJECT NAME : California Avenue Undercrossing
 AGENCY NAME : California Department of Transportation
 PROJECT CITY/COUNTY : Bakersfield
 PROJECT STATE : California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow(CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer(packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler(type B-5,B-6,C-2). 3" gate valve. 3/4",1",1 1/4",1 1/2",2",2 1/2",3" piastic pipe (schedule 40)(supply line). 2" WYE Strainer. 6" welded steel pipe conduit (. 250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt(type A). Place hot mix asphalt dike(type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure(bridge mounted with walkway). Furnish laminated panel sign (1"type A),single sheet aluminum sign(0. 06 3", 0. 080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe,corrugated steel pipe (. 079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection(no. 1,method b)(CY),fabric(class 8). Minor concrete (brushed concrete,textured paving,curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier(type60). 4",8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4"thermoplastic traffic stripe (broken 36-12,17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic court station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

- Yes, we will send a fax quote by bid date.
- No, we are not interested.
- Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	Griffith Company	TO:TAYLOR DRILLING
CONTACT NAME	Samantha Jones	Phone Number :6619795537
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :6615883964
		Date :05/02/2013 2:21PM
Phone	661-392-6640	
Fax	661-393-9525	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client Griffith Company

For additional information about minority participation projects, visit <http://www.dbegoodfaith.com>

Focus Ad

Griffith Company is Seeking Qualified DBE

BID DUE DATE : 05/29/2013 at 02:00 P.M
 BID No : 06-0L3904
 PROJECT NAME : California Avenue Undercrossing
 AGENCY NAME : California Department of Transportation
 PROJECT CITY/COUNTY : Bakersfield
 PROJECT STATE : California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. imported borrow(CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer(packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler(type B-5,B-6,C-2). 3" gate valve. 3/4",1",1 1/4",1 1/2",2",2 1/2",3" plastic pipe (schedule 40)(supply line). 2" WYE Strainer. 6" welded steel pipe conduit (. 250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt(type A). Place hot mix asphalt dike(type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure(bridge mounted with walkway). Furnish laminated panel sign (1" type A), single sheet aluminum sign(0. 06 3", 0. 080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe, corrugated steel pipe (. 079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection(no. 1, method b)(CY), fabric(class 8). Minor concrete (brushed concrete, textured paving, curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier(type60). 4",8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4" thermoplastic traffic stripe (broken 36-12,17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

- Yes, we will send a fax quote by bid date.
- No, we are not interested.
- Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	Griffith Company	TO: LASAR UNDERGROUND CONSTRUCTION
CONTACT NAME	Samantha Jones	Phone Number :5592911024
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :5592910624 Date :05/02/2013 2:24PM
Phone	661-392-6640	
Fax	661-393-9525	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client Griffith Company
For additional information about minority participation projects, visit <http://www.dbegoodfaith.com>

Focus Ad

Griffith Company is Seeking Qualified DBE

BID DUE DATE : 05/29/2013 at 02:00 P.M
 BID No : 06-0L3904
 PROJECT NAME : California Avenue Undercrossing
 AGENCY NAME : California Department of Transportation
 PROJECT CITY/COUNTY : Bakersfield
 PROJECT STATE : California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow(CY). Roadside cleaning. Cultivate. Soil amendment. Mulch. Fertilizer(packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler(type B-5,B-6,C-2). 3" gate valve. 3/4",1",1 1/4",1 1/2",2",2 1/2",3" plastic pipe (schedule 40)(supply line). 2" WYE Strainer. 6" welded steel pipe conduit (.250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt(type A). Place hot mix asphalt dike(type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure(bridge mounted with walkway). Furnish laminated panel sign (1"type A),single sheet aluminum sign(0.063", 0.080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe,corrugated steel pipe (.079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection(no. 1,method b)(CY),fabric(class 8). Minor concrete (brushed concrete,textured paving,curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier(type60). 4",8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4"thermoplastic traffic stripe (broken 36-12,17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

- Yes, we will send a fax quote by bid date.
- No, we are not interested.
- Interested. Would like more information. Please contact us at _____.

INVITATION TO BID**Good Faith Solicitation Fax**

From	Griffith Company	TO:KAYLEN ENGINEERING, INC.
CONTACT NAME	Samantha Jones	Phone Number :5592992899
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :5593228204 Date :05/02/2013 2:26PM
Phone	661-392-6640	
Fax	661-393-9525	

**This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
Griffith Company**

**For additional information about minority participation projects,
visit <http://www.dbegoodfaith.com>**

Focus Ad**Griffith Company is Seeking Qualified DBE**

BID DUE DATE :	05/29/2013 at 02:00 P.M
BID No :	06-0L3904
PROJECT NAME :	California Avenue Undercrossing
AGENCY NAME :	California Department of Transportation
PROJECT CITY/COUNTY :	Bakersfield
PROJECT STATE :	California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow (CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer (packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler (type B-5, B-6, C-2). 3" gate valve. 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3" plastic pipe (schedule 40) (supply line). 2" WYE Strainer. 6" welded steel pipe conduit (. 250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt (type A). Place hot mix asphalt dike (type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure (bridge mounted with walkway). Furnish laminated panel sign (1" type A), single sheet aluminum sign (0.063", 0.080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe, corrugated steel pipe (. 079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection (no. 1, method b) (CY), fabric (class 8). Minor concrete (brushed concrete, textured paving, curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier (type 60). 4", 8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4" thermoplastic traffic stripe (broken 36-12, 17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

Yes, we will send a fax quote by bid date.

No, we are not interested.

Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	Griffith Company	TO:TULLY CONSULTING GROUP
CONTACT NAME	Samantha Jones	Phone Number :7076931926
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :7074710318
		Date :05/02/2013 2:27PM
Phone	661-392-6640	
Fax	661-393-9525	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client Griffith Company

For additional information about minority participation projects, visit <http://www.dbegoodfaith.com>

Focus Ad

Griffith Company is Seeking Qualified DBE

BID DUE DATE : 05/29/2013 at 02:00 P.M
 BID No : 06-0L3904
 PROJECT NAME : California Avenue Undercrossing
 AGENCY NAME : California Department of Transportation
 PROJECT CITY/COUNTY : Bakersfield
 PROJECT STATE : California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow(CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer(packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler(type B-5,B-6,C-2). 3" gate valve. 3/4",1",1 1/4",1 1/2",2",2 1/2",3" plastic pipe (schedule 40)(supply line). 2" WYE Strainer. 6" welded steel pipe conduit (. 250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt(type A). Place hot mix asphalt dike(type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure(bridge mounted with walkway). Furnish laminated panel sign (1" type A),single sheet aluminum sign(0. 06 3", 0. 080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe, corrugated steel pipe (. 079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection(no. 1, method b)(CY), fabric(class 8). Minor concrete (brushed concrete, textured paving, curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier(type60). 4",8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4" thermoplastic traffic stripe (broken 36-12,17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

- Yes, we will send a fax quote by bid date.
- No, we are not interested.
- Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	Griffith Company	TO: ARGUELLO CONCRETE CONSTRUCTION
CONTACT NAME	Samantha Jones	Phone Number :5597793068
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :5592619885 Date :05/02/2013 2:31PM
Phone	661-392-6640	
Fax	661-393-9525	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client Griffith Company

For additional information about minority participation projects, visit <http://www.dbegoodfaith.com>

Focus Ad

Griffith Company is Seeking Qualified DBE

BID DUE DATE : 05/29/2013 at 02:00 P.M
 BID No : 06-0L3904
 PROJECT NAME : California Avenue Undercrossing
 AGENCY NAME : California Department of Transportation
 PROJECT CITY/COUNTY : Bakersfield
 PROJECT STATE : California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow(CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer(packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler(type B-5,B-6,C-2). 3" gate valve. 3/4",1",1 1/4",1 1/2",2",2 1/2",3" plastic pipe (schedule 40)(supply line). 2" WYE Strainer. 6" welded steel pipe conduit (. 250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt(type A). Place hot mix asphalt dike(type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure(bridge mounted with walkway). Furnish laminated panel sign (1"type A),single sheet aluminum sign(0. 06 3", 0. 080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe,corrugated steel pipe (. 079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection(no. 1,method b)(CY),fabric(class 8). Minor concrete (brushed concrete, textured paving, curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier(type60). 4",8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4"thermoplastic traffic stripe (broken 36-12,17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any charges made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

- Yes, we will send a fax quote by bid date.
- No, we are not interested.
- Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	Griffith Company	TO:APEX UNIVERSAL, INC
CONTACT NAME	Samantha Jones	Phone Number :5629448878
ADDRESS	1128 Camer Parkway Ave. Bakersfield, California, 93308	Fax Number :5629442298
		Date :05/02/2013 2:34PM
Phone	661-392-6640	
Fax	661-393-9525	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client Griffith Company

For additional information about minority participation projects, visit <http://www.dbegoodfaith.com>

Focus Ad

Griffith Company is Seeking Qualified DBE

BID DUE DATE : 05/29/2013 at 02:00 P.M
 BID No : 06-0L3904
 PROJECT NAME : California Avenue Undercrossing
 AGENCY NAME : California Department of Transportation
 PROJECT CITY/COUNTY : Bakersfield
 PROJECT STATE : California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow(CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer(packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler(type B-5,B-6,C-2). 3" gate valve. 3/4",1",1 1/4",1 1/2",2",2 1/2",3" piastic pipe (schedule 40)(supply line). 2" WYE Strainer. 8" weided steel pipe conduit (. 250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt(type A). Place hot mix asphalt dike(type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure(bridge mounted with walkway). Furnish laminated panel sign (1"type A),single sheet aluminum sign(0. 06 3", 0. 080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe,corrugated steel pipe (. 079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection(no. 1,method b)(CY),fabric(class 8). Minor concrete (brushed concrete,textured paving,curb and curb ramp). Miscellaneous iron and steel. Aitemative crash cushion system. Concrete barrier(type60). 4",8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4"thermoplastic traffic stripe (broken 36-12,17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and iighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

- Yes, we will send a fax quote by bid date.
- No, we are not interested.
- Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	Griffith Company	TO:ASAP GENERAL ENGINEERING
CONTACT NAME	Samantha Jones	Phone Number :9512295952
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :9519431692
		Date :05/02/2013 2:38PM
Phone	661-392-6640	
Fax	661-393-9525	

This is a Fax solicitation for projects by DBE Goodfalth Inc. on behalf of our client Griffith Company

For additional information about minority participation projects, visit <http://www.dbegoodfaith.com>

Focus Ad

Griffith Company is Seeking Qualified DBE

BID DUE DATE : 05/29/2013 at 02:00 P.M
 BID No : 06-0L3904
 PROJECT NAME : California Avenue Undercrossing
 AGENCY NAME : California Department of Transportation
 PROJECT CITY/COUNTY : Bakersfield
 PROJECT STATE : California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow(CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer(packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler(type B-5,B-6,C-2). 3" gate valve. 3/4",1",1 1/4",1 1/2",2",2 1/2",3" plastic pipe (schedule 40)(supply line). 2" WYE Strainer. 6" welded steel pipe conduit (. 250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt(type A). Place hot mix asphalt dike(type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & Install sign structure(bridge mounted with walkway). Furnish laminated panel sign (1"type A),single sheet aluminum sign(0. 06 3", 0. 080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe,corrugated steel pipe (. 079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection(no. 1,method b)(CY),fabric(class 8). Minor concrete (brushed concrete,textured paving,curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier(type60). 4",8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4"thermoplastic traffic stripe (broken 36-12,17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

- Yes, we will send a fax quote by bid date.
- No, we are not interested.
- Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	Griffith Company	TO:ALERT-O-LITE, INC
CONTACT NAME	Samantha Jones	Phone Number :5592654550
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :5592654549
		Date :05/02/2013 2:39PM
Phone	661-392-6640	
Fax	661-393-9525	

This is a Fax solicitation for projects by DBE Goodfaith inc. on behalf of our client Griffith Company

For additional information about minority participation projects, visit <http://www.dbegoodfaith.com>

Focus Ad

Griffith Company is Seeking Qualified DBE

BID DUE DATE : 05/29/2013 at 02:00 P.M
 BID No : 06-0L3904
 PROJECT NAME : California Avenue Undercrossing
 AGENCY NAME : California Department of Transportation
 PROJECT CITY/COUNTY : Bakersfield
 PROJECT STATE : California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow(CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer(packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler(type B-5,B-6,C-2). 3" gate valve. 3/4",1",1 1/4",1 1/2",2",2 1/2",3" piastic pipe (schedule 40)(supply line). 2" WYE Strainer. 6" welded steel pipe conduit (. 250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt(type A). Place hot mix asphalt dike(type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure(bridge mounted with walkway). Furnish laminated panel sign (1"type A),single sheet aluminum sign(0. 06 3", 0. 080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe,corrugated steel pipe (. 079 thick), steel flared end section. 48" precast concrete pipe manhoie. Rock slope protection(no. 1,method b)(CY),fabric(class 8). Minor concrete (brushed concrete,textured paving,curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier(type60). 4",8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4"thermoplastic traffic stripe (broken 36-12,17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

- Yes, we will send a fax quote by bid date.
- No, we are not interested.
- Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	Griffith Company	TO:NISH-KO INC.
CONTACT NAME	Samantha Jones	Phone Number :5592756653
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :5592765753 Date :05/02/2013 2:42PM
Phone	661-392-6640	
Fax	661-393-9525	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client Griffith Company

For additional information about minority participation projects, visit <http://www.dbegoodfaith.com>

Focus Ad

Griffith Company is Seeking Qualified DBE

BID DUE DATE : 05/29/2013 at 02:00 P.M
 BID No : 06-0L3904
 PROJECT NAME : California Avenue Undercrossing
 AGENCY NAME : California Department of Transportation
 PROJECT CITY/COUNTY : Bakersfield
 PROJECT STATE : California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow(CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer(packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler(type B-5,B-6,C-2). 3" gate valve. 3/4",1",1 1/4",1 1/2",2",2 1/2",3" plastic pipe (schedule 40)(supply line). 2" WYE Strainer. 6" welded steel pipe conduit (. 250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt(type A). Place hot mix asphalt dike(type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure(bridge mounted with walkway). Furnish laminated panel sign (1"type A),single sheet aluminum sign(0. 06 3", 0. 080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe,corrugated steel pipe (. 079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection(no. 1,method b)(CY),fabric(class 8). Minor concrete (brushed concrete,textured paving,curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier(type60). 4",8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4"thermoplastic traffic stripe (broken 36-12,17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

- Yes, we will send a fax quote by bid date.
- No, we are not interested.
- Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	Griffith Company	TO:FRESNO LANDSCAPING, INC.
CONTACT NAME	Samantha Jones	Phone Number :5592682600
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :5592642640 Date :05/02/2013 2:43PM
Phone	661-392-6640	
Fax	661-393-9525	

This is a Fax solicitation for projects by DBE Goodfaith inc. on behalf of our client Griffith Company

For additional information about minority participation projects, visit <http://www.dbegoodfaith.com>

Focus Ad

Griffith Company is Seeking Qualified DBE

BID DUE DATE : 05/29/2013 at 02:00 P.M
 BID No : 06-0L3904
 PROJECT NAME : California Avenue Undercrossing
 AGENCY NAME : California Department of Transportation
 PROJECT CITY/COUNTY : Bakersfield
 PROJECT STATE : California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow(CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer(packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler(type B-5,B-6,C-2). 3" gate valve. 3/4",1",1 1/4",1 1/2",2",2 1/2",3" plastic pipe (schedule 40)(supply line). 2" WYE Strainer. 6" welded steel pipe conduit (. 250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt(type A). Place hot mix asphalt dike(type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure(bridge mounted with walkway). Furnish laminated panel sign (1"type A),single sheet aluminum sign(0. 06 3", 0. 080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe,corrugated steel pipe (. 079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection(no. 1,method b)(CY),fabric(class 8). Minor concrete (brushed concrete,textured paving,curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier(type60). 4",8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4"themopiastic traffic stripe (broken 36-12,17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

- Yes, we will send a fax quote by bid date.
- No, we are not interested.
- Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	Griffith Company	TO:COASTAL GARDENS LANDSCAPE
CONTACT NAME	Samantha Jones	Phone Number :6268182647
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :6267964425
		Date :05/02/2013 2:46PM
Phone	661-392-6640	
Fax	661-393-9525	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client Griffith Company

For additional information about minority participation projects, visit <http://www.dbegoodfaith.com>

Focus Ad

Griffith Company is Seeking Qualified DBE

BID DUE DATE : 05/29/2013 at 02:00 P.M
 BID No : 06-0L3904
 PROJECT NAME : California Avenue Undercrossing
 AGENCY NAME : California Department of Transportation
 PROJECT CITY/COUNTY : Bakersfield
 PROJECT STATE : California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow (CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer (packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler (type B-5, B-6, C-2). 3" gate valve. 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3" plastic pipe (schedule 40) (supply line). 2" WYE Strainer. 6" welded steel pipe conduit (.250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt (type A). Place hot mix asphalt dike (type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure (bridge mounted with walkway). Furnish laminated panel sign (1" type A), single sheet aluminum sign (0.063", 0.080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe, corrugated steel pipe (.079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection (no. 1, method b) (CY), fabric (class 8). Minor concrete (brushed concrete, textured paving, curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier (type 60). 4", 8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4" thermoplastic traffic stripe (broken 36-12, 17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

- Yes, we will send a fax quote by bid date.
- No, we are not interested.
- Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	Griffith Company	TO:KHALSA CONSTRUCTION
CONTACT NAME	Samantha Jones	Phone Number :6617783216
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :0000000000 Date :05/02/2013 2:47PM
Phone	661-392-6640	
Fax	661-393-9525	

This is a Fax solicitation for projects by DBE Goodfaith inc. on behalf of our client Griffith Company

For additional information about minority participation projects, visit <http://www.dbegoodfaith.com>

Focus Ad

Griffith Company is Seeking Qualified DBE

BID DUE DATE : 05/29/2013 at 02:00 P.M
 BID No : 06-0L3904
 PROJECT NAME : California Avenue Undercrossing
 AGENCY NAME : California Department of Transportation
 PROJECT CITY/COUNTY : Bakersfield
 PROJECT STATE : California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow (CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer (packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler (type B-5, B-6, C-2). 3" gate valve. 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3" plastic pipe (schedule 40) (supply line). 2" WYE Strainer. 6" welded steel pipe conduit (.250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt (type A). Place hot mix asphalt dike (type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure (bridge mounted with walkway). Furnish laminated panel sign (1" type A), single sheet aluminum sign (0.063", 0.080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe, corrugated steel pipe (.079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection (no. 1, method b) (CY), fabric (class 8). Minor concrete (brushed concrete, textured paving, curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier (type 60). 4", 8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4" thermoplastic traffic stripe (broken 36-12, 17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

- Yes, we will send a fax quote by bid date.
- No, we are not interested.
- Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	Griffith Company	TO:HARD HAT SWEEPING INC
CONTACT NAME	Samantha Jones	Phone Number :5622987956
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :5629458399
		Date :05/02/2013 2:48PM
Phone	881-392-6640	
Fax	661-393-9525	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client Griffith Company

For additional information about minority participation projects, visit <http://www.dbegoodfaith.com>

Focus Ad

Griffith Company is Seeking Qualified DBE

BID DUE DATE : 05/29/2013 at 02:00 P.M
 BID No : 06-0L3904
 PROJECT NAME : California Avenue Undercrossing
 AGENCY NAME : California Department of Transportation
 PROJECT CITY/COUNTY : Bakersfield
 PROJECT STATE : California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow(CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer(packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler(type B-5,B-6,C-2). 3" gate valve. 3/4",1",1 1/4",1 1/2",2",2 1/2",3" plastic pipe (schedule 40)(supply line). 2" WYE Strainer. 6" welded steel pipe conduit (. 250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt(type A). Place hot mix asphalt dike(type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure(bridge mounted with walkway). Furnish laminated panel sign (1"type A),single sheet aluminum sign(0. 06 3", 0. 080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe,corrugated steel pipe (. 079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection(no. 1,method b)(CY),fabric(class 8). Minor concrete (brushed concrete, textured paving, curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier(type60). 4",8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4"thermoplastic traffic stripe (broken 36-12,17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

- Yes, we will send a fax quote by bid date.
- No, we are not interested.
- Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	Griffith Company	TO:U.S. CONCRETE CONSTRUCTION, INC
CONTACT NAME	Samantha Jones	Phone Number :6612593522
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :6617991038 Date :05/02/2013 2:52PM
Phone	661-392-6640	
Fax	661-393-9525	

This is a Fax solicitation for projects by DBE Goodfaith inc. on behalf of our client Griffith Company

For additional information about minority participation projects, visit <http://www.dbegoodfaith.com>

Focus Ad

Griffith Company is Seeking Qualified DBE

BID DUE DATE : 05/29/2013 at 02:00 P.M
 BID No : 06-0L3904
 PROJECT NAME : California Avenue Undercrossing
 AGENCY NAME : California Department of Transportation
 PROJECT CITY/COUNTY : Bakersfield
 PROJECT STATE : California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channeizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow(CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer(packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler(type B-5,B-6,C-2). 3" gate valve. 3/4",1",1 1/4",1 1/2",2",2 1/2",3" plastic pipe (schedule 40)(supply line). 2" WYE Strainer. 6" welded steel pipe conduit (. 250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt(type A). Place hot mix asphalt dike(type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure(bridge mounted with walkway). Furnish laminated panel sign (1"type A),single sheet aluminum sign(0. 06 3", 0. 080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe,corrugated steel pipe (. 079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection(no. 1,method b)(CY),fabric(class 8). Minor concrete (brushed concrete,textured paving,curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier(type60). 4",8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4"thermoplastic traffic stripe (broken 36-12,17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

- Yes, we will send a fax quote by bid date.
- No, we are not interested.
- Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	Griffith Company	TO:V A P CONSTRUCTION INC
CONTACT NAME	Samantha Jones	Phone Number :7142533270
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :7145519420
		Date :05/02/2013 2:53PM
Phone	661-392-6640	
Fax	661-393-9525	

This is a Fax solicitation for projects by DBE Goodfaith inc. on behalf of our client Griffith Company

For additional information about minority participation projects, visit <http://www.dbegoodfaith.com>

Focus Ad

Griffith Company is Seeking Qualified DBE

BID DUE DATE : 05/29/2013 at 02:00 P.M
 BID No : 06-0L3904
 PROJECT NAME : California Avenue Undercrossing
 AGENCY NAME : California Department of Transportation
 PROJECT CITY/COUNTY : Bakersfield
 PROJECT STATE : California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. imported borrow(CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer(packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler(type B-5,B-6,C-2). 3" gate valve. 3/4",1",1 1/4",1 1/2",2",2 1/2",3" plastic pipe (schedule 40)(supply line). 2" WYE Strainer. 6" welded steel pipe conduit (. 250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt(type A). Place hot mix asphalt dike(type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure(bridge mounted with walkway). Furnish laminated panel sign (1"type A),single sheet aluminum sign(0. 06 3", 0. 080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe,corrugated steel pipe (. 079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection(no. 1,method b)(CY),fabric(class 8). Minor concrete (brushed concrete,textured paving,curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier(type60). 4",8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4"thermoplastic traffic stripe (broken 36-12,17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

- Yes, we will send a fax quote by bid date.
- No, we are not interested.
- Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	Griffith Company	TO:TRAFFIC ENFORCEMENT SOLUTIONS
CONTACT NAME	Samantha Jones	Phone Number :5593926050
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :5593234269
		Date :05/02/2013 2:53PM
Phone	661-392-6640	
Fax	661-393-9525	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client Griffith Company

For additional information about minority participation projects, visit <http://www.dbegoodfaith.com>

Focus Ad

Griffith Company is Seeking Qualified DBE

BID DUE DATE : 05/29/2013 at 02:00 P.M.
 BID No : 06-0L3904
 PROJECT NAME : California Avenue Undercrossing
 AGENCY NAME : California Department of Transportation
 PROJECT CITY/COUNTY : Bakersfield
 PROJECT STATE : California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow(CY). Roadside cleaning. Cultivate. Soil amendment. Mulch. Fertilizer(packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler(type B-5,B-6,C-2). 3" gate valve. 3/4",1",1 1/4",1 1/2",2",2 1/2",3" plastic pipe (schedule 40)(supply line). 2" WYE Strainer. 6" welded steel pipe conduit (. 250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt(type A). Place hot mix asphalt dike(type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure(bridge mounted with walkway). Furnish laminated panel sign (1"type A),single sheet aluminum sign(0. 06 3", 0. 080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe,corrugated steel pipe (. 079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection(no. 1,method b)(CY),fabric(class 8). Minor concrete (brushed concrete, textured paving, curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier(type60). 4",8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4"thermoplastic traffic stripe (broken 36-12,17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

- Yes, we will send a fax quote by bid date.
- No, we are not interested.
- Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	Griffith Company	TO: RUDY'S LANDSCAPE & IRRIGATION DESIGN
CONTACT NAME	Samantha Jones	Phone Number :6613253596
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :6613227854 Date :05/02/2013 2:55PM
Phone	861-392-6640	
Fax	661-393-9525	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client Griffith Company

For additional information about minority participation projects, visit <http://www.dbegoodfaith.com>

Focus Ad

Griffith Company is Seeking Qualified DBE

BID DUE DATE : 05/29/2013 at 02:00 P.M
 BID No : 06-0L3904
 PROJECT NAME : California Avenue Undercrossing
 AGENCY NAME : California Department of Transportation
 PROJECT CITY/COUNTY : Bakersfield
 PROJECT STATE : California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow(CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer(packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conduction. 2" electric remote control valve. Sprinkler(type B-5,B-6,C-2). 3" gate valve. 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3" plastic pipe (schedule 40)(supply line). 2" WYE Strainer. 6" welded steel pipe conduit (. 250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt(type A). Place hot mix asphalt dike(type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure(bridge mounted with walkway). Furnish laminated panel sign (1"type A),single sheet aluminum sign(0. 06 3", 0. 080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe,corrugated steel pipe (. 079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection(no. 1,method b)(CY),fabric(class 8). Minor concrete (brushed concrete, textured paving, curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier(type60). 4",8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4"thermoplastic traffic stripe (broken 36-12,17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

- Yes, we will send a fax quote by bid date.
- No, we are not interested.
- Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	Griffith Company	TO:CALIFORNIA PROFESSIONAL ELECTRICAL ENGINEERING
CONTACT NAME	Samantha Jones	Phone Number :6268101338
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :6268101322
		Date :05/02/2013 2:55PM
Phone	661-392-6640	
Fax	661-393-9525	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client Griffith Company

For additional information about minority participation projects, visit <http://www.dbegoodfaith.com>

Focus Ad

Griffith Company is Seeking Qualified DBE

BID DUE DATE : 05/29/2013 at 02:00 P.M
 BID No : 06-0L3904
 PROJECT NAME : California Avenue Undercrossing
 AGENCY NAME : California Department of Transportation
 PROJECT CITY/COUNTY : Bakersfield
 PROJECT STATE : California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow (CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer (packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler (type B-5, B-6, C-2). 3" gate valve. 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3" plastic pipe (schedule 40) (supply line). 2" WYE Strainer. 6" welded steel pipe conduit (.250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt (type A). Place hot mix asphalt dike (type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure (bridge mounted with walkway). Furnish laminated panel sign (1" type A), single sheet aluminum sign (0.063", 0.080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe, corrugated steel pipe (.079" thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection (no. 1, method b) (CY), fabric (class 8). Minor concrete (brushed concrete, textured paving, curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier (type 60). 4", 8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4" thermoplastic traffic stripe (broken 36-12, 17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

- Yes, we will send a fax quote by bid date.
- No, we are not interested.
- Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	Griffith Company	TO:CAL VALLEY CONSTRUCTION, INC.
CONTACT NAME	Samantha Jones	Phone Number :5592740300
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :5592740311
		Date :05/02/2013 2:59PM
Phone	661-392-6640	
Fax	661-393-9525	

This is a Fax solicitation for projects by DBE Goodfalth Inc. on behalf of our client Griffith Company

For additional information about minority participation projects, visit <http://www.dbegoodfaith.com>

Focus Ad

Griffith Company is Seeking Qualified DBE

BID DUE DATE : 05/29/2013 at 02:00 P.M
 BID No : 06-0L3904
 PROJECT NAME : California Avenue Undercrossing
 AGENCY NAME : California Department of Transportation
 PROJECT CITY/COUNTY : Bakersfield
 PROJECT STATE : California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow(CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer(packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler(type B-5,B-6,C-2). 3" gate valve. 3/4",1",1 1/4",1 1/2",2",2 1/2",3" plastic pipe (schedule 40)(supply line). 2" WYE Strainer. 6" welded steel pipe conduit (. 250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt(type A). Place hot mix asphalt dike(type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure(bridge mounted with walkway). Furnish laminated panel sign (1"type A),single sheet aluminum sign(0. 06 3", 0. 080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe,corrugated steel pipe (. 079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection(no. 1,method b)(CY),fabric(class 8). Minor concrete (brushed concrete,textured paving,curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier(type60). 4",8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4"thermoplastic traffic stripe (broken 36-12,17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

- Yes, we will send a fax quote by bid date.
- No, we are not interested.
- Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	Griffith Company	TO:CAL FRAN ENGINEERING, INC.
CONTACT NAME	Samantha Jones	Phone Number :8055799173
ADDRESS	1128 Camer Parkway Ave. Bakersfield, California, 93308	Fax Number :8055798211
		Date :05/02/2013 3:02PM
Phone	661-392-6640	
Fax	661-393-9525	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client Griffith Company

For additional information about minority participation projects, visit <http://www.dbegoodfaith.com>

Focus Ad

Griffith Company is Seeking Qualified DBE

BID DUE DATE : 05/29/2013 at 02:00 P.M
 BID No : 06-0L3904
 PROJECT NAME : California Avenue Undercrossing
 AGENCY NAME : California Department of Transportation
 PROJECT CITY/COUNTY : Bakersfield
 PROJECT STATE : California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow(CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer(packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler(type B-5,B-6,C-2). 3" gate valve. 3/4",1",1 1/4",1 1/2",2",2 1/2",3" plastic pipe (schedule 40)(supply line). 2" WYE Strainer. 6" welded steel pipe conduit (. 250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt(type A). Place hot mix asphalt dike(type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure(bridge mounted with walkway). Furnish laminated panel sign (1"type A),single sheet aluminum sign(0. 06 3", 0. 080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe,corrugated steel pipe (. 079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection(no. 1,method b)(CY),fabric(class 8). Minor concrete (brushed concrete,textured paving,curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier(type60). 4",8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4"thermoplastic traffic stripe (broken 36-12,17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

- Yes, we will send a fax quote by bid date.
- No, we are not interested.
- Interested. Would like more information. Please contact us at _____.

INVITATION TO BID**Good Faith Solicitation Fax**

From	Griffith Company	TO:CALI CONCRETE
CONTACT NAME	Samantha Jones	Phone Number :6613988143
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :6613981382 Date :05/02/2013 3:05PM
Phone	661-392-6640	
Fax	661-393-9525	

**This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
Griffith Company**

**For additional information about minority participation projects,
visit <http://www.dbegoodfaith.com>**

Focus Ad**Griffith Company is Seeking Qualified DBE**

BID DUE DATE : 05/29/2013 at 02:00 P.M
 BID No : 06-0L3904
 PROJECT NAME : California Avenue Undercrossing
 AGENCY NAME : California Department of Transportation
 PROJECT CITY/COUNTY : Bakersfield
 PROJECT STATE : California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow(CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer(packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler(type B-5,B-6,C-2). 3" gate valve. 3/4",1",1 1/4",1 1/2",2",2 1/2",3" plastic pipe (schedule 40)(supply line). 2" WYE Strainer. 6" welded steel pipe conduit (. 250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt(type A). Place hot mix asphalt dike(type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure(bridge mounted with walkway). Furnish laminated panel sign (1"type A),single sheet aluminum sign(0. 06 3", 0. 080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe, corrugated steel pipe (. 079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection(no. 1,method b)(CY),fabric(class 8). Minor concrete (brushed concrete, textured paving, curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier(type60). 4",8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4"thermoplastic traffic stripe (broken 36-12,17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

- Yes, we will send a fax quote by bid date.
 No, we are not interested.
 Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	Griffith Company	TO: J & M LAND RESTORATION, INC.
CONTACT NAME	Samantha Jones	Phone Number :6618727039
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :6613998882
		Date :05/02/2013 3:06PM
Phone	661-392-6640	
Fax	661-393-9525	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client Griffith Company

For additional information about minority participation projects, visit <http://www.dbegoodfaith.com>

Focus Ad

Griffith Company is Seeking Qualified DBE

BID DUE DATE : 05/29/2013 at 02:00 P.M
 BID No : 06-0L3904
 PROJECT NAME : California Avenue Undercrossing
 AGENCY NAME : California Department of Transportation
 PROJECT CITY/COUNTY : Bakersfield
 PROJECT STATE : California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow (CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer (packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler (type B-5, B-6, C-2). 3" gate valve. 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3" plastic pipe (schedule 40) (supply line). 2" WYE Strainer. 6" welded steel pipe conduit (.250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt (type A). Place hot mix asphalt dike (type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure (bridge mounted with walkway). Furnish laminated panel sign (1" type A), single sheet aluminum sign (0.063", 0.080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe, corrugated steel pipe (.079" thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection (no. 1, method b) (CY), fabric (class 8). Minor concrete (brushed concrete, textured paving, curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier (type 60). 4", 8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4" thermoplastic traffic stripe (broken 36-12, 17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

- Yes, we will send a fax quote by bid date.
- No, we are not interested.
- Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	Griffith Company	TO:SOUZA CONSTRUCTION
CONTACT NAME	Samantha Jones	Phone Number :5597477100
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :5597477101
		Date :05/02/2013 3:10PM
Phone	661-392-6640	
Fax	661-393-9525	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client Griffith Company

For additional information about minority participation projects, visit <http://www.dbegoodfaith.com>

Focus Ad

Griffith Company is Seeking Qualified DBE

BID DUE DATE : 05/29/2013 at 02:00 P.M
 BID No : 06-0L3904
 PROJECT NAME : California Avenue Undercrossing
 AGENCY NAME : California Department of Transportation
 PROJECT CITY/COUNTY : Bakersfield
 PROJECT STATE : California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow(CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer(packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler(type B-5,B-6,C-2). 3" gate valve. 3/4",1",1 1/4",1 1/2",2",2 1/2",3" plastic pipe (schedule 40)(supply line). 2" WYE Strainer. 6" welded steel pipe conduit (. 250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt(type A). Place hot mix asphalt dike(type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure(bridge mounted with walkway). Furnish laminated panel sign (1"type A),single sheet aluminum sign(0. 06 3", 0. 080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe,corrugated steel pipe (. 079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection(no. 1,method b)(CY),fabric(class 8). Minor concrete (brushed concrete,textured paving,curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier(type60). 4",8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4"thermoplastic traffic stripe (broken 36-12,17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

- Yes, we will send a fax quote by bid date.
- No, we are not interested.
- Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	Griffith Company	TO:AUSTIN ENTERPRISES
CONTACT NAME	Samantha Jones	Phone Number :6615891001
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :6615899509 Date :05/02/2013 3:11PM
Phone	661-392-6640	
Fax	661-393-9525	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client Griffith Company

For additional information about minority participation projects, visit <http://www.dbegoodfaith.com>

Focus Ad

Griffith Company is Seeking Qualified DBE

BID DUE DATE : 05/29/2013 at 02:00 P.M.
 BID No : 06-0L3904
 PROJECT NAME : California Avenue Undercrossing
 AGENCY NAME : California Department of Transportation
 PROJECT CITY/COUNTY : Bakersfield
 PROJECT STATE : California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow(CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer(packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler(type B-5,B-6,C-2). 3" gate valve. 3/4",1",1 1/4",1 1/2",2",2 1/2",3" plastic pipe (schedule 40)(supply line). 2" WYE Strainer. 6" welded steel pipe conduit (. 250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt(type A). Place hot mix asphalt dike(type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure(bridge mounted with walkway). Furnish laminated panel sign (1"type A),single sheet aluminum sign(0. 06 3", 0. 080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe,corrugated steel pipe (. 079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection(no. 1,method b)(CY),fabric(class 8). Minor concrete (brushed concrete,textured paving,curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier(type60). 4",8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4"thermoplastic traffic stripe (broken 36-12,17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

- Yes, we will send a fax quote by bid date.
- No, we are not interested.
- Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	Griffith Company	TO:E5, INC.
CONTACT NAME	Samantha Jones	Phone Number :7143733800
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :7143733828
		Date :05/02/2013 3:13PM
Phone	661-392-6640	
Fax	661-393-9525	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client Griffith Company

For additional information about minority participation projects, visit <http://www.dbegoodfaith.com>

Focus Ad

Griffith Company is Seeking Qualified DBE

BID DUE DATE : 05/29/2013 at 02:00 P.M.
 BID No : 06-0L3904
 PROJECT NAME : California Avenue Undercrossing
 AGENCY NAME : California Department of Transportation
 PROJECT CITY/COUNTY : Bakersfield
 PROJECT STATE : California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow(CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer(packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler(type B-5,B-6,C-2). 3" gate valve. 3/4",1",1 1/4",1 1/2",2",2 1/2",3" plastic pipe (schedule 40)(supply line). 2" WYE Strainer. 6" welded steel pipe conduit (. 250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt(type A). Place hot mix asphalt dike(type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure(bridge mounted with walkway). Furnish laminated panel sign (1"type A),single sheet aluminum sign(0. 06 3", 0. 080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe,corrugated steel pipe (. 079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection(no. 1, method b)(CY),fabric(class 8). Minor concrete (brushed concrete,textured paving,curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier(type60). 4",8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4"thermoplastic traffic stripe (broken 36-12,17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

- Yes, we will send a fax quote by bid date.
- No, we are not interested.
- Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	Griffith Company	TO:ORTIZ ASPHALT PAVING, INC
CONTACT NAME	Samantha Jones	Phone Number :9093861200
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :9093861288
		Date :05/02/2013 3:14PM
Phone	661-392-6640	
Fax	661-393-9525	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client Griffith Company

For additional information about minority participation projects, visit <http://www.dbegoodfaith.com>

Focus Ad

Griffith Company is Seeking Qualified DBE

BID DUE DATE : 05/29/2013 at 02:00 P.M
 BID No : 06-0L3904
 PROJECT NAME : California Avenue Undercrossing
 AGENCY NAME : California Department of Transportation
 PROJECT CITY/COUNTY : Bakersfield
 PROJECT STATE : California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow(CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer(packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler(type B-5,B-6,C-2). 3" gate valve. 3/4",1",1 1/4",1 1/2",2",2 1/2",3" plastic pipe (schedule 40)(supply line). 2" WYE Strainer. 6" welded steel pipe conduit (. 250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt(type A). Place hot mix asphalt dike(type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure(bridge mounted with walkway). Furnish laminated panel sign (1"type A),single sheet aluminum sign(0. 06 3", 0. 080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe,corrugated steel pipe (. 079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection(no. 1,method b)(CY),fabric(class 8). Minor concrete (brushed concrete,textured paving,curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier(type60). 4",8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4"thermoplastic traffic stripe (broken 36-12,17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

- Yes, we will send a fax quote by bid date.
- No, we are not interested.
- Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	Griffith Company	TO:STRIVE CONCRETE CUTTING, INC
CONTACT NAME	Samantha Jones	Phone Number :7146699860
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :7146699864 Date :05/02/2013 3:16PM
Phone	661-392-6640	
Fax	661-393-9525	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client Griffith Company

For additional information about minority participation projects, visit <http://www.dbegoodfaith.com>

Focus Ad

Griffith Company is Seeking Qualified DBE

BID DUE DATE : 05/29/2013 at 02:00 P.M
 BID No : 06-0L3904
 PROJECT NAME : California Avenue Undercrossing
 AGENCY NAME : California Department of Transportation
 PROJECT CITY/COUNTY : Bakersfield
 PROJECT STATE : California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow(CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer(packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler(type B-5,B-6,C-2). 3" gate valve. 3/4",1",1 1/4",1 1/2",2",2 1/2",3" plastic pipe (schedule 40)(supply line). 2" WYE Strainer. 6" welded steel pipe conduit (. 250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt(type A). Place hot mix asphalt dike(type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure(bridge mounted with walkway). Furnish laminated panel sign (1"type A),single sheet aluminum sign(0.06 3", 0.080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe,corrugated steel pipe (. 079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection(no. 1,method b)(CY),fabric(class 8). Minor concrete (brushed concrete,textured paving,curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier(type60). 4",8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4"thermoplastic traffic stripe (broken 36-12,17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

- Yes, we will send a fax quote by bid date.
- No, we are not interested.
- Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	Griffith Company	TO:CT CONCRETE CUTTING INC.
CONTACT NAME	Samantha Jones	Phone Number :9516987745
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :9516980795
		Date :05/02/2013 3:17PM
Phone	661-392-6640	
Fax	661-393-9525	

This is a Fax solicitation for projects by DBE Goodfaith inc. on behalf of our client Griffith Company

For additional information about minority participation projects, visit <http://www.dbegoodfaith.com>

Focus Ad

Griffith Company is Seeking Qualified DBE

BID DUE DATE : 05/29/2013 at 02:00 P.M.
 BID No : 06-OL3904
 PROJECT NAME : California Avenue Undercrossing
 AGENCY NAME : California Department of Transportation
 PROJECT CITY/COUNTY : Bakersfield
 PROJECT STATE : California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow(CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer(packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler(type B-5,B-6,C-2). 3" gate valve. 3/4",1",1 1/4",1 1/2",2",2 1/2",3" plastic pipe (schedule 40)(supply line). 2" WYE Strainer. 6" welded steel pipe conduit (. 250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt(type A). Place hot mix asphalt dike(type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure(bridge mounted with walkway). Furnish laminated panel sign (1"type A),single sheet aluminum sign(0. 06 3", 0. 080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe,corrugated steel pipe (. 079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection(no. 1,method b)(CY),fabric(class 8). Minor concrete (brushed concrete,textured paving,curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier(type60). 4",8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4"thermoplastic traffic stripe (broken 36-12,17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

- Yes, we will send a fax quote by bid date.
- No, we are not interested.
- Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	Griffith Company	TO:SERNA CONSTRUCTION, INC.
CONTACT NAME	Samantha Jones	Phone Number :5593042197
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :5594785213
		Date :05/02/2013 3:19PM
Phone	661-392-6640	
Fax	661-393-9525	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client Griffith Company

For additional information about minority participation projects, visit <http://www.dbegoodfaith.com>

Focus Ad

Griffith Company is Seeking Qualified DBE

BID DUE DATE : 05/29/2013 at 02:00 P.M
 BID No : 06-OL3904
 PROJECT NAME : California Avenue Undercrossing
 AGENCY NAME : California Department of Transportation
 PROJECT CITY/COUNTY : Bakersfield
 PROJECT STATE : California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow(CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer(packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler(type B-5,B-6,C-2). 3" gate valve. 3/4",1",1 1/4",1 1/2",2",2 1/2",3" plastic pipe (schedule 40)(supply line). 2" WYE Strainer. 6" welded steel pipe conduit (. 250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt(type A). Place hot mix asphalt dike(type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure(bridge mounted with walkway). Furnish laminated panel sign (1"type A),single sheet aluminum sign(0. 06 3", 0. 080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe,corrugated steel pipe (. 079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection(no. 1,method b)(CY),fabric(class 8). Minor concrete (brushed concrete,textured paving,curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier(type60). 4",8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4"thermoplastic traffic stripe (broken 36-12,17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

- Yes, we will send a fax quote by bid date.
- No, we are not interested.
- Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	Griffith Company	TO:SOTO FENCE COMPANY
CONTACT NAME	Samantha Jones	Phone Number :5592301444
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :0000000000 Date :05/02/2013 3:21PM
Phone	661-392-6640	
Fax	661-393-9525	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client Griffith Company
For additional information about minority participation projects, visit <http://www.dbegoodfaith.com>

Focus Ad

Griffith Company is Seeking Qualified DBE

BID DUE DATE : 05/29/2013 at 02:00 P.M
 BID No : 06-0L3904
 PROJECT NAME : California Avenue Undercrossing
 AGENCY NAME : California Department of Transportation
 PROJECT CITY/COUNTY : Bakersfield
 PROJECT STATE : California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow(CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer(packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conduction. 2" electric remote control valve. Sprinkler(type B-5,B-6,C-2). 3" gate valve. 3/4",1",1 1/4",1 1/2",2",2 1/2",3" plastic pipe (schedule 40)(supply line). 2" WYE Strainer. 6" weided steel pipe conduit (. 250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt(type A). Place hot mix asphalt dike(type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure(bridge mounted with walkway). Furnish laminated panel sign (1"type A),single sheet aluminum sign(0.06 3", 0.080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe,corrugated steel pipe (. 079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection(no. 1,method b)(CY),fabric(class 8). Minor concrete (brushed concrete,textured paving,curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier(type60). 4",8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4"thermoplastic traffic stripe (broken 36-12,17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

- Yes, we will send a fax quote by bid date.
- No, we are not interested.
- Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	Griffith Company	TO:R & C CONSTRUCTION
CONTACT NAME	Samantha Jones	Phone Number :5592555655
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :5592555600 Date :05/02/2013 3:24PM
Phone	661-392-6640	
Fax	661-393-9525	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client Griffith Company

For additional information about minority participation projects, visit <http://www.dbegoodfaith.com>

Focus Ad

Griffith Company is Seeking Qualified DBE

BID DUE DATE : 05/29/2013 at 02:00 P.M.
 BID No : 06-OL3904
 PROJECT NAME : California Avenue Undercrossing
 AGENCY NAME : California Department of Transportation
 PROJECT CITY/COUNTY : Bakersfield
 PROJECT STATE : California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow(CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer(packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler(type B-5,B-6,C-2). 3" gate valve. 3/4",1",1 1/4",1 1/2",2",2 1/2",3" plastic pipe (schedule 40)(supply line). 2" WYE Strainer. 6" welded steel pipe conduit (. 250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt(type A). Place hot mix asphalt dike(type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure(bridge mounted with walkway). Furnish laminated panel sign (1"type A),single sheet aluminum sign(0. 06 3", 0. 080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe, corrugated steel pipe (. 079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection(no. 1, method b)(CY), fabric(class 8). Minor concrete (brushed concrete, textured paving, curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier(type60). 4",8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4"thermoplastic traffic stripe (broken 36-12,17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

- Yes, we will send a fax quote by bid date.
- No, we are not interested.
- Interested. Would like more information. Please contact us at _____.

INVITATION TO BID**Good Faith Solicitation Fax**

From	Griffith Company	TO:NUNO IRON & MFG, INC
CONTACT NAME	Samantha Jones	Phone Number :8313860513
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :8313869976 Date :05/02/2013 3:25PM
Phone	661-392-6640	
Fax	661-393-9525	

**This is a Fax solicitation for projects by DBE Goodfaith inc. on behalf of our client
Griffith Company**

**For additional information about minority participation projects,
visit <http://www.dbegoodfaith.com>**

Focus Ad**Griffith Company is Seeking Qualified DBE**

BID DUE DATE : 05/29/2013 at 02:00 P.M.
 BID No : 06-0L3904
 PROJECT NAME : California Avenue Undercrossing
 AGENCY NAME : California Department of Transportation
 PROJECT CITY/COUNTY : Bakersfield
 PROJECT STATE : California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow(CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer(packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler(type B-5,B-6,C-2). 3" gate valve. 3/4",1",1 1/4",1 1/2",2",2 1/2",3" plastic pipe (schedule 40)(supply line). 2" WYE Strainer. 6" welded steel pipe conduit (. 250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt(type A). Place hot mix asphalt dike(type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure(bridge mounted with walkway). Furnish laminated panel sign (1"type A),single sheet aluminum sign(0. 06 3", 0. 060" unframed). Roadside sign one & two post. 18" reinforced concrete pipe,corrugated steel pipe (. 079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection(no. 1,method b)(CY),fabric(class 8). Minor concrete (brushed concrete,textured paving,curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier(type60). 4",8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4"thermoplastic traffic stripe (broken 36-12,17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

Yes, we will send a fax quote by bid date.

No, we are not interested.

Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	Griffith Company	TO:K R C SAFETY CO. INC.
CONTACT NAME	Samantha Jones	Phone Number :5597320393
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :5597322684 Date :05/02/2013 3:28PM
Phone	661-392-6640	
Fax	661-393-9525	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client Griffith Company

For additional information about minority participation projects, visit <http://www.dbegoodfaith.com>

Focus Ad

Griffith Company is Seeking Qualified DBE

BID DUE DATE : 05/29/2013 at 02:00 P.M
 BID No : 06-0L3904
 PROJECT NAME : California Avenue Undercrossing
 AGENCY NAME : California Department of Transportation
 PROJECT CITY/COUNTY : Bakersfield
 PROJECT STATE : California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channeizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow(CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer(packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler(type B-5,B-6,C-2). 3" gate valve. 3/4",1",1 1/4",1 1/2",2",2 1/2",3" plastic pipe (schedule 40)(supply line). 2" WYE Strainer. 6" welded steel pipe conduit (. 250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt(type A). Place hot mix asphalt dike(type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure(bridge mounted with walkway). Furnish laminated panel sign (1"type A),single sheet aluminum sign(0. 06 3", 0. 080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe,corrugated steel pipe (. 079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection(no. 1,method b)(CY),fabric(class 8). Minor concrete (brushed concrete,textured paving,curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier(type60). 4",8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4"thermoplastic traffic stripe (broken 36-12,17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

- Yes, we will send a fax quote by bid date.
- No, we are not interested.
- Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	Griffith Company	TO:FRESNO CONCRETE CONSTRUCTION, INC.
CONTACT NAME	Samantha Jones	Phone Number :5598342031
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :5598342064 Date :05/02/2013 3:30PM
Phone	661-392-6640	
Fax	661-393-9525	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client Griffith Company
For additional information about minority participation projects, visit <http://www.dbegoodfaith.com>

Focus Ad

Griffith Company Is Seeking Qualified DBE

BID DUE DATE : 05/29/2013 at 02:00 P.M
 BID No : 06-0L3904
 PROJECT NAME : California Avenue Undercrossing
 AGENCY NAME : California Department of Transportation
 PROJECT CITY/COUNTY : Bakersfield
 PROJECT STATE : California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow(CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer(packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler(type B-5,B-6,C-2). 3" gate valve. 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3" plastic pipe (schedule 40)(supply line). 2" WYE Strainer. 6" welded steel pipe conduit (. 250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt(type A). Place hot mix asphalt dike(type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure(bridge mounted with walkway). Furnish laminated panel sign (1"type A),single sheet aluminum sign(0. 06 3", 0. 080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe, corrugated steel pipe (. 079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection(no. 1,method b)(CY),fabric(class 8). Minor concrete (brushed concrete, textured paving, curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier(type60). 4", 8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4" thermoplastic traffic stripe (broken 36-12,17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

- Yes, we will send a fax quote by bid date.
- No, we are not interested.
- Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	Griffith Company	TO:FALCON BUILDERS & DEVELOPERS INC
CONTACT NAME	Samantha Jones	Phone Number :5592261994
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :5592261877 Date :05/02/2013 3:31PM
Phone	661-392-6640	
Fax	661-393-9525	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client Griffith Company

For additional information about minority participation projects, visit <http://www.dbegoodfaith.com>

Focus Ad

Griffith Company is Seeking Qualified DBE

BID DUE DATE : 05/29/2013 at 02:00 P.M
 BID No : 06-0L3904
 PROJECT NAME : California Avenue Undercrossing
 AGENCY NAME : California Department of Transportation
 PROJECT CITY/COUNTY : Bakersfield
 PROJECT STATE : California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow(CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer(packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler(type B-5,B-6,C-2). 3" gate valve. 3/4",1",1 1/4",1 1/2",2",2 1/2",3" plastic pipe (schedule 40)(supply line). 2" WYE Strainer. 6" welded steel pipe conduit (. 250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt(type A). Place hot mix asphalt dike(type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure(bridge mounted with walkway). Furnish laminated panel sign (1"type A),single sheet aluminum sign(0. 06 3", 0. 080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe,corrugated steel pipe (. 079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection(no. 1,method b)(CY),fabric(class 8). Minor concrete (brushed concrete,textured paving,curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier(type60). 4",8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4"thermoplastic traffic stripe (broken 36-12,17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

- Yes, we will send a fax quote by bid date.
- No, we are not interested.
- Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	Griffith Company	TO:EDISON CONSTRUCTION, INC.
CONTACT NAME	Samantha Jones	Phone Number :6613666311
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :6613660204 Date :05/02/2013 3:34PM
Phone	661-392-6640	
Fax	661-393-9525	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client Griffith Company

For additional information about minority participation projects, visit <http://www.dbegoodfaith.com>

Focus Ad

Griffith Company is Seeking Qualified DBE

BID DUE DATE : 05/29/2013 at 02:00 P.M
 BID No : 06-0L3904
 PROJECT NAME : California Avenue Undercrossing
 AGENCY NAME : California Department of Transportation
 PROJECT CITY/COUNTY : Bakersfield
 PROJECT STATE : California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Cleaning and grubbing (LS). Roadway excavation. Imported borrow (CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer (packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler (type B-5, B-6, C-2). 3" gate valve. 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3" plastic pipe (schedule 40) (supply line). 2" WYE Strainer. 6" welded steel pipe conduit (. 250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt (type A). Place hot mix asphalt dike (type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure (bridge mounted with walkway). Furnish laminated panel sign (1" type A), single sheet aluminum sign (0. 06 3", 0. 080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe, corrugated steel pipe (. 079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection (no. 1, method b) (CY), fabric (class 8). Minor concrete (brushed concrete, textured paving, curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier (type 60). 4", 8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4" thermoplastic traffic stripe (broken 36-12, 17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic court station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

- Yes, we will send a fax quote by bid date.
- No, we are not interested.
- Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	Griffith Company	TO:DEANA'S EQUIPMENT RENTAL COMPANY
CONTACT NAME	Samantha Jones	Phone Number :8057327575
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :6619485588 Date :05/02/2013 3:35PM
Phone	661-392-6640	
Fax	661-393-9525	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client Griffith Company

For additional information about minority participation projects, visit <http://www.dbegoodfaith.com>

Focus Ad

Griffith Company Is Seeking Qualified DBE

BID DUE DATE : 05/29/2013 at 02:00 P.M
 BID No : 06-0L3904
 PROJECT NAME : California Avenue Undercrossing
 AGENCY NAME : California Department of Transportation
 PROJECT CITY/COUNTY : Bakersfield
 PROJECT STATE : California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow(CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer(packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler(type B-5,B-6,C-2). 3" gate valve. 3/4",1",1 1/4",1 1/2",2",2 1/2",3" plastic pipe (schedule 40)(supply line). 2" WYE Strainer. 6" welded steel pipe conduit (. 250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt(type A). Place hot mix asphalt dike(type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure(bridge mounted with walkway). Furnish laminated panel sign (1"type A),single sheet aluminum sign(0. 06 3", 0. 080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe,corrugated steel pipe (. 079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection(no. 1,method b)(CY),fabric(class 8). Minor concrete (brushed concrete, textured paving, curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier(type60). 4",8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4"thermoplastic traffic stripe (broken 36-12,17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

- Yes, we will send a fax quote by bid date.
- No, we are not interested.
- Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	Griffith Company	TO:RAM CONSTRUCTION & CONCRETE, INC.
CONTACT NAME	Samantha Jones	Phone Number :6615894726
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :6615894725 Date :05/02/2013 3:37PM
Phone	661-392-6640	
Fax	661-393-9525	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client Griffith Company
For additional information about minority participation projects, visit <http://www.dbegoodfaith.com>

Focus Ad

Griffith Company is Seeking Qualified DBE

BID DUE DATE : 05/29/2013 at 02:00 P.M
 BID No : 06-0L3904
 PROJECT NAME : California Avenue Undercrossing
 AGENCY NAME : California Department of Transportation
 PROJECT CITY/COUNTY : Bakersfield
 PROJECT STATE : California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow(CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer(packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conduction. 2" electric remote control valve. Sprinkler(type B-5,B-6,C-2). 3" gate valve. 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3" plastic pipe (schedule 40)(supply line). 2" WYE Strainer. 6" weided steel pipe conduit (. 250" thick). Class 2 aggregate base (CY). Replac asphalt concrete surfacing. Hot mix asphalt(type A). Place hot mix asphalt dike(type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure(bridge mounted with walkway). Furnish laminated panel sign (1"type A),single sheet aluminum sign(0. 06 3", 0. 080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe,corrugated steel pipe (. 079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection(no. 1,method b)(CY),fabric(class 8). Minor concrete (brushed concrete, textured paving, curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier(type60). 4",8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4"thermoplastic traffic stripe (broken 36-12,17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

- Yes, we will send a fax quote by bid date.
- No, we are not interested.
- Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	Griffith Company	TO:CODE PRECAST PRODUCTS, INC
CONTACT NAME	Samantha Jones	Phone Number :6617460466
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :6617463716
		Date :05/02/2013 3:42PM
Phone	661-392-6640	
Fax	661-393-9525	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client Griffith Company
For additional information about minority participation projects, visit <http://www.dbegoodfaith.com>

Focus Ad

Griffith Company is Seeking Qualified DBE

BID DUE DATE : 05/29/2013 at 02:00 P.M
 BID No : 06-0L3904
 PROJECT NAME : California Avenue Undercrossing
 AGENCY NAME : California Department of Transportation
 PROJECT CITY/COUNTY : Bakersfield
 PROJECT STATE : California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow(CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer(packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler(type B-5,B-6,C-2). 3" gate valve. 3/4",1",1 1/4",1 1/2",2",2 1/2",3" plastic pipe (schedule 40)(supply line). 2" WYE Strainer. 6" welded steel pipe conduit (. 250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt(type A). Place hot mix asphalt dike(type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure(bridge mounted with walkway). Furnish laminated panel sign (1"type A),single sheet aluminum sign(0. 06 3", 0. 080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe,corrugated steel pipe (. 079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection(no. 1,method b)(CY),fabric(class 8). Minor concrete (brushed concrete, textured paving, curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier(type60). 4",8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4"thermoplastic traffic stripe (broken 36-12,17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

- Yes, we will send a fax quote by bid date.
- No, we are not interested.
- Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	Griffith Company	TO:MASKELL PIPE & SUPPLY INC
CONTACT NAME	Samantha Jones	Phone Number :9095748662
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :9095748663 Date :05/02/2013 3:43PM
Phone	661-392-6640	
Fax	661-393-9525	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client Griffith Company

For additional information about minority participation projects, visit <http://www.dbegoodfaith.com>

Focus Ad

Griffith Company is Seeking Qualified DBE

BID DUE DATE : 05/29/2013 at 02:00 P.M
 BID No : 06-0L3904
 PROJECT NAME : California Avenue Undercrossing
 AGENCY NAME : California Department of Transportation
 PROJECT CITY/COUNTY : Bakersfield
 PROJECT STATE : California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow(CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer(packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler(type B-5,B-6,C-2). 3" gate valve. 3/4",1",1 1/4",1 1/2",2",2 1/2",3" plastic pipe (schedule 40)(supply line). 2" WYE Strainer. 6" welded steel pipe conduit (. 250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt(type A). Place hot mix asphalt dike(type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure(bridge mounted with walkway). Furnish laminated panel sign (1"type A),single sheet aluminum sign(0. 06 3", 0. 080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe,corrugated steel pipe (. 079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection(no. 1,method b)(CY),fabric(class 8). Minor concrete (brushed concrete,textured paving,curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier(type60). 4",8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4"thermoplastic traffic stripe (broken 36-12,17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

- Yes, we will send a fax quote by bid date.
- No, we are not interested.
- Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	Griffith Company	TO:NAVARRO ORNAMENTAL DESIGNS
CONTACT NAME	Samantha Jones	Phone Number :5592751726
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :5592751726 Date :05/02/2013 3:46PM
Phone	661-392-6640	
Fax	661-393-9525	

This is a Fax solicitation for projects by DBE Goodfaith inc. on behalf of our client Griffith Company

For additional information about minority participation projects, visit <http://www.dbegoodfaith.com>

Focus Ad

Griffith Company is Seeking Qualified DBE

BID DUE DATE : 05/29/2013 at 02:00 P.M
 BID No : 06-0L3904
 PROJECT NAME : California Avenue Undercrossing
 AGENCY NAME : California Department of Transportation
 PROJECT CITY/COUNTY : Bakersfield
 PROJECT STATE : California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow(CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer(packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler(type B-5,B-6,C-2). 3" gate valve. 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3" plastic pipe (schedule 40)(supply line). 2" WYE Strainer. 6" welded steel pipe conduit (. 250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt(type A). Place hot mix asphalt dike(type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure(bridge mounted with walkway). Furnish laminated panel sign (1"type A),single sheet aluminum sign(0. 06 3", 0. 080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe,corrugated steel pipe (. 079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection(no. 1,method b)(CY),fabric(class 8). Minor concrete (brushed concrete,textured paving,curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier(type60). 4",8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4"thermoplastic traffic stripe (broken 36-12,17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

- Yes, we will send a fax quote by bid date.
- No, we are not interested.
- Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	Griffith Company	TO:CONTECH CONCRETE TECHNIQUES, INC
CONTACT NAME	Samantha Jones	Phone Number :5592518818
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :5593518821 Date :05/02/2013 3:47PM
Phone	661-392-6640	
Fax	661-393-9525	

This is a Fax solicitation for projects by DBE Goodfaith inc. on behalf of our client Griffith Company
For additional information about minority participation projects, visit <http://www.dbegoodfaith.com>

Focus Ad

Griffith Company is Seeking Qualified DBE

BID DUE DATE : 05/29/2013 at 02:00 P.M
 BID No : 06-0L3904
 PROJECT NAME : California Avenue Undercrossing
 AGENCY NAME : California Department of Transportation
 PROJECT CITY/COUNTY : Bakersfield
 PROJECT STATE : California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow(CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer(packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler(type B-5,B-6,C-2). 3" gate valve. 3/4",1",1 1/4",1 1/2",2",2 1/2",3" plastic pipe (schedule 40)(supply line). 2" WYE Strainer. 6" welded steel pipe conduit (. 250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt(type A). Place hot mix asphalt dike(type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure(bridge mounted with walkway). Furnish laminated panel sign (1"type A),single sheet aluminum sign(0. 06 3", 0. 080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe,corrugated steel pipe (. 079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection(no. 1,method b)(CY),fabric(class 8). Minor concrete (brushed concrete,textured paving,curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier(type60). 4",8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4"thermoplastic traffic stripe (broken 36-12,17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

- Yes, we will send a fax quote by bid date.
- No, we are not interested.
- Interested. Would like more information. Please contact us at _____.

INVITATION TO BID**Good Faith Solicitation Fax**

From	Griffith Company	TO:MOJAM INCORPORATED
CONTACT NAME	Samartha Jones	Phone Number :6615267121
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :6617942505 Date :05/02/2013 3:48PM
Phone	661-392-6640	
Fax	661-393-9525	

**This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
Griffith Company**

**For additional information about minority participation projects,
visit <http://www.dbegoodfaith.com>**

Focus Ad**Griffith Company is Seeking Qualified DBE**

BID DUE DATE :	05/29/2013 at 02:00 P.M
BID No :	06-0L3904
PROJECT NAME :	California Avenue Undercrossing
AGENCY NAME :	California Department of Transportation
PROJECT CITY/COUNTY :	Bakersfield
PROJECT STATE :	California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow (CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer (packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler (type B-5, B-6, C-2). 3" gate valve. 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3" plastic pipe (schedule 40) (supply line). 2" WYE Strainer. 6" welded steel pipe conduit (. 250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt (type A). Place hot mix asphalt dike (type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure (bridge mounted with walkway). Furnish laminated panel sign (1" type A), single sheet aluminum sign (0. 06 3", 0. 080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe, corrugated steel pipe (. 079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection (no. 1, method b) (CY), fabric (class 8). Minor concrete (brushed concrete, textured paving, curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier (type 60). 4", 8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4" thermoplastic traffic stripe (broken 36-12, 17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

Yes, we will send a fax quote by bid date.

No, we are not interested.

Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	Griffith Company	TO: D L CONSTRUCTION
CONTACT NAME	Samantha Jones	Phone Number :5592758339
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :5592741579 Date :05/02/2013 3:49PM
Phone	661-392-6640	
Fax	661-393-9525	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client Griffith Company

For additional information about minority participation projects, visit <http://www.dbegoodfaith.com>

Focus Ad

Griffith Company is Seeking Qualified DBE

BID DUE DATE : 05/29/2013 at 02:00 P.M
 BID No : 06-0L3904
 PROJECT NAME : California Avenue Undercrossing
 AGENCY NAME : California Department of Transportation
 PROJECT CITY/COUNTY : Bakersfield
 PROJECT STATE : California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow (CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer (packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler (type B-5, B-6, C-2). 3" gate valve. 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3" plastic pipe (schedule 40) (supply line). 2" WYE Strainer. 6" welded steel pipe conduit (. 250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt (type A). Place hot mix asphalt dike (type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure (bridge mounted with walkway). Furnish laminated panel sign (1" type A), single sheet aluminum sign (0. 06 3", 0. 080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe, corrugated steel pipe (. 079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection (no. 1, method b) (CY), fabric (class 8). Minor concrete (brushed concrete, textured paving, curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier (type 60). 4", 8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4" thermoplastic traffic stripe (broken 36-12, 17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

- Yes, we will send a fax quote by bid date.
- No, we are not interested.
- Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	Griffith Company	TO:MATTOS UNDERGROUND CONSTRUCTION, INC.
CONTACT NAME	Samantha Jones	Phone Number :5599234615
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :5599234651 Date :05/02/2013 3:50PM
Phone	661-392-6640	
Fax	661-393-9525	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client Griffith Company
For additional information about minority participation projects, visit <http://www.dbegoodfaith.com>

Focus Ad

Griffith Company is Seeking Qualified DBE

BID DUE DATE : 05/29/2013 at 02:00 P.M
 BID No : 06-0L3904
 PROJECT NAME : California Avenue Undercrossing
 AGENCY NAME : California Department of Transportation
 PROJECT CITY/COUNTY : Bakersfield
 PROJECT STATE : California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow(CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer(packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler(type B-5,B-6,C-2). 3" gate valve. 3/4",1",1 1/4",1 1/2",2",2 1/2",3" plastic pipe (schedule 40)(supply line). 2" WYE Strainer. 6" welded steel pipe conduit (. 250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt(type A). Place hot mix asphalt dike(type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure(bridge mounted with walkway). Furnish laminated panel sign (1"type A),single sheet aluminum sign(0. 06 3", 0. 080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe, corrugated steel pipe (. 079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection(no. 1,method b)(CY), fabric(class 8). Minor concrete (brushed concrete, textured paving, curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier(type60). 4",8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4" thermoplastic traffic stripe (broken 36-12,17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

- Yes, we will send a fax quote by bid date.
- No, we are not interested.
- Interested. Would like more information. Please contact us at _____.

INVITATION TO BID**Good Faith Solicitation Fax**

From	Griffith Company	TO:MASS X INC.
CONTACT NAME	Samantha Jones	Phone Number :5594723274
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :5594723275 Date :05/02/2013 3:52PM
Phone	661-392-6640	
Fax	661-393-9525	

**This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client
Griffith Company**

**For additional information about minority participation projects,
visit <http://www.dbegoodfaith.com>**

Focus Ad**Griffith Company is Seeking Qualified DBE**

BID DUE DATE :	05/29/2013 at 02:00 P.M
BID No :	06-0L3904
PROJECT NAME :	California Avenue Undercrossing
AGENCY NAME :	California Department of Transportation
PROJECT CITY/COUNTY :	Bakersfield
PROJECT STATE :	California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow (CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer (packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler (type B-5, B-6, C-2). 3" gate valve. 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3" plastic pipe (schedule 40) (supply line). 2" WYE Strainer. 6" welded steel pipe conduit (. 250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt (type A). Place hot mix asphalt dike (type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure (bridge mounted with walkway). Furnish laminated panel sign (1" type A), single sheet aluminum sign (0. 06 3", 0. 080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe, corrugated steel pipe (. 079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection (no. 1, method b) (CY), fabric (class 8). Minor concrete (brushed concrete, textured paving, curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier (type 60). 4", 8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4" thermoplastic traffic stripe (broken 36-12, 17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any charges made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

Yes, we will send a fax quote by bid date.

No, we are not interested.

Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	Griffith Company	TO: M. S. LEE ENTERPRISES
CONTACT NAME	Samantha Jones	Phone Number :5592174851
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :5593250760 Date :05/02/2013 3:53PM
Phone	661-392-6640	
Fax	661-393-9525	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client Griffith Company

For additional information about minority participation projects, visit <http://www.dbegoodfaith.com>

Focus Ad

Griffith Company is Seeking Qualified DBE

BID DUE DATE : 05/29/2013 at 02:00 P.M
 BID No : 06-0L3904
 PROJECT NAME : California Avenue Undercrossing
 AGENCY NAME : California Department of Transportation
 PROJECT CITY/COUNTY : Bakersfield
 PROJECT STATE : California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow (CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer (packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler (type B-5, B-6, C-2). 3" gate valve. 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3" plastic pipe (schedule 40) (supply line). 2" WYE Strainer. 6" welded steel pipe conduit (. 250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt (type A). Place hot mix asphalt dike (type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure (bridge mounted with walkway). Furnish laminated panel sign (1" type A), single sheet aluminum sign (0. 06 3", 0. 080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe, corrugated steel pipe (. 079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection (no. 1, method b) (CY), fabric (class 8). Minor concrete (brushed concrete, textured paving, curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier (type 60). 4", 8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4" thermoplastic traffic stripe (broken 36-12, 17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

- Yes, we will send a fax quote by bid date.
- No, we are not interested.
- Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	Griffith Company	TO:LINDY'S COLD PLANING
CONTACT NAME	Samantha Jones	Phone Number :7147208289
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :5626972039
		Date :05/02/2013 3:55PM
Phone	681-392-6640	
Fax	661-393-9525	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client Griffith Company

For additional information about minority participation projects, visit <http://www.dbegoodfaith.com>

Focus Ad

Griffith Company Is Seeking Qualified DBE

BID DUE DATE : 05/29/2013 at 02:00 P.M
 BID No : 08-0L3904
 PROJECT NAME : California Avenue Undercrossing
 AGENCY NAME : California Department of Transportation
 PROJECT CITY/COUNTY : Bakersfield
 PROJECT STATE : California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow(CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer(packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler(type B-5,B-8,C-2). 3" gate valve. 3/4",1",1 1/4",1 1/2",2",2 1/2",3" plastic pipe (schedule 40)(supply line). 2" WYE Strainer. 6" welded steel pipe conduit (. 250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt(type A). Place hot mix asphalt dike(type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure(bridge mounted with walkway). Furnish laminated panel sign (1"type A),single sheet aluminum sign(0. 06 3", 0. 080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe, corrugated steel pipe (. 079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection(no. 1,method b)(CY),fabric(class 8). Minor concrete (brushed concrete, textured paving, curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier(type60). 4",8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4" thermoplastic traffic stripe (broken 36-12,17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

- Yes, we will send a fax quote by bid date.
- No, we are not interested.
- Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	Griffith Company	TO:FORCE TRAFFIC CONTROL, INC.
CONTACT NAME	Samantha Jones	Phone Number :5595941062
ADDRESS	1128 Carrier Parkway Ave. Bakersfield, California, 93308	Fax Number :5595941056
		Date :05/02/2013 3:57PM
Phone	661-392-6640	
Fax	661-393-9525	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client Griffith Company

For additional information about minority participation projects, visit <http://www.dbegoodfaith.com>

Focus Ad

Griffith Company is Seeking Qualified DBE

BID DUE DATE : 05/29/2013 at 02:00 P.M
 BID No : 06-0L3904
 PROJECT NAME : California Avenue Undercrossing
 AGENCY NAME : California Department of Transportation
 PROJECT CITY/COUNTY : Bakersfield
 PROJECT STATE : California

PROJECT DETAILS :

Griffith Company is seeking qualified DBE subcontractors and suppliers for the California Avenue Undercrossing project in Bakersfield, Kern County for the California Department of Transportation. We are soliciting quotes for the following: Lead compliance plan. Construction area signs. Traffic Control system. Channelizer (surface mounted). Portable changeable message sign (LS). Temporary railing (type K), crash cushion module. Job site management. Prepare storm water pollution prevention plan. Job site management. Storm water annual report. Move in/move out (temporary erosion control). Temporary hydroseed, drainage inlet protection, fiber roll, construction entrance. Street sweeping. Temporary concrete washout, fence (type ESA). Treated wood waste. Remove metal beam guard railing, irrigation facility, thermoplastic pavement marking, roadside sign, inlet, asphalt concrete surfacing. Reset roadside sign. Cold plane asphalt concrete pavement. Remove concrete (CY). Clearing and grubbing (LS). Roadway excavation. Imported borrow(CY). Roadside clearing. Cultivate. Soil amendment. Mulch. Fertilizer(packet). Slow release or controlled release fertilizer. Plant (group H,A,B). Maintain existing planted areas. Plant establishment work. Check and test existing irrigation facilities. Control and neutral conductions. 2" electric remote control valve. Sprinkler(type B-5,B-6,C-2). 3" gate valve. 3/4",1",1 1/4",1 1/2",2",2 1/2",3" plastic pipe (schedule 40)(supply line). 2" WYE Strainer. 6" welded steel pipe conduit (. 250" thick). Class 2 aggregate base (CY). Replace asphalt concrete surfacing. Hot mix asphalt(type A). Place hot mix asphalt dike(type E). Tack coat. Minor concrete (minor structure, backfill). Furnish & install sign structure(bridge mounted with walkway). Furnish laminated panel sign (1"type A),single sheet aluminum sign(0. 06 3", 0. 080" unframed). Roadside sign one & two post. 18" reinforced concrete pipe,comugated steel pipe (. 079 thick), steel flared end section. 48" precast concrete pipe manhole. Rock slope protection(no. 1,method b)(CY),fabric(class 8). Minor concrete (brushed concrete,textured paving,curb and curb ramp). Miscellaneous iron and steel. Alternative crash cushion system. Concrete barrier(type60). 4",8" thermoplastic traffic stripe. Thermoplastic pavement marking. 4" thermoplastic pavement marking. 4"thermoplastic traffic stripe (broken 36-12,17-7). Pavement marker (retroreflective). Maintaining existing traffic management system elements during construction. Electric service (irrigation). Traffic count station. Modify signal and lighting. Modify lighting and sign illumination. Mobilization.

We are an equal opportunity employer. We will assist in trying to obtain bonds, lines of credit, insurance, necessary equipment, supplies, materials, as well as any related assistance services. Plans and Specifications are available for review in our office. Please call for an appointment to review and assist in plan take-off/review. Griffith Company is signatory to Operating Engineers, Laborers, Teamsters, Cement Masons, and Carpenters Unions. Subcontractors must also be signatory to a union. 100% performance and payment bonds may be required for the full amount of the subcontract price. Subcontracts must have a current contractor's license, insurance and be required to sign the standard Griffith Company agreement (without any changes made to such agreement).

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 661-393-9525

- Yes, we will send a fax quote by bid date.
- No, we are not interested.
- Interested. Would like more information. Please contact us at _____.

USED
DBE

DATE 05-29-13
E M OIL TRANSPORT
1145 S. TAYLOR
MONTEBELLO, CA 90640
323-722-9088
FAX 323-722-5459
CELL MIKE PRYOR 818-336-0771
mike.pryor@emoiltransport.com or emoiltransport@sbcglobal.net

DUNS # 824736110 SBE# 37828 CAGE CODE# 4RQ42 TIN# 95-4508238

UDBE/SBE/MBE/WBE CERT # 10447

TO: ALL CUSTOMERS

CT 06-0L3904
California Ave Under Xing

5% INDEXED

PG70-10 100 LIQUID TONS @ \$545.00 TON FROM PARA-BF

**HAUL FROM PARA TO ARVIN OR BAKERSFIELD PLANTS PLANT \$16.00 TON
EXPIRES 12-31-13**

PRICE DOES NOT INCLUDE TAX OR ENVIROMENTAL FEES

DBE

$$\begin{array}{r} + 70 \text{ TONS @ } 545.00 = 38,150 \times .60 = \$22,890 \\ 70 \text{ TONS @ } 16.00 = 1,120 @ 100\% = 1,120 \\ \hline 24,010 \end{array}$$

USED
DBE

AUSTIN ENTERPRISE

License #764893

P. O. Box 81926

Bakersfield, CA, 93380

661-589-1001 FAX 589-9509

Certified DBE/MBE/WBE/UDBE CT-013602

BID PROPOSAL

Project: CT # 06-0L3904
Hwy 99 – California Ave

BID DATE: May 29, 2013

BID ITEM #2/ Construction Area Signs:

Plan page CS-1	Lump sum	\$2,100.00	} NOT LOW
Plan page TH-1	Lump sum	\$1,400.00	

Conditions Item :

1. Excludes traffic control
2. 2 weeks written notice required for installation
3. One move included, set and remove, additional moves at \$300.00 each
4. On-site repairs, replacement and/or maintenance on above items will be charged on an hourly basis, portal to portal
5. Signs/Posts will remain the property of Austin Enterprise
6. Bid items may not be separated.

BID ITEM # 23/ Remove Roadside Sign:

5 each remove signs.....	\$150.00 per each.....	\$750.00	} NOT LOW
--------------------------	------------------------	----------	--------------

BID ITEM # 26/ Reset Roadside Sign:

3 each reset signs.....	\$325.00 per each.....	\$975.00	} LOW
-------------------------	------------------------	----------	-------

Conditions Items 23/26:

1. Excludes traffic control
2. Contractor to provide layout and clear access to work area
3. One move in included, additional moves at \$500.00 each
4. Austin Enterprise will not be responsible for theft or damage after an approved installation.
5. Bid Items may not be separated.

AUSTIN ENTERPRISE

License #764893

P. O. Box 81926

Bakersfield, CA, 93380

661-589-1001 FAX 589-9509

Certified DBE/MBE/WBE/UDBE CT-013602

#06-0L3904 / Page 2 of 2 pages

BID ITEM # 68 / Furnish Laminated Panel Sign (Type A):

67 SQFT signs.....\$36.00 per SQFT.....\$2,412.00

BID ITEM # 69 / Furnish Single Sheet Aluminum Sign (0.063" unframed):

51 SQFT signs.....\$16.00 per SQFT.....\$816.00

BID ITEM # 70 / Furnish Single Sheet Aluminum Sign (0.080" unframed):

16 SQFT signs.....\$18.00 per SQFT.....\$288.00

} NOT LOW

BID ITEM # 71 / Roadside Sign (1-post):

5 each install.....\$350.00 per each.....\$1,750.00

LOW

BID ITEM # 72 / Roadside Sign (2-post):

1 each install.....\$450.00 per each.....\$450.00

LOW

Conditions Items 68/69/70/71/72:

- 1.Excludes traffic control
- 2.Contractor to provide layout and clear access to work area
- 3.One move in included, additional moves at \$500.00 each
- 4.Austin Enterprise will not be responsible for theft or damage after an approved installation.
- 5. Bid Items may not be separated.

Note*

Union Signatory
Insurance: \$5,000,000.00 Liability
NO BONDING

Fax Header Information

GRIFFITH COMPANY - Central
661-393-9525
28-May-2013 10:21 AM

Fax Job	Date/Time	Type	Identification	Duration	Pgs	Result
55940	28-May-2013 10:19 AM	Receive	6615899904	1:17	3	Success

05/28/2013 10:44 6615899904 AUSTINENTPRISE PAGE 01

FAX COVER SHEET

AUSTIN ENTERPRISE

License #764893

PO Box 81926

Bakersfield, CA, 93380

661-589-1001 FAX 589-9509

Certified DBE/MBE/WBE/UDBE

CT #013602

Send To: Griffith Company	From: Patti Conner/
Attention: Kent	Date: 5/28/13
Fax Number: 393-9525	Phone: 392-6640

Total pages, including cover: 3

Comments:

Project: CDOT# 00L3904
Hwy 99 @ California Ave, Bakersfield

Bid Date: May 29, 2013

FAX COVER SHEET

AUSTIN ENTERPRISE

License #764893

PO Box 81926

Bakersfield, CA, 93380

661-589-1001 FAX 589-9509

Certified DBE/MBE/WBE/UDBE

CT #013602

Send To: Griffith Company	From: Patti Conner/
Attention: Kent	Date: 5/28/13
Fax Number: 393-9525	Phone: 392-6640

Total pages, including cover: 3

Comments:

Project: CDOT# 00L3904
 Hwy 99 @ California Ave, Bakersfield

Bid Date: May 29, 2013

This transmission may contain confidential and/or privileged information. If you are not the addressee or authorized to receive this for the addressee, you must not use, copy, disclose or take any action based on this message or any information herein. If you have received this transmission in error, please advise the sender immediately by reply and destroy the material in its entirety. Thank you

FAX COVER SHEET

Austin Enterprise
PO Box 81926
Bakersfield, CA 93380
Phone 661-589-1001
FAX 589-9509

Send to: GRIFFITH	From: Patti
Attention: Kent	Date: 5/28/2013
Fax number: 393-9525	Phone number: 392-6640

Urgent Reply ASAP Please comment Please review For your information

Total pages, including cover: 1

Comments:

TELEPHONE CONFIRMATION QUOTE
06-0L3904

Bid Item #4 - CHANNELIZER

10EA @ \$50⁰⁰ = \$500 -

Conditions:
(1) NO TC / (1) MOVE IN / CONTRACTOR TO LAYOUT

LOW
USED
DBE

USED
DBE



PH: 760 446 3100
Cell 760-677-9047

E Mail: Clay@valleyfence.com

FAX: 760 446 2988

TO:
ATTN: **Revised**

JOB ESTIMATE
BID DATE 5/29/2013
JOB DESCRIPTION
06-0L3904

Kern County In Bakersfield At California Avenue

ITEM #	DESCRIPTION	QUANTITIES	UNIT	ITEM	ITEM
19	TREATED WOOD WASTE (MBGR POSTS)	1090	\$	4.15	\$ 4,523.50
20	REMOVE METAL BEAM GUARD RAILING	65	\$	47.45	\$ 3,084.25
83	ALTERNATIVE CRASH CUSHION SYSTEM (Quoted for a Quadguard)	1	\$	24,555.55	\$ 24,555.55

} Low

lic # 892954 3-31-15
CALTRANS SWBE #CT007535
CAL TRANS SMALL BUSINESS #001729591
OVER 150 YEARS OF COMBINED EXPERIENCE

BOND: 2.60%

EXCLUSIONS:

- Grading, Staking, Clearing of the fence line, Grounding
- Removal and disposing of concrete footers
- Umbrella and Rail Road Insurance
- Engineering and Layouts
- Post pockets
- Asphalt repairs
- Lighting
- Traffic control
- Vegetation Control
- Minor Concrete (Structure)
- Mandatory classes (Drug testing, Permits)
- WPCP, SWWPP
- Locating/Relocating of utilities
- Unmarked Underground

DOLLARS (\$) \$ 32,163.30

NOTES:

We Require 12' +/- Space for our equipment

0

TOTAL
MOBILIZATIONS (TOTAL)
This bid is based on (EA)

ESTIMATED BY
Clay Hoggard

CONDITIONS OF BID PROPOSAL

06-0L3904

Kern County In Bakersfield At California Avenue

Acceptance of this proposal by Contractor shall be acceptance of all terms and conditions recited herein which shall supersede any conflicting term in any other contract document. Any of the Contractor's terms and conditions in addition or different from this proposal are objected to and shall have no effect. Contractor's agreement herewith shall be evidenced by Contractor's signature hereon or by permitting Subcontractor to commence work for project.

1. Subcontractor shall be paid monthly progress payments on or before the 15th of each month for the value of work completed plus the amount of materials and equipment suitably stored on or off site. Final payment shall be due 30 days after the work described in the Proposal is substantially completed. No provision of this agreement shall serve to void the Subcontractor's entitlement to payment for properly performed work or suitably stored materials or to require the Subcontractor to continue performance if timely payments are not made to Subcontractor for suitably performed work or stored materials or to void Subcontractor's right to file a lien or claim on its behalf in the event that any payment to Subcontractor is not timely made. **NO RETENION WILL BE HELD ON MATERIALS ON HAND**

2. The Contractor will withhold no more retention from the Subcontractor other than is being withheld by the Owner from the Contractor with respect to the Subcontractor's work.

3. All sums not paid when due shall bear an interest rate of 1½% per month or the maximum legal rate permitted by law whichever is less; and all costs of collection, including a reasonable attorney's fee, shall be paid by Contractor.

4. No backcharges or claim of the Contractor for services shall be valid except by an agreement in writing by the Subcontractor before the work is executed, except in the case of the Subcontractor's failure to meet any requirement of the subcontract agreement. In such event, the Contractor shall notify the Subcontractor of such default, in writing, and allow the Subcontractor reasonable time to correct any deficiency before incurring any cost chargeable to the Subcontractor.

5. Contractor is to prepare all work areas so as to be acceptable for Subcontractor work under the Subcontract. Subcontractor will not be called upon to start work until sufficient areas are ready to insure continued work. The Contractor shall furnish all temporary site facilities including suitable storage space, hoisting, temporary electrical and water at no cost to Subcontractor.

6. Subcontractor shall be given a reasonable time in which to make delivery of materials and/or labor to commence and complete the performance of the contract. Subcontractor shall not be responsible for delays or defaults where occasioned by any causes of any kind and extend beyond its control, including but not limited to: delays caused by the owner, general contractor, architect and/or engineers, delays in transportation, shortage of raw materials, civil disorders, labor difficulties, vendor allocations, fires, floods, accidents and acts of God. Subcontractor shall be entitled to equitable adjustment in the subcontract amount for additional costs due to unanticipated project delays or accelerations caused by others whose acts are not the Subcontractor's responsibility and to time extensions for unavoidable delays. The Contractor shall make no demand for liquidated damages for delays in excess of the amount specified in the subcontract agreement and no liquidated damages may be assessed against Subcontractor for more than the amount paid by the Contractor for unexcused delays to the extent actually caused by Subcontractor.

7. The Subcontractor's equipment and work are guaranteed for a period of one year from the date of substantial completion or use by the Contractor or the Contractor's customer, whichever is earlier. THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. The exclusive remedy shall be that Subcontractor will replace or repair any part of its work which is found to be defective. Subcontractor shall not be responsible for damage or defect caused by abuse, modifications not executed by the Subcontractor, improper or insufficient maintenance, improper operation or normal wear, tear and usage.

8. Work called for herein is to be performed during Subcontractor's regular working hours. All work performed outside of such hours shall be charged for at rates or amounts agreed upon by the parties at the time overtime is authorized.

9. Contractor shall, if the Owner does not, purchase and maintain all risk insurance upon full value of the entire work and/or materials delivered to the jobsite, which shall include the interest of Subcontractor.

10. The Subcontractor shall indemnify and hold harmless the Contractor, Owner, Architect or others from damages only to the extent such damages were caused by any negligent act or omission of the Subcontractor or anyone for whose acts the Subcontractor is liable.

Date

5/20/2013

Fax Header Information

GRIFFITH COMPANY - Central
 661-393-9525
 29-May-2013 12:30 PM

Fax Job	Date/Time	Type	Identification	Duration	Pgs	Result
56020	29-May-2013 12:27 PM	Receive	760+446+2988	1:51	3	Success

From: Our Valley Fence CO. Inc 760+446+2988 05/29/2013 12:47 #988 P.001/003



PH: 760 446 3100
 Cell 760-677-9047
 TO: **Revised**
 ATTN:

E Mail: Clay@valleyfence.com FAX: 760 446 2988
JOB ESTIMATE

BID DATE
 5/29/2013 **JOB DESCRIPTION**
 06-0L3904

ITEM # DESCRIPTION
 19 TREATED WOOD WASTE (MBGR POSTS)
 20 REMOVE METAL BEAM GUARD RAILING
 83 ALTERNATIVE CRASH CUSHION SYSTEM
 (Quoted for a Quadguard)

Kern County in Bakersfield At California Avenue

QUANTITIES	UNIT	ITEM
1090	\$	4.15 \$ 4,523.50
65	\$	47.45 \$ 3,084.25
1	\$	24,555.55 \$ 24,555.55

lic # 892954 3-31-15
 CALTRANS SWBE #CT007535
 CAL TRANS SMALL BUSINESS #001729591
 OVER 150 YEARS OF COMBINED EXPERIENCE

BOND: 2.60%
EXCLUSIONS:

- Grading, Staking, Clearing of the fence line, Grounding
- Removal and disposing of concrete footers
- Umbrella and Rail Road Insurance
- Engineering and Layouts
- Post pockets
- Asphalt repairs
- Lighting
- Traffic control
- Vegetation Control
- Minor Concrete (Structure)
- Mandatory classes (Drug testing, Permits)
- WPCP, SWWPP
- Locating/Relocating of utilities
- Unmarked Underground

DOLLARS (\$) \$ 32,163.30

NOTES:
 We Require 12' +/- Space for our equipment

TOTAL
MBILIZATIONS (TOTAL)
 This bid is based on (EA)

ESTIMATED BY
 Clay Hoggard



Airport * Highway * Street * Parking Lot
 Striping * Markers * Thermoplastic
 Signs * Sealcoat * Crackfill
LIC. # 396627 *MBE/SBE/ UDBE #2003

*USED
LOW
DBE*

ESTIMATE

COMPANY:

ATTN:

CITY:

PHONE:

FAX:

ZIP:

JOB NAME: CALTRANS 06-0L3904 - RELOCATE RIGHT TURN LANE - SOUTH BOUND ON-RAMP

ADDRESS: ROUTE 99 @ CALIFORNIA AVENUE UNDERCROSSING

CITY: BAKERSFIELD, CA

PLANS: YES

SPECS: YES

ESTIMATOR: TREVOR

EMAIL: trevor@supersealandstripe.com

BID DATE	ACCEPTANCE	START DATE	COMPLETION DATE		
5/29/13					
ITEM #	DESCRIPTION	QTY	U/M	U.C.	TOTAL
	REMOVE BY GRINDING & INSTALL IN THERMOPLASTIC MATERIAL				
1	LEAD COMPLIANCE PLAN (PARTIAL - FOR OUR WORK ONLY)	1	LS	\$1,500.00	\$1,500.00
22	REMOVE THERMOPLASTIC PAVEMENT MARKING	140	SF	\$3.50	\$490.00
85	4" THERMOPLASTIC TRAFFIC STRIPE	1970	LF	\$0.45	\$886.50
86	8" THERMOPLASTIC TRAFFIC STRIPE	1090	LF	\$0.60	\$654.00
87	THERMOPLASTIC PAVEMENT MARKING	910	SF	\$5.00	\$4,550.00
88	4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12)	850	LF	\$0.40	\$340.00
89	4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 17-7)	230	LF	\$0.40	\$92.00
90	PAVEMENT MARKER (RETROREFLECTIVE)	100	EA	\$3.50	\$350.00
96	MOBILIZATION	1	LS	\$6,525.00	\$6,525.00
	THIS PROPOSAL EXCLUDES THE FOLLOWING:				
	REMOVAL OF TEMP TAGS				
	TEMPORARY STRIPING				
	CONSTRUCTION AREA SIGNAGE				
	DETOUR SIGNAGE / RAMP CLOSURE ADVANCED NOTICE SIGNS				
	POSTING OF TEMPORARY NO PARKING SIGNS				
	SIGNAGE				
	MESSAGE BOARDS				
	HAZARDOUS MATERIAL REMOVAL AND DISPOSAL				
	WET SANDBLASTING				
	SURFACE PREP PRIOR TO STRIPING				
	BASED ON ONE MOVE-IN. ADDITIONAL MOVE-INS @ \$3,200/EA				
	PRICE INCLUDES TRAFFIC CONTROL FOR OUR WORK ONLY				
	CONTRACTOR IS TO PROVIDE AN ON-SITE LOCATION TO STOCKPILE REMOVAL DEBRIS AND PAY ALL ASSOCIATED COSTS/FEEES FOR HAUL-OFF AND DISPOSAL.				
	PRICE COVERS LISTED ITEMS ONLY.				
	DOWN TIME CAUSED BY ANYTHING BEYOND THE CONTROL OF SUPER SEAL AND STRIPE WILL BE BILLED AT \$125/MAN HOUR				
	PRICE DOES NOT INCLUDE PREMIUM FOR SATURDAY OR SUNDAY WORK HOURS				
	CALL TIM TANNER FOR SCHEDULING - (805) 432-3620				
		PAGE 1 OF 2	TOTAL		\$15,387.50

A CONTRACT AND FIFTEEN (15) WORKING DAYS NOTICE MUST BE GIVEN PRIOR TO STARTING WORK.
 UPON ACCEPTANCE PLEASE SIGN AND RETURN. ABOVE PRICE NOT VALID AFTER 30 DAYS.

*NEED 1 MOVE FOR REMOVAL
VED*

*3,200.00
18,587.50*

P.O. BOX 755, FILLMORE, CA 93016-0755
 (805) 524-7345 - FAX (805) 524-7428
 LIC. # 396627 SBE/DBE/WBE CCA-8087



Airport * Highway * Street * Parking Lot
 Striping * Markers * Thermoplastic
 Signs * Sealcoat * Crackfill
LIC. # 396627 * MBE/SBE/ UDBE #2003
CERTIFIED UDBE
ESTIMATE

PAGE 2 OF 2

GENERAL LIABILITY INSURANCE IS INCLUDED WITH LIMITS OF \$1,000,000 PER OCCURRENCE/\$2,000,000 GENERAL AGGREGATE/
 \$2,000,000 COMPLETED OPERATIONS AGGREGATE AND BLANKET ADDITIONAL INSURED ENDORSEMENT WITH WORDING
 EQUIVALENT TO GC2010 11-85 WHEN REQUIRED BY WRITTEN CONTRACT. TYPE 3 INDEMNITY AGREEMENT APPLIES. EXCLUDES
 ANY WAIVER SUBROGATIONS ON WORKERS COMP.

CLARIFICATIONS:

1. Contractor to provide monthly progress payments for all completed work in accordance with the bid pricing schedule. Monthly progress payments must be received in full by Super Seal & Stripe no later than 10 calendar days after the Contractor receives payment from Owner for our completed work. Delinquent payments will be subject to the highest interest rate allowed by law.
2. Retainage percentage on monthly progress payments to be no greater than the percentage retained by the Owner on its payment to the Contractor. If Owner reduces the retainage percentages on payments to the Contractor, the Contractor shall likewise reduce the retainage percentage on payment to Super Seal & Stripe. Full retention to be released no later than thirty, (30) days after completion of Super Seal & Stripe's work. Excessive or delinquent retainage will be subject to the highest interest rate allowed by law.
3. Any required Testing, Engineering, Design, Permits, Licenses or Applications, and the like, to be provided by others.
4. Prices are based on Plans & Specifications available at bid time, including all addenda. Any request for work (post bid) under conditions differing from those represented by the Prime Contract Documents, including but not limited to: altered phasing or staging, design changes, modified layout, resulting from plan errors or inaccurate designs, will require payment for additional work to be made to Super Seal & Stripe at an amount agreed upon prior to performing this work. If an amount cannot be agreed upon prior to performing the additional work the amount will be determined using Caltrans Force Account Rates or unit prices established in the bid pricing schedule, or a combination thereof; established in the bid pricing schedule, or a combination thereof; whichever method results in a higher overall payment.
5. Super Seal & Stripe is not responsible for delays caused by and or resulting from activities or non activities of others, including but not limited to, Owner, Contractor, Vendors, Suppliers, other subcontractors and other factors not in direct control of Super Seal & Stripe. For the delays caused by the aforementioned, Super Seal & Stripe will be reimbursed for all direct and indirect costs plus a mark up of forty percent, (40%) or as specified and allowed by the Prime Contract if the delays are caused by the Owner. Super Seal & Stripe will be granted an extension of time to perform its work tantamount to the delays.
6. Super Seal & Stripe requires (15) days notice prior to commencement of any production activity. If any of Super Seal & Stripe's work will be a controlling operation on the critical path of this project, Super Seal & Stripe must be notified in writing prior to execution of the Subcontract Agreement and provided with a CPM schedule which details this work. Failure to provide this information will waive the Contractor's right to recover liquidated damages from Super Seal & Stripe for this work.
7. All changes to the original scope of work proposed extra work must be directed by the Contractor in writing prior to Super Seal & Stripe performing this work.
8. For the purpose of this Subcontract Quotation one (1) move-in is considered to be: a period of consecutive eight (8) hour days of continuous work, not including weekends and holidays. Any discontinuities in this period, other than weekends and holidays, or for our own convenience, will be charged as an additional move-in at the Additional Move-in Charge as quoted herein.
9. Super Seal & Stripe must receive a letter of intent to award us the subcontract no later than (20) calendar days after bid date or this Subcontract Quotation becomes null and void.
10. Super Seal & Stripe is an Equal Opportunity and Affirmative Action employer, that adheres to laws & regulations of Executive order 11246 Sec. 503 as amended of Rehabilitation action 1973 as amended and 4211 (USC) Vietnam Veterans readjustment as amended.
11. If General Contractor or any of its sub-contractors work within Super Seal & Stripes traffic control, the expense will be shared accordingly at Super Seal & Stripe discretion. No advance posting, signing, or Portable CMS is included for Super Seal & Stripe Traffic Control.
12. Pre-Striping pavement preparation, including sweeping & curing compound removals, to be provided by others.
13. Any additional work in excess of the quantities price will be billed at the units. No discounts given for under-runs without prior approval of Super Seal & Stripe.

NO BONDING.

Fax Header Information

GRIFFITH COMPANY - Central
661-393-9525
28-May-2013 04:37 PM

Fax Job	Date/Time	Type	Identification	Duration	Pgs	Result
55963	28-May-2013 04:35 PM	Receive	18055247428	1:37	2	Success

05/28/2013 16:54 SUPER SEAL AND STRIPE (FAX)18055247428 P.001/002



Airport * Highway * Street * Parking Lot
Striping * Markers * Thermoplastic
Signs * Sealcoat * Crackfill
LIC. # 396627 *MBE/SBE/ UDBE #2003

ESTIMATE

COMPANY:
ATTN:
PHONE: FAX: CITY:
JOB NAME: CALTRANS 06-0L3904 - RELOCATE RIGHT TURN LANE - SOUTH BOUND ON-RAMP
ADDRESS: ROUTE 99 @ CALIFORNIA AVENUE UNDERCROSSING CITY: BAKERSFIELD, CA
PLANS: YES SPECS: YES
ESTIMATOR: TREVOR EMAIL: trevor@superseelandstripe.com

BID DATE	ACCEPTANCE	START DATE	COMPLETION DATE			
5/29/13						
ITEM #	DESCRIPTION	QTY	U/M	U.C.	TOTAL	
	REMOVE BY GRINDING & INSTALL IN THERMOPLASTIC MATERIAL					
1	LEAD COMPLIANCE PLAN (PARTIAL - FOR OUR WORK ONLY)	1	LS	\$1,500.00	\$1,500.00	
22	REMOVE THERMOPLASTIC PAVEMENT MARKING	140	SF	\$3.50	\$490.00	
35	4" THERMOPLASTIC TRAFFIC STRIPE	1970	LF	\$0.45	\$886.50	
86	8" THERMOPLASTIC TRAFFIC STRIPE	1090	LF	\$0.60	\$654.00	
87	THERMOPLASTIC PAVEMENT MARKING	910	SF	\$5.00	\$4,550.00	
88	4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12)	850	LF	\$0.40	\$340.00	
89	4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 17-7)	230	LF	\$0.40	\$92.00	
90	PAVEMENT MARKER (RETROREFLECTIVE)	100	EA	\$3.50	\$350.00	
96	MOBILIZATION	1	LS	\$6,525.00	\$6,525.00	
<p>THIS PROPOSAL EXCLUDES THE FOLLOWING: REMOVAL OF TEMP TAGS TEMPORARY STRIPING CONSTRUCTION AREA SIGNAGE DETOUR SIGNAGE / RAMP CLOSURE ADVANCED NOTICE SIGNS POSTING OF TEMPORARY NO PARKING SIGNS SIGNAGE MESSAGE BOARDS HAZARDOUS MATERIAL REMOVAL AND DISPOSAL WET SANDBLASTING SURFACE PREP PRIOR TO STRIPING BASED ON ONE MOVE-IN. ADDITIONAL MOVE-INS @ \$3,200/EA PRICE INCLUDES TRAFFIC CONTROL FOR OUR WORK ONLY CONTRACTOR IS TO PROVIDE AN ON-SITE LOCATION TO STOCKPILE REMOVAL DEBRIS AND PAY ALL ASSOCIATED COSTS/FEEES FOR HAUL-OFF AND DISPOSAL. PRICE COVERS LISTED ITEMS ONLY. DOWN TIME CAUSED BY ANYTHING BEYOND THE CONTROL OF SUPER SEAL AND STRIPE WILL BE BILLED AT \$125/MAN HOUR PRICE DOES NOT INCLUDE PREMIUM FOR SATURDAY OR SUNDAY WORK HOURS CALL TIM TANNER FOR SCHEDULING - (805) 432-3820</p>						
PAGE 1 OF 2					TOTAL	\$15,387.50

A CONTRACT AND FIFTEEN (15) WORKING DAY'S NOTICE MUST BE GIVEN PRIOR TO STARTING WORK.
UPON ACCEPTANCE PLEASE SIGN AND RETURN. ABOVE PRICE NOT VALID AFTER 30 DAYS.

P.O. BOX 755, FILLMORE, CA 93016-0755
(805) 524-7345 - FAX (805) 524-7428
LIC. # 396627 SBE/DBE/WBE CCA-8087

ATTENTION: ESTIMATING

ESWPPP CONSULTANTS, LLC, DBE CERTIFIED

USED
Low
DBE

DBE CERTIFICATION # 35275

902 CORTINA COURT
WALNUT CREEK, CA 94598
PHONE # (925) 451 - 1337

FAX # (925) 956-7191

Email address: eswppp@hotmail.com

MAY 21, 2013

BID OPEN DATE: 5/29/2013

CALTRANS CONTRACT: 06-0L3904

1. PREPARE LEAD COMPLIANCE PLAN (DOCUMENT ONLY): \$1190**
2. PREPARE (SWPPP-3 COPIES, SWPPP DOCUMENT ONLY): \$1750 Base price FOR RISK LEVEL1*
3. PREPARE CONSTRUCTION SITE MANAGEMENT PLAN (TRAINING KIT FOR CONTRACTOR, E-FILE ONLY): \$150***

NOTES:

*SWPPP will be prepared using the latest approved Caltrans template available at the time of the contract bid opening. Document only-does not include personnel training, inspection reports, amendments, annual cert., etc. Base price: includes preparing a SWPPP document as per Contract specification, plans and bid item list. Any additions /revisions /changes /amendments to the SWPPP which is not part of the original contract (including changes needed for obtaining approval of the SWPPP and revisions needed because of wrong information) will be charged \$75/hour.

** Document only, does not include personnel training; air monitoring or personnel protective equipments, etc.

*** Document only, does not include personnel training; air monitoring or personnel protective equipments, etc. Construction Site Management Plan is ONLY for the Contractor's use and IS NOT A SUBMITTAL TO CALTRANS. This document will present a description of each component of the plan, indicating how each construction aspect will be managed to avoid the discharge of any pollutants.

IF YOU HAVE ANY QUESTIONS, PLEASE CALL TIM MEHTA OF OUR STAFF AT (925) 451-1337.

Tim Mehta

Fax Header Information

GRIFFITH COMPANY - Central
661-393-9525
21-May-2013 08:09 AM

Fax Job	Date/Time	Type	Identification	Duration	Pgs	Result
55821	21-May-2013 08:08 AM	Receive		0:44	1	Success

ATTENTION: ESTIMATING**ESWPPP CONSULTANTS, LLC, DBE CERTIFIED****DBE CERTIFICATION # 35275**

902 CORTINA COURT
WALNUT CREEK, CA 94598
PHONE # (925) 451-1337

FAX # (925) 956-7191

Email address: eswppp@hotmail.com

MAY 21, 2013

BID OPEN DATE: 5/29/2013

CALTRANS CONTRACT: 06-0L3904

1. PREPARE LEAD COMPLUANCE PLAN (DOCUMENT ONLY): \$1190**
2. PREPARE (SWPPP-3 COPIES, SWPPP DOCUMENT ONLY): \$1750 Base price FOR RISK LEVEL1*
3. PREPARE CONSTRUCTION SITE MANAGEMENT PLAN (TRAINING KIT FOR CONTRACTOR, E-FILE ONLY): \$150***

NOTES:

*SWPPP will be prepared using the latest approved Caltrans template available at the time of the contract bid opening. Document only-does not include personnel training, inspection reports, amendments, annual cert., etc. Base price: includes preparing a SWPPP document as per Contract specification, plans and bid item list. Any additions /revisions /changes /amendments to the SWPPP which is not part of the original contract (including changes needed for obtaining approval of the SWPPP and revisions needed because of wrong information) will be charged \$75/hour.

** Document only, does not include personnel training; air monitoring or personnel protective equipments, etc.

*** Document only, does not include personnel training; air monitoring or personnel protective equipments, etc. Construction Site Management Plan is ONLY for the Contractor's use and IS NOT A SUBMITTAL TO CALTRANS. This document will present a description of each component of the plan, indicating how each construction aspect will be managed to avoid the discharge of any pollutants.

IF YOU HAVE ANY QUESTIONS, PLEASE CALL TIM MEHTA OF OUR STAFF AT (925) 451-1337.

Tim Mehta

May 28, 2013
Proposal No.: 13-0687

Reference: Caltrans Contract Number 06-0L3904, Route 99 in Kern County

Subject: Proposal to Provide Quality Control Services



OFFICE
805/443-1100

FAX
805/443-3179

WEB
twininginc.com

Twining is pleased to present our proposal and cost estimate for quality control services on this very important project. Twining's experience and understanding of Section 39 Hot Mix Asphalt specification will be a tremendous asset to your project team. We have developed our cost per shift to be all inclusive, encompassing everything required by the project specifications. Key highlights of these specifications include:

- The project is constructed under the Standard process, Special Provisions provide the option for Warm Mix Asphalt Technology. This requires the testing of the HMA for moisture sensitivity and Hamburg Wheel Track testing at the beginning of production and every 10,000 tons if the option for Warm Mix Technology is utilized.
- The project special provisions require aggregates to be lime treated and are eliminating other antistripping treatment methods.

Twining has over a decade of experience with Caltrans QC/QA programs. Our accumulated experience, combined with our commitment to value added engineering, makes us the premier provider of quality control services on Caltrans projects. The size of our firm and the resources we have available will allow us to staff your project with the most qualified personnel, all of whom have over ten years experience with Caltrans QC/QA projects.

We are proposing to service this project utilizing our state-of-the-art Ventura laboratory which provides critical quality control data in a proactive and efficient manner. All of our reports are electronically transmitted to the project team by our Quality Control Management.

We are confident that our firm will provide quality service and security to you as we continue to demonstrate our high level of service and commitment to the successful construction of your projects. If you have any questions or require additional information regarding our submittal, feel free to contact us at (562) 426-3355 or contact Rick Howland directly at (909) 827-4847 RHowland@Twininginc.com.

Best regards,
Twining, Inc.

Richard B. Howland
Infrastructure Division Chief Estimator

Caltrans Contract # 06-0L3904 Route 99 in Kern County
Scope of Work for Hot Mix Asphalt Quality Control Using the QC/QA Process

Prepared By Twining Inc. May 28, 2013.

SCOPE AND COST ESTIMATE - HOT MIX ASPHALT QUALITY CONTROL

Assumptions: Twining is pleased to have the opportunity to propose to you our unsurpassed Quality Control Testing and Inspection services for Caltrans Contract 06-0L3904. Our cost estimate is based on conversations with you, the total tonnage of mix and the estimated daily tonnage broken down separately for week day/night shifts and Saturday day/night shifts. Our services are directly related to the production schedule of the contractor and the total estimate may increase or decrease based on production. Services are provided as per shift estimates and are inclusive of all field inspection, field testing, laboratory testing, and typical engineering support needed for this project. We have provided you with two bid options in Section E, Standard Process. Bid option A includes Plant QC services and Bid Option B excludes Plant QC services when provided by the supplier. Profilograph testing is also proposed as a per shift cost.

SECTION A: Pre Production Quality Program Implementation

Proposed Service	Notes and Assumptions	Assumed Quantity			
		Amount	Units	Unit Rate	Cost
Preparation of Hot Mix Asphalt Quality Control Plan. Three copies provided to the contractor.	Lump sum	1	Each	\$ 950.00	\$ 950.00
Quality Control During Lime Treatment	Lump Sum Per Shift	1	Lump Sum	\$ 1,200.00	\$ 1,200.00
Subtotal:					\$ 2,150.00

SECTION B: Initial Mix Design Studies and Aggregate Testing

Proposed Service	Notes and Assumptions	Assumed Quantity			
		Amount	Units	Unit Rate	Cost
Pre-Production QC Management Support, Submittals, and Meetings	Estimated hours	4	Hour	\$ 125.00	\$ 500.00
Project HVEEM mix design development and submittal. Cost does not apply to Caltrans pre verified mix designs.	If Warm Mix Technology is utilized add \$1,950.00 to the base rate of \$3250.00 for the additional testing required.	0	Per Mix Design	\$ 3,250.00	\$ -
Project "Hot Drop" mix verification. Cost does not apply to Caltrans pre verified mix designs.	Per mix design including aggregate quality tests	0	Per Mix Design	\$ 1,830.00	\$ -
Subtotal:					\$ 500.00

SECTION C: TESTING

Proposed Service	Notes and Assumptions	Assumed Quantity			
		Amount	Units	Unit Rate	Cost
Moisture Sensitivity Testing (If The Warm Mix Technology Option is Utilized)	1 test during production start up and one per 10,000 tons	2	Test	\$ 750.00	\$ 1,500.00
Hamburg Wheel Track Testing (If The Warm Mix Technology Option is Utilized)	1 test during production start up and one per 10,000 tons	2	Test	\$ 1,200.00	\$ 2,400.00
Subtotal:					\$ 3,900.00

SECTION D: DATA CORING UPON PROJECT COMPLETION

Proposed Service	Notes and Assumptions	Assumed Quantity			
		Amount	Units	Unit Rate	Cost
Data Coring, logging, and reporting (TRAFFIC CONTROL EXCLUDED)	Lump sum	NA	Lump Sum	\$ -	\$ -
Subtotal:					\$ -

Prepared By Twining Inc. May 28, 2013.

SECTION E- Field Quality Control and Laboratory Services for HMA per Caltrans Specification Section 39-2 Standard Process

This section includes all costs associated with HMA production quality control requirements as indicated in the Caltrans specification Section 39-2 dated June 5, 2009. All special provision criteria specific to this contract number is also included. The following per shift costs are based on the indicated number of weekday shifts of HMA placement at an anticipated daily production of approximately 700 tons per shift. The per shift cost is based on a 8-hour production shift. If production exceeds 8 hours, overtime will be billed at 1.35 x the hourly rate of \$78.00 and 1.8x the hourly rate of \$78.00 for double time. QC Management time will be billed as needed at \$125 per hour. One hour per shift is included in the Lump Sum per shift cost.

Option A - Includes All Quality Control Services Required by the Project Specifications (FIELD AND PLANT)

Proposed Service	Notes and Assumptions	Assumed Quantity			
		Amount	Units	Unit Rate	Cost
Weekday Production Shift	Anticipated daily production of approximately 700 tons per shift. Lump sum per shift cost is based on an 8-hour paving shift.	2	Shift	\$ 3,375	\$ 6,750
Saturday Production Shift	Anticipated daily production of approximately 700 tons per 8-Hour Paving shift.	0	Shift	\$ 3,828	\$ -
Subtotal:					\$ 6,750

Option B - Excludes all Quality Control Services Related to Plant (PROVIDED BY SUPPLIER) Including Gradation, Sand Equivalent and Binder Content

Proposed Service	Notes and Assumptions	Assumed Quantity			
		Amount	Units	Unit Rate	Cost
Weekday Production Shift	Anticipated daily production of approximately 700 tons per shift. Lump sum per shift cost is based on an 8-hour paving shift.	0	Shift	\$ -	\$ -
Saturday Production Shift	Anticipated daily production of approximately 700 tons per 8-Hour Paving shift.	0	Shift	\$ -	\$ -
Subtotal:					\$ -

Section F - Profilograph Testing:

Twining will provide profilograph testing services utilizing the SSI-COX California profilograph system. The profilograph is equipped with Windows data collection and analysis software featuring bi-directional data collection. Twining will provide a real time display of current and past segment profile indices, as well as must grind bumps or dips. In addition, we will provide printed strip charts for each section profile. The profilograph is equipped with adjustable filtering parameters in either English or metric units to accommodate the project specifications. Twining will use a California Profilograph in accordance with California Test 526. We will perform profiling along each wheel path of the newly constructed asphalt pavement to provide you with the actual pavement roughness index (PRI). Must grind bumps or dips will also be identified for potential grinding performed by others. After each phase is profiled, we will provide you with the strip chart print outs and a digital copy of the results.

Proposed Service	Notes and Assumptions	Assumed Quantity			
		Amount	Units	Unit Rate	Cost
Week Day Shift	Profilograph Testing Lump Sum per 8-hour weeknight or weekday shift	0	Shift	\$ 1,400.00	\$ -
Saturday Shift	Profilograph Testing Lump Sum per 8-hour Saturday shift	0	Shift	\$ 1,650.00	\$ -
Sunday Shift	Profilograph Testing Lump Sum per 8-hour Sunday shift	0	Shift	\$ 1,950.00	\$ -
Subtotal:					\$ -

Prepared By Twining Inc. May 28, 2013.

Project Total QC Estimate - Option A (Plant and Field Testing):	\$ 13,300.00
--	---------------------

Limitations:

Our services will be provided on a time-and-expense basis in accordance with the hourly rates quoted for pre-production testing, mix designs, and pavement coring. Our services will be charged Lump Sum per shift during production for each shift of asphalt concrete placement. If production exceeds the estimated 8 hour paving shift, an additional charge will be applied at the overtime factors identified below.

Overtime, if incurred, will be billed at 1.35X the standard rate for time in excess of 8 hours during one day and for Saturday work. Work in excess of 12 hours and that which is performed on Sundays and holidays will be billed a 1.8X the standard rate. The rates will remain in effect throughout the duration of this project with the exception of the union inspector rate, which will increase August 2013 by \$2.35 and each August thereafter. Based upon the construction schedule you have provided, we have attempted to be realistic in our estimates. Please note that we provide our services in conjunction with the construction schedule. Any change in the number of days or hours per day will impact our budget. We will attempt to coordinate our services with your project manager to efficiently service the project.

Best Regards,
TWINING, INC.



Rick B. Howland, Chief Estimator
Infrastructure Division

Caltrans Contract # 06-0L3904
Bid Number 13-0687
5/28/2013



FLATIRON
ELECTRIC GROUP, INC.

7911-A Pine Ave.
Chino, CA 91708
714-228-9631 Phone
909-597-9151 Fax

*Low
used*

Contractors Lic # 862724 A, C-10 Expires 8/31/13

Union Contractor

QUOTATION

CITY: 06-KER-99 (06-0L3904)
LOC:

BID DATE: 5/29/2013
BID NUMBER: 7374

ITEM	DESCRIPTION OF WORK	QTY	UNIT	UNIT PRICE	TOTAL
1	MAINTAIN TMS ELEMENTS	1	LS	\$ 1,500.00	\$ 1,500.00
2	ELEC SVC (IRRIG)	1	LS	\$ 20,000.00	\$ 20,000.00
3	TCS	1	LS	\$ 7,500.00	\$ 7,500.00
4	MOD T/S AND LTG	1	LS	\$ 167,000.00	\$ 167,000.00
5	MOD LTG AND SIGN ILLUM	1	LS	\$ 26,124.00	\$ 26,124.00
6	MOB	1	LS	\$ 20,000.00	\$ 20,000.00
TOTAL					\$ 242,124.00

Exclusions:

- Permits / Design / Inspection cost.
- Bonds. (1% or \$500.00 minimum, if required.)
- Signing / Striping / Sandblasting. (Labor to install mast arm mounted signs included.)
- Survey / Utility Fees.
- Weekend / Shift / Night work.
- Engineered traffic control plan.
- Builders Risk Insurance.
- SWPPP and BMP's.
- Out of state travel fee's for inspection.
- Lead Compliance.
- Hazardous material handling and disposal.
- Pedestrian barricades. (2)ea.
- UDBE/SBE available from Logistical Enterprises Cert#39438, \$48,000.00 @ 60% = \$28,800.00 for a cost of \$1,500.00
- SBE available from Smithson Electric Cert#37532, \$10,575.00 at no extra cost.

Notes:

- Quote valid 60 days.
- Includes Traffic Control for our work only.
- Price based on Caltrans 2010 Standard Plans and Spec's.
- Addendum #1 noted.

Flatiron Electric Group, Inc.

Mark Dillard
Chief Estimator

APCO

ASPHALT DIKE CONSTRUCTION, Inc. dba APCO
 P.O. BOX 790, GOSHEN, CA 93227-0790
 (559) 651-7900 • FAX (559) 651-7905
 CA. LIC # 283095
 www.apcodike.com
 05/28/2013

LOW LISTED

PROJECT #: 06-0L3904
PROJECT NAME: CALTRANS ROUTE 99
LOCATION: BAKERSFIELD

PROPOSAL #: 13-280
WEEKDAY NIGHTIME HOURS

WE PROPOSE TO FURNISH LABOR & EQUIPMENT IN STRICT ACCORDANCE WITH THE PLANS AND SPECIFICATIONS AS NOTED BELOW. PLEASE MAKE REFERENCE TO OUR PROPOSAL NUMBER WITH ALL INQUIRIES AND CORRESPONDENCE. PURCHASE ORDER MUST BE RECEIVED WITHIN THIRTY (30) DAYS FROM DATE OF QUOTE OR QUOTATION IS INVALID.

SCOPE OF WORK

ITEM	TYPE OF WORK	TYPE	QTY	@	RATE	TOTAL
62	PLACE ASPHALT CONCRETE DIKE	E	380	LF	\$8.50	\$3,230.00

FALSE

TOTAL	380	LF	TOTAL	\$3,230.00	
DAYS ON JOB	1	MOVE IN'S	1	ADDITIONAL MOVES	\$3,200.00

NOTE: *"DIKE MACHINES REQUIRE 12' WIDTH, DISCHARGE FROM THE LEFT SIDE.
 CONTROL POINTS TO BE PLACED AT FACE OF CURB BEFORE ARRIVAL
 DIKE PLACEMENT ON FINISHED SURFACE*

- This quotation will be incorporated into the subcontract between the parties.(either a signed proposal or having these items included as an attachment or included in the contract.)
- By accepting this bid, the customer agrees to pay Asphalt Dike Construction, Inc. within thirty (30) days of Asphalt Dike Construction, Inc. invoice date. After 30 days 18% APR will be charged to outstanding balances. Customer's receipt of payment is not a condition to customer's obligation to pay Asphalt Dike Construction, inc. Customer agrees that the funds for this project will not be offset from any claims or disputes on other projects. Retention will be paid to Asphalt Dike Construction, inc. thirty (30) days after the notice of completion or acceptance, or if no notice is filed thirty (30) days after completion of the project as defined by the California Civil Code. No Retention bill be held on any daily rental rate work.
- The unit prices quoted are for the estimated quantities set forth herein. The prices are subject to adjustment if the quantity of any item increases or decreases twenty percent (20%) or more from the estimate. Proposal is for Monday through Friday (Non-Holiday) normal daytime hours, unless otherwise noted
- Asphalt Dike Construction, Inc shall not be responsible for the protection of the finished work and / or any repairs that may be required due to damage by others. Unit prices quoted are for machine extruded asphalt only. Handwork extra.Customer agrees to indemnify and hold APCO harmless from any claims or disputes regardless of whether such claims are founded in whole or in part upon any negligent act or omission of APCO.
- We require 15 days notice prior to start of work.
- proposal excludes traffic control, grading & cleaning, layout of control points, permits, testing, bonds, waiver of subrogation,city business license asphalt under dike (pre-pave), asphalt and trucking

ACCEPTED

WE ARE A UNION CONTRACTOR.

SUBMITTED BY:

Larry Grimes

Vice President

Asphalt Dike Construction, Inc. dba

APCO

CONTRACTOR

DATE

LARRY GRIMES, Vice President

DATE

Asphalt Dike Construction, Inc. dba APCO

Also available: Shoulder Backing and Asphalt Concrete Shoulder, V-Ditch, Trench Paving and all Speciality Dike

Fax Header Information

GRIFFITH COMPANY - Central
 661-393-9525
 28-May-2013 03:05 PM

Fax Job	Date/Time	Type	Identification	Duration	Pgs	Result
55956	28-May-2013 03:04 PM	Receive	Fax	0:58	1	Success

5/28/2013 3:28 PM FROM: Fax APCO Dike Construction TO: 1-661-831-8113 PAGE: 001 OF 001

APCO

ASPHALT DIKE CONSTRUCTION, Inc. dba APCO

P.O. BOX 790, GOSHEN, CA 93227-0790
 (559) 651-7900 - FAX (559) 651-7905
 CA. LIC # 283095
 www.apcodike.com
 05/28/2013

PROJECT #: 06-0L3904 **PROPOSAL #:** 13-280
PROJECT NAME: CALTRANS ROUTE 99 **WEEKDAY NIGHTIME HOURS**
LOCATION: BAKERSFIELD

WE PROPOSE TO FURNISH LABOR & EQUIPMENT IN STRICT ACCORDANCE WITH THE PLANS AND SPECIFICATIONS AS NOTED BELOW. PLEASE MAKE REFERENCE TO OUR PROPOSAL NUMBER WITH ALL INQUIRIES AND CORRESPONDENCE. PURCHASE ORDER MUST BE RECEIVED WITHIN THIRTY (30) DAYS FROM DATE OF QUOTE OR QUOTATION IS INVALID.

SCOPE OF WORK

ITEM	TYPE OF WORK	TYPE	QTY	UNIT	RATE	TOTAL
62	PLACE ASPHALT CONCRETE DIKE	E	380	LF	\$8.50	\$3,230.00

FALSE

TOTAL	QTY	UNIT	TOTAL	EXTRA	
DAYS ON JOB	1	MOVE IN'S	1	ADDITIONAL MOVES	\$3,200.00

NOTE: *DIKE MACHINES REQUIRE 12' WIDTH, DISCHARGE FROM THE LEFT SIDE.
 CONTROL POINTS TO BE PLACED AT FACE OF CURB BEFORE ARRIVAL
 DIKE PLACEMENT ON FINISHED SURFACE

- This quotation will be incorporated into the subcontract between the parties.(either a signed proposal or having these items included as an attachment or included in the contract.)
- By accepting this bid, the customer agrees to pay Asphalt Dike Construction, Inc. within thirty (30) days of Asphalt Dike Construction, Inc. invoice date. After 30 days 18% APR will be charged to outstanding balances. Customer's receipt of payment is not a condition to customer's obligation to pay Asphalt Dike Construction, Inc. Customer agrees that the funds for this project will not be offset from any claims or disputes on other projects. Retention will be paid to Asphalt Dike Construction, Inc. thirty (30) days after the notice of completion or acceptance, or if no notice is filed thirty (30) days after completion of the project as defined by the California Civil Code. No Retention will be held on any daily rental rate work.
- The unit prices quoted are for the estimated quantities set forth herein. The prices are subject to adjustment if the quantity of any item increases or decreases twenty percent (20%) or more from the estimate. Proposal is for Monday through Friday (Non-Holiday) normal daytime hours, unless otherwise noted
- Asphalt Dike Construction, Inc shall not be responsible for the protection of the finished work and / or any repairs that may be required due to damage by others. Unit prices quoted are for machine extruded asphalt only. Handwork extra. Customer agrees to indemnify and hold APCO harmless from any claims or disputes regardless of whether such claims are founded in whole or in part upon any negligent act or omission of APCO.
- We require 15 days notice prior to start of work.
- proposal excludes traffic control, grading & cleaning, layout of control points, permits, testing, bonds, waiver of subrogation,city business license asphalt under dike (pre-pave), asphalt and trucking

ACCEPTED

WE ARE A UNION CONTRACTOR.
 SUBMITTED BY:

Larry Grimes
 Vice President
 Asphalt Dike Construction, Inc. dba
APCO

CONTRACTOR _____ DATE _____

LARRY GRIMES, Vice President _____ DATE _____
 Asphalt Dike Construction, Inc. dba APCO

Also available: Shoulder Backing and Asphalt Concrete Shoulder, V-Ditch, Trench Paving and all Specialty Dike



LOW LISTED

SUBCONTRACT PROPOSAL

PROJECT: BAKERSFIELD
KERN CO., CADOT
06-0L3904

BID DATE: 5/29/13
ESTIMATE NO: 130529C

PREPARED BY: MARC ROBERTS

REFER INQUIRIES TO: MARC ROBERTS

ITEM	DESCRIPTION	QTY	UNIT	UNIT PRICE	TOTAL
66	FURNISH SIGN STRUCT. (BRIDGE MOUNT WITH WALK)	1,320.00	LB	\$ 10.00	\$ 13,200.00
67	INSTALL SIGN STRUCT. (BRIDGE MOUNT WITH WALK)	1,320.00	LB	\$ 3.00	\$ 3,960.00
68	FURNISH LAMINATED PANEL SIGN (1"-TYPE A)	67.00	SF	\$ 26.00	\$ 1,742.00
96	MOBILIZATION	1.00	LS	\$ 4,600.00	\$ 4,600.00
				TOTAL	\$ 23,502.00

TERMS AND CONDITIONS:

- 1 BOND INCLUDED.
- 2 TRAFFIC CONTROL, SURVEY, AND ALL ELECTRICAL WORK EXCLUDED.
- 3 PROPOSAL ASSUMES MUTUALLY ACCEPTABLE SUBCONTRACT TERMS AND SCHEDULE.
- 4 RETAINAGE NOT TO EXCEED THE PERCENTAGE BEING WITHHELD BY OWNER.
- 5 PROPOSAL EXCLUDES LIABILITY INSURANCE LIMITS IN EXCESS OF \$ 10.0 MM.

ABOVE PRICE QUOTED FOR IMMEDIATE ACCEPTANCE UNLESS OTHERWISE STATED; APPLY ONLY TO PROJECT SPECIFIED.

CORAL CONSTRUCTION COMPANY

BY: *Marc Roberts*

TITLE: ESTIMATOR

DATE: 5/29/13

LOW



The Road to Smart Solutions

Proposal and Contract Pavement Recycling Systems

An Employee Owned Company

CA License# 569352 Type: A
NEV. License# 0036228 Type: A

10240 San Sevaine Way, Jurupa Valley, CA 91752

Phone: (951) 682-1091 FAX: (951) 682-1094

From: Don Sante Email donsante@pavementrecycling.com

To: KENT
GRIFFITH COMPANY-BK
1128 CARRIER PARKWAY AVENUE .
BAKERSFIELD, CA 93308
Quote No: 1108739
Fax No: 661-393-9525
Phone: 661-392-6640
Bid Date: 5/29/2013

We propose to furnish you with labor and material per your representation of job requirements as follows:
06-0L3904 - RTE 99 BAKERSFIELD

Item No.	Description	Quantity	U/M	UnitPrice	Total Price
Schedule 1					
27	Coid Plane AC	3,540	SY	0.790	2,796.60 - USED
27A	Add; Haul Milled Material Off Site	3,540	SY	0.470	1,663.80
27B	Add; Sweep Behind Milling	3,540	SY	0.330	1,168.20
27C	Add; Mini-Planer For Detailing	3,540	SY	0.400	1,416.00 - USED

Total Proposal Price: **\$7,044.60**

Special Conditions

- Item #27 includes: Cut, initial loading, 1 move on/off the project.
- Additive item #27A is for hauling the milled material off site.
- Additive item #27B is for initial sweeping behind the milling operation.
- Additive item #27C is for providing a mini-planer to do the detailing.
- Excludes: Traffic control, water/water truck, removal of pcc, survey/project layout, ac replacement, maintenance and protection of the project.
- Production is based on 1 shift.

General Conditions

ACCEPTANCE of this bid/proposal/quotation (Bid) from PAVEMENT RECYCLING SYSTEMS, INC. (PRS) requires that the PRICING, SPECIAL CONDITIONS and the GENERAL CONDITIONS of this Bid be included in any subcontract or purchase order agreement (Contract) and the Bid terms and conditions take precedence over any conflicting terms.

PRS will not surrender any portion of extra work or force account mark-ups except those reserved by the owner for the General Contractor. California prompt pay statutes shall be enforced.

Unless otherwise defined in the SPECIAL CONDITIONS of this Bid PRS excludes from the services quoted here all: MAINTENANCE AND PROTECTION OF THE MILLED SURFACE, TRAFFIC CONTROL, SURVEYING, LAYOUT, SAWCUTTING AND TEMPORARY TAPERS. Upon completion of each segment of the designated work by PRS the work shall be deemed accepted and approved and Customer shall assume maintenance and protection of the work. PRS excludes notification to any underground alert service, marking or location of underground utilities. By accepting this Bid the Customer accepts sole responsibility for, and all subsequent liabilities coincident with following the requirements of the California regional notification center law pursuant to Article 2 (commencing with Section 4216) of Chapter 3.1 of Division 5 of Title 1 of the Government Code.

Any indemnity and defense obligation required from PRS shall be proportional and limited to the extent PRS's acts, omissions, fault or negligence contribute to any alleged or actual claims or damages. Insurance included in this Bid: Commercial Liability \$1MM per occurrence / \$2MM aggregate; \$2MM Products and Completed Operations Aggregate; \$1MM Personal and Advertising Injury; \$1MM Commercial Auto; Worker's Compensation coverage per statute.

Date: _____

Accepted by: _____

KCI ENVIRONMENTAL, INC.

ENVIRONMENTAL RESTORATION SPECIALISTS

BID PROPOSAL

DATE : May 29, 2013
 TO : Griffith Company
 FAX : 661-393-9525
 RE : 06-Ker-99-24.8 Hwy 99 at California Avenue Undercrossing
 06-0L3904

ATTN : ESTIMATING DEPT.
 FROM : Emile Peterson
 NO. OF PAGES : 2

Item No.	Item Description	Unit	Quantity	Unit Price	Extension
11	Move-In/Move-Out (Temporary E.C.)	EA	1	450.00	\$ 450.00
12	Temporary Hydroseed	SQYD	2,520	0.86	\$ 2,167.20
32	Roadside Clearing	LS	1	9,800.00	\$ 9,800.00
33	Cultivate	SQYD	3,080	2.20	\$ 6,776.00
34	Soil Amendment	CY	180	53.00	\$ 9,540.00
35	Mulch	CY	130	81.00	\$ 7,930.00
36	Fertilizer (packet)	EA	48	0.25	\$ 12.00
37	Slow Release Fertilizer	LB	280	2.50	\$ 700.00
38	Plant (Group H)	EA	12,300	0.80	\$ 7,380.00
39	Plant (Group A)	EA	3	20.00	\$ 60.00
40	Plant (Group B)	EA	15	75.00	\$ 1,125.00
41	Maintain Existing Planted Areas	LS	1	5,200.00	\$ 5,200.00
42	Plant Establishment Work	LS	1	23,000.00	\$ 23,000.00
43	Check and Test Existing Irrigation Fac.	LS	1	2,500.00	\$ 2,500.00
44	Control and Neutral Conductors	LS	1	2,200.00	\$ 2,200.00
45	2" Electric Remote Control Valve	EA	3	600.00	\$ 1,800.00
46	Sprinkler (Type B-5)	EA	38	40.00	\$ 1,440.00
47	Sprinkler (Type B-6)	EA	45	59.00	\$ 2,655.00
48	Sprinkler (Type C-2)	EA	6	19.00	\$ 114.00
49	3" Gate Valve	EA	1	700.00	\$ 700.00
50	3/4" Plastic Pipe (Schedule 40)	LF	1,580	4.00	\$ 6,240.00
51	1" Plastic Pipe (Schedule 40)	LF	130	4.00	\$ 520.00
52	1-1/4" Plastic Pipe (Schedule 40)	LF	140	4.50	\$ 630.00
53	1-1/2" Plastic Pipe (Schedule 40)	LF	240	4.75	\$ 1,140.00
54	2" Plastic Pipe (Schedule 40)	LF	59	5.00	\$ 295.00
55	2-1/2" Plastic Pipe (Schedule 40)	LF	280	5.50	\$ 1,540.00
56	3" Plastic Pipe (Schedule 40)	LF	420	13.50	\$ 5,670.00
57	2" Wye Strainer	EA	1	365.00	\$ 365.00
58	6" Welded Steel Pipe Conduit	LF	85	102.00	\$ 8,670.00

TOTAL BID = \$ 110,419.20

The conditions and exclusions to our quote follow on page 2

P.O. Box 3307
 SAN LUIS OBISPO, CA 93403
 PHONE 805-543-3311
 FAX 805-543-3827 Est
 LIC. NO. 813844

~~LOW~~
~~LISTED~~
 SELF PERFORMED

LOW
 LISTED

KCI ENVIRONMENTAL, INC.

ENVIRONMENTAL RESTORATION SPECIALISTS

page 2

DATE : May 29, 2013

RE : 06-Ker-99-24.6 Hwy 99 at California Avenue Undercrossing

Please note the following conditions to our quotation :

1. One move-in is included. Add \$400.00 for each additional move-in.
2. All grades +/- 0.10 foot, erosion, weed and debris free by others prior to starting our work.
3. All topsoil and mounding by others.
4. Not responsible for soil conditions detrimental to healthy plant growth or "Acts of God".
5. All storm water pollution prevention and plan by others.
6. All water meters and cost of water supplied on-site by others.
7. All sleeving prior to asphalt, concrete or base materials.
8. All asphalt or concrete cutting, demolition and patching by others.
9. High voltage by others.
10. Traffic control by others.
11. We are a union contractor.
12. All fees, permits, engineering, and testing by others.
13. Addendum 1 noted.
14. No soil preparation or maintenance for item 12 Temporary Hydroseed.

KCI Environmental, Inc. is a State of California certified Small Business Enterprise, #0036162.

Please feel free to contact me if you have any questions or need additional information.

P.O. Box 3307
SAN LUIS OBISPO, CA 93403
PHONE 805-543-3311
FAX 805-543-3827 EST
LIC. NO. 813844

Fax Header Information

GRIFFITH COMPANY ~ Central
 661-393-9525
 29-May-2013 10:55 AM

Fax Job	Date/Time	Type	Identification	Duration	Pgs	Result
56001	29-May-2013 10:53 AM	Receive	805 543 3827	1:19	2	Success
		05/29/2013 10:08 FAX 805 543 3827	KCI	001/002		

KCI ENVIRONMENTAL, INC.

ENVIRONMENTAL RESTORATION SPECIALISTS

BID PROPOSAL

DATE : May 29, 2013
 TO : Griffith Company
 FAX : 661-393-9525
 RE : 06-Ker-99-24.6 Hwy 99 at California Avenue Undercrossing
 06-OL3904

ATTN : ESTIMATING DEPT.
 FROM : Ernie Peterson
 NO. OF PAGES : 2

Item No.	Item Description	Unit	Quantity	Unit Price	Extension
11	Move-In/Move-Out (Temporary E.C.)	EA	1	450.00	\$ 450.00
12	Temporary Hydroseed	SQYD	2,520	0.86	\$ 2,167.20
32	Roadside Clearing	LS	1	9,600.00	\$ 9,600.00
33	Cultivate	SQYD	3,080	2.20	\$ 6,776.00
34	Soil Amendment	CY	180	53.00	\$ 9,540.00
35	Mulch	CY	130	61.00	\$ 7,930.00
36	Fertilizer (packet)	EA	48	0.25	\$ 12.00
37	Slow Release Fertilizer	LB	280	2.50	\$ 700.00
38	Plant (Group H)	EA	12,300	0.60	\$ 7,380.00
39	Plant (Group A)	EA	3	20.00	\$ 60.00
40	Plant (Group B)	EA	15	75.00	\$ 1,125.00
41	Maintain Existing Planted Areas	LS	1	5,200.00	\$ 5,200.00
42	Plant Establishment Work	LS	1	23,000.00	\$ 23,000.00
43	Check and Test Existing Irrigation Fac.	LS	1	2,500.00	\$ 2,500.00
44	Control and Neutral Conductors	LS	1	2,200.00	\$ 2,200.00
45	2" Electric Remote Control Valve	EA	3	600.00	\$ 1,800.00
46	Sprinkler (Type B-5)	EA	36	40.00	\$ 1,440.00
47	Sprinkler (Type B-6)	EA	45	59.00	\$ 2,655.00
48	Sprinkler (Type C-2)	EA	6	19.00	\$ 114.00
49	3" Gate Valve	EA	1	700.00	\$ 700.00
50	3/4" Plastic Pipe (Schedule 40)	LF	1,580	4.00	\$ 6,240.00
51	1" Plastic Pipe (Schedule 40)	LF	130	4.00	\$ 520.00
52	1-1/4" Plastic Pipe (Schedule 40)	LF	140	4.50	\$ 630.00
53	1-1/2" Plastic Pipe (Schedule 40)	LF	240	4.75	\$ 1,140.00
54	2" Plastic Pipe (Schedule 40)	LF	59	5.00	\$ 295.00
55	2-1/2" Plastic Pipe (Schedule 40)	LF	280	5.50	\$ 1,540.00
56	3" Plastic Pipe (Schedule 40)	LF	420	13.50	\$ 5,670.00
57	2" Wye Strainer	EA	1	365.00	\$ 365.00
58	6" Welded Steel Pipe Conduit	LF	65	102.00	\$ 6,670.00

TOTAL BID = \$ 110,419.20

The conditions and exclusions to our quote follow on page 2

P.O. Box 3307
 SAN LUIS OBISPO, CA 93403
 PHONE 805-543-3311
 FAX 805-543-3827 Est
 LIC. NO. 813844



PRICE QUOTATION

USED

Los Angeles

9719 Santa Fe Springs Road

Santa Fe Springs, CA 90670

Phone 1-800-654-7446

Fax (562) 941-4643

QUOTATION

TO: ESTIMATORS

Attn: ESTIMATOR

Learn more about us at:
www.zumar.com

FOB: DEST.

Date: 5/24/2013

We appreciate the opportunity to submit the following quotation:

<u>Code</u>	<u>Qty</u>	<u>U.O.M.</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL</u>
CALTRANS CONTRACT # 06-0L3904 BID DATE 5-29-13					
ITEM 68	67	S.F.	FURNISH LAMINATED PANEL SIGN (25.4 MM-TYPE A)	\$ 21.80	\$ 1,460.60
ITEM 69	51	S.F.	FURNISH SINGLE SHEET ALUM. SIGN (1.6 MM UNFRAMED)	\$ 9.10	\$ 464.10
ITEM 70	16	S.F.	FURNISH SINGLE SHEET ALUM. SIGN (2.0 MM UNFRAMED)	\$ 10.05	\$ 160.80

****HARDWARE INCLUDED WITH OVERHEAD PANELS

****NO HARDWARE INCLUDED WITH ROADSIDE OR MAST ARM SIGNS

****INSTALLATION NOT INCLUDED

SUBTOTAL	\$	\$ 2,085.50
TAX	\$	
FREIGHT	\$	
TOTAL	\$	

CUSTOMER IS RESPONSIBLE FOR ALL APPLICABLE SALES TAXES AND DUTY.

PAYMENT TERMS: NET 30

DELIVERY: 14-21 BUSINESS DAYS

Unless otherwise stated, prices quoted are for the above listed quantities shipped at one time. Prices may change if quantities differ from those shown above.

ZUMAR INDUSTRIES, INC

By: Lee Young Phone: (800) 654-SIGN (7446)
 Fax: (562) 941-4643

Customer Acceptance of Order

Signature _____ Date _____

DBE
NOT
LOW

CINDY TRUMP INC dba
LINDY'S COLD PLANING
DBE ~ WBE ~ SBE~ UDBE~ CERTIFIED File #40089
625 W. MOUNTAIN VIEW
LA HABRA, CA 90631
PHONE 562.697.2286 FAX 562.697.2039
LIC # A 754500
BID PROPOSAL

CONTRACTOR: GRANITE CONSTRUCTION
JOB NAME: 06-0L3904 Relocate Right Turn Lane Of The Southbound On-ramp To Route 99.
BID DATE : 5/29/2013
CONTACT :
PHONE :
FAX:

WE ARE DBE 7 % GOAL!!!!

RENTAL OF COLD PLANNERS	
RENTAL OF 6 FT OR 7 FT MACHINE \$3900.00 PER DAY OVERTIME \$ 600.00 PER HOUR	3,900 X 1 3,900 MOVE 850
RENTAL OF 4 FT MACHINE \$2800.00 PER DAY OVERTIME RATE IS \$375.00 PER HOUR	2,800 X 1 MOVE 850
RENTAL OF MINI GRINDER \$1400.00 PER DAY OVERTIME RATE IS \$225.00 PER HOUR	1,400 X 1 MOVE 850
	8,100 2,550
ALL RENTALS INCLUDES 8 HOURS OF MACHINE TIME ANYTHING AFTER WILL BE BILLED AT OVERTIME RATE INITIAL MOVE IN AND OUT \$850.00 EACH MACHINE	

\$10,650

Special Conditions

- A) All work based on straight shift (Monday thru Friday) unless otherwise stated.
- B.) All rentals include 8 hours only anything beyond 8 hours is considered overtime rates
- C.) Operators will be paid in increments of (8) hour shifts
- D.) No concrete grinding of any kind
- E.) Rental prices include cut only.

GRINDING JOB TERMS AND CONDITIONS

PRICES ARE SUBJECT TO VARY UPON CHANGE OF SCOPE IN WORK.

1. All grinded areas need to be clearly marked by general contractors or inspector before grinding operations start.
2. Contractor to provide water for milling operations.
3. All operations **exclude petromat** unless otherwise stated on this proposal.
4. Contractor agrees to notify all utility contractors or companies in which involve underground utilities and take all responsibility for damaged utilities caused by grinder.

5. Areas in and around corners, overhangs, parking bays, valves, manholes and unreachable areas for the milling machine or mini grinder become contractors responsibility.
6. Contractor is responsible for all damages to machine for any items buried in ground or not marked out and will be billed at union time and material rate.
7. Contractor is responsible for posting "no parking" signs in milling areas.
8. Contractor responsible for traffic control and any delays in traffic control will be charged at an hourly stand by charge for all equipment including grinders, stabilizers, operators, sweepers and all trucking.
9. Contractor to provide a safe work environment for all operators on milling operation including signage, barricades, flag men, cones or any other devices that may help in the safety operation.
10. Once subcontractor demobilizes and has left the project there of , it shall no longer be responsible for any obligation of defense and indemnification for any at all claims arising in the area of work performed in the milling operation area.
11. All areas of grinding operation must be clear of any obstructions including but not limited to trees, cars, trashcans etc.
12. Contractor to provide temporary asphalt taper at pavements edge due to safety concerns.
13. Contractor to provide permits notifications and plans on or before milling operations.
14. No back charges will be accepted.
15. Subcontractor takes no responsibility for dust control beyond areas of milling operation.
16. Subcontractor to provide covers over all areas that drain into sewers to prevent storm water pollution in accordance to cal trans or green book specs.
17. The provisions of this quote prevail over any subcontract or purchase orders stipulations unless otherwise agreed to in writing on this proposal.
18. Unless other wise agreed in writing prior to start of work, payment is due and payable within 30 days of subcontractors billing and no retention to be withheld on payments unless other wise stated on this proposal.
19. Price good for 90days..
20. All rentals include one complete set of teeth per shift. Any additional teeth will be charged per box per market price.
21. All shifts are paid at union rate which is the 2, 4, 6, and 8 hour minimums. All over time rates will be billed at a per hour rate for work done after 8 hr min or done other than a week day shift. Any union holidays are paid at rate of triple time.
22. Union rate for operator group 8 is a billable rate of \$75.00 per hour straight time rate, \$105.00 per hour overtime and \$150.00 for double time or as stated above.
23. Items that are not specifically includes are considered to be excluded, if you have any questions please call office.
24. Fuel surcharge will apply if fuels is over \$5.00 per gallon.

The above line items and prices are satisfactory:

Name

DATE:

Bid Quoted by Brianna Trump on 5/29/2013

COVER PAGE

Date: 05/29/2013 09:49

NO. OF PAGE: 3 (include this page)

To:

From:

Name: Brianna Trump

TEL & FAX: (TEL)5626972286
(FAX)5626972039

E-Mail: bristump@aol.com

Department: Estimating

Company: CINDY TRUMP INC

Address: P.O. BOX 385
LA HABRA, CA 90631

Comment:

A. C. DIKE CO.
Specialty Paving Inc.
SPECIALTY PAVING CONTRACTOR

DBE
NOT
LOW

QUOTATION: CDOT KERN CO. RT 99 06-0L3904

BIDS : 5/29/13

"PLACE ONLY"* 380 LF ASPHALT DIKE (TYPE E) @ \$10.00 LF.

**PRICE INCLUDES TACK AND ONE MOBILIZATION .
ASPHALT MATERIAL AND HAULING BY PRIME CONTRACTOR.
TRAFFIC CONTROL BY PRIME CONTRACTOR.**

*** PLACE ONLY ASPHALT DIKE. SPECIFICALLY EXCLUDES SURFACE
PREPARATION, BACKFILL, OR FOGSEAL.**

QUALIFIED MINORITY CONTRACTOR, DBE/WBE/UDBE # CT 000219

CAL. LIC.# 407417 NEV. LIC.#24188

**2788 VENTURE DR. LINCOLN, CA. 95648
(916) 652-0159 FAX (916) 645-9618
WWW.ACDIKE.COM**

Fax Header Information

GRIFFITH COMPANY - Central
661-393-9525
23-May-2013 03:01 PM

Fax Job	Date/Time	Type	Identification	Duration	Pgs	Result
55893	23-May-2013 03:00 PM	Receive	9166459618	0:40	1	Success
	05/23/2013 15:31 9166450810		AC DIKE		#1078 P.001/001	

A. C. DIKE CO.
Specialty Paving Inc.
SPECIALTY PAVING CONTRACTOR

QUOTATION: CDOT KERN CO. RT 99 06-0L3904

BIDS : 5/29/13

"PLACE ONLY"* 380 LF ASPHALT DIKE (TYPE E) @ \$10.00 LF.

**PRICE INCLUDES TACK AND ONE MOBILIZATION .
ASPHALT MATERIAL AND HAULING BY PRIME CONTRACTOR.
TRAFFIC CONTROL BY PRIME CONTRACTOR.**

*** PLACE ONLY ASPHALT DIKE. SPECIFICALLY EXCLUDES SURFACE
PREPARATION, BACKFILL, OR FOGSEAL**

**QUALIFIED MINORITY CONTRACTOR, DBE/WBE/UDBE # CT 000219
CAL. LIC.# 407417 NEV. LIC.#24188
2788 VENTURE DR. LINCOLN, CA. 95648
(916) 652-0159 FAX (916) 645-9618
WWW.ACDIKE.COM**



AKA Environmental

Low
NOT
DBE

The SWPPP Specialists, an SBE Company

6650 Montrosor Place, Alta Loma, CA 91737

<http://www.akaenvironmental.com>

SWPPP CERT.NUM.070806-04 Fed Id:30-0457351 SBE Cert. No. 28185
Phone: 323-547-9605 Fax: 323-589-2430 email:rey@akaenvironmental.com
May 28, 2013

Submitted To: Griffith Company
Project Owner: Caltrans District 06
Project Name: Relocate Right Turn Lane of the Southbound On-ramp to Route 99
Project Number: 06-0L3904

Phone Number: 661-392-6640

Fax Number: 661-393-9525

*SWPPP & WPCP - Scope of services and fee – The scope of services, in general consists of the following professional services: Prepare a SWPPP or WPCP for the subject project. The report will in accordance with, NPDES, Construction Site Best Management Practices manuals, and Caltrans Storm Water Quality Handbooks.

Assumptions and exlusions –

- Revisions/Corrections will be provided to the Contractor in PDF (electronic) format. The client is responsible for printing and inserting the pages into the binder. If paper is needed and/or AKA needs to insert pages into binder an additional charge will apply.
- The price is for SWPPP preparation only. Includes six drawings, additional drawings will be billed at \$100.00ea.
- A \$400.00 fee will be added to the plan, if a Resident Engineer stamp is required.
- Items not specified in this proposal will be provided as an additional service, ex. Weekly BMP inspection reports.
- All processing including application fees, permits, and all other fees required by agencies are excluded from this proposal.
- We provide four (4) copies of the SWPPP for subject project. Additional copies will be billed at \$100.00 each.

Billing – Billing will be based on the proposed fee. Invoices are due upon receipt. No retentions will be withheld from payment.

Qty.	Services	Price	Circle Quantity
1	Storm Water Pollution Prevention Plan (SWPPP)	\$1650.00	1 2 3 4 Other:
1	Storm Water Pollution Prevention Plan (SWPPP) Caltrans only	\$1850.00	1 2 3 4 Other:
1	Water Pollution Control Plan (WPCP)*	\$1250.00	1 2 3 4 Other:
1	Dust Management Plan	\$850.00	1 2 3 4 Other:
1	Water Quality Management Plan	\$1850.00	1 2 3 4 Other:
	SWPCP/Lead Compliance Plans also available	Ask for Price	Ask for Price
	Plan Corrections and/or Revisions	Free	
	Free local Pick-up and Delivery	Free	
	We now offer BMP Training, QSD and QSP Certification Training. Please ask for more details.		

Hello Estimating Department,
My name is Rey, from AKA Environmental. We are providers of the Storm Water Pollution Prevention Plan (SWPPP), Water Pollution Control Plan (WPCP), Dust Management Plan, Erosion Control Plan and Water Quality Management Plan. We provide these services statewide from San Diego County to Del Norte County. Other companies like All American Asphalt and Top Grade construction are already doing business with us exclusively and benefit from our fast and professional service. So, the next time you need a SWPPP or any of the other plans we provide, use the price list listed above and give me a call (323) 547-9605

Authorized _____
Signature AKA Environmental

ACCEPTANCE OF PROPOSAL - Signature _____

Date _____

Fax Header Information

GRIFFITH COMPANY - Central
 661-393-9525
 28-May-2013 10:35 AM

Fax Job	Date/Time	Type	Identification	Duration	Pgs	Result
55941	28-May-2013 10:34 AM	Receive	3235892430	0:44	1	Success
		Tuesday, May 28, 2013 10:50 AM	Rey 3235892430	p.01		



AKA Environmental

The SWPPP Specialists, an SBE Company

8650 Montrosor Place, Alta Loma, CA 91737

<http://www.akaenvironmental.com>

SWPPP CERT. NUM. 070806-04 Fed id:30-0457351 SBE Cert. No. 28185
 Phone: 323-547-9805 Fax: 323-589-2430 email:rey@akaenvironmental.com
 May 28, 2013

Submitted To: Griffith Company
 Project Owner: Caltrans District 06
 Project Name: Relocate Right Turn Lane of the Southbound On-ramp to Route 99
 Project Number: 06-0L3904

Phone Number: 661-392-6640

Fax Number: 661-393-9525

*SWPPP & WPCP - Scope of services and fee - The scope of services, in general consists of the following professional services: Prepare a SWPPP or WPCP for the subject project. The report will in accordance with, NPDES, Construction Site Best Management Practices manuals, and Caltrans Storm Water Quality Handbooks.

Assumptions and exclusions -

- Revisions/Corrections will be provided to the Contractor in PDF (electronic) format. The client is responsible for printing and inserting the pages into the binder. If paper is needed and/or AKA needs to insert pages into binder an additional charge will apply.
- The price is for SWPPP preparation only. Includes six drawings, additional drawings will be billed at \$100.00ea.
- A \$400.00 fee will be added to the plan, if a Resident Engineer stamp is required.
- Items not specified in this proposal will be provided as an additional service, ex. Weekly BMP Inspection reports.
- All processing including application fees, permits, and all other fees required by agencies are excluded from this proposal.
- We provide four (4) copies of the SWPPP for subject project. Additional copies will be billed at \$100.00 each.

Billing - Billing will be based on the proposed fee. Invoices are due upon receipt. No retentions will be withheld from payment.

Qty.	Services	Price	Circle Quantity
1	Storm Water Pollution Prevention Plan (SWPPP)	\$1650.00	1 2 3 4 Other:
1	Storm Water Pollution Prevention Plan (SWPPP) Caltrans only	\$1850.00	1 2 3 4 Other:
1	Water Pollution Control Plan (WPCP)*	\$1250.00	1 2 3 4 Other:
1	Dust Management Plan	\$850.00	1 2 3 4 Other:
1	Water Quality Management Plan	\$1850.00	1 2 3 4 Other:
	SWPCP/Lead Compliance Plans also available	Ask for Price	Ask for Price
	Plan Corrections and/or Revisions	Free	
	Free local Pick-up and Delivery	Free	
	We now offer BMP Training, QSD and QSP Certification Training. Please ask for more details.		

Hello Estimating Department,
 My name is Rey, from AKA Environmental. We are providers of the Storm Water Pollution Prevention Plan (SWPPP), Water Pollution Control Plan (WPCP), Dust Management Plan, Erosion Control Plan and Water Quality Management Plan. We provide these services statewide from San Diego County to Del Norte County. Other companies like All American Asphalt and Top Grade construction are already doing business with us exclusively and benefit from our fast and professional service. So, the next time you need a SWPPP or any of the other plans we provide, use the price list listed above and give me a call (323) 547-9605

Authorized Signature _____
 Signature AKA Environmental

ACCEPTANCE OF PROPOSAL - Signature _____

Date _____

The Firm. 904563

DBE 39322

715 Ridge Road
Nipomo, CA .93444
Phone: 805-748-8576

Fax: 805-929-0501

E-Mail:

estimating@theswppffirm.com

Web: www.theswppffirm.com

Project: 06-0L3904

Relocate Right Turn Lane Of The Southbound On-ramp To Route 99

06-Ker-99-24.6

DBE NOT LOW

We are pleased to provide you with a bid for the items listed below based on plans, specifications, and (1) addenda. This is a Risk Level 1 Project.

Bid item.

Item	Code	Description	Unit	Quantity	Unit Price	Total
9	130300	Prepare Storm Water Pollution Prevention Program.	LS	LS	\$1,800.00	\$1,800.00
10	130330	Storm Water Annual Report	EA	1	\$1,000.00	\$1,000.00

Exclusions and qualifications.

1. Special testing and permits not in contract.
2. Price includes Amendments.
3. Price includes (1) electronic copy and (7) printed copies.

THANK YOU FOR YOUR TIME AND CONSIDERATION,



VICENTE BRAVO.

CPESC QSD/P #305

DISADVANTAGED BUSINESS ENTERPRISE CERTIFICATE

THE FIRM

715 RIDGE ROAD
NIPOMO, CA 93444

Owner: VICENTE C. BRAVO

Business Structure: SOLE PROPRIETORSHIP

This certificate acknowledges that said firm is approved by the California Unified Certification Program (CUCP) as a Disadvantaged Business Enterprise (DBE) as defined by the U.S. Department of Transportation (DOT) CFR 49 Part 26, as may be amended, for the following NAICS codes:

NAICS Code(s) * Indicates primary NAICS code

* 238990 All Other Specialty Trade Contractors

541620 Environmental Consulting Services

Work Category Code(s)

C2021
C8700

HYDROSEEDING
CONSULTANT, NON ENGINEERING

C2030

EROSION CONTROL

Licenses

B General Building Contractor

D64 Nonspecialized

CERTIFYING AGENCY:

DEPARTMENT OF TRANSPORTATION
1823 14TH STREET
SACRAMENTO, CA 95811 0000
(916) 324-1700

UCP Firm Number 39322


CUCP OFFICER

August 9, 2011

It is CUCP's policy and objective to promote and maintain a level playing field for DBEs in California on Federal-aid contracts. We ensure nondiscrimination in the award and administration of U.S. DOT assisted contracts based on the requirements of 49 CFR Parts 21 and 26.

Fax Header Information

GRIFFITH COMPANY ~ Central
661-393-9525
28-May-2013 09:32 PM

Fax Job	Date/Time	Type	Identification	Duration	Pgs	Result
55968	28-May-2013 09:30 PM	Receive		1:09	2	Success

<p>The Firm. 904563</p> <p>DBE 39322</p>	<p>715 Ridge Road Nipomo, CA .93444 Phone: 805-748-8576 Fax: 805-929-0501 E-Mail: estimating@theswppfirm.com Web: www.theswppfirm.com</p>
--	--

Project: 06-0L3904
Relocate Right Turn Lane Of The Southbound On-ramp To Route 99
06-Ker-99-24.6

We are pleased to provide you with a bid for the items listed below based on plans, specifications, and (1) addenda. This is a Risk Level 1 Project.


Bid item.

Item	Code	Description	Unit	Quantity	Unit Price	Total
9	130300	Prepare Storm Water Pollution Prevention Program.	LS	LS	\$1,800.00	\$1,800.00
10	130330	Storm Water Annual Report	EA	1	\$1,000.00	\$1,000.00


Exclusions and qualifications.

1. Special testing and permits not in contract.
2. Price includes Amendments.
3. Price includes (1) electronic copy and (7) printed copies.

THANK YOU FOR YOUR TIME AND CONSIDERATION,



VICENTE BRAVO.
CPESC QSD/P #306



DBE

NOT LOW

APPIAN UDBE SWPPP

Storm Water Pollution Prevention Plans
Water Pollution Control Programs
Lead Compliance Plans

Certified DBE (UDBE, WBE & MBE):
BART - No. 38334 - exp: 04-20-2015

Business License Number 024765

5780 Olinda Road
El Sobrante, CA 94803

Phone: (510) 375-1927
Fax: (510) 227-6004

Friday, May 24, 2013

ATTN: Estimator

RE: Contract : **Caltrans - 06-0L3904**

Relocate Right Turn Lane Of The Southbound On-ramp To Route 99.

Bid Date: **May 29, 2013**

Please find below the APPIAN SWPPP quote for the referenced project.

Item #	Item Code	<u>Items bid individually</u>	Bid Price
1	070030	Prepare Lead Compliance Plan (LCP)	\$1,900.00

Good luck,

Thomas Koprek
Estimator
(510) 375-1927



Civil Engineering and Stormwater Solutions

May 28, 2013

RE: Proposal for SWPPP for Caltrans 06-0L3904, bids 5/29/13

Dear Prime Contractor;

Thank you for the opportunity to provide a bid for this work. We provide civil and stormwater engineering services.

Scope of Work:

- A. Prepare Stormwater Pollution Prevention Plan (SWPPP).
 - I. Prepare SWPPP per State and contract requirements. Include REAP template, CSMP and SAP.
 - II. Prepare Notice of Termination (NOT) at completion of project.
 - III. Submit SWPPP to State Water Board via SMART program.
 - IV. Prepare a Notice of Intent, if applicable. Include Risk Assessment and Site Map.
 - V. Prepare Water Pollution Control Drawings as part of SWPPP.
 - VI. Exclusions:
 - a. Role of Water Pollution Control Manager and required monitoring, NOI fees, BMP's, site inspection and testing will be the contractor's responsibility.
- B. Provide Stormwater Annual Report
 - I. Prepare Stormwater Annual Report in accordance with the SWRCB requirements.
 - II. Report will be prepared by a certified QSD.

Fee:

The SWPPP will be prepared for a Fixed Fee of the following, with fees billed monthly based upon percent completion:

- A. Prepare SWPPP (Item 9) \$ 2,600
- B. Prepare Stormwater Annual Report \$500 EA (Item 10) \$ 500

Fees will be due within 30 days of client's receipt of invoice.

Timing and deliverables:

The SWPPP will be provided within 3 weeks of authorization to proceed. The document will provided in hard copy (4 copies) and electronic PDF format.

Sincerely,

AUTHORIZATION TO PROCEED

A handwritten signature in black ink that reads 'Robin Tully'.

 Robin Tully, PE/QSD/QSP, President/Owner
 License #: C64354

Name:

Date:

DBE/WBE/UDBE #38300, Exp. 2/4/2015 (Certified through Caltrans)
SBE (Micro) #60919, Exp. 1/31/2014, DUNS #832769918 Annual Revenue Under \$500K

TULLY CONSULTING GROUP
180 S. FIRST ST, SUITE 9 • DIXON, CA • 95820
PHONE: 707-693-1926 • FAX 707-471-0318
ROBIN@TULLYGROUP.COM

Fax Header Information

GRIFFITH COMPANY ~ Central
 661-393-9525
 28-May-2013 09:46 AM

Fax Job	Date/Time	Type	Identification	Duration	Pgs	Result
55935	28-May-2013 09:45 AM	Receive	NextivaFax	0:53	1	Success
05/20/2013 09:01 TO:16613939525 FROM:7076739999 Page: 1						



Civil Engineering and Stormwater Solutions

May 28, 2013

RE: Proposal for SWPPP for Caltrans 06-0L3904, bids 5/29/13

Dear Prime Contractor;

Thank you for the opportunity to provide a bid for this work. We provide civil and stormwater engineering services.

Scope of Work:

- A. Prepare Stormwater Pollution Prevention Plan (SWPPP).
 - I. Prepare SWPPP per State and contract requirements. Include REAP template, CSMP and SAP.
 - II. Prepare Notice of Termination (NOT) at completion of project.
 - III. Submit SWPPP to State Water Board via SMART program.
 - IV. Prepare a Notice of Intent, if applicable. Include Risk Assessment and Site Map.
 - V. Prepare Water Pollution Control Drawings as part of SWPPP.
 - VI. Exclusions:
 - a. Role of Water Pollution Control Manager and required monitoring, NOI fees, BMP's, site inspection and testing will be the contractor's responsibility.
- B. Provide Stormwater Annual Report
 - I. Prepare Stormwater Annual Report in accordance with the SWRCB requirements.
 - II. Report will be prepared by a certified QSD.

Fee:

The SWPPP will be prepared for a Fixed Fee of the following, with fees billed monthly based upon percent completion:

- A. Prepare SWPPP (Item 9) \$ 2,600
- B. Prepare Stormwater Annual Report \$500 EA (Item 10) \$ 500

Fees will be due within 30 days of client's receipt of invoice.

Timing and deliverables:

The SWPPP will be provided within 3 weeks of authorization to proceed. The document will provided in hard copy (4 copies) and electronic PDP format.

Sincerely,

AUTHORIZATION TO PROCEED

Robin Tully, PE/QSD/QSP, President/Owner
 License #: C64354

Name:

Date:

DBE/WBE/UDBE #38300, Exp. 2/4/2015 (Certified through Caltrans)
SBE (Micro) #60919, Exp. 1/31/2014, DUNS #832769918 Annual Revenue Under \$500K

TULLY CONSULTING GROUP
180 S. FIRST ST, SUITE 9 • DIXON, CA • 95620
PHONE: 707-693-1926 • FAX 707-471-0318
ROBIN@TULLYGROUP.COM

**JANET SIMAS PAVING, Inc. DBA
SPIRIT ROAD OILS**



State Contractors License
No. 472697

16490 Vineyard Boulevard, Morgan Hill, CA 95037
Office (408) 465-2270 Callf (800) 637-2040 Fax (408) 465-2281

American Indian owned and operated
Member of Chukchansi Tribe of CA

We are CALTRANS Certified
UDBE, MBE & WBE.
Material Supplier Only

NOT USED
SELF PERFORMED
QUOTE REC.
1 MIN.
AFTER BID
TIME

Bid/Fax# 007213

Submitted to: Griffith Co. Attn: Samantha Jones
Bld Date: 5/29/13 Time: _____ Project# 06-013904
Project: Kern Co.

Item#	Est. Amount	Description	Unit	Est. Total
<u>3.4 Tons</u>		<u>SS-1H</u>	<u>640</u> Per Ton + Sales Tax	
			Per Ton + Sales Tax	
		Delivery Charge:	<u>\$1500</u> EACH	
		Spread Charge:	<u>\$175</u> Per hour, 4 hour Minimum	

NOT LOW

If spreading at night, Hourly rate is: \$ 185 per hour. Same Minimum Applies.

Comments: SALES TAX NOT INCLUDED

QUOTATION EXPIRES 30 DAYS FROM BID DATE. PRICES GOOD FOR 30 DAYS AFTER QUOTATION IS ACCEPTED

We can arrange for delivery & spread of products from Pacific Northwest Oil, which is not UDBE. You will not be receiving UDBE credit for Spreading and Delivery.

2 Ton Minimum for Oil Purchase. 0% RETENTION TO BE HELD.
Waiver of Subrogation fee for Workers Comp. Insurance shall be charged at \$250.00

DUE TO MARKET VOLATILITY THE PRODUCT QUOTED MAY BE INFLUENCED UP OR DOWN BY THE CALTRANS ASPHALT INDEX. ALL PRICES QUOTED STRAIGHT OR CUT WITH WATER. PROTECTION OF EXISTING CONCRETE AND STRIPING BY OTHERS. ALL IN ROUTE CANCELATIONS WILL BE CHARGED AT SPREAD RATE PORT TO PORT.

Quoted by: Janet Simas