

**DEPARTMENT OF TRANSPORTATION**  
DIVISION OF ENGINEERING SERVICES  
OFFICE ENGINEER  
1727 30th STREET, MS-43  
P.O. BOX 168041  
SACRAMENTO, CA 95816-8041  
PHONE (916) 227-6299  
FAX (916) 227-6282  
TTY 711  
www.dot.ca.gov



*Serious drought.  
Help save water!*

March 8, 2016

Facsimile: (805) 964-7661

David P. Heermance, President  
Cross Town Electrical & Data, Inc.  
5463 Diaz Street  
Irwindale, CA 91706

12-0N78U4  
12-Ora-5-0.0/0.1  
B.O. 1/5/2016

Dear Mr. Heermance:

The Department of Transportation (Caltrans) received a letter dated February 21, 2016, from Crosstown Electrical & Data, Inc. (Crosstown), protesting the bid submitted by KDC, Inc., dba Dynalectric (Dynalectric) for the above mentioned contract. The protest alleges that Dynalectric listed G&C Equipment Corp (G&C) to supply material in the amount of \$2,038,638.00, which creates a major discrepancy in the bid, due to the difference between the dollar amount of the required Small Form Factor Pluggable (SFP) Modules and listed SFPs. As a result, Dynalectric will not meet the stated 12 percent project goal.

In regards to the SFP, Caltrans has reviewed the issue and has determined that the SFPs being used by Dynalectric are within the required contract specifications.

The Office of Business and Economic Opportunity, Contract Evaluation Branch (CEB) evaluated the bid documents and confirmed the participation of G&C and reduced Dynalectric's claimed participation for bid item 19 (modify communication system). As G&C does not manufacture the electrical switches on its premises as required by 49 CFR § 26.55(e)(1)(ii), the total dollar amount counted towards the goal was reduced \$2,039,888.00 to \$1,225,182.80 or 13.30%. Dynalectric still met the goal for this contract.

Based on the above, Caltrans finds that Crosstown's protest will have no bearing on the award of this contract.

If you have any questions, please contact Mulissa Smith, Contract Awards Branch Manager, at (916) 227-6228.

Sincerely,

A handwritten signature in black ink, appearing to read "Jeff DeFevere".

JEFF DEFEVERE  
Office Chief  
Office Engineer, Construction Contract Awards  
Division of Engineering Services

TRANSMISSION VERIFICATION REPORT

TIME : 03/08/2016 16:17  
NAME : OE AWARDS  
FAX : 9162276320  
TEL : 9162276299  
SER. # : BROM3J484361

DATE, TIME	03/08 16:16
FAX NO./NAME	918059647661
DURATION	00:00:56
PAGE(S)	01
RESULT	OK
MODE	STANDARD ECM

STATE OF CALIFORNIA—CALIFORNIA STATE TRANSPORTATION AGENCY

EDMUND G. BROWN, Jr., Governor

**DEPARTMENT OF TRANSPORTATION**

DIVISION OF ENGINEERING SERVICES

OFFICE ENGINEER

1727 30th STREET, MS-43

P.O. BOX 168041

SACRAMENTO, CA 95816-8041

PHONE (916) 227-6299

FAX (916) 227-6282

TTY 711

[www.dot.ca.gov](http://www.dot.ca.gov)



*Serious drought.  
Help save water!*

March 8, 2016

Facsimile: (805) 964-7661

David P. Heermance, President  
Cross Town Electrical & Data, Inc.  
5463 Diaz Street  
Irwindale, CA 91706

12-0N78U4  
12-Ora-5-0.0/0.1  
B.O. 1/5/2016

Dear Mr. Heermance:

The Department of Transportation (Caltrans) received a letter dated February 21, 2016, from Crosstown Electrical & Data, Inc. (Crosstown), protesting the bid submitted by KDC, Inc., dba Dynalectric (Dynalectric) for the above mentioned contract. The protest alleges that Dynalectric listed G&C Equipment Corp (G&C) to supply material in the amount of \$2,038,638.00, which creates a major discrepancy in the bid, due to the difference between the dollar amount of the required Small Form Factor Pluggable (SFP) Modules and listed SFPs. As a result, Dynalectric will not meet the stated 12 percent project goal.

In regards to the SFP, Caltrans has reviewed the issue and has determined that the SFPs being used by Dynalectric are within the required contract specifications.

The Office of Business and Economic Opportunity, Contract Evaluation Branch (CEB) evaluated the bid documents and confirmed the participation of G&C and reduced Dynalectric's claimed participation for bid item 19 (modify communication system). As G&C does not manufacture the electrical switches on its premises as required by 49 CFR § 26.55(e)(1)(ii) the total dollar