

**CHANGE ORDER**

CEM-4900 (REV 05/2015)

Sheet 1 of 2Change Requested by:  Engineer  Contractor

CHANGE ORDER NO.	SUPPL. NUMBER	CONTRACT NUMBER	CO-RTE-PM	FEDERAL NUMBER(S)

TO \_\_\_\_\_, **contractor**

You are directed to make the following changes from the plans and specifications or do the following described work not included in the plans and specifications for this contract. **NOTE: This change order is not effective until approved by the engineer.**

Description of work to be done, estimate of quantities, and prices to be paid. (Segregate between additional work at contract price, agreed price, and force account.) Unless otherwise stated, rates for rental of equipment cover only such time as equipment is actually used and no allowance will be made for idle time. The last percentage shown is the net accumulated increase or decrease from the original quantity in the Bid Item List.

*Use on projects that do not include the Revised Standard Specifications dated July 21, 2017 or later.*

Replace the second paragraph of Section 84-2.03C(2)(e) of the Standard Specifications with:

Apply the stripe at a rate of at least 0.47 lb of thermoplastic per foot of 6-inch-wide solid stripe. The applied thermoplastic traffic stripe must be at least 0.090 inch thick.

*Use on projects that include the RSS dated July 21, 2017 or later.*

Replace Section 84-2.03C(2)(e) of the RSS with:

Apply the stripe at a rate of at least 0.47 lb of thermoplastic per foot of 6-inch-wide solid stripe. The applied thermoplastic traffic stripe must be at least 0.090 inch thick.

Thermoplastic Traffic Stripes and Pavement Markings with Enhanced Wet-Night Visibility are paid by the linear foot or square foot respectively. There shall be no cost or credit to the state by reason of this change.

This change order will not affect the controlling activity; therefore, no time adjustment is warranted.

**CHANGE ORDER**

CEM-4900 (REV 05/2015)

CHANGE ORDER NO.	SUPL. NUMBER	CONTRACT NUMBER	CO-RTE-PM	FEDERAL NUMBER(S)
------------------	--------------	-----------------	-----------	-------------------

Estimated Cost:  Increase  Decrease \$

For this order, the time of completion will be adjusted as follows:

**SUBMITTED BY**

SIGNATURE	(PRINT NAME AND TITLE)	DATE
-----------	------------------------	------

**APPROVAL RECOMMENDED BY**

SIGNATURE	(PRINT NAME AND TITLE)	DATE
-----------	------------------------	------

**ENGINEER APPROVAL BY**

SIGNATURE	(PRINT NAME AND TITLE)	DATE
-----------	------------------------	------

We, the undersigned contractor, have given careful consideration to the change proposed and agree to provide equipment, furnish materials, and perform the work specified above, and will accept as full payment the prices shown above. **NOTE: If you do not sign this order, you are directed to proceed with the ordered work. You may file a Request for Information within the time specified.**

**CONTRACTOR ACCEPTANCE BY**

SIGNATURE	(PRINT NAME AND TITLE)	DATE
-----------	------------------------	------