

California Department of Transportation



AUTHORIZED MATERIAL LIST FOR GRAFFITI REMOVAL AND PREVENTATIVE PRODUCTS

Product Name	Manufacturer / Website / Telephone	Product Type	Expiration Date	Comments
Bare Brick Stone & Masonry Graffiti Remover	Urban Restoration Group U.S. Inc <a href="http://www.graffitiremovalinc.com">www.graffitiremovalinc.com</a> 818-247-2555 sales@graffitiremovalinc.com	Cleaner, Liquid Remover	7/31/2026	Brush/ Spray, then power wash
Bio Shield II	Biod D Products 619-258-7676 619-733-5766 jwongmartinez@gmail.com jwongmartinez@yahoo.com	Cleaner, Liquid Remover	7/31/2026	Brush / Spray
Blok-Lok with Graffiti Control	<a href="http://www.RainguardPro.com">www.RainguardPro.com</a> 949-515-8800 support@rainguardpro.com	Non-Sacrificial Coating and Water Repellent Coating	7/31/2026	Temporarily Approved. Extended through 7/31/2026 for the requested high speed rail project. Contractor staff performing work and using the product are required follow manufacturer instructions and wear the required PPE. Should be applied using low pressure airless spray equipment.
Dur A Pell V626 RTV Silicone Graffiti Protectant	Amos & Associates <a href="http://www.tnemec.com">www.tnemec.com</a> 866-317-3206 kamos@tnemec.com	Non-Sacrificial, Silicone Sealant	7/31/2026	Apply using a low-pressure sprayer with a fan tip that allows for an application pressure of 20 to 40 psi. Can also brush or roll on.
Feltpen Fadeout	Urban Restoration Group U.S. Inc <a href="http://www.graffitiremovalinc.com">www.graffitiremovalinc.com</a> 818-247-2555 sales@graffitiremovalinc.com	Non-Sacrificial, Liquid Remover	7/31/2026	Apply as thickly as possible to the remaining shadows with a nylon brush. When shadows have disappeared, wipe clean with a damp toweling cloth.
FluoroGrip, Model F	Integument Technologies, Inc. <a href="http://www.integument.com">www.integument.com</a> 716-873-1199 ahope@integument.com	Non-Sacrificial, Teflon Film	7/31/2026	Sign Coating / Peel and stick installation and can be easily applied over polycarbonate glass and other surfaces.

## AUTHORIZED MATERIAL LIST FOR GRAFFITI REMOVAL AND PREVENTATIVE PRODUCTS

Product Name	Manufacturer / Website / Telephone	Product Type	Expiration Date	Comments
GPR-1 (Graffiti Klean (J-45))	Visual Pollution Technologies, Inc. <a href="http://www.visualpollution.com">www.visualpollution.com</a> 480-503-2847 info@visualpollution.com	Cleaner, Liquid Remover	7/31/2026	Shake well before using. Apply using a sponge, sprayer, brush, or roller.
GR II	Phase III, Inc. <a href="http://www.oilsponge.com">www.oilsponge.com</a> 480-657-9183 sales@oilsponge.com	Cleaner, Liquid Remover	7/31/2026	Spray, then power wash
Graffiti Buster GB 290 Remover	Surtec, Inc. <a href="http://www.surtec.com">www.surtec.com</a> 209-820-3700 SurTecUS@SurTec.com info@surtecsystem.com	Cleaner, Liquid Remover	7/31/2026	Apply then allow time for graffiti to dissolve and wash off with a pressure washer using HC-150 at 2 ounces per gallon of water.
Graffiti Safewipes	Urban Restoration Group U.S. Inc <a href="http://www.graffitiremovalinc.com">www.graffitiremovalinc.com</a> 818-247-2555 sales@graffitiremovalinc.com	Cleaner, Wipes	7/31/2026	Unfold and scrunch up towel. Using a circular wiping motion, remove marks in small areas at a time. Turn the towel over with every wipe to keep the area clean.
Graffiti-Pruf (Graffiti Protector (J-44))	Visual Pollution Technologies, Inc. <a href="http://www.visualpollution.com">www.visualpollution.com</a> 480-503-2847 info@visualpollution.com	Sacrificial Coating	7/31/2026	Brush or Spray. Spray all rough or textured surfaces. Brush or Roll Smooth surfaces.
Heritage Graffiti Remover	Urban Restoration Group U.S. Inc <a href="http://www.graffitiremovalinc.com">www.graffitiremovalinc.com</a> 818-247-2555 sales@graffitiremovalinc.com	Cleaner, Liquid Remover	7/31/2026	Apply to surface with a nylon brush, broom or pump-up sprayer, 3 times at 3 minute intervals, liberally flooding the graffiti / stain with the product.
Kick	Visual Pollution Technologies, Inc. <a href="http://www.visualpollution.com">www.visualpollution.com</a> 480-503-2847 info@visualpollution.com	Cleaner, Liquid Remover	7/31/2026	Apply using a sponge, sprayer, brush, or roller. Sponge – For smaller surfaces. Sprayer – All rough or textured surfaces such as masonry. Brush or Roller – Smooth surfaces such as signs and metals.

## AUTHORIZED MATERIAL LIST FOR GRAFFITI REMOVAL AND PREVENTATIVE PRODUCTS

Product Name	Manufacturer / Website / Telephone	Product Type	Expiration Date	Comments
MoChem-Gypsy	Hughes Energy Corp. <a href="http://www.momar.com">www.momar.com</a> 805-524-2400 ext. 100 info@momar.com	Cleaner	7/31/2026	One application. Dip, brush, or roll onto the desired surface and allow to set for 1 to 2 hours minimum.
MoChem-Hocus Pocus	Hughes Energy Corp. <a href="http://www.momar.com">www.momar.com</a> 805-524-2400 ext. 100 info@momar.com	Cleaner, Wipes	7/31/2026	Unfold and scrunch up towel. Using a circular wiping motion, remove marks in small areas at a time. Turn the towel over with every wipe to keep the area clean.
Prmakote	Visual Pollution Technologies, Inc. <a href="http://www.visualpollution.com">www.visualpollution.com</a> 480-503-2847 info@visualpollution.com	Non-Sacrificial Coating, Anti-Graffiti Coating	7/31/2026	Brush or Spray. Spray all rough or textured surfaces. Brush or Roll Smooth surfaces.
Sensitive Surface Graffiti Remover	Urban Restoration Group U.S. Inc <a href="http://www.graffitiremovalinc.com">www.graffitiremovalinc.com</a> 818-247-2555 sales@graffitiremovalinc.com	Cleaner, Liquid Remover	7/31/2026	Brush on / wipe off or spray and agitate with soft bristled brush or scourer.
Si-Coat 532 AG	CSL Silicones Inc. <a href="http://www.cslsilicones.com">www.cslsilicones.com</a> 609-477-0327 etroncoso@cslsilicones.com	Non-Sacrificial Coating, Anti-Graffiti Protective Coating	7/31/2026	Airless spray, brush or roller
Si-COAT AG 528 Remarkable Low VOC Anti-Graffiti Protective Coating	CSL Silicones, Inc etroncoso@cslsilicones.com <a href="http://www.cslsilicones.com">www.cslsilicones.com</a> (511) 836-9044	Non-Sacrificial, Anti-Graffiti Protective Coating	7/31/2026	Temporarily Approved. Extended through 7/31/2026. Product will be reevaluated during renewal period. The manufacture recommends Si-COAT® AG 528™ to be applied using an airless sprayer; however, brush, or roller are also suitable methods of application.
Traffic Wrapz Protective Overlay Film TW 360c	TrafficWrapz <a href="http://www.trafficwrapz.com">www.trafficwrapz.com</a> 253-655-2383 855-559-7279 herb@trafficwrapz.com	Non-Sacrificial, Overlaminated Film	7/31/2026	Peel and stick application

## AUTHORIZED MATERIAL LIST FOR GRAFFITI REMOVAL AND PREVENTATIVE PRODUCTS

Product Name	Manufacturer / Website / Telephone	Product Type	Expiration Date	Comments
Transgel	Urban Restoration Group U.S. Inc <a href="http://www.graffitiremovalinc.com">www.graffitiremovalinc.com</a> 818-247-2555 sales@graffitiremovalinc.com	Cleaner, Liquid Remover	7/31/2026	Apply thickly and leave for at least 20 minutes dwell time. Longer dwell times may be necessary in some circumstances. Agitate with a stiff nylon brush or scrub pad if the graffiti is very thick. Rinse with high pressure water. Can also be applied by airless sprayer on larger removal jobs.
Vanish ECO Green Graffiti Remover	Urban Restoration Group U.S. Inc <a href="http://www.graffitiremovalinc.com">www.graffitiremovalinc.com</a> 818-247-2555 sales@graffitiremovalinc.com	Cleaner, Liquid Remover	7/31/2026	Apply several coats by brush, broom or spray and allow several minutes dwell time between coats. Agitate with a soft nylon brush between coats and rinse with a pressure washer or scrubbing brush and water.
World's Best Detergent	Urban Restoration Group U.S. Inc <a href="http://www.graffitiremovalinc.com">www.graffitiremovalinc.com</a> 818-247-2555 sales@graffitiremovalinc.com	Cleaner, Liquid Remover	7/31/2026	Apply to the surface, agitate with soft bristled broom / brush and high pressure clean off.
World's Best Graffiti Coating	Urban Restoration Group U.S. Inc <a href="http://www.graffitiremovalinc.com">www.graffitiremovalinc.com</a> 818-247-2555 sales@graffitiremovalinc.com	Sacrificial Coating	7/31/2026	Shake or stir product well prior to use. Can be applied with roller, brush, low-pressure sprayer or airless sprayer. Two coats are usually applied.

## AUTHORIZED MATERIAL LIST FOR GRAFFITI REMOVAL AND PREVENTATIVE PRODUCTS

Product Name	Manufacturer / Website / Telephone	Product Type	Expiration Date	Comments
CoatMasters Matte Sealer (CAL-AQMD)	IMRAE Corporation 41725 Elm St. Suite 202, Murrieta, CA 92562. <a href="http://www.imrae.com">www.imrae.com</a> 951-413-0240 Ext. 1 info@imrae.com	Sacrificial Coating	7/31/2026	Temporarily Approved. Extended through 7/31/2026. Contractor staff performing work and using the product are required follow manufacturer instructions and wear the required PPE. Mix product thoroughly prior to use, apply by brush, roller, or spray. Apply minimum of two coats and more as needed to ensure coverage.
PREMERA T2 Protective Clear Coat	Nukote Global 4730 Consulate Plaza Drive Suite 100, Houston, Texas USA 77032 Phone: (832) 770-7100 <a href="http://www.nukoteglobal.com">www.nukoteglobal.com</a> Sales: Al Thompson Y3K Solutions (310) 497-1798 Al.Y3K@att.net	Non Sacrificial Coating	7/31/2026	Temporarily Approved. Extended through 7/31/2026. Contractor staff performing work and using the product are required follow manufacturer instructions and wear the required PPE. Works well on most surfaces. Can be applied with a sprayer, roll or brush.

## AUTHORIZED MATERIAL LIST FOR GRAFFITI REMOVAL AND PREVENTATIVE PRODUCTS

Product Name	Manufacturer / Website / Telephone	Product Type	Expiration Date	Comments
Environmentally Preferred Graffiti Remover (Soy-Based Graffiti Remover)	Natural Soy Products, LTD 1935 Main St. Cedar Falls, IA 50613 Phone: (844) 606-9558 <a href="http://www.naturalsoyproducts.com">www.naturalsoyproducts.com</a> Sales: Al Thompson Y3K Solutions (310) 497-1798 Al.Y3K@att.net	Cleaner, Liquid Remover	7/31/2026	Temporarily Approved. Extended through 7/31/2026 Contractor staff performing work and using the product are required follow manufacturer instructions and wear the required PPE. Works well on most surfaces. Can be applied with a sprayer, roll or brush.
Sil-Guard WB Anti Graffiti Protective Coating	Advanced Chemical Technologies, INC 9608 N Robinson Ave Oklahoma City, OK 73114 <a href="http://www.advchemtech.com">www.advchemtech.com</a> reception@advchemtech.com P: 405.843.2585 T: 800.535.0433 F: 405.843.2596	Non-Sacrificial, Anti-Graffiti Protective Coating	7/31/2026	Temporarily Approved. Extended through 7/31/2026. Contractor staff performing work and using the product are required follow manufacturer instructions and wear the required PPE. Apply in cross-hatched pattern with spray equipment at a rate of approximately 75 sq ft per gallon with a 0.015 to 0.017 tip