

Research

Notes



JULY 2020

Project Title: PPRC 20 Performance Related Specifications

Task Number: 3186

Start Date: July 1, 2017

Completion Date: June 30, 2020

Task Manager: Junxia Wu Transportation Engineer junxia.wu@dot.ca.gov

Asphalt Rubber Binder

Development of testing procedures and criteria for performance related specifications for rubberized asphalt binder.

WHAT IS THE NEED?

Currently, California Department of Transportation (Caltrans) provides testing and acceptance criteria for terminal blended rubberized binders that mimic polymer-modified asphalt binders. However, the larger rubber particle sizes currently allowed in the Caltrans specifications prevent the use of those criteria for wet process binders.

The use of conventional parallel plate testing systems with either 1- or 2-mm gaps in a dynamic shear rheometer (DSR) results in the rubber particles potentially contacting the plates, leading to measurements dominated by the rheology of the rubber particles instead of the binder. Increasing the gap size to more than 2 mm violates the temperature equilibrium of the sample.

The current specification used for testing and acceptance of wetprocess asphalt rubber binders is focused mainly on measuring the viscosity in the field using a handheld rotational viscometer. However, viscosity does not relate directly to in-service performance of the binder in a Rubberized Hot Mix Asphalt. Superpave binder tests, i.e., viscosity, DSR, and bending beam rheometer (BBR) testing, are not appropriate for testing wetprocess asphalt rubber binders due to large rubber particle size.

WHAT ARE WE DOING?

As part of the first and second phases of this research project, a new DSR testing protocol using concentric cylinder geometry was investigated. Refinements to the rolling thin film oven test (RTFO) and to the specimen preparation procedure for BBR testing were also made and evaluated.



DRISI provides solutions and knowledge that improves California's transportation system

ADA Notice: For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 654-8899 or 711 TTY or write Caltrans Division of Research, Innovation and System Information, P.O. Box 942873, Sacramento, CA 94273-0001.



Asphalt Rubber Binder

Research

Notes

Preliminary mix testing was carried out as part of a process of interpreting the binder rheology test data to formulate realistic and representative performance grading (PG) criteria for asphalt rubber binders. To complete the development of these performance related specifications (PRS), the following tasks will be conducted:

- Literature review of recently completed research.
- Laboratory testing to understand short- and long-term aging of asphalt rubber binders and to refine the RTFO and pressure aging vessel (PAV) procedures if justified.
- Laboratory testing of field-produced mixes with associated binder testing using both concentric cylinder and 3-mm parallel plate geometries to refine PG criteria.
- Design of a round robin study for concentric cylinder geometry tests by laboratories that have invested in the equipment.
- Acceleration of pavement testing to compare rutting performance of 1/2 in. and 3/4 in. nominal maximum aggregate size mixes, the use of thicker than currently permitted lift thicknesses, and the use of coarse recycled asphalt pavement as aggregate, but not binder replacement.
- Preparation of a research report documenting the study.

WHAT IS OUR GOAL?

The main goal of this research is to address the issues related to PRS for asphalt rubber, wet process binders, and support Caltrans in its implementation.

WHAT IS THE BENEFIT?

It is expected that the research will lead to simplified PRS in terms of specification development and deployment in Asphalt Concrete long life projects. The simplified PRS will be easier for contractors and districts to understand and communicate, and will not increase risk of poor performance to Caltrans.

WHAT IS THE PROGRESS TO DATE?

The research team has made the following progress as of July 2020:

- Completed the literature review
- Completed testing aged binders and investigation to assess specimen preparation for PAV aging
- Collected asphalt binder and plant mix samples (RIV-86), completed binder and mix testing on collected samples, and analyzed low temperature test results for 21 binders.
- Delayed HVS testing delayed due to COVID-19
- Updated Phase 2 report detailing test results and prepared Phase 3 test track construction report. Phase 2 report with Caltrans and Phase 3 report in internal review

The contents of this document reflect the views of the authors, who are responsible for the facts and accuracy of the data presented herein. The contents do not necessarily reflect the official views or policies of the California Department of Transportation, the State of California, or the Federal Highway Administration. This document does not constitute a standard, specification, or regulation. No part of this publication should be construed as an endorsement for a commercial product, manufacturer, contractor, or consultant. Any trade names or photos of commercial products appearing in this document are for clarity only.