

TRANSFORMING IDEAS INTO SOLUTIONS

Research Notes



Project Title: Partnered Pavement Research Center (PPRC) 20: Mechanistic-Empirical Design

Task Number: 3977

Start Date: September 1, 2021

Completion Date: September 30, 2023

Task Manager:

Somayeh Mafi Senior Transportation Engineer Somayeh.Mafi@dot.ca.gov



DRISI provides solutions and knowledge that improves California's transportation system.

New Rubberized Hot Mix Asphalt Materials with Recycled Asphalt Pavement/Recycled Asphalt Shingles, Part B for Interlayers and **Base for Rigid Pavements**

Characterizing Rubberized Hot Mix Asphalt with Recycled Asphalt Materials (RAP) with Recycled Asphalt Shinales (RAS) for Interlayers and Base Layers under Rigid Pavements.

WHAT IS THE NEED?

The California Department of Transportation (Caltrans) has increased the allowable binder replacement of RAP to 25 percent in asphalt mixes. Potential concerns associated with the use of RAP/RAS include the influence of aged binder from the RAP/RAS on binder aging properties and the degree of blending during mix production and service life. Binder in existing pavements is known to oxidize and age-harden over time, significantly altering its original properties. Studies have demonstrated that aged RAP/RAS binder can blend with virgin binder, ultimately changing binder properties, which could affect pavement performance, especially when higher percentages of RAP/RAS are used.

Currently, solvent extraction and recovery is the only method to physically separate RAP/RAS binder from aggregate for characterization. This process has long been questioned due to the force-blending of virgin and RAP binders, potential alteration of binder rheology, worker health risks, and hazardous waste disposal issues. Non-representative blending and rheology results can significantly impact asphalt performance in both hot and cold weather. These challenges are further complicated when rejuvenating agents are added to soften RAP binder or when warm-mix technologies are applied.

WHAT ARE WE DOING?

This research investigates the use of RAP in Rubberized Hot

ADA Notice: Users with accessibility issues may contact the California Department of Transportation, Division of Research, Innovation and System Information. For TTY assistance, call the California Relay Service at 711, email: pm2.communications@dot.ca.gov or write Caltrans, DRISI - MS-83, P.O. Box 942873 Sacramento, CA 94273-0001



New Rubberized Hot Mix Asphalt Materials with Recycled Asphalt Pavement/Recycled Asphalt Shingles, Part B for Interlayers and Base for Rigid Pavements

Research Notes

Mix Asphalt (RHMA) without reducing the amount of recycled tire rubber used by Caltrans. This phase continues laboratory testing to characterize the properties of RHMA mixes containing RAP/RAS.

This study includes the following sub-tasks:

- Literature review of recently completed research •
- Laboratory testing of select RHMA mixes with RAP and/or RAS
- Field evaluation of JPCP slab-base interaction
- Preparation of a research report

WHAT IS OUR GOAL?

The goal of this task is to develop guidelines for the use of RAP in RHMA mixes and to prepare PRS for RHMA used in interlayers and rigid pavement bases.

WHAT IS THE BENEFIT?

As the availability of asphalt and aggregates declines, using higher quantities of RAP/RAS in asphalt mixes while reducing reliance on costly virgin materials becomes increasingly desirable. This research improves understanding of how RAP/ RAS affects the performance of composite binders, enabling Caltrans to design more durable, costeffective pavements.

WHAT IS THE PROGRESS TO DATE?

Research activities are complete, and the research team is preparing the final report for submission.

The contents of this document reflect the views of the authors, who are responsible for the facts and accuracy of the data presented herein. The contents do not necessarily reflect the official views or policies of the California Department of Transportation, the State of California, or the Federal Highway Administration. This document does not constitute a standard, specification, or regulation. No part of this publication should be construed as an endorsement for a commercial product, manufacturer, contractor, or consultant. Any trade names or photos of commercial products appearing in this document are for clarity only.