

TRANSFORMING IDEAS INTO SOLUTIONS

Research Notes



Project Title:

Leveraging Advanced Detection and Adaptive Signal Priority to Improve Freight Movement Efficiency along SR 29 – SR 53 Corridor

Task Number: 4166

Start Date: May 14, 2024

Completion Date: November 30, 2025

Task Manager:

Keith Holowecky Transportation Engineer (Electrical) Keith.Holowecky@dot.ca.gov



DRISI provides solutions and knowledge that improves California's transportation system.

Leveraging Advanced Detection and Adaptive Signal Priority to Improve Freight Movement Efficiency along SR 29 – SR 53 Corridor

Enhancing the safety of vulnerable road users (VRU's) near intersections in real time by using advanced sensors like Light Detection and Ranging (LiDAR) devices.

WHAT IS THE NEED?

The California Department of Transportation (Caltrans) sees the need to advance the livability of disadvantaged communities. One method to satisfy this need is to reduce the negative impacts on such communities. Truck routes bordering Clearlake, California currently encourage freight trucks to travel through disadvantaged communities while a second route, which is safer and more equitable is available. This second route is greater in mileage and takes a longer drive time. This research project uses technology to make the second, longer route more attractive to freight trucks.

WHAT ARE WE DOING?

As part of the Interregional Transportation Strategic Plan-2021, Caltrans District 1 aims to encourage freight traffic to take the State Route (SR) 29 - SR 53 route around Clear Lake to the south, instead of SR 20 on the north shore of the lake that traverses disadvantaged communities. However, traffic signals along the SR 29 – SR 53 corridor, under current settings, introduce delays and stops to truck movements, which makes this route less attractive. The district is interested in a pilot project that will deploy Intelligent Transportation Systems Technologies (ITS) technologies to minimize the impact of these traffic signals and enable efficient 24/7 freight movement along this corridor in a reliable manner. In doing so, the rolling terrain, bi-directional truck traffic, large separation between signals, and lack of continuing maintenance presence on the corridor all need to be considered.

ADA Notice: Users with accessibility issues may contact the California Department of Transportation, Division of Research, Innovation and System Information. For TTY assistance, call the California Relay Service at 711, email: pm2.communications@dot.ca.gov or write California, DRISI - MS-83, P.O. Box 942873 Sacramento, CA 94273-0001



Leveraging Advanced Detection and Adaptive Signal Priority to Improve Freight Movement Efficiency along SR 29 – SR 53 Corridor



The Contractor will identify the most suitable solution to advanced truck detection and freight signal priority (FSP) implementation for the target truck corridor (as shown in the figure below) in order to increase the number of freight vehicles that take SR 29 – SR 53 route around Clear Lake to the south by at least 15 percent. "Freight vehicle" means commercial trucks such as semi-trailer, flatbed trucks, and single-unit trucks that are used for transporting goods over short and long distances.

WHAT IS OUR GOAL?

The anticipated outcome will be twofold. First the project develops a pilot deployment of a system consisting of advanced truck detection and adaptive freight signal priority technologies on the SR 29 – SR 53 corridor near Clearlake. Second, the project looks to evaluate the efficacy and reliability of the system by investigating different methods for truck detection.

Further anticipated outcomes will include: a) a comprehensive review of candidate technology solutions to FSP, including advanced truck detection, communications (if any), information processing, and signal priority strategies; b) a prototype of reliable FSP system deployed at the selected intersection(s); c) performance evaluation for the deployed FSP system in terms of both freight movement and traffic impacts along the target corridor; and d) a final report summarizing all the project efforts, findings from the field implementation, as well as recommendations for project transferability and scalability.

WHAT IS THE BENEFIT?

The outcome of the project will directly address the concern from Caltrans District 1 on goods movement along the designated corridor and help carry out the Interregional Transportation Strategic Plan by increasing the number of freight vehicles that take State Route (SR) 29 – SR 53 route around Clear Lake to the south by at least 15 percent.

Also, the proposed research aligns with the Caltrans Strategic Management Plan (SMP), aiming to improve freight operational efficiency in the Lake County by accelerating advanced truck detection technology, deploying adaptive freight signal priority (FSP) in field, and evaluating the FSP impacts on both trucks and other road users. The proposed work will enhance the operation of the multi-modal transportation network and improve system performance in terms of mobility, efficiency, environmental sustainability, and reliability. Moreover, concerns about intensive truck activities across disadvantaged communities will be largely mitigated, thus enhancing transportation equity to Californians.

WHAT IS THE PROGRESS TO DATE?

The research team has collected relevant information via literature research, including traffic signal priority, infrastructure-based freight vehicle detection, FSP system design/integration, performance metrics/evaluation, and example FSP projects. These tasks have been documented and delivered to Caltrans in a report.

The following tasks are planned for the upcoming period. The research team will design the architecture, requirements for the proposed FSP system, with concrete plans on where and how the FSP system be set up. Next the researchers plan to select and procure the hardware, with fully analyzing the requirements of the FSP system, e.g., the Field of View (FOV) and the detection range of the LiDAR. The following research task is to conduct prototyping tests, i.e., operating the truck and the selected advanced truck detection technology in a semi-controlled scenario, and evaluate the detection performance with the onboard collected information, e.g., Global Positioning System (GPS) location, travel direction and speed. Next, the team plans to develop the FSP algorithm and verify it with the numerical simulation, like Simulation of Urban MObility (SUMO). Further verification of the detection algorithm and the signal priority algorithm together could be done with an open-source simulator

The contents of this document reflect the views of the authors, who are responsible for the facts and accuracy of the data presented herein. The contents do not necessarily reflect the official views or policies of the California Department of Transportation, the State of California, or the Federal Highway Administration. This document does not constitute a standard, specification, or regulation. No part of this publication should be construed as an endorsement for a commercial product, manufacturer, contractor, or consultant. Any trade names or photos of commercial products appearing in this document are for clarity only.



Leveraging Advanced Detection and Adaptive Signal Priority to Improve Freight Movement Efficiency along SR 29 - SR 53 Corridor

Research Notes

like CARLA, if needed. The next task is to draft the installation and experimental plans to prepare for field deployment, ideally with on-site inspection of installation conditions along the corridor.

IMAGES

The figure below shows the target truck route in blue along the south side of Clear Lake. This route is both SR-29 and SR-53 and is 38 miles in length. The alternate truck route is SR-20 and follows the north shore of Clear Lake. Its length is 23 miles.



Image 1: Target truck route in Lake County, California to deploy and evaluate adaptive freight signal property.

The contents of this document reflect the views of the authors, who are responsible for the facts and accuracy of the data presented herein. The contents do not necessarily reflect the official views or policies of the California Department of Transportation, the State of California, or the Federal Highway Administration. This document does not constitute a standard, specification, or regulation. No part of this publication should be construed as an endorsement for a commercial product, manufacturer, contractor, or consultant. Any trade names or photos of commercial products appearing in this document are for clarity only.

© Copyright 2024 California Department of Transportation. All rights reserved.