

Figure 2B-1. STOP and YIELD Signs and Plaques



^{*} May be mounted below the YIELD sign.

Figure 2B-2. Unsignalized Pedestrian Crosswalk Signs



★ The legend STATE LAW is optional. A fluorescent yellow-green background color may be used instead of yellow for this sign.

Signs are not shown in proportion to their designated sizes.

Figure 2B-3. Speed Limit Signs and Plaques




Figure 2B-3 (CA). Speed Limit and Photo Enforcement Signs and Plaques Figure 2B-3(CA)



R2-4 (CA)

SPEED LIMIT

R3 (CA)

TRUCKS
3 AXLES
OR MORE
55
MAXIMUM

R6-3 (CA)

ALL VEHICLES
WHEN
TOWING
55
MAXIMUM

R6-4 (CA)

SPEED ENFORCED BY RADAR

R48 (CA)

RADAR ENFORCED

R48-1 (CA)

SPEED ENFORCED BY AIRCRAFT

R48-2 (CA)

SPECIAL
DRIVING ZONE
BEGINS HERE
DOUBLE
FINE ZONE

SR53 (CA)

DOUBLE FINE ZONE

SR54 (CA)

SPECIAL DRIVING ZONE ENDS HERE

SR55 (CA)




SR56 (CA)



SR58 (CA)

Figure 2B-4. Movement Prohibition and Lane Control Signs and Plaques (Sheet 1 of 2)



^{*} The diamond symbol may be used instead of the "HOV" word message. The minimum vehicle occupancy level may vary, such as 2+, 3+, 4+. The words "LANE" or "ONLY" may be used with this sign when appropriate.

Part 2 Signs

Figure 2B-4. Movement Prohibition and Lane Control Signs and Plaques (Sheet 2 of 2)







LANE FOR
U AND
LEFT TURNS
ONLY





R3-18

R3-19

R3-19a

R3-19b

R3-20L

R3-20R







R3-33a

Figure 2B-4 (CA). Movement Prohibition and Lane Control Signs and Plaques Figure 2B-4(CA).





Activated Blank-Out



Activated Blank-Out



Activated Blank-Out



Activated Blank-Out



R3-27 Activated Blank-Out

RIGHT 2 LANES **MUST EXIT**

R18C(CA)



R18B (CA)



R60B (CA)



R61-1 (CA)





R33bP(CA)





R61-5 (CA)



R61-7 (CA)



R61-9 (CA)



R61-11 (CA)



R61-13 (CA)



R61-15 (CA)



R61-17 (CA)



R61-19 (CA)



R61-22 (CA)



R61-24 (CA)



R61-26 (CA)



R61-28 (CA)



R61-30 (CA)



R61-32 (CA)



R61-34 (CA)



R61-36 (CA)



R73-2 (CA)



R73-3 (CA)



R73-4 (CA)



R73-5 (CA)



R73-6 (CA)



R73-8 (CA)

Figure 2B-5. Intersection Lane Control Sign Arrow Options for Roundabouts





Figure 2B-6. Center and Reversible Lane Control Signs and Plaques











R3-9e



R3-9f

END REVERSE LANE
AT Colorado Blvd

BEGIN REVERSE LANE AT Colorado Blvd


OR OR

END REVERSE LANE 400 FEET

BEGIN REVERSE LANE 400 FEET END REVERSE LANE

R3-9g R3-9h R3-9i


Figure 2B-7. Location of Reversible Two-Way Left-Turn Signs



R3-26a

(FHWA's MUTCD 2023 Edition, as amended for use in California)

Figure 2B-8. Jughandle Regulatory Signs



R3-26

Figure 2B-9. Examples of Applications of Jughandle Regulatory and Guide Signing (Sheet 1 of 3)




Figure 2B-9. Examples of Applications of Jughandle Regulatory and Guide Signing (Sheet 2 of 3)




Figure 2B-9. Examples of Applications of Jughandle Regulatory and Guide Signing (Sheet 3 of 3)




Figure 2B-10. Passing, Keep Right, and Slow Traffic Signs



PASS WITH CARE

R4-2

SLOWER TRAFFIC KEEP RIGHT

TRUCKS USE RIGHT LANE

R4-5



R4-7

R4-3









R4-7a

R4-7b

R4-7c

R4-8







STAY IN LANE RUNAWAY VEHICLES ONLY

R4-8a

R4-8b

R4-8c

R4-9

R4-10

SLOW VEHICLES
WITH 5 OR MORE
FOLLOWING VEHICLES
MUST USE TURN-OUT

SLOW VEHICLES
MUST USE
TURN-OUT AHEAD

SLOW
VEHICLES
MUST
TURN OUT

KEEP RIGHT EXCEPT TO PASS

R4-12

R4-13

R4-14

R4-16

DO NOT DRIVE ON SHOULDER

PASS ON SHOULDER

DO NOT

ALL TRAFFIC

R4-20

RIGHT TURN ONLY

R4-17

R4-18

R4-21

Figure 2B-10 (CA). Passing, Keep Right, and Slow Traffic Signs





Figure 2B-11. Examples of Keep Right and Keep Left Sign Placement




R9-3

R9-13

(FHWA's MUTCD 2023 Edition, as amended for use in California)

Figure 2B-12. Selective Exclusion Signs and Plaques




R9-14

R9-15

R9-16

R9-19P

Figure 2B-11 (CA). Selective Exclusion Signs Figure 2B-12(CA). Selective Exclusion Signs and Plaques



R49 (CA)

R53D (CA)

Figure 2B-13. DO NOT ENTER, WRONG WAY, ONE WAY, and Related Signs and Plaques



Figure 2B-13(CA). DO NOT ENTER, WRONG WAY, ONE WAY, and Related Signs and Plaques



Figure 2B-14. Locations of DO NOT ENTER and WRONG WAY Signing for Divided Highway Crossings that Function as Two Separate Intersections




Figure 2B-12 (CA). Location of Wrong-Way Signing for Divided Highways

B - with Median Widths Narrower Than 30 Feet

Figure 2B-14(CA). Locations of DO NOT ENTER and WRONG WAY Signing for Divided Highway Crossings that Function as a Single Intersection




Figure 2B-15. Example of Application of Regulatory Signing and Pavement Markings at an Exit Ramp Termination to Deter Wrong-Way Entry




Figure 2B 18 (CA). Example of Application of Regulatory Signing and Pavement Markings at an Exit Ramp Termination to Deter Wrong-Way Entry (Sheet 1 of 5)





Figure 2B 18 (CA). Example of Application of Regulatory Signing and Pavement Markings at an Exit Ramp Termination to Deter Wrong-Way Entry (Sheet 2 of 5)






Figure 2B-18 (CA). Example of Application of Regulatory Signing and Pavement Markings at an Exit Ramp Termination to Deter Wrong-Way Entry (Sheet 3 of 5)




Figure 2B-18 (CA). Example of Application of Regulatory Signing and Pavement Markings at an Exit Ramp Termination to Deter Wrong-Way Entry (Sheet 4 of 5)





Figure 2B-18 (CA). Example of Application of Regulatory Signing and Pavement Markings at an Exit Ramp Termination to Deter Wrong-Way Entry (Sheet 5 of 5) WRONG ** R5-1a R5-1a WRONG WAY WAY Ramp K5-10c **Exit Ramp** NO PEDESTRIANS (Large Curbed Island) **R5-1** DO NOT **Optional DO NOT **ENTER R5-1 ENTER** R1-1 R1-2 **WRONG** WRONG R3-1 WAY R5-1a WAY R5-1a ONE WAY ONE WAY **R6-1 R6-1** ONE WAY Street *Place Stop line or Yield ONE WAY **90TS** line markings, depending upon which sign used. ONE WAY R1-1 R5-1a Ramp WRONG WAY R5-1a WRONG Entrance Ramp WAY R5-10 NO PEDESTRIANS FREEWAY BICYCLES MOTOR-DRIVEN CYCLES FREEWAY G92 (CA) D13-3 ENTRANCE ENTRANCE FREEWAY D13-3 M3-1 North ENTRANCE M3-1P G27-2 (CA) FREEWAY D13-3 ENTRANCE M1-1a North M3-1P M6-2a M6-2aP M1-1a M6-2aP Street

Figure 2B-16. Example of Application of Regulatory Signing and Pavement Markings at an Entrance Ramp Terminal

A - Design does not clearly indicate the direction of flow



B - Design clearly indicates the direction of flow






Figure 2B-17. Examples of Low-Mounted WRONG WAY Signs with DO NOT ENTER Signs for Wrong-Way Traffic Control



For 7-ft mounting height of primary sign



For 5-ft mounting height of primary sign

★ Sign is higher than the 5-ft mounting height as the size of the 42" x 30" WRONG WAY sign is controlling.

Figure 2B-18. Locations of ONE WAY Signs




Figure 2B-19. ONE WAY Signing for Divided Highway Crossings that Function as Two Separate Intersections




Figure 2B-20. ONE WAY, DO NOT ENTER, and WRONG WAY Signing for Divided Highway Crossings that Function as a Single Intersection R5-1a ONE WAY R6-1 ONE WAY ** ONE WAY R6-1 R1-1 Typical mounting R6-1 ONE WAY Legend Direction of travel ONE WAY ★ Optional ** Near-right and far-left ONE WAY signs are optional if Keep Right R5-1a ONE WAY signs are installed. R1-1 **★**** Keep Right signs are optional Pavement marking provisions are found in if ONE WAY signs are installed. Part 3. The pavement markings illustrated on this figure are shown for clarification Vehicle path of left turn purposes only. (see Section 2A.23) R5-1

Figure 2B-21. Example of Regulatory and Warning Signs for a Mini-Roundabout




Figure 2B-22. Example of Regulatory and Warning Signs for a One-Lane Roundabout





Figure 2B-23. Example of Regulatory and Warning Signs for a Two-Lane Roundabout with Consecutive Double Lefts



Notes:

Figure 2B-24. Example of Regulatory and Warning Signs for a Neighborhood Traffic Circle





Figure 2B-25. Parking, Standing, and Stopping Signs and Plaques (R7 and R8 Series) (Sheet 1 of 2)

A - Prohibited parking, standing, and stopping signs and plaques


















R7-22

R7-108

Figure 2B-25. Parking, Standing, and Stopping Signs and Plaques (R7 and R8 Series) (Sheet 2 of 2)



R7-113

R7-113bP

R7-114

R7-114a

R7-114b

Figure 2B-24 (CA). Parking and Standing Signs and Plaques (R7 Series) (Sheet 1 of 3) Figure 2B-25(CA). Parking, Standing, and Stopping Signs and Plaques (Sheet 1 of 3)













R22 (CA)

R24 (CA)

R24A (CA)

R24B (CA)

R24C (CA)

R24D (CA)

BLOCK WHEELS TO CURB

R24E (CA)

BACK-IN ANGLE PARKING ONLY

R24F (CA)

PARK OFF PAVEMENT

R25 (CA) R25A (CA)



R25B (CA)



R25C (CA)



R25D (CA)



R25E (CA)



LOADING

ONLY

7ам¤6рм

R25F (CA)



R25H (CA)



R26M-1(CA)





STOPPING



R26 (CA)



R26(S) (CA)



R26A (CA)



R26A(S) (CA)











R26L (CA)



R27 (CA)



R27A (CA)

Figure 2B-24 (CA). Parking and Standing Signs and Plaques (R7 Series) (Sheet 2 of 3) Figure 2B-25(CA). Parking, Standing, and Stopping Signs and Plaques (Sheet 2 of 3)













R28(S) (CA)

R28A (CA)

R28A(S) (CA)

R28C (CA)











R28D (CA)

R28D(S) (CA)

R28E (CA)

R28F (CA)

R29 (CA)











R30 (CA)

R30A (CA)

R30B (CA)

R30C (CA)

R30D (CA)











R30E (CA)

R30F (CA)

R31 (CA)

R31(S) (CA)

R32 (CA)











R32B (CA)

R32C (CA)

R32D (CA)

R32E (CA)

R32F (CA)

Figure 2B-24 (CA). Parking and Standing Signs and Plaques (R7 Series) (Sheet 3 of 3) Figure 2B-25(CA). Parking, Standing, and Stopping Signs and Plaques (Sheet 3 of 3)













R37 (CA)

R38 (CA)

R38(S) (CA)

R38A (CA)

R39 (CA)

R39-1 (CA)

NO EXCEPTIONS

R77 (CA)











R76 (CA)

ON SINGLE AXLE DRIVE VEHICLE WITH TRAILER END CHAIN CONTROL

R39-2 (CA)

R39-3 (CA)

R74 (CA)

R75 (CA)

R76-1 (CA)

R78 (CA)















R79 (CA)

R80-1 (CA)

R99 (CA)

R99B (CA)

R99C (CA)

R7-8b

R100A (CA)















R100B (CA)

R107 (CA)

R108 (CA)

R109 (CA)

R112 (CA)

R113 (CA)

R113A (CA)



















R114 (CA)

R114A (CA)

SR26 (CA)

SR49 (CA)

SR62 (CA)

SR63 (CA)

SR63A (CA)

Figure 2B-26. Emergency Restriction Signs





R8-4

R8-7

Figure 2B-27. Pedestrian Signs and Plaques (Sheet 1 of 2)









R9-2

R9-3

R9-3a









R9-3bP

R9-4

R9-4a

R10-1











R10-2

R10-3

R10-3a

R10-3b

R10-3c











R10-3d R10-3e

R10-3f

R10-3g

R10-3h

Figure 2B-27. Pedestrian Signs and Plaques (Sheet 2 of 2)











R10-3i

R10-4


R10-4a

R10-25

R10-32P

Figure 2B-27(CA). Pedestrian Signs and Plaques







R10-3e(CA)

R10-3i(CA)


R10-3j(CA)

* The bottom portion of the panel shall not be used where the pedestrian signal timing is non-actuated and the pedestrian push button is used solely to activate accessible pedestrian signals.



R10-3k(CA)

Figure 2B-28. Traffic Signal Signs and Plaques (Sheet 1 of 2)



R10-14b

R10-14

Part 2 Signs

R10-14a

Figure 2B-28. Traffic Signal Signs and Plaques (Sheet 2 of 2)




Figure 2B-28(CA). Traffic Signal Signs and Plaques

Figure 2B-27 (CA). Traffic Signal Signs and Plaques



SR39A(U) (CA)



Figure 2B-29. Ramp Metering Signs




Figure 2B-29(CA). Ramp Metering Signs

Figure 2B-28 (CA). Ramp Metering Signs



Figure 2B-30. Road Closed and Weight Limit Signs



ROAD CLOSED

ROAD CLOSED
10 MILES AHEAD
LOCAL TRAFFIC ONLY

R11-1

R11-2

R11-3

STREET CLOSED
71/2 MILES AHEAD
LOCAL TRAFFIC ONLY

BRIDGE OUT
12 MILES AHEAD
LOCAL TRAFFIC ONLY

R11-3a

R11-3b

ROAD CLOSED TO THRU TRAFFIC WEIGHT LIMIT 10 TONS AXLE
WEIGHT
LIMIT
1 TON

WEIGHT LIMIT
1 TON PER AXLE
10 TONS GROSS

R11-4

R12-1

R12-2

R12-4

WEIGHT
LIMIT
8T
12T
16T

WEIGHT LIMIT

2-3 AXLES 12T

4-5 AXLES 15T

6+ AXLES 18T

20T

24T

EMERGENCY
VEHICLE
WEIGHT LIMIT
SINGLE AXLE 12T
TANDEM 26T
GROSS 43T

EMERGENCY VEHICLES SINGLE AXLE 12T TANDEM 26T GROSS 43T

R12-7

R12-7aP

2B-30(CA)

Figure 2B-29 (CA). Road Closed and Weight Limit Signs

COMMERCIAL VEHICLES OVER 5 TONS PROHIBITED

WIDE


SR40 (CA)

R36 (CA)


R14-4

(FHWA's MUTCD 2023 Edition, as amended for use in California)

Figure 2B-31. Truck Signs



R13-1



R14-5

2B-31(CA)

Figure 2B-30 (CA). Truck Signs




Figure 2B-32. Photo Enforcement Signs and Plaques







R10-18

R10-18a

R10-19P

Figure 2B-33. Other Regulatory Signs



Figure 2B-33(CA)

Figure 2B-32 (CA). Other Regulatory Signs and Symbols

MOVE OVER OR SLOW FOR STOPPED EMERGENCY AND MAINTENANCE VEHICLES

R110 (CA)



SR15 (CA)



SR15A (CA) SR15aP(CA)



SR61 (CA)

R16-11

(FHWA's MUTCD 2023 Edition, as amended for use in California)

R16-9

Figure 2B-34. Headlight Use Signs

LIGHTS LIGHTS ON WHEN **ON USING** WHEN TURN ON HEADLIGHTS TURN ON **WIPERS RAINING NEXT 15 MILES HEADLIGHTS** R16-6 R16-7 R16-8 R16-5 **BEGIN DAYTIME END DAYTIME CHECK HEADLIGHTS HEADLIGHT SECTION HEADLIGHT SECTION**

R16-10

Figure 2B-34(CA). Headlight Use Signs



S30-1(CA)

Figure 2B-101(CA).

Figure 2B-101 (CA). Example of Speed Zone Survey Sheet




Figure 2B-102(CA).

Figure 2B-102 (CA). Example of Cumulative Speed Curve Sheet




Figure 2B-103(CA).

Figure 2B-103 (CA). Example of Vehicle Speed Survey Sheet for City and County Through Highways, Arterials, and Collector Roads




Figure 2B-104(CA).


Figure 2B-104 (CA). Example of Vehicle Speed Survey Sheet (For 40 MPH and Under)

													V	Ε	Н	IC	:L	Ε	S	PI	ΕI	ED DAT	·A
Location	:_																						Weather :
Record :		Date : Be																egin Time : _	End Time :				
mph		NUMBER OF VEHICLES														LE	S	TOTAL OF EACH SPEED					
40 & ove	r	Ţ		П	1	7	Ţ	Ţ	T	T			4	1	Ţ	Ţ	T	П	7	1			
	H	$^{+}$	F		+	\pm	$^{+}$	$^{+}$	+	+	F		\downarrow	\pm	$^{+}$	$^{+}$	t	H	\pm	$^{+}$			CONTICAL OREED
35	Ħ	+	F		+	#	#	‡	+	ŧ	F		7	#	#	Ŧ	t	H	#	+			CRITICAL SPEED CALCULATION
	\mathbb{H}	Ŧ	F		7	7	Ŧ	Ŧ	+	Ŧ	F		7	7	+	Ŧ	F	H	7	Ŧ	F		Total <u>54</u> multiplied by 0.15 = <u>8</u>
	H	+	F	П	1	7	+	+	Ŧ	Ŧ	F	Н	7	7	1	ļ	F	Н	7	+			Count this number of vehicles down from the highest speed observed to
30	Ø	#			#	#	#	#	#	ļ	L	П	1	#	#	#	T	Ħ	#	$^{\pm}$	I	1	determine the critical speed
	\bowtie	\star	\vdash	Н	+	+	+	+	+	+	\vdash	Н	+	+	+	+	+	Н	+	+	+	2	-
		$\stackrel{\frown}{\otimes}$	1	Н	\top	†	$^{+}$	$^{+}$	$^{+}$	$^{+}$	\vdash	Н	\forall	\dagger	†	$^{+}$	+	Н	\dagger	+	t	3	1
	\triangle		\Box	I	I	工	I		土		o	П	П			I	\perp		5	CRITICAL SPEED = 26 mph			
25	5 ×	$\stackrel{\checkmark}{\mathbb{Q}}$	\mathbb{X}	X	X	\bigcirc	Φ	Φ	Φ	1		Ц	\perp	4	1	\perp		П	4	\perp		11]
	\mathbb{A}	$\stackrel{\times}{\mathbb{R}}$	$\!$	\boxtimes	$\stackrel{\times}{\times}$	4	+	+	+	╀	╀	Н	+	+	+	+	+	Н	+	+	\vdash	7	4
	\bowtie	Ж	₩	\forall	\Rightarrow	+	+	+	+	+	\vdash	Н	+	+	+	+	+	Н	+	+	+	6	1
	\bowtie	\mathcal{X}	\Rightarrow	\cap	$^{\uparrow}$	+	+	+	+	+	\vdash	Н	\forall	+	$^{+}$	+	+	H	+	+	+	4	1
20) 🔯	$\stackrel{*}{\!$				I	士	I	İ	İ			I	I	Ī	İ		П	I	士		3]
	\bowtie	XI.			_	4	\perp	1	1	L		Ц	_	4	1	\perp	\perp	П	4	\perp		2	
	X	+	\vdash	Н	+	+	+	+	+	+	╀	Н	+	+	+	+	+	Н	+	+	╀	1	-
	\forall	+	+	Н	+	+	+	+	+	+	+	Н	+	+	+	+	+	Н	+	+	+	1	1
15 & under	r⊠	\top	\vdash	П	\top	\top	†	†	†	t	\vdash	Н	\forall	\top	\top	†	\top	H	\top	\top	T	i	1
mph	1	0	ΊΑ	LI	۷U	M	ВЕ	R	C	F	VE	Н	IC	LE	S	0	BS	SEF	٩V	ΈD)	54	
ther Con	eid	ora	tio	ne																			
iccident i	IISt	Oi y	•-																				
Inusual C	one	liti	n																				
ilusual C	OIIC	41111)III	• • •																			

Figure 2B-105(CA).


Figure 2B-105 (CA). U-Turn Signs for Signalized Intersections with Separate Turn Phase

TWO LEFT-TURN LANES WITH OVERHEAD U-TURN SIGNS



See Department of Transportation's Standard Plans for Mounting Details

SIGNAL MASTARM MOUNTED U-TURN SIGNS



See Department of Transportation's Standard Plans for Mounting Details

*R73 (CA) Series Signs

Figure 2B-106(CA).

Figure 2B-106 (CA). California Miscellaneous Regulatory Signs



R23 (CA)

\$1000 FINE FOR LITTERING

R47 (CA)

\$1000 FINE FOR ANIMAL ABANDONMENT

R47A (CA)

PRIVATE ROAD
VEHICLE CODE
ENFORCED

R101 (CA)

NO CAMPING OR SLEEPING IN VEHICLE

R119 (CA)

GOLF CARTS OK DAYLIGHT HOURS

SR43 (CA)

BUS AND TRUCK INTERSTATE CARRIERS MUST REGISTER WITH THE CALIFORNIA P.U.C. TEL (415) 703 - 2177

SR44 (CA)

EMERGENCY ACCESS KEEP CLEAR

SR46 (CA)

OFF HIGHWAY
VEHICLE
COMBINED USE
NEXT___MILES

SR47 (CA)

NO OFF HIGHWAY VEHICLES BEYOND THIS POINT

SR48 (CA)



S33 (CA)

NO LOITERING, CAMPING, VENDING OR PARKING OF VEHICLES 30 FEET OR LONGER

S22 (CA)