

CALIFORNIA MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES

TABLE OF CONTENTS

| | <u>Page</u> |
|---|-------------|
| REFERENCES | i |
| ACKNOWLEDGMENTS | v |
| CTCDC NOTIFICATION LETTER | vii |
| FHWA LETTER OF SUBSTANTIAL CONFORMANCE | ix |
| LIST OF FIGURES | 25 |
| LIST OF TABLES | 38 |
| FOREWORD | 41 |
| INTRODUCTION | 43 |
| PART 1. GENERAL | 53 |
| CHAPTER 1A. GENERAL | 53 |
| Section 1A.01 Purpose of Traffic Control Devices | 53 |
| Section 1A.02 Principles of Traffic Control Devices | 53 |
| Section 1A.03 Design of Traffic Control Devices | 54 |
| Section 1A.04 Placement and Operation of Traffic Control Devices | 54 |
| Section 1A.05 Maintenance of Traffic Control Devices | 54 |
| Section 1A.06 Uniformity of Traffic Control Devices | 54 |
| Section 1A.07 Responsibility for Traffic Control Devices | 55 |
| Section 1A.08 Authority for Placement of Traffic Control Devices | 56 |
| Section 1A.09 Engineering Study and Engineering Judgment | 58 |
| Section 1A.10 Interpretations, Experimentations, Changes, and Interim Approvals | 58 |
| Section 1A.11 Relation to Other Publications | 65 |
| Section 1A.12 Color Code | 67 |
| Section 1A.13 Definitions of Headings, Words, and Phrases in this Manual | 67 |
| Section 1A.14 Meanings of Acronyms and Abbreviations in this Manual | 85 |
| Section 1A.15 Abbreviations Used on Traffic Control Devices | 91 |
| PART 2. SIGNS | 99 |
| CHAPTER 2A. GENERAL | 99 |
| Section 2A.01 Function and Purpose of Signs | 99 |
| Section 2A.02 Definitions | 99 |
| Section 2A.03 Standardization of Application | 99 |

| | | |
|------------------------------------|--|---------------------|
| Section 2A.04 | Excessive Use of Signs | 100 |
| Section 2A.05 | Classification of Signs | 100 |
| Section 2A.06 | Design of Signs | 100 |
| Section 2A.07 | Retroreflectivity and Illumination | 102 |
| Section 2A.08 | Maintaining Minimum Retroreflectivity | 103 |
| Section 2A.09 | Shapes | 104 |
| Section 2A.10 | Sign Colors | 104 |
| Section 2A.11 | Dimensions | 104 |
| Section 2A.12 | Symbols | 105 |
| Section 2A.13 | Word Messages | 106 |
| Section 2A.14 | Sign Borders | 107 |
| Section 2A.15 | Enhanced Conspicuity for Standard Signs | 107 |
| Section 2A.16 | Standardization of Location | 108 |
| Section 2A.17 | Overhead Sign Installations | 109 |
| Section 2A.18 | Mounting Height | 110 |
| Section 2A.19 | Lateral Offset | 112 |
| Section 2A.20 | Orientation | 113 |
| Section 2A.21 | Posts and Mountings | 113 |
| Section 2A.22 | Maintenance | 114 |
| Section 2A.23 | Median Opening Treatments for Divided Highways with Wide Medians | 114 |
| Section 2A.101(CA) | Signs Off the State Right-of-Way | 114 |

CHAPTER 2B. REGULATORY SIGNS, BARRICADES, AND GATES 125

| | | |
|---------------|---|-----|
| Section 2B.01 | Application of Regulatory Signs | 125 |
| Section 2B.02 | Design of Regulatory Signs | 125 |
| Section 2B.03 | Size of Regulatory Signs | 125 |
| Section 2B.04 | Right-of-Way at Intersections | 126 |
| Section 2B.05 | STOP Sign (R1-1) and ALL WAY Plaque (R1-3P) | 128 |
| Section 2B.06 | STOP Sign Applications | 129 |
| Section 2B.07 | Multi-Way Stop Applications | 129 |
| Section 2B.08 | YIELD Sign (R1-2) | 130 |
| Section 2B.09 | YIELD Sign Applications | 130 |
| Section 2B.10 | STOP Sign or YIELD Sign Placement | 130 |
| Section 2B.11 | Yield Here To Pedestrians Signs and Stop Here For Pedestrians Signs (R1-5 Series) | 132 |
| Section 2B.12 | In-Street and Overhead Pedestrian Crossing Signs (R1-6, R1-6a, R1-9, and R1-9a) | 132 |
| Section 2B.13 | Speed Limit Sign (R2-1) | 133 |
| Section 2B.14 | Truck Speed Limit Plaque (R2-2P) | 146 |
| Section 2B.15 | Night Speed Limit Plaque (R2-3P) | 146 |
| Section 2B.16 | Minimum Speed Limit Plaque (R2-4P) | 146 |
| Section 2B.17 | Higher Fines Signs and Plaque (R2-6P, R2-10, and R2-11) | 147 |
| Section 2B.18 | Movement Prohibition Signs (R3-1 through R3-4, R3-18, and R3-27) | 148 |
| Section 2B.19 | Intersection Lane Control Signs (R3-5 through R3-8) | 150 |
| Section 2B.20 | Mandatory Movement Lane Control Signs (R3-5, R3-5a, R3-7, and R3-20) | 151 |
| Section 2B.21 | Optional Movement Lane Control Sign (R3-6) | 153 |
| Section 2B.22 | Advance Intersection Lane Control Signs (R3-8 Series) | 153 |
| Section 2B.23 | RIGHT (LEFT) LANE MUST EXIT Sign (R3-33) | 154 |
| Section 2B.24 | Two-Way Left Turn Only Signs (R3-9a, R3-9b) | 154 |
| Section 2B.25 | BEGIN and END Plaques (R3-9cP, R3-9dP) | 154 |
| Section 2B.26 | Reversible Lane Control Signs (R3-9e through R3-9i) | 154 |
| Section 2B.27 | Jughandle Signs (R3-23, R3-24, R3-25, and R3-26 Series) | 156 |
| Section 2B.28 | DO NOT PASS Sign (R4-1) | 157 |
| Section 2B.29 | PASS WITH CARE Sign (R4-2) | 157 |

| | | |
|--------------------|--|-----|
| Section 2B.30 | KEEP RIGHT EXCEPT TO PASS Sign (R4-16) and SLOWER TRAFFIC KEEP RIGHT Sign (R4-3) | 157 |
| Section 2B.31 | TRUCKS USE RIGHT LANE Sign (R4-5) | 157 |
| Section 2B.32 | Keep Right and Keep Left Signs (R4-7, R4-8) | 158 |
| Section 2B.33 | STAY IN LANE Sign (R4-9) | 159 |
| Section 2B.34 | RUNAWAY VEHICLES ONLY Sign (R4-10) | 159 |
| Section 2B.35 | Slow Vehicle Turn-Out Signs (R4-12, R4-13, and R4-14) | 159 |
| Section 2B.36 | DO NOT DRIVE ON SHOULDER Sign (R4-17) and DO NOT PASS ON SHOULDER Sign (R4-18) | 160 |
| Section 2B.37 | DO NOT ENTER Sign (R5-1) | 160 |
| Section 2B.38 | WRONG WAY Sign (R5-1a) | 161 |
| Section 2B.39 | Selective Exclusion Signs | 161 |
| Section 2B.40 | ONE WAY Signs (R6-1, R6-2) | 164 |
| Section 2B.41 | Wrong-Way Traffic Control at Interchange Ramps | 165 |
| Section 2B.42 | Divided Highway Crossing Signs (R6-3, R6-3a) | 168 |
| Section 2B.43 | Roundabout Directional Arrow Signs (R6-4, R6-4a, and R6-4b) | 169 |
| Section 2B.44 | Roundabout Circulation Plaque (R6-5P) | 169 |
| Section 2B.45 | Examples of Roundabout Signing | 169 |
| Section 2B.46 | Parking, Standing, and Stopping Signs (R7 and R8 Series) | 170 |
| Section 2B.47 | Design of Parking, Standing, and Stopping Signs | 176 |
| Section 2B.48 | Placement of Parking, Stopping, and Standing Signs | 178 |
| Section 2B.49 | Emergency Restriction Signs (R8-4, R8-7, R8-8) | 178 |
| Section 2B.50 | WALK ON LEFT FACING TRAFFIC and No Hitchhiking Signs (R9-1, R9-4, R9-4a) | 179 |
| Section 2B.51 | Pedestrian Crossing Signs (R9-2, R9-3) | 179 |
| Section 2B.52 | Traffic Signal Pedestrian and Bicycle Actuation Signs (R10-1 through R10-4, and R10-24 through R10-26) | 179 |
| Section 2B.53 | Traffic Signal Signs (R10-5 through R10-30) | 181 |
| Section 2B.54 | No Turn on Red Signs (R10-11 Series, R10-17a, and R10-30) | 182 |
| Section 2B.55 | Photo Enforced Signs and Plaques (R10-18, R10-19P, R10-19aP) | 183 |
| Section 2B.56 | Ramp Metering Signs (R10-28 and R10-29) | 183 |
| Section 2B.57 | KEEP OFF MEDIAN Sign (R11-1) | 184 |
| Section 2B.58 | ROAD CLOSED Sign (R11-2) and LOCAL TRAFFIC ONLY Signs (R11-3 Series, R11-4) | 184 |
| Section 2B.59 | Weight Limit Signs (R12-1 through R12-5) | 184 |
| Section 2B.60 | Weigh Station Signs (R13 Series) | 185 |
| Section 2B.61 | TRUCK ROUTE Sign (R14-1) | 186 |
| Section 2B.62 | Hazardous Material Signs (R14-2, R14-3) | 187 |
| Section 2B.63 | National Network Signs (R14-4, R14-5) | 188 |
| Section 2B.64 | Headlight Use Signs (R16-5 through R16-11) | 188 |
| Section 2B.65 | FENDER BENDER Sign (R16-4) | 190 |
| Section 2B.66 | Seat Belt Symbol | 190 |
| Section 2B.67 | Barricades | 190 |
| Section 2B.68 | Gates | 190 |
| Section 2B.101(CA) | NO FISHING (JUMPING) FROM BRIDGE Sign (R23(CA)) | 192 |
| Section 2B.102(CA) | TWO WAY TRAFFIC AHEAD Sign (R40(CA)) | 192 |
| Section 2B.103(CA) | \$1000 Fine Signs (R47(CA) and R47A(CA)) | 192 |
| Section 2B.104(CA) | PRIVATE ROAD (PRIVATE PROPERTY) VEHICLE CODE ENFORCED Sign (R101(CA)) | 192 |
| Section 2B.105(CA) | Rest Area Disclaimer Sign (SR2(CA)) | 192 |
| Section 2B.106(CA) | Garbage Prohibition Signs (SR22-1(CA) and SR23-1(CA)) | 192 |
| Section 2B.107(CA) | GOLF CARTS OK DAYLIGHT HOURS Sign (SR43(CA)) | 192 |
| Section 2B.108(CA) | Bus and Truck Registration Sign (SR44(CA)) | 193 |
| Section 2B.109(CA) | EMERGENCY ACCESS KEEP CLEAR Sign (SR46(CA)) | 193 |
| Section 2B.110(CA) | Off Highway Vehicle Signs (SR47(CA) and SR48(CA)) | 193 |

| | | |
|--------------------|--|-----|
| Section 2B.111(CA) | State Property Signs (S8(CA) and S20(CA)) | 193 |
| Section 2B.112(CA) | MOVE OVER OR SLOW FOR STOPPED EMERGENCY AND MAINTENANCE VEHICLES SIGN (R110(CA)) | 193 |

CHAPTER 2C. WARNING SIGNS AND OBJECT MARKERS 263

| | | |
|---------------|---|-----|
| Section 2C.01 | Function of Warning Signs | 263 |
| Section 2C.02 | Application of Warning Signs | 263 |
| Section 2C.03 | Design of Warning Signs | 263 |
| Section 2C.04 | Size of Warning Signs | 264 |
| Section 2C.05 | Placement of Warning Signs | 264 |
| Section 2C.06 | Horizontal Alignment Warning Signs | 265 |
| Section 2C.07 | Horizontal Alignment Signs (W1-1 through W1-5, W1-11, W1-15) | 265 |
| Section 2C.08 | Advisory Speed Plaque (W13-1P) | 266 |
| Section 2C.09 | Chevron Alignment Sign (W1-8) | 267 |
| Section 2C.10 | Combination Horizontal Alignment/Advisory Speed Signs (W1-1a, W1-2a) | 268 |
| Section 2C.11 | Combination Horizontal Alignment/Intersection Signs (W1-10 Series) | 269 |
| Section 2C.12 | One-Direction Large Arrow Sign (W1-6) | 269 |
| Section 2C.13 | Truck Rollover Warning Sign (W1-13) | 270 |
| Section 2C.14 | Advisory Exit and Ramp Speed Signs (W13-2 and W13-3) | 270 |
| Section 2C.15 | Combination Horizontal Alignment/Advisory Exit and Ramp Speed Signs (W13-6 and W13-7) | 271 |
| Section 2C.16 | Hill Signs (W7-1, W7-1a) | 271 |
| Section 2C.17 | Truck Escape Ramp Signs (W7-4 Series) | 272 |
| Section 2C.18 | HILL BLOCKS VIEW Sign (W7-6) | 272 |
| Section 2C.19 | ROAD NARROWS Sign (W5-1) | 272 |
| Section 2C.20 | NARROW BRIDGE Sign (W5-2) | 273 |
| Section 2C.21 | ONE LANE BRIDGE Sign (W5-3) | 273 |
| Section 2C.22 | Divided Highway Sign (W6-1) | 273 |
| Section 2C.23 | Divided Highway Ends Sign (W6-2) | 273 |
| Section 2C.24 | Freeway or Expressway Ends Signs (W19 Series) | 273 |
| Section 2C.25 | Double Arrow Sign (W12-1) | 274 |
| Section 2C.26 | DEAD END/NO OUTLET Signs (W14-1, W14-1a, W14-2, W14-2a) | 274 |
| Section 2C.27 | Low Clearance Signs (W12-2 and W12-2a) | 274 |
| Section 2C.28 | BUMP and DIP Signs (W8-1, W8-2) | 275 |
| Section 2C.29 | SPEED HUMP Sign (W17-1) | 276 |
| Section 2C.30 | PAVEMENT ENDS Sign (W8-3) | 276 |
| Section 2C.31 | Shoulder Signs (W8-4, W8-9, W8-17, W8-23, and W8-25) | 276 |
| Section 2C.32 | Surface Condition Signs (W8-5, W8-7, W8-8, W8-11, W8-13, and W8-14) | 277 |
| Section 2C.33 | Warning Signs and Plaques for Motorcyclists (W8-15, W8-15P, and W8-16) | 278 |
| Section 2C.34 | NO CENTER LINE Sign (W8-12) | 278 |
| Section 2C.35 | Weather Condition Signs (W8-18, W8-19, W8-21, and W8-22) | 278 |
| Section 2C.36 | Advance Traffic Control Signs (W3-1, W3-2, W3-3, W3-4) | 279 |
| Section 2C.37 | Advance Ramp Control Signal Signs (W3-7 and W3-8) | 280 |
| Section 2C.38 | Reduced Speed Limit Ahead Signs (W3-5, W3-5a) | 280 |
| Section 2C.39 | DRAW BRIDGE Sign (W3-6) | 281 |
| Section 2C.40 | Merge Signs (W4-1, W4-5) | 281 |
| Section 2C.41 | Added Lane Signs (W4-3, W4-6) | 282 |
| Section 2C.42 | Lane Ends Signs (W4-2, W9-1, W9-2) | 282 |
| Section 2C.43 | RIGHT (LEFT) LANE EXIT ONLY AHEAD Sign (W9-7) | 283 |
| Section 2C.44 | Two-Way Traffic Sign (W6-3) | 284 |
| Section 2C.45 | NO PASSING ZONE Sign (W14-3) | 284 |
| Section 2C.46 | Intersection Warning Signs (W2-1 through W2-8) | 284 |

| | | |
|---------------|---|-----|
| Section 2C.47 | Two-Direction Large Arrow Sign (W1-7) | 285 |
| Section 2C.48 | Traffic Signal Signs (W25-1, W25-2) | 286 |
| Section 2C.49 | Vehicular Traffic Warning Signs (W8-6, W11-1, W11-5, W11-5a, W11-8, W11-10, W11-11, W11-12P, W11-14, W11-15, and W11-15a) | 286 |
| Section 2C.50 | Non-Vehicular Warning Signs (W11-2, W11-3, W11-4, W11-6, W11-7, W11-9, and W11-16 through W11-22) | 287 |
| Section 2C.51 | Playground Sign (W15-1) | 289 |
| Section 2C.52 | NEW TRAFFIC PATTERN AHEAD Sign (W23-2) | 289 |
| Section 2C.53 | Use of Supplemental Warning Plaques | 289 |
| Section 2C.54 | Design of Supplemental Warning Plaques | 290 |
| Section 2C.55 | Distance Plaques (W16-2 Series, W16-3 Series, W16-4P, W7-3aP) | 290 |
| Section 2C.56 | Supplemental Arrow Plaques (W16-5P, W16-6P) | 290 |
| Section 2C.57 | Hill-Related Plaques (W7-2 Series, W7-3 Series) | 290 |
| Section 2C.58 | Advance Street Name Plaque (W16-8P, W16-8aP) | 290 |
| Section 2C.59 | CROSS TRAFFIC DOES NOT STOP Plaque (W4-4P) | 291 |
| Section 2C.60 | SHARE THE ROAD Plaque (W16-1P) | 291 |
| Section 2C.61 | Photo Enforced Plaque (W16-10P) | 291 |
| Section 2C.62 | NEW Plaque (W16-15P) | 292 |
| Section 2C.63 | Object Marker Design and Placement Height | 292 |
| Section 2C.64 | Object Markers for Obstructions Within the Roadway | 293 |
| Section 2C.65 | Object Markers for Obstructions Adjacent to the Roadway | 293 |
| Section 2C.66 | Object Markers for Ends of Roadways | 294 |

CHAPTER 2D. GUIDE SIGNS—CONVENTIONAL ROADS 321

| | | |
|---------------|---|-----|
| Section 2D.01 | Scope of Conventional Road Guide Sign Standards | 321 |
| Section 2D.02 | Application | 321 |
| Section 2D.03 | Color, Retroreflection, and Illumination | 321 |
| Section 2D.04 | Size of Signs | 323 |
| Section 2D.05 | Lettering Style | 323 |
| Section 2D.06 | Size of Lettering | 323 |
| Section 2D.07 | Amount of Legend | 324 |
| Section 2D.08 | Arrows | 324 |
| Section 2D.09 | Numbered Highway Systems | 326 |
| Section 2D.10 | Route Signs and Auxiliary Signs | 327 |
| Section 2D.11 | Design of Route Signs | 328 |
| Section 2D.12 | Design of Route Sign Auxiliaries | 329 |
| Section 2D.13 | Junction Auxiliary Sign (M2-1) | 330 |
| Section 2D.14 | Combination Junction Sign (M2-2) | 330 |
| Section 2D.15 | Cardinal Direction Auxiliary Signs (M3-1 through M3-4) | 330 |
| Section 2D.16 | Auxiliary Signs for Alternative Routes (M4 Series) | 331 |
| Section 2D.17 | ALTERNATE Auxiliary Signs (M4-1, M4-1a) | 331 |
| Section 2D.18 | BY-PASS Auxiliary Sign (M4-2) | 331 |
| Section 2D.19 | BUSINESS Auxiliary Sign (M4-3) | 331 |
| Section 2D.20 | TRUCK Auxiliary Sign (M4-4) | 331 |
| Section 2D.21 | TO Auxiliary Sign (M4-5) | 332 |
| Section 2D.22 | END Auxiliary Sign (M4-6) | 332 |
| Section 2D.23 | BEGIN Auxiliary Sign (M4-14) | 332 |
| Section 2D.24 | TEMPORARY Auxiliary Signs (M4-7, M4-7a) | 332 |
| Section 2D.25 | Temporary Detour and Auxiliary Signs | 332 |
| Section 2D.26 | Advance Turn Arrow Auxiliary Signs (M5-1, M5-2, and M5-3) | 333 |
| Section 2D.27 | Lane Designation Auxiliary Signs (M5-4, M5-5, and M5-6) | 333 |
| Section 2D.28 | Directional Arrow Auxiliary Signs (M6 Series) | 333 |

| | | |
|------------------------------------|--|---------------------|
| Section 2D.29 | Route Sign Assemblies | 334 |
| Section 2D.30 | Junction Assembly | 334 |
| Section 2D.31 | Advance Route Turn Assembly | 335 |
| Section 2D.32 | Directional Assembly | 336 |
| Section 2D.33 | Combination Lane-Use/Destination Overhead Guide Sign (D15-1) | 337 |
| Section 2D.34 | Confirming or Reassurance Assemblies | 337 |
| Section 2D.35 | Trailblazer Assembly | 337 |
| Section 2D.36 | Destination and Distance Signs | 338 |
| Section 2D.37 | Destination Signs (D1 Series) | 338 |
| Section 2D.38 | Destination Signs at Circular Intersections | 341 |
| Section 2D.39 | Destination Signs at Jughandles | 342 |
| Section 2D.40 | Location of Destination Signs | 342 |
| Section 2D.41 | Distance Signs (D2 Series) | 342 |
| Section 2D.42 | Location of Distance Signs | 343 |
| Section 2D.43 | Street Name Signs (D3-1 or D3-1a) | 343 |
| Section 2D.44 | Advance Street Name Signs (D3-2) | 345 |
| Section 2D.45 | Signing on Conventional Roads on Approaches to Interchanges | 346 |
| Section 2D.46 | Freeway Entrance Signs (D13-3 and D13-3a) | 347 |
| Section 2D. 47 | Parking Area Guide Sign (D4-1) | 348 |
| Section 2D.48 | PARK - RIDE Sign (D4-2) | 348 |
| Section 2D.49 | Weigh Station Signing (D8 Series) | 349 |
| Section 2D.50 | Community Wayfinding Signs | 349 |
| Section 2D.51 | Truck, Passing, or Climbing Lane Signs (D17-1 and D17-2) | 353 |
| Section 2D.52 | Slow Vehicle Turn-Out Sign (D17-7) | 353 |
| Section 2D.53 | Signing of Named Highways | 353 |
| Section 2D.54 | Crossover Signs (D13-1 and D13-2) | 354 |
| Section 2D.55 | National Scenic Byways Signs (D6-4, D6-4a) | 354 |
| Section 2D.101(CA) | Inventory Markers | 355 |
| Section 2D.102(CA) | Intersection Number (G98(CA)) Sign | 357 |
| Section 2D.103(CA) | State Property Signs (SG26(CA), S1-1(CA), and S27(CA)) | 358 |

CHAPTER 2E. GUIDE SIGNS—FREEWAYS AND EXPRESSWAYS 393

| | | |
|---------------|--|-----|
| Section 2E.01 | Scope of Freeway and Expressway Guide Sign Standards | 393 |
| Section 2E.02 | Freeway and Expressway Signing Principles | 393 |
| Section 2E.03 | Guide Sign Classification | 393 |
| Section 2E.04 | General | 394 |
| Section 2E.05 | Color of Guide Signs | 394 |
| Section 2E.06 | Retroreflection or Illumination | 394 |
| Section 2E.07 | Characteristics of Urban Signing | 394 |
| Section 2E.08 | Characteristics of Rural Signing | 395 |
| Section 2E.09 | Signing of Named Highways | 395 |
| Section 2E.10 | Amount of Legend on Guide Signs | 395 |
| Section 2E.11 | Number of Signs at an Overhead Installation and Sign Spreading | 395 |
| Section 2E.12 | Pull-Through Signs (E6-2, E6-2a) | 396 |
| Section 2E.13 | Designation of Destinations | 396 |
| Section 2E.14 | Size and Style of Letters and Signs | 397 |
| Section 2E.15 | Interline and Edge Spacing | 398 |
| Section 2E.16 | Sign Borders | 398 |
| Section 2E.17 | Abbreviations | 398 |
| Section 2E.18 | Symbols | 399 |
| Section 2E.19 | Arrows for Interchange Guide Signs | 399 |
| Section 2E.20 | Signing for Option Lanes at Splits and Multi-Lane Exits | 399 |

| | | |
|--------------------|---|------------|
| Section 2E.21 | Design of Overhead Arrow-per-Lane Guide Signs for Option Lanes | 400 |
| Section 2E.22 | Design of Freeway and Expressway Diagrammatic Guide Signs for Option Lanes | 402 |
| Section 2E.23 | Signing for Intermediate and Minor Interchange Multi-Lane Exits with an Option Lane | 403 |
| Section 2E.24 | Signing for Interchange Lane Drops | 403 |
| Section 2E.25 | Overhead Sign Installations | 404 |
| Section 2E.26 | Lateral Offset | 405 |
| Section 2E.27 | Route Signs and Trailblazer Assemblies | 405 |
| Section 2E.28 | Eisenhower Interstate System Signs (M1-10, M1-10a) | 406 |
| Section 2E.29 | Signs for Intersections at Grade | 406 |
| Section 2E.30 | Interchange Guide Signs | 406 |
| Section 2E.31 | Interchange Exit Numbering | 407 |
| Section 2E.32 | Interchange Classification | 410 |
| Section 2E.33 | Advance Guide Signs | 410 |
| Section 2E.34 | Next Exit Plaques | 411 |
| Section 2E.35 | Other Supplemental Guide Signs | 412 |
| Section 2E.36 | Exit Direction Signs | 413 |
| Section 2E.37 | Exit Gore Signs (E5-1 Series) | 414 |
| Section 2E.38 | Post-Interchange Signs | 415 |
| Section 2E.39 | Post-Interchange Distance Signs | 415 |
| Section 2E.40 | Interchange Sequence Signs | 416 |
| Section 2E.41 | Community Interchanges Identification Signs | 416 |
| Section 2E.42 | NEXT XX EXITS Sign | 417 |
| Section 2E.43 | Signing by Type of Interchange | 417 |
| Section 2E.44 | Freeway-to-Freeway Interchange | 417 |
| Section 2E.45 | Cloverleaf Interchange | 418 |
| Section 2E.46 | Cloverleaf Interchange with Collector-Distributor Roadways | 418 |
| Section 2E.47 | Partial Cloverleaf Interchange | 419 |
| Section 2E.48 | Diamond Interchange | 419 |
| Section 2E.49 | Diamond Interchange in Urban Area | 419 |
| Section 2E.50 | Closely-Spaced Interchanges | 420 |
| Section 2E.51 | Minor Interchange | 420 |
| Section 2E.52 | Signing on Conventional Road Approaches and Connecting Roadways | 420 |
| Section 2E.53 | Wrong-Way Traffic Control at Interchange Ramps | 420 |
| Section 2E.54 | Weigh Station Signing | 420 |
| | | |
| CHAPTER 2F. | TOLL ROAD SIGNS | 471 |
| Section 2F.01 | Scope | 471 |
| Section 2F.02 | Sizes of Toll Road Signs | 471 |
| Section 2F.03 | Use of Purple Backgrounds and Underlay Panels with ETC Account Pictographs | 471 |
| Section 2F.04 | Size of ETC Pictographs | 472 |
| Section 2F.05 | Regulatory Signs for Toll Plazas | 472 |
| Section 2F.06 | Pay Toll Advance Warning Sign (W9-6) | 473 |
| Section 2F.07 | Pay Toll Advance Warning Plaque (W9-6P) | 474 |
| Section 2F.08 | Stop Ahead Pay Toll Warning Sign (W9-6a) | 474 |
| Section 2F.09 | Stop Ahead Pay Toll Warning Plaque (W9-6aP) | 475 |
| Section 2F.10 | LAST EXIT BEFORE TOLL Warning Plaque (W16-16P) | 475 |
| Section 2F.11 | TOLL Auxiliary Sign (M4-15) | 475 |
| Section 2F.12 | Electronic Toll Collection (ETC) Account-Only Auxiliary Signs (M4-16 and M4-20) | 475 |
| Section 2F.13 | Toll Facility and Toll Plaza Guide Signs – General | 475 |
| Section 2F.14 | Advance Signs for Conventional Toll Plazas | 477 |

| | | |
|--------------------|--|------------|
| Section 2F.15 | Advance Signs for Toll Plazas on Diverging Alignments from Open-Road ETC Account-Only Lanes | 478 |
| Section 2F.16 | Toll Plaza Canopy Signs | 478 |
| Section 2F.17 | Guide Signs for Entrances to ETC Account-Only Facilities | 479 |
| Section 2F.18 | ETC Program Information Signs | 479 |
| CHAPTER 2G. | PREFERENTIAL AND MANAGED LANE SIGNS | 489 |
| Section 2G.01 | Scope | 489 |
| Section 2G.02 | Sizes of Preferential and Managed Lane Signs | 489 |
| Section 2G.03 | Regulatory Signs for Preferential Lanes – General | 489 |
| Section 2G.04 | Preferential Lane Vehicle Occupancy Definition Regulatory Signs (R3-10 Series and R3-13 Series) | 492 |
| Section 2G.05 | Preferential Lane Periods of Operation Regulatory Signs (R3-11 Series and R3-14 Series) | 493 |
| Section 2G.06 | Preferential Lane Advance Regulatory Signs (R3-12, R3-12e, R3-12f, R3-15, R3-15a, and R3-15d) | 495 |
| Section 2G.07 | Preferential Lane Ends Regulatory Signs (R3-12a, R3-12b, R3-12c, R3-12d, R3-12g, R3-12h, R3-15b, R3-15c, and R3-15e) | 496 |
| Section 2G.08 | Warning Signs on Median Barriers for Preferential Lanes | 496 |
| Section 2G.09 | High-Occupancy Vehicle (HOV) Plaque (W16-11P) | 497 |
| Section 2G.10 | Preferential Lane Guide Signs – General | 497 |
| Section 2G.11 | Guide Signs for Initial Entry Points to Preferential Lanes | 500 |
| Section 2G.12 | Guide Signs for Intermediate Entry Points to Preferential Lanes | 500 |
| Section 2G.13 | Guide Signs for Egress from Preferential Lanes to General-Purpose Lanes | 501 |
| Section 2G.14 | Guide Signs for Direct Entrances to Preferential Lanes from Another Highway | 502 |
| Section 2G.15 | Guide Signs for Direct Exits from Preferential Lanes to Another Highway | 502 |
| Section 2G.16 | Signs for Priced Managed Lanes – General | 503 |
| Section 2G.17 | Regulatory Signs for Priced Managed Lanes | 504 |
| Section 2G.18 | Guide Signs for Priced Managed Lanes | 505 |
| Section 2G.101(CA) | Preferential Lane Enforcement Signing (SR50(CA)) Series | 506 |
| Section 2G.102(CA) | Regulatory Signs for Preferential Lanes at Metered On-Ramps | 507 |
| CHAPTER 2H. | GENERAL INFORMATION SIGNS | 541 |
| Section 2H.01 | Sizes of General Information Signs | 541 |
| Section 2H.02 | General Information Signs (I Series) | 541 |
| Section 2H.03 | Traffic Signal Speed Sign (I1-1) | 544 |
| Section 2H.04 | Miscellaneous Information Signs | 544 |
| Section 2H.05 | Reference Location Signs (D10-1 through D10-3) and Intermediate Reference Location Signs (D10-1a through D10-3a) | 545 |
| Section 2H.06 | Enhanced Reference Location Signs (D10-4, D10-5) | 546 |
| Section 2H.07 | Auto Tour Route Signs | 547 |
| Section 2H.08 | Acknowledgment Signs | 547 |
| CHAPTER 2I. | GENERAL SERVICE SIGNS | 557 |
| Section 2I.01 | Sizes of General Service Signs | 557 |
| Section 2I.02 | General Service Signs for Conventional Roads | 557 |
| Section 2I.03 | General Service Signs for Freeways and Expressways | 558 |
| Section 2I.04 | Interstate Oasis Signing | 568 |
| Section 2I.05 | Rest Area and Other Roadside Area Signs | 569 |

| | | |
|---------------|---|-----|
| Section 2I.06 | Brake Check Area Signs (D5-13 and D5-14) | 571 |
| Section 2I.07 | Chain-Up Area Signs (D5-15 and D5-16) | 571 |
| Section 2I.08 | Tourist Information and Welcome Center Signs | 571 |
| Section 2I.09 | Radio Information Signing | 574 |
| Section 2I.10 | TRAVEL INFO CALL 511 Signs (D12-5 and D12-5a) | 576 |
| Section 2I.11 | Carpool and Ridesharing Signing | 577 |

CHAPTER 2J. SPECIFIC SERVICE SIGNS 589

| | | |
|--------------------|---|-----|
| Section 2J.01 | Eligibility | 589 |
| Section 2J.02 | Application | 593 |
| Section 2J.03 | Logos and Logo Sign Panels | 594 |
| Section 2J.04 | Number and Size of Signs and Logo Sign Panels | 595 |
| Section 2J.05 | Size of Lettering | 596 |
| Section 2J.06 | Signs at Interchanges | 596 |
| Section 2J.07 | Single-Exit Interchanges | 596 |
| Section 2J.08 | Double-Exit Interchanges | 597 |
| Section 2J.09 | Specific Service Trailblazer Signs | 598 |
| Section 2J.10 | Signs at Intersections | 599 |
| Section 2J.11 | Signing Policy | 599 |
| Section 2J.101(CA) | Signs at Ramps | 600 |

CHAPTER 2K. TOURIST-ORIENTED DIRECTIONAL SIGNS 607

| | | |
|---------------|-------------------------------|-----|
| Section 2K.01 | Purpose and Application | 607 |
| Section 2K.02 | Design | 607 |
| Section 2K.03 | Style and Size of Lettering | 608 |
| Section 2K.04 | Arrangement and Size of Signs | 608 |
| Section 2K.05 | Advance Signs | 609 |
| Section 2K.06 | Sign Locations | 609 |
| Section 2K.07 | State Policy | 609 |

CHAPTER 2L. CHANGEABLE MESSAGE SIGNS 615

| | | |
|--------------------|---|-----|
| Section 2L.01 | Description of Changeable Message Signs | 615 |
| Section 2L.02 | Applications of Changeable Message Signs | 615 |
| Section 2L.03 | Legibility and Visibility of Changeable Message Signs | 617 |
| Section 2L.04 | Design Characteristics of Changeable Message Signs | 617 |
| Section 2L.05 | Message Length and Units of Information | 619 |
| Section 2L.06 | Installation of Permanent Changeable Message Signs | 620 |
| Section 2L.101(CA) | Extinguishable Message Signs | 620 |

CHAPTER 2M. RECREATIONAL AND CULTURAL INTEREST AREA SIGNS 621

| | | |
|---------------|--|-----|
| Section 2M.01 | Scope | 621 |
| Section 2M.02 | Application of Recreational and Cultural Interest Area Signs | 621 |
| Section 2M.03 | Regulatory and Warning Signs | 627 |
| Section 2M.04 | General Design Requirements for Recreational and Cultural Interest Area Symbol Guide Signs | 627 |
| Section 2M.05 | Symbol Sign Sizes | 627 |
| Section 2M.06 | Use of Educational Plaques | 627 |
| Section 2M.07 | Use of Prohibitive Circle and Diagonal Slash for Non-Road Applications | 627 |

| | | |
|--------------------|--|------------|
| Section 2M.08 | Placement of Recreational and Cultural Interest Area Symbol Signs | 628 |
| Section 2M.09 | Destination Guide Signs | 628 |
| Section 2M.10 | Memorial or Dedication Signing | 629 |
| Section 2M.101(CA) | Historical Landmark Signs (G13-1(CA), G13-2(CA) and G14(CA)) | 632 |
| Section 2M.102(CA) | POINT OF HISTORICAL INTEREST Sign (G15(CA)) | 633 |
| Section 2M.103(CA) | Historic Route Signs (SG2(CA), SG2A(CA), S18(CA) and S25(CA)) | 633 |
| Section 2M.104(CA) | Historic Bridge Signs (S29(CA), S29-1(CA) and S29-2(CA)) | 634 |
| CHAPTER 2N. | EMERGENCY MANAGEMENT SIGNING | 650 |
| Section 2N.01 | Emergency Management | 650 |
| Section 2N.02 | Design of Emergency Management Signs | 650 |
| Section 2N.03 | Evacuation Route Signs (EM-1 and EM-1a) | 650 |
| Section 2N.04 | AREA CLOSED Sign (EM-2) | 651 |
| Section 2N.05 | TRAFFIC CONTROL POINT Sign (EM-3) | 651 |
| Section 2N.06 | MAINTAIN TOP SAFE SPEED Sign (EM-4) | 652 |
| Section 2N.07 | ROAD (AREA) USE PERMIT REQUIRED FOR THRU TRAFFIC Sign (EM-5) | 652 |
| Section 2N.08 | Emergency Aid Center Signs (EM-6 Series) | 652 |
| Section 2N.09 | Shelter Directional Signs (EM-7 Series) | 653 |
| PART 3. | MARKINGS | 655 |
| CHAPTER 3A. | GENERAL | 655 |
| Section 3A.01 | Functions and Limitations | 655 |
| Section 3A.02 | Standardization of Application | 655 |
| Section 3A.03 | Maintaining Minimum Pavement Marking Retroreflectivity | 655 |
| Section 3A.04 | Materials | 656 |
| Section 3A.05 | Colors | 656 |
| Section 3A.06 | Functions, Widths, and Patterns of Longitudinal Pavement Markings | 657 |
| CHAPTER 3B. | PAVEMENT AND CURB MARKINGS | 675 |
| Section 3B.01 | Yellow Center Line Pavement Markings and Warrants | 675 |
| Section 3B.02 | No-Passing Zone Pavement Markings and Warrants | 676 |
| Section 3B.03 | Other Yellow Longitudinal Pavement Markings | 678 |
| Section 3B.04 | White Lane Line Pavement Markings and Warrants | 679 |
| Section 3B.05 | Other White Longitudinal Pavement Markings | 681 |
| Section 3B.06 | Edge Line Pavement Markings | 682 |
| Section 3B.07 | Warrants for Use of Edge Lines | 682 |
| Section 3B.08 | Extensions Through Intersections or Interchanges | 683 |
| Section 3B.09 | Lane-Reduction Transition Markings | 684 |
| Section 3B.10 | Approach Markings for Obstructions | 684 |
| Section 3B.11 | Raised Pavement Markers – General | 685 |
| Section 3B.12 | Raised Pavement Markers as Vehicle Positioning Guides with Other Longitudinal Markings | 687 |
| Section 3B.13 | Raised Pavement Markers Supplementing Other Markings | 687 |
| Section 3B.14 | Raised Pavement Markers Substituting for Pavement Markings | 688 |
| Section 3B.15 | Transverse Markings | 688 |
| Section 3B.16 | Stop and Yield Lines | 689 |
| Section 3B.17 | Do Not Block Intersection Markings | 690 |
| Section 3B.18 | Crosswalk Markings | 690 |

| | | |
|--------------------|--|------------|
| Section 3B.19 | Parking Space Markings | 693 |
| Section 3B.20 | Pavement Word, Symbol, and Arrow Markings | 694 |
| Section 3B.21 | Speed Measurement Markings | 698 |
| Section 3B.22 | Speed Reduction Markings | 699 |
| Section 3B.23 | Curb Markings | 699 |
| Section 3B.24 | Chevron and Diagonal Crosshatch Markings | 701 |
| Section 3B.25 | Speed Hump Markings | 702 |
| Section 3B.26 | Advance Speed Hump Markings | 702 |
| Section 3B.101(CA) | Turnouts | 702 |
| CHAPTER 3C. | ROUNDABOUT MARKINGS | 777 |
| Section 3C.01 | General | 777 |
| Section 3C.02 | White Lane Line Pavement Markings for Roundabouts | 777 |
| Section 3C.03 | Edge Line Pavement Markings for Roundabout Circulatory Roadways | 777 |
| Section 3C.04 | Yield Lines for Roundabouts | 778 |
| Section 3C.05 | Crosswalk Markings at Roundabouts | 778 |
| Section 3C.06 | Word, Symbol, and Arrow Pavement Markings for Roundabouts | 778 |
| Section 3C.07 | Markings for Other Circular Intersections | 778 |
| CHAPTER 3D | MARKINGS FOR PREFERENTIAL LANES | 794 |
| Section 3D.01 | Preferential Lane Word and Symbol Markings | 794 |
| Section 3D.02 | Preferential Lane Longitudinal Markings for Motor Vehicles | 795 |
| CHAPTER 3E. | MARKINGS FOR TOLL PLAZAS | 804 |
| Section 3E.01 | Markings for Toll Plazas | 804 |
| CHAPTER 3F | DELINEATORS | 806 |
| Section 3F.01 | Delineators | 806 |
| Section 3F.02 | Delineator Design | 806 |
| Section 3F.03 | Delineator Application | 806 |
| Section 3F.04 | Delineator Placement and Spacing | 807 |
| Section 3F.101(CA) | Culvert Markers | 809 |
| Section 3F.102(CA) | Emergency Passageway Marker | 809 |
| Section 3F.103(CA) | Narrow Bridge Signing and Marking | 809 |
| Section 3F.104(CA) | Median Barrier Delineation | 810 |
| CHAPTER 3G | COLORED PAVEMENTS | 818 |
| Section 3G.01 | General | 818 |
| CHAPTER 3H | CHANNELIZING DEVICES USED FOR EMPHASIS OF PAVEMENT MARKING PATTERNS | 820 |
| Section 3H.01 | Channelizing Devices | 820 |

| | | |
|--------------------|---|------------|
| CHAPTER 3I | ISLANDS | 822 |
| Section 3I.01 | General | 822 |
| Section 3I.02 | Approach-End Treatment | 822 |
| Section 3I.03 | Island Marking Application | 822 |
| Section 3I.04 | Island Marking Colors | 823 |
| Section 3I.05 | Island Delineation | 823 |
| Section 3I.06 | Pedestrian Islands and Medians | 823 |
| CHAPTER 3J | RUMBLE STRIP MARKINGS | 824 |
| Section 3J.01 | Longitudinal Rumble Strip Markings | 824 |
| Section 3J.02 | Transverse Rumble Strip Markings | 824 |
| PART 4 | HIGHWAY TRAFFIC SIGNALS | 826 |
| CHAPTER 4A | GENERAL | 826 |
| Section 4A.01 | Types | 826 |
| Section 4A.02 | Definitions Relating to Highway Traffic Signals | 826 |
| CHAPTER 4B | TRAFFIC CONTROL SIGNALS—GENERAL | 828 |
| Section 4B.01 | General | 828 |
| Section 4B.02 | Basis of Installation or Removal of Traffic Control Signals | 828 |
| Section 4B.03 | Advantages and Disadvantages of Traffic Control Signals | 828 |
| Section 4B.04 | Alternatives to Traffic Control Signals | 829 |
| Section 4B.05 | Adequate Roadway Capacity | 829 |
| Section 4B.101(CA) | Traffic Signal Development Procedures – Introduction | 830 |
| Section 4B.102(CA) | Project Report | 830 |
| Section 4B.103(CA) | Submittals | 831 |
| Section 4B.104(CA) | Financing | 831 |
| Section 4B.105(CA) | Design Cost | 831 |
| Section 4B.106(CA) | Construction Costs - Conventional Highways | 832 |
| Section 4B.107(CA) | Construction Costs – Freeways | 833 |
| Section 4B.108(CA) | Roadway Improvements by Local Agencies | 834 |
| Section 4B.109(CA) | Cooperative Agreements | 834 |
| Section 4B.110(CA) | Engineering Services for Local Agencies | 834 |
| Section 4B.111(CA) | Salvaged Electrical Equipment | 834 |
| Section 4B.112(CA) | Encroachment Permits | 835 |
| Section 4B.113(CA) | Modifications of Existing Signals | 835 |
| Section 4B.114(CA) | Signals on Poles Owned by Others | 835 |
| CHAPTER 4C | TRAFFIC CONTROL SIGNAL NEEDS STUDIES | 836 |
| Section 4C.01 | Studies and Factors for Justifying Traffic Control Signals | 836 |
| Section 4C.02 | Warrant 1, Eight-Hour Vehicular Volume | 838 |
| Section 4C.03 | Warrant 2, Four-Hour Vehicular Volume | 839 |
| Section 4C.04 | Warrant 3, Peak Hour | 839 |
| Section 4C.05 | Warrant 4, Pedestrian Volume | 840 |
| Section 4C.06 | Warrant 5, School Crossing | 841 |

| | | |
|--------------------|---|-----|
| Section 4C.07 | Warrant 6, Coordinated Signal System | 841 |
| Section 4C.08 | Warrant 7, Crash Experience | 842 |
| Section 4C.09 | Warrant 8, Roadway Network | 842 |
| Section 4C.10 | Warrant 9, Intersection Near a Grade Crossing | 842 |
| Section 4C.101(CA) | Criterion for School Crossing Traffic Signals | 844 |

CHAPTER 4D TRAFFIC CONTROL SIGNAL FEATURES 860

| | | |
|--------------------|--|-----|
| Section 4D.01 | General | 860 |
| Section 4D.02 | Responsibility for Operation and Maintenance | 860 |
| Section 4D.03 | Provisions for Pedestrians | 861 |
| Section 4D.04 | Meaning of Vehicular Signal Indications | 862 |
| Section 4D.05 | Application of Steady Signal Indications | 864 |
| Section 4D.06 | Signal Indications – Design, Illumination, Color, and Shape | 868 |
| Section 4D.07 | Size of Vehicular Signal Indications | 868 |
| Section 4D.08 | Positions of Signal Indications Within a Signal Face – General | 869 |
| Section 4D.09 | Positions of Signal Indications Within a Vertical Signal Face | 870 |
| Section 4D.10 | Positions of Signal Indications Within a Horizontal Signal Face | 871 |
| Section 4D.11 | Number of Signal Faces on an Approach | 872 |
| Section 4D.12 | Visibility, Aiming, and Shielding of Signal Faces | 873 |
| Section 4D.13 | Lateral Positioning of Signal Faces | 874 |
| Section 4D.14 | Longitudinal Positioning of Signal Faces | 875 |
| Section 4D.15 | Mounting Height of Signal Faces | 875 |
| Section 4D.16 | Lateral Offset (Clearance) of Signal Faces | 876 |
| Section 4D.17 | Signal Indications for Left-Turn Movements – General | 876 |
| Section 4D.18 | Signal Indications for Permissive Only Mode Left-Turn Movements | 877 |
| Section 4D.19 | Signal Indications for Protected Only Mode Left-Turn Movements | 879 |
| Section 4D.20 | Signal Indications for Protected/Permissive Mode Left-Turn Movements | 880 |
| Section 4D.21 | Signal Indications for Right-Turn Movements – General | 882 |
| Section 4D.22 | Signal Indications for Permissive Only Mode Right-Turn Movements | 884 |
| Section 4D.23 | Signal Indications for Protected Only Mode Right-Turn Movements | 885 |
| Section 4D.24 | Signal Indications for Protected/Permissive Mode Right-Turn Movements | 886 |
| Section 4D.25 | Signal Indications for Approaches With Shared Left-Turn/Right-Turn Lanes and No Through Movement | 889 |
| Section 4D.26 | Yellow Change and Red Clearance Intervals | 890 |
| Section 4D.27 | Preemption and Priority Control of Traffic Control Signals | 892 |
| Section 4D.28 | Flashing Operation of Traffic Control Signals – General | 896 |
| Section 4D.29 | Flashing Operation – Transition Into Flashing Mode | 897 |
| Section 4D.30 | Flashing Operation – Signal Indications During Flashing Mode | 897 |
| Section 4D.31 | Flashing Operation – Transition Out of Flashing Mode | 898 |
| Section 4D.32 | Temporary and Portable Traffic Control Signals | 898 |
| Section 4D.33 | Lateral Offset of Signal Supports and Cabinets | 899 |
| Section 4D.34 | Use of Signs at Signalized Locations | 900 |
| Section 4D.35 | Use of Pavement Markings at Signalized Locations | 900 |
| Section 4D.101(CA) | Traffic Signal Design and Operations | 901 |
| Section 4D.102(CA) | Signal Plan Schedules | 901 |
| Section 4D.103(CA) | Vehicle Detectors | 901 |
| Section 4D.104(CA) | Optional Use of Bicycle Signal Faces | 902 |
| Section 4D.105(CA) | Bicycle/Motorcycle Detection | 902 |
| Section 4D.106(CA) | Selection of Traffic Signal Operation | 903 |
| Section 4D.107(CA) | Selection of Left-Turn Phasing | 904 |
| Section 4D.108(CA) | Dual Left-Turn Phasing | 904 |

| | | |
|--------------------|--|------------|
| Section 4D.109(CA) | Lead-Lag Left-Turn Phasing | 904 |
| Section 4D.110(CA) | Opposite or Opposing (Six Phase Opposing Operation) | 904 |
| Section 4D.111(CA) | Permissive Left-Turn Phasing | 904 |
| Section 4D.112(CA) | Signals at Interchanges | 905 |
| Section 4D.113(CA) | Timing of Green Intervals | 905 |
| Section 4D.114(CA) | Review of Traffic Signal Operations | 905 |
| CHAPTER 4E | PEDESTRIAN CONTROL FEATURES | 950 |
| Section 4E.01 | Pedestrian Signal Heads | 950 |
| Section 4E.02 | Meaning of Pedestrian Signal Head Indications | 950 |
| Section 4E.03 | Application of Pedestrian Signal Heads | 950 |
| Section 4E.04 | Size, Design, and Illumination of Pedestrian Signal Head Indications | 951 |
| Section 4E.05 | Location and Height of Pedestrian Signal Heads | 952 |
| Section 4E.06 | Pedestrian Intervals and Signal Phases | 952 |
| Section 4E.07 | Countdown Pedestrian Signals | 954 |
| Section 4E.08 | Pedestrian Detectors | 955 |
| Section 4E.09 | Accessible Pedestrian Signals and Detectors – General | 956 |
| Section 4E.10 | Accessible Pedestrian Signals and Detectors – Location | 958 |
| Section 4E.11 | Accessible Pedestrian Signals and Detectors – Walk Indications | 958 |
| Section 4E.12 | Accessible Pedestrian Signals and Detectors – Tactile Arrows and Locator Tones | 960 |
| Section 4E.13 | Accessible Pedestrian Signals and Detectors – Extended Pushbutton Press Features | 960 |
| CHAPTER 4F | PEDESTRIAN HYBRID BEACONS | 968 |
| Section 4F.01 | Application of Pedestrian Hybrid Beacons | 968 |
| Section 4F.02 | Design of Pedestrian Hybrid Beacons | 968 |
| Section 4F.03 | Operation of Pedestrian Hybrid Beacons | 969 |
| CHAPTER 4G | TRAFFIC CONTROL SIGNALS AND HYBRID BEACONS FOR EMERGENCY-VEHICLE ACCESS | 974 |
| Section 4G.01 | Application of Emergency-Vehicle Traffic Control Signals and Hybrid Beacons | 974 |
| Section 4G.02 | Design of Emergency-Vehicle Traffic Control Signals | 974 |
| Section 4G.03 | Operation of Emergency-Vehicle Traffic Control Signals | 975 |
| Section 4G.04 | Emergency-Vehicle Hybrid Beacons | 975 |
| CHAPTER 4H | TRAFFIC CONTROL SIGNALS FOR ONE-LANE, TWO-WAY FACILITIES | 978 |
| Section 4H.01 | Application of Traffic Control Signals for One-Lane, Two-Way Facilities | 978 |
| Section 4H.02 | Design of Traffic Control Signals for One-Lane, Two-Way Facilities | 978 |
| Section 4H.03 | Operation of Traffic Control Signals for One-Lane, Two-Way Facilities | 978 |
| CHAPTER 4I | TRAFFIC CONTROL SIGNALS FOR FREEWAY ENTRANCE RAMPS | 980 |
| Section 4I.01 | Application of Freeway Entrance Ramp Control Signals | 980 |
| Section 4I.02 | Design of Freeway Entrance Ramp Control Signals | 980 |
| Section 4I.03 | Operation of Freeway Entrance Ramp Control Signals | 981 |

| | | |
|------------------------------------|--|----------------------|
| CHAPTER 4J | TRAFFIC CONTROL FOR MOVABLE BRIDGES | 982 |
| Section 4J.01 | Application of Traffic Control for Movable Bridges | 982 |
| Section 4J.02 | Design and Location of Movable Bridge Signals and Gates | 982 |
| Section 4J.03 | Operation of Movable Bridge Signals and Gates | 984 |
| CHAPTER 4K | HIGHWAY TRAFFIC SIGNALS AT TOLL PLAZAS | 986 |
| Section 4K.01 | Traffic Signals at Toll Plazas | 986 |
| Section 4K.02 | Lane-Use Control Signals at or Near Toll Plazas | 986 |
| Section 4K.03 | Warning Beacons at Toll Plazas | 986 |
| CHAPTER 4L | FLASHING BEACONS | 988 |
| Section 4L.01 | General Design and Operation of Flashing Beacons | 988 |
| Section 4L.02 | Intersection Control Beacon | 988 |
| Section 4L.03 | Warning Beacon | 990 |
| Section 4L.04 | Speed Limit Sign Beacon | 990 |
| Section 4L.05 | Stop Beacon | 991 |
| Section 4L.101(CA) | Flashing Beacons at School Crosswalks | 991 |
| Section 4L.102(CA) | Flashing Beacons for Fire Stations | 991 |
| Section 4L.103(CA) | Flashing Beacons at Bus Stops on Freeway Interchanges | 992 |
| CHAPTER 4M | LANE-USE CONTROL SIGNALS | 994 |
| Section 4M.01 | Application of Lane-Use Control Signals | 994 |
| Section 4M.02 | Meaning of Lane-Use Control Signal Indications | 994 |
| Section 4M.03 | Design of Lane-Use Control Signals | 995 |
| Section 4M.04 | Operation of Lane-Use Control Signals | 996 |
| CHAPTER 4N | IN-ROADWAY LIGHTS | 998 |
| Section 4N.01 | Application of In-Roadway Lights | 998 |
| Section 4N.02 | In-Roadway Warning Lights at Crosswalks | 998 |
| Section 4N.101(CA) | In-Roadway Warning Lights at Crosswalks Financing and Maintenance-State Highways | 1000 |
| PART 5 | TRAFFIC CONTROL DEVICES FOR LOW-VOLUME ROADS | 1002 |
| CHAPTER 5A | GENERAL | 1002 |
| Section 5A.01 | Function | 1002 |
| Section 5A.02 | Application | 1002 |
| Section 5A.03 | Design | 1003 |
| Section 5A.04 | Placement | 1003 |
| CHAPTER 5B | REGULATORY SIGNS | 1006 |
| Section 5B.01 | Introduction | 1006 |
| Section 5B.02 | STOP and YIELD Signs (R1-1 and R1-2) | 1006 |
| Section 5B.03 | Speed Limit Signs (R2 Series) | 1006 |

| | | |
|-------------------|---|-------------|
| Section 5B.04 | Traffic Movement and Prohibition Signs (R3, R4, R5, R6, R9, R10, R11, R12, R13, and R14 Series) | 1006 |
| Section 5B.05 | Parking Signs (R8 Series) | 1006 |
| Section 5B.06 | Other Regulatory Signs | 1007 |
| CHAPTER 5C | WARNING SIGNS | 1008 |
| Section 5C.01 | Introduction | 1008 |
| Section 5C.02 | Horizontal Alignment Signs (W1-1 through W1-8) | 1008 |
| Section 5C.03 | Intersection Warning Signs (W2-1 through W2-6) | 1008 |
| Section 5C.04 | Stop Ahead and Yield Ahead Signs (W3-1, W3-2) | 1008 |
| Section 5C.05 | NARROW BRIDGE Sign (W5-2) | 1008 |
| Section 5C.06 | ONE LANE BRIDGE Sign (W5-3) | 1008 |
| Section 5C.07 | Hill Sign (W7-1) | 1009 |
| Section 5C.08 | PAVEMENT ENDS Sign (W8-3) | 1009 |
| Section 5C.09 | Vehicular Traffic Warning and Non-Vehicular Warning Signs (W11 Series and W8-6) | 1009 |
| Section 5C.10 | Advisory Speed Plaque (W13-1P) | 1009 |
| Section 5C.11 | DEAD END or NO OUTLET Signs (W14-1, W14-1a, W14-2, W14-2a) | 1009 |
| Section 5C.12 | NO TRAFFIC SIGNS Sign (W18-1) | 1010 |
| Section 5C.13 | Other Warning Signs | 1010 |
| Section 5C.14 | Object Markers and Barricades | 1010 |
| CHAPTER 5D | GUIDE SIGNS | 1014 |
| Section 5D.01 | Introduction | 1014 |
| CHAPTER 5E | MARKINGS | 1016 |
| Section 5E.01 | Introduction | 1016 |
| Section 5E.02 | Center Line Markings | 1016 |
| Section 5E.03 | Edge Line Markings | 1016 |
| Section 5E.04 | Delineators | 1016 |
| Section 5E.05 | Other Markings | 1016 |
| CHAPTER 5F | TRAFFIC CONTROL FOR HIGHWAY-RAIL GRADE CROSSINGS | 1018 |
| Section 5F.01 | Introduction | 1018 |
| Section 5F.02 | Grade Crossing (Crossbuck) Sign and Number of Tracks Plaque (R15-1, R15-2P) | 1018 |
| Section 5F.03 | Grade Crossing Advance Warning Signs (W10 Series) | 1018 |
| Section 5F.04 | STOP and YIELD Signs (R1-1, R1-2) | 1018 |
| Section 5F.05 | Pavement Markings | 1019 |
| Section 5F.06 | Other Traffic Control Devices | 1019 |
| CHAPTER 5G | TEMPORARY TRAFFIC CONTROL ZONES | 1020 |
| Section 5G.01 | Introduction | 1020 |
| Section 5G.02 | Applications | 1020 |
| Section 5G.03 | Channelization Devices | 1020 |
| Section 5G.04 | Markings | 1021 |
| Section 5G.05 | Other Traffic Control Devices | 1021 |

| | | |
|------------------------------------|--|----------------------|
| CHAPTER 5H | TRAFFIC CONTROL FOR SCHOOL AREAS | 1022 |
| Section 5H.01 | Introduction | 1022 |
| PART 6 | TEMPORARY TRAFFIC CONTROL | 1024 |
| CHAPTER 6A | GENERAL | 1024 |
| Section 6A.01 | General | 1024 |
| CHAPTER 6B | FUNDAMENTAL PRINCIPLES | 1026 |
| Section 6B.01 | Fundamental Principles of Temporary Traffic Control | 1026 |
| CHAPTER 6C | TEMPORARY TRAFFIC CONTROL ELEMENTS | 1030 |
| Section 6C.01 | Temporary Traffic Control Plans | 1030 |
| Section 6C.02 | Temporary Traffic Control Zones | 1032 |
| Section 6C.03 | Components of Temporary Traffic Control Zones | 1032 |
| Section 6C.04 | Advance Warning Area | 1033 |
| Section 6C.05 | Transition Area | 1033 |
| Section 6C.06 | Activity Area | 1033 |
| Section 6C.07 | Termination Area | 1034 |
| Section 6C.08 | Tapers | 1035 |
| Section 6C.09 | Detours and Diversions | 1036 |
| Section 6C.10 | One-Lane, Two-Way Traffic Control | 1036 |
| Section 6C.11 | Flagger Method of One-Lane, Two-Way Traffic Control | 1036 |
| Section 6C.12 | Flag Transfer Method of One-Lane, Two-Way Traffic Control | 1037 |
| Section 6C.13 | Pilot Car Method of One-Lane, Two-Way Traffic Control | 1037 |
| Section 6C.14 | Temporary Traffic Control Signal Method of One-Lane, Two-Way Traffic Control | 1037 |
| Section 6C.15 | Stop or Yield Control Method of One-Lane, Two-Way Traffic Control | 1037 |
| CHAPTER 6D | PEDESTRIAN AND WORKER SAFETY | 1044 |
| Section 6D.01 | Pedestrian Considerations | 1044 |
| Section 6D.02 | Accessibility Considerations | 1046 |
| Section 6D.03 | Worker Safety Considerations | 1047 |
| Section 6D.101(CA) | Bicycle Considerations | 1049 |
| CHAPTER 6E | FLAGGER CONTROL | 1050 |
| Section 6E.01 | Qualifications for Flaggers | 1050 |
| Section 6E.02 | High-Visibility Safety Apparel | 1050 |
| Section 6E.03 | Hand-Signaling Devices | 1051 |
| Section 6E.04 | Automated Flagger Assistance Devices | 1052 |
| Section 6E.05 | STOP/SLOW Automated Flagger Assistance Devices | 1053 |
| Section 6E.06 | Red/Yellow Lens Automated Flagger Assistance Devices | 1055 |
| Section 6E.07 | Flagger Procedures | 1056 |
| Section 6E.08 | Flagger Stations | 1057 |

CHAPTER 6F TEMPORARY TRAFFIC CONTROL ZONE DEVICES 1062

| | | |
|---------------|---|------|
| Section 6F.01 | Types of Devices | 1062 |
| Section 6F.02 | General Characteristics of Signs | 1063 |
| Section 6F.03 | Sign Placement | 1064 |
| Section 6F.04 | Sign Maintenance | 1065 |
| Section 6F.05 | Regulatory Sign Authority | 1065 |
| Section 6F.06 | Regulatory Sign Design | 1065 |
| Section 6F.07 | Regulatory Sign Applications | 1065 |
| Section 6F.08 | ROAD (STREET) CLOSED Sign (R11-2) | 1065 |
| Section 6F.09 | Local Traffic Only Signs (R11-3a, R11-4) | 1066 |
| Section 6F.10 | Weight Limit Signs (R12-1, R12-2, R12-5) | 1066 |
| Section 6F.11 | STAY IN LANE Sign (R4-9) | 1066 |
| Section 6F.12 | Work Zone and Higher Fines Signs and Plaques | 1066 |
| Section 6F.13 | PEDESTRIAN CROSSWALK Sign (R9-8) | 1068 |
| Section 6F.14 | SIDEWALK CLOSED Signs (R9-9, R9-10, R9-11, R9-11a) | 1068 |
| Section 6F.15 | Special Regulatory Signs | 1068 |
| Section 6F.16 | Warning Sign Function, Design, and Application | 1068 |
| Section 6F.17 | Position of Advance Warning Signs | 1069 |
| Section 6F.18 | ROAD (STREET) WORK Sign (W20-1) | 1069 |
| Section 6F.19 | DETOUR Sign (W20-2) | 1070 |
| Section 6F.20 | ROAD (STREET) CLOSED Sign (W20-3) | 1070 |
| Section 6F.21 | ONE LANE ROAD Sign (W20-4) | 1070 |
| Section 6F.22 | Lane(s) Closed Signs (W20-5, W20-5a) | 1071 |
| Section 6F.23 | CENTER LANE CLOSED AHEAD Sign (W9-3) | 1071 |
| Section 6F.24 | Lane Ends Sign (W4-2) | 1071 |
| Section 6F.25 | ON RAMP Plaque (W13-4P) | 1071 |
| Section 6F.26 | RAMP NARROWS Sign (W5-4) | 1071 |
| Section 6F.27 | SLOW TRAFFIC AHEAD Sign (W23-1) | 1072 |
| Section 6F.28 | EXIT OPEN and EXIT CLOSED Signs (E5-2, E5-2a) | 1072 |
| Section 6F.29 | EXIT ONLY Sign (E5-3) | 1073 |
| Section 6F.30 | NEW TRAFFIC PATTERN AHEAD Sign (W23-2) | 1073 |
| Section 6F.31 | Flagger Signs (W20-7, W20-7a) | 1073 |
| Section 6F.32 | Two-Way Traffic Sign (W6-3) | 1073 |
| Section 6F.33 | Workers Signs (W21-1, W21-1a) | 1074 |
| Section 6F.34 | FRESH OIL (TAR) Sign (W21-2) | 1074 |
| Section 6F.35 | ROAD MACHINERY AHEAD Sign (W21-3) | 1074 |
| Section 6F.36 | Motorized Traffic Signs (W8-6, W11-10) | 1074 |
| Section 6F.37 | Shoulder Work Signs (W21-5, W21-5a, W21-5b) | 1074 |
| Section 6F.38 | SURVEY CREW Sign (W21-6) | 1075 |
| Section 6F.39 | UTILITY WORK Sign (W21-7) | 1075 |
| Section 6F.40 | Signs for Blasting Areas | 1075 |
| Section 6F.41 | BLASTING ZONE AHEAD Sign (W22-1) | 1075 |
| Section 6F.42 | TURN OFF 2-WAY RADIO AND CELL PHONE Sign (W22-2) | 1075 |
| Section 6F.43 | END BLASTING ZONE Sign (W22-3) | 1075 |
| Section 6F.44 | Shoulder Signs and Plaque (W8-4, W8-9, W8-17, and W8-17P) | 1075 |
| Section 6F.45 | UNEVEN LANES Sign (W8-11) | 1076 |
| Section 6F.46 | STEEL PLATE AHEAD Sign (W8-24) | 1076 |
| Section 6F.47 | NO CENTER LINE Sign (W8-12) | 1076 |
| Section 6F.48 | Reverse Curve Signs (W1-4 Series) | 1077 |
| Section 6F.49 | Double Reverse Curve Signs (W24-1 Series) | 1077 |
| Section 6F.50 | Other Warning Signs | 1077 |
| Section 6F.51 | Special Warning Signs | 1077 |

| | | |
|--------------------|--|-------------|
| Section 6F.52 | Advisory Speed Plaque (W13-1P) | 1078 |
| Section 6F.53 | Supplementary Distance Plaque (W7-3aP) | 1078 |
| Section 6F.54 | Motorcycle Plaque (W8-15P) | 1078 |
| Section 6F.55 | Guide Signs | 1078 |
| Section 6F.56 | ROAD WORK NEXT XX MILES Sign (G20-1) | 1079 |
| Section 6F.57 | END ROAD WORK Sign (G20-2) | 1079 |
| Section 6F.58 | PILOT CAR FOLLOW ME Sign (G20-4) | 1079 |
| Section 6F.59 | Detour Signs (M4-8, M4-8a, M4-8b, M4-9, M4-9a, M4-9b, M4-9c, and M4-10) | 1080 |
| Section 6F.60 | Portable Changeable Message Signs | 1080 |
| Section 6F.61 | Arrow Boards | 1083 |
| Section 6F.62 | High-Level Warning Devices (Flag Trees) | 1085 |
| Section 6F.63 | Channelizing Devices | 1086 |
| Section 6F.64 | Cones | 1087 |
| Section 6F.65 | Tubular Markers | 1088 |
| Section 6F.66 | Vertical Panels | 1089 |
| Section 6F.67 | Drums | 1090 |
| Section 6F.68 | Type 1, 2, or 3 Barricades | 1090 |
| Section 6F.69 | Direction Indicator Barricades | 1092 |
| Section 6F.70 | Temporary Traffic Barriers as Channelizing Devices | 1092 |
| Section 6F.71 | Longitudinal Channelizing Devices | 1093 |
| Section 6F.72 | Temporary Lane Separators | 1093 |
| Section 6F.73 | Other Channelizing Devices | 1094 |
| Section 6F.74 | Detectable Edging for Pedestrians | 1094 |
| Section 6F.75 | Temporary Raised Islands | 1094 |
| Section 6F.76 | Opposing Traffic Lane Divider and Sign (W6-4) | 1095 |
| Section 6F.77 | Pavement Markings | 1095 |
| Section 6F.78 | Temporary Markings | 1096 |
| Section 6F.79 | Temporary Raised Pavement Markers | 1097 |
| Section 6F.80 | Delineators | 1097 |
| Section 6F.81 | Lighting Devices | 1098 |
| Section 6F.82 | Floodlights | 1098 |
| Section 6F.83 | Warning Lights | 1098 |
| Section 6F.84 | Temporary Traffic Control Signals | 1100 |
| Section 6F.85 | Temporary Traffic Barriers | 1101 |
| Section 6F.86 | Crash Cushions | 1102 |
| Section 6F.87 | Rumble Strips | 1103 |
| Section 6F.88 | Screens | 1104 |
| Section 6F.101(CA) | LOOSE GRAVEL Sign (W8-7) | 1104 |
| Section 6F.102(CA) | NARROW LANE(S) Sign (C12(CA)) | 1104 |
| Section 6F.103(CA) | OPEN TRENCH Sign (C27(CA)) | 1104 |
| Section 6F.104(CA) | Moving Lane Closure Signs (W23-1 and SC10(CA), SC11(CA), SC13(CA), SC15(CA)) | 1105 |
| Section 6F.105(CA) | Object Markers | 1105 |
| Section 6F.106(CA) | Slow For The Cone Zone (SC19(CA) and SC20(CA)) Signs | 1106 |
| Section 6F.107(CA) | FRESH CONCRETE (C43(CA)) Sign | 1106 |
| Section 6F.108(CA) | CAUTION FREQUENT STOPPING AND BACKING STAY BACK 100 FEET (SC21(CA)) Sign | 1106 |
| Section 6F.109(CA) | Construction Project Funding Identification Signs | 1106 |
| CHAPTER 6G | TYPE OF TEMPORARY TRAFFIC CONTROL ZONE ACTIVITIES | 1128 |
| Section 6G.01 | Typical Applications | 1128 |
| Section 6G.02 | Work Duration | 1128 |
| Section 6G.03 | Location of Work | 1130 |
| Section 6G.04 | Modifications To Fulfill Special Needs | 1130 |
| Section 6G.05 | Work Affecting Pedestrian and Bicycle Facilities | 1131 |

| | | |
|--------------------|--|-------------|
| Section 6G.06 | Work Outside of the Shoulder | 1132 |
| Section 6G.07 | Work on the Shoulder with No Encroachment | 1132 |
| Section 6G.08 | Work on the Shoulder with Minor Encroachment | 1133 |
| Section 6G.09 | Work Within the Median | 1133 |
| Section 6G.10 | Work Within the Traveled Way of a Two-Lane Highway | 1133 |
| Section 6G.11 | Work Within the Traveled Way of an Urban Street | 1134 |
| Section 6G.12 | Work Within the Traveled Way of a Multi-Lane, Non-Access Controlled Highway | 1135 |
| Section 6G.13 | Work Within the Traveled Way at an Intersection | 1136 |
| Section 6G.14 | Work Within the Traveled Way of a Freeway or Expressway | 1137 |
| Section 6G.15 | Two-Lane, Two-Way Traffic on One Roadway of a Normally Divided Highway | 1138 |
| Section 6G.16 | Crossovers | 1138 |
| Section 6G.17 | Interchanges | 1138 |
| Section 6G.18 | Work in the Vicinity of a Grade Crossing | 1139 |
| Section 6G.19 | Temporary Traffic Control During Nighttime Hours | 1139 |
| CHAPTER 6H | TYPICAL APPLICATIONS | 1142 |
| Section 6H.01 | Typical Applications | 1142 |
| CHAPTER 6I | CONTROL OF TRAFFIC THROUGH TRAFFIC INCIDENT MANAGEMENT AREAS | 1264 |
| Section 6I.01 | General | 1264 |
| Section 6I.02 | Major Traffic Incidents | 1265 |
| Section 6I.03 | Intermediate Traffic Incidents | 1266 |
| Section 6I.04 | Minor Traffic Incidents | 1266 |
| Section 6I.05 | Use of Emergency-Vehicle Lighting | 1267 |
| Section 6I.101(CA) | FLOODING AHEAD TURN AROUND DON'T DROWN Sign (W86(CA)) | 1267 |
| Section 6I.102(CA) | EMERGENCY SCENE AHEAD W90(CA) Sign | 1267 |
| PART 7 | TRAFFIC CONTROL FOR SCHOOL AREAS | 1270 |
| CHAPTER 7A | GENERAL | 1270 |
| Section 7A.01 | Need for Standards | 1270 |
| Section 7A.02 | School Routes and Established School Crossings | 1270 |
| Section 7A.03 | School Crossing Control Criteria | 1272 |
| Section 7A.04 | Scope | 1272 |
| CHAPTER 7B | SIGNS | 1274 |
| Section 7B.01 | Size of School Signs | 1274 |
| Section 7B.02 | Illumination and Reflectorization | 1274 |
| Section 7B.03 | Position of Signs | 1274 |
| Section 7B.04 | Height of Signs | 1274 |
| Section 7B.05 | Installation of Signs | 1274 |
| Section 7B.06 | Lettering | 1275 |
| Section 7B.07 | Sign Color for School Warning Signs | 1275 |
| Section 7B.08 | School Sign (S1-1) and Plaques | 1275 |
| Section 7B.09 | School Zone Sign (S1-1) and Plaques (S4-3P, S4-7P) & END SCHOOL ZONE Sign (S5-2) | 1275 |
| Section 7B.10 | Higher Fines Zone Signs (R2-10, R2-11) and Plaques | 1276 |

| | | |
|------------------------------------|---|----------------------|
| Section 7B.11 | School Advance Crossing Assembly | 1276 |
| Section 7B.12 | School Crossing Assembly | 1277 |
| Section 7B.13 | School Bus Stop Ahead Sign (S3-1) | 1278 |
| Section 7B.14 | SCHOOL BUS TURN AHEAD Sign (S3-2) | 1278 |
| Section 7B.15 | School Speed Limit Assembly (S4-1P, S4-2P, S4-3P, S4-4P, S4-6P, S5-1) and END SCHOOL SPEED LIMIT Sign (S5-3) | 1278 |
| Section 7B.16 | Reduced School Speed Limit Ahead Sign (S4-5, S4-5a) | 1281 |
| Section 7B.17 | Parking and Stopping Signs (R7 and R8 Series) | 1281 |
| CHAPTER 7C | MARKINGS | 1296 |
| Section 7C.01 | Functions and Limitations | 1296 |
| Section 7C.02 | Crosswalk Markings | 1296 |
| Section 7C.03 | Pavement Word, Symbol, and Arrow Markings | 1297 |
| CHAPTER 7D | CROSSING SUPERVISION | 1300 |
| Section 7D.01 | Types of Crossing Supervision | 1300 |
| Section 7D.02 | Adult Crossing Guards | 1300 |
| Section 7D.03 | Qualifications of Adult Crossing Guards | 1301 |
| Section 7D.04 | Uniform of Adult Crossing Guards | 1301 |
| Section 7D.05 | Operating Procedures for Adult Crossing Guards | 1302 |
| Section 7D.101(CA) | School Safety Patrols | 1302 |
| PART 8 | TRAFFIC CONTROL FOR RAILROAD AND LIGHT RAIL TRANSIT GRADE CROSSINGS | 1304 |
| CHAPTER 8A | GENERAL | 1304 |
| Section 8A.01 | Introduction | 1304 |
| Section 8A.02 | Use of Standard Devices, Systems, and Practices at Highway-Rail Grade Crossings | 1305 |
| Section 8A.03 | Use of Standard Devices, Systems, and Practices at Highway-LRT Grade Crossings | 1306 |
| Section 8A.04 | Uniform Provisions | 1307 |
| Section 8A.05 | Grade Crossing Elimination | 1307 |
| Section 8A.06 | Illumination at Grade Crossings | 1307 |
| Section 8A.07 | Quiet Zone Treatments at Highway-Rail Grade Crossings | 1308 |
| Section 8A.08 | Temporary Traffic Control Zones | 1308 |
| Section 8A.101(CA) | Relation to Other Documents | 1308 |
| CHAPTER 8B | SIGNS AND MARKINGS | 1310 |
| Section 8B.01 | Purpose | 1310 |
| Section 8B.02 | Sizes of Grade Crossing Signs | 1310 |
| Section 8B.03 | Grade Crossing (Crossbuck) Sign (R15-1) and Number of Tracks Plaque (R15-2P) at Active and Passive Grade Crossings | 1310 |
| Section 8B.04 | Crossbuck Assemblies with YIELD or STOP Signs at Passive Grade Crossings | 1311 |
| Section 8B.05 | Use of STOP (R1-1) or YIELD (R1-2) Signs without Crossbuck Signs at Highway-LRT Grade Crossings | 1313 |
| Section 8B.06 | Grade Crossing Advance Warning Signs (W10 Series) | 1313 |
| Section 8B.07 | EXEMPT Grade Crossing Plaques (R15-3P, W10-1aP) | 1314 |
| Section 8B.08 | Turn Restrictions During Preemption | 1315 |

| | | |
|------------------------------------|---|----------------------|
| Section 8B.09 | DO NOT STOP ON TRACKS Sign (R8-8) | 1316 |
| Section 8B.10 | TRACKS OUT OF SERVICE Sign (R8-9) | 1316 |
| Section 8B.11 | STOP HERE WHEN FLASHING Signs (R8-10, R8-10a) | 1316 |
| Section 8B.12 | STOP HERE ON RED Signs (R10-6, R10-6a) | 1316 |
| Section 8B.13 | Light Rail Transit Only Lane Signs (R15-4 Series) | 1317 |
| Section 8B.14 | Do Not Pass Light Rail Transit Signs (R15-5, R15-5a) | 1317 |
| Section 8B.15 | No Motor Vehicles On Tracks Signs (R15-6, R15-6a) | 1317 |
| Section 8B.16 | Divided Highway with Light Rail Transit Crossing Signs (R15-7 Series) | 1317 |
| Section 8B.17 | LOOK Sign (R15-8) | 1318 |
| Section 8B.18 | Emergency Notification Sign (I-13) | 1318 |
| Section 8B.19 | Light Rail Transit Approaching-Activated Blank-Out Warning Sign (W10-7) | 1319 |
| Section 8B.20 | TRAINS MAY EXCEED 80 MPH Sign (W10-8) | 1319 |
| Section 8B.21 | NO TRAIN HORN Sign or Plaque (W10-9, W10-9P) | 1319 |
| Section 8B.22 | NO GATES OR LIGHTS Plaque (W10-13P) | 1319 |
| Section 8B.23 | Low Ground Clearance Grade Crossing Sign (W10-5) | 1319 |
| Section 8B.24 | Storage Space Signs (W10-11, W10-11a, W10-11b) | 1320 |
| Section 8B.25 | Skewed Crossing Sign (W10-12) | 1320 |
| Section 8B.26 | Light Rail Transit Station Sign (I-12) | 1320 |
| Section 8B.27 | Pavement Markings | 1320 |
| Section 8B.28 | Stop and Yield Lines | 1321 |
| Section 8B.29 | Dynamic Envelope Markings | 1321 |
| Section 8B.101(CA) | Train Station Signs (I-7, G95F(CA), G95G(CA) and G97A(CA)) | 1322 |
| Section 8B.102(CA) | Trolley Crossing Signs (W82(CA) and W82-1(CA)) | 1322 |
| CHAPTER 8C | FLASHING-LIGHT SIGNALS, GATES, AND TRAFFIC CONTROL SIGNALS | 1340 |
| Section 8C.01 | Introduction | 1340 |
| Section 8C.02 | Flashing-Light Signals | 1341 |
| Section 8C.03 | Flashing-Light Signals at Highway-LRT Grade Crossings | 1342 |
| Section 8C.04 | Automatic Gates | 1342 |
| Section 8C.05 | Use of Automatic Gates at LRT Grade Crossings | 1343 |
| Section 8C.06 | Four-Quadrant Gate Systems | 1343 |
| Section 8C.07 | Wayside Horn Systems | 1345 |
| Section 8C.08 | Rail Traffic Detection | 1345 |
| Section 8C.09 | Traffic Control Signals at or Near Highway-Rail Grade Crossings | 1345 |
| Section 8C.10 | Traffic Control Signals at or Near Highway-LRT Grade Crossings | 1347 |
| Section 8C.11 | Use of Traffic Control Signals for Control of LRT Vehicles at Grade Crossings | 1348 |
| Section 8C.12 | Grade Crossings Within or In Close Proximity to Circular Intersections | 1348 |
| Section 8C.13 | Pedestrian and Bicycle Signals and Crossings at LRT Grade Crossings | 1349 |
| CHAPTER 8D | PATHWAY GRADE CROSSINGS | 1360 |
| Section 8D.01 | Purpose | 1360 |
| Section 8D.02 | Use of Standard Devices, Systems, and Practices | 1360 |
| Section 8D.03 | Pathway Grade Crossing Signs and Markings | 1360 |
| Section 8D.04 | Stop Lines, Edge Lines, and Detectable Warnings | 1360 |
| Section 8D.05 | Passive Devices for Pathway Grade Crossings | 1361 |
| Section 8D.06 | Active Traffic Control Systems for Pathway Grade Crossings | 1361 |

| | | |
|--------------------|--|-------------|
| PART 9 | TRAFFIC CONTROL FOR BICYCLE FACILITIES | 1364 |
| CHAPTER 9A | GENERAL | 1364 |
| Section 9A.01 | Requirements for Bicyclist Traffic Control Devices | 1364 |
| Section 9A.02 | Scope | 1364 |
| Section 9A.03 | Definitions Relating to Bicycles | 1364 |
| Section 9A.04 | Maintenance | 1364 |
| Section 9A.05 | Relation to Other Documents | 1364 |
| Section 9A.06 | Placement Authority | 1365 |
| Section 9A.07 | Meaning of Standard, Guidance, Option, and Support | 1366 |
| Section 9A.08 | Colors | 1366 |
| Section 9A.101(CA) | Traffic Controls for Bicycle Facilities at Rail Crossings | 1366 |
| CHAPTER 9B | SIGNS | 1368 |
| Section 9B.01 | Application and Placement of Signs | 1368 |
| Section 9B.02 | Design of Bicycle Signs | 1368 |
| Section 9B.03 | STOP and YIELD Signs (R1-1, R1-2) | 1368 |
| Section 9B.04 | Bike Lane Signs and Plaques (R3-17, R3-17aP, R3-17bP) | 1369 |
| Section 9B.05 | BEGIN RIGHT TURN LANE YIELD TO BIKES Sign (R4-4) | 1369 |
| Section 9B.06 | Bicycles May Use Full Lane Sign (R4-11) | 1369 |
| Section 9B.07 | Bicycle WRONG WAY Sign and RIDE WITH TRAFFIC Plaque (R5-1b, R9-3cP) | 1370 |
| Section 9B.08 | NO MOTOR VEHICLES Sign (R5-3) | 1370 |
| Section 9B.09 | Selective Exclusion Signs | 1370 |
| Section 9B.10 | No Parking Bike Lane Signs (R7-9, R7-9a) | 1370 |
| Section 9B.11 | Bicycle Regulatory Signs (R9-5, R9-6, R10-4, R10-24, R10-25, and R10-26) | 1370 |
| Section 9B.12 | Shared-Use Path Restriction Sign (R9-7) | 1371 |
| Section 9B.13 | Bicycle Signal Actuation Sign (R10-22) | 1371 |
| Section 9B.14 | Other Regulatory Signs | 1371 |
| Section 9B.15 | Turn or Curve Warning Signs (W1 Series) | 1371 |
| Section 9B.16 | Intersection Warning Signs (W2 Series) | 1371 |
| Section 9B.17 | Bicycle Surface Condition Warning Sign (W8-10) | 1371 |
| Section 9B.18 | Bicycle Warning and Combined Bicycle/Pedestrian Signs (W11-1 and W11-15) | 1372 |
| Section 9B.19 | Other Bicycle Warning Signs | 1372 |
| Section 9B.20 | Bicycle Guide Signs (D1-1b, D1-1c, D1-2b, D1-2c, D1-3b, D1-3c, D11-1, D11-1c) | 1372 |
| Section 9B.21 | Bicycle Route Signs (M1-8, M1-8a, M1-9) | 1373 |
| Section 9B.22 | Bicycle Route Sign Auxiliary Plaques | 1374 |
| Section 9B.23 | Bicycle Parking Area Sign (D4-3) | 1374 |
| Section 9B.24 | Reference Location Signs (D10-1 through D10-3) and Intermediate Reference Location Signs (D10-1a through D10-3a) | 1375 |
| Section 9B.25 | Mode-Specific Guide Signs for Shared-Use Paths (D11-1a, D11-2, D11-3, D11-4) | 1375 |
| Section 9B.26 | Object Markers | 1376 |
| Section 9B.101(CA) | Freeway Bicycle Signs (R5-10a, R5-10b, R5-10c, R44B(CA), R44C(CA)) | 1376 |
| Section 9B.102(CA) | PASS Bicycle 3 FT MIN Sign (R117(CA)) | 1376 |
| Section 9B.103(CA) | EXCEPT Bicycle Plaque (R118(CA)) | 1376 |
| Section 9B.104(CA) | Signs on Overcrossing Structures | 1376 |
| CHAPTER 9C | MARKINGS | 1392 |
| Section 9C.01 | Functions of Markings | 1392 |
| Section 9C.02 | General Principles | 1392 |

| | | |
|---------------------|---|-------------|
| Section 9C.03 | Marking Patterns and Colors on Shared-Use Paths | 1392 |
| Section 9C.04 | Markings For Bicycle Lanes | 1393 |
| Section 9C.05 | Bicycle Detector Symbol | 1397 |
| Section 9C.06 | Pavement Markings for Obstructions | 1397 |
| Section 9C.07 | Shared Lane Marking | 1397 |
| Section 9C.101(CA) | Barrier Posts on Class I Bikeways | 1398 |
| Section 9C.102(CA) | Class IV Bikeways | 1399 |
| CHAPTER 9D | SIGNALS | 1426 |
| Section 9D.01 | Application | 1426 |
| Section 9D.02 | Signal Operations for Bicycles | 1426 |
| APPENDIX A1. | CONGRESSIONAL LEGISLATION | 1430 |
| APPENDIX A2. | METRIC CONVERSIONS | 1432 |

LIST OF FIGURES

Page

| | | |
|-------------------|--|-----|
| Figure 1A-1 | Process for Requesting and Conducting Experimentations for New Traffic Control Devices | 92 |
| Figure 1A-1(CA) | Process for Requesting and Conducting Experimentations for New Traffic Control Devices in California | 93 |
| Figure 1A-2 | Process for Incorporating New Traffic Control Devices into the MUTCD | 94 |
| Figure 1A-101(CA) | Process for the Use of Traffic Control Devices in California Approved as Interim Approval (IA) by FHWA | 95 |
| Figure 2A-1 | Examples of Enhanced Conspicuity for Signs | 115 |
| Figure 2A-2 | Examples of Heights and Lateral Locations of Sign Installations | 116 |
| Figure 2A-2(CA) | Examples of Heights and Lateral Locations of Sign Installations | 117 |
| Figure 2A-3 | Examples of Locations for Some Typical Signs at Intersections | 118 |
| Figure 2A-4 | Relative Locations of Regulatory, Warning, and Guide Signs on an Intersection Approach | 119 |
| Figure 2B-1 | STOP and YIELD Signs and Plaques | 194 |
| Figure 2B-2 | Unsignalized Pedestrian Crosswalk Signs | 194 |
| Figure 2B-3 | Speed Limit and Photo Enforcement Signs and Plaques | 195 |
| Figure 2B-3(CA) | Speed Limit and Photo Enforcement Signs and Plaques | 196 |
| Figure 2B-4 | Movement Prohibition and Lane Control Signs and Plaques | 197 |
| Figure 2B-4(CA) | Movement Prohibition and Lane Control Signs and Plaques | 198 |
| Figure 2B-5 | Intersection Lane Control Sign Arrow Options for Roundabouts | 199 |
| Figure 2B-6 | Center and Reversible Lane Control Signs and Plaques | 199 |
| Figure 2B-7 | Location of Reversible Two-Way Left-Turn Signs | 200 |
| Figure 2B-8 | Jughandle Regulatory Signs | 201 |
| Figure 2B-9 | Examples of Applications of Jughandle Regulatory and Guide Signing | 202 |
| Figure 2B-10 | Passing, Keep Right, and Slow Traffic Signs | 205 |
| Figure 2B-10(CA) | Passing, Keep Right, and Slow Traffic Signs | 206 |
| Figure 2B-11 | Selective Exclusion Signs | 207 |
| Figure 2B-11(CA) | Selective Exclusion Signs | 208 |
| Figure 2B-12 | Locations of Wrong-Way Signing for Divided Highways with Median Widths of 30 Feet or Wider | 209 |
| Figure 2B-12(CA) | Locations of Wrong-Way Signing for Divided Highways A – with Median Widths of 30 feet or Wider | 210 |
| | B – with Median Widths Narrower than 30 feet | 211 |
| Figure 2B-13 | ONE WAY and Divided Highway Crossing Signs | 212 |
| Figure 2B-14 | Locations of ONE WAY Signs | 213 |
| Figure 2B-15 | ONE WAY Signing for Divided Highways with Median Widths of 30 Feet or Wider | 214 |
| Figure 2B-16 | ONE WAY Signing for Divided Highways with Median Widths Narrower Than 30 Feet | 215 |
| Figure 2B-17 | ONE WAY Signing for Divided Highways with Median Widths Narrower Than 30 Feet and Separated Left-Turn Lanes | 216 |
| Figure 2B-18 | Example of Application of Regulatory Signing and Pavement Markings at an Exit Ramp Termination to Deter Wrong-Way Entry | 217 |
| Figure 2B-18(CA) | Examples of Application of Regulatory Signing and Pavement Markings at an Exit Ramp Termination to Deter Wrong-Way Entry | 218 |
| Figure 2B-19 | Example of Application of Regulatory Signing and Pavement Markings at an Entrance Ramp Terminal Where the Design Does Not Clearly Indicate the Direction of Flow | 223 |
| Figure 2B-20 | Roundabout Signs and Plaques | 223 |
| Figure 2B-21 | Example of Regulatory and Warning Signs for a Mini-Roundabout | 224 |

| | | |
|-------------------------|--|-----|
| Figure 2B-22 | Example of Regulatory and Warning Signs for a One-Lane Roundabout | 225 |
| Figure 2B-23 | Example of Regulatory and Warning Signs for a Two-Lane Roundabout with Consecutive Double Lefts | 226 |
| Figure 2B-24 | Parking and Standing Signs and Plaques (R7 Series) | 227 |
| Figure 2B-24(CA) | Parking and Standing Signs and Plaques (R7 Series) | 229 |
| Figure 2B-25 | Parking and Stopping Signs and Plaques (R8 Series) | 232 |
| Figure 2B-25(CA) | Parking and Stopping Signs and Plaques (R8 Series) | 232 |
| Figure 2B-26 | Pedestrian Signs and Plaques | 233 |
| Figure 2B-26(CA) | Pedestrian Signs and Plaques | 234 |
| Figure 2B-27 | Traffic Signal Signs and Plaques | 235 |
| Figure 2B-27(CA) | Traffic Signal Signs and Plaques | 236 |
| Figure 2B-28 | Ramp Metering Signs | 236 |
| Figure 2B-28(CA) | Ramp Metering Signs | 236 |
| Figure 2B-29 | Road Closed and Weight Limit Signs | 237 |
| Figure 2B-29(CA) | Road Closed and Weight Limit Signs | 237 |
| Figure 2B-30 | Truck Signs | 238 |
| Figure 2B-30(CA) | Truck Signs | 239 |
| Figure 2B-31 | Headlight Use Signs | 240 |
| Figure 2B-32 | Other Regulatory Signs and Symbols | 240 |
| Figure 2B-32(CA) | Other Regulatory Signs and Symbols | 240 |
| Figure 2B-101(CA) | Example of Speed Zone Survey Sheet | 241 |
| Figure 2B-102(CA) | Example of Cumulative Speed Curve Sheet | 242 |
| Figure 2B-103(CA) | Example of Vehicle Speed Survey Sheet for City and County Through Highways, Arterials, and Collector Roads | 243 |
| Figure 2B-104(CA) | Example of Vehicle Speed Survey Sheet for (For 40 MPH and Under) | 244 |
| Figure 2B-105(CA) | U-Turn Signs for Signalized Intersections with Separate Turn Phase | 245 |
| Figure 2B-106(CA) | California Miscellaneous Regulatory Signs | 246 |
| Figure 2C-1 | Horizontal Alignment Signs and Plaques | 295 |
| Figure 2C-1(CA) | Horizontal Alignment Signs and Plaques | 296 |
| Figure 2C-2 | Example of Warning Signs for a Turn | 297 |
| Figure 2C-3 | Example of Advisory Speed Signing for an Exit Ramp | 298 |
| Figure 2C-4 | Vertical Grade Signs and Plaques | 299 |
| Figure 2C-4(CA) | Vertical Grade Signs and Plaques | 299 |
| Figure 2C-5 | Miscellaneous Warning Signs | 300 |
| Figure 2C-5(CA) | Miscellaneous Warning Signs | 300 |
| Figure 2C-6 | Roadway and Weather Condition and Advance Traffic Control Signs and Plaques | 301 |
| Figure 2C-6(CA) | Roadway and Weather Condition and Advance Traffic Control Signs and Plaques | 302 |
| Figure 2C-7 | Reduced Speed Limit Ahead Signs | 302 |
| Figure 2C-8 | Merging and Passing Signs and Plaques | 303 |
| Figure 2C-8(CA) | Merging and Passing Signs and Plaques | 303 |
| Figure 2C-9 | Intersection Warning Signs and Plaques | 304 |
| Figure 2C-9(CA) | Intersection Warning Signs and Plaques | 304 |
| Figure 2C-10 | Vehicular Traffic Warning Signs and Plaques | 305 |
| Figure 2C-10(CA) | Vehicular Traffic Warning Signs and Plaques | 305 |
| Figure 2C-11 | Non-Vehicular Warning Signs | 306 |
| Figure 2C-11(CA) | Non-Vehicular Warning Signs | 306 |
| Figure 2C-12 | Supplemental Warning Plaques | 307 |
| Figure 2C-12(CA) | Supplemental Warning Plaques | 307 |
| Figure 2C-13 | Object Markers | 308 |
| Figure 2C-13(CA) | California Object Markers | 309 |
| Figure 2C-101(CA) | Determination of Comfortable Speed from Ball Bank Indicator Readings | 311 |
| Figure 2D-1 | Examples of Color-Coded Destination Guide Signs | 359 |
| Figure 2D-2 | Arrows for Use on Guide Signs | 359 |

| | | |
|-------------------------|--|----------------|
| Figure 2D-2(CA) | Arrows for Use on Guide Signs | 360 |
| Figure 2D-3 | Route Signs | 362 |
| Figure 2D-3(CA) | California Route Signs | 362 |
| Figure 2D-4 | Route Sign Auxiliaries | 363 |
| Figure 2D-4(CA) | Route Sign Auxiliaries | 363 |
| Figure 2D-5 | Advance Turn and Directional Arrow Auxiliary Signs | 364 |
| Figure 2D-5(CA) | Advance Turn and Directional Arrow Auxiliary Signs | 364 |
| Figure 2D-6 | Illustration of Directional Assemblies and Other Route Signs (for One Direction of Travel Only) | 365 |
| Figure 2D-7 | Destination and Distance Signs | 369 |
| Figure 2D-7(CA) | California Destination and Distance Signs | 370 |
| Figure 2D-8 | Destination Signs for Roundabouts | 371 |
| Figure 2D-9 | Examples of Guide Signs for Roundabouts | 372 |
| Figure 2D-10 | Street Name and Parking Signs | 374 |
| Figure 2D-10(CA) | Street Name and Parking Signs | 374 |
| Figure 2D-11 | Example of Interchange Crossroad Signing for a One-Lane Approach | 375 |
| Figure 2D-12 | Example of Minor Interchange Crossroad Signing | 376 |
| Figure 2D-13 | Examples of Multi-Lane Crossroad Signing for a Diamond Interchange | 377 |
| Figure 2D-14 | Examples of Multi-Lane Crossroad Signing for a Partial Cloverleaf Interchange | 378 |
| Figure 2D-15 | Examples of Multi-Lane Crossroad Signing for a Cloverleaf Interchange | 379 |
| Figure 2D-16 | Example of Crossroad Signing for an Entrance Ramp with a Nearby Frontage Road | 380 |
| Figure 2D-17 | Example of Weigh Station Signing | 381 |
| Figure 2D-17(CA) | Example of Weigh Station Signing | 382 |
| Figure 2D-18 | Examples of Community Wayfinding Guide Signs | 382 |
| Figure 2D-19 | Example of a Community Wayfinding Guide Sign System Showing Direction from a Freeway or Expressway | 383 |
| Figure 2D-20 | Example of a Color-Coded Community Wayfinding Guide Sign System | 384 |
| Figure 2D-21 | Crossover, Truck Lane, and Slow Vehicle Signs | 385 |
| Figure 2D-21(CA) | Crossover, Truck Lane, and Slow Vehicle Signs | 385 |
| Figure 2D-22 | Examples of Use of the National Scenic Byways Sign | 385 |
| Figure 2D-101(CA) | California Miscellaneous Guide Signs | 386 |
| Figure 2E-1 | Example of Guide Sign Spreading | 421 |
| Figure 2E-2 | Pull-Through Signs | 421 |
| Figure 2E-2(CA) | California Pull-Through Signs | 422 |
| Figure 2E-3 | Overhead Arrow-per-Lane Guide Sign for a Multi-Lane Exit with an Option Lane | 422 |
| Figure 2E-4 | Overhead Arrow-per-Lane Guide Signs for a Two-Lane Exit to the Right with an Option Lane | 423 |
| Figure 2E-5 | Overhead Arrow-per-Lane Guide Signs for a Two-Lane Exit to the Right with an Option Lane (Through Lanes Curve to the Left) | 424 |
| Figure 2E-6 | Overhead Arrow-per-Lane Guide Signs for a Split with an Option Lane | 425 |
| Figure 2E-7 | Diagrammatic Guide Sign for a Multi-Lane Exit with an Option Lane | 426 |
| Figure 2E-8 | Diagrammatic Guide Signs for a Two-Lane Exit to the Right with an Option Lane | 427 |
| Figure 2E-9 | Diagrammatic Guide Signs for a Two-Lane Exit to the Right with an Option Lane (Through Lanes Curve to the Left) | 428 |
| Figure 2E-10 | Diagrammatic Guide Signs for a Split with an Option Lane | 429 |
| Figure 2E-11 | Example of Signing for a Two-Lane Intermediate or Minor Interchange Exit with an Option Lane and a Dropped Lane | 430 |
| Figure 2E-12 | Example of Signing for a Two-Lane Intermediate or Minor Interchange Exit with Option and Auxiliary Lanes | 431 |
| Figure 2E-13 | EXIT ONLY and LEFT Sign Panels | 432 |
| Figure 2E-13(CA) | EXIT ONLY and LEFT Sign Panels | 432 |
| Figure 2E-14 | Guide Signs for a Split with Dedicated Lanes | 433 |
| Figure 2E-15 | Guide Signs for a Single-Lane Exit to the Left with a Dropped Lane | 434 |

| | | |
|------------------|---|-----|
| Figure 2E-16 | Guide Signs for a Single-Lane Exit to the Right with a Dropped Lane | 435 |
| Figure 2E-17 | Interstate, Off-Interstate, and U.S. Route Signs | 436 |
| Figure 2E-18 | Eisenhower Interstate System Signs | 436 |
| Figure 2E-19 | Example of Interchange Numbering for Mainline and Circumferential Routes | 437 |
| Figure 2E-20 | Example of Interchange Numbering for Mainline, Loop, and Spur Routes | 438 |
| Figure 2E-21 | Example of Interchange Numbering for Overlapping Routes | 439 |
| Figure 2E-22 | Examples of Interchange Advance Guide Signs, Exit Number Plaques, and LEFT Plaque | 440 |
| Figure 2E-22(CA) | Examples of Interchange Advance Guide Signs, Exit Number Plaques, and LEFT Plaque | 441 |
| Figure 2E-23 | Next Exit Plaques | 441 |
| Figure 2E-24 | Supplemental Guide Sign for a Multi-Exit Interchange | 442 |
| Figure 2E-25 | Supplemental Guide Sign for a Park – Ride Facility | 442 |
| Figure 2E-26 | Examples of Interchange Exit Direction Signs | 443 |
| Figure 2E-26(CA) | Examples of Interchange Exit Direction Signs | 444 |
| Figure 2E-27 | Interchange Exit Direction Sign with an Advisory Speed Panel | 444 |
| Figure 2E-28 | Exit Gore Signs | 445 |
| Figure 2E-28(CA) | Exit Gore Signs | 445 |
| Figure 2E-29 | Post-Interchange Distance Sign | 446 |
| Figure 2E-30 | Example of Using an Interchange Sequence Sign for Closely-Spaced Interchanges | 447 |
| Figure 2E-31 | Interchange Sequence Sign | 448 |
| Figure 2E-31(CA) | Interchange Sequence Sign | 448 |
| Figure 2E-32 | Community Interchanges Identification Sign | 449 |
| Figure 2E-33 | NEXT EXITS Sign | 449 |
| Figure 2E-33(CA) | NEXT EXITS Sign | 449 |
| Figure 2E-34 | Examples of Guide Signs for a Freeway-to-Freeway Interchange | 450 |
| Figure 2E-34(CA) | Examples of Guide Signs for a Freeway-to-Freeway Interchange | 452 |
| Figure 2E-35 | Examples of Guide Signs for a Full Cloverleaf Interchange | 453 |
| Figure 2E-35(CA) | Examples of Guide Signs for a Full Cloverleaf Interchange | 454 |
| Figure 2E-36 | Examples of Guide Signs for a Full Cloverleaf Interchange with Collector-Distributor Roadways | 455 |
| Figure 2E-37 | Examples of Guide Signs for a Partial Cloverleaf Interchange | 456 |
| Figure 2E-37(CA) | Examples of Guide Signs for a Partial Cloverleaf Interchange | 457 |
| Figure 2E-38 | Examples of Guide Signs for a Diamond Interchange | 458 |
| Figure 2E-38(CA) | Examples of Guide Signs for a Diamond Interchange | 459 |
| Figure 2E-39 | Examples of Guide Signs for a Diamond Interchange in an Urban Area | 460 |
| Figure 2E-39(CA) | Examples of Guide Signs for a Diamond Interchange in an Urban Area | 461 |
| Figure 2E-40 | Examples of Guide Signs for a Minor Interchange | 462 |
| Figure 2E-40(CA) | Examples of Guide Signs for a Minor Interchange | 463 |
| Figure 2F-1 | Examples of ETC Account Pictographs and Use of Purple Backgrounds and Underlay Panels | 480 |
| Figure 2F-2 | Toll Plaza Regulatory Signs and Plaques | 480 |
| Figure 2F-3 | Toll Plaza Warning Signs and Plaques | 481 |
| Figure 2F-4 | ETC Account-Only Auxiliary Signs for Use in Route Sign Assemblies | 481 |
| Figure 2F-5 | Examples of Guide Signs for Entrances to Toll Highways or Ramps | 482 |
| Figure 2F-6 | Examples of Guide Signs for the Entrance to a Toll Highway on which Tolls are Collected Electronically Only | 483 |
| Figure 2F-7 | Examples of Guide Signs for Alternative Toll and Non-Toll Ramp Connections to a Non-Toll Highway | 484 |
| Figure 2F-8 | Examples of Conventional Toll Plaza Advance Signs | 485 |
| Figure 2F-9 | Examples of Toll Plaza Canopy Signs | 485 |
| Figure 2F-10 | Examples of Mainline Toll Plaza Approach and Canopy Signing | 486 |

| | | |
|----------------------------------|--|---------------------|
| Figure 2F-11 | Examples of Guide Signs for a Mainline Toll Plaza on a Diverging Alignment from Open-Road ETC Lanes | 487 |
| Figure 2G-1 | Preferential Lane Regulatory Signs and Plaques | 508 |
| Figure 2G-1(CA) | Preferential Lane Regulatory Signs and Plaques | 510 |
| Figure 2G-2 | Example of Signing for an Added Continuous-Access Contiguous or Buffer-Separated HOV Lane | 511 |
| Figure 2G-3 | Example of Signing for a General-Purpose Lane that Becomes a Continuous-Access Contiguous or Buffer-Separated HOV Lane | 512 |
| Figure 2G-4 | Examples of Warning Signs and Plaques Applicable Only to Preferential Lanes | 513 |
| Figure 2G-4(CA) | Examples of Warning Signs and Plaques Applicable Only to Preferential Lanes | 513 |
| Figure 2G-5 | Example of an Overhead Advance Guide Sign for a Preferential Lane Entrance | 514 |
| Figure 2G-6 | Examples of Overhead or Post-Mounted Preferential Lane Entrance Direction Signs | 514 |
| Figure 2G-6(CA) | Examples of Overhead or Post-Mounted Preferential Lane Entrance Direction Signs | 515 |
| Figure 2G-7 | Entrance Gore Signs for Barrier-Separated Preferential Lanes | 515 |
| Figure 2G-8 | Example of Signing for an Entrance to Access-Restricted HOV Lanes | 516 |
| Figure 2G-9 | Example of Signing for an Intermediate Entry to a Barrier- or Buffer-Separated HOV Lane | 517 |
| Figure 2G-10 | Example of Signing for the Intermediate Entry to, Egress from, and End of Access-Restricted HOV Lanes | 518 |
| Figure 2G-11 | Examples of Barrier-Mounted Guide Signs for an Intermediate Egress from Preferential Lanes | 519 |
| Figure 2G-12 | Examples of Guide Signs for an Intermediate Egress from a Barrier- or Buffer-Separated HOV Lane | 520 |
| Figure 2G-13 | Example of Signing for a Direct Entrance Ramp to an HOV Lane from a Park and Ride Facility and a Local Street | 521 |
| Figure 2G-14 | Exit Gore Sign for a Direct Exit from a Preferential Lane | 522 |
| Figure 2G-14(CA) | Advance Exit and Exit Gore Sign for a Direct Exit from a Preferential Lane | 522 |
| Figure 2G-15 | Examples of Guide Signs for Direct HOV Lane Entrance and Exit Ramps | 523 |
| Figure 2G-15(CA) | Examples of Guide Signs for Direct HOV Lane Entrance and Exit Ramps | 524 |
| Figure 2G-16 | Examples of Guide Signs for a Direct Access Ramp between HOV Lanes on Separate Freeways | 525 |
| Figure 2G-17 | Regulatory Signs for Managed Lanes | 526 |
| Figure 2G-18 | Examples of Guide Signs for Entrances to Priced Managed Lanes | 527 |
| Figure 2G-19 | Example of an Exit Destinations Sign for a Managed Lane | 527 |
| Figure 2G-20 | Example of a Comparative Travel Time Information Sign for Preferential or Managed Lanes | 527 |
| Figure 2G-21 | Example of Signing for the Entrance to an Access-Restricted Priced Managed Lane | 528 |
| Figure 2G-22 | Example of Signing for the Entrance to an Access-Restricted Priced Managed Lane Where a General-Purpose Lane Becomes the Managed Lane | 529 |
| Figure 2G-23 | Example of Signing for an Intermediate Entry to a Barrier- or Buffer-Separated Priced Managed Lane | 530 |
| Figure 2G-24 | Example of Signing for the Intermediate Entry to, Egress from, and End of Access-Restricted Priced Managed Lanes | 531 |
| Figure 2G-25 | Examples of Guide Signs for an Intermediate Egress from a Barrier- or Buffer-Separated HOV Lane | 532 |
| Figure 2G-26 | Examples of Guide Signs for Direct Managed Lane Entrance and Exit Ramps | 533 |
| Figure 2G-27 | Examples of Guide Signs for a Direct Access Ramp between Managed Lanes on Separate Freeways | 534 |
| Figure 2G-28 | Examples of Guide Signs for a Direct Entrance Ramp to a Priced Managed Lane and Trailblazing to a Nearby Entrance to the General-Purpose Lanes | 535 |
| Figure 2G-29 | Examples of Guide Signs for Separate Entrance Ramps to General-Purpose and Priced Managed Lanes from the Same Crossroad | 536 |
| Figure 2H-1 | General Information and Miscellaneous Information Signs | 550 |

| | | |
|-------------------|--|-----|
| Figure 2H-1(CA) | General Information and Miscellaneous Information Signs | 550 |
| Figure 2H-2 | Reference Location Signs | 551 |
| Figure 2H-3 | Intermediate Reference Location Signs | 551 |
| Figure 2H-4 | Enhanced Reference Location Signs | 552 |
| Figure 2H-5 | Examples of Acknowledgment Sign Designs | 553 |
| Figure 2H-5(CA) | Examples of Adopt-A-Highway Sign Designs | 553 |
| Figure 2I-1 | General Service Signs and Plaques | 578 |
| Figure 2I-1(CA) | General Service Signs and Plaques | 579 |
| Figure 2I-2 | Example of Next Services Plaque | 580 |
| Figure 2I-3 | Examples of General Service Signs with and without Exit Numbering | 580 |
| Figure 2I-4 | Examples of Interstate Oasis Signs and Plaques | 581 |
| Figure 2I-5 | Rest Area and Other Roadside Area Signs | 581 |
| Figure 2I-5(CA) | Rest Area and Other Roadside Area Signs | 581 |
| Figure 2I-6 | Brake Check Area and Chain-Up Area Signs | 582 |
| Figure 2I-6(CA) | Brake Check Area and Chain-Up Area Signs | 582 |
| Figure 2I-7 | Examples of Tourist Information and Welcome Center Signs | 582 |
| Figure 2I-7(CA) | Examples of Tourist Information and Welcome Center Signs | 583 |
| Figure 2I-8 | Radio, Telephone, and Carpool Information Signs | 584 |
| Figure 2I-8(CA) | Radio, Telephone, and Carpool Information Signs | 585 |
| Figure 2J-1 | Examples of Specific Service Signs | 601 |
| Figure 2J-1(CA) | Examples of Specific Service Signs | 602 |
| Figure 2J-2 | Examples of Specific Service Sign Locations | 603 |
| Figure 2J-3 | Examples of Supplemental Messages on Logo Sign Panels | 604 |
| Figure 2J-3 (CA) | Examples of Supplemental Messages on Logo Sign Panels | 604 |
| Figure 2J-4 | Examples of RV Access Supplemental Messages on Logo Sign Panels | 604 |
| Figure 2J-5 | Examples of Specific Service Trailblazer Signs | 604 |
| Figure 2K-1 | Examples of Tourist-Oriented Directional Signs | 611 |
| Figure 2K-1(CA) | Examples of Tourist-Oriented Directional Signs | 612 |
| Figure 2K-2 | Examples of Intersection Approach Signs and Advance Signs for Tourist-Oriented Directional Signs | 613 |
| Figure 2M-1 | Examples of Use of Arrows, Educational Plaques, and Prohibitory Slashes | 635 |
| Figure 2M-1(CA) | Examples of Use of Arrows, Educational Plaques, and Prohibitory Slashes | 635 |
| Figure 2M-2 | Examples of Recreational and Cultural Interest Area Guide Signs | 636 |
| Figure 2M-2(CA) | Examples of Recreational and Cultural Interest Area Guide Signs | 637 |
| Figure 2M-3 | Arrangement, Height, and Lateral Position of Signs Located Within Recreational and Cultural Interest Areas | 638 |
| Figure 2M-4 | Examples of Symbol and Destination Guide Signing Layout | 639 |
| Figure 2M-5 | Recreational and Cultural Interest Area Symbol Signs for General Applications | 640 |
| Figure 2M-6 | Recreational and Cultural Interest Area Symbol Signs for Accommodations | 641 |
| Figure 2M-7 | Recreational and Cultural Interest Area Symbol Signs for Services | 641 |
| Figure 2M-8 | Recreational and Cultural Interest Area Symbol Signs for Land Recreation | 642 |
| Figure 2M-8(CA) | Recreational and Cultural Interest Area Symbol Signs for Land Recreation | 642 |
| Figure 2M-9 | Recreational and Cultural Interest Area Symbol Signs for Water Recreation | 643 |
| Figure 2M-10 | Recreational and Cultural Interest Area Symbol Signs for Winter Recreation | 644 |
| Figure 2M-10(CA) | Recreational and Cultural Interest Area Symbol Signs for Winter Recreation | 644 |
| Figure 2M-101(CA) | Memorial or Dedication Signing | 645 |
| Figure 2M-102(CA) | Prohibited Recreational and Cultural Interest Area Symbol Signs and Educational Plaque | 646 |
| Figure 2N-1 | Emergency Management Signs | 654 |
| Figure 3A-101(CA) | Centerlines – 2 Lane Highways | 658 |
| Figure 3A-102(CA) | Lane Lines – Multilane Highways | 659 |
| Figure 3A-103(CA) | No Passing Zones – One Direction | 661 |
| Figure 3A-104(CA) | No Passing Zones – Two Direction | 662 |
| Figure 3A-105(CA) | Left Edge Lines for Divided Highways | 663 |

| | | |
|------------------------|--|----------------|
| Figure 3A-106(CA) | Right Edge Line and Right Edge Line Extension Through Intersections | 664 |
| Figure 3A-107(CA) | Median Islands | 665 |
| Figure 3A-108(CA) | Two-Way Left-Turn lanes | 666 |
| Figure 3A-109(CA) | Intersection Markings | 667 |
| Figure 3A-110(CA) | Freeway Exit and Entrance Ramp Channelizing Lines | 668 |
| Figure 3A-111(CA) | Lane Drop Markings | 670 |
| Figure 3A-112(CA) | Channelizing Line and Lane Line/Centerline Extensions | 671 |
| Figure 3A-113(CA) | Examples of Preferential Lane Lines | 672 |
| Figure 3A-114(CA) | Exit Ramp with Enhanced Pavement Markers for Wrong Way Details | 673 |
| Figure 3B-1 | Examples of Two-Lane, Two-Way Marking Applications | 703 |
| Figure 3B-2 | Examples of Four-or-More Lane, Two-Way Marking Applications | 704 |
| Figure 3B-3 | Examples of Three-Lane, Two-Way Marking Applications | 705 |
| Figure 3B-4 | Method of Locating and Determining the Limits of No-Passing Zones at Curves | 706 |
| Figure 3B-5 | Example of Application of Three-Lane, Two-Way Marking for Changing Direction of the Center Lane | 707 |
| Figure 3B-6 | Example of Reversible Lane Marking Application | 708 |
| Figure 3B-7 | Example of Two-Way Left-Turn Lane Marking Applications | 709 |
| Figure 3B-7(CA) | Example of Two-Way Left-Turn Lane Marking Applications | 710 |
| Figure 3B-8 | Examples of Dotted Line and Channelizing Line Applications for Exit Ramp Markings | 711 |
| Figure 3B-8(CA) | Examples of Dotted Line and Channelizing Line Applications for Exit Ramp Markings | 713 |
| Figure 3B-9 | Examples of Dotted Line and Channelizing Line Applications for Entrance Ramp Markings | 716 |
| Figure 3B-9(CA) | Examples of Dotted Line and Channelizing Line Applications for Entrance Ramp Markings | 718 |
| Figure 3B-10 | Examples of Applications of Freeway and Expressway Lane-Drop Markings | 720 |
| Figure 3B-10(CA) | Examples of Applications of Freeway and Expressway Lane-Drop Markings | 725 |
| Figure 3B-11 | Examples of Applications of Conventional Road Lane-Drop Markings | 726 |
| Figure 3B-12 | Example of Solid Double White Lines Used to Prohibit Lane Changing | 728 |
| Figure 3B-13 | Examples of Line Extensions through Intersections | 729 |
| Figure 3B-14 | Examples of Applications of Lane-Reduction Transition Markings | 731 |
| Figure 3B-14(CA) | Examples of Applications of Lane-Reduction Transition Markings | 732 |
| Figure 3B-15 | Examples of Applications of Markings for Obstructions in the Roadway | 735 |
| Figure 3B-16 | Recommended Yield Line Layouts | 737 |
| Figure 3B-17 | Examples of Yield Lines at Unsignalized Midblock Crosswalks | 738 |
| Figure 3B-17(CA) | Examples of Crosswalk Enhancements at Uncontrolled Multilane Approaches | 739 |
| Figure 3B-18 | Do Not Block Intersection Markings | 740 |
| Figure 3B-18(CA) | Do Not Block Intersection Markings | 741 |
| Figure 3B-19 | Examples of Crosswalk Markings | 742 |
| Figure 3B-19(CA) | Examples of Crosswalk Markings | 742 |
| Figure 3B-20 | Example of Crosswalk Markings for an Exclusive Pedestrian Phase that Permits Diagonal Crossing | 743 |
| Figure 3B-21 | Examples of Parking Space Markings | 744 |
| Figure 3B-21(CA) | Examples of Parking Space Markings | 745 |
| Figure 3B-22 | International Symbol of Accessibility Parking Space Marking | 746 |
| Figure 3B-22(CA) | Examples of Disabled Persons Parking Symbol, Legend and Related Markings | 747 |
| Figure 3B-23 | Example of Elongated Letters for Word Pavement Markings | 749 |
| Figure 3B-23(CA) | Example of Elongated Letters for Word Pavement Markings | 750 |
| Figure 3B-24 | Examples of Standard Arrows for Pavement Markings | 752 |
| Figure 3B-24(CA) | Examples of Standard Arrows for Pavement Markings | 753 |
| Figure 3B-25 | Examples of Elongated Route Shields for Pavement Markings | 761 |
| Figure 3B-26 | Yield Ahead Triangle Symbols | 761 |
| Figure 3B-27 | Examples of Lane-Use Control Word and Arrow Pavement Markings | 762 |
| Figure 3B-28 | Example of the Application of Speed Reduction Markings | 763 |

| | | |
|-------------------|--|-----|
| Figure 3B-29 | Pavement Markings for Speed Humps without Crosswalks | 764 |
| Figure 3B-30 | Pavement Markings for Speed Tables or Speed Humps with Crosswalks | 765 |
| Figure 3B-31 | Advance Warning Markings for Speed Humps | 766 |
| Figure 3B-101(CA) | Examples of Left-Turn Channelization Markings | 767 |
| Figure 3B-102(CA) | Examples of Fire Hydrant Location Pavement Markings | 768 |
| Figure 3B-103(CA) | Examples of Intersection Markings | 769 |
| Figure 3B-104(CA) | Treatment of Divided Highway Illusion | 770 |
| Figure 3B-105(CA) | Examples of Signs and Markings for Highways Where Speed is Enforced by Aircraft | 771 |
| Figure 3B-106(CA) | Passing Lanes | 772 |
| Figure 3B-107(CA) | Examples of Signing and Marking Turnouts | 773 |
| Figure 3B-108(CA) | Electric Vehicle Charging Station Pavement Marking Details | 774 |
| Figure 3C-1 | Example of Markings for Approach and Circulatory Roadways at a Roundabout | 779 |
| Figure 3C-2 | Lane-Use Arrow Pavement Marking Options for Roundabout Approaches | 779 |
| Figure 3C-2(CA) | Lane-Use Arrow Pavement Marking Option for Roundabout Approaches | 780 |
| Figure 3C-3 | Example of Markings for a One-Lane Roundabout | 781 |
| Figure 3C-4 | Example of Markings for a Two-Lane Roundabout with One- and Two-Lane Approaches | 782 |
| Figure 3C-5 | Example of Markings for a Two-Lane Roundabout with One-Lane Exits | 784 |
| Figure 3C-6 | Example of Markings for a Two-Lane Roundabout with Two-Lane Exits | 785 |
| Figure 3C-7 | Example of Markings for a Two-Lane Roundabout with a Double Left Turn | 786 |
| Figure 3C-8 | Example of Markings for a Two-Lane Roundabout with a Double Right Turn | 787 |
| Figure 3C-9 | Example of Markings for a Two-Lane Roundabout with Consecutive Double Lefts | 788 |
| Figure 3C-10 | Example of Markings for a Three-Lane Roundabout with Two- and Three-Lane Approaches | 789 |
| Figure 3C-11 | Example of Markings for a Three-Lane Roundabout with Three-Lane Approaches | 790 |
| Figure 3C-12 | Example of Markings for a Three-Lane Roundabout with Two-Lane Exits | 791 |
| Figure 3C-13 | Example of Markings for Two Linked Roundabouts | 792 |
| Figure 3C-14 | Example of Markings for a Diamond Interchange with Two Circular-Shaped Roundabout Ramp Terminals | 793 |
| Figure 3D-1 | Markings for Barrier-Separated Preferential Lanes | 798 |
| Figure 3D-2 | Markings for Buffer-Separated Preferential Lanes | 798 |
| Figure 3D-3 | Markings for Contiguous Preferential Lanes | 800 |
| Figure 3D-4 | Markings for Counter-Flow Preferential Lanes on Divided Highways | 801 |
| Figure 3D-101(CA) | Diamond Symbol (HOV Lane) | 802 |
| Figure 3F-1 | Examples of Delineator Placement | 811 |
| Figure 3F-101(CA) | Examples of Delineators | 812 |
| Figure 3F-102(CA) | Examples of Delineator Placement When Used at Intersections, Islands, Ramps and Connectors | 813 |
| Figure 3F-103(CA) | Examples of Runaway Truck Ramp Signs and Markings | 815 |
| Figure 3F-104(CA) | Narrow Bridge Signs and Markings (One-Way and Two-Way Roadways) | 816 |
| Figure 3F-105(CA) | Examples of Median Barrier Delineation | 817 |
| Figure 3H-101(CA) | Example of Channelizers | 821 |
| Figure 3J-1 | Examples of Longitudinal Rumble Strip Markings | 825 |
| Figure 4C-1 | Warrant 2, Four-Hour Vehicular Volume | 845 |
| Figure 4C-2 | Warrant 2, Four-Hour Vehicular Volume (70% Factor) | 845 |
| Figure 4C-3 | Warrant 3, Peak Hour | 846 |
| Figure 4C-4 | Warrant 3, Peak Hour (70% Factor) | 846 |
| Figure 4C-5 | Warrant 4, Pedestrian Four-Hour Volume | 847 |
| Figure 4C-6 | Warrant 4, Pedestrian Four-Hour Volume (70% Factor) | 847 |
| Figure 4C-7 | Warrant 4, Pedestrian Peak Hour | 848 |
| Figure 4C-8 | Warrant 4, Pedestrian Peak Hour (70% Factor) | 848 |
| Figure 4C-9 | Warrant 9, Intersection Near a Grade Crossing (One Approach Lane at the Track Crossing) | 849 |

| | | |
|-------------------|---|-----|
| Figure 4C-10 | Warrant 9, Intersection Near a Grade Crossing (Two or More Approach Lanes at the Track Crossing) | 849 |
| Figure 4C-101(CA) | Traffic Signal Warrants Worksheet | 850 |
| Figure 4C-102(CA) | Traffic Count Worksheet | 855 |
| Figure 4C-103(CA) | Traffic Signal Warrants Worksheet (Average Traffic Estimate Form) | 856 |
| Figure 4D-1 | Example of U-Turn Signal Face | 906 |
| Figure 4D-2 | Typical Arrangements of Signal Sections in Signal Faces That Do Not Control Turning Movements | 906 |
| Figure 4D-3 | Recommended Vehicular Signal Faces for Approaches with Posted, Statutory, or 85th-Percentile Speed of 45 mph or Higher | 907 |
| Figure 4D-4 | Lateral and Longitudinal Location of Primary Signal Faces | 908 |
| Figure 4D-5 | Maximum Mounting Height of Signal Faces Located Between 40 Feet and 53 Feet from Stop Line | 909 |
| Figure 4D-6 | Typical Position and Arrangements of Shared Signal Faces for Permissive Only Mode Left Turns | 909 |
| Figure 4D-7 | Typical Position and Arrangements of Separate Signal Faces with Flashing Yellow Arrow for Permissive Only Mode Left Turns | 910 |
| Figure 4D-8 | Typical Position and Arrangements of Separate Signal Faces with Flashing Red Arrow for Permissive Only Mode and Protected/Permissive Mode Left Turns | 910 |
| Figure 4D-9 | Typical Positions and Arrangements of Shared Signal Faces for Protected Only Mode Left Turns | 911 |
| Figure 4D-10 | Typical Position and Arrangements of Separate Signal Faces for Protected Only Mode Left Turns | 912 |
| Figure 4D-11 | Typical Position and Arrangements of Shared Signal Faces for Protected/Permissive Mode Left Turns | 912 |
| Figure 4D-12 | Typical Position and Arrangements of Separate Signal Faces with Flashing Yellow Arrow for Protected/Permissive Mode and Protected Only Mode Left Turns | 913 |
| Figure 4D-13 | Typical Positions and Arrangements of Shared Signal Faces for Permissive Only Mode Right Turns | 913 |
| Figure 4D-14 | Typical Position and Arrangements of Separate Signal Faces with Flashing Yellow Arrow for Permissive Only Mode Right Turns | 914 |
| Figure 4D-15 | Typical Position and Arrangements of Separate Signal Faces with Flashing Red Arrow for Permissive Only Mode and Protected/Permissive Mode Right Turns | 914 |
| Figure 4D-16 | Typical Positions and Arrangements of Shared Signal Faces for Protected Only Mode Right Turns | 915 |
| Figure 4D-17 | Typical Position and Arrangements of Separate Signal Faces for Protected Only Mode Right Turns | 916 |
| Figure 4D-18 | Typical Positions and Arrangements of Shared Signal Faces for Protected/Permissive Mode Right Turns | 917 |
| Figure 4D-19 | Typical Position and Arrangements of Separate Signal Faces with Flashing Yellow Arrow for Protected/Permissive Mode and Protected Only Mode Right Turns | 918 |
| Figure 4D-20 | Signal Indications for Approaches with a Shared Left-Turn/Right-Turn Lane and No Through Movement | 919 |
| Figure 4D-101(CA) | Left-Turn Phasing Methods (Phase Diagrams) | 922 |
| Figure 4D-102(CA) | Typical Signal Layout at Offset Intersections, Signalized and Marked as a Single Intersection | 923 |
| Figure 4D-103(CA) | Typical Signal Layout (Two Phase Operation) | 927 |
| Figure 4D-104(CA) | Typical Signal Layout (Three Phase Operation) | 928 |
| Figure 4D-105(CA) | Typical Signal Layout (Five Phase "Dual Left" Operation) | 929 |
| Figure 4D-106(CA) | Typical Signal Layout (Six Phase "Opposing" Operation) | 930 |
| Figure 4D-107(CA) | Typical Signal Layout (Eight Phase "Quad Left" Operation) | 931 |
| Figure 4D-108(CA) | Typical Traffic Signal Installation | 932 |
| Figure 4D-109(CA) | Diamond Interchange Timing Chart (Heavy Left-Turn – 200 vphpl or More – Using Two Controllers) | 933 |

| | | |
|------------------------|--|-----------------|
| Figure 4D-110(CA) | Diamond Interchange Timing Chart (Light Left-Turn – 200 vphpl or Less– Using Two Controllers) | 934 |
| Figure 4D-111(CA) | Bicycle Detection Systems | 935 |
| Figure 4D-112(CA) | Example of Bicycle Signal Face | 938 |
| Figure 4E-1 | Typical Pedestrian Signal Indications | 962 |
| Figure 4E-2 | Pedestrian Intervals | 963 |
| Figure 4E-3 | Pushbutton Location Area | 964 |
| Figure 4E-4 | Typical Pushbutton Locations | 965 |
| Figure 4F-1 | Guidelines for the Installation of Pedestrian Hybrid Beacons on Low-Speed Roadways | 971 |
| Figure 4F-2 | Guidelines for the Installation of Pedestrian Hybrid Beacons on High-Speed Roadways | 971 |
| Figure 4F-3 | Sequence for a Pedestrian Hybrid Beacon | 972 |
| Figure 4G-1 | Sequence for an Emergency-Vehicle Hybrid Beacon | 977 |
| Figure 4L-101(CA) | Flashing Beacon at School Crossings Worksheet | 993 |
| Figure 4M-1 | Left-Turn Lane-Use Control Signals | 997 |
| Figure 4M-101(CA) | Example of Lane Control Signal Face | 997 |
| Figure 4N-101(CA) | Typical Layout For In Roadway Warning Lights (IRWL's) | 1001 |
| Figure 5B-1 | Regulatory Signs on Low-Volume Roads | 1007 |
| Figure 5B-2 | Parking Signs and Plaques on Low-Volume Roads | 1001 |
| Figure 5C-1 | Horizontal Alignment and Intersection Warning Signs and Plaques and Object Markers on Low-Volume Roads | 1011 |
| Figure 5C-2 | Other Warning Signs and Plaques on Low-Volume Roads | 1012 |
| Figure 5C-2(CA) | Other Warning Signs and Plaques on Low-Volume Roads | 1013 |
| Figure 5F-1 | Highway-Rail Grade Crossing Signs and Plaques for Low-Volume Roads | 1019 |
| Figure 5G-1 | Temporary Traffic Control Signs and Plaques on Low-Volume Roads | 1021 |
| Figure 6C-1 | Component Parts of a Temporary Traffic Control Zone | 1038 |
| Figure 6C-2 | Types of Tapers and Buffer Spaces | 1039 |
| Figure 6C-3 | Example of a One-Lane, Two-Way Traffic Taper | 1040 |
| Figure 6E-1 | Example of the Use of a STOP/SLOW Automated Flagger Assistance Device (AFAD) | 1058 |
| Figure 6E-2 | Example of the Use of a Red/Yellow Lens Automated Flagger Assistance Device (AFAD) | 1059 |
| Figure 6E-3 | Use of Hand-Signaling Devices by Flaggers | 1060 |
| Figure 6F-1 | Height and Lateral Location of Signs—Typical Installations | 1107 |
| Figure 6F-2 | Methods of Mounting Signs Other Than on Posts | 1108 |
| Figure 6F-3 | Regulatory Signs and Plaques in Temporary Traffic Control Zones | 1109 |
| Figure 6F-4 | Warning Signs and Plaques in Temporary Traffic Control Zones | 1111 |
| Figure 6F-5 | Exit Open and Closed and Detour Signs | 1114 |
| Figure 6F-6 | Advance Warning Arrow Board Display Specifications | 1115 |
| Figure 6F-7 | Channelizing Devices | 1116 |
| Figure 6F-101(CA) | California Temporary Traffic Control Signs | 1117 |
| Figure 6F-102(CA) | Channelizer (CA) and Portable Delineator | 1119 |
| Figure 6F-103(CA) | Examples of Object Markers in Temporary Traffic Control Zones | 1120 |
| Figure 6F-104(CA) | Typical Layout Using Channelizing Devices to Delineate a Portable Changeable Message Sign on Shoulder | 1121 |
| Figure 6H-1 | Work Beyond the Shoulder (TA-1) | 1148 |
| Figure 6H-2 | Blasting Zone (TA-2) | 1150 |
| Figure 6H-3 | Work on the Shoulders (TA-3) | 1152 |
| Figure 6H-4 | Short-Duration or Mobile Operation on a Shoulder (TA-4) | 1154 |
| Figure 6H-5 | Shoulder Closure on a Freeway (TA-5) | 1156 |
| Figure 6H-5(CA) | Shoulder Closure on a Freeway (TA-5) | 1157 |
| Figure 6H-6 | Shoulder Work with Minor Encroachment (TA-6) | 1159 |
| Figure 6H-7 | Road Closure with a Diversion (TA-7) | 1161 |
| Figure 6H-8 | Road Closure with an Off-Site Detour (TA-8) | 1163 |

| | | |
|-----------------------------------|---|----------------------|
| Figure 6H-9 | Overlapping Routes with a Detour (TA-9) | 1165 |
| Figure 6H-10 | Lane Closure on a Two-Lane Road Using Flaggers (TA-10) | 1167 |
| Figure 6H-10(CA) | Lane Closure on a Two-Lane Road Using Flaggers (TA-10) | 1168 |
| Figure 6H-10A(CA) | Lane Closure on a Two-Lane Road Using Flaggers (TA-10A) Using Portable Transverse Rumble Strips | 1169 |
| Figure 6H-11 | Lane Closure on a Two-Lane Road with Low Traffic Volumes (TA-11) | 1171 |
| Figure 6H-12 | Lane Closure on a Two-Lane Road Using Traffic Control Signals (TA-12) | 1173 |
| Figure 6H-13 | Temporary Road Closure (TA-13) | 1175 |
| Figure 6H-14 | Haul Road Crossing (TA-14) | 1177 |
| Figure 6H-14(CA) | Haul Road Crossing (TA-14) | 1178 |
| Figure 6H-15 | Work in the Center of a Road with Low Traffic Volumes (TA-15) | 1180 |
| Figure 6H-16 | Surveying Along the Center Line of a Road with Low Traffic Volumes (TA-16) | 1182 |
| Figure 6H-17 | Mobile Operations on a Two-Lane Road (TA-17) | 1184 |
| Figure 6H-18 | Lane Closure on a Minor Street (TA-18) | 1186 |
| Figure 6H-19 | Detour for One Travel Direction (TA-19) | 1188 |
| Figure 6H-20 | Detour for a Closed Street (TA-20) | 1190 |
| Figure 6H-21 | Lane Closure on the Near Side of an Intersection (TA-21) | 1192 |
| Figure 6H-22 | Right-Hand Lane Closure on the Far Side of an Intersection (TA-22) | 1194 |
| Figure 6H-22A(CA) | Right-Hand Lane Closure on the Far Side of an Intersection (TA-22A(CA)) | 1195 |
| Figure 6H-22B(CA) | Right-Hand Lane Closure on the Far Side of an Intersection (TA-22B(CA)) | 1196 |
| Figure 6H-23 | Left-Hand Lane Closure on the Far Side of an Intersection (TA-23) | 1198 |
| Figure 6H-24 | Half Road Closure on the Far Side of an Intersection (TA-24) | 1200 |
| Figure 6H-24A(CA) | Half Road Closure on the Far Side of an Intersection (TA-24A(CA)) | 1201 |
| Figure 6H-25 | Multiple Lane Closures at an Intersection (TA-25) | 1203 |
| Figure 6H-25A(CA) | Multiple Lane Closures at an Intersection (TA-25A(CA)) | 1204 |
| Figure 6H-26 | Closure in the Center of an Intersection (TA-26) | 1206 |
| Figure 6H-27 | Closure at the Side of an Intersection (TA-27) | 1208 |
| Figure 6H-28 | Sidewalk Detour or Diversion (TA-28) | 1210 |
| Figure 6H-29 | Crosswalk Closures and Pedestrian Detours (TA-29) | 1212 |
| Figure 6H-30 | Interior Lane Closure on a Multi-Lane Street (TA-30) | 1214 |
| Figure 6H-31 | Lane Closures on a Street with Uneven Directional Volumes (TA-31) | 1216 |
| Figure 6H-32 | Half Road Closure on a Multi-Lane, High-Speed Highway (TA-32) | 1218 |
| Figure 6H-32(CA) | Half Road Closure on a Multi-Lane, High-Speed Highway (TA-32) | 1219 |
| Figure 6H-33 | Stationary Lane Closure on a Divided Highway (TA-33) | 1221 |
| Figure 6H-34 | Lane Closure with a Temporary Traffic Barrier (TA-34) | 1223 |
| Figure 6H-35 | Mobile Operation on a Multi-Lane Road (TA-35) | 1225 |
| Figure 6H-36 | Lane Shift on a Freeway (TA-36) | 1228 |
| Figure 6H-36(CA) | Lane Shift on a Freeway (TA-36) | 1229 |
| Figure 6H-37 | Double Lane Closure on a Freeway (TA-37) | 1231 |
| Figure 6H-38 | Interior Lane Closure on a Freeway (TA-38) | 1233 |
| Figure 6H-39 | Median Crossover on a Freeway (TA-39) | 1235 |
| Figure 6H-40 | Median Crossover for an Entrance Ramp (TA-40) | 1237 |
| Figure 6H-41 | Median Crossover for an Exit Ramp (TA-41) | 1239 |
| Figure 6H-42 | Work in the Vicinity of an Exit Ramp (TA-42) | 1241 |
| Figure 6H-43 | Partial Exit Ramp Closure (TA-43) | 1243 |
| Figure 6H-44 | Work in the Vicinity of an Entrance Ramp (TA-44) | 1245 |
| Figure 6H-45 | Temporary Reversible Lane Using Movable Barriers (TA-45) | 1247 |
| Figure 6H-46 | Work in the Vicinity of a Grade Crossing (TA-46) | 1249 |
| Figure 6H-101(CA) | Shoulder Closure on Urban (Low Speed) Locations to Accommodate Bicyclists | 1251 |
| Figure 6H-102(CA) | Lane Closure on Freeway, Expressway, Rural and Urban (High Speed) Locations to Accommodate Bicyclists | 1253 |
| Figure 6H-103(CA) | Detour for Bike Lane on Roads with Closure of One Travel Direction | 1255 |
| Figure 6H-104(CA) | Right Lane and Bike Lane Closure on Far Side of Intersection | 1257 |
| Figure 6H-105(CA) | Lane Shift on Road with Low Traffic Volumes | 1259 |

| | | |
|-------------------|--|------|
| Figure 6H-106(CA) | Partial Closure in a Single Lane Roundabout | 1261 |
| Figure 6H-107(CA) | Inside Lane Closure on a Multi-Lane Roundabout | 1263 |
| Figure 6I-1 | Examples of Traffic Incident Management Area Signs | 1268 |
| Figure 6I-1(CA) | Examples of Traffic Incident Management Area Signs | 1268 |
| Figure 7A-1 | Example of School Route Plan Map | 1273 |
| Figure 7B-1 | School Area Signs | 1282 |
| Figure 7B-1(CA) | School Area Signs | 1283 |
| Figure 7B-2 | Example of Signing for a Higher Fines School Zone without a School Crossing | 1285 |
| Figure 7B-3 | Example of Signing for a Higher Fines School Zone with a School Speed Limit | 1286 |
| Figure 7B-4 | Example of Signing for a School Crossing Outside of a School Zone | 1287 |
| Figure 7B-5 | Example of Signing for a School Zone with a School Speed Limit and a School Crossing | 1288 |
| Figure 7B-5(CA) | Example of Signing for a School Zone with a School Speed Limit and a School Crossing | 1289 |
| Figure 7B-6 | In-Street Signs in School Areas | 1290 |
| Figure 7B-101(CA) | Example of School Area Signs with Flashing Yellow Beacons | 1291 |
| Figure 7B-102(CA) | Example of Signing for Traffic Control in School Areas with Flashing Yellow Beacons | 1292 |
| Figure 7B-103(CA) | Example of Signing for School Area Traffic Control with Extended and/or Reduced School Zone Speed Limits | 1293 |
| Figure 7B-104(CA) | Example of Signing for School Crosswalk Warning Assembly | 1294 |
| Figure 7C-1 | Two Lane Pavement Marking of "SCHOOL" | 1298 |
| Figure 7C-101(CA) | Pavement Word Markings for School Areas | 1299 |
| Figure 8B-1 | Regulatory Signs and Plaques for Grade Crossings | 1323 |
| Figure 8B-1(CA) | Regulatory Signs and Plaques for Grade Crossings | 1324 |
| Figure 8B-2 | Crossbuck Assembly with a YIELD or STOP Sign on the Crossbuck Sign Support | 1324 |
| Figure 8B-3 | Crossbuck Assembly with a YIELD or STOP Sign on a Separate Sign Support | 1325 |
| Figure 8B-4 | Warning Signs and Plaques for Grade Crossings | 1327 |
| Figure 8B-4(CA) | Warning Signs and Plaques for Grade Crossings | 1327 |
| Figure 8B-5 | Example of an Emergency Notification Sign | 1327 |
| Figure 8B-6 | Example of Placement of Warning Signs and Pavement Markings at Grade Crossings | 1328 |
| Figure 8B-6(CA) | Example of Placement of Warning Signs and Pavement Markings at Grade Crossings | 1329 |
| Figure 8B-7 | Grade Crossing Pavement Markings | 1332 |
| Figure 8B-7(CA) | Grade Crossing Pavement Markings | 1333 |
| Figure 8B-8 | Example of Dynamic Envelope Pavement Markings at Grade Crossings | 1334 |
| Figure 8B-9 | Examples of Light Rail Transit Vehicle Dynamic Envelope Markings for Mixed-Use Alignments | 1335 |
| Figure 8B-101(CA) | Train Station Signs | 1336 |
| Figure 8C-1 | Composite Drawing of Active Traffic Control Devices for Grade Crossings Showing Clearances | 1350 |
| Figure 8C-2 | Example of Location Plan for Flashing-Light Signals and Four-Quadrant Gates | 1351 |
| Figure 8C-3 | Light Rail Transit Signals | 1352 |
| Figure 8C-3(CA) | Light Rail Transit Signals | 1353 |
| Figure 8C-4 | Example of Flashing-Light Signal Assembly for Pedestrian Crossings | 1354 |
| Figure 8C-5 | Example of a Shared Pedestrian/Roadway Gate | 1355 |
| Figure 8C-6 | Example of a Separate Pedestrian Gate | 1355 |
| Figure 8C-7 | Examples of Placement of Pedestrian Gates | 1356 |
| Figure 8C-8 | Example of Swing Gates | 1357 |
| Figure 8C-9 | Example of Pedestrian Barriers at an Offset Grade Crossing | 1357 |
| Figure 8C-10 | Examples of Pedestrian Barrier Installation at an Offset Non-Intersection Grade Crossing | 1358 |
| Figure 8D-1 | Example of Signing and Markings for a Pathway Grade Crossing | 1363 |
| Figure 9B-1 | Sign Placement on Shared-Use Paths | 1377 |
| Figure 9B-2 | Regulatory Signs and Plaques for Bicycle Facilities | 1378 |

| | | |
|-------------------|---|------|
| Figure 9B-2(CA) | California Regulatory Signs for Bicycle Facilities | 1379 |
| Figure 9B-3 | Warning Signs and Plaques and Object Markers for Bicycle Facilities | 1380 |
| Figure 9B-4 | Guide Signs and Plaques for Bicycle Facilities | 1381 |
| Figure 9B-4(CA) | California Guide Signs for Bicycle Facilities | 1383 |
| Figure 9B-5 | Example of Signing for the Beginning and End of a Designated Bicycle Route on a Shared-Use Path | 1384 |
| Figure 9B-6 | Example of Bicycle Guide Signing | 1385 |
| Figure 9B-7 | Examples of Signing and Markings for a Shared-Use Path Crossing | 1386 |
| Figure 9B-8 | Example of Mode-Specific Guide Signing on a Shared-Use Path | 1387 |
| Figure 9C-1 | Example of Intersection Pavement Markings—Designated Bicycle Lane with Left-Turn Area, Heavy Turn Volumes, Parking, One-Way Traffic, or Divided Highway | 1400 |
| Figure 9C-2 | Examples of Center Line Markings for Shared-Use Paths | 1401 |
| Figure 9C-3 | Word, Symbol, and Arrow Pavement Markings for Bicycle Lanes | 1402 |
| Figure 9C-4 | Example of Bicycle Lane Treatment at a Right Turn Only Lane | 1403 |
| Figure 9C-4(CA) | Example of Bicycle Lane Treatment at a Right Turn Only Lane | 1404 |
| Figure 9C-5 | Example of Bicycle Lane Treatment at Parking Lane into a Right Turn Only Lane | 1407 |
| Figure 9C-6 | Example of Pavement Markings for Bicycle Lanes on a Two-Way Street | 1408 |
| Figure 9C-7 | Bicycle Detector Pavement Marking | 1409 |
| Figure 9C-8 | Examples of Obstruction Pavement Markings | 1410 |
| Figure 9C-9 | Shared Lane Marking | 1410 |
| Figure 9C-101(CA) | Marking Details for Bicycle Lanes | 1411 |
| Figure 9C-102(CA) | Examples of Bicycle Lane Treatment Where Vehicle Parking is Prohibited/Permitted | 1412 |
| Figure 9C-103(CA) | Example of Bicycle Lane Treatment Through an Interchange | 1413 |
| Figure 9C-104(CA) | Examples of Markings for Buffered Bicycle Lanes Where Vehicle Parking is Prohibited/Permitted | 1414 |
| Figure 9C-105(CA) | Example of Contraflow Bicycle Lanes | 1416 |
| Figure 9C-106(CA) | Example of Bicycle Lane Extensions Through an Intersection | 1417 |
| Figure 9C-107(CA) | Example of Marking for a One-Lane Roundabout with Shared Lane Markings and Bicycle Lanes | 1418 |
| Figure 9C-108(CA) | Example of Placement of Shared Lane Markings | 1419 |
| Figure 9C-109(CA) | Example of Shared Lane Markings While Approaching an Intersection | 1420 |
| Figure 9C-110(CA) | Example of Markings for Separated Bikeways | 1421 |
| Figure 9C-111(CA) | Example of Intersection Pavement Markings and Signs – Bicycle Traveling Straight From Left Turn and Right Turn Only Lanes – One Way | 1423 |
| Figure 9C-112(CA) | Example of Intersection Pavement Markings and Signs – Bicycle Traveling Straight From Right Turn Only Lanes | 1424 |

LIST OF TABLES

Page

| | | |
|----------------------------------|--|-----|
| Table I-1 | Evolution of the MUTCD | 49 |
| Table I-1(CA) | Evolution of the California MUTCD | 49 |
| Table I-2 | Target Compliance Dates Established by the FHWA | 50 |
| Table I-2(CA) | Target Compliance Dates Established by CTCDC/Caltrans | 51 |
| Table 1A-101(CA) | Status of Interim Approvals Issued By FHWA in California | 64 |
| Table 1A-1 | Acceptable Abbreviations | 96 |
| Table 1A-2 | Abbreviations that Shall be Used Only on Portable Changeable Message Signs | 97 |
| Table 1A-3 | Unacceptable Abbreviations | 98 |
| Table 2A-1 | Illumination of Sign Elements | 120 |
| Table 2A-2 | Retroreflection of Sign Elements | 120 |
| Table 2A-3 | Minimum Maintained Retroreflectivity Levels | 121 |
| Table 2A-4 | Use of Sign Shapes | 122 |
| Table 2A-5 | Common Uses of Sign Colors | 123 |
| Table 2A-5(CA) | Common Uses of Sign Colors | 124 |
| Table 2B-1 | Regulatory Sign and Plaque Sizes | 247 |
| Table 2B-1(CA) | California Regulatory Sign and Plaque Sizes | 251 |
| Table 2B-2 | Meanings of Symbols and Legends on Reversible Lane Control Signs | 257 |
| Table 2B-101(CA) | Standard Application of Speed Limits per California Vehicle Code | 257 |
| Table 2B-102(CA) | Optional Application of Speed Limits per California Vehicle Code | 258 |
| Table 2B-103(CA) | Examples showing applicability of rounding and additional speed reduction on State Highway System | 259 |
| Table 2B-104(CA) | Examples showing applicability of rounding and additional speed reduction on Local Agency's Roadways & Private Property Subjected to CVC | 259 |
| Table 2B-105(CA) | Safety Corridor Definition Requirements | 260 |
| Table 2B-106(CA) | Requirements to determine Land or Facility that Generates High Concentrations of Bicyclists or Pedestrians | 261 |
| Table 2C-1 | Categories of Warning Signs and Plaques | 312 |
| Table 2C-2 | Warning Sign and Plaque Sizes | 313 |
| Table 2C-2(CA) | California Warning Sign and Plaque Sizes | 316 |
| Table 2C-3 | Minimum Size of Supplemental Warning Plaques | 317 |
| Table 2C-4 | Guidelines for Advance Placement of Warning Signs | 318 |
| Table 2C-5 | Horizontal Alignment Sign Selection | 318 |
| Table 2C-6 | Approximate Spacing of Chevron Alignment Signs on Horizontal Curves | 319 |
| Table 2C-101(CA) | California Object Markers | 319 |
| Table 2D-1 | Conventional Road Guide Sign Sizes | 387 |
| Table 2D-1(CA) | California Conventional Road Guide Sign Sizes | 388 |
| Table 2D-2 | Recommended Minimum Letter Heights on Street Name Signs | 389 |
| Table 2D-101(CA) | Route Shield Sizes for Guide Signs | 390 |
| Table 2D-102(CA) | Criteria for Supplemental Destination Signs | 391 |
| Table 2E-1 | Freeway or Expressway Guide Sign and Plaque Sizes | 464 |
| Table 2E-1(CA) | California Freeway or Expressway Guide Sign and Plaque Sizes | 466 |
| Table 2E-2 | Minimum Letter and Numeral Sizes for Expressway Guide Signs According to Interchange Classification | 467 |
| Table 2E-3 | Minimum Letter and Numeral Sizes for Expressway Guide Signs According to Sign Type | 468 |
| Table 2E-4 | Minimum Letter and Numeral Sizes for Freeway Guide Signs According to Interchange Classification | 469 |
| Table 2E-5 | Minimum Letter and Numeral Sizes for Freeway Guide Signs According to Sign Type | 470 |
| Table 2F-1 | Toll Facility Sign and Plaque Minimum Sizes | 488 |

| | | |
|----------------------------------|---|----------------------|
| Table 2G-1 | Managed and Preferential Lanes Sign and Plaque Minimum Sizes | 537 |
| Table 2G-1(CA) | California Managed and Preferential Lanes Sign and Plaque Minimum Sizes | 538 |
| Table 2H-1 | General Information Sign Sizes | 554 |
| Table 2H-1(CA) | California General Information Sign Sizes | 555 |
| Table 2I-1 | General Service Sign and Plaque Sizes | 586 |
| Table 2I-1(CA) | California General Service Sign and Plaque Sizes | 587 |
| Table 2J-1 | Minimum Letter and Numeral Sizes for Specific Service Signs According to Sign Type | 605 |
| Table 2J-101(CA) | California Specific Service Sign and Plaque Sizes | 605 |
| Table 2K-101(CA) | California Tourist-Oriented Directional Sign Sizes | 613 |
| Table 2L-1 | Example of Units of Information | 620 |
| Table 2M-1 | Category Chart for Recreational and Cultural Interest Area Symbols | 647 |
| Table 2M-1(CA) | California Category Chart for Recreational and Cultural Interest Area Symbols | 648 |
| Table 2M-101(CA) | California Recreational and Cultural Interest Area Sign and Plaque Sizes | 649 |
| Table 2N-1 | Emergency Management Sign Sizes | 654 |
| Table 3B-1 | Minimum Passing Sight Distances for No-Passing Zone Markings | 775 |
| Table 3D-1 | Standard Edge Line and Lane Line Markings for Preferential Lanes | 803 |
| Table 3F-1 | Approximate Spacing for Delineators on Horizontal Curves | 817 |
| Table 4C-1 | Warrant 1, Eight-Hour Vehicular Volume | 857 |
| Table 4C-2 | Warrant 9, Adjustment Factor for Daily Frequency of Rail Traffic | 858 |
| Table 4C-3 | Warrant 9, Adjustment Factor for Percentage of High-Occupancy Buses | 858 |
| Table 4C-4 | Warrant 9, Adjustment Factor for Percentage of Tractor-Trailer Trucks | 858 |
| Table 4D-1 | Recommended Minimum Number of Primary Signal Faces for Through Traffic on Approaches with Posted, Statutory, or 85th-Percentile Speed of 45 mph or Higher | 939 |
| Table 4D-2 | Minimum Sight Distance for Signal Visibility | 939 |
| Table 4D-101(CA) | Suggested Detector Setbacks from Limit Line | 940 |
| Table 4D-102(CA) | Minimum Yellow Change Interval | 941 |
| Table 4D-103(CA) | Traffic Signal Timing Analysis Chart | 942 |
| Table 4D-104(CA) | Signal Operations – Vehicular Speed | 943 |
| Table 4D-105(CA) | Pole and Equipment Schedule | 944 |
| Table 4D-106(CA) | Conductor and Conduit Schedule | 945 |
| Table 4D-107(CA) | Available Conduit Area | 946 |
| Table 4D-108(CA) | Conductor Size | 947 |
| Table 4D-109(CA) | Signal Operations – Minimum Bicycle Timing | 948 |
| Table 5A-1 | Sign and Plaque Sizes on Low-Volume Roads | 1004 |
| Table 6C-1 | Recommended Advance Warning Sign Minimum Spacing | 1041 |
| Table 6C-2 | Stopping Sight Distance as a Function of Speed | 1041 |
| Table 6C-3 | Taper Length Criteria for Temporary Traffic Control Zones | 1041 |
| Table 6C-3(CA) | Taper Length Criteria for Temporary Traffic Control Zones (for 12 feet Offset Width) | 1042 |
| Table 6C-4 | Formulas for Determining Taper Length | 1042 |
| Table 6C-101(CA) | Stopping Sight Distance as a Function of Speed on Downgrades | 1043 |
| Table 6E-1 | Stopping Sight Distance as a Function of Speed | 1061 |
| Table 6E-101(CA) | Longitudinal Buffer Space or Flagger Station Spacing on Downgrades | 1061 |
| Table 6F-1 | Temporary Traffic Control Zone Sign and Plaque Sizes | 1122 |
| Table 6F-1(CA) | California Temporary Traffic Control Zone Sign and Plaque Sizes | 1125 |
| Table 6F-101(CA) | Maximum Spacing of Channelizing Devices | 1126 |
| Table 6F-102(CA) | Pavement Surface Tolerances | 1127 |
| Table 6H-1 | Index to Typical Applications | 1143 |
| Table 6H-1(CA) | Index to Typical Applications | 1144 |
| Table 6H-2 | Meaning of Symbols on Typical Application Diagrams | 1144 |
| Table 6H-3 | Meaning of Letter Codes on Typical Application Diagrams | 1145 |
| Table 6H-4 | Formulas for Determining Taper Length | 1145 |
| Table 6H-4(CA) | Taper Length Criteria for Temporary Traffic Control Zones (for 12 feet Offset Width) | 1146 |

| | | |
|--------------------------------|---|----------------------|
| Table 7B-1 | School Area Sign and Plaque Sizes | 1295 |
| Table 7B-1(CA) | California School Area Sign Assembly Sizes | 1295 |
| Table 8B-1 | Grade Crossing Sign and Plaque Minimum Sizes | 1337 |
| Table 8B-1(CA) | California Grade Crossing Sign and Plaque Minimum Sizes | 1338 |
| Table 9B-1 | Bicycle Facility Sign and Plaque Minimum Sizes | 1388 |
| Table 9B-1(CA) | California Bicycle Facility Sign and Plaque Minimum Sizes | 1390 |
| Table A2-1 | Conversion of Inches to Millimeters | 1432 |
| Table A2-2 | Conversion of Feet to Meters | 1432 |
| Table A2-3 | Conversion of Miles to Kilometers | 1432 |
| Table A2-4 | Conversion of Miles per Hour to Kilometers/Hour | 1432 |