## CALIFORNIA MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES

## **TABLE OF CONTENTS**

		<u>Page</u>
REFERENCES		i
ACKNOWLEDGME	INTS	v
CTCDC NOTIFICAT	FION LETTER	vii
FHWA LETTER OF	SUBSTANTIAL CONFORMANCE	ix
LIST OF FIGURES		25
LIST OF TABLES		38
FOREWORD		41
INTRODUCTIO	N	43
PART 1.	GENERAL	53
CHAPTER 1A.	GENERAL	53
Section 1A.01	Purpose of Traffic Control Devices	53
Section 1A.02	Principles of Traffic Control Devices	53
Section 1A.03	Design of Traffic Control Devices	54
Section 1A.04	Placement and Operation of Traffic Control Devices	54
Section 1A.05	Maintenance of Traffic Control Devices	54
Section 1A.06	Uniformity of Traffic Control Devices	54
Section 1A.07	Responsibility for Traffic Control Devices	55
Section 1A.08	Authority for Placement of Traffic Control Devices	56
Section 1A.09	Engineering Study and Engineering Judgment	58
Section 1A.10	Interpretations, Experimentations, Changes, and Interim Approvals	58
Section 1A.11	Relation to Other Publications Color Code	65
Section 1A.12 Section 1A.13		67 67
Section 1A.13	Definitions of Headings, Words, and Phrases in this Manual Meanings of Acronyms and Abbreviations in this Manual	85
Section 1A.14 Section 1A.15	Abbreviations Used on Traffic Control Devices	91
PART 2.	SIGNS	99
CHAPTER 2A.	GENERAL	99
Section 2A.01	Function and Purpose of Signs	99
Section 2A.02	Definitions	99
Section 2A.03	Standardization of Application	99
Section 2A.04	Excessive Use of Signs	100

California MUTCD 20 (FHWA's MUTCD 2009	)14 Edition 9 Edition, including Revisions 1,2, &3, as amended for use in California)	age 2
Saction 24.05	Classification of Signs	100
Section 2A.05 Section 2A.06	Classification of Signs	100 100
Section 2A.00	Design of Signs Retroreflectivity and Illumination	100
Section 2A.07 Section 2A.08		102
Section 2A.08 Section 2A.09	Maintaining Minimum Retroreflectivity	105
Section 2A.09 Section 2A.10	Shapes Sign Colors	104
Section 2A.10	Sign Colors Dimensions	104
Section 2A.11 Section 2A.12	Symbols	104
Section 2A.12 Section 2A.13	Word Messages	105
Section 2A.13 Section 2A.14	e	100
Section 2A.14 Section 2A.15	Sign Borders Enhanced Commissionity for Standard Signs	107
Section 2A.15 Section 2A.16	Enhanced Conspicuity for Standard Signs Standardization of Location	107
		108
Section 2A.17	Overhead Sign Installations	
Section 2A.18	Mounting Height	110
Section 2A.19	Lateral Offset	111
Section 2A.20	Orientation	113
Section 2A.21	Posts and Mountings	113
Section 2A.22	Maintenance	114
Section 2A.23	Median Opening Treatments for Divided Highways with Wide Medians	114
Section 2A.101(CA)	Signs Off the State Right-of-Way	114
CHAPTER 2B.	<b>REGULATORY SIGNS, BARRICADES, AND GATES</b>	125
Section 2B.01	Application of Regulatory Signs	125
Section 2B.02	Design of Regulatory Signs	125
Section 2B.03	Size of Regulatory Signs	125
Section 2B.04	Right-of-Way at Intersections	126
Section 2B.05	STOP Sign (R1-1) and ALL WAY Plaque (R1-3P)	128
Section 2B.06	STOP Sign Applications	129
Section 2B.07	Multi-Way Stop Applications	129
Section 2B.08	YIELD Sign (R1-2)	130
Section 2B.09	YIELD Sign Applications	130
Section 2B.10	STOP Sign or YIELD Sign Placement	130
Section 2B.11	Yield Here To Pedestrians Signs and Stop Here For Pedestrians Signs (R1-5 Series)	132
Section 2B.12	In-Street and Overhead Pedestrian Crossing Signs (R1-6, R1-6a, R1-9, and R1-9a)	132
Section 2B.13	Speed Limit Sign (R2-1)	133
Section 2B.14	Truck Speed Limit Plaque (R2-2P)	146
Section 2B.15	Night Speed Limit Plaque (R2-3P)	146
Section 2B.16	Minimum Speed Limit Plaque (R2-4P)	147
Section 2B.17	Higher Fines Signs and Plaque (R2-6P, R2-10, and R2-11)	147
Section 2B.18	Movement Prohibition Signs (R3-1 through R3-4, R3-18, and R3-27)	148
Section 2B.19	Intersection Lane Control Signs (R3-5 through R3-8)	150
Section 2B.20	Mandatory Movement Lane Control Signs (R3-5, R3-5a, R3-7, and R3-20)	151
Section 2B.21	Optional Movement Lane Control Sign (R3-6)	153
Section 2B.22	Advance Intersection Lane Control Signs (R3-8 Series)	153
Section 2B.23	RIGHT (LEFT) LANE MUST EXIT Sign (R3-33)	154
Section 2B.24	Two-Way Left Turn Only Signs (R3-9a, R3-9b)	154
Section 2B.25	BEGIN and END Plaques (R3-9cP, R3-9dP)	155
Section 2B.26	Reversible Lane Control Signs (R3-9e through R3-9i)	155
Section 2B.27	Jughandle Signs (R3-23, R3-24, R3-25, and R3-26 Series)	156
Section 2B.28	DO NOT PASS Sign (R4-1)	157

	Section 2B.29	PASS WITH CARE Sign (R4-2)	157
	Section 2B.30	KEEP RIGHT EXCEPT TO PASS Sign (R4-16) and SLOWER TRAFFIC KEEP	
		RIGHT Sign (R4-3)	157
	Section 2B.31	TRUCKS USE RIGHT LANE Sign (R4-5)	158
	Section 2B.32	Keep Right and Keep Left Signs (R4-7, R4-8)	159
	Section 2B.33	STAY IN LANE Sign (R4-9)	160
	Section 2B.34	RUNAWAY VEHICLES ONLY Sign (R4-10)	160
	Section 2B.35	Slow Vehicle Turn-Out Signs (R4-12, R4-13, and R4-14)	160
	Section 2B.36	DO NOT DRIVE ON SHOULDER Sign (R4-17) and DO NOT PASS ON	160
		SHOULDER Sign (R4-18)	
	Section 2B.37	DO NOT ENTER Sign (R5-1)	161
	Section 2B.38	WRONG WAY Sign (R5-1a)	161
	Section 2B.39	Selective Exclusion Signs	162
_	Section 2B.40	ONE WAY Signs (R6-1, R6-2)	164
	Section 2B.41	Wrong-Way Traffic Control at Interchange Ramps	166
	Section 2B.42	Divided Highway Crossing Signs (R6-3, R6-3a)	169
	Section 2B.43	Roundabout Directional Arrow Signs (R6-4, R6-4a, and R6-4b)	169
	Section 2B.44	Roundabout Circulation Plaque (R6-5P)	170
	Section 2B.45	Examples of Roundabout Signing	170
	Section 2B.46	Parking, Standing, and Stopping Signs (R7 and R8 Series)	170
	Section 2B.47	Design of Parking, Standing, and Stopping Signs	177
	Section 2B.48	Placement of Parking, Stopping, and Standing Signs	179
	Section 2B.49	Emergency Restriction Signs (R8-4, R8-7, R8-8)	179
	Section 2B.50	WALK ON LEFT FACING TRAFFIC and No Hitchhiking Signs (R9-1, R9-4, R9-4a)	180
	Section 2B.51	Pedestrian Crossing Signs (R9-2, R9-3)	180
	Section 2B.52	Traffic Signal Pedestrian and Bicycle Actuation Signs (R10-1 through R10-4,	180
		and R10-24 through R10-26)	
	Section 2B.53	Traffic Signal Signs (R10-5 through R10-30)	181
	Section 2B.54	No Turn on Red Signs (R10-11 Series, R10-17a, and R10-30)	182
	Section 2B.55	Photo Enforced Signs and Plaques (R10-18, R10-19P, R10-19aP)	184
	Section 2B.56	Ramp Metering Signs (R10-28 and R10-29)	184
	Section 2B.57	KEEP OFF MEDIAN Sign (R11-1)	185
	Section 2B.58	ROAD CLOSED Sign (R11-2) and LOCAL TRAFFIC ONLY Signs (R11-3	185
		Series, R11-4)	
	Section 2B.59	Weight Limit Signs (R12-1 through R12-5)	185
	Section 2B.60	Weigh Station Signs (R13 Series)	186
	Section 2B.61	TRUCK ROUTE Sign (R14-1)	187
	Section 2B.62	Hazardous Material Signs (R14-2, R14-3)	188
	Section 2B.63	National Network Signs (R14-4, R14-5)	189
	Section 2B.64	Headlight Use Signs (R16-5 through R16-11)	189
	Section 2B.65	FENDER BENDER Sign (R16-4)	190
	Section 2B.66	Seat Belt Symbol	190
	Section 2B.67	Barricades	191
	Section 2B.68	Gates	191
	Section 2B.101(CA)	NO FISHING (JUMPING) FROM BRIDGE Sign (R23(CA))	192
	Section 2B.102(CA)	TWO WAY TRAFFIC AHEAD Sign (R40(CA))	193
	Section 2B.103(CA)	\$1000 Fine Signs (R47(CA) and R47A(CA))	193
	Section 2B.104(CA)	PRIVATE ROAD (PRIVATE PROPERTY) VEHICLE CODE ENFORCED Sign (R101(CA))	193
	Section 2B.105(CA)	Rest Area Disclaimer Sign (SR2(CA))	193
	Section 2B.106(CA)	Garbage Prohibition Signs (SR22-1(CA) and SR23-1(CA))	193
	Section 2B.107(CA)	GOLF CARTS OK DAYLIGHT HOURS Sign (SR43(CA))	193

Section 2B.108(CA) Section 2B.109(CA)	Bus and Truck Registration Sign (SR44(CA)) EMERGENCY ACCESS KEEP CLEAR Sign (SR46(CA))	193 194
Section 2B.110(CA)	Off Highway Vehicle Signs (SR47(CA) and SR48(CA))	194
Section 2B.111(CA)	State Property Signs (S8(CA) and S20(CA))	194
Section 2B.112(CA)	MOVE OVER OR SLOW FOR STOPPED EMERGENCY AND MAINTENANCE VEHICLES Sign (R110(CA))	194
Section 2B.113(CA)	NŐ CÁMPING ÖR SLEEPING IN VEHICLE Sign (R119(CA))	194
CHAPTER 2C.	WARNING SIGNS AND OBJECT MARKERS	263
Section 2C.01	Function of Warning Signs	263
Section 2C.02	Application of Warning Signs	263
Section 2C.03	Design of Warning Signs	263
Section 2C.04	Size of Warning Signs	264
Section 2C.05	Placement of Warning Signs	264
Section 2C.06	Horizontal Alignment Warning Signs	265
Section 2C.07	Horizontal Alignment Signs (W1-1 through W1-5, W1-11, W1-15)	265
Section 2C.08	Advisory Speed Plaque (W13-1P)	266
Section 2C.09	Chevron Alignment Sign (W1-8)	267
Section 2C.10	Combination Horizontal Alignment/Advisory Speed Signs (W1-1a, W1-2a)	268
Section 2C.11	Combination Horizontal Alignment/Intersection Signs (W1-10 Series)	269
Section 2C.12	One-Direction Large Arrow Sign (W1-6)	269
Section 2C.13	Truck Rollover Warning Sign (W1-13)	270
Section 2C.14	Advisory Exit and Ramp Speed Signs (W13-2 and W13-3)	270
Section 2C.15	Combination Horizontal Alignment/Advisory Exit and Ramp Speed Signs (W13-6 and W13-7)	271
Section 2C.16	Hill Signs (W7-1, W7-1a)	271
Section 2C.17	Truck Escape Ramp Signs (W7-4 Series)	272
Section 2C.18	HILL BLOCKS VIEW Sign (W7-6)	272
Section 2C.19	ROAD NARROWS Sign (W5-1)	272
Section 2C.20	NARROW BRIDGE Sign (W5-2)	273
Section 2C.21	ONE LANE BRIDGE Sign (W5-3)	273
Section 2C.22	Divided Highway Sign (W6-1)	273
Section 2C.23	Divided Highway Ends Sign (W6-2)	273
Section 2C.24	Freeway or Expressway Ends Signs (W19 Series)	273
Section 2C.25	Double Arrow Sign (W12-1)	274
Section 2C.26	DEAD END/NO OUTLET Signs (W14-1, W14-1a, W14-2, W14-2a)	274
Section 2C.27	Low Clearance Signs (W12-2 and W12-2a)	274
Section 2C.28	BUMP and DIP Signs (W8-1, W8-2)	275
Section 2C.29	SPEED HUMP Sign (W17-1)	276
Section 2C.30	PAVEMENT ENDS Sign (W8-3)	276
Section 2C.31	Shoulder Signs (W8-4, W8-9, W8-17, W8-23, and W8-25)	276
Section 2C.32	Surface Condition Signs (W8-5, W8-7, W8-8, W8-11, W8-13, and W8-14)	277
Section 2C.33	Warning Signs and Plaques for Motorcyclists (W8-15, W8-15P, and W8-16)	278
Section 2C.34	NO CENTER LINE Sign (W8-12)	278
Section 2C.35	Weather Condition Signs (W8-18, W8-19, W8-21, and W8-22)	278
Section 2C.36	Advance Traffic Control Signs (W3-1, W3-2, W3-3, W3-4)	279
Section 2C.37	Advance Ramp Control Signal Signs (W3-7 and W3-8)	280
Section 2C.38	Reduced Speed Limit Ahead Signs (W3-5, W3-5a)	280
Section 2C.39	DRAW BRIDGE Sign (W3-6)	281
Section 2C.40	Merge Signs (W4-1, W4-5)	281

Table of Contents

California MUTCD 2 (FHWA's MUTCD 200	014 Edition 9 Edition, including Revisions 1,2, &3, as amended for use in California)	Page 5
Section 2C.41	Added Lane Signs (W4-3, W4-6)	282
Section 2C.42	Lane Ends Signs (W4-2, W9-1, W9-2)	282
Section 2C.43	RIGHT (LEFT) LANE EXIT ONLY AHEAD Sign (W9-7)	282
Section 2C.44	Two-Way Traffic Sign (W6-3)	283
Section 2C.45	NO PASSING ZONE Sign (W14-3)	284
Section 2C.46	Intersection Warning Signs (W2-1 through W2-8)	284
Section 2C.47	Two-Direction Large Arrow Sign (W1-7)	285
Section 2C.48	Traffic Signal Signs (W25-1, W25-2)	285
Section 2C.49	Vehicular Traffic Warning Signs (W8-6, W11-1, W11-5, W11-5a, W11-8, W11-	
	W11-11, W11-12P, W11-14, W11-15, and W11-15a)	
Section 2C.50	Non-Vehicular Warning Signs (W11-2, W11-3, W11-4, W11-6, W11-7, W11-9, and W11-16 through W11-22)	287
Section 2C.51	Playground Sign (W15-1)	289
Section 2C.52	NEW TRAFFIC PATTERN AHEAD Sign (W23-2)	289
Section 2C.53	Use of Supplemental Warning Plaques	289
Section 2C.54	Design of Supplemental Warning Plaques	290
Section 2C.55	Distance Plaques (W16-2 Series, W16-3 Series, W16-4P, W7-3aP)	290
Section 2C.56	Supplemental Arrow Plaques (W16-5P, W16-6P)	290
Section 2C.57	Hill-Related Plaques (W7-2 Series, W7-3 Series)	290
Section 2C.58	Advance Street Name Plaque (W16-8P, W16-8aP)	290
Section 2C.59	CROSS TRAFFIC DOES NOT STOP Plaque (W4-4P)	291
Section 2C.60	SHARE THE ROAD Plaque (W16-1P)	291
Section 2C.61	Photo Enforced Plaque (W16-10P)	291
Section 2C.62	NEW Plaque (W16-15P)	292
Section 2C.63	Object Marker Design and Placement Height	292
Section 2C.64	Object Markers for Obstructions Within the Roadway	293
Section 2C.65	Object Markers for Obstructions Adjacent to the Roadway	293
Section 2C.66	Object Markers for Ends of Roadways	294
CHAPTER 2D.	GUIDE SIGNS—CONVENTIONAL ROADS	321
Section 2D.01	Scope of Conventional Road Guide Sign Standards	321
Section 2D.02	Application	321
Section 2D.03	Color, Retroreflection, and Illumination	321
Section 2D.04	Size of Signs	323
Section 2D.05	Lettering Style	323
Section 2D.06	Size of Lettering	324
Section 2D.07	Amount of Legend	324
Section 2D.08	Arrows	324
Section 2D.09	Numbered Highway Systems	326
Section 2D.10	Route Signs and Auxiliary Signs	327
Section 2D.11	Design of Route Signs	328
Section 2D.12	Design of Route Sign Auxiliaries	329
Section 2D.13	Junction Auxiliary Sign (M2-1)	330
Section 2D.14	Combination Junction Sign (M2-2)	330
Section 2D.15	Cardinal Direction Auxiliary Signs (M3-1 through M3-4)	330
Section 2D.16	Auxiliary Signs for Alternative Routes (M4 Series)	331
Section 2D.17	ALTERNATE Auxiliary Signs (M4-1, M4-1a)	331
Section 2D.18	BY-PASS Auxiliary Sign (M4-2)	331
Section 2D.19	BUSINESS Auxiliary Sign (M4-3)	331
Section 2D.20	TRUCK Auxiliary Sign (M4-4)	331

California MUTCD 2 (FHWA's MUTCD 200	014 Edition 9 Edition, including Revisions 1,2, &3, as amended for use in California)	Page 6
Section 2D.21	TO Auviliant Sign (M4.5)	332
Section 2D.21 Section 2D.22	TO Auxiliary Sign (M4-5) END Auxiliary Sign (M4-6)	332
Section 2D.22 Section 2D.23	BEGIN Auxiliary Sign (M4-14)	332
Section 2D.23	TEMPORARY Auxiliary Signs (M4-7, M4-7a)	332
Section 2D.24 Section 2D.25	Temporary Detour and Auxiliary Signs	332
Section 2D.25	Advance Turn Arrow Auxiliary Signs (M5-1, M5-2, and M5-3)	333
Section 2D.27	• • • •	333
Section 2D.27	Lane Designation Auxiliary Signs (M5-4, M5-5, and M5-6) Directional Arrow Auxiliary Signs (M6 Series)	333
Section 2D.28 Section 2D.29	Route Sign Assemblies	334
Section 2D.29	Junction Assembly	334
Section 2D.30	Advance Route Turn Assembly	335
Section 2D.31 Section 2D.32	Directional Assembly	336
Section 2D.32 Section 2D.33	Combination Lane-Use/Destination Overhead Guide Sign (D15-1)	337
Section 2D.34	Confirming or Reassurance Assemblies	337
Section 2D.34 Section 2D.35	Trailblazer Assembly	337
Section 2D.35 Section 2D.36	Destination and Distance Signs	338
Section 2D.37	Destination Signs (D1 Series)	338
Section 2D.38	Destination Signs (D1 Series)	341
Section 2D.39	Destination Signs at Jughandles	342
Section 2D.40	Location of Destination Signs	342
Section 2D.41	Distance Signs (D2 Series)	342
Section 2D.42	Location of Distance Signs	343
Section 2D.43	Street Name Signs (D3-1 or D3-1a)	343
Section 2D.44	Advance Street Name Signs (D3-2)	345
Section 2D.45	Signing on Conventional Roads on Approaches to Interchanges	346
Section 2D.46	Freeway Entrance Signs (D13-3 and D13-3a)	347
Section 2D.47	Parking Area Guide Sign (D4-1)	348
Section 2D.48	PARK - RIDE Sign (D4-2)	348
Section 2D.49	Weigh Station Signing (D8 Series)	349
Section 2D.50	Community Wayfinding Signs	349
Section 2D.51	Truck, Passing, or Climbing Lane Signs (D17-1 and D17-2)	353
Section 2D.52	Slow Vehicle Turn-Out Sign (D17-7)	353
Section 2D.53	Signing of Named Highways	353
Section 2D.54	Crossover Signs (D13-1 and D13-2)	354
Section 2D.55	National Scenic Byways Signs (D6-4, D6-4a)	354
Section 2D.101(CA)	Inventory Markers	355
Section 2D.102(CA)	Intersection Number (G98(CA)) Sign	357
Section 2D.103(CA)	State Property Signs (SG26(CA), S1-1(CA), and S27(CA))	358
CHAPTER 2E.	GUIDE SIGNS—FREEWAYS AND EXPRESSWAYS	393
Section 2E.01	Scope of Freeway and Expressway Guide Sign Standards	393
Section 2E.02	Freeway and Expressway Signing Principles	393
Section 2E.03	Guide Sign Classification	393
Section 2E.04	General	394
Section 2E.05	Color of Guide Signs	394
Section 2E.06	Retroreflection or Illumination	394
Section 2E.07	Characteristics of Urban Signing	394
Section 2E.08	Characteristics of Rural Signing	395
Section 2E.09	Signing of Named Highways	395
Section 2E.10	Amount of Legend on Guide Signs	395

California MUTCD 20 (FHWA's MUTCD 2009	014 Edition 9 Edition, including Revisions 1,2, &3, as amended for use in California)	Page 7
Section 2E.11	Number of Signs at an Overhead Installation and Sign Spreading	396
Section 2E.12	Pull-Through Signs (E6-2, E6-2a)	396
Section 2E.13	Designation of Destinations	396
Section 2E.14	Size and Style of Letters and Signs	397
Section 2E.15	Interline and Edge Spacing	398
Section 2E.16	Sign Borders	398
Section 2E.17	Abbreviations	398
Section 2E.18	Symbols	399
Section 2E.19	Arrows for Interchange Guide Signs	399
Section 2E.20	Signing for Option Lanes at Splits and Multi-Lane Exits	399
Section 2E.21	Design of Overhead Arrow-per-Lane Guide Signs for Option Lanes	400
Section 2E.22	Design of Freeway and Expressway Diagrammatic Guide Signs for Option Lanes	402
Section 2E.23	Signing for Intermediate and Minor Interchange Multi-Lane Exits with an Option Lane	403
Section 2E.24	Signing for Interchange Lane Drops	404
Section 2E.25	Overhead Sign Installations	405
Section 2E.26	Lateral Offset	405
Section 2E.27	Route Signs and Trailblazer Assemblies	405
Section 2E.28	Eisenhower Interstate System Signs (M1-10, M1-10a)	406
Section 2E.29	Signs for Intersections at Grade	406
Section 2E.30	Interchange Guide Signs	406
Section 2E.31	Interchange Exit Numbering	407
Section 2E.32	Interchange Classification	410
Section 2E.33	Advance Guide Signs	411
Section 2E.34	Next Exit Plaques	412
Section 2E.35	Other Supplemental Guide Signs	412
Section 2E.36	Exit Direction Signs	413
Section 2E.37	Exit Gore Signs (E5-1 Series)	414
Section 2E.38	Post-Interchange Signs	415
Section 2E.39	Post-Interchange Distance Signs	415
Section 2E.40	Interchange Sequence Signs	416
Section 2E.41	Community Interchanges Identification Signs	417
Section 2E.42	NEXT XX EXITS Sign	417
Section 2E.43	Signing by Type of Interchange	417
Section 2E.44	Freeway-to-Freeway Interchange	418
Section 2E.45 Section 2E.46	Cloverleaf Interchange	418 419
Section 2E.46 Section 2E.47	Cloverleaf Interchange with Collector-Distributor Roadways	419
Section 2E.47 Section 2E.48	Partial Cloverleaf Interchange Diamond Interchange	419
Section 2E.48	Diamond Interchange in Urban Area	420
Section 2E.50	Closely-Spaced Interchanges	420
Section 2E.50	Minor Interchange	420
Section 2E.52	Signing on Conventional Road Approaches and Connecting Roadways	420
Section 2E.52 Section 2E.53	Wrong-Way Traffic Control at Interchange Ramps	421
Section 2E.55	Weigh Station Signing	421
CHAPTER 2F.	TOLL ROAD SIGNS	473
Section 2F.01	Scope	473
Section 2F.02	Sizes of Toll Road Signs	473
	$m{arphi}$	

Section 2F.02	Sizes of Toll Road Signs	473
Section 2F.03	Use of Purple Backgrounds and Underlay Panels with ETC Account Pictographs	473
Section 2F.04	Size of ETC Pictographs	474

	California MUTCD 2 (FHWA's MUTCD 2009	014 Edition 9 Edition, including Revisions 1,2, &3, as amended for use in California)	Page 8
	Section 2F.05	Regulatory Signs for Toll Plazas	474
	Section 2F.06	Pay Toll Advance Warning Sign (W9-6)	475
	Section 2F.07	Pay Toll Advance Warning Plaque (W9-6P)	476
	Section 2F.08	Stop Ahead Pay Toll Warning Sign (W9-6a)	476
	Section 2F.09	Stop Ahead Pay Toll Warning Plaque (W9-6aP)	477
	Section 2F.10	LAST EXIT BEFORE TOLL Warning Plaque (W16-16P)	477
	Section 2F.11	TOLL Auxiliary Sign (M4-15)	477
	Section 2F.12	Electronic Toll Collection (ETC) Account-Only Auxiliary Signs (M4-16 and M4-20)	477
	Section 2F.13	Toll Facility and Toll Plaza Guide Signs – General	477
	Section 2F.14	Advance Signs for Conventional Toll Plazas	479
	Section 2F.15	Advance Signs for Toll Plazas on Diverging Alignments from Open-Road ETC Account-Only Lanes	480
	Section 2F.16	Toll Plaza Canopy Signs	480
	Section 2F.17	Guide Signs for Entrances to ETC Account-Only Facilities	481
	Section 2F.18	ETC Program Information Signs	481
	CHAPTER 2G.	PREFERENTIAL AND MANAGED LANE SIGNS	491
	Section 2G.01	Scope	491
	Section 2G.02	Sizes of Preferential and Managed Lane Signs	491
	Section 2G.03	Regulatory Signs for Preferential Lanes – General	491
	Section 2G.04	Preferential Lane Vehicle Occupancy Definition Regulatory Signs (R3-10 Series and R3-13 Series)	494
	Section 2G.05	Preferential Lane Periods of Operation Regulatory Signs (R3-11 Series and R3-14 Series)	495
	Section 2G.06	Preferential Lane Advance Regulatory Signs (R3-12, R3-12e, R3-12f, R3-15, R3-15a, and R3-15d)	497
	Section 2G.07	Preferential Lane Ends Regulatory Signs (R3-12a, R3-12b, R3-12c, R3-12d, R3-12g, R3-12h, R3-15b, R3-15c, and R3-15e)	498
	Section 2G.08	Warning Signs on Median Barriers for Preferential Lanes	498
	Section 2G.09	High-Occupancy Vehicle (HOV) Plaque (W16-11P)	499
I	Section 2G.10	Preferential Lane Guide Signs – General	499
1	Section 2G.11	Guide Signs for Initial Entry Points to Preferential Lanes	502
	Section 2G.12	Guide Signs for Intermediate Entry Points to Preferential Lanes	502
	Section 2G.13	Guide Signs for Egress from Preferential Lanes to General-Purpose Lanes	503
	Section 2G.14	Guide Signs for Direct Entrances to Preferential Lanes from Another Highway	504
	Section 2G.15	Guide Signs for Direct Exits from Preferential Lanes to Another Highway	504
	Section 2G.16	Signs for Priced Managed Lanes – General	505
	Section 2G.17	Regulatory Signs for Priced Managed Lanes	506
	Section 2G.18	Guide Signs for Priced Managed Lanes	507
	Section 2G.101(CA)	Preferential Lane Enforcement Signing (SR50(CA)) Series	508
	Section 2G.102(CA)	Regulatory Signs for Preferential Lanes at Metered On-Ramps	509
	CHAPTER 2H.	GENERAL INFORMATION SIGNS	543
	Section 2H.01	Sizes of General Information Signs	543
	Section 2H.02	General Information Signs (I Series)	543
	Section 2H.03	Traffic Signal Speed Sign (I1-1)	546
	Section 2H.04	Miscellaneous Information Signs	546
	Section 2H.05	Reference Location Signs (D10-1 through D10-3) and Intermediate Reference Location Signs (D10-1a through D10-3a)	547

	California MUTCD 2 (FHWA's MUTCD 200	2014 Edition 99 Edition, including Revisions 1,2, &3, as amended for use in California)	Page 9
	Section 2H.06	Enhanced Reference Location Signs (D10-4, D10-5)	548
	Section 2H.07	Auto Tour Route Signs	549
	Section 2H.08	Acknowledgment Signs	549
	CHAPTER 2I.	GENERAL SERVICE SIGNS	559
_	Section 2I.01	Sizes of General Service Signs	559
	Section 2I.02	General Service Signs for Conventional Roads	559
	Section 2I.03	General Service Signs for Freeways and Expressways	560
	Section 2I.04	Interstate Oasis Signing	570
	Section 2I.05	Rest Area and Other Roadside Area Signs	571
	Section 2I.06	Brake Check Area Signs (D5-13 and D5-14)	573
	Section 2I.07	Chain-Up Area Signs (D5-15 and D5-16)	573
	Section 2I.08	Tourist Information and Welcome Center Signs	573
	Section 2I.09	Radio Information Signing	576
	Section 2I.10	TRAVEL INFO CALL 511 Signs (D12-5 and D12-5a)	579
	Section 2I.11	Carpool and Ridesharing Signing	579
	CHAPTER 2J.	SPECIFIC SERVICE SIGNS	591
	Section 2J.01	Eligibility	591
	Section 2J.02	Application	595
	Section 2J.03	Logos and Logo Sign Panels	596
	Section 2J.04	Number and Size of Signs and Logo Sign Panels	597
	Section 2J.05	Size of Lettering	598
	Section 2J.06	Signs at Interchanges	598
	Section 2J.07	Single-Exit Interchanges	598
	Section 2J.08	Double-Exit Interchanges	599
	Section 2J.09	Specific Service Trailblazer Signs	600
	Section 2J.10	Signs at Intersections	601
	Section 2J.11	Signing Policy	601
	Section 2J.101(CA)	Signs at Ramps	602
	CHAPTER 2K.	TOURIST-ORIENTED DIRECTIONAL SIGNS	609
	Section 2K.01	Purpose and Application	609
	Section 2K.02	Design	609
	Section 2K.03	Style and Size of Lettering	610
	Section 2K.04	Arrangement and Size of Signs	610
	Section 2K.05	Advance Signs	611
	Section 2K.06	Sign Locations	611
	Section 2K.07	State Policy	611
	CHAPTER 2L.	CHANGEABLE MESSAGE SIGNS	617
	Section 2L.01	Description of Changeable Message Signs	617
	Section 2L.02	Applications of Changeable Message Signs	617
	Section 2L.03	Legibility and Visibility of Changeable Message Signs	619
	Section 2L.04	Design Characteristics of Changeable Message Signs	619
	Section 2L.05	Message Length and Units of Information	621
	Section 2L.06	Installation of Permanent Changeable Message Signs	622
	Section 2L.101(CA)	Extinguishable Message Signs	622

	CHAPTER 2M.	RECREATIONAL AND CULTURAL INTEREST AREA SIGNS	623
I	Section 2M.01 Section 2M.02 Section 2M.03	Scope Application of Recreational and Cultural Interest Area Signs Regulatory and Warning Signs	623 623 629
	Section 2M.04	General Design Requirements for Recreational and Cultural Interest Area Symbol Guide Signs	629 629
	Section 2M.05	Symbol Sign Sizes	629
	Section 2M.06	Use of Educational Plaques	629
	Section 2M.07	Use of Prohibitive Circle and Diagonal Slash for Non-Road Applications	629
	Section 2M.08 Section 2M.09	Placement of Recreational and Cultural Interest Area Symbol Signs Destination Guide Signs	630 630
1	Section 2M.10	Memorial or Dedication Signing	631
•	Section 2M.101(CA)	Historical Landmark Signs (G13-1(CA), G13-2(CA) and G14(CA))	<b>634</b>
	Section 2M.102(CA)	POINT OF HISTORICAL INTEREST Sign (G15(CA))	635
-	Section 2M.103(CA)	Historic Route Signs (SG2(CA), SG2A(CA), S18(CA) and S25(CA))	635
	Section 2M.104(CA)	Historic Bridge Signs (S29(CA), S29-1(CA) and S29-2(CA))	636
	CHAPTER 2N.	EMERGENCY MANAGEMENT SIGNING	653
	Section 2N.01	Emergency Management	653
	Section 2N.02	Design of Emergency Management Signs	653
	Section 2N.03	Evacuation Route Signs (EM-1 and EM-1a)	653
	Section 2N.04	AREA CLOSED Sign (EM-2)	654
	Section 2N.05	TRAFFIC CONTROL POINT Sign (EM-3)	654
	Section 2N.06 Section 2N.07	MAINTAIN TOP SAFE SPEED Sign (EM-4)	655
	Section 2N.07 Section 2N.08	ROAD (AREA) USE PERMIT REQUIRED FOR THRU TRAFFIC Sign (EM-5) Emergency Aid Center Signs (EM-6 Series)	655 655
	Section 2N.09	Shelter Directional Signs (EM-7 Series)	656
	PART 3.	MARKINGS	658
	CHAPTER 3A.	GENERAL	658
	Section 3A.01	Functions and Limitations	658
	Section 3A.02	Standardization of Application	658
	Section 3A.03	Maintaining Minimum Pavement Marking Retroreflectivity	659
	Section 3A.04 Section 3A.05	Materials	660
	Section 3A.05 Section 3A.06	Colors Functions, Widths, and Patterns of Longitudinal Pavement Markings	660 661
			001
	CHAPTER 3B.	PAVEMENT AND CURB MARKINGS	679
	Section 3B.01	Yellow Center Line Pavement Markings and Warrants	679
	Section 3B.02	No-Passing Zone Pavement Markings and Warrants	680
	Section 3B.03	Other Yellow Longitudinal Pavement Markings	682
	Section 3B.04 Section 3B.05	White Lane Line Pavement Markings and Warrants	683 685
ł	Section 3B.05	Other White Longitudinal Pavement Markings Edge Line Pavement Markings	686
1	Section 3B.07	Warrants for Use of Edge Lines	686
	Section 3B.08	Extensions Through Intersections or Interchanges	687
	Section 3B.09	Lane-Reduction Transition Markings	688
	Section 3B.10	Approach Markings for Obstructions	688

	Section 3G.01	General	823
	Section 3G.101(CA)	Green-Colored Pavement for Bicycle Facilities	<mark>823</mark>
	CHAPTER 3G	COLORED PAVEMENTS	823
1	Section 3F.01 Section 3F.02 Section 3F.03 Section 3F.04 Section 3F.101(CA) Section 3F.102(CA) Section 3F.103(CA) Section 3F.104(CA)	Delineators Delineator Design Delineator Application Delineator Placement and Spacing Culvert Markers Emergency Passageway Marker Narrow Bridge Signing and Marking Median Barrier Delineation	811 811 813 814 814 814 814
	CHAPTER 3F	DELINEATORS	811
	CHAPTER 3E.	MARKINGS FOR TOLL PLAZAS	<b>809</b>
	Section 3E.01	Markings for Toll Plazas	809
I	Section 3D.01	Preferential Lane Word and Symbol Markings	799
	Section 3D.02	Preferential Lane Longitudinal Markings for Motor Vehicles	800
	CHAPTER 3D	MARKINGS FOR PREFERENTIAL LANES	799
	Section 3C.06 Section 3C.07	Word, Symbol, and Arrow Pavement Markings for Roundabouts Markings for Other Circular Intersections	783 783 783
	Section 3C.03	Edge Line Pavement Markings for Roundabout Circulatory Roadways	782
	Section 3C.04	Yield Lines for Roundabouts	783
	Section 3C.05	Crosswalk Markings at Roundabouts	783
ľ	Section 3C.01	General	782
	Section 3C.02	White Lane Line Pavement Markings for Roundabouts	782
	CHAPTER 3C.	ROUNDABOUT MARKINGS	782
	Section 3B.25	Speed Hump Markings	706
	Section 3B.26	Advance Speed Hump Markings	706
	Section 3B.101(CA)	Turnouts	<mark>707</mark>
	Section 3B.23	Curb Markings	704
	Section 3B.24	Chevron and Diagonal Crosshatch Markings	705
	Section 3B.21	Speed Measurement Markings	702
	Section 3B.22	Speed Reduction Markings	703
	Section 3B.19	Parking Space Markings	697
	Section 3B.20	Pavement Word, Symbol, and Arrow Markings	698
	Section 3B.17 Section 3B.18	Do Not Block Intersection Markings Crosswalk Markings	693 694 695
	Section 3B.14	Raised Pavement Markers Substituting for Pavement Markings	692
	Section 3B.15	Transverse Markings	692
	Section 3B.16	Stop and Yield Lines	693
	Section 3B.13	Markings Raised Pavement Markers Supplementing Other Markings	691
	Section 3B.11	Raised Pavement Markers – General	689
	Section 3B.12	Raised Pavement Markers as Vehicle Positioning Guides with Other Longitudinal	691
	(FHWA's MUTCD 200	9 Edition, including Revisions 1,2, &3, as amended for use in California)	

Table of Contents

California MUTCD 2014 Edition

CHAPTER 3H	CHANNELIZING DEVICES USED FOR EMPHASIS OF PARARKING PATTERNS	AVEMENT 825
Section 3H.01	Channelizing Devices	825
CHAPTER 3I	ISLANDS	827
Section 3I.01 Section 3I.02 Section 3I.03 Section 3I.04 Section 3I.05 Section 3I.06	General Approach-End Treatment Island Marking Application Island Marking Colors Island Delineation Pedestrian Islands and Medians	827 827 827 828 828 828 828
CHAPTER 3J	RUMBLE STRIP MARKINGS	829
Section 3J.01 Section 3J.02	Longitudinal Rumble Strip Markings Transverse Rumble Strip Markings	829 829
PART 4	HIGHWAY TRAFFIC SIGNALS	831
CHAPTER 4A	GENERAL	831
Section 4A.01 Section 4A.02	Types Definitions Relating to Highway Traffic Signals	831 831
CHAPTER 4B	TRAFFIC CONTROL SIGNALS—GENERAL	833
Section 4B.01 Section 4B.02 Section 4B.03 Section 4B.04 Section 4B.05 Section 4B.101(CA) Section 4B.102(CA) Section 4B.103(CA) Section 4B.105(CA) Section 4B.106(CA) Section 4B.106(CA) Section 4B.107(CA) Section 4B.109(CA) Section 4B.109(CA) Section 4B.110(CA) Section 4B.111(CA) Section 4B.112(CA) Section 4B.113(CA) Section 4B.113(CA)	General Basis of Installation or Removal of Traffic Control Signals Advantages and Disadvantages of Traffic Control Signals Alternatives to Traffic Control Signals Adequate Roadway Capacity Traffic Signal Development Procedures – Introduction Project Report Submittals Financing Design Cost Construction Costs - Conventional Highways Construction Costs - Freeways Roadway Improvements by Local Agencies Cooperative Agreements Engineering Services for Local Agencies Salvaged Electrical Equipment Encroachment Permits Modifications of Existing Signals Signals on Poles Owned by Others	833 833 833 834 834 834 835 835 836 836 836 836 836 836 837 838 839 839 839 839 839 839 839 839 839
CHAPTER 4C	TRAFFIC CONTROL SIGNAL NEEDS STUDIES	841
Section 4C.01 Section 4C.02 Section 4C.03	Studies and Factors for Justifying Traffic Control Signals Warrant 1, Eight-Hour Vehicular Volume Warrant 2, Four-Hour Vehicular Volume	841 843 844

California MUTCD 2 (FHWA's MUTCD 200	014 Edition 9 Edition, including Revisions 1,2, &3, as amended for use in California)	Page 13
Section 4C.04	Warrant 3, Peak Hour	844
Section 4C.04	Warrant 4, Pedestrian Volume	845
Section 4C.06	Warrant 5, School Crossing	845
Section 4C.00		846
	Warrant 6, Coordinated Signal System	
Section 4C.08	Warrant 7, Crash Experience	847
Section 4C.09	Warrant 8, Roadway Network	847
Section 4C.10 Section 4C.101(CA)	Warrant 9, Intersection Near a Grade Crossing Criterion for School Crossing Traffic Signals	847 849
CHAPTER 4D	TRAFFIC CONTROL SIGNAL FEATURES	865
Section 4D.01	General	865
Section 4D.02	Responsibility for Operation and Maintenance	865
Section 4D.02	Provisions for Pedestrians	866
Section 4D.04	Meaning of Vehicular Signal Indications	867
Section 4D.04	Application of Steady Signal Indications	869
Section 4D.05	Signal Indications – Design, Illumination, Color, and Shape	873
Section 4D.00 Section 4D.07	Size of Vehicular Signal Indications	873
Section 4D.07 Section 4D.08	Positions of Signal Indications Within a Signal Face – General	873
Section 4D.08	Positions of Signal Indications Within a Signal Face	875
Section 4D.09 Section 4D.10	Positions of Signal Indications Within a Horizontal Signal Face	875
Section 4D.10	Number of Signal Faces on an Approach	870
Section 4D.11 Section 4D.12	Visibility, Aiming, and Shielding of Signal Faces	878
Section 4D.12 Section 4D.13	Lateral Positioning of Signal Faces	878
Section 4D.15	Longitudinal Positioning of Signal Faces	879
Section 4D.14		880
Section 4D.15	Mounting Height of Signal Faces	881
	Lateral Offset (Clearance) of Signal Faces	
Section 4D.17	Signal Indications for Left-Turn Movements – General	881
Section 4D.18	Signal Indications for Permissive Only Mode Left-Turn Movements	882
Section 4D.19	Signal Indications for Protected Only Mode Left-Turn Movements	884
Section 4D.20	Signal Indications for Protected/Permissive Mode Left-Turn Movements	885
Section 4D.21	Signal Indications for Right-Turn Movements – General	887
Section 4D.22	Signal Indications for Permissive Only Mode Right-Turn Movements	889
Section 4D.23	Signal Indications for Protected Only Mode Right-Turn Movements	890
Section 4D.24	Signal Indications for Protected/Permissive Mode Right-Turn Movements	891
Section 4D.25	Signal Indications for Approaches With Shared Left-Turn/Right-Turn Lanes and	894
	No Through Movement	005
Section 4D.26	Yellow Change and Red Clearance Intervals	895
Section 4D.27	Preemption and Priority Control of Traffic Control Signals	897
Section 4D.28	Flashing Operation of Traffic Control Signals – General	901
Section 4D.29	Flashing Operation – Transition Into Flashing Mode	902
Section 4D.30	Flashing Operation – Signal Indications During Flashing Mode	902
Section 4D.31	Flashing Operation – Transition Out of Flashing Mode	903
Section 4D.32	Temporary and Portable Traffic Control Signals	903
Section 4D.33	Lateral Offset of Signal Supports and Cabinets	904
Section 4D.34	Use of Signs at Signalized Locations	905
Section 4D.35	Use of Pavement Markings at Signalized Locations	905
Section 4D.101(CA)	Traffic Signal Design and Operations	906
Section 4D.102(CA)	Signal Plan Schedules	906
Section 4D.103(CA)	Vehicle Detectors	906
Section 4D.104(CA)	Optional Use of Bicycle Signal Faces	907

		California MUTCD 2014 Edition Page 1 (FHWA's MUTCD 2009 Edition, including Revisions 1,2, &3, as amended for use in California)		
	Section 4D.105(CA)	Bicycle/Motorcycle Detection	907	
	Section 4D.106(CA)	Selection of Traffic Signal Operation	908	
	Section 4D.107(CA)	Selection of Left-Turn Phasing	909	
	Section 4D.108(CA)	Dual Left-Turn Phasing	909	
	Section 4D.109(CA)	Lead-Lag Left-Turn Phasing	909	
	Section 4D.109(CA) Section 4D.110(CA)	Opposite or Opposing (Six Phase Opposing Operation)	909	
	Section 4D.110(CA) Section 4D.111(CA)	Permissive Left-Turn Phasing	909	
	Section 4D.112(CA)	Signals at Interchanges	909	
	Section 4D.112(CA) Section 4D.113(CA)	Timing of Green Intervals	910	
	Section 4D.113(CA) Section 4D.114(CA)	Review of Traffic Signal Operations	910 910	
	CHAPTER 4E	PEDESTRIAN CONTROL FEATURES	955	
	Section 4E.01	Pedestrian Signal Heads	955	
	Section 4E.02	Meaning of Pedestrian Signal Head Indications	955	
	Section 4E.03	Application of Pedestrian Signal Heads	955	
	Section 4E.04	Size, Design, and Illumination of Pedestrian Signal Head Indications	956	
	Section 4E.05	Location and Height of Pedestrian Signal Heads	957	
	Section 4E.06	Pedestrian Intervals and Signal Phases	957	
	Section 4E.07	Countdown Pedestrian Signals	959	
	Section 4E.08	Pedestrian Detectors	960	
1	Section 4E.09	Accessible Pedestrian Signals and Detectors – General	961	
	Section 4E.10	Accessible Pedestrian Signals and Detectors – Location	963	
	Section 4E.11	Accessible Pedestrian Signals and Detectors – Walk Indications	963	
	Section 4E.12	Accessible Pedestrian Signals and Detectors – Tactile Arrows and Locator Tones	965	
	Section 4E.13	Accessible Pedestrian Signals and Detectors – Extended Pushbutton Press Features		
	CHAPTER 4F	PEDESTRIAN HYBRID BEACONS	973	
	Section 4F.01	Application of Pedestrian Hybrid Beacons	973	
	Section 4F.02	Design of Pedestrian Hybrid Beacons	973	
1	Section 4F.03	Operation of Pedestrian Hybrid Beacons	974	
	CHAPTER 4G	TRAFFIC CONTROL SIGNALS AND HYBRID BEACONS FOR EMERGENCY-VEHICLE ACCESS	979	
	Section 4G.01	Application of Emergency-Vehicle Traffic Control Signals and Hybrid Beacons	979	
	Section 4G.02	Design of Emergency-Vehicle Traffic Control Signals	979	
	Section 4G.02 Section 4G.03	Operation of Emergency-Vehicle Traffic Control Signals	980	
	Section 4G.04	Emergency-Vehicle Hybrid Beacons	980 980	
	CHAPTER 4H	TRAFFIC CONTROL SIGNALS FOR ONE-LANE, TWO-WAY FACILITIES	983	
	Section 4H.01	Application of Traffic Control Signals for One-Lane, Two-Way Facilities	983	
	Section 4H.02	Design of Traffic Control Signals for One-Lane, Two-Way Facilities	983	
	Section 4H.03	Operation of Traffic Control Signals for One-Lane, Two-Way Facilities	983	
	CHAPTER 4I	TRAFFIC CONTROL SIGNALS FOR FREEWAY ENTRANCE RAMPS	985	
	Section 4I.01	Application of Freeway Entrance Ramp Control Signals	985	
	Section 4I.02	Design of Freeway Entrance Ramp Control Signals	985	
	Section 4I.03	Operation of Freeway Entrance Ramp Control Signals	986	

California MUTCD 2014 Edition (FHWA's MUTCD 2009 Edition, including Revisions 1,2, &3, as amended for use in California)		Page 15	
CHAPTER 4J	TRAFFIC CONTROL FOR MOVABLE BRIDGES	987	
Section 4J.01	Application of Traffic Control for Movable Bridges	987	
Section 4J.02	Design and Location of Movable Bridge Signals and Gates	987	
Section 4J.03	Operation of Movable Bridge Signals and Gates	989	
CHAPTER 4K	HIGHWAY TRAFFIC SIGNALS AT TOLL PLAZAS	991	
Section 4K.01	Traffic Signals at Toll Plazas	991	
Section 4K.02	Lane-Use Control Signals at or Near Toll Plazas	991	
Section 4K.03	Warning Beacons at Toll Plazas	991	
CHAPTER 4L	FLASHING BEACONS	993	
Section 4L.01	General Design and Operation of Flashing Beacons	993	
Section 4L.02	Intersection Control Beacon	993	
Section 4L.03	Warning Beacon	995	
Section 4L.04	Speed Limit Sign Beacon	995	
Section 4L.05	Stop Beacon	996	
Section 4L.101(CA)	Flashing Beacons at School Crosswalks	996	
Section 4L.102(CA)	Flashing Beacons for Fire Stations	996 997	
Section 4L.103(CA)	Flashing Beacons at Bus Stops on Freeway Interchanges	991	
CHAPTER 4M	LANE-USE CONTROL SIGNALS	999	
Section 4M.01	Application of Lane-Use Control Signals	999	
Section 4M.02	Meaning of Lane-Use Control Signal Indications	999	
Section 4M.03	Design of Lane-Use Control Signals	1000	
Section 4M.04	Operation of Lane-Use Control Signals	1001	
CHAPTER 4N	IN-ROADWAY LIGHTS	1003	
Section 4N.01	Application of In-Roadway Lights	1003	
Section 4N.02	In-Roadway Warning Lights at Crosswalks	1003	
Section 4N.101(CA)	In-Roadway Warning Lights at Crosswalks Financing and Maintenance-State Highways	1005	
PART 5	TRAFFIC CONTROL DEVICES FOR LOW-VOLUME ROADS	1007	
CHAPTER 5A	GENERAL	1007	
Section 5A.01	Function	1007	
Section 5A.02	Application	1007	
Section 5A.03	Design	1008	
Section 5A.04	Placement	1008	
CHAPTER 5B	REGULATORY SIGNS	1011	
Section 5B.01	Introduction	1011	
Section 5B.02	STOP and YIELD Signs (R1-1 and R1-2)	1011	
Section 5B.03	Speed Limit Signs (R2 Series)	1011	
Section 5B.04	Traffic Movement and Prohibition Signs (R3, R4, R5, R6, R9, R10, R11, R12, R13, and R14 Series)	1011	
Section 5B.05	Parking Signs (R8 Series)	1011	
Section 5B.06	Other Regulatory Signs	1012	

WARNING SIGNS

1013 1013

Section 5C.01	Introduction	1013
Section 5C.02	Horizontal Alignment Signs (W1-1 through W1-8)	1013
Section 5C.03	Intersection Warning Signs (W2-1 through W2-6)	1013
Section 5C.04	Stop Ahead and Yield Ahead Signs (W3-1, W3-2)	1013
Section 5C.05	NARROW BRIDGE Sign (W5-2)	1013
Section 5C.06	ONE LANE BRIDGE Sign (W5-3)	1013
Section 5C.07	Hill Sign (W7-1)	1014
Section 5C.08	PAVEMENT ENDS Sign (W8-3)	1014
Section 5C.09	Vehicular Traffic Warning and Non-Vehicular Warning Signs (W11 Series and W8-6)	1014
Section 5C.10	Advisory Speed Plaque (W13-1P)	1014
Section 5C.11	DEAD END or NO OUTLET Signs (W14-1, W14-1a, W14-2, W14-2a)	1014
Section 5C.12	NO TRAFFIC SIGNS Sign (W18-1)	1015
Section 5C.13	Other Warning Signs	1015
Section 5C.14	Object Markers and Barricades	1015
CHAPTER 5D	GUIDE SIGNS	1019
Section 5D.01	Introduction	1019
CHAPTER 5E	MARKINGS	1021
Section 5E.01	Introduction	1021
Section 5E.02	Center Line Markings	1021
Section 5E.03	Edge Line Markings	1021
Section 5E.04	Delineators	1021
Section 5E.05	Other Markings	1021
CHAPTER 5F	TRAFFIC CONTROL FOR HIGHWAY-RAIL GRADE CROSSINGS	1023
Section 5F.01	Introduction	1023
Section 5F.02	Grade Crossing (Crossbuck) Sign and Number of Tracks Plaque (R15-1, R15-2P)	1023
Section 5F.03	Grade Crossing Advance Warning Signs (W10 Series)	1023
Section 5F.04	STOP and YIELD Signs (R1-1, R1-2)	1023
Section 5F.05	Pavement Markings	1024
Section 5F.06	Other Traffic Control Devices	1024
CHAPTER 5G	TEMPORARY TRAFFIC CONTROL ZONES	1025
Section 5G.01	Introduction	1025
Section 5G.02	Applications	1025
Section 5G.03	Channelization Devices	1025
Section 5G.04	Markings	1026
Section 5G.05	Other Traffic Control Devices	1026
CHAPTER 5H	TRAFFIC CONTROL FOR SCHOOL AREAS	1027
G		104/
Section 5H.01	Introduction	1027

PART 6	TEMPORARY TRAFFIC CONTROL	1029

CHAPTER 5C

California MUTCD 20 (FHWA's MUTCD 2009	P Edition P D Edition, including Revisions 1,2, &3, as amended for use in California)	age 17
CHAPTER 6A	GENERAL	1029
Section 6A.01	General	1029
CHAPTER 6B	FUNDAMENTAL PRINCIPLES	1031
Section 6B.01	Fundamental Principles of Temporary Traffic Control	1031
CHAPTER 6C	TEMPORARY TRAFFIC CONTROL ELEMENTS	1035
Section 6C.01 Section 6C.02 Section 6C.03 Section 6C.04 Section 6C.05 Section 6C.06 Section 6C.07 Section 6C.09 Section 6C.10 Section 6C.11 Section 6C.12 Section 6C.13 Section 6C.14 Section 6C.15	Temporary Traffic Control Plans Temporary Traffic Control Zones Components of Temporary Traffic Control Zones Advance Warning Area Transition Area Activity Area Termination Area Tapers Detours and Diversions One-Lane, Two-Way Traffic Control Flagger Method of One-Lane, Two-Way Traffic Control Flag Transfer Method of One-Lane, Two-Way Traffic Control Pilot Car Method of One-Lane, Two-Way Traffic Control Temporary Traffic Control Signal Method of One-Lane, Two-Way Traffic Control Stop or Yield Control Method of One-Lane, Two-Way Traffic Control	1035 1037 1038 1038 1038 1039 1040 1040 1040 1041 1042 1042 1042 1042
CHAPTER 6D	PEDESTRIAN AND WORKER SAFETY	1049
CHAPTER 6D Section 6D.01 Section 6D.02 Section 6D.03 Section 6D.101(CA)	PEDESTRIAN AND WORKER SAFETY Pedestrian Considerations Accessibility Considerations Worker Safety Considerations Bicycle Considerations	<b>1049</b> 1049 1051 1052 1054
Section 6D.01 Section 6D.02 Section 6D.03	Pedestrian Considerations Accessibility Considerations Worker Safety Considerations	1049 1051 1052
Section 6D.01 Section 6D.02 Section 6D.03 Section 6D.101(CA)	Pedestrian Considerations Accessibility Considerations Worker Safety Considerations Bicycle Considerations	1049 1051 1052 1054
Section 6D.01 Section 6D.02 Section 6D.03 Section 6D.101(CA) CHAPTER 6E Section 6E.01 Section 6E.02 Section 6E.03 Section 6E.04 Section 6E.04 Section 6E.05 Section 6E.06 Section 6E.07	Pedestrian Considerations Accessibility Considerations Worker Safety Considerations Bicycle Considerations <b>FLAGGER CONTROL</b> Qualifications for Flaggers High-Visibility Safety Apparel Hand-Signaling Devices Automated Flagger Assistance Devices STOP/SLOW Automated Flagger Assistance Devices Red/Yellow Lens Automated Flagger Assistance Devices Flagger Procedures	1049 1051 1052 1054 <b>1055</b> 1055 1055 1055 1056 1057 1058 1060 1061

California MUTCD 2 (FHWA's MUTCD 200	014 Edition 9 Edition, including Revisions 1,2, &3, as amended for use in California)	Page 18
Section 6F.09	Local Traffic Only Signs (R11-3a, R11-4)	1071
Section 6F.10	Weight Limit Signs (R12-1, R12-2, R12-5)	1071
Section 6F.11	STAY IN LANE Sign (R4-9)	1072
Section 6F.12	Work Zone and Higher Fines Signs and Plaques	1072
Section 6F.13	PEDESTRIAN CROSSWALK Sign (R9-8)	1073
Section 6F.14	SIDEWALK CLOSED Signs (R9-9, R9-10, R9-11, R9-11a)	1073
Section 6F.15	Special Regulatory Signs	1073
Section 6F.16	Warning Sign Function, Design, and Application	1074
Section 6F.17	Position of Advance Warning Signs	1074
Section 6F.18	ROAD (STREET) WORK Sign (W20-1)	1074
Section 6F.19	DETOUR Sign (W20-2)	1076
Section 6F.20	ROAD (STREET) CLOSED Sign (W20-3)	1076
Section 6F.21	ONE LANE ROAD Sign (W20-4)	1076
Section 6F.22	Lane(s) Closed Signs (W20-5, W20-5a)	1076
Section 6F.23	CENTER LANE CLOSED AHEAD Sign (W9-3)	1076
Section 6F.24	Lane Ends Sign (W4-2)	1077
Section 6F.25	ON RAMP Plaque (W13-4P)	1077
Section 6F.26	RAMP NARROWS Sign (W5-4)	1077
Section 6F.27	SLOW TRAFFIC AHEAD Sign (W23-1)	1077
Section 6F.28	EXIT OPEN and EXIT CLOSED Signs (E5-2, E5-2a)	1077
Section 6F.29	EXIT ONLY Sign (E5-3)	1078
Section 6F.30	NEW TRAFFIC PATTERN AHEAD Sign (W23-2)	1078
Section 6F.31	Flagger Signs (W20-7, W20-7a)	1078
Section 6F.32	Two-Way Traffic Sign (W6-3)	1079
Section 6F.33	Workers Signs (W21-1, W21-1a)	1079
Section 6F.34	FRESH OIL (TAR) Sign (W21-2)	1079
Section 6F.35	ROAD MACHINERY AHEAD Sign (W21-3)	1079
Section 6F.36	Motorized Traffic Signs (W8-6, W11-10)	1079
Section 6F.37	Shoulder Work Signs (W21-5, W21-5a, W21-5b)	1080
Section 6F.38	SURVEY CREW Sign (W21-6)	1080
Section 6F.39	UTILITY WORK Sign (W21-7)	1080
Section 6F.40	Signs for Blasting Areas	1080
Section 6F.41	BLASTING ZONE AHEAD Sign (W22-1)	1081
Section 6F.42	TURN OFF 2-WAY RADIO AND CELL PHONE Sign (W22-2)	1081
Section 6F.43	END BLASTING ZONE Sign (W22-3)	1081
Section 6F.44	Shoulder Signs and Plaque (W8-4, W8-9, W8-17, and W8-17P)	1081
Section 6F.45	UNEVEN LANES Sign (W8-11) STEEL DLATE ALIEAD Size (W8-24)	1081
Section 6F.46	STEEL PLATE AHEAD Sign (W8-24)	1082
Section 6F.47 Section 6F.48	NO CENTER LINE Sign (W8-12) Reverse Curve Signs (W1-4 Series)	1082 1082
Section 6F.49	Double Reverse Curve Signs (W24-1 Series)	1082
Section 6F.50	Other Warning Signs	1082
Section 6F.51	Special Warning Signs	1083
Section 6F.52	Advisory Speed Plaque (W13-1P)	1083
Section 6F.53	Supplementary Distance Plaque (W7-3aP)	1083
Section 6F.54	Motorcycle Plaque (W8-15P)	1085
Section 6F.55	Guide Signs	1084
Section 6F.56	ROAD WORK NEXT XX MILES Sign (G20-1)	1084
Section 6F.57	END ROAD WORK Sign (G20-2)	1085
Section 6F.58	PILOT CAR FOLLOW ME Sign (G20-4)	1085
Section 6F.59	Detour Signs (M4-8, M4-8a, M4-8b, M4-9, M4-9a, M4-9b, M4-9c, and M4-10)	1085

(FHWA's MUTCD 200	9 Edition, including Revisions 1,2, &3, as amended for use in California)	l uge 19
Section 6F.60	Portable Changeable Message Signs	1086
Section 6F.61	Arrow Boards	1089
Section 6F.62	High-Level Warning Devices (Flag Trees)	1005
Section 6F.63	Channelizing Devices	1091
Section 6F.64	Cones	1091
Section 6F.65	Tubular Markers	1092
Section 6F.66	Vertical Panels	1095
Section 6F.67	Drums	1095
Section 6F.68	Type 1, 2, or 3 Barricades	1096
Section 6F.69	Direction Indicator Barricades	1098
Section 6F.70	Temporary Traffic Barriers as Channelizing Devices	1098
Section 6F.71	Longitudinal Channelizing Devices	1090
Section 6F.72	Temporary Lane Separators	1099
Section 6F.73	Other Channelizing Devices	1099
Section 6F.74	Detectable Edging for Pedestrians	1100
Section 6F.75	Temporary Raised Islands	1100
Section 6F.76	Opposing Traffic Lane Divider and Sign (W6-4)	1100
Section 6F.77	Pavement Markings	1101
Section 6F.78	Temporary Markings	1101
Section 6F.79	Temporary Raised Pavement Markers	1102
Section 6F.80	Delineators	1103
Section 6F.81	Lighting Devices	1105
Section 6F.82	Floodlights	1104
Section 6F.83	Warning Lights	1105
Section 6F.84	Temporary Traffic Control Signals	1105
Section 6F.85	Temporary Traffic Barriers	1100
Section 6F.86	Crash Cushions	1107
Section 6F.87	Rumble Strips	1109
Section 6F.88	Screens	1110
Section 6F.101(CA)	LOOSE GRAVEL Sign (W8-7)	1110
Section 6F.102(CA)	NARROW LANE(S) Sign (C12(CA))	1111
Section 6F.103(CA)	OPEN TRENCH Sign (C27(CA))	1111
Section 6F.104(CA)	Moving Lane Closure Signs (W23-1 and SC10(CA), SC11(CA), SC13(CA), SC15(CA))	1111
Section 6F.105(CA)	Object Markers	1112
Section 6F.106(CA)	Slow For The Cone Zone (SC19(CA) and SC20(CA)) Signs	1112
Section 6F.107(CA)	FRESH CONCRETE (C43(CA) Sign	1112
Section 6F.108(CA)	CAUTION FREQUENT STOPPING AND BACKING STAY BACK 100 FEET (SC21(CA)) Sig	
Section 6F.109(CA)	Construction Project Funding Identification Signs	1113
CHAPTER 6G	TYPE OF TEMPORARY TRAFFIC CONTROL ZONE ACTIVITIES	5 1135
Section 6G.01	Typical Applications	1135
Section 6G 02	Work Duration	1125

Section 6G.01	Typical Applications	1135
Section 6G.02	Work Duration	1135
Section 6G.03	Location of Work	1137
Section 6G.04	Modifications To Fulfill Special Needs	1137
Section 6G.05	Work Affecting Pedestrian and Bicycle Facilities	1138
Section 6G.06	Work Outside of the Shoulder	1139
Section 6G.07	Work on the Shoulder with No Encroachment	1139
Section 6G.08	Work on the Shoulder with Minor Encroachment	1140
Section 6G.09	Work Within the Median	1140
Section 6G.10	Work Within the Traveled Way of a Two-Lane Highway	1141

I	Section 6G.11 Section 6G.12 Section 6G.13 Section 6G.14 Section 6G.15 Section 6G.16 Section 6G.17 Section 6G.18 Section 6G.19	Work Within the Traveled Way of an Urban Street Work Within the Traveled Way of a Multi-Lane, Non-Access Controlled Highway Work Within the Traveled Way at an Intersection Work Within the Traveled Way of a Freeway or Expressway Two-Lane, Two-Way Traffic on One Roadway of a Normally Divided Highway Crossovers Interchanges Work in the Vicinity of a Grade Crossing Temporary Traffic Control During Nighttime Hours	1141 1142 1143 1144 1145 1145 1145 1145 1146
	CHAPTER 6H	TYPICAL APPLICATIONS	1149
	Section 6H.01	Typical Applications	1149
	CHAPTER 6I	CONTROL OF TRAFFIC THROUGH TRAFFIC INCIDENT MANAGEMENT AREAS	1271
	Section 6I.01 Section 6I.02 Section 6I.03 Section 6I.04 Section 6I.05 Section 6I.101(CA) Section 6I.102(CA)	General Major Traffic Incidents Intermediate Traffic Incidents Minor Traffic Incidents Use of Emergency-Vehicle Lighting FLOODING AHEAD TURN AROUND DON'T DROWN Sign (W86(CA)) EMERGENCY SCENE AHEAD W90(CA) Sign	1271 1272 1273 1273 1274 1274 1274
	PART 7	TRAFFIC CONTROL FOR SCHOOL AREAS	1277
	CHAPTER 7A	GENERAL	1277
	Section 7A.01 Section 7A.02 Section 7A.03 Section 7A.04	Need for Standards School Routes and Established School Crossings School Crossing Control Criteria Scope	1277 1277 1279 1279
	Section 7A.02 Section 7A.03	School Routes and Established School Crossings School Crossing Control Criteria Scope SIGNS	1277 1279 1279 <b>1281</b>
	Section 7A.02 Section 7A.03 Section 7A.04	School Routes and Established School Crossings School Crossing Control Criteria Scope SIGNS Size of School Signs Illumination and Reflectorization Position of Signs Height of Signs Installation of Signs Lettering Sign Color for School Warning Signs School Sign (S1-1) and Plaques	1277 1279 1279

California MUTCD 20 (FHWA's MUTCD 2009	014 Edition 9 Edition, including Revisions 1,2, &3, as amended for use in California)	Page 21
Section 7B.17	Parking and Stopping Signs (R7 and R8 Series)	1288
CHAPTER 7C	MARKINGS	1303
Section 7C.01 Section 7C.02	Functions and Limitations Crosswalk Markings	1303 1303
Section 7C.03	Pavement Word, Symbol, and Arrow Markings	1304
CHAPTER 7D	CROSSING SUPERVISION	1307
Section 7D.01 Section 7D.02 Section 7D.03 Section 7D.04 Section 7D.05 Section 7D.101(CA)	Types of Crossing Supervision Adult Crossing Guards Qualifications of Adult Crossing Guards Uniform of Adult Crossing Guards Operating Procedures for Adult Crossing Guards School Safety Patrols	1307 1307 1308 1308 1309 1309
PART 8	TRAFFIC CONTROL FOR RAILROAD AND LIGHT RAIL TRANSIT GRADE CROSSINGS	1311
CHAPTER 8A	GENERAL	1311
Section 8A.01 Section 8A.02 Section 8A.03 Section 8A.04 Section 8A.05 Section 8A.06 Section 8A.07 Section 8A.08 Section 8A.101(CA)	Introduction Use of Standard Devices, Systems, and Practices at Highway-Rail Grade Crossing Use of Standard Devices, Systems, and Practices at Highway-LRT Grade Crossing Uniform Provisions Grade Crossing Elimination Illumination at Grade Crossings Quiet Zone Treatments at Highway-Rail Grade Crossings Temporary Traffic Control Zones Relation to Other Documents	
CHAPTER 8B	SIGNS AND MARKINGS	1317
Section 8B.01 Section 8B.02 Section 8B.03	Purpose Sizes of Grade Crossing Signs Grade Crossing (Crossbuck) Sign (R15-1) and Number of Tracks Plaque (R15-2P) at Active and Passive Grade Crossings	1317 1317 1317
Section 8B.04 Section 8B.05	Crossbuck Assemblies with YIELD or STOP Signs at Passive Grade Crossings Use of STOP (R1-1) or YIELD (R1-2) Signs without Crossbuck Signs at Highway-LRT Grade Crossings	1318 1320
Section 8B.06 Section 8B.07 Section 8B.08 Section 8B.09	Grade Crossing Advance Warning Signs (W10 Series) EXEMPT Grade Crossing Plaques (R15-3P, W10-1aP) Turn Restrictions During Preemption DO NOT STOP ON TRACKS Sign (R8-8)	1320 1321 1322 1323
Section 8B.10 Section 8B.11 Section 8B.12 Section 8B.13	TRACKS OUT OF SERVICE Sign (R8-9) STOP HERE WHEN FLASHING Signs (R8-10, R8-10a) STOP HERE ON RED Signs (R10-6, R10-6a) Light Rail Transit Only Lane Signs (R15-4 Series)	1323 1323 1323 1324
Section 8B.14 Section 8B.15 Section 8B.16 Section 8B.17	Do Not Pass Light Rail Transit Signs (R15-5, R15-5a) No Motor Vehicles On Tracks Signs (R15-6, R15-6a) Divided Highway with Light Rail Transit Crossing Signs (R15-7 Series) LOOK Sign (R15-8)	1324 1324 1324 1324 1325

California MUTCD 2	014 Edition 9 Edition, including Revisions 1,2, &3, as amended for use in California)	Page 22		
(111WA's WOTED 2007 Edition, metading Revisions 1,2, des, as amended for use in camorina)				
Section 8B.18	Emergency Notification Sign (I-13)	1325		
Section 8B.19	Light Rail Transit Approaching-Activated Blank-Out Warning Sign (W10-7)	1326		
Section 8B.20	TRAINS MAY EXCEED 80 MPH Sign (W10-8)	1326		
Section 8B.21	NO TRAIN HORN Sign or Plaque (W10-9, W10-9P)	1326		
Section 8B.22	NO GATES OR LIGHTS Plaque (W10-13P)	1326		
Section 8B.23	Low Ground Clearance Grade Crossing Sign (W10-5)	1326		
Section 8B.24	Storage Space Signs (W10-11, W10-11a, W10-11b)	1327		
Section 8B.25	Skewed Crossing Sign (W10-12)	1327		
Section 8B.26	Light Rail Transit Station Sign (I-12)	1327		
Section 8B.27	Pavement Markings	1327		
Section 8B.28	Stop and Yield Lines	1328		
Section 8B.29	Dynamic Envelope Markings	1328		
Section 8B.101(CA)	Train Station Signs (I-7, G95F(CA), G95G(CA) and G97A(CA))	1329		
Section 8B.102(CA)	Trolley Crossing Signs (W82(CA) and W82-1(CA))	1330		
<b>CHAPTER 8C</b>	FLASHING-LIGHT SIGNALS, GATES, AND TRAFFIC	1347		
	CONTROL SIGNALS			
Section 8C.01	Introduction	1347		
Section 8C.02	Flashing-Light Signals	1348		
Section 8C.03	Flashing-Light Signals at Highway-LRT Grade Crossings	1349		
Section 8C.04	Automatic Gates	1349		
Section 8C.05	Use of Automatic Gates at LRT Grade Crossings	1350		
Section 8C.06	Four-Quadrant Gate Systems	1350		
Section 8C.07	Wayside Horn Systems	1352		
Section 8C.08	Rail Traffic Detection	1352		
Section 8C.09	Traffic Control Signals at or Near Highway-Rail Grade Crossings	1352		
Section 8C.10	Traffic Control Signals at or Near Highway-LRT Grade Crossings	1354		
Section 8C.11	Use of Traffic Control Signals for Control of LRT Vehicles at Grade Crossings	1355		
Section 8C.12	Grade Crossings Within or In Close Proximity to Circular Intersections	1355		
Section 8C.13	Pedestrian and Bicycle Signals and Crossings at LRT Grade Crossings	1356		
CHAPTER 8D	PATHWAY GRADE CROSSINGS	1367		
Section 8D.01	Purpose	1367		
Section 8D.02	Use of Standard Devices, Systems, and Practices	1367		
Section 8D.03	Pathway Grade Crossing Signs and Markings	1367		
Section 8D.04	Stop Lines, Edge Lines, and Detectable Warnings	1367		
Section 8D.05	Passive Devices for Pathway Grade Crossings	1368		
Section 8D.06	Active Traffic Control Systems for Pathway Grade Crossings	1368		
PART 9 TR	AFFIC CONTROL FOR BICYCLE FACILITIES 1371			
CHAPTER 9A	GENERAL	1371		
Section 9A.01	Requirements for Bicyclist Traffic Control Devices	1371		
Section 9A.02	Scope	1371		
Section 9A.03	Definitions Relating to Bicycles	1371		
Section 9A.04	Maintenance	1371		
Section 9A.05	Relation to Other Documents	1371		
Section 9A.06	Placement Authority	1372		
Section 9A.07	Meaning of Standard, Guidance, Option, and Support	1373		

California MUTCD 2014 Edition

	California MUTCD 20 (FHWA's MUTCD 2009	014 Edition 9 Edition, including Revisions 1,2, &3, as amended for use in California)	Page 23
	Section 9A.08 Section 9A.101(CA)	Colors Traffic Controls for Bicycle Facilities at Rail Crossings	1373 1373
	CHAPTER 9B	SIGNS	1375
	Section 9B.01	Application and Placement of Signs	1375
	Section 9B.02	Design of Bicycle Signs	1375
	Section 9B.03	STOP and YIELD Signs (R1-1, R1-2)	1375
	Section 9B.04	Bike Lane Signs and Plaques (R3-17, R3-17aP, R3-17bP)	1376
	Section 9B.05	BEGIN RIGHT TURN LANE YIELD TO BIKES Sign (R4-4)	1376
	Section 9B.06	Bicycles May Use Full Lane Sign (R4-11)	1376
	Section 9B.07	Bicycle WRONG WAY Sign and RIDE WITH TRAFFIC Plaque (R5-1b, R9-3cF	·
	Section 9B.08	NO MOTOR VEHICLES Sign (R5-3)	1377
	Section 9B.09	Selective Exclusion Signs	1377
	Section 9B.10	No Parking Bike Lane Signs (R7-9, R7-9a)	1377
	Section 9B.11	Bicycle Regulatory Signs (R9-5, R9-6, R10-4, R10-24, R10-25, and R10-26) Shared Lies Dath Restriction Sign (R9, 7)	1377 1378
1	Section 9B.12 Section 9B.13	Shared-Use Path Restriction Sign (R9-7) Bicycle Signal Actuation Sign (R10-22)	1378
	Section 9B.13 Section 9B.14	Other Regulatory Signs	1378
1	Section 9B.14 Section 9B.15	Turn or Curve Warning Signs (W1 Series)	1378
	Section 9B.16	Intersection Warning Signs (W2 Series)	1378
	Section 9B.17	Bicycle Surface Condition Warning Sign (W8-10)	1379
1	Section 9B.18	Bicycle Warning and Combined Bicycle/Pedestrian Signs (W11-1 and W11-15)	1379
	Section 9B.19	Other Bicycle Warning Signs	1379
	Section 9B.20	Bicycle Guide Signs (D1-1b, D1-1c, D1-2b, D1-2c, D1-3b, D1-3c, D11-1, D11-1	
	Section 9B.21	Bicycle Route Signs (M1-8, M1-8a, M1-9)	1381
	Section 9B.22	Bicycle Route Sign Auxiliary Plaques	1381
_	Section 9B.23	Bicycle Parking Area Sign (D4-3)	1382
	Section 9B.24	Reference Location Signs (D10-1 through D10-3) and Intermediate Reference Location Signs (D10-1a through D10-3a)	1382
	Section 9B.25	Mode-Specific Guide Signs for Shared-Use Paths (D11-1a, D11-2, D11-3, D11-4	
	Section 9B.26	Object Markers	1383
	Section 9B.101(CA)	Freeway Bicycle Signs (R5-10a, R5-10b, R5-10c, R44B(CA), R44C(CA))	1383
	Section 9B.102(CA)	PASS Bicycle 3 FT MIN Sign (R117(CA))	1384
	Section 9B.103(CA)	EXCEPT Bicycle Plaque (R118(CA))	1384
	Section 9B.104(CA)	Signs on Overcrossing Structures Bike Turn-out Signs SR64A(CA) and SR64B(CA)	1384 1384
	Section 9B.105(CA)		1304
	CHAPTER 9C	MARKINGS	1400
_	Section 9C.01	Functions of Markings	1400
	Section 9C.02	General Principles	1400
	Section 9C.03	Marking Patterns and Colors on Shared-Use Paths	1401
	Section 9C.04	Markings For Bicycle Lanes	1401
	Section 9C.05	Bicycle Detector Symbol	1406
,	Section 9C.06	Pavement Markings for Obstructions	1406
	Section 9C.07	Shared Lane Marking	1406
	Section 9C.101(CA) Section 9C.102(CA)	Barrier Posts on Class I Bikeways Class IV Bikeways	1408 1408
	000001 90. 102(0A)	oldos re Dikowaya	1400

<b>CHAPTER 9D</b>	SIGNALS	1444
Section 9D.01 Section 9D.02	Application Signal Operations for Bicycles	1444 1444
APPENDIX A1.	CONGRESSIONAL LEGISLATION	1448
APPENDIX A2.	METRIC CONVERSIONS	1450

## LIST OF FIGURES

Figure 1A-1	Process for Requesting and Conducting Experimentations for New Traffic Control Devices	92
Figure 1A-1(CA)	Process for Requesting and Conducting Experimentations for New Traffic Control Devices in California	93
Figure 1A-2	Process for Incorporating New Traffic Control Devices into the MUTCD	94
Figure 1A-101(CA)	Process for the Use of Traffic Control Devices in California Approved as Interim Approval (IA)	95
	by FHWA	00
Figure 2A-1	Examples of Enhanced Conspicuity for Signs	115
Figure 2A-2	Examples of Heights and Lateral Locations of Sign Installations	116
Figure 2A-2(CA)	Examples of Heights and Lateral Locations of Sign Installations	117
Figure 2A-3	Examples of Locations for Some Typical Signs at Intersections	118
Figure 2A-4	Relative Locations of Regulatory, Warning, and Guide Signs on an Intersection	119
C	Approach	
Figure 2B-1	STOP and YIELD Signs and Plaques	195
Figure 2B-2	Unsignalized Pedestrian Crosswalk Signs	195
Figure 2B-3	Speed Limit and Photo Enforcement Signs and Plaques	196
Figure 2B-3(CA)	Speed Limit and Photo Enforcement Signs and Plaques	197
Figure 2B-4	Movement Prohibition and Lane Control Signs and Plaques	198
Figure 2B-4(CA)	Movement Prohibition and Lane Control Signs and Plaques	199
Figure 2B-5	Intersection Lane Control Sign Arrow Options for Roundabouts	200
Figure 2B-6	Center and Reversible Lane Control Signs and Plaques	200
Figure 2B-7	Location of Reversible Two-Way Left-Turn Signs	201
Figure 2B-8	Jughandle Regulatory Signs	202
Figure 2B-9	Examples of Applications of Jughandle Regulatory and Guide Signing	203
Figure 2B-10	Passing, Keep Right, and Slow Traffic Signs	206
Figure 2B-10(CA)	Passing, Keep Right, and Slow Traffic Signs	207
Figure 2B-11	Selective Exclusion Signs	208
Figure 2B-11(CA)	Selective Exclusion Signs	209
Figure 2B-12	Locations of Wrong-Way Signing for Divided Highways with Median Widths of-	210
	30 Feet or Wider	
Figure 2B-12(CA)	Locations of Wrong-Way Signing for Divided Highways	
	A – with Median Widths of 30 feet or Wider	211
	B – with Median Widths Narrower than 30 feet	212
Figure 2B-13	ONE WAY and Divided Highway Crossing Signs	213
Figure 2B-14	Locations of ONE WAY Signs	214
Figure 2B-15	ONE WAY Signing for Divided Highways with Median Widths of 30 Feet or Wider	
Figure 2B-16	ONE WAY Signing for Divided Highways with Median Widths Narrower Than	216
	30 Feet	
Figure 2B-17	ONE WAY Signing for Divided Highways with Median Widths Narrower Than	217
<b>D</b> 10	30 Feet and Separated Left-Turn Lanes	<b>a</b> 10
Figure 2B-18-	Example of Application of Regulatory Signing and Pavement Markings at an Exit	218
E	Ramp Termination to Deter Wrong Way Entry	040
Figure 2B-18(CA)	Examples of Application of Regulatory Signing and Pavement Markings at an Exit Ramp Termination to Deter Wrong-Way Entry	219
Figure 2B-19	Example of Application of Regulatory Signing and Pavement Markings at an	224
	Entrance Ramp Terminal Where the Design Does Not Clearly Indicate the Direction of Flow	
Figure 2B-20	Roundabout Signs and Plaques	224
Figure 2B-21	Example of Regulatory and Warning Signs for a Mini-Roundabout	225
Figure 2B-22	Example of Regulatory and Warning Signs for a One-Lane Roundabout	226
0		-

	California MUTCD 20 (FHWA's MUTCD 2009	014 Edition Dedition, including Revisions 1,2, &3, as amended for use in California)	Page 26
	Figure 2B-23	Example of Regulatory and Warning Signs for a Two-Lane Roundabout with Consecutive Double Lefts	227
	Figure 2B-24	Parking and Standing Signs and Plaques (R7 Series)	228
1	Figure 2B-24(CA)	Parking and Standing Signs and Plaques (R7 Series)	230
	Figure 2B-25	Parking and Stopping Signs and Plaques (R8 Series)	233
	Figure 2B-25(CA)	Parking and Stopping Signs and Plaques (R8 Series)	233
	Figure 2B-26	Pedestrian Signs and Plaques	234
	Figure 2B-26(CA)	Pedestrian Signs and Plaques	235
	Figure 2B-27	Traffic Signal Signs and Plaques	236
	Figure 2B-27(CA)	Traffic Signal Signs and Plaques	230
	Figure 2B-28	Ramp Metering Signs	237
	Figure 2B-28(CA)	Ramp Metering Signs	237
	Figure 2B-29	Road Closed and Weight Limit Signs	238
	Figure 2B-29(CA)	Road Closed and Weight Limit Signs	238
	Figure 2B-30	Truck Signs	239
	Figure 2B-30(CA)	Truck Signs	240
	Figure 2B-31	Headlight Use Signs	241
	Figure 2B-32	Other Regulatory Signs and Symbols	241
	Figure 2B-32(CA)	Other Regulatory Signs and Symbols	241
	Figure 2B-101(CA)	Example of Speed Zone Survey Sheet	242
	Figure 2B-102(CA)	Example of Cumulative Speed Curve Sheet	243
	Figure 2B-103(CA)	Example of Vehicle Speed Survey Sheet for City and County Through Highways, Arterials,	
		and Collector Roads	211
	Figure 2B-104(CA)	Example of Vehicle Speed Survey Sheet for (For 40 MPH and Under)	245
	Figure 2B-105(CA)	U-Turn Signs for Signalized Intersections with Separate Turn Phase	246
	Figure 2B-106(CA)	California Miscellaneous Regulatory Signs	247
	Figure 2C-1	Horizontal Alignment Signs and Plaques	295
	Figure 2C-1(CA)	Horizontal Alignment Signs and Plaques	296
	Figure 2C-2	Example of Warning Signs for a Turn	297
	Figure 2C-3	Example of Advisory Speed Signing for an Exit Ramp	298
	Figure 2C-4	Vertical Grade Signs and Plaques	299
	Figure 2C-4(CA)	Vertical Grade Signs and Plaques	299
	Figure 2C-5	Miscellaneous Warning Signs	300
	Figure 2C-5(CA)	Miscellaneous Warning Signs	300
	Figure 2C-6	Roadway and Weather Condition and Advance Traffic Control Signs and Plaques	
	Figure 2C-6(CA)	Roadway and Weather Condition and Advance Traffic Control Signs and Plaques	302
	Figure 2C-7	Reduced Speed Limit Ahead Signs	302
	Figure 2C-8	Merging and Passing Signs and Plaques	303
	Figure 2C-8(CA)	Merging and Passing Signs and Plaques	303
	Figure 2C-9	Intersection Warning Signs and Plaques	304
	Figure 2C-9(CA)	Intersection Warning Signs and Plaques	304
	Figure 2C-10	Vehicular Traffic Warning Signs and Plaques	305
	Figure 2C-10(CA)	Vehicular Traffic Warning Signs and Plaques	305
	Figure 2C-11	Non-Vehicular Warning Signs	306
	Figure 2C-11(CA)	Non-Vehicular Warning Signs	306
	Figure 2C-12	Supplemental Warning Plaques	307
	Figure 2C-12(CA)	Supplemental Warning Plaques	307
	Figure 2C-13	Object Markers	308
	Figure 2C-13(CA)	California Object Markers	309
	Figure 2C-101(CA)	Determination of Comfortable Speed from Ball Bank Indicator Readings	311
	Figure 2D-1	Examples of Color-Coded Destination Guide Signs	359
	Figure 2D-2	Arrows for Use on Guide Signs	359
	Figure 2D-2(CA)	Arrows for Use on Guide Signs	360
			<b>5 3</b> 0 <b>3</b> 3

	(FHWA's MUTCD 200	9 Edition, including Revisions 1,2, &3, as amended for use in California)	gc 27
	Figure 2D-3	Route Signs	362
	Figure 2D-3(CA)	California Route Signs	362
	Figure 2D-4	Route Sign Auxiliaries	363
	Figure 2D-4(CA)	Route Sign Auxiliaries	363
	Figure 2D-5	Advance Turn and Directional Arrow Auxiliary Signs	364
	Figure 2D-5(CA)	Advance Turn and Directional Arrow Auxiliary Signs	364
	Figure 2D-6	Illustration of Directional Assemblies and Other Route Signs (for One Direction of	365
	riguit 22 0	Travel Only)	500
	Figure 2D-7	Destination and Distance Signs	369
	Figure 2D-7(CA)	California Destination and Distance Signs	370
	Figure 2D-8	Destination Signs for Roundabouts	371
	Figure 2D-9	Examples of Guide Signs for Roundabouts	372
	Figure 2D-10	Street Name and Parking Signs	374
	Figure 2D-10(CA)	Street Name and Parking Signs	374
	Figure 2D-11	Example of Interchange Crossroad Signing for a One-Lane Approach	375
	Figure 2D-12	Example of Minor Interchange Crossroad Signing	376
	Figure 2D-13	Examples of Multi-Lane Crossroad Signing for a Diamond Interchange	377
	Figure 2D-14	Examples of Multi Lane Crossroad Signing for a Partial Cloverleaf Interchange	378
	Figure 2D-15	Examples of Multi Lane Crossroad Signing for a Cloverleaf Interchange	379
	Figure 2D-16	Example of Crossroad Signing for an Entrance Ramp with a Nearby Frontage Road	380
	Figure 2D-17	Example of Weigh Station Signing	381
	Figure 2D-17(CA)	Example of Weigh Station Signing	382
	Figure 2D-18	Examples of Community Wayfinding Guide Signs	382
	Figure 2D-19	Example of a Community Wayfinding Guide Sign System Showing Direction from	383
	riguit 215 17	a Freeway or Expressway	505
	Figure 2D-20	Example of a Color-Coded Community Wayfinding Guide Sign System	384
	Figure 2D-21	Crossover, Truck Lane, and Slow Vehicle Signs	385
	Figure 2D-21(CA)	Crossover, Truck Lane, and Slow Vehicle Signs	385
	Figure 2D-22	Examples of Use of the National Scenic Byways Sign	385
	Figure 2D-101(CA)	California Miscellaneous Guide Signs	386
	Figure 2E-1	Example of Guide Sign Spreading	422
	Figure 2E-2	Pull-Through Signs	422
	Figure 2E-2(CA)	California Pull-Through Signs	423
	Figure 2E-3	Overhead Arrow-per-Lane Guide Sign for a Multi-Lane Exit with an Option Lane	423
	Figure 2E-4	Overhead Arrow-per-Lane Guide Signs for a Two-Lane Exit to the Right with an	424
	6	Option Lane	
	Figure 2E-4(CA)	Overhead Arrow-per-Lane Guide Signs for a Two-Lane Exit to the Right with an Option Lane	425
	Figure 2E-5	Overhead Arrow-per-Lane Guide Signs for a Two-Lane Exit to the Right with an	426
	C	Option Lane (Through Lanes Curve to the Left)	
	Figure 2E-6	Overhead Arrow-per-Lane Guide Signs for a Split with an Option Lane	427
1	Figure 2E-7	Diagrammatic Guide Sign for a Multi-Lane Exit with an Option Lane	428
	Figure 2E-8	Diagrammatic Guide Signs for a Two-Lane Exit to the Right with an Option Lane	429
	Figure 2E-9	Diagrammatic Guide Signs for a Two-Lane Exit to the Right with an Option Lane	430
	-	(Through Lanes Curve to the Left)	
	Figure 2E-10	Diagrammatic Guide Signs for a Split with an Option Lane	431
	Figure 2E-11	Example of Signing for a Two-Lane Intermediate or Minor Interchange Exit with an	432
		Option Lane and a Dropped Lane	
	Figure 2E-12	Example of Signing for a Two-Lane Intermediate or Minor Interchange Exit with	433
		Option and Auxiliary Lanes	
	Figure 2E-13	EXIT ONLY and LEFT Sign Panels	434
	Figure 2E-13(CA)	EXIT ONLY and LEFT Sign Panels	434
	Figure 2E-14	Guide Signs for a Split with Dedicated Lanes	435
	Figure 2E-15	Guide Signs for a Single-Lane Exit to the Left with a Dropped Lane	436

	California MUTCD 20 (FHWA's MUTCD 2009	014 Edition 9 Edition, including Revisions 1,2, &3, as amended for use in California)	Page 28
	Figure 2E-16	Guide Signs for a Single-Lane Exit to the Right with a Dropped Lane	437
7	Figure 2E-17	Interstate, Off-Interstate, and U.S. Route Signs	438
	Figure 2E-18	Eisenhower Interstate System Signs	438
	Figure 2E-19	Example of Interchange Numbering for Mainline and Circumferential Routes	439
	Figure 2E-20	Example of Interchange Numbering for Mainline, Loop, and Spur Routes	440
	Figure 2E-21	Example of Interchange Numbering for Overlapping Routes	441
	Figure 2E-22	Examples of Interchange Advance Guide Signs, Exit Number Plaques, and LEFT	442
		Plaque	
	Figure 2E-22(CA)	Examples of Interchange Advance Guide Signs, Exit Number Plaques, and LEFT Plaque	443
	Figure 2E-23	Next Exit Plaques	443
	Figure 2E-24	Supplemental Guide Sign for a Multi-Exit Interchange	444
	Figure 2E-25	Supplemental Guide Sign for a Park – Ride Facility	444
	Figure 2E-26	Examples of Interchange Exit Direction Signs	445
	Figure 2E-26(CA)	Examples of Interchange Exit Direction Signs	446
	Figure 2E-27	Interchange Exit Direction Sign with an Advisory Speed Panel	446
	Figure 2E-28	Exit Gore Signs	447
	Figure 2E-28(CA)	Exit Gore Signs	447
	Figure 2E-29	Post-Interchange Distance Sign	448
	Figure 2E-30	Example of Using an Interchange Sequence Sign for Closely-Spaced Interchanges	
	Figure 2E-31	Interchange Sequence Sign	450
	Figure 2E-31(CA)	Interchange Sequence Sign	450
	Figure 2E-32	Community Interchanges Identification Sign	451
	Figure 2E-33	NEXT EXITS Sign	451
	Figure 2E-33(CA)	NEXT EXITS Sign Examples of Guide Signs for a Fragway to Fragway Intershanga	<b>451</b> 452
i.	Figure 2E-34 Figure 2E-34(CA)	Examples of Guide Signs for a Freeway to Freeway Interchange	432 454
	Figure 2E-34(CA)	Examples of Guide Signs for a Freeway-to-Freeway Interchange Examples of Guide Signs for a Full Cloverleaf Interchange	454
i.	Figure 2E-35(CA)	Examples of Guide Signs for a Full Cloverleaf Interchange	456
	Figure 2E-36	Examples of Guide Signs for a Full Cloverleaf Interchange with	457
	rigule 2L-50	Collector-Distributor Roadways	ТЈТ
	Figure 2E-37	Examples of Guide Signs for a Partial Cloverleaf Interchange	458
I	Figure 2E-37(CA)	Examples of Guide Signs for a Partial Cloverleaf Interchange	459
1	Figure 2E-38	Examples of Guide Signs for a Diamond Interchange	460
	Figure 2E-38(CA)	Examples of Guide Signs for a Diamond Interchange	461
7	Figure 2E-39	Examples of Guide Signs for a Diamond Interchange in an Urban Area	462
	Figure 2E-39(CA)	Examples of Guide Signs for a Diamond Interchange in an Urban Area	463
	Figure 2E-40	Examples of Guide Signs for a Minor Interchange	464
	Figure 2E-40(CA)	Examples of Guide Signs for a Minor Interchange	465
	Figure 2F-1	Examples of ETC Account Pictographs and Use of Purple Backgrounds and	482
		Underlay Panels	
	Figure 2F-2	Toll Plaza Regulatory Signs and Plaques	482
	Figure 2F-3	Toll Plaza Warning Signs and Plaques	483
	Figure 2F-4	ETC Account-Only Auxiliary Signs for Use in Route Sign Assemblies	483
	Figure 2F-5	Examples of Guide Signs for Entrances to Toll Highways or Ramps	484
_	Figure 2F-6	Examples of Guide Signs for the Entrance to a Toll Highway on which Tolls are Collected Electronically Only	485
	Figure 2F-7	Examples of Guide Signs for Alternative Toll and Non-Toll Ramp Connections to	486
	<b>D</b> ' <b>O</b> O	a Non-Toll Highway	405
	Figure 2F-8	Examples of Conventional Toll Plaza Advance Signs	487
	Figure 2F-9	Examples of Toll Plaza Canopy Signs	487
	Figure 2F-10	Examples of Mainline Toll Plaza Approach and Canopy Signing	488
	Figure 2F-11	Examples of Guide Signs for a Mainline Toll Plaza on a Diverging Alignment from Open-Road ETC Lanes	n 489

	California MUTCD 20 (FHWA's MUTCD 2009	014 Edition Pa   9 Edition, including Revisions 1,2, &3, as amended for use in California) Pa	ge 29
	Figure 2G-1	Preferential Lane Regulatory Signs and Plaques	510
	Figure 2G-1(CA)	Preferential Lane Regulatory Signs and Plaques	512
	Figure 2G-2	Example of Signing for an Added Continuous-Access Contiguous or Buffer-Separated HOV Lane	513
	Figure 2G-3	Example of Signing for a General-Purpose Lane that Becomes a Continuous-Access Contiguous or Buffer-Separated HOV Lane	514
	Figure 2G-4	Examples of Warning Signs and Plaques Applicable Only to Preferential Lanes	515
	Figure 2G-4(CA)	Examples of Warning Signs and Plaques Applicable Only to Preferential Lanes	515
	Figure 2G-5	Example of an Overhead Advance Guide Sign for a Preferential Lane Entrance	516
	Figure 2G-6	Examples of Overhead or Post-Mounted Preferential Lane Entrance Direction Signs	516
	Figure 2G-6(CA)	Examples of Overhead or Post-Mounted Preferential Lane Entrance Direction Signs	517
	Figure 2G-7	Entrance Gore Signs for Barrier-Separated Preferential Lanes	517
	Figure 2G-8	Example of Signing for an Entrance to Access-Restricted HOV Lanes	518
	Figure 2G-9	Example of Signing for an Intermediate Entry to a Barrier- or Buffer-Separated HOV Lane	519
	Figure 2G-10	Example of Signing for the Intermediate Entry to, Egress from, and End of Access-Restricted HOV Lanes	520
	Figure 2G-11	Examples of Barrier-Mounted Guide Signs for an Intermediate Egress from Preferential Lanes	521
	Figure 2G-12	Examples of Guide Signs for an Intermediate Egress from a Barrier- or Buffer-Separated HOV Lane	522
	Figure 2G-13	Example of Signing for a Direct Entrance Ramp to an HOV Lane from a Park-and Ride Facility and a Local Street	523
	Figure 2G-14	Exit Gore Sign for a Direct Exit from a Preferential Lane	524
	Figure 2G-14(CA)	Advance Exit and Exit Gore Sign for a Direct Exit from a Preferential Lane	524
	Figure 2G-15	Examples of Guide Signs for Direct HOV Lane Entrance and Exit Ramps	525
	Figure 2G-15(CA)	Examples of Guide Signs for Direct HOV Lane Entrance and Exit Ramps	526
	Figure 2G-16	Examples of Guide Signs for a Direct Access Ramp between HOV Lanes on Separate Freeways	527
	Figure 2G-17	Regulatory Signs for Managed Lanes	528
	Figure 2G-18	Examples of Guide Signs for Entrances to Priced Managed Lanes	529
	Figure 2G-19	Example of an Exit Destinations Sign for a Managed Lane	529
	Figure 2G-20	Example of a Comparative Travel Time Information Sign for Preferential or Managed Lanes	529
	Figure 2G-21	Example of Signing for the Entrance to an Access-Restricted Priced Managed Lane	530
	Figure 2G-22	Example of Signing for the Entrance to an Access-Restricted Priced Managed Lane Where a General-Purpose Lane Becomes the Managed Lane	531
	Figure 2G-23	Example of Signing for an Intermediate Entry to a Barrier- or Buffer-Separated Priced Managed Lane	532
	Figure 2G-24	Example of Signing for the Intermediate Entry to, Egress from, and End of Access-Restricted Priced Managed Lanes	533
Ī	Figure 2G-25	Examples of Guide Signs for an Intermediate Egress from a Barrier- or Buffer-Separated HOV Lane	534
	Figure 2G-26	Examples of Guide Signs for Direct Managed Lane Entrance and Exit Ramps	535
	Figure 2G-27	Examples of Guide Signs for a Direct Access Ramp between Managed Lanes on Separate Freeways	536
	Figure 2G-28	Examples of Guide Signs for a Direct Entrance Ramp to a Priced Managed Lane and Trailblazing to a Nearby Entrance to the General-Purpose Lanes	537
	Figure 2G-29	Examples of Guide Signs for Separate Entrance Ramps to General-Purpose and Priced Managed Lanes from the Same Crossroad	538
	Figure 2H-1	General Information and Miscellaneous Information Signs	552
	Figure 2H-1(CA)	General Information and Miscellaneous Information Signs	552
	Figure 2H-2	Reference Location Signs	553

California MUTCD 2 (FHWA's MUTCD 200	2014 Edition 99 Edition, including Revisions 1,2, &3, as amended for use in California)	Page 30
Figure 2H-3	Intermediate Reference Location Signs	553
Figure 2H-4	Enhanced Reference Location Signs	554
Figure 2H-5	Examples of Acknowledgment Sign Designs	555
Figure 2H-5(CA)	Examples of Adopt-A-Highway Sign Designs	555
Figure 2I-1	General Service Signs and Plaques	580
Figure 2I-1(CA)	General Service Signs and Plaques	581
Figure 2I-2	Example of Next Services Plaque	582
Figure 2I-3	Examples of General Service Signs with and without Exit Numbering	582
Figure 2I-4	Examples of Interstate Oasis Signs and Plaques	583
Figure 2I-5	Rest Area and Other Roadside Area Signs	583
Figure 2I-5(CA)	Rest Area and Other Roadside Area Signs	583
Figure 2I-6	Brake Check Area and Chain-Up Area Signs	584
Figure 2I-6(CA)	Brake Check Area and Chain-Up Area Signs	584
Figure 2I-7	Examples of Tourist Information and Welcome Center Signs	584
Figure 2I-7(CA)	Examples of Tourist Information and Welcome Center Signs	<mark>585</mark> 586
Figure 2I-8 Figure 2I-8(CA)	Radio, Telephone, and Carpool Information Signs Radio, Telephone, and Carpool Information Signs	580 587
Figure 2J-1	Examples of Specific Service Signs	603
Figure 2J-1(CA)	Examples of Specific Service Signs	603 604
Figure 2J-2	Examples of Specific Service Sign Locations	605
Figure 2J-3	Examples of Supplemental Messages on Logo Sign Panels	606
Figure 2J-3 (CA)	Examples of Supplemental Messages on Logo Sign Panels	606
Figure 2J-4	Examples of RV Access Supplemental Messages on Logo Sign Panels	606
Figure 2J-5	Examples of Specific Service Trailblazer Signs	606
Figure 2K-1	Examples of Tourist-Oriented Directional Signs	613
Figure 2K-1(CA)	Examples of Tourist-Oriented Directional Signs	614
Figure 2K-2	Examples of Intersection Approach Signs and Advance Signs for Tourist-Oriente Directional Signs	ed 615
Figure 2M-1	Examples of Use of Arrows, Educational Plaques, and Prohibitory Slashes	637
Figure 2M-1(CA)	Examples of Use of Arrows, Educational Plaques, and Prohibitory Slashes	637
Figure 2M-2	Examples of Recreational and Cultural Interest Area Guide Signs	638
Figure 2M-2(CA)	Examples of Recreational and Cultural Interest Area Guide Signs	639
Figure 2M-3	Arrangement, Height, and Lateral Position of Signs Located Within Recreational and Cultural Interest Areas	
Figure 2M-4	Examples of Symbol and Destination Guide Signing Layout	641
Figure 2M-5	Recreational and Cultural Interest Area Symbol Signs for General Applications	642
Figure 2M-6	Recreational and Cultural Interest Area Symbol Signs for Accommodations	643
Figure 2M-7	Recreational and Cultural Interest Area Symbol Signs for Services	643
Figure 2M-8	Recreational and Cultural Interest Area Symbol Signs for Land Recreation	644
Figure 2M-8(CA)	Recreational and Cultural Interest Area Symbol Signs for Land Recreation	<mark>644</mark> 645
Figure 2M-9 Figure 2M-10	Recreational and Cultural Interest Area Symbol Signs for Water Recreation Recreational and Cultural Interest Area Symbol Signs for Winter Recreation	646
Figure 2M-10(CA)	Recreational and Cultural Interest Area Symbol Signs for Winter Recreation	646 646
Figure 2M-101(CA)	Memorial or Dedication Signing	647
Figure 2M-102(CA)	Prohibited Recreational and Cultural Interest Area Symbol Signs and Educational Plaque	648
Figure 2N-1	Emergency Management Signs	657
Figure 3A-101(CA)	Centerlines – 2 Lane Highways	662
Figure 3A-102(CA)	Lane Lines – Multilane Highways	663
Figure 3A-103(CA)	No Passing Zones – One Direction	665
Figure 3A-104(CA)	No Passing Zones – Two Direction	666
Figure 3A-105(CA)	Left Edge Lines for Divided Highways	667
Figure 3A-106(CA)	Right Edge Line and Right Edge Line Extension Through Intersections	668
Figure 3A-107(CA)	Median Islands	669

List of Figures

Revised December 7, 2023

	California MUTCD 20 (FHWA's MUTCD 2009	)14 Edition Edition, including Revisions 1,2, &3, as amended for use in California)	Page 31
	Figure 3A-108(CA)	Two-Way Left-Turn lanes	670
	Figure 3A-109(CA)	Intersection Markings	671
	Figure 3A-110(CA)	Freeway Exit and Entrance Ramp Channelizing Lines	672
	Figure 3A-111(CA)	Lane Drop Markings	674
	Figure 3A-112(CA)	Channelizing Line and Lane Line/Centerline Extensions	675
	Figure 3A-113(CA)	Examples of Preferential Lane Lines	676
	Figure 3A-114(CA)	Exit Ramp with Enhanced Pavement Markers for Wrong Way Details	677
	Figure 3B-1	Examples of Two-Lane, Two-Way Marking Applications	708
	Figure 3B-2	Examples of Four-or-More Lane, Two-Way Marking Applications	709
	Figure 3B-3	Examples of Three-Lane, Two-Way Marking Applications	710
	Figure 3B-4	Method of Locating and Determining the Limits of No-Passing Zones at Curves	711
	Figure 3B-5	Example of Application of Three-Lane, Two-Way Marking for Changing Direction	
	8	of the Center Lane	
	Figure 3B-6	Example of Reversible Lane Marking Application	713
	Figure 3B-7	Example of Two-Way Left-Turn Lane Marking Applications	714
	Figure 3B-7(CA)	Example of Two-Way Left-Turn Lane Marking Applications	715
	Figure 3B-8	Examples of Dotted Line and Channelizing Line Applications for Exit Ramp	716
	-	Markings	
	Figure 3B-8(CA)	Examples of Dotted Line and Channelizing Line Applications for Exit Ramp Markings	718
	Figure 3B-9	Examples of Dotted Line and Channelizing Line Applications for Entrance Ramp	721
_		Markings	
	Figure 3B-9(CA)	Examples of Dotted Line and Channelizing Line Applications for Entrance Ramp Markings	
	Figure 3B-10	Examples of Applications of Freeway and Expressway Lane-Drop Markings	725
	Figure 3B-10(CA)	Examples of Applications of Freeway and Expressway Lane-Drop Markings	730
	Figure 3B-11	Examples of Applications of Conventional Road Lane-Drop Markings	731
	Figure 3B-12	Example of Solid Double White Lines Used to Prohibit Lane Changing	733
	Figure 3B-13	Examples of Line Extensions through Intersections	734
	Figure 3B-14	Examples of Applications of Lane-Reduction Transition Markings	736
	Figure 3B-14(CA)	Examples of Applications of Lane-Reduction Transition Markings	737
	Figure 3B-15	Examples of Applications of Markings for Obstructions in the Roadway	740
	Figure 3B-16	Recommended Yield Line Layouts	742
	Figure 3B-17	Examples of Yield Lines at Unsignalized Midblock Crosswalks	743
	Figure 3B-17(CA)	Examples of Crosswalk Enhancements at Uncontrolled Multilane Approaches	744
	Figure 3B-18	Do Not Block Intersection Markings	745 <b>746</b>
	Figure 3B-18(CA) Figure 3B-19	Do Not Block Intersection Markings Examples of Crosswalk Markings	740
	Figure 3B-19(CA)	Examples of Crosswalk Markings	747
	Figure 3B-20	Examples of Crosswalk Markings for an Exclusive Pedestrian Phase that Permits	748
	rigure 5D-20	Diagonal Crossing	/+0
	Figure 3B-21	Examples of Parking Space Markings	749
	Figure 3B-21(CA)	Examples of Parking Space Markings	750
	Figure 3B-22	International Symbol of Accessibility Parking Space Marking	751
	Figure 3B-22(CA)	Examples of Disabled Persons Parking Symbol, Legend and Related Markings	752
	Figure 3B-23	Example of Elongated Letters for Word Pavement Markings	754
	Figure 3B-23(CA)	Example of Elongated Letters for Word Pavement Markings	755
	Figure 3B-24	Examples of Standard Arrows for Pavement Markings	757
	Figure 3B-24(CA)	Examples of Standard Arrows for Pavement Markings	758
	Figure 3B-25	Examples of Elongated Route Shields for Pavement Markings	766
	Figure 3B-26	Yield Ahead Triangle Symbols	766
	Figure 3B-27	Examples of Lane-Use Control Word and Arrow Pavement Markings	767
	Figure 3B-28	Example of the Application of Speed Reduction Markings	768
	Figure 3B-29	Pavement Markings for Speed Humps without Crosswalks	769
	Figure 3B-30	Pavement Markings for Speed Tables or Speed Humps with Crosswalks	770

	California MUTCD 2014 Edition Pag (FHWA's MUTCD 2009 Edition, including Revisions 1,2, &3, as amended for use in California)		
Figure 3B-31	Advance Warning Markings for Speed Humps	771	
Figure 3B-101(CA)	Examples of Left-Turn Channelization Markings	772	
Figure 3B-102(CA)	Examples of Fire Hydrant Location Pavement Markings	773	
Figure 3B-103(CA)	Examples of Intersection Markings	774	
Figure 3B-104(CA)	Treatment of Divided Highway Illusion	775	
Figure 3B-105(CA)	Examples of Signs and Markings for Highways Where Speed is Enforced by Aircraft	776	
Figure 3B-106(CA)	Passing Lanes	777	
Figure 3B-107(CA)	Examples of Signing and Marking Turnouts	778	
Figure 3B-108(CA)	Electric Vehicle Charging Station Pavement Marking Details	779	
Figure 3C-1	Example of Markings for Approach and Circulatory Roadways at a Roundabout	784	
Figure 3C-2	Lane Use Arrow Pavement Marking Options for Roundabout Approaches	784	
Figure 3C-2(CA)	Lane-Use Arrow Pavement Marking Option for Roundabout Approaches	785	
Figure 3C-3	Example of Markings for a One-Lane Roundabout	786	
Figure 3C-4	Example of Markings for a Two-Lane Roundabout with One- and Two-Lane	787	
C	Approaches		
Figure 3C-5	Example of Markings for a Two-Lane Roundabout with One-Lane Exits	789	
Figure 3C-6	Example of Markings for a Two-Lane Roundabout with Two-Lane Exits	790	
Figure 3C-7	Example of Markings for a Two-Lane Roundabout with a Double Left Turn	791	
Figure 3C-8	Example of Markings for a Two-Lane Roundabout with a Double Right Turn	792	
Figure 3C-9	Example of Markings for a Two-Lane Roundabout with Consecutive Double Left	ts 793	
Figure 3C-10	Example of Markings for a Three-Lane Roundabout with Two- and Three-Lane	794	
	Approaches		
Figure 3C-11	Example of Markings for a Three-Lane Roundabout with Three-Lane Approaches		
Figure 3C-12	Example of Markings for a Three-Lane Roundabout with Two-Lane Exits	796	
Figure 3C-13	Example of Markings for Two Linked Roundabouts	797	
Figure 3C-14	Example of Markings for a Diamond Interchange with Two Circular-Shaped Roundabout Ramp Terminals	798	
Figure 3D-1	Markings for Barrier-Separated Preferential Lanes	803	
Figure 3D-2	Markings for Buffer-Separated Preferential Lanes	803	
Figure 3D-3	Markings for Contiguous Preferential Lanes	805	
Figure 3D-4	Markings for Counter-Flow Preferential Lanes on Divided Highways	806	
Figure 3D-101(CA)	Diamond Symbol (HOV Lane)	807	
Figure 3F-1	Examples of Delineator Placement	816	
Figure 3F-101(CA)	Examples of Delineators	817	
Figure 3F-102(CA)	Examples of Delineator Placement When Used at Intersections, Islands, Ramps and Connectors	818	
Figure 3F-103(CA)	Examples of Runaway Truck Ramp Signs and Markings	820	
Figure 3F-104(CA)	Narrow Bridge Signs and Markings (One-Way and Two-Way Roadways)	821	
Figure 3F-105(CA)	Examples of Median Barrier Delineation	822	
Figure 3H-101(CA)	Example of Channelizers	826	
Figure 3J-1	Examples of Longitudinal Rumble Strip Markings	830	
Figure 4C-1	Warrant 2, Four-Hour Vehicular Volume	850	
Figure 4C-2	Warrant 2, Four-Hour Vehicular Volume (70% Factor)	850	
Figure 4C-3	Warrant 3, Peak Hour	851	
Figure 4C-4	Warrant 3, Peak Hour (70% Factor)	851	
Figure 4C-5	Warrant 4, Pedestrian Four-Hour Volume	852	
Figure 4C-6	Warrant 4, Pedestrian Four-Hour Volume (70% Factor)	852	
Figure 4C-7	Warrant 4, Pedestrian Peak Hour	853	
Figure 4C-8	Warrant 4, Pedestrian Peak Hour (70% Factor)	853	
Figure 4C-9	Warrant 9, Intersection Near a Grade Crossing (One Approach Lane at the Track Crossing)	854	
Figure 4C-10	Warrant 9, Intersection Near a Grade Crossing (Two or More Approach Lanes at Track Crossing)	the 854	

California MUTCD 20 (FHWA's MUTCD 2009	014 Edition 9 Edition, including Revisions 1,2, &3, as amended for use in California)	ige 33
Figure 4C-101(CA)	Traffic Signal Warrants Worksheet	855
Figure 4C-102(CA)	Traffic Count Worksheet	860
Figure 4C-103(CA)	Traffic Signal Warrants Worksheet (Average Traffic Estimate Form)	861
Figure 4D-1	Example of U-Turn Signal Face	911
Figure 4D-2	Typical Arrangements of Signal Sections in Signal Faces That Do Not Control Turning Movements	911
Figure 4D-3	Recommended Vehicular Signal Faces for Approaches with Posted, Statutory, or 85th-Percentile Speed of 45 mph or Higher	912
Figure 4D-4	Lateral and Longitudinal Location of Primary Signal Faces	913
Figure 4D-5	Maximum Mounting Height of Signal Faces Located Between 40 Feet and 53 Feet from Stop Line	914
Figure 4D-6	Typical Position and Arrangements of Shared Signal Faces for Permissive Only Mode Left Turns	914
Figure 4D-7	Typical Position and Arrangements of Separate Signal Faces with Flashing Yellow Arrow for Permissive Only Mode Left Turns	915
Figure 4D-8	Typical Position and Arrangements of Separate Signal Faces with Flashing Red Arrow for Permissive Only Mode and Protected/Permissive Mode Left Turns	915
Figure 4D-9	Typical Positions and Arrangements of Shared Signal Faces for Protected Only Mode Left Turns	916
Figure 4D-10	Typical Position and Arrangements of Separate Signal Faces for Protected Only Mode Left Turns	917
Figure 4D-11	Typical Position and Arrangements of Shared Signal Faces for Protected/Permissive Mode Left Turns	e 917
Figure 4D-12	Typical Position and Arrangements of Separate Signal Faces with Flashing Yellow Arrow for Protected/Permissive Mode and Protected Only Mode Left Turns	918
Figure 4D-13	Typical Positions and Arrangements of Shared Signal Faces for Permissive Only Mode Right Turns	918
Figure 4D-14	Typical Position and Arrangements of Separate Signal Faces with Flashing Yellow Arrow for Permissive Only Mode Right Turns	919
Figure 4D-15	Typical Position and Arrangements of Separate Signal Faces with Flashing Red Arrow for Permissive Only Mode and Protected/Permissive Mode Right Turns	919
Figure 4D-16	Typical Positions and Arrangements of Shared Signal Faces for Protected Only Mode Right Turns	920
Figure 4D-17	Typical Position and Arrangements of Separate Signal Faces for Protected Only Mode Right Turns	921
Figure 4D-18	Typical Positions and Arrangements of Shared Signal Faces for Protected/ Permissive Mode Right Turns	922
Figure 4D-19	Typical Position and Arrangements of Separate Signal Faces with Flashing Yellow Arrow for Protected/Permissive Mode and Protected Only Mode Right Turns	923
Figure 4D-20	Signal Indications for Approaches with a Shared Left-Turn/Right-Turn Lane and No Through Movement	o 924
Figure 4D-101(CA)	Left-Turn Phasing Methods (Phase Diagrams)	927
Figure 4D-102(CA)	Typical Signal Layout at Offset Intersections, Signalized and Marked as a Single Intersection	928
Figure 4D-103(CA)	Typical Signal Layout (Two Phase Operation)	932
Figure 4D-104(CA)	Typical Signal Layout (Three Phase Operation)	933
Figure 4D-105(CA)	Typical Signal Layout (Five Phase "Dual Left" Operation)	934
Figure 4D-106(CA)	Typical Signal Layout (Six Phase "Opposing" Operation)	935
Figure 4D-107(CA)	Typical Signal Layout (Eight Phase "Quad Left" Operation)	936
Figure 4D-108(CA)	Typical Traffic Signal Installation	937
Figure 4D-109(CA)	Diamond Interchange Timing Chart (Heavy Left-Turn – 200 vphpl or More – Using Two Controllers)	938
Figure 4D-110(CA)	Diamond Interchange Timing Chart (Light Left-Turn – 200 vphpl or Less– Using Two Controllers)	939

California MUTCD 20		Page 34
(FHWAS MUTCD 2009	Edition, including Revisions 1,2, &3, as amended for use in California)	
Figure 4D-111(CA)	Bicycle Detection Systems	940
Figure 4D-112(CA)	Example of Bicycle Signal Face	943
Figure 4E-1	Typical Pedestrian Signal Indications	967
Figure 4E-2	Pedestrian Intervals	968
Figure 4E-3	Pushbutton Location Area	969
Figure 4E-4	Typical Pushbutton Locations	970
Figure 4F-1	Guidelines for the Installation of Pedestrian Hybrid Beacons on Low-Speed Roadways	976
Figure 4F-2	Guidelines for the Installation of Pedestrian Hybrid Beacons on High-Speed Roadways	976
Figure 4F-3	Sequence for a Pedestrian Hybrid Beacon	977
Figure 4G-1	Sequence for an Emergency-Vehicle Hybrid Beacon	982
Figure 4L-101(CA)	Flashing Beacon at School Crossings Worksheet	998
Figure 4M-1	Left-Turn Lane-Use Control Signals	1002
Figure 4M-101(CA)	Example of Lane Control Signal Face	1002
Figure 4N-101(CA)	Typical Layout For In Roadway Warning Lights (IRWL's)	1006
Figure 5B-1	Regulatory Signs on Low-Volume Roads	1012
Figure 5B-2	Parking Signs and Plaques on Low-Volume Roads	1012
Figure 5C-1	Horizontal Alignment and Intersection Warning Signs and Plaques and Object	1016
	Markers on Low-Volume Roads	
Figure 5C-2	Other Warning Signs and Plaques on Low-Volume Roads	1017
Figure 5C-2(CA)	Other Warning Signs and Plaques on Low-Volume Roads	1018
Figure 5F-1	Highway-Rail Grade Crossing Signs and Plaques for Low-Volume Roads	1024
Figure 5G-1	Temporary Traffic Control Signs and Plaques on Low-Volume Roads	1026
Figure 6C-1	Component Parts of a Temporary Traffic Control Zone	1044
Figure 6C-2	Types of Tapers and Buffer Spaces	1045
Figure 6C-3	Example of a One-Lane, Two-Way Traffic Taper	1046
Figure 6E-1	Example of the Use of a STOP/SLOW Automated Flagger Assistance Device	1063
	(AFAD)	1064
Figure 6E-2	Example of the Use of a Red/Yellow Lens Automated Flagger Assistance Device	1064
	(AFAD)	1065
Figure 6E-3	Use of Hand-Signaling Devices by Flaggers	1065
Figure 6F-1	Height and Lateral Location of Signs—Typical Installations	1114
Figure 6F-2	Methods of Mounting Signs Other Than on Posts	1115
Figure 6F-3	Regulatory Signs and Plaques in Temporary Traffic Control Zones	1116
Figure 6F-4	Warning Signs and Plaques in Temporary Traffic Control Zones	1118
Figure 6F-5	Exit Open and Closed and Detour Signs	1121
Figure 6F-6	Advance Warning Arrow Board Display Specifications	1122 1123
Figure 6F-7 Figure 6F-101(CA)	Channelizing Devices California Temporary Traffic Control Signs	1123
Figure 6F-102(CA)	Channelizer (CA) and Portable Delineator	1124
Figure 6F-103(CA)	Examples of Object Markers in Temporary Traffic Control Zones	1120
Figure 6F-104(CA)	Typical Layout Using Channelizing Devices to Delineate a Portable Changeable Message	1128
	Sign on Shoulder	1120
Figure 6H-1	Work Beyond the Shoulder (TA-1)	1154
Figure 6H-2	Blasting Zone (TA-2)	1156
Figure 6H-3	Work on the Shoulders (TA-3)	1158
Figure 6H-4	Short-Duration or Mobile Operation on a Shoulder (TA-4)	1160
Figure 6H-5	Shoulder Closure on a Freeway (TA-5)	1162
Figure 6H-5(CA)	Shoulder Closure on a Freeway (TA-5)	1165
Figure 6H-6	Shoulder Work with Minor Encroachment (TA-6)	1167
Figure 6H-7	Road Closure with a Diversion (TA-7)	1169
Figure 6H-8	Road Closure with an Off-Site Detour (TA-8)	1172
Figure 6H-9	Overlapping Routes with a Detour (TA-9)	1174
Figure 6H-10	Lane Closure on a Two-Lane Road Using Flaggers (TA-10)	1176
~		

(111/11/5/000100/200	<i>b</i> Edition, morading reconsions 1,2, ees, as amonada for use in camorina)	
Figure 6H-10(CA)	Lane Closure on a Two-Lane Road Using Flaggers (TA-10)	1179
Figure 6H-10A(CA)	Lane Closure on a Two-Lane Road Using Flaggers (TA-10A) Using Portable Transverse Rumble Str	ips 1180
Figure 6H-11	Lane Closure on a Two-Lane Road with Low Traffic Volumes (TA-11)	1181
Figure 6H-12	Lane Closure on a Two-Lane Road Using Traffic Control Signals (TA-12)	1183
Figure 6H-13	Temporary Road Closure (TA-13)	1185
Figure 6H-14	Haul Road Crossing (TA-14)	1187
Figure 6H-14(CA)	Haul Road Crossing (TA-14)	1190
Figure 6H-15	Work in the Center of a Road with Low Traffic Volumes (TA-15)	1192
Figure 6H-16	Surveying Along the Center Line of a Road with Low Traffic Volumes (TA-16)	1188
Figure 6H-17	Mobile Operations on a Two-Lane Road (TA-17)	1190
Figure 6H-18	Lane Closure on a Minor Street (TA-18)	1192
Figure 6H-19	Detour for One Travel Direction (TA-19)	1195
Figure 6H-20	Detour for a Closed Street (TA-20)	1197
Figure 6H-21	Lane Closure on the Near Side of an Intersection (TA-21)	1199
Figure 6H-22	Right-Hand Lane Closure on the Far Side of an Intersection (TA-22)	1201
Figure 6H-22A(CA)	Right-Hand Lane Closure on the Far Side of an Intersection (TA-22A(CA))	1203
Figure 6H-22B(CA)	Right-Hand Lane Closure on the Far Side of an Intersection (TA-22B(CA))	1204
Figure 6H-23	Left-Hand Lane Closure on the Far Side of an Intersection (TA-23)	1205
Figure 6H-24	Half Road Closure on the Far Side of an Intersection (TA-24)	1207
Figure 6H-24A(CA)	Half Road Closure on the Far Side of an Intersection (TA-24A(CA))	1209
Figure 6H-25	Multiple Lane Closures at an Intersection (TA-25)	1210
Figure 6H-25A(CA)	Multiple Lane Closures at an Intersection (TA-25A(CA))	1213
Figure 6H-26	Closure in the Center of an Intersection (TA-26)	1214
Figure 6H-27	Closure at the Side of an Intersection (TA-27)	1216
Figure 6H-28	Sidewalk Detour or Diversion (TA-28)	1218
Figure 6H-29	Crosswalk Closures and Pedestrian Detours (TA-29)	1220
Figure 6H-30	Interior Lane Closure on a Multi-Lane Street (TA-30)	1222
Figure 6H-31	Lane Closures on a Street with Uneven Directional Volumes (TA-31)	1223
Figure 6H-32	Half Road Closure on a Multi-Lane, High Speed Highway (TA-32)	1225 1227
Figure 6H-32(CA)	Half Road Closure on a Multi-Lane, High-Speed Highway (TA-32) Stationary Lane Closure on a Divided Highway (TA-33)	1227
Figure 6H-33 Figure 6H-34	Lane Closure with a Temporary Traffic Barrier (TA-34)	1228
Figure 6H-35	Mobile Operation on a Multi-Lane Road (TA-35)	1231
Figure 6H-36	Lane Shift on a Freeway (TA-36)	1235
Figure 6H-36(CA)	Lane Shift on a Freeway (TA-36)	1239
Figure 6H-37	Double Lane Closure on a Freeway (TA-37)	1240
Figure 6H-38	Interior Lane Closure on a Freeway (TA-38)	1242
Figure 6H-39	Median Crossover on a Freeway (TA-39)	1244
Figure 6H-40	Median Crossover for an Entrance Ramp (TA-40)	1247
Figure 6H-41	Median Crossover for an Exit Ramp (TA-41)	1245
Figure 6H-42	Work in the Vicinity of an Exit Ramp (TA-42)	1247
Figure 6H-43	Partial Exit Ramp Closure (TA-43)	1249
Figure 6H-44	Work in the Vicinity of an Entrance Ramp (TA-44)	1252
Figure 6H-45	Temporary Reversible Lane Using Movable Barriers (TA-45)	1254
Figure 6H-46	Work in the Vicinity of a Grade Crossing (TA-46)	1256
Figure 6H-101(CA)	Shoulder Closure on Urban (Low Speed) Locations to Accommodate Bicyclists	1259
Figure 6H-102(CA)	Lane Closure on Freeway, Expressway, Rural and Urban (High Speed) Locations to Accommodate Bicyclists	1261
Figure 6H-103(CA)	Detour for Bike Lane on Roads with Closure of One Travel Direction	1264
Figure 6H-104(CA)	Right Lane and Bike Lane Closure on Far Side of Intersection	1266
Figure 6H-105(CA)	Lane Shift on Road with Low Traffic Volumes	1268
Figure 6H-106(CA)	Partial Closure in a Single Lane Roundabout	1270
Figure 6H-107(CA)	Inside Lane Closure on a Multi-Lane Roundabout	1272
		7 2014

Figure 61-1Examples of Traffic Incident Management Area Signs1275Figure 61-1(CA)Example of School Route Plan Map1280Figure 7B-1School Area Signs1280Figure 7B-1School Area Signs1280Figure 7B-1Example of Signing for a Higher Fines School Zone with a School Coursing1292Figure 7B-2Figure 7B-4Example of Signing for a School Crossing Outside of a School Zone1294Figure 7B-5Example of Signing for a School Zone with a School Speed Limit and a School Crossing1295Figure 7B-6Example of Signing for a School Zone with a School Speed Limit and a School Crossing1296Figure 7B-6Example of Signing for a School Zone with a School Speed Limit and a School Crossing1296Figure 7B-101(CA)Example of Signing for a School Zone with a School Areas with Flashing Yellow Beacons1296Figure 7B-102(CA)Example of Signing for Taffic Control in School Areas with Flashing Yellow Beacons1296Figure 7B-104(CA)Example of Signing for School Area1301Figure 7B-104(CA)Example of Signing for Cachool Crosswalk Warning Assembly1301Figure 7B-104(CA)Example of Signing for Grade Crossings1331Figure 8B-103(CA)Example of Signing for Grade Crossings1332Figure 8B-104(CA)Regulatory Signs and Plaques for Grade Crossings1332Figure 8B-1Regulatory Signs and Plaques for Grade Crossings1332Figure 8B-2Crossbuck Assembly with a YIELD or STOP Sign on the Crossbuck Sign Support1332Figure 8B-4Crossbuck Assembl	California MUTCD 20 (FHWA's MUTCD 2009	14 Edition 9 Edition, including Revisions 1,2, &3, as amended for use in California)	Page 36
Figure 81-1(CA)Examples of Taffic Incident Management Area Signs1276Figure 7B-1Example of School Route Plan Map1280Figure 7B-1School Area Signs1280Figure 7B-1Example of Signing for a Higher Fines School Zone with a School Speed Limit1292Figure 7B-2Example of Signing for a Higher Fines School Zone with a School Speed Limit1293Figure 7B-3Example of Signing for a School Crossing Outside of a School Zone1294Figure 7B-5Example of Signing for a School Zone with a School Speed Limit and a School Icrossing1295Figure 7B-6Example of Signing for a School Zone with a School Speed Limit and a School Icrossing1296Figure 7B-101(CA)Example of Signing for Taffic Control in School Areas with Flashing Yellow Beacons1298Figure 7B-101(CA)Example of Signing for School Crossing Astronov With School Areas with Flashing Yellow Beacons1296Figure 7B-103(CA)Example of Signing for School Areas Taffic Control with Extended and/or Reduced1300School Zone Speed Limits1301Figure 7B-104(CA)Example of Signing for School Areas Taffic Controls with Astronov School Xice1331Figure 8B-1Regulatory Signs and Plaques for Grade Crossings1331Figure 8B-1Regulatory Signs and Plaques for Grade Crossings1332Figure 8B-4Regulatory Signs and Plaques for Grade Crossings1335Figure 8B-5Example of Placement of Warning Signs and Pavement Markings at Grade Crossings1335Figure 8B-6Warning Signs and Placeus for Grade Crossings1335 <t< td=""><td>Figure 6I-1</td><td>Examples of Traffic Incident Management Area Signs</td><td>1275</td></t<>	Figure 6I-1	Examples of Traffic Incident Management Area Signs	1275
Figure 7A-1Example of School Route Plan Map1280Figure 7B-1School Area Signs1280Figure 7B-1(CA)School Area Signs1290Figure 7B-1(CA)School Area Signs1290Figure 7B-3Example of Signing for a Higher Fines School Zone with a School Speed Limit1293Figure 7B-4Example of Signing for a School Zone with a School Speed Limit1293Figure 7B-5Example of Signing for a School Zone with a School Speed Limit and a School Crossing1296Figure 7B-6In-Struct Signs in School Areas1297Figure 7B-7D-10In-Struct Signs in School Areas1297Figure 7B-6In-Struct Signs in School Areas1298Figure 7B-101(CA)Example of Signing for Taffic Control in School Areas with Flashing Yellow Beacons1298Figure 7B-103(CA)Example of Signing for School Areas1300Figure 7B-104(CA)Example of Signing for School Areas1300Figure 7B-104(CA)Example of Signing for School Areas1305Figure 7B-104(CA)Example of Signing for School Areas1305Figure 8B-1Regulatory Signs and Plaques for Grade Crossings1331Figure 8B-1Regulatory Signs and Plaques for Grade Crossings1332Figure 8B-2Crosshuck Assembly with a YIELD or STOP Sign on a Separate Sign Support1333Figure 8B-4Regulatory Signs and Plaques for Grade Crossings1335Figure 8B-5Example of Placement of Warning Signs and Pavement Markings at Grade Crossings1342Figure 8B-6Example of Placement of Warning Sign			1275
Figure 7B-1School Area Signs1280Figure 7B-1School Area Signs1290Figure 7B-2Example of Signing for a Higher Fines School Zone with a School Crossing1292Figure 7B-3Example of Signing for a School Crossing Outside of a School Zone1294Figure 7B-4Example of Signing for a School Zone with a School Speet Limit and a School I 2941295Figure 7B-5Example of Signing for a School Zone with a School Speet Limit and a School Crossing1296Figure 7B-6In-Street Signs in School Areas1297Figure 7B-101(CA)Example of Signing for Traffic Control in School Areas with Flashing Yellow Beacons1298Figure 7B-101(CA)Example of School Area1298Figure 7B-102(CA)Example of School Area1299Figure 7B-103(CA)Example of School Area1300Figure 7B-104(CA)Example of School Area1300Figure 7B-104(CA)Example of School Area1305Figure 7B-104(CA)Example of School Areas1305Figure 7B-104(CA)Pavement Word Markings for School Crossings1332Figure 8B-1Regulatory Signs and Plaques for Grade Crossings1332Figure 8B-1Crossbuck Assembly with a YIELD or STOP Sign on a Separate Sign Support1332Figure 8B-2Crossbuck Assembly with a YIELD or STOP Sign on a Separate Sign Support1335Figure 8B-4Example of Placement of Warning Signs and Pavement Markings at Grade Crossings1335Figure 8B-4Crassing Pavement Markings1341Figure 8B-4Crassing Pavement Mark	• • • • • • • • • • • • • • • • • • •		1280
Figure 7B-1(CA)   School Area Signs   1290     Figure 7B-2   Example of Signing for a Higher Fines School Zone with a School Speed Limit   1292     Figure 7B-3   Example of Signing for a School Crossing Outside of a School Zone   1294     Figure 7B-4   Example of Signing for a School Crossing Outside of a School Zone   1294     Figure 7B-5   Example of Signing for a School Zone with a School Zone   1295     Figure 7B-6   In-Street Signs in School Zone with a School Speed Limit and a School Crossing   1296     Figure 7B-101(CA)   Example of Signing for Traffic Control in School Areas with Flashing Yellow Beacons   1296     Figure 7B-102(CA)   Example of Signing for School Areas   1300     Figure 7B-104(CA)   Example of Signing for School Areas   1300     Figure 7B-104(CA)   Example of Signing for School Areas   1300     Figure 7B-104(CA)   Example of Signing for School Areas   1300     Figure 8B-1   Regulatory Signs and Plaques for Grade Crossings   1333     Figure 8B-1   Regulatory Signs and Plaques for Grade Crossings   1335     Figure 8B-4   Warning Signs and Plaques for Grade Crossings   1335     Figure 8B-4   Warning S	÷	1 1	
Figure 7B-2Example of Signing for a Higher Fines School Zone without a School Crossing1293Figure 7B-3Example of Signing for a School Zone with a School Speed Limit1293Figure 7B-4Example of Signing for a School Zone with a School Speed Limit and a School Crossing1295Figure 7B-5Example of Signing for a School Zone with a School Speed Limit and a School Crossing1295Figure 7B-6In-Street Signs in School Areas1296Figure 7B-101(CA)Example of Schonl Area Signs with Flashing Yellow Beacons1298Figure 7B-101(CA)Example of School Area School Areas with Flashing Yellow Beacons1298Figure 7B-104(CA)Example of School Area Traffic Control in School Areas with Flashing Yellow Beacons1299Figure 7B-104(CA)Example of Signing for School Area Traffic Control with Extended and/or Reduced1300School Zone Speed Limits1305Figure 7B-104(CA)Example of Signing for School Area Traffic Control with Extended and/or Reduced1302Figure 7B-104(CA)Example of Signing for School Area Traffic Control with Extended and/or Reduced1302Figure 8B-1Two Med Markings for Grade Crossings1331Figure 8B-1Crossbuck Assembly with a YIELD or STOP Sign on the Crossbuck Sign Support1333Figure 8B-2Crossbuck Assembly with a YIELD or STOP Sign on the Crossbuck Sign Support1333Figure 8B-4Warning Signs and Plaques for Grade Crossings1335Figure 8B-4Example of Placement of Warning Signs and Pavement Markings at Grade Crossing1336Figure 8B-6Example of Signing T		•	
Figure 7B-3Example of Signing for a Higher Fines School Zone with a School Zone1294Figure 7B-4Example of Signing for a School Zone with a School Speed Limit and a School1295Figure 7B-5Example of Signing for a School Zone with a School Speed Limit and a School1295Figure 7B-6In-Street Signs in School Areas1297Figure 7B-101(CA)Example of Signing for a School Zone with a School Speed Limit and a School Crossing1296Figure 7B-102(CA)Example of Signing for Traffic Control in School Areas with Flashing Yellow Beacons1296Figure 7B-102(CA)Example of Signing for School Area Traffic Control with Extended and/or Reduced1300School Zone Speed LimitsSchool Zone Speed Limits1301Figure 7B-104(CA)Example of Signing for School Areas1306Figure 7C-1Two-Lane Pavement Marking of "SCHOOL"1301Figure 8B-1Regulatory Signs and Plaques for Grade Crossings1331Figure 8B-1Regulatory Signs and Plaques for Grade Crossings1332Figure 8B-2Crossbuck Assembly with a YIELD or STOP Sign on a Separate Sign Support1332Figure 8B-3Karsherent of Warning Signs and Pavement Markings at Grade Crossings1336Figure 8B-4Warning Signs and Plaques for Grade Crossings1336Figure 8B-5Example of Placement of Warning Signs and Pavement Markings at Grade Crossings1346Figure 8B-6Kample of Placement of Warning Signs and Pavement Markings at Grade Crossings1346Figure 8B-7Grade Crossing Pavement Markings1340Figure 8B-6<			
Figure 7B-4Example of Signing for a School Crossing Outside of a School Zone1295Figure 7B-5Example of Signing for a School Zone with a School Speed Limit and a School 1295 Crossing1295Figure 7B-6In-Street Signin for a School Zone with a School Speed Limit and a School Crossing1296Figure 7B-6In-Street Signin for a School Zone with a School Speed Limit and a School Crossing1297Figure 7B-101(CA)Example of Signing for Taffic Control in School Areas with Flashing Yellow Beacons1298Figure 7B-102(CA)Example of Signing for School Area1300School Zone Speed LimitsSchool Zone Speed Limit1301Figure 7B-104(CA)Example of Signing for School Areas1301Figure 7B-104(CA)Example of Signing for School Areas1305Figure 7B-104(CA)Requeatory Signs and Plaques for Grade Crossings1331Figure 8B-10CA)Regulatory Signs and Plaques for Grade Crossings1332Figure 8B-10CA)Regulatory Signs and Plaques for Grade Crossings1335Figure 8B-4Crossbuck Assembly with a YIELD or STOP Sign on a Separate Sign Support1332Figure 8B-6Example of Placement of Warning Signs and Pavement Markings at Grade Crossings1336Figure 8B-6Example of an Emergency Notification Sign1337Figure 8B-7Figure 8B-6Example of Junement Markings1341Figure 8B-7Figure 8B-6Example of Junement Markings1341Figure 8B-7Grade Crossing Pavement Markings1342Figure 8B-7Figure 8B-7Figure 8B-71341 <td><b>e</b></td> <td></td> <td></td>	<b>e</b>		
Figure 7B-5Example of Signing for a School Zone with a School Speed Limit and a School1295Figure 7B-5(CA)Example of Signing for a School Zone with a School Speed Limit and a School Crossing1296Figure 7B-61In-Street Signs in School Areas1297Figure 7B-101(CA)Example of Signing for Traffic Control in School Areas with Flashing Yellow Beacons1298Figure 7B-102(CA)Example of Signing for Traffic Control in School Areas with Flashing Yellow Beacons1299Figure 7B-103(CA)Example of Signing for School Area Traffic Control with Extended and/or Reduced1300School Zone Speed Limits13011301Figure 7C-1Two Lune Pavement Markings of "School Areas1305Figure 7B-104(CA)Pavement Word Markings for School Areas1305Figure 8B-1Regulatory Signs and Plaques for Grade Crossings1332Figure 8B-2Crossbuck Assembly with a YIELD or STOP Sign on the Crossbuck Sign Support1333Figure 8B-4Warning Signs and Plaques for Grade Crossings1335Figure 8B-4Warning Signs and Plaques for Grade Crossings1335Figure 8B-4Grade Crossing Pavement Markings of School Sign and Pavement Markings at Grade Crossings1336Figure 8B-7Grade Crossing Pavement Markings1341Figure 8B-7Grade Crossing Pavement Markings1341Figure 8B-7Grade Crossing Pavement Markings1342Figure 8B-7Grade Crossing Pavement Markings1343Figure 8B-7Grade Crossing Pavement Markings1343Figure 8B-7Grade Crossing Pav	÷		
Figure 7B-5(CA)Example of Signing for a School Zone with a School Speed Limit and a School Crossing1296Figure 7B-6In-Street Signs in School Areas1297Figure 7B-101(CA)Example of Signing for Taffic Control in School Areas with Flashing Yellow Beacons1298Figure 7B-102(CA)Example of Signing for School Area Traffic Control with Extended and/or Reduced1300School Zone Speed LimitsSchool Zone Speed Limits1301Figure 7C-101(CA)Pavement Markings of "SCHOOL"1302Figure 7C-101(CA)Pavement Markings for School Areas1306Figure 8B-1Regulatory Signs and Plaques for Grade Crossings1331Figure 8B-2Crossbuck Assembly with a YIELD or STOP Sign on the Crossbuck Sign Support1332Figure 8B-4Warning Signs and Plaques for Grade Crossings1335Figure 8B-4Warning Signs and Plaques for Grade Crossings1335Figure 8B-4Warning Signs and Plaques for Grade Crossings1335Figure 8B-4Example of Placement of Varning Signs and Pavement Markings at Grade Crossings1341Figure 8B-6Example of Placement of Varning Signs and Pavement Markings at Grade Crossings1342Figure 8B-7Grade Crossing Pavement Markings1341Figure 8B-7Grade Crossing Pavement Markings1341Figure 8B-7Grade Crossing Pavement Markings1341Figure 8B-7Grade Crossing Pavement Markings1342Figure 8B-7Grade Crossing Pavement Markings1342Figure 8B-7Grade Crossing Pavement Markings1341F	÷	Example of Signing for a School Zone with a School Speed Limit and a School	
Figure 7B-6In-Street Signs in School Areas1297Figure 7B-101(CA)Example of School Area Signs with Flashing Yellow Beacons1298Figure 7B-102(CA)Example of Signing for Traffic Control in School Areas with Flashing Yellow Beacons1299Figure 7B-103(CA)Example of Signing for School Area Traffic Control with Extended and/or Reduced1300School Zone Speed Limits1301Figure 7B-104(CA)Example of Signing for School Areas1306Figure 7B-104(CA)Example of Signing for School Areas1306Figure 8B-1Regulatory Signs and Plaques for Grade Crossings1331Figure 8B-1Regulatory Signs and Plaques for Grade Crossings1332Figure 8B-2Crossbuck Assembly with a YIELD or STOP Sign on a Separate Sign Support1333Figure 8B-3Crossbuck Assembly with a YIELD or STOP Sign on a Separate Sign Support1335Figure 8B-4Warning Signs and Plaques for Grade Crossings1336Figure 8B-4Warning Signs and Plaques for Grade Crossings1336Figure 8B-4Example of Placement of Warning Signs and Pavement Markings at Grade Crossings1341Figure 8B-5Example of Placement of Warning Signs and Pavement Markings at Grade Crossings1341Figure 8B-7(CA)Grade Crossing Pavement Markings1341Figure 8B-7(CA)Grade Crossing Pavement Markings1341Figure 8B-7(CA)Grade Crossing Pavement Markings1341Figure 8B-7(CA)Grade Crossing Pavement Markings1341Figure 8B-7(CA)Grade Crossing Pavement Markings1341	Figure 7B-5(CA)		1296
Figure 7B-101(CA)Example of School Area Signs with Flashing Yellow Beacons1298Figure 7B-102(CA)Example of Signing for School Area Traffic Control with Extended and/or Reduced1300School Zone Speed Limits1301Figure 7B-104(CA)Example of Signing for School Crosswalk Warning Assembly1301Figure 7C-1Two Lane Pavement Marking of "SCHOOL."1305Figure 7C-1Regulatory Signs and Plaques for Grade Crossings1332Figure 8B-1Regulatory Signs and Plaques for Grade Crossings1332Figure 8B-2Crossbuck Assembly with a YIELD or STOP Sign on the Crossbuck Sign Support1332Figure 8B-4Warning Signs and Plaques for Grade Crossings1335Figure 8B-4Warning Signs and Plaques for Grade Crossings1335Figure 8B-4Warning Signs and Plaques for Grade Crossings1335Figure 8B-4Warning Signs and Plaques for Grade Crossings1336Figure 8B-5Example of Placement of Warning Signs and Pavement Markings at Grade1336Figure 8B-6Example of Placement of Warning Signs and Pavement Markings at Grade Crossings1341Figure 8B-7Grade Crossing Pavement Markings1341Figure 8B-7Grade Crossing Pavement Markings1341Figure 8B-7Grade Crossing Pavement Markings1341Figure 8B-7Grade Crossing Pavement Markings1342Figure 8B-7Grade Crossing Pavement Markings1341Figure 8B-7Grade Crossing Pavement Markings1341Figure 8B-7Grade Crossing Pavement Markings1342			
Figure 7B-102(CA)Example of Signing for Traffic Control in School Areas with Flashing Yellow Beacons1299Figure 7B-103(CA)Example of Signing for School Area Traffic Control with Extended and/or Reduced1300School Zone Speed LimitsTwo Lane Pavement Marking of "SCHOOL"1301Figure 7C-1Two Lane Pavement Marking of "SCHOOL"1305Figure 7C-101(CA)Pavement Word Marking for School Areas1306Figure 8B-1Regulatory Signs and Plaques for Grade Crossings1331Figure 8B-1Regulatory Signs and Plaques for Grade Crossings1332Figure 8B-2Crossbuck Assembly with a YIELD or STOP Sign on the Crossbuck Sign Support1333Figure 8B-3Crossbuck Assembly with a YIELD or STOP Sign on a Separate Sign Support1333Figure 8B-4(CA)Warning Signs and Plaques for Grade Crossings1335Figure 8B-4Example of an Emergency Notification Sign1335Figure 8B-4(CA)Example of Placement of Warning Signs and Pavement Markings at Grade Crossings1341Figure 8B-4(CA)Example of Placement of Warning Signs and Pavement Markings at Grade Crossings1341Figure 8B-7(CA)Grade Crossing Pavement Markings1341Figure 8B-7(CA)Grade Crossing Pavement Markings1341Figure 8B-7(CA)Grade Crossing Pavement Markings1341Figure 8B-7(CA)Train Station Signs1342Figure 8B-7(CA)Train Station Signs1342Figure 8B-7(CA)Train Station Signs1341Figure 8C-2Example of Location Plan for Flashing-Light Signals and Four-Qua		•	
Figure 7B-103(CA)Example of Signing for School Area Traffic Control with Extended and/or Reduced School Zone Speed LimitsFigure 7B-104(CA)Example of Signing for School Crosswalk Warning Assembly1301Figure 7C-1Two-Lane Pavement Marking of "SCHOOL"1305Figure 7C-101(CA)Pavement Word Markings for School Areas1306Figure 8B-1Regulatory Signs and Plaques for Grade Crossings1331Figure 8B-1Regulatory Signs and Plaques for Grade Crossings1332Figure 8B-2Crossbuck Assembly with a YIELD or STOP Sign on the Crossbuck Sign Support1333Figure 8B-4Warning Signs and Plaques for Grade Crossings1335Figure 8B-4Warning Signs and Plaques for Grade Crossings1336Figure 8B-4Warning Signs and Plaques for Grade Crossings1336Figure 8B-6Example of Placement of Warning Signs and Pavement Markings at Grade Crossings1340Figure 8B-6Example of Placement Markings1341Figure 8B-7Grade Crossing Pavement Markings at Grade Crossings1342Figure 8B-7Grade Crossing Pavement Markings at Grade Crossings1342Figure 8B-7Grade Crossing Pavement Markings at Grade Crossings1342Figure 8B-7Grade Crossing Pavement Markings at Grade Crossings1343Figure 8B-7Grade Crossing Pavement Markings at Grade Cro	• • • • •		
Figure 7B-104(CA)Example of Signing for School Crosswalk Warning Assembly1301Figure 7C-1Two Lane Pavement Marking of "SCHOOL"1305Figure 7C-101(CA)Pavement Word Markings for School Areas1306Figure 8B-1Regulatory Signs and Plaques for Grade Crossings1331Figure 8B-1Regulatory Signs and Plaques for Grade Crossings1332Figure 8B-2Crossbuck Assembly with a YIELD or STOP Sign on the Crossbuck Sign Support1333Figure 8B-3Crossbuck Assembly with a YIELD or STOP Sign on a Separate Sign Support1333Figure 8B-4Warning Signs and Plaques for Grade Crossings1335Figure 8B-5Example of Placement of Grade Crossings1335Figure 8B-6Example of Placement of Warning Signs and Pavement Markings at Grade Crossings1340Figure 8B-7Grade Crossing Pavement Markings1340Figure 8B-7Grade Crossing Pavement Markings1342Figure 8B-7Grade Crossing Pavement Markings1342Figure 8B-7Grade Crossing Pavement Markings1344Figure 8B-7Grade Crossing Pavement Markings1344Figure 8B-7Grade Crossing Pavement Markings1342Figure 8B-7Grade Crossing Pavement Markings1344Figure 8B-101(CA)Train Station Signs1344Figure 8C-1Composite Drawing of Active Traffic Control Devices for Grade Crossings1357Showing Clearances13691369Figure 8C-3Light Rail Transit Signals1360Figure 8C-4Example of Placement of Placestrian		Example of Signing for School Area Traffic Control with Extended and/or Reduced	
Figure 7C-1Two Lane Pavement Marking of "SCHOOL"1305Figure 7C-101(CA)Pavement Word Marings for School Areas1306Figure 8B-1Regulatory Signs and Plaques for Grade Crossings1331Figure 8B-1Regulatory Signs and Plaques for Grade Crossings1332Figure 8B-2Crossbuck Assembly with a YIELD or STOP Sign on a Separate Sign Support1333Figure 8B-3Crossbuck Assembly with a YIELD or STOP Sign on a Separate Sign Support1335Figure 8B-4Warning Signs and Plaques for Grade Crossings1335Figure 8B-4Warning Signs and Plaques for Grade Crossings1335Figure 8B-6Example of an Emergency Notification Sign1335Figure 8B-6Example of Placement of Warning Signs and Pavement Markings at Grade Crossings1341Figure 8B-7Grade Crossing Pavement Markings1341Figure 8B-7Grade Crossing Pavement Markings1341Figure 8B-7Grade Crossing Pavement Markings1342Figure 8B-8Example of Dynamic Envelope Pavement Markings at Grade Crossings1342Figure 8B-9Example of Light Rail Transit Vehicle Dynamic Envelope Markings for1343Figure 8C-1Composite Drawing of Active Traffic Control Devices for Grade Crossings1355Figure 8C-2Example of Placement of Pedestrian Gate1360Figure 8C-3Light Rail Transit Signals1359Figure 8C-4Example of Placement of Pedestrian Gate1362Figure 8C-5Example of Placement of Pedestrian Gate1362Figure 8C-6Example of Location P	Figure 7B-104(CA)		1301
Figure 7C-101(CA)Pavement Word Markings for School Areas1306Figure 8B-1Regulatory Signs and Plaques for Grade Crossings1331Figure 8B-1Regulatory Signs and Plaques for Grade Crossings1332Figure 8B-2Crossbuck Assembly with a YIELD or STOP Sign on the Crossbuck Sign Support1332Figure 8B-3Crossbuck Assembly with a YIELD or STOP Sign on a Separate Sign Support1333Figure 8B-4Warning Signs and Plaques for Grade Crossings1335Figure 8B-5Example of an Emergency Notification Sign1335Figure 8B-6Example of Placement of Warning Signs and Pavement Markings at Grade Crossings1340Figure 8B-7Grade Crossing Pavement Markings1341Figure 8B-7Grade Crossing Pavement Markings1341Figure 8B-7Grade Crossing Pavement Markings1342Figure 8B-7Grade Crossing Pavement Markings1344Figure 8B-7Grade Crossing Pavement Markings1344Figure 8B-7Grade Crossing Pavement Markings1344Figure 8B-7Grade Crossing Pavement Markings1344Figure 8B-7Grade Crossing Pavement Markings1342Figure 8B-7Grade Crossing Pavement Markings1344Figure 8B-7Composite Drawing of Active Traffic Control Devices for Grade Crossings1342Figure 8B-101(CA)Train Station Sign1344Figure 8C-2Example of Plasing-Light Signal Assembly for Pedestrian Crossings1357Showing Clearances13661366Figure 8C-4Example of Plasement of Pedest	• • •		
Figure 8B-1Regulatory Signs and Plaques for Grade Crossings1331Figure 8B-1Regulatory Signs and Plaques for Grade Crossings1332Figure 8B-2Crossbuck Assembly with a YIELD or STOP Sign on the Crossbuck Sign Support1332Figure 8B-3Crossbuck Assembly with a YIELD or STOP Sign on a Separate Sign Support1333Figure 8B-4Warning Signs and Plaques for Grade Crossings1335Figure 8B-4Warning Signs and Plaques for Grade Crossings1335Figure 8B-5Example of an Emergency Notification Sign1335Figure 8B-6Example of Placement of Warning Signs and Pavement Markings at Grade Crossings1336Figure 8B-7Grade Crossing Pavement Markings1341Figure 8B-7Grade Crossing Pavement Markings1342Figure 8B-7Grade Crossing Pavement Markings1342Figure 8B-7Grade Crossing Pavement Markings1343Figure 8B-7Grade Crossing Pavement Markings1342Figure 8B-8Example of Dynamic Envelope Pavement Markings at Grade Crossings1342Figure 8B-7Grade Crossing Pavement Markings1343Figure 8B-8Example of Light Rail Transit Vehicle Dynamic Envelope Markings for1343Figure 8B-101(CA)Train Station Signs1344Figure 8C-1Composite Drawing of Active Traffic Control Devices for Grade Crossings1357Showing Clearances135913601360Figure 8C-3Light Rail Transit Signals1360Figure 8C-4Example of Ashared Pedestrian Gate1362Figure	U		
Figure 8B-1(CA)Regulatory Signs and Plaques for Grade Crossings1332Figure 8B-2Crossbuck Assembly with a YIELD or STOP Sign on the Crossbuck Sign Support1333Figure 8B-3Crossbuck Assembly with a YIELD or STOP Sign on a Separate Sign Support1333Figure 8B-4Warning Signs and Plaques for Grade Crossings1335Figure 8B-4Warning Signs and Plaques for Grade Crossings1335Figure 8B-6Example of an Emergency Notification Sign1335Figure 8B-6Example of Placement of Warning Signs and Pavement Markings at Grade Crossings1337Figure 8B-6Example of Placement of Warning Signs and Pavement Markings at Grade Crossings1341Figure 8B-7Grade Crossing Pavement Markings1341Figure 8B-7Grade Crossing Pavement Markings1342Figure 8B-7Grade Crossing Pavement Markings1342Figure 8B-7Grade Crossing Pavement Markings1342Figure 8B-7Grade Crossing Pavement Markings1342Figure 8B-7Grade Crossing Pavement Markings1344Figure 8B-7Grade Crossing Pavement Markings1343Figure 8B-8Examples of Light Rail Transit Vehicle Dynamic Envelope Markings for1343Figure 8B-101(CA)Train Station Signs1344Figure 8C-2Example of Location Plan for Flashing-Light Signals and Four-Quadrant Gates1359Figure 8C-3Light Rail Transit Signals1360Figure 8C-4Example of Flashing-Light Signal Assembly for Pedestrian Crossings1361Figure 8C-5Example of Flashing-Li		•	
Figure 8B-2Crossbuck Assembly with a YIELD or STOP Sign on the Crossbuck Sign Support1332Figure 8B-3Crossbuck Assembly with a YIELD or STOP Sign on a Separate Sign Support1333Figure 8B-4Warning Signs and Plaques for Grade Crossings1335Figure 8B-4Warning Signs and Plaques for Grade Crossings1335Figure 8B-5Example of an Emergency Notification Sign1335Figure 8B-6Example of Placement of Warning Signs and Pavement Markings at Grade Crossings1336Figure 8B-7Grade Crossing Pavement Markings1340Figure 8B-7(CA)Grade Crossing Pavement Markings1341Figure 8B-7(CA)Grade Crossing Pavement Markings1341Figure 8B-9Example of Dynamic Envelope Pavement Markings at Grade Crossings1342Figure 8B-9Example of Dynamic Envelope Pavement Markings at Grade Crossings1342Figure 8B-101(CA)Train Station Signs1344Figure 8C-1Composite Drawing of Active Traffic Control Devices for Grade Crossings1355Figure 8C-2Example of Location Plan for Flashing-Light Signals and Four-Quadrant Gates1356Figure 8C-3Light Rail Transit Signals1360Figure 8C-4Example of a Separate Pedestrian Gate1362Figure 8C-5Example of Placement of Pedestrian Gate1362Figure 8C-6Example of Separate Pedestrian Gate1362Figure 8C-7Example of Separate Pedestrian Gate1362Figure 8C-1Composite Drawing Gates1364Figure 8C-1Example of Separate Pedestrian Gate <td>U</td> <td></td> <td></td>	U		
Figure 8B-3Crossbuck Assembly with a YIELD or STOP Sign on a Separate Sign Support1333Figure 8B-4Warning Signs and Plaques for Grade Crossings1335Figure 8B-4(CA)Warning Signs and Plaques for Grade Crossings1335Figure 8B-5Example of an Emergency Notification Sign1335Figure 8B-6Example of Placement of Warning Signs and Pavement Markings at Grade1336Figure 8B-7Grade Crossing Pavement Markings1341Figure 8B-7Grade Crossing Pavement Markings1341Figure 8B-7Grade Crossing Pavement Markings1342Figure 8B-7Grade Crossing Pavement Markings1342Figure 8B-7Example of Placement of Warning Signs and Pavement Markings at Grade Crossings1342Figure 8B-7Grade Crossing Pavement Markings1344Figure 8B-8Example of Dynamic Envelope Pavement Markings at Grade Crossings1342Figure 8B-9Example of Light Rail Transit Vehicle Dynamic Envelope Markings for Mixed-Use Alignments1344Figure 8C-1Composite Drawing of Active Traffic Control Devices for Grade Crossings Showing Clearances1359Figure 8C-3Light Rail Transit Signals1350Figure 8C-4Example of Placement of Pedestrian/Roadway Gate1362Figure 8C-5Example of Separate Pedestrian Gates1362Figure 8C-6Example of Separate Pedestrian Gates1362Figure 8C-7Example of Separate Pedestrian Gates1362Figure 8C-10Flacement of Pedestrian Gates1363Figure 8C-6Example of Separa			
Figure 8B-4Warning Signs and Plaques for Grade Crossings1335Figure 8B-4(CA)Warning Signs and Plaques for Grade Crossings1335Figure 8B-5Example of an Emergency Notification Sign1335Figure 8B-6Example of Placement of Warning Signs and Pavement Markings at Grade1336CrossingsGrade Crossing Pavement Markings1337Figure 8B-7Grade Crossing Pavement Markings1341Figure 8B-7(CA)Grade Crossing Pavement Markings1341Figure 8B-7Grade Crossing Pavement Markings1342Figure 8B-7Cade Crossing Pavement Markings1343Figure 8B-7Cade Crossing Pavement Markings1343Figure 8B-7Cade Crossing Pavement Markings1343Figure 8B-7Cade Crossing Pavement Markings1342Figure 8B-7Camposite Drynamic Envelope Pavement Markings at Grade Crossings1343Figure 8B-7Composite Drawing of Active Traffic Control Devices for Grade Crossings1357Figure 8C-1Composite Drawing Of Active Traffic Control Devices for Grade Crossings1359Figure 8C-3Light Rail Transit Signals1360Figure 8C-4Example of Plashing-Light Signal Assembly for Pedestrian Crossings1361Figure 8C-5Example of Plashing-Light Signal Assembly for Pedestrian			
Figure 8B-4(CA)Warning Signs and Plaques for Grade Crossings1335Figure 8B-5Example of an Emergency Notification Sign1335Figure 8B-6Example of Placement of Warning Signs and Pavement Markings at Grade1336Figure 8B-7Grade Crossing Pavement Markings1340Figure 8B-7(CA)Grade Crossing Pavement Markings1341Figure 8B-7Grade Crossing Pavement Markings1341Figure 8B-8Example of Dynamic Envelope Pavement Markings at Grade Crossings1342Figure 8B-9Example of Light Rail Transit Vehicle Dynamic Envelope Markings for Mixed-Use Alignments1344Figure 8C-1Composite Drawing of Active Traffic Control Devices for Grade Crossings1357Figure 8C-2Example of Location Plan for Flashing-Light Signals and Four-Quadrant Gates1358Figure 8C-3Light Rail Transit Signals1360Figure 8C-4Example of Flashing-Light Signal Assembly for Pedestrian Crossings1361Figure 8C-5Example of Saparate Pedestrian/Roadway Gate1362Figure 8C-6Example of Sign Gates1363Figure 8C-7Example of Placement of Pedestrian Gates1362Figure 8C-8Example of Placement of Pedestrian Gate1362Figure 8C-9Example of Signing and Markings for a Pathway Grade Crossing1364Figure 8D-1Example of Pedestrian Barriers at an Offset Grade Crossing1362Figure 8D-1Example of Signing and Markings for a Pathway Grade Crossing1363Figure 8D-1Example of Signing and Markings for a Pathway Grade Crossing <td< td=""><td>÷</td><td></td><td></td></td<>	÷		
Figure 8B-5Example of an Emergency Notification Sign1335Figure 8B-6Example of Placement of Warning Signs and Pavement Markings at Grade1336CrossingsCrossing Pavement of Warning Signs and Pavement Markings at Grade Crossings1340Figure 8B-7Grade Crossing Pavement Markings1341Figure 8B-7Grade Crossing Pavement Markings1341Figure 8B-7Grade Crossing Pavement Markings1342Figure 8B-7Grade Crossing Pavement Markings1343Figure 8B-8Example of Dynamic Envelope Pavement Markings at Grade Crossings1342Figure 8B-9Examples of Light Rail Transit Vehicle Dynamic Envelope Markings for1343Figure 8B-101(CA)Train Station Signs1344Figure 8C-1Composite Drawing of Active Traffic Control Devices for Grade Crossings1357Figure 8C-2Example of Location Plan for Flashing-Light Signals and Four-Quadrant Gates1359Figure 8C-3Light Rail Transit Signals1360Figure 8C-4Example of Flashing-Light Signal Assembly for Pedestrian Crossings1361Figure 8C-5Example of Sahared Pedestrian/Roadway Gate1362Figure 8C-6Example of Placement of Pedestrian Gates1363Figure 8C-9Example of Pedestrian Barriers at an Offset Grade Crossing1364Figure 8C-10Example of Pedestrian Barrier Installation at an Offset Non-Intersection Grade1362Figure 8D-7Example of Pedestrian Barrier Installation at an Offset Non-Intersection Grade1364Figure 8D-1Example of Signing and Markings for a P			
Figure 8B-6Example of Placement of Warning Signs and Pavement Markings at Grade1336Figure 8B-6(CA)Example of Placement of Warning Signs and Pavement Markings at Grade Crossings1337Figure 8B-7Grade Crossing Pavement Markings1340Figure 8B-7(CA)Grade Crossing Pavement Markings1341Figure 8B-8Example of Dynamic Envelope Pavement Markings at Grade Crossings1342Figure 8B-9Examples of Light Rail Transit Vehicle Dynamic Envelope Markings for1343Mixed-Use Alignments1344Figure 8C-1Composite Drawing of Active Traffic Control Devices for Grade Crossings1357Showing Clearances1359Figure 8C-2Example of Location Plan for Flashing-Light Signals and Four-Quadrant Gates1360Figure 8C-3Light Rail Transit Signals1360Figure 8C-4Example of Flashing-Light Signal Assembly for Pedestrian Crossings1361Figure 8C-5Example of Flashing-Light Signal Assembly for Pedestrian Crossings1362Figure 8C-7Example of Pedestrian/Roadway Gate1363Figure 8C-7Example of Pedestrian Gates1363Figure 8C-8Example of Pedestrian Barriers at an Offset Grade Crossing1364Figure 8C-9Example of Pedestrian Barrier Installation at an Offset Non-Intersection Grade Crossing1363Figure 8D-1Example of Signing and Markings for a Pathway Grade Crossing1364Figure 9B-1Sign Placement on Shared-Use Paths1363Figure 8D-1Example of Signing and Markings for a Pathway Grade Crossing1364 <t< td=""><td>• • •</td><td></td><td></td></t<>	• • •		
Figure 8B-6(CA)Example of Placement of Warning Signs and Pavement Markings at Grade Crossings1337Figure 8B-7Grade Crossing Pavement Markings1341Figure 8B-7Grade Crossing Pavement Markings1341Figure 8B-8Example of Dynamic Envelope Pavement Markings at Grade Crossings1342Figure 8B-9Examples of Light Rail Transit Vehicle Dynamic Envelope Markings for1343Mixed-Use Alignments1344Figure 8C-1Composite Drawing of Active Traffic Control Devices for Grade Crossings1357Showing ClearancesShowing Clearances1359Figure 8C-2Example of Location Plan for Flashing-Light Signals and Four-Quadrant Gates1359Figure 8C-3Light Rail Transit Signals1360Figure 8C-4Example of Flashing-Light Signal Assembly for Pedestrian Crossings1361Figure 8C-5Example of a Shared Pedestrian/Roadway Gate1362Figure 8C-6Example of Swing Gates1364Figure 8C-7Example of Swing Gates1364Figure 8C-9Example of Signing and Markings for a Pathway Grade Crossing1364Figure 8C-9Example of Signing and Markings for a Pathway Grade Crossing1364Figure 8D-1Example of Signing and Markings for a Pathway Grade Crossing1364Figure 8D-1Example of Signing and Markings for a Pathway Grade Crossing1364Figure 8D-1Example of Signing and Markings for a Pathway Grade Crossing1364Figure 8D-1Example of Signing and Markings for a Pathway Grade Crossing1364Figure 9B-1Si	<b>e</b>		
Figure 8B-7Grade Crossing Pavement Markings1340Figure 8B-7(CA)Grade Crossing Pavement Markings1341Figure 8B-8Example of Dynamic Envelope Pavement Markings at Grade Crossings1342Figure 8B-9Examples of Light Rail Transit Vehicle Dynamic Envelope Markings for1343Mixed-Use Alignments1344Figure 8B-101(CA)Train Station Signs1344Figure 8C-1Composite Drawing of Active Traffic Control Devices for Grade Crossings1357Showing ClearancesShowing Clearances1359Figure 8C-2Example of Location Plan for Flashing-Light Signals and Four-Quadrant Gates1360Figure 8C-3Light Rail Transit Signals1360Figure 8C-4Example of Flashing-Light Signal Assembly for Pedestrian Crossings1361Figure 8C-5Example of Placement of Pedestrian Gate1362Figure 8C-6Example of Placement of Pedestrian Gates1363Figure 8C-8Example of Swing Gates1364Figure 8C-9Example of Pedestrian Barriers at an Offset Grade Crossing1364Figure 8D-1Example of Signing and Markings for a Pathway Grade Crossing1365Figure 8D-1Sign Placement on Shared-Use Paths1365Figure 9B-1Sign Placement on Shared-Use Paths1386Figure 9B-2Regulatory Signs and Plaques for Bicycle Facilities1386Figure 9B-2California Regulatory Signs for Bicycle Facilities1387	I Iguie ob o		1550
Figure 8B-7Grade Crossing Pavement Markings1340Figure 8B-7(CA)Grade Crossing Pavement Markings1341Figure 8B-8Example of Dynamic Envelope Pavement Markings at Grade Crossings1342Figure 8B-9Examples of Light Rail Transit Vehicle Dynamic Envelope Markings for1343Mixed-Use Alignments1344Figure 8B-101(CA)Train Station Signs1344Figure 8C-1Composite Drawing of Active Traffic Control Devices for Grade Crossings1357Showing ClearancesShowing Clearances1359Figure 8C-2Example of Location Plan for Flashing-Light Signals and Four-Quadrant Gates1360Figure 8C-3Light Rail Transit Signals1360Figure 8C-4Example of Flashing-Light Signal Assembly for Pedestrian Crossings1361Figure 8C-5Example of Placement of Pedestrian Gate1362Figure 8C-6Example of Placement of Pedestrian Gates1363Figure 8C-8Example of Swing Gates1364Figure 8C-9Example of Pedestrian Barriers at an Offset Grade Crossing1364Figure 8D-1Example of Signing and Markings for a Pathway Grade Crossing1365Figure 8D-1Sign Placement on Shared-Use Paths1365Figure 9B-1Sign Placement on Shared-Use Paths1386Figure 9B-2Regulatory Signs and Plaques for Bicycle Facilities1386Figure 9B-2California Regulatory Signs for Bicycle Facilities1387	Figure 8B-6(CA)	Example of Placement of Warning Signs and Pavement Markings at Grade Crossings	1337
Figure 8B-8Example of Dynamic Envelope Pavement Markings at Grade Crossings1342Figure 8B-9Examples of Light Rail Transit Vehicle Dynamic Envelope Markings for1343Mixed-Use Alignments1344Figure 8B-101(CA)Train Station Signs1344Figure 8C-1Composite Drawing of Active Traffic Control Devices for Grade Crossings Showing Clearances1357Figure 8C-2Example of Location Plan for Flashing-Light Signals and Four-Quadrant Gates1358Figure 8C-3Light Rail Transit Signals1360Figure 8C-4Example of Flashing-Light Signal Assembly for Pedestrian Crossings1361Figure 8C-5Example of Flashing-Light Signal Assembly for Pedestrian Crossings1362Figure 8C-6Example of a Shared Pedestrian/Roadway Gate1362Figure 8C-7Example of Patement of Pedestrian Gates1363Figure 8C-8Example of Swing Gates1364Figure 8C-9Example of Pedestrian Barrier Installation at an Offset Non-Intersection Grade1365Figure 8D-1Example of Signing and Markings for a Pathway Grade Crossing1370Figure 9B-1Sign Placement on Shared-Use Paths1385Figure 9B-2Regulatory Signs and Plaques for Bicycle Facilities1386Figure 9B-2(CA)California Regulatory Signs for Bicycle Facilities1387			1340
Figure 8B-9Examples of Light Rail Transit Vehicle Dynamic Envelope Markings for Mixed-Use Alignments1343Figure 8B-101(CA)Train Station Signs1344Figure 8C-1Composite Drawing of Active Traffic Control Devices for Grade Crossings Showing Clearances1357Figure 8C-2Example of Location Plan for Flashing-Light Signals and Four-Quadrant Gates1358Figure 8C-3Light Rail Transit Signals1360Figure 8C-4Example of Flashing-Light Signal Assembly for Pedestrian Crossings1361Figure 8C-4Example of a Shared Pedestrian/Roadway Gate1362Figure 8C-6Example of a Separate Pedestrian Gates1363Figure 8C-7Example of Placement of Pedestrian Gates1363Figure 8C-8Example of Pedestrian Barriers at an Offset Grade Crossing1364Figure 8C-10Example of Pedestrian Barrier Installation at an Offset Non-Intersection Grade Crossing1367Figure 8D-1Example of Signing and Markings for a Pathway Grade Crossing1370Figure 9B-1Sign Placement on Shared-Use Paths1385Figure 9B-2Regulatory Signs and Plaques for Bicycle Facilities1386Figure 9B-2(CA)California Regulatory Signs for Bicycle Facilities1387	Figure 8B-7(CA)	Grade Crossing Pavement Markings	1341
Mixed-Use AlignmentsFigure 8B-101(CA)Train Station Signs1344Figure 8C-1Composite Drawing of Active Traffic Control Devices for Grade Crossings Showing Clearances1357Figure 8C-2Example of Location Plan for Flashing-Light Signals and Four-Quadrant Gates1358Figure 8C-3Light Rail Transit Signals1359Figure 8C-3(CA)Light Rail Transit Signals1360Figure 8C-4Example of Flashing-Light Signal Assembly for Pedestrian Crossings1361Figure 8C-5Example of a Shared Pedestrian/Roadway Gate1362Figure 8C-6Example of a Separate Pedestrian Gates1363Figure 8C-7Example of Placement of Pedestrian Gates1364Figure 8C-9Example of Swing Gates1364Figure 8C-10Example of Pedestrian Barriers at an Offset Grade Crossing1364Figure 8D-1Example of Signing and Markings for a Pathway Grade Crossing1370Figure 9B-1Sign Placement on Shared-Use Paths1385Figure 9B-2Regulatory Signs for Bicycle Facilities1386Figure 9B-2(CA)California Regulatory Signs for Bicycle Facilities1387	Figure 8B-8	Example of Dynamic Envelope Pavement Markings at Grade Crossings	1342
Figure 8B-101(CA)Train Station Signs1344Figure 8C-1Composite Drawing of Active Traffic Control Devices for Grade Crossings Showing Clearances1357Figure 8C-2Example of Location Plan for Flashing-Light Signals and Four-Quadrant Gates1358Figure 8C-3Light Rail Transit Signals1360Figure 8C-3(CA)Light Rail Transit Signals1360Figure 8C-4Example of Flashing-Light Signal Assembly for Pedestrian Crossings1361Figure 8C-5Example of a Shared Pedestrian/Roadway Gate1362Figure 8C-6Example of a Separate Pedestrian Gates1363Figure 8C-7Examples of Placement of Pedestrian Gates1364Figure 8C-9Example of Swing Gates1364Figure 8C-10Examples of Pedestrian Barriers at an Offset Grade Crossing1364Figure 8D-1Example of Signing and Markings for a Pathway Grade Crossing1370Figure 9B-1Sign Placement on Shared-Use Paths1385Figure 9B-2Regulatory Signs and Plaques for Bicycle Facilities1386Figure 9B-2(CA)California Regulatory Signs for Bicycle Facilities1387	Figure 8B-9		1343
Figure 8C-1Composite Drawing of Active Traffic Control Devices for Grade Crossings Showing Clearances1357Figure 8C-2Example of Location Plan for Flashing-Light Signals and Four-Quadrant Gates1358Figure 8C-3Light Rail Transit Signals1360Figure 8C-3(CA)Light Rail Transit Signals1361Figure 8C-4Example of Flashing-Light Signal Assembly for Pedestrian Crossings1362Figure 8C-5Example of a Shared Pedestrian/Roadway Gate1362Figure 8C-6Example of a Separate Pedestrian Gates1363Figure 8C-7Examples of Placement of Pedestrian Gates1364Figure 8C-9Example of Pedestrian Barriers at an Offset Grade Crossing1364Figure 8C-10Examples of Pedestrian Barrier Installation at an Offset Non-Intersection Grade1365CrossingSign Placement on Shared-Use Paths1385Figure 9B-1Sign Placement on Shared-Use Paths1385Figure 9B-2Regulatory Signs for Bicycle Facilities1386Figure 9B-2(CA)California Regulatory Signs for Bicycle Facilities1387	Figure 8B-101(CA)	•	1344
Figure 8C-2Example of Location Plan for Flashing-Light Signals and Four-Quadrant Gates1358Figure 8C-3Light Rail Transit Signals1360Figure 8C-3(CA)Light Rail Transit Signals1360Figure 8C-4Example of Flashing-Light Signal Assembly for Pedestrian Crossings1361Figure 8C-5Example of a Shared Pedestrian/Roadway Gate1362Figure 8C-6Example of a Separate Pedestrian Gate1362Figure 8C-7Examples of Placement of Pedestrian Gates1363Figure 8C-8Example of Swing Gates1364Figure 8C-9Example of Pedestrian Barriers at an Offset Grade Crossing1364Figure 8D-1Example of Signing and Markings for a Pathway Grade Crossing1370Figure 9B-1Sign Placement on Shared-Use Paths1385Figure 9B-2Regulatory Signs for Bicycle Facilities1386Figure 9B-2(CA)California Regulatory Signs for Bicycle Facilities1387	•	Composite Drawing of Active Traffic Control Devices for Grade Crossings	
Figure 8C-3Light Rail Transit Signals1359Figure 8C-3(CA)Light Rail Transit Signals1360Figure 8C-4Example of Flashing-Light Signal Assembly for Pedestrian Crossings1361Figure 8C-5Example of a Shared Pedestrian/Roadway Gate1362Figure 8C-6Example of a Separate Pedestrian Gate1362Figure 8C-7Examples of Placement of Pedestrian Gates1363Figure 8C-8Example of Swing Gates1364Figure 8C-9Example of Pedestrian Barriers at an Offset Grade Crossing1364Figure 8C-10Examples of Pedestrian Barrier Installation at an Offset Non-Intersection Grade1365CrossingCrossing1370Figure 9B-1Sign Placement on Shared-Use Paths1385Figure 9B-2Regulatory Signs and Plaques for Bicycle Facilities1386Figure 9B-2(CA)California Regulatory Signs for Bicycle Facilities1387	<b>F</b> : 0.0 <b>0</b>		1250
Figure 8C-3(CA)Light Rail Transit Signals1360Figure 8C-4Example of Flashing-Light Signal Assembly for Pedestrian Crossings1361Figure 8C-5Example of a Shared Pedestrian/Roadway Gate1362Figure 8C-6Example of a Separate Pedestrian Gate1362Figure 8C-7Examples of Placement of Pedestrian Gates1363Figure 8C-8Example of Swing Gates1364Figure 8C-9Example of Pedestrian Barriers at an Offset Grade Crossing1364Figure 8C-10Examples of Pedestrian Barrier Installation at an Offset Non-Intersection Grade1365CrossingCrossing1370Figure 9B-1Sign Placement on Shared-Use Paths1385Figure 9B-2Regulatory Signs for Bicycle Facilities1386Figure 9B-2(CA)California Regulatory Signs for Bicycle Facilities1387	÷		
Figure 8C-4Example of Flashing-Light Signal Assembly for Pedestrian Crossings1361Figure 8C-5Example of a Shared Pedestrian/Roadway Gate1362Figure 8C-6Example of a Separate Pedestrian Gate1362Figure 8C-7Examples of Placement of Pedestrian Gates1363Figure 8C-8Example of Swing Gates1364Figure 8C-9Example of Pedestrian Barriers at an Offset Grade Crossing1364Figure 8C-10Examples of Pedestrian Barrier Installation at an Offset Non-Intersection Grade1365CrossingCrossing1370Figure 9B-1Sign Placement on Shared-Use Paths1385Figure 9B-2Regulatory Signs for Bicycle Facilities1386Figure 9B-2(CA)California Regulatory Signs for Bicycle Facilities1387		e e	
Figure 8C-5Example of a Shared Pedestrian/Roadway Gate1362Figure 8C-6Example of a Separate Pedestrian Gate1362Figure 8C-7Examples of Placement of Pedestrian Gates1363Figure 8C-8Example of Swing Gates1364Figure 8C-9Example of Pedestrian Barriers at an Offset Grade Crossing1364Figure 8C-10Examples of Pedestrian Barrier Installation at an Offset Non-Intersection Grade1365CrossingCrossing1370Figure 9B-1Sign Placement on Shared-Use Paths1385Figure 9B-2Regulatory Signs and Plaques for Bicycle Facilities1386Figure 9B-2(CA)California Regulatory Signs for Bicycle Facilities1387	•		
Figure 8C-6Example of a Separate Pedestrian Gate1362Figure 8C-7Examples of Placement of Pedestrian Gates1363Figure 8C-8Example of Swing Gates1364Figure 8C-9Example of Pedestrian Barriers at an Offset Grade Crossing1364Figure 8C-10Examples of Pedestrian Barrier Installation at an Offset Non-Intersection Grade1365CrossingCrossing1370Figure 9B-1Example of Signing and Markings for a Pathway Grade Crossing1385Figure 9B-2Regulatory Signs and Plaques for Bicycle Facilities1386Figure 9B-2(CA)California Regulatory Signs for Bicycle Facilities1387	-		
Figure 8C-7Examples of Placement of Pedestrian Gates1363Figure 8C-8Example of Swing Gates1364Figure 8C-9Example of Pedestrian Barriers at an Offset Grade Crossing1364Figure 8C-10Examples of Pedestrian Barrier Installation at an Offset Non-Intersection Grade1365CrossingCrossing1370Figure 9B-1Sign Placement on Shared-Use Paths1385Figure 9B-2Regulatory Signs and Plaques for Bicycle Facilities1386Figure 9B-2(CA)California Regulatory Signs for Bicycle Facilities1387	÷	1 2	
Figure 8C-8Example of Swing Gates1364Figure 8C-9Example of Pedestrian Barriers at an Offset Grade Crossing1364Figure 8C-10Examples of Pedestrian Barrier Installation at an Offset Non-Intersection Grade1365CrossingCrossing1370Figure 9B-1Sign Placement on Shared-Use Paths1385Figure 9B-2Regulatory Signs and Plaques for Bicycle Facilities1386Figure 9B-2(CA)California Regulatory Signs for Bicycle Facilities1387			
Figure 8C-9Example of Pedestrian Barriers at an Offset Grade Crossing1364Figure 8C-10Examples of Pedestrian Barrier Installation at an Offset Non-Intersection Grade1365CrossingCrossing1370Figure 8D-1Example of Signing and Markings for a Pathway Grade Crossing1370Figure 9B-1Sign Placement on Shared-Use Paths1385Figure 9B-2Regulatory Signs and Plaques for Bicycle Facilities1386Figure 9B-2(CA)California Regulatory Signs for Bicycle Facilities1387	<b>e</b>	-	
Figure 8C-10Examples of Pedestrian Barrier Installation at an Offset Non-Intersection Grade1365 CrossingFigure 8D-1Example of Signing and Markings for a Pathway Grade Crossing1370Figure 9B-1Sign Placement on Shared-Use Paths1385Figure 9B-2Regulatory Signs and Plaques for Bicycle Facilities1386Figure 9B-2(CA)California Regulatory Signs for Bicycle Facilities1387	-		
CrossingFigure 8D-1Example of Signing and Markings for a Pathway Grade Crossing1370Figure 9B-1Sign Placement on Shared-Use Paths1385Figure 9B-2Regulatory Signs and Plaques for Bicycle Facilities1386Figure 9B-2(CA)California Regulatory Signs for Bicycle Facilities1387		i c	
Figure 8D-1Example of Signing and Markings for a Pathway Grade Crossing1370Figure 9B-1Sign Placement on Shared-Use Paths1385Figure 9B-2Regulatory Signs and Plaques for Bicycle Facilities1386Figure 9B-2(CA)California Regulatory Signs for Bicycle Facilities1387	Figure 8C-10	•	1365
Figure 9B-1Sign Placement on Shared-Use Paths1385Figure 9B-2Regulatory Signs and Plaques for Bicycle Facilities1386Figure 9B-2(CA)California Regulatory Signs for Bicycle Facilities1387	Figure 8D-1		1370
Figure 9B-2Regulatory Signs and Plaques for Bicycle Facilities1386Figure 9B-2(CA)California Regulatory Signs for Bicycle Facilities1387	-		
Figure 9B-2(CA)California Regulatory Signs for Bicycle Facilities1387			
1 Igure 7.5.5 warning Signs and 1 laques and Object Markets for Dicycle Facilities 1300	Figure 9B-3	Warning Signs and Plaques and Object Markers for Bicycle Facilities	1388

(FHWA's MUTCD 2009 Edition, including Revisions 1,2, &3, as amended for use in California)				
Figure 9B-4	Guide Signs and Plaques for Bicycle Facilities	1389		
Figure 9B-4(CA)	California Guide Signs for Bicycle Facilities	1391		
Figure 9B-5	Example of Signing for the Beginning and End of a Designated Bicycle Route on a			
I Iguite y B c	Shared-Use Path	1072		
Figure 9B-6	Example of Bicycle Guide Signing	1393		
Figure 9B-7	Examples of Signing and Markings for a Shared-Use Path Crossing	1394		
Figure 9B-8	Example of Mode-Specific Guide Signing on a Shared-Use Path	1395		
Figure 9C-1	Example of Intersection Pavement Markings Designated Bicycle Lane with	1410		
-	Left-Turn Area, Heavy Turn Volumes, Parking, One-Way Traffic, or Divided			
	Highway			
Figure 9C-1(CA)	Example of Intersection Pavement Markings – Designated Bicycle Lane with Left-Turn Area,	1411		
	Heavy Turn Volumes, Parking, One-Way Traffic, or Divided Highway			
Figure 9C-2	Examples of Center Line Markings for Shared-Use Paths	1412		
Figure 9C-3	Word, Symbol, and Arrow Pavement Markings for Bicycle Lanes	1413		
Figure 9C-4	Example of Bicycle Lane Treatment at a Right Turn Only Lane	1414		
Figure 9C-4(CA)	Example of Bicycle Lane Treatment at a Right Turn Only Lane	1415		
Figure 9C-5	Example of Bicycle Lane Treatment at Parking Lane into a Right Turn Only Lane	1419		
Figure 9C-5(CA)	Example of Bicycle Lane Treatment at Parking Lane into a Right Turn Only Lane	1420		
Figure 9C-6	Example of Pavement Markings for Bicycle Lanes on a Two-Way Street	1421		
Figure 9C-6(CA)	Example of Pavement Markings for Bicycle Lanes on a Two-Way Street	1422		
Figure 9C-7	Bicycle Detector Pavement Marking	1423		
Figure 9C-8	Examples of Obstruction Pavement Markings	1424		
Figure 9C-9	Shared Lane Marking	1424		
Figure 9C-101(CA)	Marking Details for Bicycle Lanes	1425		
Figure 9C-102(CA)	Examples of Bicycle Lane Treatment Where Vehicle Parking is Prohibited/Permitted	1426		
Figure 9C-103(CA)	Example of Bicycle Lane Treatment Through an Interchange	1427		
Figure 9C-104(CA)	Examples of Markings for Buffered Bicycle Lanes Where Vehicle Parking is	1429		
	Prohibited/Permitted			
Figure 9C-105(CA)	Example of Contraflow Bicycle Lanes	1431		
Figure 9C-106(CA)	Example of Bicycle Lane Extensions Through an Intersection	1432		
Figure 9C-107(CA)	Example of Marking for a One-Lane Roundabout with Shared Lane Markings and Bicycle	1433		
	Lanes			
Figure 9C-108(CA)	Example of Placement of Shared Lane Markings	1434		
Figure 9C-109(CA)	Example of Shared Lane Markings While Approaching an Intersection	1435		
Figure 9C-110(CA)	Example of Markings for Separated Bikeways	1436		
Figure 9C-111(CA)	Example of Intersection Pavement Markings and Signs – Bicycle Traveling Straight From	1440		
	Left Turn and Right Turn Only Lanes – One Way			
Figure 9C-112(CA)	Example of Intersection Pavement Markings and Signs – Bicycle Traveling Straight From	1441		
	Right Turn Only Lanes			
Figure 9C-113(CA)	Alternative Examples of Intersection Pavement Markings	1442		
Figure 9C-114(CA)	Examples of Optional Green-Colored Pavement Applications	1443		

## LIST OF TABLES

	Table I-1	Evolution of the MUTCD	49
	Table I-1(CA)	Evolution of the California MUTCD	49
	Table I-2	Target Compliance Dates Established by the FHWA	50
	Table I-2(CA)	Target Compliance Dates Established by CTCDC/Caltrans	51
	Table 1A-101(CA)	Status of Interim Approvals Issued By FHWA in California	64
	Table 1A-1	Acceptable Abbreviations	96
	Table 1A-2	Abbreviations that Shall be Used Only on Portable Changeable Message Signs	97
	Table 1A-3	Unacceptable Abbreviations	98
	Table 2A-1	Illumination of Sign Elements	120
	Table 2A-2	Retroreflection of Sign Elements	120
	Table 2A-3	Minimum Maintained Retroreflectivity Levels	121
	Table 2A-4	Use of Sign Shapes	122
	Table 2A-5	Common Uses of Sign Colors	123
	Table 2A-5(CA)	Common Uses of Sign Colors	124
	Table 2B-1	Regulatory Sign and Plaque Sizes	248
	Table 2B-1(CA)	California Regulatory Sign and Plaque Sizes	252
	Table 2B-2	Meanings of Symbols and Legends on Reversible Lane Control Signs	258
	Table 2B-101(CA)	Standard Application of Speed Limits per California Vehicle Code	258
	Table 2B-102(CA)	Optional Application of Speed Limits per California Vehicle Code	259
	Table 2B-103(CA)	Examples showing applicability of rounding and additional speed reduction on State Highway System	260
	Table 2B-104(CA)	Examples showing applicability of rounding and additional speed reduction on Local Agency's Roadways & Private Property Subjected to CVC	260
	Table 2B-105(CA)	Safety Corridor Definition Requirements	261
	Table 2B-106(CA)	Requirements to determine Land or Facility that Generates High Concentrations of Bicyclists	262
		or Pedestrians	202
	Table 2C-1	Categories of Warning Signs and Plaques	312
	Table 2C-2	Warning Sign and Plaque Sizes	313
	Table 2C-2(CA)	California Warning Sign and Plaque Sizes	316
	Table 2C-3	Minimum Size of Supplemental Warning Plaques	317
	Table 2C-4	Guidelines for Advance Placement of Warning Signs	318
	Table 2C-5	Horizontal Alignment Sign Selection	318
	Table 2C-6	Approximate Spacing of Chevron Alignment Signs on Horizontal Curves	319
	Table 2C-101(CA)	California Object Markers	319
	Table 2D-1	Conventional Road Guide Sign Sizes	387
l	Table 2D-1(CA)	California Conventional Road Guide Sign Sizes	388
	Table 2D-2	Recommended Minimum Letter Heights on Street Name Signs	389
	Table 2D-101(CA)	Route Shield Sizes for Guide Signs	390
ľ	Table 2D-102(CA)	Criteria for Supplemental Destination Signs	391
	Table 2E-1	Freeway or Expressway Guide Sign and Plaque Sizes	466
	Table 2E-1(CA)	California Freeway or Expressway Guide Sign and Plaque Sizes	468
	Table 2E-2	Minimum Letter and Numeral Sizes for Expressway Guide Signs According to	469
		Interchange Classification	.07
	Table 2E-3	Minimum Letter and Numeral Sizes for Expressway Guide Signs According to Sign Type	470
	Table 2E-4	Minimum Letter and Numeral Sizes for Freeway Guide Signs According to Interchange Classification	471
	Table 2E-5	Minimum Letter and Numeral Sizes for Freeway Guide Signs According to Sign	472
	Table 2F-1	Type Toll Facility Sign and Plaque Minimum Sizes	490
	T		

	California MUTCD 20 (FHWA's MUTCD 2009	) 14 Edition 9 Edition, including Revisions 1,2, &3, as amended for use in California)	Page 39
	Table 2G-1	Managed and Preferential Lanes Sign and Plaque Minimum Sizes	539
	Table 2G-1(CA)	California Managed and Preferential Lanes Sign and Plaque Minimum Sizes	540
	Table 2H-1	General Information Sign Sizes	556
	Table 2H-1(CA)	California General Information Sign Sizes	557
	Table 2I-1	General Service Sign and Plaque Sizes	588
1	Table 2I-1(CA)	California General Service Sign and Plaque Sizes	589
	Table 2J-1	Minimum Letter and Numeral Sizes for Specific Service Signs According to Sign	607
	Table 2J-101(CA)	Type California Specific Service Sign and Plaque Sizes	607
	Table 2K-101(CA)	California Tourist-Oriented Directional Sign Sizes	615
	Table 2L-1	Example of Units of Information	622
I.	Table 2M-1	Category Chart for Recreational and Cultural Interest Area Symbols	649
	Table 2M-1(CA)	California Category Chart for Recreational and Cultural Interest Area Symbols	650
	Table 2M-101(CA)	California Recreational and Cultural Interest Area Sign and Plaque Sizes	651
	Table 2N-1	Emergency Management Sign Sizes	657
	Table 3B-1	Minimum Passing Sight Distances for No-Passing Zone Markings	780
T	Table 3D-1	Standard Edge Line and Lane Line Markings for Preferential Lanes	808
1	Table 3F-1	Approximate Spacing for Delineators on Horizontal Curves	822
	Table 4C-1	Warrant 1, Eight-Hour Vehicular Volume	862
	Table 4C-2	Warrant 9, Adjustment Factor for Daily Frequency of Rail Traffic	863
	Table 4C-3	Warrant 9, Adjustment Factor for Percentage of High-Occupancy Buses	863
	Table 4C-4	Warrant 9, Adjustment Factor for Percentage of Tractor-Trailer Trucks	863
	Table 4D-1	Recommended Minimum Number of Primary Signal Faces for Through Traffic or	n 944
		Approaches with Posted, Statutory, or 85th-Percentile Speed of 45 mph or Higher	
	Table 4D-2	Minimum Sight Distance for Signal Visibility	944
	Table 4D-101(CA)	Suggested Detector Setbacks from Limit Line	945
	Table 4D-102(CA)	Minimum Yellow Change Interval	946
	Table 4D-103(CA)	Traffic Signal Timing Analysis Chart	947
	Table 4D-104(CA)	Signal Operations – Vehicular Speed	948
	Table 4D-105(CA)	Pole and Equipment Schedule	949
	Table 4D-106(CA)	Conductor and Conduit Schedule	950
	Table 4D-107(CA)	Available Conduit Area	951
	Table 4D-108(CA) Table 4D-109(CA)	Conductor Size	952 953
	Table 5A-1	Signal Operations – Minimum Bicycle Timing Sign and Plaque Sizes on Low-Volume Roads	1009
	Table 6C-1	Recommended Advance Warning Sign Minimum Spacing	1009
	Table 6C-2	Stopping Sight Distance as a Function of Speed	1047
	Table 6C-3	Taper Length Criteria for Temporary Traffic Control Zones	1047
	Table 6C-3(CA)	Taper Length Criteria for Temporary Traffic Control Zones (for 12 feet Offset Width)	1048
	Table 6C-4	Formulas for Determining Taper Length	1048
	Table 6C-101(CA)	Stopping Sight Distance as a Function of Speed on Downgrades	1049
	Table 6E-1	Stopping Sight Distance as a Function of Speed	1066
	Table 6E-101(CA)	Longitudinal Buffer Space or Flagger Station Spacing on Downgrades	1066
	Table 6F-1	Temporary Traffic Control Zone Sign and Plaque Sizes	1129
	Table 6F-1(CA)	California Temporary Traffic Control Zone Sign and Plaque Sizes	1131
	Table 6F-101(CA)	Maximum Spacing of Channelizing Devices	1132
	Table 6F-102(CA)	Pavement Surface Tolerances	1133
	Table 6H-1	Index to Typical Applications	1150
	Table 6H-1(CA)	Index to Typical Applications	1151
	Table 6H-2	Meaning of Symbols on Typical Application Diagrams	1151
	Table 6H-3	Meaning of Letter Codes on Typical Application Diagrams	1152
	Table 6H-4	Formulas for Determining Taper Length	1152
	Table 6H-4(CA)	Taper Length Criteria for Temporary Traffic Control Zones (for 12 feet Offset Width)	1153

California MUTCI (FHWA's MUTCD 2	D 2014 Edition 2009 Edition, including Revisions 1,2, &3, as amended for use in California)	Page 40
(FHWA's MUTCD 2 Table 7B-1 Table 7B-1(CA) Table 8B-1 Table 8B-1(CA) Table 9B-1 Table 9B-1 Table 9B-1(CA) Table A2-1 Table A2-2 Table A2-3 Table A2-4	2009 Edition, including Revisions 1,2, &3, as amended for use in California) School Area Sign and Plaque Sizes California School Area Sign Assembly Sizes Grade Crossing Sign and Plaque Minimum Sizes California Grade Crossing Sign and Plaque Minimum Sizes Bicycle Facility Sign and Plaque Minimum Sizes California Bicycle Facility Sign and Plaque Minimum Sizes California Bicycle Facility Sign and Plaque Minimum Sizes Conversion of Inches to Millimeters Conversion of Feet to Meters Conversion of Miles to Kilometers Conversion of Miles per Hour to Kilometers/Hour	1302 1302 1345 1346 1396 1398 1450 1450 1450 1450
	*	