

**CHAPTER II**  
**TYPE OF PERMITS**

**200     GENERAL**

**This chapter covers the four types of permits that are authorized to be written.**

**The Single Trip Permit, the Annual Permit, the Repetitive Permit and the Direct Crossing Permit.**

**201     SINGLE TRIP PERMIT**

**A single trip permit is a permit issued for a qualifying load or vehicle moving one way and returning unladen or with the same type of load, if requested, within the specified time limits of the permit.**

**Qualifying loads are those single item, non-reducible units complying with CVC Section 320.5 that exceed statute limits for size and/or weight. Permits are issued for vehicles/loads reduced to their least dimension or weight. Overheight loads must be carried on a drop-deck semitrailer unless the length of the item exceeds the length of the loading deck. In this case, it may be appropriate to be hauled on a flatbed trailer if the load requires full deck support.**

**Permits shall not be issued for dimensions or weights that can be reduced to legal limits by repositioning and/or practical removal of a part, portion or unit therefrom. Additional items may be hauled provided the item(s) do not exceed the dimensions of the vehicle or permitted item and the loaded vehicle is of legal axle and gross weight.**

**A single trip permit shall be written for a minimum of 5 days with additional time granted, as justified, considering the length of haul, the type of load being transported, and possible delays en route due to construction and/or inclement weather (fog, rain, snow, etc.)**

**A single trip permit is authorized at a maximum width of 14'0"; a maximum overall length of 135'0"; a maximum rear overhang of 35'; a maximum front overhang of 30'; a maximum height not to be less than 3" below the lowest structure on the permitted route and a maximum of Purple weight. However there are some maximum dimensions as stipulated in the California Vehicle Code (CVC) that cannot be exceeded (e.g., 14' wide manufactured homes, 12' wide roof trusses).**

**The following is an alphabetical listing of frequently issued single trip permits and the maximum dimensions and weights authorized without prior approval from the Chief, Transportation Permit Branch.**

**201.1 BATCH PLANTS, TRAILER MOUNTED**

**Width - 14'0"**

**Length - Under Study**

**Height - 3" vertical clearance of the lowest structure on the permitted route.**

**Weight - Chart weight Purple**

**Overhang - Under Study**

**Single trip permits are not available unless an inspection report is on file or concurrence has been obtained from Headquarters Permit Office or a Headquarters Vehicle Inspector.**

**201.2 BOATS**

**Width - 15'0"**

**Variance required for boats greater than 14'0" in width except that Districts may approve any variance up to 15'0".**

**Length - Legal, unless it cannot be hauled on a legal length semitrailer within a legal length tractor, semitrailer combination.**

**Height - 3" vertical clearance of the lowest structure on the permitted route.**

**Weight - Chart Weight Purple. Single trip permits are not available if weight is involved unless an inspection report is on file for the boat trailer or concurrence has been obtained from the Headquarters Permit Office or a Headquarters Vehicle Inspector. Weight may be written if hauled on a heavy haul semitrailer normally used for extra legal weight loads other than boats and which is exempt from inspection under the heavy haul inspection policy.**

**Overhang - Legal per CVC 35410 If overhang exceeds statute limits, approval must be obtained from Headquarters Permit Office through the variance process (See Chapter IV).**

**201.3 CONCRETE FORMS**

**No permit available--must be hauled within the provision of the California Vehicle Code (except for Concrete Pipe and Concrete Vault forms. See this chapter).**

**201.4 CONCRETE PANELS, IN HORIZONTAL POSITION**

**Width - 12'0"**

**Length - Legal**

**Height - Legal**

**Weight - Legal**

**Overhang - Legal**

**201.5 CONCRETE PANELS - IN INCLINE OR SLANTED POSITION**

**Width - 12'0" (Legal when loaded on an "A" frame back-to-back)**

**Length - Legal**

**Height - 3" vertical clearance of the lowest structure on the permitted route.**

**Weight - Legal (Chart weight when loaded back-to-back on an "A" frame, one panel each side.)**

**Overhang - Legal**

**201.6 CONCRETE PANELS - IN VERTICAL POSITION**

**Width - Legal**

**Length - Legal**

**Height - 3" vertical clearance of the lowest structure on the permitted route.**

**Weight - Legal**

**Overhang - Legal**

**201.7 CONCRETE PILES**

**Gross weight in excess of 80,000 pounds will be allowed when all concrete piles on a load exceeds 80 feet. Gross weight will be allowed in conformance with formula B. Internal axle groups will also have to comply with Formula B.**

**Loads of long (over 80 feet) and short piles may not be mixed and receive a permit to exceed legal axle or legal gross weight. Variance approval from**

**Headquarters Permits is required when transporting piles greater than 80' in length.**

**201.8 CONCRETE PIPE**

**Width - 14'0"**

**Length - Legal**

**Height - 3" vertical clearance of the lowest structure on the permitted route.**

**Weight - Chart Weight Purple, except for large aqueduct projects, then green weight when more than 10 trips are requested.**

**Overhang - Legal**

**201.9 CONCRETE PIPE FORMS**

**Concrete pipe forms shall be considered non-reducible and shall be routinely issued permits in conformance with Caltrans policy governing all other single piece non-reducible items.**

**201.10 CONCRETE PUMP - SELF-PROPELLED**

**Width - 10'0"**

**Length - Legal**

**Height - Legal**

**Weight - Green or Unbonused Purple**

**Overhang - Under Study**

**Single trip permits are not available unless an inspection report is on file or concurrence has been obtained from Headquarters Permit Office or a Headquarters Vehicle Inspector.**

**201.11 CONCRETE PUMP - TRAILER MOUNTED**

**Width - 10'0"**

**Length - Legal**

**Height - Legal**

**Weight - Green or Unbonused Purple as determined by Headquarters Vehicle Inspector**

**Overhang - Legal**

**Single trip permits are not available unless an inspection report is on file or concurrence has been obtained from Headquarters Permit Office or Headquarters Vehicle Inspector.**

**201.12 CONCRETE UTILITY BOXES**

**Width - 14'0"**

**Length - Legal**

**Height - 3" vertical clearance of the lowest structure on the permitted route.**

**Weight - Chart Weight Purple**

**Overhang - Legal**

**201.13 CONCRETE VAULTS**

**Width - 14'0"**

**Length - Legal**

**Height - 3" vertical clearance of the lowest structure in the permitted route.**

**Weight - Chart Weight Purple**

**Overhang - Legal**

**201.14 CONCRETE VAULT FORMS**

**Concrete vault forms shall be considered non-reducible and shall be routinely issued permits in conformance with Caltrans policy governing all other single piece non-reducible items.**

**201.15 CONTAINERIZED LOADS (Sea Containers)**

**Subject to California Weight and Size law. No permit available. For specialized transport protection, reasonable size provisions may be allowed where justified for protection of critical surfaces.**

**201.16 CONSTRUCTION EQUIPMENT, IMPLEMENTS OF HUSBANDRY AND OTHER EQUIPMENT**

**Width - 14'0" except for dozer blades, draft arms of scrapers and tracks on crawler type equipment (hydraulic hoes, cranes, draglines, harvesters, etc.) Under these conditions, width may be written up to 14'6".**

**Length - 135'0"**

**Height - 3" vertical clearance of the lowest structure on the permitted route.**

**Weight - Chart Weight Purple**

**Overhang - Legal per CVC 35410**

**If overhang exceeds statute limits, approval must be obtained from Headquarters Permit Office through the variance process (Chapter IV).**

**200.17 CONVEYORS - HAULED AS A LOAD**

**Width - 14'0"**

**Length - 135'0"**

**Height - 3" vertical clearance of the lowest structure on the permitted route.**

**Weight - Chart Weight Purple**

**Overhang - Legal per CVC 35410**

**If overhang exceeds statute limits, approval must be obtained from Headquarters Permit Office through the variance process (Chapter IV).**

**201.18 CONVEYORS - TOWED ON OWN WHEELS**

**Width - 14'0"**

**Length - 135'0"**

**Height - 3" vertical clearance of the lowest structure on the permitted route**

**Weight - Chart Weight Purple**

**Overhang - Under Study**

Single trip permits are not available unless an inspection report is on file or concurrence has been obtained from Headquarters Permit Office or a Headquarters Vehicle Inspector.

**201.19 CRANES, TRUCK**

Width - 13'0" (Hard Metal) 13'4" at tire bulge

Length - 80'0" (Includes Boom Dolly, Trailer and Overhang)

Height - Legal

Weight - Purple, as determined by a Headquarters Vehicle Inspector.

Single trip permits are not available unless an inspection report is on file or concurrence has been obtained from Headquarters Permit Office or a Headquarters Vehicle Inspector.

Overhang - Legal per CVC 25410

If overhang exceeds statute limits, approval must be obtained from Headquarters Permit Office through the variance process (Chapter IV).

**201.20 DRILL RIGS (WATER, OIL, OTHER) SELF PROPELLED/TRAILER MOUNTED**

Width - 14'0"

Length - Legal

Height - 3" vertical clearance of the lowest structure on the permitted route.

Weight - Chart Weight Purple, as determined by Headquarters Vehicle Inspector

Overhang - Legal

Single trip permits are not available unless an inspection report is on file or concurrence has been obtained from Headquarters Permit Office or a Headquarters Vehicle Inspector.

**201.21 FARM TRACTORS**

Width - 14'0"

Length - Legal

Height - 3" vertical clearance of the lowest structure in the permitted route.

**Weight - Chart Weight Purple**

**201.22 FIRE TRUCKS**

**Under Study**

**201.23 FIXED LOAD VEHICLE, SELF-PROPELLED/TRAILER MOUNTED**

**Width - 14'0"**

**Length - As determined by Headquarters Vehicle Inspector**

**Height - 3" vertical clearance of the lowest structure on the permitted route.**

**Weight - Chart Weight Purple**

**Overhang - Legal per CVC 35410**

**If overhang exceeds statute limits, approval must be obtained from Headquarters Permit Office through the variance process (See Chapter IV).**

**Single trip permits are not available unless an inspection report is on file or concurrence has been obtained from Headquarters Permit Office or a Headquarters Vehicle Inspector.**

**201.24 FIXED WIDTH SEMITRAILERS**

**A five-axle tractor semitrailer combination which has a fixed extralegal width is eligible for single trip permits with a qualifying load. (Load width equals or exceeds semitrailer width.) See Military Vehicle - Oversize Tactical (M172A1) for exception to this section.**

**Width - 14'0" (14'6" for specific construction equipment)**

**Length - Where load justifies it, extra legal length will be permitted**

**Height - 3" vertical clearance of lowest structure on the permitted route.**

**Weight - Chart Weight Purple**

**Overhang - Legal per CVC 35410**

**201.25 HAZARDOUS MATERIAL**

**No permit available except for rocket motors - Refer all requests to the California Highway Patrol Motor Carrier Section.**



(916) 445-6211 for License  
(916) 445-1865 for inspection/route

See Radioactive Waste in this Chapter.

**201.26 HEIGHT POLE**

Single trip permits for unlimited height will be permitted for checking clearances on conventional highways.

Single trip permits for the expressed purpose of "Running-a-Route" on freeways or expressways are not permitted.

A permit is not required when escorting a permitted load or vehicle or when surveying a route for a permitted overheight load.

**201.27 HOUSE MOVES**

All house moves shall be treated as a variance to normal permit policy (See Chapter IV).

**201.28 LAMINATED WOOD BEAMS**

Length - 135'0" in combination overall length (may require a steerable dolly, dependent on the route).

Beams 80' or less must be hauled legal per CVC 35414.

**201.29 LETTUCE COOLERS (Trailer Mounted)**

Width - 14'0"

Length - As determined by Headquarters Vehicle Inspector

Height - 3" vertical clearance of lowest structure on the permitted route.

Weight - Chart Weight Purple as determined by a Headquarters Vehicle Inspector

Overhang - Legal per CVC 35410.

If overhang exceeds statute limits, approval must be obtained from Headquarters Permit Office through the variance process (See Chapter IV).

Single trip permits are not available unless an inspection report is on file or concurrence has been obtained from Headquarters Permit Office or a Headquarters Vehicle Inspector.

**201.30 LOG LOADERS (Self-Propelled)**

**Width - 10'0"**

**Length - Legal**

**Height - 3" vertical clearance of lowest structure on the permitted route.**

**Weight - Chart Weight Purple, as determined by Headquarters Vehicle Inspector**

**Overhang - 2/3 wheel base if first sold in California after January 1, 1988. Unlimited if first sold in California prior to January 1, 1988.**

Single trip permits are not available unless an inspection report is on file or concurrence has been obtained from Headquarters Permit Office or a Headquarters Vehicle Inspector.

**201.31 MAGNETIC RESONANCE IMAGING (MRI) MOBILE UNIT**

**A. "Mobile Unit A" is self propelled, ie: a single unit, 40' long motor truck. This unit must be "legal" ;in all respects. There are no permits available.**

**B. "Mobile Unit B" is a Fixed Load Towed Mobile MRI unit. It will require inspection by a Headquarters Vehicle Inspector.**

It will take on the appearance of three (axle tractor and a two axle van type (enclosed) semitrailer (KP hookup). The permitted dimensions for this unit are as follows:

**Height - Legal**

**Weight - Chart Weight Purple**

**Length - 60' box, 85' O.A.L.**

**King Pin - 53'**

**Width - 12'0" box; 12' 6" includes appurtenances (eaves, lights, door knobs, etc.). Pilot car will be required when the width exceeds 12'0" and in accordance with the pilot car table and criteria for permit vehicles and/or loads.**

**201.32 MAGNETIC RESONANCE IMAGING (MRI) (Hauled as a load)**

**Width - 14'0"**

**Length - 85'0" (70' maximum for housing, includes tongue)**

**King Pin - 65'0" maximum**

**Height - Legal**

**Weight - Chart Weight Purple**

**201.33 MANUFACTURED HOMES**

**Width - 14'0"**

**Length - 105'0" (80' maximum for housing, includes tongue).**

**Height - 3" vertical clearance of lowest structure on permitted route.**

**Weight - 6,000 lbs. maximum per axle under towed unit.**

**Permits are available only to transporters or licensed manufacturers and dealers (CVC 35790(2)(e)).**

**201.34 MILITARY TANKS**

**Width - 14'0"**

**Length - 135'0"**

**Height - 3" vertical clearance of lowest structure on the permitted route.**

**Weight - Chart Weight Purple (cannot be "roaded" at extralegal weight)**

**Overhang - Legal**

**201.35 MILITARY TANK TRANSPORTER (M747)**

**Width - 11'4" unladen from base to base.**

**Length - Legal**

**Height - Legal**

**Weight - Legal**

May exceed 80,000 pounds unladen with a permit to move from base to base only. May haul any other load not to exceed legal axle weight nor 80,000 pounds gross weight.

Overhang - Legal

**201.36 MILITARY VEHICLES - OVERSIZE TACTICAL (M172A1)**

Width - 14'0"

Length - Legal

Height - 3" vertical clearance of lowest structure on the permitted route.

Weight - Chart Weight Purple

Overhang - Legal

The M172A1 semitrailer is fixed at 9'7" width

**201.37 MOBILE HOME FRAMES, STACKED**

Width - 14'0"

Length - 105'0" (80' maximum for frames, including tongue)

Height - Legal

Weight - Legal

**201.38 PILOT CAR**

A permit is not required when escorting a permitted load or vehicle or when surveying a route for a permitted overheight load.

**201.39 RADIOACTIVE WASTE**

**Width - Legal**

**Weight - Chart Weight Purple**

**Length - 135'0"**

**Height - Legal**

**Nuclear Regulatory Commission (NRC) identification number must be shown on the permit.**

**201.40 RE-BAR**

**No permit available without approval from the Chief, Transportation Permit Branch through the variance process (see Chapter IV).**

**201.41 REELED TUBING - TRAILER MOUNTED**

**Width - 14'0"**

**Length - Legal**

**Height - 3" vertical clearance of lowest structure on the permitted route.**

**Weight - Chart Weight Purple**

**Overhang - Legal per CVC 35410**

**If overhang exceeds statute limits, approval must be obtained from Headquarters Permit Office through the variance process (See Chapter IV).**

**Single trip permits are not available unless an inspection report is on file or concurrence has been obtained from Headquarters Permit Office or a Headquarters Vehicle Inspector.**

**201.42 SCRAPERS**

**Width - 14'6" with draft arms 14'0" with draft arms removed**

**Length - 135'0"**

**Height - 3" vertical clearance of lowest structure on the permitted route.**

**Weight - Chart Weight Purple**

**Overhang - Legal**

**201.43 STACKERS - HAULED AS A LOAD**

**Width - 14'0"**

**Length - 135'0"**

**Height - 3" vertical clearance of the lowest structure on the permitted route**

**Weight - Chart Weight Purple**

**Overhang - Legal**

**If overhang exceeds statute limits, approval must be obtained from Headquarters Permit Office through the variance process (See Chapter IV).**

**201.44 STACKERS - TOWED ON OWN WHEELS**

**Width - 14'0"**

**Length - 135'0"**

**Height - 3" vertical clearance of lowest structure on the permitted route.**

**Weight - Chart Weight Purple as determined by a Headquarters Vehicle Inspector**

**Overhang - Under study**

**Single trip permits are not available unless an inspection report is on file or concurrence has been obtained from Headquarters Permit Office or a Headquarters Vehicle Inspector.**

**201.45 STEEL BEAMS**

**135'0" in overall combination length with written justification to the District Permit Engineer of non-reducibility in excess of 80'.**

**(May require a steerable dolly, depending on the route to be used).**

**Headquarters approval not required.**

**201.46 STEEL PLATE OF FIRST MANUFACTURE - in Horizontal Position**

**Width - 12'0"**

**Length - Legal**

**Height - Legal**

**Weight - Legal**

**Overhang - Legal**

**201.47 STEEL PLATE - In Incline or Slanted Position**

**Width - 12'0"**

**Length - Legal**

**Height - 3" vertical clearance of lowest structure on the permitted route.**

**Weight - Legal**

**Overhang - Legal**

**201.48 STEEL PLATE - In Vertical Position**

**Width - Legal**

**Length - Legal**

**Height - 3" vertical clearance of lowest structure on the permitted route.**

**Weight - Legal**

**Overhang - Legal**

**201.49 STEEL POLES**

**135'0" in combination length (includes pole, tractor and pole or pipe dolly) if used as light standards, antennas, transmission poles, etc., that are of special fabrication and cannot be spliced. (May require a steerable dolly, depending on the route to be used).**

**Headquarters approval not required.**

**201.50 SWIMMING POOLS**

**Width - 14'0"**

**Length - Legal**

**Height - 14'6"**

**Weight - Legal**

**Overhang - Legal**

**200.51 TREES**

**Width - 12'0" (District Permit Engineer may issued up to 14'0" if the tree is of a delicate nature and the limbs can not be tied or otherwise restricted to 12'0") (Anything over 14'0" requires variance approval, See Chapter IV).**

**Length - Legal**

**Height - Legal**

**Weight - Legal**

**Overhang - Legal**

**201.52 TIRES (OVERSIZE)**

**Overheight permit only with 3" vertical clearance of lowest structure on the permitted route.**

**201.53 TOW TRUCK, 2-AXLE**

**Width - 14'0"**

**Length - 135'0" For qualifying non-reducible vehicles or vehicle combinations (CVC 320.5)**

**Height - 3" vertical clearance of lowest structure on the permitted route.**

**Weight - 22,500 pounds on the single drive axle.**

**Chart weight purple for all other axles.**

**The permit may be written for any distance from origin to destination. Review application for routing according to the number of axles actually on the ground.**

**201.54 TOW TRUCK, 3-AXLE**

**Width - 14'0"**

**Length - 135'0" For qualifying non-reducible vehicles or vehicle combinations (CVC 320.5).**



**Height - 3" vertical clearance of lowest structure on the permitted route.**

**Weight - Chart Weight Purple**

**The permit may be written for any distance from origin to destination. Review application for routing according to the number of axles actually on the ground.**

**201.55 TRAILER COACH (PARK MODELS)**

**Width - 12'0"**

**Length - Legal**

**Height - Legal**

**Weight - 6,000 lbs. maximum per axle under towed unit.**

**Permits are available only to a transporter or licensed manufacturers and dealers (CVC 3790(2)e).**

**201.56 TRUSSES - in Horizontal Position**

**Width - 12'0"**

**Length - Legal**

**Height - Legal**

**Weight - Legal**

**Overhang - Legal**

**201.57 TRUSSES - in Incline or Slanted Position**

**Width - 12'0"**

**Length - Legal**

**Height - 3" vertical clearance of lowest structure on the permitted route.**

**Weight - Legal.**

**Overhang - Legal**

**201.58 TRUSSES - in Vertical Position**

**Width - Legal**

**Length - Legal**

**Height - 3" vertical clearance of lowest structure on the permitted route.**

**Weight - Legal**

**Overhang - Legal**

**201.59 WALL SECTIONS (ONE-PIECE ROOF OR FLOOR) in Horizontal Position**

**Width - 12'0"**

**Length - Legal**

**Height - Legal**

**Weight - Legal**

**Overhang - Legal**

**201.60 WALL SECTIONS (ONE-PIECE ROOF OR FLOOR) in Incline or Slanted Position**

**Width - 12'0"**

**Length - Legal**

**Height - 3" vertical clearance of lowest structure on the permitted route.**

**Weight - Legal**

**Overhang - Legal**

**201.61 WALL SECTIONS (ONE-PIECE ROOF OR FLOOR) in Vertical Position**

**Width - Legal**

**Length - Legal**

**Height - 3" vertical clearance of lowest structure on the permitted route.**

**Weight - Legal**

**Overhang - Legal**

**201.62 WOODEN POLES**

Same as Laminated Wood Beams

**201.63 YARDERS**

Single trip permits are not available unless an inspection report is on file.

**202 ANNUAL PERMITS**

**202.1 10' WIDE MANUFACTURED HOME**

Width - 10'0"

Length - 105'0" (80'0" maximum for housing, includes tongue)

Height - 14'0"

Weight - 6,000 lbs. maximum per axle under towed unit

Range - Statewide, except on restricted routes.

Permits are available only to transporters or licensed manufacturers and dealers (CVC 35790)(2)e). In this case, a transporter is one who is in the business of moving manufactured homes and possesses an HCD decal.

**202.2 12' WIDE MANUFACTURED HOME**

Width - 12'0"

Length - 105'0" (80'0" maximum for housing, includes tongue)

Height - 14'0"

Weight - 6,000 lbs. maximum per axle under towed unit

Range - Statewide Arterial System.

Permits are available only to transporters or licensed manufacturers and dealers (CVC 35790)(2)e). In this case, a transporter is one who is in the business of moving manufactured homes and possesses an HCD decal.

**202.3 PARK TRAILER COACH**

Width - 12'0"

**Length - Legal per 35401 CVC 65'0" combination (40'0" maximum for housing, includes tongue)**

**Height - 14'0" (Legal)**

**Weight - 6,000 lbs. maximum per axle under towed unit. Permits are available only to transporters or licensed manufacturers or dealers (CVC 35790(2)e). In this case, a transporter is one who is in the business of moving manufactured homes and possesses an HCD decal or has a license issued by the DMV to move a trailer coach (park model) or a recreational vehicle.**

**Range - Statewide Arterial System**

**202.4 STATEWIDE EXTRALEGAL (12'0" Wide OWL)**

**Width - 12'0"**

**Length - Legal per 35401 CVC**

**Height - 14'0" (Legal)**

**Weight - Legal**

**Overhang - Legal**

**Range - Statewide Arterial System**

**202.5 LOCAL EXTRALEGAL (12'0" Wide OWL)**

**Width - 12'0"**

**Length - Legal per 35401 CVC**

**Height - 14'0"**

**Weight - Legal**

**Overhang - Legal**

**Range - 100-mile radius**

**202.6 LOCAL EXTRALEGAL 8/12 WHEEL SEMITRAILER w/WEIGHT**

**Width - 12'0"**

**Length - Legal per 35401 CVC**

**Height - 14'0" (Legal)**

**Weight - Chart Weight Green**

**Overhang - Legal**

**Range - 100-mile radius**

**202.7 LOCAL EXTRALEGAL 16-WHEEL SEMITRAILER w/4'6" AXLE SPACING**

**Width - 12'0"**

**Length - Legal per 35401 CVC**

**Height - 14'0" (Legal)**

**Weight - Chart Weight - Bonused Green**

**Overhang - Legal**

**Range - 100-mile radius**

**202.8 LOCAL EXTRALEGAL 16-WHEEL SEMITRAILER w/5'9" AXLE SPACING**

**Width - 12'0"**

**Length - Legal per 35401 CVC**

**Height - 14'0"**

**Weight - Chart Weight - Bonused Green**

**Overhang - Legal**

**Range - 100-mile radius**

**202.9 FIXED WIDTH SEMITRAILER (Grandfather)**

**Width - 12'0"**

**Length - Legal per 35401 CVC**

**Height - 14'0" (Legal)**

**Weight - Chart Weight Green**

**Overhang - Legal**

**Range - 100-mile radius**

**202.10 UNLADEN MULTI-VEHICLE COMBINATION STATEWIDE**

**Width - 10'0"**

**Length - 85'0"**

**Height - 14'0" (Legal)**

**Weight - All axles legal, gross not to exceed 80,000 pounds.**

**Overhang - Legal**

**Range - Statewide**

**202.11 UNLADEN MULTI-VEHICLE COMBINATION LOCAL**

**Width - 11'0"**

**Length - 110'0"**

**Height - 14'0" (Legal)**

**Weight - All axles legal, gross not to exceed 80,000 pounds.**

**Overhang - Legal**

**Range - 100-mile radius**

**202.12 TRUCK CRANES 10' OR LESS IN WIDTH, Green Weight**

**Width - 10'0"**

**Length - 80'0" (Includes boom dolly, trailer, and overhang)**

**Height - 14'0" (Legal)**

**Weight - Green**

**Overhang - 30'0" maximum rear (dolly)  
35'0" maximum rear (trailer)**

**Range - 100-mile radius**

- 202.13 TRUCK CRANES, OVER 10' IN WIDTH, Green Weight**  
**Width - 11'4" Hard Metal, 11'4" at Tire Bulge**  
**Length - 80'0" (Includes boom dolly, trailer, and overhang)**  
**Height - 14'0" (Legal)**  
**Weight - Green**  
**Overhang - 30'0" maximum rear (dolly)**  
**35'0" maximum rear (trailer)**  
**Range - 100-mile radius**
- 202.14 TRUCK CRANE, Green Weight**  
**Width - 11'4" Hard Metal, 11'4" at Tire Bulge**  
**Length - 80'0" Includes Overhang**  
**Height - 14'0" (Legal)**  
**Weight - Green**  
**Overhang - 30'0" maximum front, 25'0" rear**  
**Range - 100-mile radius**
- 202.15 TRUCK CRANES , 10' OR LESS IN WIDTH, Purple Weight**  
**Width - 10'0"**  
**Length - 80'0" (Includes boom dolly, trailer, and overhang)**  
**Height - 14'0" (Legal)**  
**Weight - Purple**  
**Overhang - 30'0" maximum rear (dolly)**  
**35'0" maximum rear (trailer)**  
**Range - 75-mile radius**
- 202.16 TRUCK CRANES, OVER 10' IN WIDTH, Purple Weight**  
**Width - 11'4" Hard Metal, 11'4" at Tire Bulge**

**Length - 80'0" (Includes boom dolly, trailer, and overhang)**

**Height - 14'0"**

**Weight - Purple**

**Overhang - 30'0" maximum rear (dolly)  
35'0" maximum rear (trailer)**

**Range - 75-mile radius**

**202.17 TRUCK CRANES - Purple Weight**

**Width - 11'4" Hard Metal, 11'4" at Tire Bulge**

**Length - 80'0"**

**Height - 14'0" (Legal)**

**Weight - Purple**

**Overhang - 30'0" maximum front, 25'0" rear**

**Range - 75-mile radius**

**202.18 FIXED LOAD, DRIVEN OR TOWED, Green Weight**

**202.19**

**Width - 10'0"**

**Length - Legal**

**Height - Legal**

**Weight - Green**

**Overhang - Legal**

**Range - 100-mile radius**

**202.20 FIXED LOAD, DRIVEN OR TOWED, Purple Weight**

**202.21**

**Width - 10'0"**

**Length - Legal**



**Height - Legal**

**Weight - Purple**

**Overhang - Legal**

**Range - 75-mile radius**

**202.22 TOW TRUCK, 2-AXLE**

**Width - Legal**

**Length - Tow truck plus length of legal combination**

**Height - Legal**

**Weight -22,500 pounds on single drive Chart Weight Green for all other axles**

**Extralegal axle weight is authorized on routes within a 100-mile radius of the base of operation as shown on maps established by each district.**

**202.23 TOW TRUCK, 3-AXLE**

**Width - Legal**

**Length - Tow Truck plus length of legal combination**

**Height - Legal**

**Weight - Chart Weight Green**

**Extralegal axle weight is authorized on routes within a 100-mile radius of the base of operation as shown on maps established by each district.**

**203 REPETITIVE PERMITS**

**203.1 TWO-VEHICLE COMBINATION ONLY**

**Width - 12'0"**

**Length - Legal**

**Height - Legal**

**Weight - Green, Bonused**

**Range - From Point A to B to C and Return**

**Saturday and Sunday permitted if pilot car or detours are not required.**

**Valid for six-month period.**

**203.2 ANY VEHICLE COMBINATION (See Concrete Pipe)**

**Width - 14'0" (14'6" for specific Construction Equipment)**

**Length - 135'0"**

**Height - 3" vertical clearance of the lowest structure on the permitted route.**

**Weight - Bonus Purple**

**Range - From Point A to B to C and Return**

**Valid for six-month period, Monday through Friday, Daylight hours. If overheight is involved, permit shall be valid for a period of 30 days, renewal by Transportation Permit Rider.**

**203.3 FOR PIPE (ANY VEHICLE COMBINATION) (SEE CONCRETE PIPE)**

**Width - 14'0"**

**Length - 135'0"**

**Height - 3" vertical clearance of the lowest structure on the permitted route.**

**Weight - First ten (10) loads, chart weight purple; remaining loads chart weight green**

**Range - From Point A to B and return, valid for six-month period, Monday through Friday, daylight hours for the first ten (10) loads; remaining loads may move on Saturday and Sunday unless prohibited by other weekend restrictions. If overheight is allowed, permit shall be valid for a period of 30 days, renewal by Transportation Permit Rider.**

**204 DIRECT CROSSING PERMIT**

**A vehicle which is driven or moved upon a highway only for the purpose of crossing the highway from one property to another in accordance with a permit issued by the Department of Transportation is exempt from registration.**

**This permit does not allow longitudinal travel on the highway nor does it allow over-dimensional or overweight vehicles or loads. A separate permit is required for extralegal vehicles or loads for direct crossing and/or longitudinal movements.**

**Permits for over-dimensional and/or overweight vehicles or loads on city or county streets or roads must be obtained from the city or county that has jurisdiction over the city or county streets or roads.**